

Recd Jan 6-1893  
Copied  
Compared  
Platted

Book 25

Sent to G. L. O. 3-4 '93

BOOK 1225

No. 1225

Approved. April 27-1893

BOOK 1225

4-671

1225

**FIELD NOTES**

**GENERAL LAND OFFICE**

of the

SUBDIVISIONS

T. 6. S. R. 9. W

by Lewis Wolfley

Under Contract No. 22

Dated May. 26-1892

Survey. Commenced Oct. 10/92

Completed Oct. 16/92

Indexed, Book 1224.

54

Township 6S R. 9W

6	95	5	70	4	3	2	1
94		92		68			
7	91	8	67	9	10	11	12
89		87		65			
18	86	17	63	16	15	14	13
84		83		62			
19	81	20	60	21	22	23	24
80		78		59			
30	76	29	57	28	27	26	25
75		74		55			
31	72	32	55	33	34	35	36

Subdivisions of 6. S. R. 9W.

Chain A. 32.00 S.W. and

D 29.00 N.W. faced with 1  
notch on S. and 4 notches on  
E. edges, dug pits 18x18x12  
ins. in each Sec. 5 1/2 ft. dist.  
and raised a mound of  
earth 2 ft. high 4 1/2 ft. base  
around first

Land level except a very  
little malpais.

Soil 1<sup>st</sup> rate

N 89° 57' E on a random  
line bet. Secs 28 + 33.

70.13° 52' E.

40.00 Set temporary 1/4 Sec. cor  
79.90 Intersect the N. and S. line  
at 32.00 North of the cor

56

BOOK 1225.

## Subdivisions Sp. 6.

Chains to Secs 27, 28, 33 + 34

Thence I run

N 89° 49' W. on a true  
line bet. Secs 28 + 33.

V. 13° 52' E

3.9.95 Set a post 3 ft. long  
in square with marked  
stone 12 ins. in the ground  
for N. E. cor. marked 14  
N. or N. face, dug pits 18x  
18x12 ins. E. and W. of post  
5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft.  
high 3 1/2 ft. base around post

79.90 The Cor. to Secs 28, 29, 32 + 33

Land level mesa

Soil 1<sup>st</sup> rate

## South Range 9 West.

- Chains N.  $5^{\circ} 2'$  W. bet. Secs. 28 + 29  
 Very gradually descending <sup>Var.  $13^{\circ} 52'$  E.</sup>  
 40.00 Set a post 3 ft. long 3 ins. square  
 with marked stone 12 ins. in  
 the ground for  $\frac{1}{4}$  Sec. cor.  
 marked  $\frac{1}{4}$  S. on W. face  
 dug pits 18 x 18 x 2 ins. N. & S.  
 of post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
 around post.
- 80.00 Set a post 4 ft. long 4 ins.  
 square with marked stone  
 12 ins. in the ground for  
 cor. to Secs. 20, 21, 28 + 29  
 marked  
 T. 6. S. S. 21 on N. E.  
 R. 9 W. S. 28 on S. E.  
 S. 29 on S. W. and

## Subdivisions of 6.

Chains S. 20 on N. W. face with  
 2 notches on S. and 4  
 notches on E. edges dug  
 pits 18x18x12 ins. in  
 each Sec. 57 1/2 ft. dist. and  
 raised a mound of earth  
 2 ft. high 4 1/2 ft. base  
 around post.  
 End of gradual descent.  
 From which  
 a pale verde 10 ins. in diam  
 brs. S. 65° E. 112 lks. dist.  
 marked  
 T. 6. S. R. 9 W. S. 20 P. 3.  
 Land nearly level  
 A little scattering Mesquite  
 Soil 1<sup>st</sup> rate.

## South Range 9 West. 59

Chains S.  $89^{\circ}49'$  E. on a random  
line bet. Secs. 21 and 28.

(Var.  $13^{\circ}30'$  E.)

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.

80.00 Intersect the N. & S. line  
at 16 lks. S. of the cor. to Secs.  
21, 22, 27 + 28.

Thence Run

N.  $89^{\circ}56'$  W. on a true line,  
bet. Secs. 21 + 28.

(Var.  $13^{\circ}30'$  E.)

40.00 Set a post 3 ft. long 3 in  
square with marked  
stone 12 in. in the ground  
for  $\frac{1}{4}$  Sec. cor. marked  
 $\frac{1}{4}$  S. on N. face. dig  
pits  $18 \times 18 \times 12$  ins. E. & W.  
of post  $5\frac{1}{2}$  ft. dist. and  
raise a mound of earth

## Subdivisions of 6.

Chains  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post.

N. W. The corner to Secs. 20, 21,  
28 & 29.

Land level

Soil 1<sup>st</sup> rate

---

N.  $0^{\circ} 2' W.$  bet. Secs. 20 & 21  
Var.  $13^{\circ} 30' E.$

40.00 Set a post 3 ft. long 3 ins  
square with marked  
stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. cor.  
marked  $\frac{1}{4}$  S. on W. face  
dig pits  $18 \times 18 \times 12$  ins.  
N. & S. of post  $5\frac{1}{2}$  ft.  
dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft.



## South Range West.

Chains high  $3\frac{1}{2}$  ft. base around  
post.

79.00 Road bears N. E. and S. W.

80.00 Set a post 4 ft. long  
4 ins. square with mark-  
ed stone 12 ins. in the  
ground for cor. to Secs.  
16, 17, 20 & 21. marked  
T. 6 S. S. 16 on N. E.  
R. 9 W. S. 21 on S. E.  
S. 20 on S. W. and  
S. 17 on N. W. faces  
with 3 notches on S. and  
4 notches on E. edges.  
Lay pits 18" x 12" ins  
in each Sec.  $3\frac{1}{2}$  ft.  
dist. and raised a  
mound of earth 2 ft.  
high  $4\frac{1}{2}$  ft. base

## Subdivision of 6.

Chains around post.

Land level Mea  
Soil 1<sup>st</sup> mate

---

S.  $89^{\circ}56'E$  on a random  
line bet. 16 and 21

Var.  $13^{\circ}25'E$

40.00 Set temporary  $1/4$  Sec. cor.

79.90 Intersect the N. & S. line  
at 5 lks. N. of the cor. to Secs.  
15, 16, 21 & 22

Thence I run

N.  $89^{\circ}54'W$  on a true  
line bet Secs. 16 & 21.

Var.  $13^{\circ}25'E$

39.95 Set a post 3 ft. long  
3 in. square with  
marked stone 17 in

## South Range West.

Chains in the ground for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$  S. on N. face. dug pits 18 x 18 x 12 ins. E. & W. of post  $5\frac{1}{2}$  in dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post. The road <sup>is on N. of</sup> the corner to Secs. 16, 17, 20 & 21. Large trees and a little Michigan soil 1<sup>st</sup> estate.

79.50  
79.90

N<sup>o</sup> 2' W. bet. Secs 16 + 17

Va. N<sup>o</sup> 25' E.

40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground

## Subdivision of 6.

Chains for 44 Sec. cor. marked  
 1 1/4. Iron W. face, dug  
 pits 18x18x12 ins. 90°  
 of post 5 1/2 ft. dist. and  
 raised a mound of  
 earth 1 1/2 ft. high 0 1/2 ft.  
 base around post

80.00 Set a post 4 ft. long 4  
 ins. square with marked  
 stone 12 ins. in the ground  
 for cor. to Secs 8, 9, 16 & 17  
 marked

T 6. S. 1. 9. on N. E.

R 9. W. 1. 16. on S. E.

S 17. on S. W. and

S 8. on N. W. faces with  
 4 notches on S and E  
 edges. and raised a  
 mound of earth 2 ft

## South Range West.

Chain high  $4\frac{1}{2}$  ft. base around  
post, from which

a Palo Verde. 12 ins. chain  
br  $N. 87^{\circ} E.$  190 lks. dist.

marked T. C. D. R. 9. W. S. 9. C. T.

Land slightly rolling

Soil  $\frac{1}{2}$  to  $3^{\text{rd}}$  rate

$S. 89^{\circ} 54' E.$  on a random  
line bet. Secs 9 & 16.

$S. 13^{\circ} 28' E.$

40.00 Set temporary 1/4 Sec. cor

79.80 Intersect the N. end S. line  
at 11. lks. N. of the cor. to  
Secs 9, 10, 15 & 16

Thence I run

$N. 89^{\circ} 49' W.$  on a true line  
bet. Secs 9 & 16

## Subdivisions of 6.

Chains

S<sub>9</sub>, 13° 20' E.

3.9.90 Set a post 3 ft. long  
 3 ins. square with marked  
 stone 12 ins. in the ground  
 for 1/4 Sec. cor. marked 1/4  
 on N. face, and dug  
 pit 15 x 15 x 12 ins. E +  
 W. of post 5 1/2 ft. dist. and  
 raised a mound of  
 earth 1 1/2 ft. high 5 1/2 ft.  
 base around post  
 From which

a Palo Verde 5 ins. diam.  
 brs. S 60° W. 55. lks. dist.  
 marked 1/4. S. B. T.

57.90 Road brs N + S

79.80 The cor. to Secs 8, 9, 16 + 17  
 Land rolling Malpais  
 Soil 0.75 rate

## South Range West.

Chain No. 2' W. bet. Secs 8 + 9

S.  $91^{\circ} 13' 20''$  E.

Over rolling Malpais

30.00 Wash 25. Cts. wide course westerly

40.00 Set a post 3 ft. long 3 ins.

square with marked stone  
12 ins. in the ground for

$\frac{1}{4}$  Sec. cor, marked 1/4 on

W. face, dug pits 18x18x12  
ins. N. and S. of post  $5\frac{1}{2}$  ft.

dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post

80.00 Set a post 4 ft. long 4 ins.

square with marked  
stone 12 ins. in the ground  
for cor. to Secs 4, 5, 8 + 9

marked

T. G. S. S. How N. E.

## Subdivision Sp. 6.

Chains R. 9. W. S. 9. on S. E.

S. 8. on S. W. End

S. 5. on N. W. faces with 5 notches on S. End 4 notches on E. edges. and raised a mound of stone  $1\frac{1}{2}$  ft. high 2 ft. base around post.

Land rolling Malpais  
Soil 1<sup>st</sup> to 4<sup>th</sup> rate

S.  $89^{\circ}49'E$ . on a random line bet. Secs 4 & 9

Va.  $13^{\circ}20'E$ .

40.00 Set temporary  $1/4$  Sec. cor

79.80 Intersect the N. End S. line at 4 lks. S. of the cor. to Secs 3, 4, 9 & 10



## South Range West.

Chains Thence I run

$N 89^{\circ} 57' W.$  on a true line  
bet. Secs 4 & 9.

$\text{Pa. } 13^{\circ} 28' E.$

33.40 Road bed Northernly & Southernly

39.90 Set a post 3 ft. long & 3 in.  
square with marked stone

pins in the ground for  
1/4 Sec. cor. marked 1/4 lb. N.

face, and raised a mound  
of stone 1 1/2 ft. high 2 ft. base  
around post

42.50 Wash 25. lks. wide course N.

79.80 The cor. to Secs 4, 5, 8 & 9

Land malpais & level

Soil 1<sup>st</sup> to 3<sup>rd</sup> rate

Subdivisions ~~of~~ 6.

Chains N0°2'W. bet. Secs 4 + 5

Va. 13°20'E.

40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for N. Sec. cor. marked 14 P. on N. face, dug pits 18 x 18 x 12 ins. N. and S. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post

44.20 Road brs N. E. + P. W

46.20 Wash 20 lks. wide Course N. W

75.82 Intersect the 1<sup>st</sup> Standard Parallel South at a point 31.60 chs. S89°04'E from the Standard cor. to Secs 32 + 33. at which point I set a

## Dorseth Range 9 West 71

Chain Post 4 ft long 4 ins square  
with marked stone 12 ins.  
in. the ground for blasing  
con. to Secs 4 + 5, marked  
C. C. T. 6. S. R. 9. W. and P.

P. 4. on E. End

P. 5. on W. faces with 4 notches  
on E. End 2 notches on W.  
faces, deep feet 18x18x12 ins.

P. E. & W. of post 5 1/2 ft. dist.

and raised a mound of earth  
2 ft. high 4 1/2 ft. base around  
post. From which

a Palo Verde 8 ins. diam. bro

P. 4 & E. 200 lks. dist. marked  
C. C. T. 6. S. R. 9. W. P. 4. B. T.

Land rolling Malpais

Soil 1<sup>st</sup> to 3<sup>rd</sup> rate

Oct-13-1892

72

## Subdivisions of 6.

Chains From the cor to Secs  
5.6. 31 + 32. on the South  
Boundary of the Tr.

Iron

20° 37' N. bet. Secs 31 + 32

59, 13° 20' E.

16.90 I.P.R.R. brs 0 83° 40' W

Centinel Depot about 3 chs  
to the East

20.70 Road brs Easterly + Westerly

35.30 Road brs S.E. + N.W

40.00 Set a post 3 ft. long 3 ins.

square with <sup>mopped</sup> stone 12 ins.

in the ground for 14 Secs.

Cor. marked 14 C. on W. face

dig pits 18 x 18 x 12 ins.

N. End of post 5 1/2 ft. dist.

and raised a mound

of earth 1 1/2 ft. high 3 1/2

South Range 9 West.

73

Chains base around post

76.50 Road bet. S.E. + N.W.

80.00 Set a post 4 ft. long 4  
 ins. square with marked  
 stone 12 ins. in the ground  
 for cor. to Secs 29, 30, 31 + 32  
 marked

To S. of 29. on N.E.

R 9. W. of 32. on S.E.

S 31. on S.W. end

S 30. on N.W. face with 1  
 notch out. End 5 notches

on E. edges, dug pits 18x18  
 x 12 ins. in each Sec. 5 1/2 ft.

dist. End raised a mound  
 of earth 2 ft. high 4 1/2 ft.

Base around post

Land level

Dred 1 1/2 rate

## Subdivisions of 6.

Chains  $N 89^{\circ} 57' E$ . on a random  
line bet 29 + 32

$Va. 13^{\circ} 20' E$

40.00 Set temporary 1/4 Sec. cor

50.00 Intersect the N. and S.

at 9 eps. S. of the cor  
to Secs 28, 29, 32 + 33

Thence I run

$S. 89^{\circ} 53' W$ . on a true line  
bet. Secs 29 + 32

$Va. 13^{\circ} 20' E$

50.00 Set temporary 1/4 Sec. cor

40.00 Set a post 3. ft. long 3 ins.  
square with marked stone  
12 ins. in the ground for  
1/4 Sec. cor, marked 1/4  
on N. face, dug pits 18X18X  
12 ins. E and W. of post 5 1/2  
ft. dist. and raised a

South Range West. 75  
BOOK 1225

Chains mound of earth 11 1/2 ft.  
high 3 1/2 ft. base around foot  
51.50 Road <sup>West</sup> ~~West~~  
69.10 Road <sup>West</sup> ~~West~~ N + S.

80.00 The cor. to Secs 29, 30, 31 + 32  
Land level.  
Soil 1<sup>st</sup>/<sub>16</sub> rate

---

S 89° 57' W. on a random  
line bet. Secs 30 + 31

Ta 13° 20' E.

40.00 Set temporary 1/4 Sec. cor

89.00 Intersect the West. Bdy.  
of the Twp at 14. cks. N. of  
cor. to Secs 25, 30, 31 + 36.

Thence I run

N 89° 57' E. on a true line  
bet. Secs 30 + 31

Ta 13° 20' E.

76.

BOOK 1225

## Subdivisions of 6.

Chains

47.00 Road bet N.W. &amp; S.E.

49.00 Set a post 3 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for 1/4 Sec. cor. marked  
 1/4 S. on N. face, dug pits  
 18x18x12 ins. E and W. of  
 post 5 1/2 ft. dist. and  
 raised a mound of  
 earth 1 1/2 ft. high 3 1/2 ft  
 base around post

89.00 The cor. to Secs 29, 30, 31 & 32  
 Land level  
 Soil 1 1/2 rate //

76° 37' N. bet. Secs 29 & 30

76° 13' 20" E.



## South Range 9 West. 77.

Chains

40.00 Set a post 3 ft. long in a square with marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor marked  $\frac{1}{4}$  S. on N. face Aug pits 18x18x12 ins. N. End of post 542 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post

80.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for Cor. to Secs 19, 20, 29 & 30 marked T. 6. S. 20. on N. E. R. 9. W. S. 29. on N. E. S. 30. on P. W. and

78

## Subdivisions of 6.

Chains of 19. on N.W. faces with  
 2 notches on S. end & 5  
 notches on E. edges & aug  
 pits 18x18x12 ins in  
 each Sec.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 earth  $2\frac{1}{2}$  ft. high  $4\frac{1}{2}$  ft  
 base around frost  
 Land level  
 Soil  $1\frac{1}{4}$  rate

---

$N 89^{\circ} 53' E.$  on a random  
 line bet. Secs 28 & 29  
 $S 91^{\circ} 20' E.$

40.00 Set temporary  $1/4$  Sec. cor  
 80.10 Intersect. of line at 00  
 E.K. N. of cor. to Secs  
 28. 21. 28 & 29

## South Range 9 West.

79.

- Chain
- Tence Iron
- N 89° 54' W. on a tree line  
bet. Secs 28 + 29.
- 33.00 Road by N + S. (Tn. 13° 20' E.
- 40.05 Set a post <sup>Open light</sup> <sup>malpais</sup> of 3 ins.  
square with marked  
stone 12 ins. in the ground  
for 14 sec. cor. marked 14 S  
on N. face, and raised a  
mound of stone 1 1/2 ft  
high 2 ft. base around <sup>foot</sup>
- 50.00 Leave malpais + enter level
- 64.50 Road by N + S
- 70.10 The cor. to Secs 19, 20, 29 + 20  
Land gently rolling  
Soil 1 <sup>st</sup>/<sub>11</sub> rate except on  
malpais

## Subdivisions of 6.

Chains  $N. 89^{\circ} 57' W.$  on a random  
line bet. Secs 19 + 20  
Va.  $13^{\circ} 20' E.$

40.00 Set temporary  $1/4$  Sec. cor

89.10 Intersect the W. Bdy of  
the Twp. at 9 lks. N. of  
Cor. to Secs 19, 24, 20 & 30

Then I run

$N. 89^{\circ} 57' E.$  on a true line  
bet. Secs 19 + 20

Cor. Va.  $10^{\circ} 20' E.$

Over mesa

32.25 Road bet. Northernly + Southernly

49.10 Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for  $1/4$  Sec. Cor. marked  
 $1/4 S.$  on N. face, dug pits  
 $18 \times 18 \times 12$  ins E + W. of post

## South Range 9 West. 81

Chains 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft. base around post  
 89.10 The cor. to Secs 19, 20, 29 & 30  
 Land level  
 Soil 1 2/3 rate

---

N 0° 3' W. bet. Secs 19 & 20

S 41° 30' 20" E.

40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for 1/4 Sec. cor. marked N 1/4 C. on W. face, dug pits 18 x 18 x 12 ins. N. end of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft. base around post

## Subdivisions of 6.

## Chains

80.00 Set a post 4 ft. long 4  
 ins. square with marked  
 stone 12 ins. in the ground  
 for cor. to Secs 17, 18, 19 & 20  
 marked

✓

T. S. P 17. on N. E.

R. 9. W. S 20. on S. E.

P 19. on O. W. Quad.

P 18. on N. W. faces with

3 notches on S. Quad 5-

notches on E. edges. dug

pits 15 x 15 x 12 ins. in each

Sec. 5 1/2 ft. dist. Quad raised

a mound of earth 2 ft

high 4 1/2 ft. base around

post. Grow which

a Palo Verde 12 ins. diam.

br. N. 60° W 16. lks dist

## South Range 9 West.

Chains marked

T. 6. S. R. 9. W. S. 18. B. T.

Land level

Soil 1<sup>st</sup> rate

D.  $89^{\circ} 54' E.$  on a random  
line bet. Secs 17 & 20

Pa.  $13^{\circ} 20' E.$

40.00 Set temporary 1/4 Sec. cor  
80.05 Intersect the N. & S. line at  
14. cks. S. of the cor. to Secs  
16. 17. 20 & 21

Thence I run  
West on a true line bet  
Secs 17 & 20

Pa  $13^{\circ} 20' E.$

40.03 Set a post 3 ft. long in  
square with marked stone

84

## Subdivisions Sp 6.

Chains 12 ins. in the ground for  
 1/4 Sec. cor, marked 1/4 S.  
 on N. face, deep pits 18  
 x 18 x 12 ins. & 1/2 W. of first  
 5 1/2 ft. dist. and raised  
 a mound of earth 1 1/2  
 ft. high 5 1/2 ft. base around  
 post

36.85 Road bet N + S.

80.00 The cor. to Secs 17, 18, 19 & 20  
 Land level  
 Soil 1/4 rate

S. 89° 47' W. on a random  
 line bet. Secs 18 & 19

VA, 13° 20' E

40.00 Set temporary 1/4 Sec. cor

89.10 Intersect the W. Bay. of



South Range West. f3  
BOOK 1225

chains The Tr. at cor. to Secs  
13, 18, 19 & 24

Thence Iron  
N 89° 47' E. on a true line  
bet. Secs 18 & 19

Va. 13° 20' E

34.00 Old Road bet N.W. & S.E.

49.10 Set a post 3 ft. long 3 ins.  
square with marked  
stone 12 ins. in the ground  
for 14. Sec. cor. marked 14  
D. on N. face, and raised a  
mound of stone 1 1/2 ft. high  
3 1/2 ft. base around post

89.10 The cor. to Secs 17, 18, 19 & 20

Land level

Soil 1 <sup>st</sup>/<sub>4</sub> rate

---

86

BOOK 1225

## Subdivisions Twp. 6

Chains N 0° 3' W. bet. Secs 17 & 18  
 N 13° 20' E.

35.70 Road b/c N.E. + S.W

40.00 Set a frost 3 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for 1/4 Sec. cor, marked 1/4 S.  
 on N. face, dug pits 15 x 15  
 x 12 ins. N. and S. of frost  
 5 1/2 ft. dist. and raised  
 a mound of earth 1 1/2  
 ft. high 5 1/2 ft. base around  
 frost

50.00 Set a frost 4 ft. long 4  
 ins. square with marked  
 stone 12 ins. in the ground  
 for cor to Secs 7, 8, 17 & 18  
 marked  
 P. 6. S. 0 8. on N. E.

## South Range 9 West

Chain R. 9. W. S. 17. on N.E.

S 18. on S.W. end

S 17. on N.W. faces with  
4 notches on S. and 5  
notches on E. Edges dug  
fite 18x18x12 ins. in  
each Sec. 5 $\frac{1}{2}$  ft. dist and  
raised a mound of  
earth 2 ft. high 4 $\frac{1}{2}$  ft.  
base around frost  
Land level  
Soil 1 $\frac{1}{4}$  rate

---

East on a random line  
bet. Secs 8 & 17

Va 13° 28' E

40.00 Set temporary 1/4 Sec. cor  
80.20 Intersect the N. end S. line

## Subdivisions Sp 6.

Chains at 14. lks n. of the  
 cor. to Secs 8, 9, 16 & 17

Thence I run

N  $79^{\circ}54'W$ . on a true  
 line bet. Secs 8 & 17

$75^{\circ}13'20'E$ .

40.10 Set a post 3 ft. long 3 ins.  
 square with marked  
 stone 12 ins. in the ground  
 for 1/4. sec. cor, marked 1/4  
 W. on n. face, dug pits 15  
 x 18 x 12 ins. E. End W. of post  
 5 1/2 ft. dist. and raised a  
 mound of earth 1 1/2 ft  
 high 3 1/2 ft. base around <sup>post</sup>  
 from which

a Palo Verde 14. ins. diam  
 was D. 50 E. 1/4. lks dist  
 marked. 1/4. S. B. T.

## South Range 9 West 89

Chains

- 49.00 Road brs N + S  
 65.40 Old Road brs. N + S  
 80.20 The cor. to Secs 7, 8, 17 & 18  
 Land mesa + Malpais  
 Soil 1<sup>st</sup> & 4<sup>th</sup> rate
- 

S. 89° 47' W. on a random  
 line bet. Secs 7 + 18

Va. 13° 20' E.

40.00 Set temporary 1/4 Sec. cor.

88.60 Intersect the West. Bdy. of  
 the Tr. at cor. to Secs  
 7, 12, 17 + 18

Thence I run

N. 89° 47' E. on a true line  
 bet. Secs 7 + 18

Va. 13° 20' E

## Subdivisions Sp. 6.

Chains

2.10 Road bis N + S

48.60 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for 14 Sec. cor, marked 1/4 P. on N. face, dug pits 18 x 18 x 12 ins. E. end W. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post

58.60 The cor. to Secs. 7, 8, 17 &amp; 18

Land level

Soil 1/2 rate

except where Malpais is found

---

South Range 7 West. 91  
BOOK 1225

Chains  $N0^{\circ}3'W$ . bet. Secs 7 & 8  
Va.  $13^{\circ}20'E$

40.00 Set a post 3 ft. long  
4 in. square with marked  
stone 12 in. in the ground  
for N. E. cor. marked  
1/4. N. on W. face, deep pits  
 $18 \times 18 \times 12$  in. N. End of  
post 5 1/2 ft. dist. and  
raised a mound of earth  
1/2 ft. high 3 1/2 ft. base around  
post.

67.50 Road bet. NW. & S. E.

80.00 Set a post 4 ft. long  
4 in. square with  
marked stone 12 in.  
in the ground for  
cor. to Secs 5, 6, 7 & 8  
marked.

## Subdivisions of 6.

Chains

T 6. S. R 5. on N.E.

R 9. W. S. 8. on S.E.

S 7. on S.W. End

S 6. on N.W. faces with  
5 notches on S. and E.edges. dug pits 18x18  
& 12 ins. in each Sec. 5 1/2ft. dist. End raised a  
mound of earth 2 ft  
high 4 1/2 ft. base around  
post

Land level mesa

Soil 1 1/4 rate

S. 89° 54' E. on a random  
line bet. Secs 5 & 8

VA 13° 20' E.

40.00 Set temporary 1/4 Sec. cor



## South Range 9 West 93

chains

- 80.10 Intersect the N & S line  
at 7 1/2 mi N. of the cor  
to Secs 4, 5, 8 & 9  
Thence run  
N 89° 51' W. on a true line  
bet. Secs 5 & 8  
FA 13° 20' E.
- 28.00 Road bet N & S
- 40.05 A 6 ft post 5 ft long  
3 ins. square with  
marked stone 12 ins.  
in the ground for 1/4  
Sec. cor. marked 1/4. Dow  
N. face, dug pits 18 x 18 x 1/2  
ins. E end W. of post 5 1/2  
ft. dist. and raised a  
mound of earth 1 1/2 ft  
high 3 1/2 ft base around <sup>post</sup>

94

## Subdivisions Tr. 6.

Chains

45.00 Wash course North

80.10 The cor. to Secs 5, 6, 7 &amp; 8

Land mostly level

Soil 1<sup>st</sup>/<sub>4</sub> + 3<sup>rd</sup>/<sub>4</sub> rate

S. 89° 47' W. on a random  
line bet. Secs 6 & 7

Ta 13° 20' E.

40.00 Set temporary 1/4 Sec. cor

88.50 Intersect The W. Body of  
The Tr. at 9. lks N. of  
The cor. to Secs 1, 6, 7 & 17

Thence I run

N. 89° 43' E. on a true line  
bet. Secs 6 & 7

Ta 13° 20' E.

48.50 Set a post 3 ft. long or vis.

## South Range 9 West. 95

Chains square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. Cor. marked  
1/4 Sec. N. face, dug pits  
18x18x12 ins. E. and W. of  
post 5 1/2 ft. dist. and  
raised a mound of  
earth 1 1/2 ft. high 3 1/2 ft.  
base around post

27.30 Road bet N & S

88.50 The cor. to Secs 5, 6, 7 & 8  
Land mostly level  
Soil 1<sup>st</sup> and 3<sup>rd</sup> rate

No 3' W. bet. Secs 5 & 6

Sta. 130 20' E

40.00 Set a post 3 ft. long  
ins. square with marked

## 96 Subdivisions Twp. 6.

Chains stone 12 ins. in the ground  
for 114. Sec. Cor, marked  
114. P. on W. face, dug pits  
15x15x12 ins. N. and S. of  
post 5 1/2 ft. dist. and  
raised a mound of earth  
1 1/2 ft. high 5 1/2 ft. base  
around post

5920 Road bis E + W.

77.00 Intersect the 1<sup>st</sup> Standard  
Parallel. at a point 32 chs  
S. 89° 21' E from the Standard  
Cor. to Secs 31 + 32. Th. S. L.  
R. 9. W. at which point I set  
a post 4 ft. long 4 ins.  
Square with marked stone  
12 ins. in the ground for  
closing Cor. to Secs 5 + 6.  
marked

BOOK 1225  
South Range 9 West 97

Chains <sup>56.5 R. 9. 7 0ms</sup> C. C. S. on E. end

P. 6. on W. faces with 5  
notches on E. end, 1 notch  
on W. faces, dug pits 18x18  
x 12 ins. S. E. & W. of post  $\frac{1}{2}$   
ft. dist. and raised a  
mound of earth 2 ft. high  
4  $\frac{1}{2}$  ft. base around post  
Land level  
Soil 1<sup>st</sup>/<sub>11</sub> rate

---

98

## General Description

This Tr. is composed of broken and level ground a large portion of it can and will be cultivated in time

The soil is mostly all good. as the malpais is only surface deep <sup>malpais ridges</sup> <sub>except on</sub>

There is some Palo Verde mesquite, grasswood and sage brush, also some grass

Oct 16 - 1892

Lewis Wolfley  
U. S. Deputy Surveyor

Magn. Declination  $13^{\circ}12' E$

U. S. Surveyor-General's Office,

TUCSON, A. T., *March 4 1893*

The foregoing Field Notes of the Surveys of  
*The Subdivisions Lines of*  
*Tr. 6. S. R. 9. W*

*of the* Gila and Salt River Meridian  
 in *Territory of Ariz* executed by  
*Lewis Wolfley*

U. S. Deputy Surveyor, under his contract dated  
*May 26<sup>th</sup> 1892*

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

*Peper & Johnson*

U. S. Surveyor-General  
 for the Territory of Arizona.