

Recd. July 18, 1893

2

2d
copied

BOOK 1226

No. 1226

1226

4-671

BOOK 1226

FIELD NOTES

~~GENERAL LAND OFFICE.~~

of the Survey of
Subdivision Lines of

Tp. 8. S. R. 12. W.

Gila and Salt River, Mer
Arizona.

By Lewis Wolfley D. S.
under his Contract dated
Jan 16, 1893.

Survey comm^d May 23. 93

Survey compl^d May 26. 93

Indexed, Book 1231

62

Township 8 S R. 12 W

6	98	5	72	4	3	2	1
96		95		71			
7	93	8	69	9	10	11	12
92		90		68			
18	89	17	66	16	15	14	13
87		86		64			
19	84	20	63	21	22	23	24
83		81					
30	80	29		28	27	26	25
78		77					
31	75	32		33	34	35	36

No. 1226

BOOK 1226

63

Subdivisions T. 8. S. R. 12. 20th.

Chains N0° 2' W. bet. Secs. 20 & 21

VA 14° E

40.00 Set a post 3 ft. long 3 ins square with marked stone 12 ins. in the ground for $1/4$ Deg. @ cor. marked $1/4$ on W. face, dug pits 18x18x12 ins. N. and E. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post

80.00 Set a post 4 ft. long 4 ins square with marked stone 12 ins. in the ground for cor. to Secs 16. 17. 20. & 21 marked

T. 8. S. 16. on N. E.

R 12. W. S. 21. on S. E.

S 20. on O. W. End

Subdivisions, T₈S. D

Chanis 17 on N.W. faces with
 3 notches on ^E and 4
 notches on ^N ^E ^{faces} edges dug
 pits 15 x 15 x 12 ins in
 each Sec 5 1/2 ft. dist.

and raised a mound
 of earth 2 ft. high 4 1/2
 ft. base around foot
 Land level mesa

Soil 1st rate

Scattering Mesquite
 Sage and grass wood
 brush

N 89° 57' E on a random
 line bet. Secs 16 + 21

VA 14° E.

40.00 Det temporary 1/4 Sec. Cor.

Range 12 West

Darius

80.10 Intersect the N and S line
at 5 1/2 k. N. of Corr. to Secs. 15, 16
21, 22

Hence Iron

S 89° 59' W. on a true line
bet. Secs. 16 & 21

VA 14° E.

40.05 Set a post 3 ft. long 3 ins diam
with marked cone 12 ins in
the ground for 1/4 Sec. cor.
marked 1/4 S. on N. face dug
pits 18 x 18 x 12 ins. E & W. of post
5 1/2 ft. dist. and raised a
mound of each 1 1/2 ft. high
3 1/2 ft. base around post

80.10 The corr. to Secs 16, 17, 20, 21

Land level

Soil 1 1/2 rate

Subdivisions Tfr. S D.

Chamis Scattering greasewood
Sage and Mesquite brush

N $0^{\circ}2'$ W lat. Secs. 16 & 17

T $014^{\circ}E$

- 40.00 Set a post 3 ft. long 3
ins. square with
marked stone 12 ins
in the ground for 1/4
Sec. cor. marked 1/40. in
W. face, dug pits 18x18
x 12 ins. N and S. of post
5 1/2 ft. dist. and raised
a mound of earth 1 1/2
ft. high 3 1/2 ft. base around post
- 80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground

Range 12 west

claim for lev. to Secs 8, 9, 16 + 17

marked

T.S.A. 9. on N.E.

R 12 W.P. 16 on E.

S 17. on SW End

A 8. on NW. faces with 4
notches on ^E and ^{N.E} faces
edges
dug pits 18x18x12 ins. in
each Sec 5 1/2 ft. dist. and
raised a mound of earth
2 ft. high 4 1/2 ft. base around
pits.

Land level mesa

Soil 1st rate

Scattering greasewood
Sage and mesquite brush

Subdivision Tr. S.D.

Chains N 89° 59' E. on a random
line bet. Secs 9 + 16
Va 14° E.

40.00 Set temporary 1/4 Sec. cor

80.05 Intersect the U.S. line
at 8 lks. S of cor. to Secs
9.10. 15 + 16

Thence Iron

S 89° 56' W. on a true
line bet. Secs 9 + 16

Va 14° E

40.03 Set a post 3 ft. long
3 ins square with marked
stone 12 ins. in the
ground for 1/4 Sec. cor
marked 1/4 S. on N. face
dug pits 18 x 18 x 12 ins
E. & W. of post 5 1/2 ft. dist.
and raised a mound

Range 12 west

Chains of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft
base around from

80.05 Theley to Secs 8-9, 16 & 17

Land level mesa

Soil 1st rate

Scattering Mesquite, Sage
and greasewood brush

N^o 2' W. lat. Secs 8 & 9

N^o 14^o E.

40.00 Set a post 3 ft. long 3 in
square with marked
stone 12 ins. in the ground
for N^o 4 Sec. cor. marked N^o 4
on W. face dug pits 18x18x
12 ins. N^o end of post $5\frac{1}{2}$ ft.
dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base

Subdivisions T_p. 80.

Chinas

around foot

80.00

Set a foot 4 ft. long
 this square with marked
 stone 12 ins. in the
 ground for Cor. to Secs
 4, 5, 8 & 9 marked

T & S. S. H. on N.E.

R 12. W. S. 9. on S.E.

S 8. on S.W. end

S 5. on N.W. faces with

5 notches on S₁ and 4notches on ^{N.E.} faces
edges

dug pits 15 x 15 x 12

ins. in each Sec 5-11/2 ft.

dist and raised a

mound of earth 2 ft.

high 4 1/2 ft. base around

foot

Land level. a few little

Range 12 west

Marion Sand hills

Soil 1st rate

Scattering mesquite, sage
and greasewood brush

N 89° 56' E on a random
line bet. Secs 4 and 9

Qa 14° E.

40.00 Set temporary 1/4 Sec. cor.

80.20 Intersect the N and S. line
at 10 Ets. N. of cor. to Sec
3-4-9+10

Thence from

West on a true line bet
Secs. 4 and 9

Qa 14° E.

40.10 Set a post 3 ft. long 3 ins
square with marked stone

Subdivisions Tr. & D.

Chairs 12 ins. in the ground
for 14 Sec. cor marked
114 D. on N. face, dug pits
18 x 18 x 12 ins. E + W of each
5 1/2 ft. dist. and raised
a mound of earth 1 1/2
ft. high 3 1/2 ft. base around
foot

80.20 The Cor. to Secs 4, 5, 8 + 9

Land level mesa
except a few small sand
hills

Soil 1st rate

Scattering mesquite + Sagebrush

N 0° 2 W. bet. Secs 4 + 5

9a 14° E.

0.10 Canal Stake NW 1/4 17 45. Co. 46.

West

Range 12 West

Main

- 39.20 Canal Stake X 1719 on line
- 40.00 Set a post 3 ft. long 3 in square with marked stone 12 ins. in the ground for $1\frac{1}{4}$ Sec. cor. marked $1\frac{1}{4}$ S on W face, dug pits $18 \times 18 \times 12$ ins. N and S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $2\frac{1}{2}$ ft. base around post
- 63.20 Intersect the N. Bdy. of the T₁ at H. 25. chs. $N 89^{\circ} 50' E$ of Cor. to Secs 31 & 32. T₁ 7. R. 12 W. as herein before described at which point I set a post 4 ft. long 4 in square with marked stone 12 ins. in the ground for closing Cor. to Sec 4 and 5. T₁ 8. S. R. 12 W.

Subdivisions T_p. 8 A

Stanis marked

66 T_p 8 A R 12 W. on S

S 4. on E. and

S 5. on W. faces with 4
notches on E and 2 notches
on W. faces dug pits 15
x 15 x 12 ins. S E. W. of
post 5 1/2 ft. dist. and
raised a mound of each
2 ft. high 4 1/2 ft. base around
post.

Land level mesa
except a few small sand hills

Soil 1st rate

Scattering mesquite Sage
and greasewood brush

Range 12 West

Drawn from the Cor to Secs. 5-6
31+32 on the S. Bdy. of
the Tr. as hereinbefore described
Trm

No 3 W. bet. Secs 31+32

Pa 14 ° E.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. Cor. marked 1/40
on W. face, dug pits 18x18
x 12 ins. 22 in. S. of post 5 1/2
ft. dist. and raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. base around post

80.00 Set a post 4 ft. long 4 ins
square with marked stone
12 ins. in the ground for
Cor to Secs 29-30. 31+32

Subdivisions T_p. T_D.

Chamie marked

T_D. S 29. m N.E.

R 12. W 32 on O.E.

O 31 on O N and

O 28 on N.W. faces with
 1 notch on ^O_x and 5 notches
 on ^{N.E.}_x faces. Aug. pits 18x18
 x 12 ins. in each Sec 5 1/2

ft. dist. and raised a
 mound of earth 2 ft.
 high 4 1/2 ft. base around post.

Land level mesa

Soil 2nd rate

Scattering Mesquite, Sage
 and grass-wood bush

 May 25/1893

I tested my solar by
 the sun at noon and found
 the latitude to be 32° 41'

Range 12 west

Chain East on a random line
bet. Secs. 29 and 32

$\text{Pa } 14^{\circ} \text{ E.}$

40.00 Set benchmark 1/4 Sec. cor.

79.90 Intersect the N and O line
at 1066 S. of cor. to Secs
28, 29, 32 & 33

Thence from

$S 89^{\circ} 56' \text{ W.}$ on a true line
bet. Secs 29 & 32

$\text{Pa. } 14^{\circ} \text{ E.}$

39.95 Set a post 0 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
On N. face, dug pits $18 \times 18 \times$
12 ins. E & W. of post $5 \frac{1}{2}$ ft.
dist. and raised a mound
of earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base

Subdivisions T_{h.} 8 D.

Chains around post

79.90 The lerr. to Sec 29. 30. 31 + 32

Land level mesa

Soil 2nd rateScattering greasewood
and Sage brushWest on a random line
bet. Secs 30 + 31

Va 14° E

40.00 Set temporary 1/4 Sec cor

80.40 Intersect the W. Bdy. of
the T_{h.} at 10 lks N. of
lerr. to Secs 25. 30. 31 + 36 as
reign before described
thence runN 89° 26' E. on a true line
bet. Secs 30 + 31.

Va 14° E

Range 12 West

Main

40:40 Set a post 3 ft. long 3 ins
square with marked stone
12 ins. in the ground for 114
Sec. cor. marked 114 on N. face
dug pits 15 x 15 x 12 ins. E +
W. of post 5 1/2 ft. dist and
raised a mound of earth
1 1/2 ft. high 3 1/2 ft. base around
post

80:40 The cor. to Secs 29, 30, 31 & 32
Land level mesa
Soil 7th date

Scattering grasswood
and sage brush

Subdivisions, T₁R₈S₁₀.

Chavis N0°3'W. bet. Secs. 29 + 30

74 14°E.

40-00 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor. marked
 1/4 S. on W. face, dug pits
 18x18x12 ins. 2 each of
 from 5 1/2 ft. dist. and
 raised a mound of
 earth 1 1/2 ft. high 5 1/2 ft.
 base around post.

80-00 Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. in the ground
 for cen. to Secs 19, 20, 29, 30
 marked

T₈R₁₂S₂₀ on N.E.

R₁₂N₁₂S₂₉ on S.E.

Range 12 west

No. 1226

Chenier 130. on S.W. end

19. on N.W. faces with 2
 mounds on ^E and 5 mounds
 on ^{N, E} faces. Aug pits 15x15x
 12 ins. in each Sec 5 1/2 ft.

dir. and raised a mound
 of earth 2 ft. high 4 1/2 ft base
 around foot

Land level mesa

Soil 1st zone

Scattering mesquite. Sage
 and greasewood brush

N 89° 56' E. on a random
 line bet. Secs 20, 29

Va 14° E.

40.00 Set temporary 1/4 Sec. cor

80.00 Intersect the N end S line at

Subdivisions. The S.P.

Chavis Cor. to Secs 20. 21. 28 & 29.

Thence Iron

S 89° 56' W on a true line
bet. Secs. 20. 29

99 14° E.

40.00 Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for 1/4 Sec cor. marked 1/4
Down N face, dug pits 15 x
18 x 12 ins E & W. of post 5 1/2
ft. dist. and raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. base around post

80.00 The cor. to Secs. 19. 20. 29 & 30

Land level mesa

Soil 1st/₁₆ rate

Scattering mesquite, sage
and grasswood brush

Range 12 West

40.00 $N 89^{\circ} 56' W$ on a random
line bet. Secs 19 and 30
Va $14^{\circ} E$.

40.00 Set temporary 114 Sec. cor.
80.50 Intersect the W. Bdy. of
the Tp. dr. 5. l. N. of Cor.
to Secs. 19, 24, 25 and 30 as
heretofore described
Chenal Run

$N 89^{\circ} 54' E$ on a true line
bet. Secs 19 + 30
Va $14^{\circ} E$.

40.50 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 114 Sec. cor. marked 114
on N. face, dug pits 18 x 18 x
12 ins. E + W of post 5 1/2 ft.
dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft. base

Subdivisions, T₁P 8 S₁.

80.50 *Chamiso* around frost
 The corr. its Secs 19, 20, 29 & 30
 Land level near
 Soil 1st/₄ rate
 Scattering Mesquite Sage
 and greasewood brush

No 3rd W. cor. Sec. 19 & 20

Vd 14° E

40.00 Set a frost 3 ft. long 3 in
 square with marked
 stone 12 in. in the
 ground for 1/4 Sec. cor
 marked 1/4 cor W face
 dug pits 18 x 18 x 12 in
 at ends of frost 5 1/2 ft. dist
 and raised a mound
 of each 1 1/2 ft. high 3/4

Range 12 West

Main base around frost

50.00 Set a frost 4 ft. long 4 in
square with marked stone
12 ins. in the ground for
Secs. to Secs. 17, 18, 19, 20
marked

D 17 on N.E.

R 12, W. S 20. on E

S 19. on O.W. and

S 18. on N.W. faces with
3 notches on ^E and 5
notches on ^{N.E.} ^{faces} edges dug
pits 15 x 15 x 12 ins. in
each Sec 5 1/2 ft. dist. and
raised a mound of earth
2 ft. high 4 1/2 ft base around
frost.

Land level meso

Soil 1 2/4 rate

Subdivisions T₁ & B.

Chamis Scattering Mesquite
Sage and Greasewood
bush

N 89° 56' E on a random
line bet. Secs 17 & 20
Va 14° E.

40.00 Set benchmark 14 Sec cor

79.90 Intersect the N end of
line at 10 lks N. of lerr. to
Secs 16, 17, 20, 21

Thence run

West on a true line
bet. Secs 17 & 20

Va 14° E.

39.95 Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground

Range 12 West

chains for 1/4 Sec. cor. marked 148
 on N face dug pits 18 x 18 x 2
 ins E & W. of foot 5 1/2 ft. dist.
 and raised a mound of
 earth 1 1/2 ft. high 9 1/2 ft. base
 around foot

79.90 The lev. to Secs 17, 18, 19 & 20

Land level mesa

Soil 1/2 rate

Scattering mesquite, Sage
 and greasewood bush

S 89° 54' W. on a random
 line bet. Secs 18 & 19

79 14° E.

40.00 Set temporary 1/4 Sec cor

80.55 Intersect the W. Bdy. of
 the Op. at 5 lbs S of tem. to

Subdivisions T₈S₁

Chamiso Secs 13, 18, 19, 24, as
 herebefore described
 hence T₈S₁

N 89° 56' E. on a true line
 bet. Secs. 18, 19

79 14° E

40.55 Set a post 3 ft. long 3 ins
 square with marked
 stone 12 ins. in the
 ground for 14 Sec cor
 marked 140 on N. face
 dug pits 18 x 15 x 12 ins
 E + W. of post 5 1/2 ft. dist.
 and raised a mound
 of earth 1 1/2 ft. high 3 1/2
 ft. base around post

80.56 The lev. to Secs. 17, 18, 19, 20

Land level mesa

Soil 1st rate

Scattering Sage, mesquite +

Range 12 West

Main grasswood brush

N^o 3rd W. bet. Secs. 17 & 18

TA 14th E.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
on W. face, dug pits 18 x 18 x
12 ins N and S. of post 5 1/2
ft. dia. and raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. base around post

80.00 Set a post 4 ft. long 4 ins
square with marked
stone 12 ins. in the ground
for cor. to Sec 7, 8, 17 & 18
marked

Subdivisions T₈DChain T₈D. S. 8. on N.E

R 12. N. 17. on D. E

D 15. on OW Quad

D 7. on N.W. faces with
 4 notches on ₁ and 5 notches
 on ₂ ^{no faces} edges dug pits 15x15
 x 10 ins. in each Sec 5 1/2

ft. dist. and raised a
 mound of earth 2 ft. high

4 1/2 ft. base around post

Land level meso

Soil 1st/₄ rate

Scattering mesquite, sage
 and greasewood bush

East on a random line
 bet. Secs 8 + 17

Va 14° E

Range 12 west

Chains

40.00 Set temporary 1/4 Sec. cor
 79.90 Intersect the N and S line at
 cor. to Secs. 8, 9, 16 + 17

Thence run
 West on a true line bet. Secs
 8 + 17

$\text{Va } 140^{\circ}\text{E}$

39.9.5 Set a first 3 ft. long 3 in
 square with marked
 stone 12 in in the ground
 for 1/4 Sec. cor. marked 1/4 Sec. on
 N. face, dug pits 18x18x12
 in E + W of post 5 1/2 ft. dist.
 and raised a mound of
 earth 1 1/2 ft. high 3 1/2 ft. diam
 around post

79.90 The lev. to Secs 7, 8, 17 + 18
 Land level mesa

Subdivisions Tr. 80

Chanis Soil 1st rate
 Scattered Mesquite Sage
 and grass wood brush

S89°56'W. on a random
 line bet. Secs. 7 + 18
 Va 140°E.

40.00 Set temporary 1/4 Sec cor
 80.40 Intersect the W. Bdy. of
 the Tr. at 5. E. N. S of leg
 to Secs. 7, 12, 13 + 18 as herein
 before described
 Thence Turn

N89°58'E. on a true line
 bet. Secs 7 + 18

Va 140°E.

40.40 Set a 300 ft. long 3 in
 square with marked
 stone 12 ins. in the ground

Range 12, West

chain for 1/4 Sec. cor. marked 1/4 S
 on N. face, dug pits 18x18x12
 ins. E + W. of post 5 1/2 ft. dist.
 and raised a mound of
 earth 1 1/2 ft. high 3 1/2 ft. base
 around post

80.40 The lev. to Sec. 7, 8, 17 + 18

Land level meso

Soil 1st rate

Scattering Mesquite, Sage
 and greasewood brush

N 0° 3' W. bet. Sec 7 + 8

FA 140° E

40.00 Sera from 3 ft. long 3 ins
 square with marked stone
 12 ins. in the ground for 1/4
 Sec. cor. marked 1/4 S. on N. face

Subdivisions, T₁ S₁ D.

80.00 Cham dug pits 18x18x12 ins. N & S
 of post 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft.
 high 2 1/2 ft base around post
 square with marked
 stone 12 ins. in the ground
 for Cor. to Secs. 5, 6, 7 & 8
 marked

O S D. 5. on N.E.

R 12. W S 8. on D.E.

S 7. on O W and

S 6 on NW faces with ⁴/₅
 notches on ^{S.E.} and ^{N.E.} edges

dug pits 18x18x12 ins
 in each Sec 5 1/2 ft. dist. and
 raised a mound of earth
 2 ft. high 4 1/2 ft. base around
 post

Range 12 West

Chambers Land level mesa

Soil 1st/₂ rateScattering Mesquite Sage
and grasswood bushEast on a random line bet
Secs 5 + 8

Pa 14° E.

40.00 Set temporary 1/4 Sec cor

79.90 Intersect the N and S. line
at: 5 lps N of lev. to Sec
4.5. 8 + 9

Thence run

N 89° 58' W on a true line bet.
Secs 5 + 8

Pa 14° E.

39.95 Set a post 3 ft. long 3 in
square with marked stone

Subdivisions. T₁. S. 1.

Cham 12 ins. in the ground
for 1/4 Sec cor. marked
1/4 on N. face, dug pits 18
18 x 12 ins E + W. of post 5 1/2
ft. dist and raised a
mound of earth 1 1/2 ft.
high 3 1/2 ft. base around
post

79.90 The lot to Secs 5, 6, 7 + 8

Sand level mesa

Soil 10% rate

Scattering Mesquite Sage
and greasewood brush

89058' W. on a random
line bet. Secs 6 + 7

Va 14⁰⁰E.

40.00 Subtemporary 1/4 Sec. cor

Range 12 west

Kanis

80.30 Intersect the W. Bay. of
the Cpi at 5 lks N. of lcr to
Secs. 1, 6, 7 + 12 as hereinbefore
described
Third Run.

N 89° 56' E on a true line
bet. Secs 6 + 7

N 14° E

40.30 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
N. on N. face, dug pits 18 x 18 x
12 ins. E. & W. of post 5 1/2 ft
dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft. base
around post

80.30 The lcr. to Secs. 5, 6, 7 + 8
Land level mesu

Subdivisions T₁ S₁ D.

Chamis

Soil 1st rateScattering Mesquite. Sage
and greasewood bush

N0°3'W. bet. Secs 5 & 6

Va 14°E

40.00 Set a post 3 ft long 3
ins. square with marked
stone 12 ins. in the
ground for 44 Sec. cor-
marked 1/4 D. on W. face
dug pits 15x15x12 ins.
N and S. of post 5 1/2 ft dist.
and raised a mound
at each 1 1/2 ft high 3 1/2 ft.
Base around post

62.00 Intersect the N. Bdy. of the T₁ at
325. ch. N89°58'E. of cor. to

Range 12 West

Claims Tps 7. S. R. 12 and 13 W.
 at which point I set a
 post 4 ft. long 4 ins square
 with marked stone 12 ins
 in the ground for closing line.
 to Secs 5. 6. T. 7. S. R. 12. W.
 marked

6. 6. T. 8. S. R. 12 W. m. S.

15. on E. End.

16. on W. faces with 5 notches on
 E. and 1 notch on W. faces dug
 pits 18x18x12 ins S. E. W. of post
 5 1/2 ft. dist. and raised a mound
 of earth 2 ft. high 4 1/2 ft. base
 around post

Land level mesa

Soil 1st rate

Scattering Mesquite Sage &
groundwood bush

General Description

This Tr. is all good agricultural land except a few small sand hills in the Northern part just along the N. Bdy. There are a few scattering Ironwood + Palo Verde trees

The remainder is covered with a scattering growth of Mesquite, Sage and greasewood brush.

The soil is 1st rate. Sandy loam, except in the NW portion where there is some adobe.

It is almost entirely covered by the line of the South Gila Canal.

May 26 / 1893.

Lewis Walley
Ch. L. Sepulchre Surveyor

BOOK 1226

U. S. Surveyor-General's Office,

TUCSON, A. T., *Apr 30*, 1894.*The foregoing Field Notes of the Surveys of**The subdivisions of*
*Tp. 8 S. R. 12 W.**of* Gila and Salt River Meridian
in *Arizona* executed by*Lewis Wolfley*

U. S. Deputy Surveyor, under his contract dated

January 16th 1893

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

*L. A. Manning*U. S. Surveyor-General
for the Territory of Arizona.

Township N^o 8 South R

G

f

F

e

78. 59

BOOK 1226

Sec. 6.

Sec. 5.

Sec. 7.

Sec. 8.

Sec. 18.