

Recd July 18, 1893.

2

BOOK 1228

No. 1228

BOOK 1228

1228

4-671

FIELD NOTES

~~GENERAL LAND OFFICE~~

Subdivisions

Tp 8 S  $\frac{3}{4}$  R 13. W.

Arizona

By Lewis Wolfley D. S.

under Contract

Dated Janry 16, 1893.

Survey comm<sup>d</sup> May 14, 1893

Survey comple<sup>d</sup> May 18, 1893.

Indexed Book 1227

Township 85 R. 13W 62

6	100	5	74	4	3	2	1
99		97		72			
7	95	8	71	9	10	11	12
93		92		69			
18	90	17	67	16	15	14	13
89		87		66			
19	85	20	64	21	22	23	24
84		82		63			
30	81	29		28	27	26	25
79		78					
31	76	32		33	34	35	36

No. 1228

BOOK 1228

63

Sub. Tr. S. D. R. 13. west

chains

Pa 13°45'E

12.50 Road brs N. W. &amp; S. E.

14.60 South Side Canal

- Stake x 2/3090 on line

30.00 Road brs N. W. &amp; S. E.

31.20 Road brs N. W. & S. E. they  
fork just north40.00 Set a post 3 ft. long 3 ins  
square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. Cor. marked 1/4  
D. on N. face, dug pits 18x  
18x12 ins. E + W. of post 5 1/2  
ft. dist. and raised a  
mound of earth 1 1/2 ft.  
high 5 1/2 ft. base around  
post80.05 The cor. to Secs 20. 21. 28 & 29  
Land level mesa

## Subdivisions Tr. S. S.

Chanis

Soil 1<sup>st</sup>/<sub>16</sub> rateScattering Mesquite  
Sage and Greasewood brushN<sup>o</sup> 2' W. bet. Secs 20 + 21D<sup>a</sup> 13° 45' E.

40.00 Set a post 3 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the  
 ground for 1/4 Sec. cor  
 marked 1/4 on W. face  
 dug pits 15 x 15 x 12 ins  
 N. End S. of post 5 1/2 ft.  
 dist. and raised a  
 mound of earth 1 1/2  
 ft. high 3 1/2 ft. base  
 around post

6225 Road bet N.W. + S. E.

## Range 13. West

chains

72.25 Road bet. N.W. 1 &amp; E.

80.00 Set a post 4 ft. long 4  
ins. square with marked  
stone 12 ins. in the ground  
for cor. to Secs 16, 17, 20 & 21  
marked

T 8. S 16. on N. E.

Q 13. W. S 21. on E.

S 20. on O. W. end

S 17 on N. W. faces with 3  
notches on <sup>E</sup> and 4 notches  
on <sup>N. E.</sup> faces, and pits 15 x 15 x  
12 ins. in each Sec 5 1/2 ft.  
dist. and raised a  
mound of earth 2 ft. high  
4 1/2 ft. base around post  
Land level mesu  
Soil 1 <sup>or</sup>/<sub>11</sub> rate

## Subdivisions, Twp. 8. S.

chains scattering sage and  
 greasewood brush

---

N 89° 58' E on a random  
 line bet. Secs 16 and 21  
 Va 13° 45' E.

40.00 Set temporary 1/4 Sec cor

79.90 Intersect the N and S.  
 line at 5 lks. S. of lem  
 to Secs 15, 16, 21 & 22

Thence from

S 89° 56' W. on a true  
 line bet. Secs 16 and 21  
 Va 13° 45' E.

39.95 Set a post 3 ft. long  
 3 ins. square with  
 marked stone 12 ins  
 in the ground for 1/4 Sec

## Range 13. West

Shan's Cor. marked  $\frac{1}{4}$  S. on N. face  
 dug pits  $18 \times 18 \times 12$  ins.  
 E & W of post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of each  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
 around post

79.90 The land to Secs 16, 17, 20 & 21

Land level meson

Soil  $1\frac{1}{2}$  rate

Scattering Sage and  
 greasewood brush

May 16<sup>th</sup> / 93

N $0^{\circ}$  2' W. bet. Secs. 16 & 17

$99^{\circ} 13' 45''$  E

40.00 Set a post 3 ft. long 3 ins  
 square with marked  
 stone 12 ins. in the ground  
 for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S.

## Subdivisions, Tr. 8 D.

Chairs on W. face, dug pits  $15 \times 15$   
 $\times 12$  ins. at End E. of post  
 $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
 around post

80.00 Set a post 4 ft. long  
 4 ins. square with  
 marked stone 12 ins  
 in the ground for lev  
 to Secs 8, 9, 16 & 17  
 marked

D 8, D 9 on N.E.

R 13, W 16 on S.E.

D 17 on SW End

D 8 on N.W. face with

4 notches on <sup>E</sup> and <sup>N</sup> <sub>faces</sub>

edges. dug pits  $15 \times 15 \times 12$   
 ins. in each Sec  $5\frac{1}{2}$  ft. dist.



## Range 13. West

Chairs and raised a mound  
 of earth 2 ft. high  $4\frac{1}{2}$  ft.  
 base around Post  
 Land N.  $\frac{1}{2}$  Land  
 " S  $\frac{1}{2}$  Adole Flat  
 Soil 2<sup>nd</sup> and 4<sup>th</sup> rate  
 Scattering Sage brush

---

N  $89^{\circ}56'E$  on a random  
 line bet. Secs. 9 and 16

N  $13^{\circ}45'E$

40.00 Set temporary  $1\frac{1}{4}$  Sec. cor  
 80.10 Intersect the N and S line  
 at 5.2 Ms. S. of corr. to Secs  
 9, 10, 15 and 16

Thence Run

S  $89^{\circ}54'W$  on a true line  
 bet. Secs. 9 and 16

## Subdivisions. Tr. S. S.

Chains

89 13° 45' E

40.05 Set a post 3 ft. long 3 ins. square with marked stone 12 ins in the ground for 1/4 Sec cor. marked 1/4 S. on N. face dug pits 15 x 18 x 12 ins E & W. of post 5 1/2 ft. dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. Base around post

80.10 The cor. to Secs 8, 9, 16 & 17  
Land slightly rolling  
Soil 2nd rate  
Scattering greasewood  
and sage brush

---

## Range 13. West

Chain  $N 0^{\circ} 2' W$ . bet. Secs. 8 & 9QA  $13^{\circ} 45' E$ .

40.00 Set a post 3 ft. long 3 ins square with marked stone 12 ins. in the ground for 1/4 Sec. cor. marked 1/4 on W. face, dug pits  $18 \times 18 \times 12$  ins. 2/4 Post S. of post  $5 \frac{1}{2}$  ft. dist. and raised a mound of earth  $1 \frac{1}{2}$  ft. high  $3 \frac{1}{2}$  ft. base around post

80.00 Set a post 4 ft. long 4 ins square with marked stone 12 ins. in the ground for cor. to Secs 4, 5, 8 & 9 marked

D.S. 4. on N.E.

R 13. W. 9. on N.E.

D 8. on S.W. end

## Subdivisions Tr. S. A.

Chassis 15 on N.W. faces with  
 5 notches on <sup>E</sup> and 4  
 notches on <sup>N.E.</sup> faces, dug  
 pits 18x18x12 ins. in  
 each Sec 5 1/2 ft. dist. and  
 raised a mound of  
 earth 2 ft. high, 4 1/2 ft.  
 base around foot  
 Land level mesu

Soil 1<sup>st</sup>/<sub>4</sub> rate.

Scattered Mesquite Sage  
 and greasewood brush

---

N 89° 54' E on a random  
 line bet. Secs 4 and 9

89 13° 45' E

40.00 Set temporary 1/4 Sec. cor  
 80.10 Intersect the N and S line

## Range 13. West

Section At 5. 1/4 Sec. N. of Cor. to Secs  
3, 4, 9 + 10.

Thence Iron

$S 89^{\circ} 56' W.$  on a true line bet.

Secs 4 and 9

$Q.A. 13^{\circ} 45' E$

40.05 Set a post 3 ft. long 3 ins  
square with marked stone  
12 ins. in the ground for  
1/4 Sec. cor. marked 1 1/4 on  
N face, dug pits 18 x 18 x 12  
ins. E. + W. of post 5 1/2 ft. dist.  
and raised a mound of  
earth 1 1/2 ft. high 3 1/2 ft. base  
around post

80.10 The Cor. to Secs 4, 5, 8 + 9

Land slightly rolling

Soil 1 1/4 rate

Scattering Mesquite + Sage brush

Subdivisions, T<sub>1</sub>P. 8. 2

Chamie N<sup>o</sup> 2' W. bet. Secs. 4 + 5

VA 13° 45' E.

40.00 Set a post 3 ft. long  
3 ins. square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked  
1/4 S. or W. face, dug pits 15  
x 15 x 12 ins. N end of post  
5 1/2 ft. dist. and raised a  
mound of earth 11 1/2 ft.  
high 3 1/2 ft. base around  
post

41.30 Southern Pacific Rail Road. Cor. N 65° 42' E

42.35 Road cor. N. E. + S. W

62.60 Intersect the N. Bdy. of the T<sub>1</sub> at  
at 320 lks N 89° 50' E. of  
Cerro to Secs. 31 + 32, T<sub>1</sub>P. 7  
as hereinbefore described  
S. R. 13 W. at which point  
I set a post 4 ft. long 4

## Range 13. West

Chain ins. square with marked  
stone 12 ins. in the ground  
for closing lev. to Secs. 4  
& 5. T<sub>2</sub> S. R. 13 West  
marked

66. T<sub>2</sub> S. R. 13. W. in S

S<sub>4</sub> on E. End S<sub>5</sub> on W. faces  
with 4 notches on E and  
2 notches on W. faces dug  
pits 18x18x12 ins. S. E. & W  
of post 5 $\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
2 ft. high 4 $\frac{1}{2}$  ft. base around  
post.

Land level mesa

Soil 1 $\frac{1}{2}$  rate

Scattered Mesquite + Sage  
and Greasewood brush

---

## Subdivisions. Tr. S. S.

Chains From the Cor. to Secs  
5.6.31+32 on the S. Bdy,  
of the Tr. as heretofore described  
Draw

N<sup>0</sup>3<sup>W</sup>. Lat. Secs. 31+32

Or 13°55'E

27.00 Wash 1 ch. wide course N.E

40.00 Set a post 3 ft. long 3 ins  
square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked 14  
On N. face, dug pits 12x18  
x 12 ins N and S. of post 5 1/2  
ft. dist. and raised a  
mound of earth 1 1/2 ft  
high 3 1/2 ft. base around  
post

80.00 Set a post 4 ft. long 4 ins  
square with marked stone



R. 13. West.

Claims 12 ins. in the ground for  
 Secs. 29, 30, 31 & 32  
 marked

D.S.D. 29 on N.E.

R 13. W. S 32 on O.E.

S 31 on O.W. and

S 30 on N.W. faces with 1  
 notch put <sup>E</sup> and 5 notches  
 on <sup>N</sup> <sub>E</sub> <sup>face</sup> edges dug pits 18x18x  
 12 ins. in each Sec 5 1/2 ft.  
 dist. and raised a mound  
 of earth 2 ft. high 4 1/2 ft.  
 base around post

Land level mesa

Post 1 1/2 ft. tall

Scattering Ironwood and  
 Mesquite

---

## Subdivisions Tr. 8.1

Scheme East on a random  
line bet. Secs 29 + 32

$\frac{1}{4}$  13°55'E

40.00 Set temporary 1/4 Sec. cor.

80.05 Intersect the N end. line  
at 5 lks. S. of cor. to Secs

28-29-32 + 33

Thence I run

$S 89^{\circ} 58' W.$  on a true line  
bet. Secs. 29 + 32

$\frac{1}{4}$  13°55'E

40.03 Set a post 3 ft. long &  
ins. square with marked  
stone or ins. in the ground  
for 1/4 Sec. cor. marked  
1/4 l. on N. face, dug pits  
18 x 18 x 12 ins. E & W. of post  
5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft.

Range 13. west

chain high  $3\frac{1}{2}$  ft. base around post  
80.00 The cor. to Secs 29, 30, 31 + 32

Land level mesa

Soil  $1\frac{1}{2}$  rate

Scattered Mesquite Sage +  
grasswood brush

---

West on a random line  
bet. Secs 30 + 31.

$N 13^{\circ} 55' E$ .

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.

80.00 Intersect the N. Bdy. of  
the Tr. at 10 lks N. of  
cor. to Secs 25, 30, 31 + 36, as  
therein before described  
Thence run

$N 89^{\circ} 56' E$  on a true line  
bet. Secs. 30 + 31

$N 13^{\circ} 55' E$

## Subdivisions. Tr. S. A.

Charris

40.00 Set a post 3 ft. long  
 vis. square with  
 marked stone 12 vis. in  
 the ground for  $1/4$  Sec. lev  
 marked 140. on N. face  
 dug pits  $18 \times 18 \times 12$  vis  
 E + W. of post  $5 \frac{1}{2}$  ft.  
 dist. and raised a  
 mound of earth  $1 \frac{1}{2}$   
 ft. high  $3 \frac{1}{2}$  ft. base  
 around post

80.00 The lev. to Secs. 29. 30 31/32  
 Land level mesa  
 Soil  $2 \frac{2}{3}$  yds  
 Scattered Xonwood  
 and mesquite brush

---

## Range 13. West

chain NO° 3' W. bet. Secs 29 & 30

VA 13° 55' E.

40.00 Set a post 3 ft. long 3 ins square with marked stone 12 ins. in the ground for 1/4 Sec. Cor. marked 1/4 P. on W face, dug pits 18x18x12 ins. N and S. of post 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post

80.00 Set a post 4 ft. long 4 ins square with marked stone 12 ins. in the ground for Cor. to Secs. 19, 20, 29 & 30 marked

T. & S. S 20. on N.E.

R 13. W. S 29. on S.E.

S 30. on S.W. end

## Subdivisions, Tr. S. S.

Chains 119 on N.W. faces with  
 2 notches on  $\frac{1}{2}$  and 5  
 notches on  $\frac{1}{2}$  E. faces  
 pits 18x18x $\frac{1}{2}$  ins. in  
 each Sec 5th ft. dist.  
 and raised a mound  
 of earth 2 ft. high 4 $\frac{1}{2}$  ft  
 base around cross  
 Land mesa  
 Soil 1<sup>st</sup> & 2<sup>nd</sup> rate  
 Scattering greasewood

---

N 89° 58' E. on a random  
 line bet. Secs 20 + 29

VA 13° 55' E

40.00 Set temporary  $\frac{1}{4}$  Sec cor

79.95 Intersect the N and S. line  
 at 5.1 Ms. S. of lev. to Secs

## Range 13. west

chains 20., 21. 28 + 29

Thence Iron

S 89° 56' W. on a true line

bet. Secs. 28 and 29

Th 13° 53' E.

3.9.9.8 Set a post 3 ft. long 3 ins  
square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked  
1/4 C. on N face, dug pit  
18 x 18 x 12 ins. E. + W. of post  
5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft. high  
3 1/2 ft. base around post

7.9.9.5 The cor. to Secs. 19, 20, 29 + 30

Land level mesa

Soil 1<sup>st</sup>/<sub>4</sub> rate

Scattering Mesquite Sage +  
greasewood bush

## Subdivisions, - Twp. 8 S

recharis

189°56' W. on a random  
line bet. Secs 19 + 30

VA 13°55'E

40.00 Set temporary 1/4 Sec cor

80.20 Intersect the W. Bdy. of  
the Twp. at cor. to sec.  
19. 24. 25 + 30 as <sup>described</sup> heretofore,

Thence run

N 89°56'E on a true  
line bet. Secs 19 + 30

VA 13°55'E

40.20 Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked  
1/40. on N. face, dug pits  
18 x 18 x 12 ins. E & W. of  
post 5 1/2 ft. dist. and



R. 13. west

Levin raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
 post

70.20 The lev. to Sec. 19.20. 29+30

Land level mesa

Soil 1<sup>st</sup>/<sub>4</sub> rate

Scattering Mesquite. Sage  
 and grasswood brush

---

$N 70^{\circ} 3' W$  - bet. Secs. 19 & 20

$94 13^{\circ} 55' E$

40.00 Set a post 3 ft. long 3 ins  
 square with marked  
 stone 12 ins. in the ground  
 for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$   
 N. or W. face, dug pits  $18 \times 18$   
 $\times 12$  ins. N. and S. of post  $5\frac{1}{2}$   
 ft. dist. and raised a mound

## Subdivisions T. P. S. S.

Chambers of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around front  
 80.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for lev. to Secs 17, 18, 19 & 20 marked

T. P. S. S. 17. on N. E.

R 13. W. O 20. on W. E.

S 19. on S. W. <sup>2nd</sup>

S 18. on NW. faces with 3 notches on <sup>N</sup> and 5 notches on <sup>E</sup> faces on <sup>N</sup> E. edges, dug pits 18 x 18 x 12 ins. in each sec

$5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base around front

Land level mesa

## Range 13. west

Acres Soil 1<sup>st</sup> rate  
 Scattering greasewood + Sage <sup>brush</sup>

---

N 89° 56' E on a random  
 line bet. Secs. 17 and 20

HA 13° 55' E

40.00 Set temporary 114 Sec. cor

80.10 Intersect the U and S. line  
 at 10 lks North of cor. to  
 Secs 16, 17, 20 + 21

Thence from

West on a true line bet  
 Secs. 17 and 20

HA 13° 55' E

6.50 Stake No. 6/34 60. 150. lks  
 South. (South Gila Canal)

8.25 Road bet. N.W. + S.E.

10.25 Road " " " " They join

## Subdivisions Tr. S. D.

40.05 chains a few chains north

40.05 Set a post 3 ft. long  
3 ins. square with marked  
stone 12 ins. in the ground  
for 114 sec. cor. marked  
114 S. on N. face; dug  
pits 15 x 15 x 12 ins. E +  
W. of post 5 1/2 ft. dist. and  
raised a mound of  
earth 1 1/2 ft. high 6 1/2 ft  
base around post

80.10 The cor. to Secs. 17, 18, 19, 20

Land level mesa

Soil 1 1/2% rate

Scattering Sage and  
greasewood brush

---

Range 13. West

Charris S.  $89^{\circ} 56' W.$  on a random  
line bet. Secs. 18 & 19

VA 13055-E.

40.00 Set temporary  $1/4$  Sec. cor.

79.95 Intersect the W. Bdy. of  
the Tr. at 14. S.W.S. of here  
to Secs. 13, 18, 19 & 24 as  
before described  
Thence run

$89^{\circ} 58' E$  on a true line  
bet. Secs 18 & 19

VA 13055-E

39.95 Set a post 3 ft. long in  
square with marked stone  
12 ins. in the ground for  $1/4$   
Sec. cor. marked  $1/4$  S. on  
N. face, dug pits  $18 \times 18 \times 12$   
ins. E and W. of post  $5 \frac{1}{2}$   
ft. dist. and raised a  
mound of earth  $1 \frac{1}{2}$  ft. high

Subdivisions. T<sub>1</sub> S. S.

400 drains 3 1/2 ft. base around foot  
79.95 The lev. to Secs 17, 18, 19, 20

Sand level mesa

Soil 1<sup>st</sup> rate

Scattering greasewood  
and Sage brush

---

N 0° 3' W. bet. Secs. 17 & 18

of a 13° 55' E

400.00 Set a post 3 ft. long 3 ins  
square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked  
1/4 P. on W. face, dug pits  
18 x 18 x 12 ins. N and S. of  
post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft  
high 3 1/2 ft. base around post

## Range 13. West

Chain

50.00 Set a post 4 ft. long 4 in. square with marked stone 12 in. in the ground for cor. to Secs. 7, 8, 17 & 18 marked

T 8. S. 8. on N.E.

R 13. W. 17. on S.E.

S 18. on SW End

S 7. on NW. faces with 4 notches on <sup>E</sup> end 5 notches on <sup>W</sup> faces dug pits 18 x 18 x 12 in. in each Sec 5 1/2 ft. dia. and raised a mound of earth 2 ft. high 4 1/2 ft. wide around post

Land level measu

Soil 1<sup>st</sup> rate

## Subdivisions, Twp. 5. S.

Chains Very slight growth of Sage  
bush

---

East on a random line  
bet. Secs. 8 + 17

Va  $13^{\circ} 53' E$

40.00 Set temporary 1/4 Sec. cor

4990 Intersect the N end line

at 5 1/2 c. S of cor. to Secs

8, 9, 16 + 17

Then set iron

$89^{\circ} 58' W.$  on a true line

bet. Secs. 8 + 17

Va.  $13^{\circ} 55' E$

39.95 Set a post 3 ft. long 3 ins

square with marked stone

12 ins. in the ground for 1/4

Sec. cor. marked 140 on N. face



R 13. west

deans dug pits 18x18x12 ins. E+W  
of post 5 1/2 ft. dist. and  
raised a mound of earth  
16 1/2 ft. high 9 1/2 ft. base  
around post

47.00 old Road bet. N.W. & S.E

64.00 Trail bet. S.E. & N.W

77.50 Road bet. N. & S.

79.90 The lev. to Secs 7, 8, 17 & 18

Land level mesa

Soil 1<sup>st</sup> rate

Scattering grasswood and  
Sage brush

May 17/1893

N89°56'W on a random  
line bet. Secs. 7 & 18

S81°55'E

40.00 W temporary 1/4 Sec. cor

## Subdivisions Twp. 8. S.

Chains

79.70 Intersect the W. Bdy. of  
the Twp. at 10 chs. N. of Sec  
to Secs. 7, 12, 13 & 18 as hereinafter  
~~described~~  
Thence from  
East on a true line bet  
Secs. 7 & 18

VA  $13^{\circ}55'E$ 

3.50 Road bet. N.E. &amp; S.W.

39.70 Set a post 9 ft. long 3 ins  
square with marked  
stone 12 ins. in the ground  
for  $1\frac{1}{4}$  Sec. cor marked  $1\frac{1}{4}$   
Q. on N. face, dug pits  $18 \times 18$   
 $\times 12$  ins. E. & W. of post  $5\frac{1}{2}$   
ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around post

79.70 The cor. to Secs. 7, 8, 17 &amp; 18

Range 13 West

Acres Land level near

Soil 1<sup>st</sup> rate

Scattering greasewood and  
Sage Brush

---

N0°3'W. bet. Secs 7 & 8

VA 13°55'E

1.00 Road bet NW. & S.E.

1.50 South Isila corner Stake  
1-3534. bet. West 75 lks.

11.75 Old Road bet. N.W. & S.E.

40.00 Set a post 3 ft. long 2 ins  
square with marked stone  
12 ins. in the ground for  
1/4 Sec. cor. marked 1/4 on  
W. face, dug pits 18 x 18 x  
12 ins. N and S. of post 5 1/2 ft  
dist and raised a mound of

Subdivisions. T<sub>8</sub>. S. A.

Chanis each  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around post

79.50 Enter crease of mesa

80.00 Set a post 4 ft. long 4  
ins. square with marked  
stone 12 ins. in the ground  
for cor. to Secs 5, 6, 7 & 8  
marked

T<sub>8</sub>. S. A 5. on N. E.

R 13 N. O 8. on S. E.

S 7. on S. W. end

S 6. on N. W. faces with 5  
notches on <sup>E</sup> and <sup>N</sup> <sup>face</sup> E. edges

dug pits 15 x 15 x 12 ins  
in each sec  $5\frac{1}{2}$  ft. dist.

and raised a mound of  
earth 2 ft. high  $4\frac{1}{2}$  ft.  
base around post

Land mesa

R 13. West

BOOK 1228  
No. 1228

97

skans Soil 1<sup>st</sup> gate  
Scattering greasewood  
and Sage Bush

---

N89°58'E. on a random  
line bet. Secs. 5 + 8

9A 13°55'E

40.00 Set temporary 1/4 Sec. cor

80.00 Intersect the N and S line  
at 5. lks. N. of cor. to Secs  
4. 5. 8 + 9

Thence I run

West bet. Secs 5 + 8 on a true  
line

9A 13°55'E.

40.00 Set a post 3 ft. long 3 ins  
square with marked stone  
12 ins. in the ground for 1/4

## Subdivisions Tr. 8 S.

Chanis Sec cor. marked  $1\frac{1}{4}$  on  
N face, dug pits  $18 \times 18 \times$   
 $12$  ins. E + W. of post  $5\frac{1}{2}$  ft.  
dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft.

Base around post

65.00 New Offices of South Gila  
Canal. Leo (Christoval).  
15 chs. North.

Enter breaks of mesa

80.00 The lev. to Secs. 5, 6, 7 & 8  
Land. 65 chs. level mesa  
" 15 " broken

Soil 1<sup>st</sup> rate and worthless

Scattering mesquite and  
Sage Brush

---

## Range 13. west

Chains

West on a random line bet  
Secs 6 & 7

$N 13^{\circ} 55' E$ .

40.00 Set temporary 1/4 Sec. cor

80.10 Intersect the W. Bdy. of the  
Twp. at 15. lbs N. of cor. to Secs  
1, 6, 7 & 12 as herebefore described  
Thence I run

$N 87^{\circ} 54' E$ . on a true line bet  
Secs 6 & 7

$N 13^{\circ} 55' E$

18.10 Road bet. N. & S.

25.10 Texas Hill water Tank, about 15. chs. S

40.10 Set a post 3 ft. long 3 ins. square  
with marked stone 12 ins.  
in the ground for 1/4 Sec cor  
marked 1/4 S. on N. face, dug  
pits 18 x 18 x 12 ins. E & W. of post

## Subdivisions T.P. S.S.

- Chams 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft.  
high 3 1/2 ft. base around post
- 40.85 Road crs. N.E. + S.W
- 50.80 Road crs. N.E. + S.W
- 68.60 Southern Pacific Rail Road crs. N65°42'E  
Texas Hill Station about  
1/2 mile S. West
- 78.10 Enter breaks of mesa  
80.10 Cor. to Secs. 7, 6, 7, 8  
Soil 1<sup>st</sup> and 4<sup>th</sup> rate  
Land level mesa  
Scattering mesquite +  
Sage Brush
- 

N 0° 3' W. bar. Secs 5 + 6

N 13° 55' E

ascend mesa breaks

5,10 Southern Pacific Rail Road crs.  
N65°42'E.



## Range 13. West

chains

- 6.00 Enter upper mesa and  
clearing for chrysothorax —  
Station of chrysothorax about  
15. chs. East and through  
clearing
- 12.00 Road br. N.E. + O.W
- 19.00 " br. E + W
- 40.00 Set a post 3 ft. long 3 ins  
square with marked  
stone 12 ins. in the ground  
for 1/4 sec. cor. marked 1/4 on  
W. face, dug pits 18 x 18 x 12  
ins. N. end of post 5 1/2 ft  
dist. and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft.  
base around post
- 48.75 Road br. N.E. + O.W
- 62.20 Intersect the T.P. line at 2. chs

Sub T<sub>p</sub>. S. S. R. 13. West.

Chassis N 89° 50' E of Corr. to T<sub>p</sub>  
 S. S. R. 13 & 14 W. at  
 which point I set a  
 post 4 ft. long 4 ins  
 square with marked  
 stone 2 ins in the ground  
 for closing Corr. to Secs  
 5 & 6 T<sub>p</sub>. S. S. R. 13. W. marked  
 C. S. S. R. 13. W. on S.

15. on E. end

16. on W. face with 5  
~~notches on E and 1 notch~~  
~~on W. face~~ dug pits 18 x  
 18 x 12 ins S. E & W. of post  
 5 1/2 ft. dist. and raised a  
 mound of earth 2 ft. high  
 4 1/2 ft. base around post  
 Land used

Soil 1<sup>st</sup> rate

cleared ground


## General Description

This Township lays just East of the Mohawk Mountains and is mostly of excellent soil -

In the North there are a few small sand hills, Near the Mountains a scattering growth of Ironwood, Mesquite and Palo verde, on the Plains greasewood, Sage and Mesquite brush. Scattering with considerable bunch grass in portions

May 18/1893.

Lewis Wolfley  
U. S. Geology Surveyor.



U. S. Surveyor-General's Office,

TUCSON, A. T.,

Apr 30 1894.

The foregoing Field Notes of the Surveys of

The Subdivisions of  
Tp. 8 S. R. 13 W

of Gila and Salt River Meridian  
in Arizona executed by

Lewis Wolley

U. S. Deputy Surveyor, under his contract dated

January 16<sup>th</sup> 1893

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

L. H. Manning


U. S. Surveyor-General  
for the Territory of Arizona.

Township N<sup>o</sup> 8 South <sup>105</sup>

G f BOOK F 1228

Reservoir

78.50



Sec. 6.

Sec. 5.

Crystal Creek

Southern Pacific

Texas Hill

Sec. 7.

Sec. 8.

Sec. 18.

Sec. 17.