

Rec'd July 18, 1893

1.

and
copied

BOOK 1229

No. 1229

BOOK 1229

1229

4-671

FIELD NOTES

GENERAL LAND OFFICE

Subdivisions

Frac: Tp 8. S. R. 14. W.

Arizona

By Lewis Wolfley D. S.
under Contract

Dated Jan'y 16, 1893.

Survey Commenced May 11, 1893.

Survey Completed May 14, 1893.

No. 1229

BOOK 1229 |

Field Notes
of the
Subdivision Lines
on Tr
S. D. R. 14. West of the
Gila and A. R. Base +
Meridian
in the Territory of Arizona
as Surveyed by
Lewis Wolfley
U. S. Deputy Surveyor
under Com. No. 25
Dated June 16/93

Survey Commenced, May 11
" completed " " 14

1A

I tested my Solar
by the Sun at noon
and found the latitude
to be $32^{\circ} 40'$

May 11/93.

For Manner of testing See page 687
2^d Standard Parallel South -

Having run the East
and South Boundaries
of this Tr. and find
my Instrument in
perfect adjustment I
subdivide as follows:

West

10

Corr

and 36

of
described

and 36

13° 45' E

3 ins

d

ground

d 14

18 x 15

at 5 1/2

day

t. high

best

is

d

ground

13

(4-674.)

Township

S. S.

R.

14 W.

Index

for

BOOK 1229

BOOK 1230

6	69	5	58	4	47	3	37	2	18	1
68		66		57		46		35		16
7	64	8	55	9	44	10	33	11	14	12
63		61		54		43		32		13
18		17	52	16	41	15	30	14	11	13
				50		39		29		9
19		20		21		22	27	23	6	24
								25		6
30		29		28		27	23	26	4	25
								22		3
31		32		33		34	20	35	1	36

Sub. Fract. Tr. F. S. R. 14. West

10

Chairs Beginning at the corner
to Secs. 25, 26, 35 and 36
on the South Bay of
the Tr. as heretofore described
I am

No. 1 W. bet. Secs. 35 and 36

of a 13° 45' E

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 14 Sec. or marked 14
On W. face, dug pits 18 x 18
x 12 ins. E. end of post 5 1/2
ft. dist. and raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. base around post

80.00 Set a post 4 ft. long 4 ins
square with marked
stone 12 ins. in the ground

Subdivisions Tract The

Chains for loc. to Secs. 25, 26, 35 & 36
marked

T. 8. S. 25. on N. E.

R. 14. W. 36 on N. E.

S. 35. on S. W. end

S. 26. on N. W. faces with
1 notch on ^{N. E.} and ^{N. E.}
faces

edges, ~~dry~~ pits 18x18
x 12 ins. Int each Sec.

5 1/2 ft. dist. and raised
a mound of earth 2
ft. high 4 1/2 ft. base
around post

Land level mesa

Soil 1st rate

Scattering grassland

J. D. R 14. West

chains East on a random line
bet Secs. 25 and 36

$\text{Va } 13^{\circ} 45' \text{ E.}$

40.00 Set temporary 1/4 Sec. cen

79.58 Intersect the E. Bdy. of
the Tr. at 10 Chgs. S. of Cor
25-36. 31/36 as heretofore
described
Hence Run

$S 89^{\circ} 56' \text{ W.}$ on a true line
bet. Secs. 25 and 36

$\text{Va } 13^{\circ} 45' \text{ E.}$

39.90 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cen. marked
1/4 on N. face dug pits
15 x 15 x 12 ins. E and W. of
post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft

Subdivision Tract. Tp. 8

Chains high $3\frac{1}{2}$ ft. base around
Post

75.80 Wash 2 chs. wide course Easterly

79.80 The cor. to Secs. 25, 26, 35 & 36

88

Land level

Soil gravelly 3rd rate

Scattering Ironwood

and Palo Verde

N $0^{\circ}1'$ W. bet. Secs. 25 and 26

Ud $13^{\circ}45'$ E

26.00 Wash 2 chs wide course Easterly

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor. marked
 $1/4$ S. on W. face, dug pits
 $18 \times 18 \times 12$ ins. N and S. of

South Range 14 West

chains post $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post
 56.00 Wash 3 yds wide course Eosh
 80.00 Set a post 4 ft. long 4 ins
 square with marked
 stone 12 ins. in the ground
 for cen. to Secs. 23. 24. 25 & 26
 marked

T 8 S. R. 24. on N. E.

R 14. W. 25. on S. E.

S 26. on S. W. Quad

S 23. on N. W. faces with 2
 notches on N. ^E and 1 notch
 on ^{N. E} _{S. E.} ^{faces} edges dug pits 10×10
 $\times 12$ ins. in each Sec $5\frac{1}{2}$ ft
 dist. and raised a mound
 of earth 2 ft. high $4\frac{1}{2}$ ft.
 base around post

Subdivision Tract Tp. 8

Chains

Land level
 Soil stony & thrate
 Scattered greasewood

N 89° 56' E. on a random
 line bet. Secs 24 & 25
 90 13° 45' E.

40.00 Set temporary 1/4 Sec cor

80.00 Intersect the E. Bdy. of
 the Tr. at 5 lks. N. of
 cor. to Secs 19, 24, 25, 30 as
 hereinbefore described
 Thence run

S 89° 55' W. on a true
 line bet. Secs 24 & 25
 90 13° 45' E.

40.00 Set a post 3 ft. long
 3 ins. square with marked
 stone 12 ins. in the ground

South Range 14 West.

Chains for $\frac{1}{4}$ Sec. cor. marked 14
 on N. face, aug pits 18x
 18x18x12 ins. @ End W. of
 post 5 $\frac{1}{2}$ ft. dist. and raised
 a mound of earth 1 $\frac{1}{2}$ ft.
 high 3 $\frac{1}{2}$ ft. base around
 post

80.00 The cor. to Secs 23, 24, 25 + 26
 Land level
 Soil 2nd rate
 Scattering Ironwood +
 Palo Verde

N 0° 1'W. bet. Secs. 23 + 24
 Δ 13 $^{\circ}$ 45'E.

9.00 Road cor. E. End W.

40.00 Set a post 3 ft. long 3 ins
 square with marked stone

Subdivisions Tract Th.

Chairs 12 ins. in the ground
for 1/4 Sec. lev. marked
1/4 O. on W. face, dug
pits 15x15x12 ins.
N and S of post 5 1/2 ft.
dist. and raised a
mound of earth 1 1/2
ft. high 3 1/2 ft. base
around post

80.00 Set a post 4 ft. long
4 ins. square with
marked stone 2 ins
in the ground for
lev. to Secs 13. 14. 23+24
marked

T. S. S. 13. on N. E.

R 14. W. S. 24. on S. E.

S 23. on S. W. Quad

P 14. on N. W. face with

S. S. R. 14. 208st

Chains 3 notches on S. ^E and 1 notch
 on ^{N. E. faces} E. edges. dug pits 18x18
 x 12 ins in each sec. 5 1/2 ft.
 dist. and raised a
 mound of earth 2 ft. high
 4 1/2 ft. base around each
 Land level near

Sail 1st/₇₆ rate

Scatterling Ironwood and
 Palo Verde

N 89° 58' E. on a random
 line bet. Secs. 13 and 24

9a 13° 45' E.

40.00 Set temporary 1/4 sec. corner

79.90 Entered the E. Body of
 the Twp. 10 N. 1/4 of Cor. 1 to
 Secs. 13, 18, 19, 24 as herein -
 before described

Subdivisions Fract Op.

Chains

Thence I run

$189^{\circ} 54' W.$ on a true
line bet. Secs. 13 and 24
Va $13^{\circ} 45' E$

29.40 Road bro. N and S.

39.95 Set a post 3 ft. long
3 ins. square with
marked stone 12 ins.
in the ground for 1/4
Sec. cor. marked 1/4 S.
on N. face, dug pits 18
x 15 x 12 ins. E. and W. of
post $5\frac{1}{2}$ ft. dist. and
raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$
ft. base around post

79.90 The cor. to Secs. 13, 14, 23 & 24

Land level mesa

Oil 10% rate

S. S. R 14 west

chains Scattering Ironwood
and Palo Verde

N 0° 1'W. bet. Secs. 13 + 14

Pa 13 $^{\circ}$ 45' E.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. Cor. marked 1/4
N. on W. face, dug pits 18x
18x12 ins. N. E. of post
5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft.
high 3 1/2 ft. base around post

41.10 Road br. E. & W. (wood)

80.00 Set a post 4 ft. long 4 ins
square with marked
stone 12 ins. in the ground

Subdivisions, Fract. Tr.

Chains for loc to Secs. 11, 12, 13 & 14
marked

T. 8. S. 12. on N.E.

R. 14. W. S. 13. on S.E.

S. 14. on SW End

S. 11. on N.W. face with

4 notches on E. end

1 notch on ^{N.E.} E. edges

dug pits 18x18x12 ins

in each sec 5 1/2 ft. dist.

and raised a mound

of earth 2 ft. high 4 1/2

ft. base around post

Land best mesu

Soil 1st rate

Scattered greasewood

May 11/93

S. D. R. 14 West

Chains N 89° 54' E. on a random
line bet. Secs 12 + 13

VA 13° 45' E.

40.00 Set temporary 114 sec. cor.

80.00 Intersect the E. Bdy. of
the Tp. at 15 cks. N. of cor
to Secs. 7, 12, 13, & 15 as
hereinbefore described
Cord run

West on a true line bet
Secs 12nd & 13

VA 13° 45' E.

40.00 Set a post 3 ft. long 3
ins. square with charred
stone 12 ins. in the ground
for 114 sec. cor. marked.

114 on N. face, dug pits
18x18x12 ins. E. & W. of
post 5 1/2 ft. dist. and
raised a mound of earth

Subdivisions Fract. Tr.

Charris $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post

80.00 The lvs. to Secs 11, 12, 13 & 14
Land level mesa
Soil sandy loam 1st rate
Scattered greasewood
and sage brush

N 0° 1'W. bet. Secs. 11 + 12

49° 13'45"E

13.70 Southern Pacific Rail Road bet. N 65° 42'E

14.50 Road bet. NE. and SW

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 14 Sec. cor. marked
N $1/4$ P. on W. face, dug
futs 15x15x12 ins. N.S.

S. S. R. 14 West

Chains of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post

80.00 Set a post 4 ft. long 4 ins square with marked stone 12 ins. in the ground for cen. to Secs. 1, 2, 11 & 12. marked T. S. S. 1. on N. E.

R 14. W. D 12. on N. E.

D 11. on N. W. Quad

D 2. on N. W. face. with 5 notches on ^{N. E.} end 1 notch on ^{N. E.} face dug pits 18x18 x 12 ins in each Sec $5\frac{1}{2}$ ft dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft base around post around post

Subdivisions, Fract. Tp.

Chains Land slightly rolling
Soil $\frac{1}{2}$ date

Scattering Mesquite
Sage and grasswood

East on a random
line bet. Secs. 1 and 12

$N 13^{\circ} 45' E$

40.00 Set temporary $\frac{1}{4}$ Sec. cor

80.10 Intersect the E. Bdy.
of the Tp. at 5 lks. S.

of Secs. 1, 6, 7, 12 as
hereinbefore described
hence from

$S 89^{\circ} 58' W.$ on a true
line bet. Secs. 1 and 12

$N 13^{\circ} 45' E.$

13.00 Mohawk Road, bro.

N.W. + S.E.

S. S. R 14 West

Chains

40.05 Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. in the ground
 for 1/4. Sec. cor. marked
 1/4 S. on N. face, dug pits
 18 1/2 x 12 ins. E & W of
 post 5 1/2 ft. dist. and
 raised a mound of
 earth 1 1/2 ft. high 3 1/2 ft.
 base around post

80.10 The lev. to Secs. 1, 2, 11 & 12
 Land nearly level
 Soil 1st rate
 Scattered Greasewood
 and Sage

I tested my solar by the
 sun at noon and found the
 latitude to be $32^{\circ} 44'$

Subdivisions Tract The

Chain No. 1st W. bet. Secs. 1 & 2

Va 13° 45' E.

- 30.00 Road bet E & W
- 39.50 Road bet N.W. and S.E.
- 40.00 Set a post 3 ft. long 3 ins square with marked stone 12 ins. in the ground for N 4 Sec. cor. marked N 4 S. on W. face dug pits 15 x 15 x 12 ins. N 4 S. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post
- 50.40 Personal Stake No. 3670. on line
- 62.50 Intersect the N. Bdy. of the Tract chs N 89° 50' E. of lerr. to Secs 34 and 35 of T. 7 S as hereinbefore described Q. 14. W. at which point

J. S. R 14 West

Chain 4 ft. long 4 in. square,
with marked stone 12
ins. in the ground for
closing. Cor. to Sec. 1 & 2

Top of S. R 14, W. marked by
6 S. R 14, W. end

S. on E. end

2 on W. faces, with
notch on E. end 5 notches
on W. faces, dug pits
18 x 12 ins. S. E. + W. of post
5 1/2 ft. dist. and raised a
mound of earth 2 ft. high
4 1/2 ft. base around post

Land level meso

Soil 1 1/2 rate

Scattering Sage Mesquite
and Grasswood

Subdivisions - Fract. Tr.

chains From the lev. to Sec's
 2. 3. 34nd 35. on the S.
 Bay of the Tr. where indeed
 I run
 N^o 1st W. bet. Secs 34 + 35
 Pa 13° 45' E

23.00 Wash 60 lks. wide & come NE

40.00 Set a post 3 ft. long 3 ins
 square with marked
 stone 12 ins. in the ground
 for 14 Sec. cor. marked 14
 P. on W. face, dug pits 18 x
 18 x 12 ins. N^o 1st S of post
 5th ft. dist. and raised
 a mound of earth 11th
 ft. high 5th ft. base
 around post

80.00 Set a post 4 ft. long
 4 ins. square with

S. P. R 14 west

Chains marked stone 12 ins. in
 the ground for loc. to
 Secs. 26. 27. 34 & 35 marked
 T. 8 S. S 26. on N. E
 R 14 W. S 35. on S. E.
 P 34. on S. W. Quad
 S 27. on N. W. faces with
 1 notch on ^E and 2 notches
 on ^{N E faces} edges, dug pits 18 x 18
 x 12 ins. in each. Sec 5 1/2
 ft. dist and raised a
 mound of earth 2 ft. high
 4 1/2 ft. base around post
 Land ready here
 Soil good rate
 Scattering Ironwood & Palo
 Verde

Mountains and broken to the west

Subdivisions Fract. Tr

Chains East on a random
line bet. Secs 26 & 35
Va $13^{\circ}45'E$.

40.00 Set temporary 1/4 Sec cor.

80.05 Intersect the true line
line at cor. to Secs. 25, 26
35 and 36

Thence I ran
West on a true line
bet. Secs 26 and 35

Va $13^{\circ}45'E$

40.03 Set a post 3 ft. long
3 ins. square with
marked stone 12 ins
in the ground for 1/4
Sec. cor. marked 1/4
S. on N. face. dug pits
18 x 18 x 12 ins. 25 pds W
of post 5 1/2 ft. dist. End

S. P. R 14 west

Chains raised a mound of earth
1 1/2 ft. high 3 1/2 ft. base
around post

80.05 The Corn to Secs 26-27. 34+35
Land nearly level
Soil 4th/_n rate
Scattering greasewood
and Sage brush

N 0° W. bet. Secs. 26 + 27

Pa 13° 45' E.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
P. on N. face, dug pits 18x
18x 12 ins. N. End of post
5 1/2 ft. dist. and raised

Subdivision: Fract. Tr.

Chamis a mound of earth $1\frac{1}{2}$
ft. high $3\frac{1}{2}$ ft. base
around post

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the
ground for loc. to Secs

22 23. 26 + 27 marked

T. S. S. 23. on N.E

R 14. W. S. 26. on E.

S 27. on W End

P 22. on N.W. face with
2 notches on S. ^E and N. ^E
^{face} edges and raised a
mound of stone $1\frac{1}{2}$ ft.

high 2 ft. base around post

Pits unfracturable, from which
a Palo Verde 10 ins. diam. loc
S 65° E. 140 lks. dist. marked

S.D. R 14 West

Chain

T.S.P. R 14 W. S. 26. B.T

Land nearly level

Soil good

Scattering greasewood brush

Mountainous and broken to
the West. Non-agricultural
land

East on a random line
bet. Secs 23 and 26

Pa $13^{\circ}45'E$.

40.00 Set temporary 1/4 Sec cor

79.80 Intersect the N and S
line at 10 E.K. S. of cor. to
Secs. 23, 24, 25 & 26

Thence run

Subdivision Tract 5th

Obvious $189^{\circ} 56' W.$ on a true line
bet. Sec's 23 and 26

Va $13^{\circ} 45' E$

39.90 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked
114 ft. on N. face, dug pits
 $15 \times 15 \times 12$ ins. E. End W. of
post $5 \frac{1}{2}$ ft. dist. and
raised a mound of
earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$
ft. base around post

79.80 The cor. to Secs 22, 23, 26 & 27

Land nearly level

Soil 4th rate

Scattering Ironwood &
Pals v. etc

S. A. R 14 West

Chains $N 0^{\circ} 1' W$. bet. Secs 22nd and 23
 $\frac{1}{4}$ $13^{\circ} 45' E$.

40.00 Set a post 3 ft. long 3 ins
 square with marked
 stone 12 ins in the ground
 for 14 Sec. cor. marked 114
 on W. face dug pits 18 x 18 x 12
 ins N and S. of post 5 $\frac{1}{2}$ ft.
 dist. and raised a
 mound of earth 1 $\frac{1}{2}$ ft. high
 3 $\frac{1}{2}$ ft. base around post

80.00 Set a post 4 ft. long 4 ins
 square with marked
 stone 12 ins. in the ground
 for Cor. to Secs. 14, 15, 22 + 23
 marked

T 8. S. S 14. on N. E.

R 14. W. S 23. on S. E.

S 22. on S. W. End

Subdivisions Tract The

Chains 15 on N.W. face with 3
 notches on S.^{E} and 2 notches
 on N.^{E} faces. dug pits 18x18x
 12 ins. in each Sec. $5\frac{1}{2}$ ft
 dist. and raised a mound
 of earth 2 ft. high $4\frac{1}{2}$ ft
 base around spot

From which a Palo Verde 8
 ins. in diam Gr. N 20° E 115
 lks dist. marked T.S.R
 14 W.D 14 B.T

Land nearly level

Soil 3rd Gate

Scattering Ironwood
 and Palo Verde

NON-Agricultural land
 to the West of this mile

S.D. R. 14 West

Chains $N 89^{\circ} 56' E$. on a random
line bet. Secs. 14 and 23

$\frac{1}{4}$ $13^{\circ} 45' E$.

40.00 Set temporary $\frac{1}{4}$ Sec Cor.

80.00 Intersect the $\frac{1}{4}$ and S. line
at 10 chs. N. of Cor. to Secs
13, 14, 23 and 24

Then a Iron

Post on a true line bet. Secs
14 and 23

$\frac{1}{4}$ $13^{\circ} 45' E$.

40.00 Set a post 3 ft. long 3 ins
square with marked stone
12 ins. in the ground for
 $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ S. on
N. face, aug pits $18 \times 18 \times$
 12 ins. E. and W. of post with
ft. dist. and raised a
mound of earth 14 ft. high

Subdivisions Fract. T₁

Cham 3 1/2 ft. base around post
 80.00 The lev. to Secs 14, 15, 22, 23

Land level mesa

Soil 1st rate

Scattering Ironwood and
 Palo Verde

No 1 W. bet. Secs. 14 + 15

VA 13° 45' E

40.00 Set a post 3 ft. long 3 ins
 square rock marked stone
 12 ins. in the ground for
 1/4 Sec lev. marked 1/4 on
 W. face, dug pits 18x18x
 12 ins. N and S. of post 5 1/2
 ft. dist. and raised a
 mound of earth 1 1/2
 ft. high 3 1/2 ft. base around
 post

S. P. R. 14 West

Stations

58.30 Southern Pacific Rail Road Cor. N $65^{\circ} 42' E$

60.20 Wagon road parallel to
R.R.

80.00 Set a post 4 ft. long 4 ins
square with marked
stone 12 ins. in the ground
for cor. to Secs. 10, 11, 14 & 15
marked

T 8. S. S 11. on N. E.

R 14. W. S 14. on S. E.

S 15. on S. W. end

S 10. on N. W. faces with 4
notches on $N^{\circ} E$ and 2 notches

on $N^{\circ} E$ ^{faces} edges. dug pits 18 x 18
x 12 ins. in each Sec 5 1/2 ft

dist. and raised a
mound of catch 2 ft. high
4 1/2 ft. base around post

Subdivisions Fract

Chain Land level mesa

Soil 1st + 2nd rate

Scattering Sage + grass-
wood brush

East on a ^{random} true line bet
Secs. 11 and 14

$\text{Va } 13^{\circ} 45' \text{E}$

40.00 Set temporary 1/4 Sec cor.

79.90 Intersect the 1/4 Sec line
at 10 lks. N. of cor. to Secs
11, 12, 13 and 14

Thence run

$\text{N } 89^{\circ} 56' \text{W}$ on a true line
bet. Secs 11 and 14

$\text{Va } 13^{\circ} 45' \text{E}$

31.00 Southern Pacific Rail Road bet. $\text{N } 65^{\circ} 42' \text{E}$

33.25 Wagon Road bet. N.E. + S.W

T_h S & R 14 West

Stations

39.95 Set a post 9 ft. long 3 ins.
square with marked stone
12 ins. in the ground for 1/4
Sec. l_{ev} marked 1/4 P. on N
face, dug pits 18 x 18 x 12 ins
E. and W. of post 5 1/2 ft. dist.
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft. base
around post

79.90 The lev. to Secs 10, 11, 14 & 15

Found level mesa

Soil 1st/₄ rate

Scattering ^{brush} greasewood & Sage

No^o 1 W. bet. Secs. 10 & 11

Ha 13° 45' E.

40.00 Set a post 10 ft. long 3 ins. square

Subdivisions Tract 7th.

Charis with marked stone 12
 ins in the ground for
 1/4 Sec. cor. marked 1/4 A
 on W. face, dug pits 15 x 18
 x 12 ins. N End C. of post
 5 1/2 ft. dist. and raised a
 mound of earth 1 1/2 ft.

high 3 1/2 ft. base around post
 80.00 Set a post 4 ft. long 4 ins

square with marked
 stone 12 ins. in the
 ground for cor. to Secs
 2, 3, 10 + 10 marked

T. 8. S. 2. on N.E.

R 14. W. 11. on S.E.

D 10. on S.W. End

S 3. on N.W. faces with 5
 notches on N. ^E and 2 notches

on ^E ^{faces} ~~edges~~ dug pits 18 x 18
 x 12 ins. in each Sec 5 1/2 ft.

S. P. R 14 west

Chain dist. and raised a mound
of earth 2 ft. high $4\frac{1}{2}$ ft. base
around post

Found level mesa

Soil 1st rate

Scattering Sage and greasewood
bush

$\angle 89^{\circ} 56' E$. on a random
line bet. Secs. 2 and 11

$\angle 13^{\circ} 45' E$

40.00 Set temporary $\frac{1}{4}$ Sec. cor.

80.10 Intersect the N. and S. line
at 1916. S of cor. to Secs

1, 2, 11 + 12

Hence from

$\angle 89^{\circ} 56' W$. on a true line
bet. Secs 2 and 11

Subdivisions Fract. T₁e

Claims

Q/a 13°45'E

40.05 Set a post 3 ft. long 3 ins square with marked stone 12 ins in the ground for 1/4 Sec. cor. marked 1/4 N. on N. face, dug pits 18x18 x 12 ins. E. and W. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post

80.10 The cor. to Sec. 2.3. 10+11
 Land level Mesu (nearly)
 Soil 10% rate
 Scattered grasswood
 and Sage brush

F. L. R 14 West

Chain N0°1'W. bet. Secs 2 and 3
 Va 13°45'E.

35.50 Old Road br. N.W. + S.E.

40.00 Set a post 3 ft. long 3 in
 square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. or, marked
 140. on W. face, dug pits
 18x18x12 ins. at E. end of
 post 5 1/2 ft. dist. and
 raised a mound of earth
 1 1/2 ft. high 3 1/2 ft. base
 around post

44.50 Mohawk and Texas Hill
 Road br. N.W. + S.E.

62.30 Intersect the N. Cdy. of the Tr at
 2 chs. and 25 lks. N 89°55'E.
 of Cor. to Secs 33 and 34
 of ^{as hereafter described}
 T. 7. S. R. 14. W., at which

Subdivisions Fract Tpi.

Chain's point I set a Post 4
ft. long 4 ins. square
with marked stone
pins in the ground
for closing lbr. to Secs
2 and 3. Tpi. S. D. R. 14. W
marked

b. b. T. S. D. R. 14. W. and.

P. 2. on E. End

P. 3. on W. faces with 2
notches on E. End 4 notches
on W. faces dug pits 18x18
x 12 ins. S. E. end W. of post
5 1/2 ft. dist. and raised
a mound of earth 2
ft. high 4 1/2 ft. base
around post

Land level mesa

Soil 1st rate

Scattered grasswood & Sagebrush
May 12/93

80 R 14 west

Cherms From the low to Secs 14,
 as hereinafter described
 15-22 and 23, " Iron

West bet. Secs 15 and 22.

$79^{\circ} 13' 45'' E$

40.00 Set a post 3 ft. long 3 ins
 square with marked
 stone 12 ins. in the ground
 for 14 Sec cor. marked 14
 on N. face, dug pits, 8×18
 $\times 12$ ins. E. and W. of post
 $5\frac{1}{2}$ ft. dist. and raised
 a mound of each $11\frac{1}{2}$ ft.
 high $3\frac{1}{2}$ ft. base around
 post

80.00 Set a post 4 ft. long 4 ins
 square with marked
 stone 12 ins. in the ground
 for low to Secs 15, 16, 21 + 22
 marked

Subdivisions Pract. Tri.

chains T. S. S. 15 on N. E.

R 14. W. S. 22 on N. E.

S 21. on N. W. end

P 16. on N. W. faces with
3 notches on ¹ end ² & ³ faces
dug pits 15 x 15 x 12 ins.

in each one 5 1/2 ft. dist

and raised a mound of
earth 2 ft. high 4 1/2 ft.
base around post

Land level

Soil 3rd rate

Scattering Ironwood &

Palo Verde

Mountainous and broken
to the South and non-agri-
cultural land

T. S. R 14 West

Chain NO 2 W. bet. Secs 15 & 16

Sta 13° 45' E

21.25 Southern Pacific Rail Road. Cor. N. 65° 42' E

37.20 Wagon road cor. E and W

40.00 Set a post 3 ft. long 3 ins
square with marked stone
12 ins. in the ground for 1/4
Sec. Cor marked 1/4 P. on W
face, dug pits 18 x 18 x 12 ins
N and S of post 5 1/2 ft. dist.
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft. base
around post

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for cor. to Secs 9, 10, 15 & 16
marked

T. S. S. 10. on N. E.

Subdivisions Tract 57

Chairs R 14. N. S. 15. on S. E.

S 16. on O. W. end

S 9. on N. W. faces with 4
notches on ^{N. E.} and 3 notches
on ^{N. E. faces} edges. dug pits 18x18
x 12 ins. in each Sec 5 1/2
ft. dist. and raised a
mound of earth 2 ft.
high 4 1/2 ft. base around first
Land nearly level

Soil 1 2/3 + 3 1/2 rate

Scattering Ironwood +
Palo Verde.

S. P. R 14 2052

Chain East on a random line
bet. Secs 10 and 15
Fa $13^{\circ} 45' E$

40.00 Set temporary 1/4 Sec. cor
80.00 Intersect the N End Chain
at 5 eps. North of cor. to
Secs 10, 11, 14 + 15

Hence Iron
N $89^{\circ} 58' W$. on a true line
bet. Secs 10 and 15
Fa $13^{\circ} 45' E$.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4 S
on N. face, dug pits $18 \times 18 \times$
12 ins. E and W. of post $5 \frac{1}{2}$
ft. dist. and raised a mound
of earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base

Subdivisions Fractⁿ

Claims around foot

80.00 The bet. to Secs 9, 10, 15 & 16

Land level

Soil 1st rateScattering greasewood
and Sage BrushN^o 2^o W. bet. Secs 9 & 10N^o 13^o 45^o E

40.00 Set a post 3 ft long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked
1/4 S. on W. face, dug pits 18
x 18 x 12 ins. N and S. of post
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft
high 0 1/2 ft. base around post

J. A. R 14 west

Chavis

50.00 Set a post 4 ft. long 4 ins
square with marked
stone 12 ins. in the ground
for Cor. to Secs. 3, 4, 9 & 10^{marked}
T. 8. S. 3. on N. E.

R 14. W. S. 10. on N. E.

D 9 on S W End

S 4 on N. W. faces with 5
notches on ^E and 3 notches
on ^{N. E. face} _{E. Edges}, dug pits 18 x 18 x
12 ins. in each Sec 5 1/2 ft.

dist. and raised a mound
of earth 2 ft. high 4 1/2 ft. base
around post

Land level mesa

Soil 1 1/4 rate

Scattering Mesquite and
Sagebrush

Subdivisions Tract The

chain $S 89^{\circ} 58' E$. on a random
line bet. Secs 3 & 10

Va $13^{\circ} 45' E$

40.00 Set temporary $1/4$ Sec corner

79.90 Intersect the N. end S.

line at 5 lks. S. of corner to
Secs 2, 3, 10 & 11

Thence I run

West on a true line bet
Secs 3 and 10

Va $13^{\circ} 45' E$

39.95 Set a first 3 ft. long 3 ins
square with marked

stone 12 ins. in the
ground for $1/4$ Sec corner
marked $1/4$ on N. face

dig pits $18 \times 18 \times 12$ ins
E. and W. of first $5\frac{1}{2}$ ft. dist
and raised a mound of

S. A. R 14 West

Chain earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post

79.90 The cor. to Secs. 3, 4, 9 & 10

Land level mesa

Soil $1\frac{1}{4}$ rate

Scattering grasswoods
Sage Brush

N $0^{\circ}2'$ W. bet. Secs 3 and 4

$\frac{1}{4}$ Sec. 13 $^{\circ}45'$ E.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$
Sec. cor. marked $\frac{1}{4}$ on W
face, dug pits 18X18X12 ins
N and S. of post $5\frac{1}{2}$ ft. dist
and raised a mound of

Subdivisions Tract. Tpa

chains each $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around post

41.75 Road bet. E & W

62.00 Intersect the N. Pdy. of the Tr.
at 2 chs. and 40 lbs.

$N 89^{\circ} 50' E.$ of Cor. to Secs

32 and 33. Tr. 7. P. R. 14. W
as herebefore described
at which point I set

a Post 14 ft. long 4
ins. square with marked
stone 12 ins. in the
ground for bearing
Cor. to Secs 3 and 4
Tr. 8. P. R. 14. with
marked

C. C. T. P. R. 14 W. on P.

P. 3. on E. and

P. 4. on W. faces with 3
notches on E. and W. faces

S. P. R 14 West

chain dug pits 18x18x12 ins
 S. E. End N. of post 5 1/2 ft.
 dist. and raised a
 mound of earth 2 ft. high
 4 1/2 ft. base around post
 Land level

Soil 1st rate

Heavy mesquite brush on
 lot 40 chs.

Scattering greasewood
 and Sage brush

I tested my solar by the
 sun at noon and found
 the latitude to be 32° 45'

Subdivisions, Tract Tpe

Chains From the cor. to Secs
15-16. 21 and 22

Run west on a true
line bet. Secs 16 & 21

Pa $13^{\circ}45'E$

14.20 Wash 50 lks wide course N
Ascending gradually

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked
1/4 on N. face, aug pits
18x18x12 ins. E End W. of
post 5 1/2 ft. dist. and
raised a mound of earth
1 1/2 ft. high 3 1/2 ft. base
around post

67.30 Southern Pacific Railroad in corner

80.00 Set a post 4 ft. long 4 ins
square with marked stone

S D R 142 West

Chain 12 ins. in the ground for
 lev. to Secs. 16, 17, 20 + 21
 marked

T.P. 16 on N.E.

R 14 W. 21 on N.E.

O 20 on P.W. End

S 17 on N.W. faces with 3
 notches on ^E and 4 notches
 on ^E ₁ E. ^{face} edges, dug pits 18x18
 x 12 ins. in each ^{at} 5 1/2 ft.

dist. and raised a mound
 of earth 2 ft. high 4 1/2 ft. base
 around each

Land nearly level

Soil 3rd rate

Scattering Ironwood + Palms ^{by} ^{Southwestern} Pacific
 R.R. about 2 Chs. South

Non-agricultural land to S. + West

Subdivisions Tract. 5th.

Chavis N0° 2' W. bet. Secs 16 & 17
T4 13° 45' E.

17.00 wash 30 lks wide course N.E.

24.00 Road from Texas Hill to
Yuma bro E & W

33.50 Wash 1 ch. wide course East

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 1/4 Sec. lev. marked
1/4 P. on W. face, dug pits
18 x 18 x 12 ins. N End S. of
post 5 1/2 ft. dist. and
raised a mound of
earth 1 1/2 ft. high 3 1/2 ft
base around post

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground

S. R 14 West

Draws for locs to Secs 8, 9, 16 & 17
marked

S. S. S. 9. n. n. e.

R 14 W. S. S. 16. n. n. e.

S 17 on S. W. Quad

S 8 on n. w. faces with
4 notches on ^{n. e.} and ^{n. e.} ^{faces} edges
dug pits 18 x 18 x 12 ins
in each Sec 5 1/2 ft. dist.
and raised a mound of
earth 2 ft. high 4 1/2 ft. base
around post

Land slightly descending
Soil 4th rate

Scattering Sourwood
and Palo Verde

Subdivisions Tract T_h

Chains East on a random
line bet. Secs 9 and 16

VA 13° 45' E

40.00 Set temporary 114 Sec. corner

80.10 Intersect the N and S line
at 10 chs. N. of cor. to Secs
9, 10, 15 + 16

Thence run

N 89° 56' W. on a true line
bet Secs 9 and 16

VA 13° 45' E

40.05 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 114 Sec. cor. marked
114 P. on N. face. dug pit
18 x 18 x 12 ins. 8' and W. of
post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft

S. P. R 14 West

Chain high $3\frac{1}{2}$ ft. base around post

80.10 The cor to Secs 8-9. 16 & 17

Land lead

Soil $1\frac{2}{3}$ rate

Scattering greasewood
and Sage brush

No 2 W. bet. Secs 8 & 9.

N $13^{\circ} 45' E$

40.00 Set a post 3 ft. long 3 ins.
square with marked stone
12 ins. in the ground for 1/4
Sec cor. marked 1/4 on W
face, dug pits 18x18 12 ins
N. and S. of post $5\frac{1}{2}$ ft. dist
and raised a mound of
each $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post.

Subdivisions Tract 5th.

Ekanis

80.00

Set a post 4 ft. long
 4 in. square with
 marked stone 12 ins
 in the ground for corner
 to Secs. 4, 5, 8, & 9. marked
 T. S. S. H. on N. E.
 R. 14, W. S. 9. on S. E.
 S. 8. on S. W. and
 O. 5. on N. W. faces with
 5 notches on ^E end 4
 notches on ^N E. ^{faces} edges dug
 pits 18 x 15 x 2 ins. in
 each Sec 5 1/2 ft. dist. and
 raised a mound of earth
 2 ft. high 4 1/2 ft base around ^{post}
 Land level
 Soil 3rd rate
 Scattering Ironwood and Palo Verde

80 R 14 West

Chain S $89^{\circ}56'E$ on a random
line bet. Secs 4 and 9

Sta 13 $^{\circ}45'E$

40.00 Set temporary $1/4$ Sec. cor.

80.00 Intersect the N and S line
at 19. $1/4$ S of cor. to Secs
3, 4, 9 and 10

Thence Iron

S $89^{\circ}56'W$ on a true line bet
Secs 4 and 9

Sta 13 $^{\circ}45'E$

40.00 Set a post 3 ft. long 3 in
square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor. marked
 $1/4$ S. on N face, dug hole 18x18
x 12 ins. E and W of post $5\frac{1}{2}$
ft. dist. and raised a mound
of earth 12 ft. high 3 $1/2$ ft. base

Subdivisions Tract Tpi.

Chains around post.

Ch
8

80.00 The lev. to Secs. 4, 5, 8 + 9

Land level mesa

Soil 1st/₂ rate

Scattering grasswood + sage brush

N 0° 2' W. bet. Secs. 4 + 5

VA 13° 45' E.

In. mesa

40.00 Set a post 3 ft. long 3 ins.

Square with marked stone

12 ins. in the ground for 1/4

Sec. cor. marked 1140. on W face

dug pits 18 x 18 x 12 ins N and

S of post 5 1/2 ft. dist and

raised a mound of earth

1 1/2 ft. high 3 1/2 ft. base around post

44.00 Leave mesa and enter Sand Ridge

and ascend

S P R 14 205th

Claims

- 57.00 Top of Sand Ridge 70 ft. high
 low E. and W. and descend
- 59.00 Foot of Sand Ridge
- 59.50 Road low. Easterly + Westerly
- 61.90 Intersect the N. Bdy. of the Tr. at
 2 chs. $N. 89^{\circ} 50' E.$ of Cor. to Secs
 31 + 32. ^{as hereinafter described} $S. 7. S. R. 14 W.$ ^{of}
 which point I set a post
 4 ft. long 4 ins. square with
 marked stone 12 ins. in the
 ground for ^{low} Cor. to Secs
 4 and 5. $S. P. R. 14 W.$ marked
 C. C. $S. P. R. 14 W.$ on S.
 04. on E. End
 05. on W. faces. with 4 notches
 on E. and 2 notches on W. faces
 dug pits $18 \times 18 \times 12$ ins. $S. 89^{\circ} W.$
 of post $5 \frac{1}{2}$ ft. dist. and

65

BOOK 1229

Subdivisions Gract Tr.

Chains raised a mound of
earth 2 ft. high $4\frac{1}{2}$
ft. base around foot
of Sand level

Soil 1st rate on Mesa

" 3rd " on Sand Hills

Scattering Palo Verde
greasewood and Sage

May 13th 1893

S. A. R 14 West

Chains

From the Corn to Seas
or hereinafter described

8.9. 16 and 17. From

West on a true line bet

Seas 8 & 17

H.A. 13° 45' E

15.00 Wash 30 fms. wide course N.E.

and ascend gradually

21.00 Old Road Cr. N and S

40.00 Set a post 3 ft. long 3 ins

square with recurved

stone 12 ins. in the ground

for 14 Sec. cor. marked 14A

on N. face, dug pits 18x18x

12 ins. E. End W. of post 5 1/2

ft. dist. and raised a

mound of earth 1 1/2 ft. high

3 1/2 ft. base around post

66.75 Wash 30 fms. wide course N.E.

80.00 Set a post 4 ft. long 4 ins

Sub. Fract. T₁ S. P. R 14W

Clear square with marked
 stone 12 ins. in the
 ground for cor. to Secs
 7. 8. 17 & 18 marked
 T₁ S. P. S. on N.E.
 R 14. W. S. 17. on N.E.
 S. 18. on S.W. end
 S 7. on N.W. faces with
 4 notches on S. end 5
 notches on ^N ~~E~~ ^{faces} edges.
 dug pits 18 x 9 x 12
 ins in each Sec 5th
 ft. dist. and raised
 a mound of earth
 2 ft. high 4 in ft. base
 around post
 Land nearly level
 Soil 3rd state
 Scattering greasewood brush
 Mountain no to the South

Concluded, Book 1230.