

Rece^d. July 18. 1893
X^d
copied

I.

BOOK 1231

1231

No. 1231

4-671

BOOK 1231

FIELD NOTES

~~GENERAL LAND OFFICE~~

of the Survey of
Subdivision Lines of

Tp. 8. S. R. 12. W.

Gila and Salt River meridians
Arizona

By Lewis Wolfley, D.S.
under his Contract dated
Jan 16. 93.

Survey commenced. May 23. 93.

Survey completed. May 25. 93.

No. 1231

BOOK 1231

Field Notes
of the
Subdivisions Lines
In T^p. 1 S. R 12. W.
of the
Gila and A. R. Base ^{2nd}
Meridian
In the Territory of Arizona
Surveyed by
Lewis Wolfley
U. S. Deputy Surveyor
Under Contract No 25

Dated Jan'y. 16/1893.

Survey commenced May. 23rd/93
" completed " 26

I tested my Polar by
the Sun at noon and
found the latitude to
be. $32^{\circ}40'$.

May 23/1893.

For Manner of testing See page 187
2^d Standard Parallel South

Having surveyed
the South East boundary
of this Tr. and find
my instrument in
perfect adjustment
I subdivide this Tr. as follows:

1A

BOOK 1231

18

Township

S. J.

(4-674.)

R. 12 W.

BOOK 1226

Index for }

BOOK 1231

6	98	5	72	4	53	3	84	2	17	1
96		95		71		52		33		15
7	93	8	69	9	50	10	31	11	13	12
92		90		68		48		30		12
18	89	17	66	16	46	15	28	14	10	13
87		86		64		45		27		9
19	84	20	63	21	43	22	25	23	7	24
83		81		61		42		24		6
30	80	29	59	28	40	27	22	26	4	25
78		77		58		39		21		3
31	75	32	56	33	37	34	19	35	1	36

6-389

I subdivide this up as follows:

Sub. Twp. 8 N. R. 12. West

Chain's Beginning at the cor. to
Secs 1, 2, 35 and 36 on the
South Bdy of the Twp. as
heretofore described

N 0° 1' W. bet. Secs. 35 + 36

Pa 14° E.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
W. on W. face, deep pits 18 x 18
x 12 ins. N and S of post 5 1/2
ft. dist. and raised a
mound of earth 1 1/2 ft.
high 3 1/2 ft. base around
post

80.00 Set a post 4 ft. long 4 ins
square with marked
stone 12 ins. in the ground

Subdivisions. Tph. 8 D.

Chumbe for lev. to Secs 25, 26, 35
+ 36 marked

T 8. A 25 on N.E.

R 12. W. A 36. on N.E.

A 35. on SW Quad

A 26. on N.W. face with
1 notch on ^N and ^E

^{faces} edges dug pits 15 x 15
x 12 ins. for each Sec

5 1/2 ft. dist. and raised
a mound of earth
2 ft. high 4 1/2 ft. base
around post

Land level mesa

Soil 1st rate

Scattering mesquite
greasewood + sage brush

Range 12 West

Main East on a random line
bet. Secs. 25 & 36

$\frac{1}{4}$ S 14° E.

40.00 Set temporary $\frac{1}{4}$ Sec. cor.

79.90 Entered the E. Bdy. of the
Trpat cor. to Secs. 25, 30, 31, 36
as hereinbefore described
thence run

West on a true line bet.
Secs 25 and 36

$\frac{1}{4}$ S 14° E

39.95 ^{40.} ^{Comp. line} Road by $\frac{1}{4}$ Sec. C. E.
Set a post $\frac{1}{2}$ ft. long 9 ins
square with marked
stone 12 ins. in the ground
for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S
on N. face, dug pits 18×15
 $\times 12$ ins. E & W. of post $5\frac{1}{2}$ ft. dist
and raised a mound of
earth $11\frac{1}{2}$ ft. high $5\frac{1}{2}$ ft.
base around post.

f

Subdivisions, T₁S. 8D.

Chamie

7990 The limits Secs 25, 26, 35 & 36
 Land level mesa
 Soil 1st/₂ rate
 Scattering mesquite, Sage
 and greasewood bush

N 70° W. bar Secs 25 & 26
 S 14° E

40.00 Set a first 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor. marked
 1/4 on W. face, dug hole
 18 x 18 x 12 ins. N and S. of
 first 5 1/2 ft. dist. and
 raised a mound of
 earth 1 1/2 ft. high 3 1/2 ft. base

Range 12 west

Chain around post

80.00 Set a post 4 ft. long 4 ins

square with marked

stone 12 ins. in the

ground for lev. to Secs

23, 24, 25, 26 marked

T. F. S. 24 on N.E.

R 12. W. P. 25. on S.E.

S 26. on SW ^{quad}

S 23. on NW faces with 1

notch on ^{N.E.} and 2 notcheson ^{N.E.} faces ^{9/16} dug pits 10 x 17 x 12

ins. in each Sec 5 1/2 ft. disp.

and raised a mound of

earth 2 ft. high 4 1/2 ft. base

around post

Land level mesa.

Soil 1st date

Scattering Mesquite & Sage brush

Subdivisions Twp. 8 S

- Chain East on a random
line bet. Secs 24 + 25
VA 14° E.
- 40.00 Set temporary 1/4 Sec. cor
79.80 Intersect the E. Bay. of the
Twp at 5 lks. N. of lerr
to Secs 19, 24, 25, 30 as
heretofore described
Then a true
N 89° 58' W on a true line
bet Secs 24 + 25
VA 14° E
- 39.90 Set a post 9 ft. long &
ins square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor, marked
1/4 S. on N. face, dug pits
18 x 18 x 12 ins. E & W. of post
5 1/2 ft. dia. and raised a
mound of earth 1 1/2 ft.

Range 12 West

79.80 Main high $5\frac{1}{2}$ ft. base around foot
The cor. to Secs 23, 24, 25, & 26

Land level mesa

Soil 1st rate

Scattering Mesquite, Sage
and greasewood brush

N^o 1st W. bet. Secs 23 & 24.

Pa 14^o E.

40.00 Set a post 3 ft. long 3 ins
square with marked stone
12 ins. in the ground for
1/4 Sec. cor. marked 1/4 S
on W. face, dug pits 18 X 18
X 12 ins. N end C. of post $5\frac{1}{2}$
ft. dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $5\frac{1}{2}$ ft.
base around foot

Subdivisions T. 8. S. 1.

Chavis

58.75 Canal Sta. X 1952. 25 1/2 E

80.00 Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. in the ground
 for corr. to Secs 13, 14, 23 + 24
 marked

T. 8. S. 1 13. on N.E.

R 12. W. S 24. on S.E.

S 23. on S. W. End

S 14 on N. W. face with
 3 notches on ²land 1 notch
 on ^{N.E. faces} edge, dug pits 18x
 18x 12 ins. in each Sec
 5 1/2 ft. dist. and raised
 a mound of earth 2 ft.
 high 4 1/2 ft. base around post
 Sand level mess
 + Soil 1 2/3 rate

Range 12 West

Chavis' Scattering mesquite, Sage &
grasswood brush

S 89° 58' E on a random
line bet. Secs. 13 & 24

89 14° E

40.00 Set temporary 1/4 Sec. cor

79.90 Intersect the E. bdy of the
Tr. at 5 lks S. of cor. to Sec
13, 18, 19 & 24, as heretofore
described

Thend Ann

West on a true line bet
Secs 13 and 24

89 14° E.

3.9.95 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4

Subdivisions Th. S.D.

Chains on N. face, dug pits 18x18
x 12 ins. E + W. of post 5 1/2
ft. dist. and raised a
mound of earth 1 1/2 ft
high 3 1/2 ft. base around
post

79.90 The legs to Sec 13, 14, 23 + 24

Land level mesa

Soil 1 1/2 rate

Scattering mesquite, Sage
and grasswood brush

No 011 W. bet. Secs 13 + 14

VA 14 09

40.00 Set a post 3 ft. long 3 in
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cm. marked 1/4.

Range 12 West

Chamie on W. face, dug pits 15x15
 12 ins. N and S of post 5 1/2 ft.
 dist. and raised a mound
 of earth 1 1/2 ft. high 3 1/2 ft. base
 around from

80.00 Ika post 4 ft. long 4 in square
 with marked stone 12 ins
 in the ground for cor. to Secs
 11:12, 13 + 14 marked

T 8. S. 12 on N.E.

R 12. W 13. on S.E.

S 14 on S.W. end

P 11. on N.W. faces with 4
 notches on ^E and 1 notch
 on ^{N.E. faces} S.E. edges. dug pits 15x15
 x12 ins. in each Sec 5 1/2 ft.
 dist. and raised a mound
 of earth 2 ft. high 4 1/2 ft. base
 around from

Subdivision Twp. 8 S

chains

Land level mesa

Soil 1st rateScattering Mesquite. Sage
and grasswood bushEast on a random line
bet. Secs 12 and 13

Va 14° E.

40.00 Set temporary 1/4 Sec. cor.

80.00 Intersect the E. Bay. of
the Twp. at 1000 ft. N. of line
to Secs. 7, 12, 13 + 15 as hereinbefore
^{described}
Thence S 40°N 87° 56' W. on a true line
bet. Secs. 12 + 13

Va 14° E

40.00 Set a post 3 ft. long 3 in.
square with stone 2 in. in

Range 12 West

Chain the ground for $1/4$ Sec. 11
 marked $1/4$ on N. face, dug
 pits $15 \times 15 \times 12$ ins. E. & W. of
 post $5 \frac{1}{2}$ ft. dist. and raised
 a mound of earth $1 \frac{1}{2}$ ft
 high $3 \frac{1}{2}$ ft. base around
 post

50.00 The cor. to Secs. 11, 12, 13 & 14

Land level mesa

Soil $1 \frac{1}{4}$ rate

Scattering mesquite. Sage
 + grasswood brush

No. 11 W. bet. Secs 11 & 12

$70 \text{ } 14^\circ \text{ E.}$

40.00 Set a post 3 ft. long 3 ins.

square with marked stone
 12 ins. in the ground for $1/4$ Sec

Subdivisions, T₁S. & L.

Chassis lev. marked $11\frac{1}{2}$ on W face
 dug pits $18 \times 18 \times 12$ ins
 N. End of post $5\frac{1}{2}$ ft. dist.
 and raised a mound of
 earth $11\frac{1}{2}$ ft. high $5\frac{1}{2}$ ft. base
 around post

80.00 Set a post 4 ft. long 4 ins
 square with marked
 stone 12 ins in the ground
 for lev. to Secs 1, 2, 11 & 12
 marked

T₁S. 1. on N. E

R 12 W. S 12. on S E.

S 11. on S W End

P 2. on N. W. faces with 5
 notches on ^E and 1 notch
 on ^N faces
 m. E. edges, dug pits 18×18
 $\times 12$ ins. in each Sec $5\frac{1}{2}$
 ft. dist. and raised a

Range 12 west

Chain mound of earth 2 ft. high
 4 1/2 ft. base around foot
 Land level mesa

Soil 1st/₄ rate

Scattering Sage. Mesquite +
 greasewood brush

S 89° 56' E. on a random
 line bet. Secs. 1 + 12

VA 14° E.

40.00 Set temporary 1/4 Sec. cor

79.88 Intersect the E. Bdy. of the
 Tp. at 516.5 of Sec. 10 Secs
 1, 6, 7 + 12 as herein before described

Thence Run

N 59° 58' W. on a true line bet.

Secs 1 and 12

VA 14° E

Subdivisions Th 8 D

Chamis

39.90 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the
ground for 1/4 Sec cor
marked 1/4 D on N. face
dug pits 18x 18x 12 ins
E + W of post 5 1/2 ft. dist
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft. base
around front

79.80 The lot, to Sec. 1, 2, 11 & 12

Land level mesa

Soil 1st/₂ rate

Scattering Mesquite Sage
and Grasswood brush

Range 12 west

Chain N 0° 1' W. bet. Secs. 1 and 2
 VA 14° E.

40.00 Set a post 3 ft. long 3 ins
 square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor. marked
 1/4 on N. face, dug pits 18x
 18x12 ins. N and S. of post
 5 1/2 ft. dist. and raised a
 mound of earth 1 1/2 ft. high
 3 1/2 ft. based around post.

64.05 Intersect the N. Bdy. of the Tr. at
 H 85. L No. N 89° 50' E. of cor. to
 Secs. 3, 4 and 35 - Tr. 7. S. R. 12
 as hereinbefore described
 West, at which point set
 a post 4 ft. long 4 ins.
 square with marked stone
 12 ins. in the ground for
 closing Cor. to Secs. 1 & 2.

Subdivisions. T_h & P.

Chain T. & P. R 12. W. marked
 C. 6. T. & P. R 12. W. on D.
 1 on E. end

D 2. on W. face with 1
 notch on E and 5 notches
 on W. face. dug pits 15 x
 15 x 12 ins. S. E. W. of first
 5 1/2 ft. dist. and raised
 a mound of each 2 ft high
 4 1/2 ft. base around first
 Land level was
 Soil 1 1/2 rate

Scattering Mesquite, Sage
 and greasewood brush

I tested my solar
 by the sun at noon
 and found the latitude to be
 32° 45'

Range 12 west

Markis From the cor. to Secs 2, 3, 34
and 35. on the S. Bdy. of
the Twp. as hereinbefore described
From

$N 0^{\circ} 1' W.$ bet. Secs 34 and 35
Ta $13^{\circ} 55' E$

40.00 Set a post 3 ft. long 3 ins
square with marked stone
12 ins. in the ground for 1/4
Sec cor. marked 1/4 c. on
W. face, dug pits $18 \times 18 \times 12$
ins. N and S. of post $5 \frac{1}{2}$ ft.
dist and raised a mound
of earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft.
base around post

80.00 Set a post 4 ft. long 4 ins
square with marked
stone 12 ins. in the ground
for cor. to Secs. 2 & 27, 34 & 35

Subdivisions. T₁ S₁ D.

Chumis Marked

T₁ S₁ D. 26 on N.E

R 12. W. S 35. on S.E

S 34 on S.W End

S 27. on N.W. faces with
 1 notch on S_N^E and 2 notches
 on ^{N.E. faces} _{S.E. edges} dug pits 18x18
 x 2 ins. in each Sec 5th

ft. dist. and raised a
 mound of earth 2 ft. high
 4 1/2 ft. base around foot
 Land level mesa

Soil 1st/₂ rate

Scattering Mesquite Sage
 and Grasswood
 brush

Range 12 West

Chain East on a random line bet
Secs 26 and 35

$\frac{7}{8}$ A $13^{\circ}55'E$

40.00 Set temporary 1/4 Sec. cor.

80.10 Intersect the N end l. line at
5 lks. N. of cor. to Secs
25, 26, 35 and 36

Thence run

$N 89^{\circ}55' W.$ on a true line bet
Secs 26 and 35

$\frac{7}{8}$ A $13^{\circ}55'E$

40.05 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
D. on N. face, dug pits 18 x 18
x 12 ins. E & W. of post 5 1/2 ft
dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft.

Subdivisions T_h-S O.

chain base around post

80.10 The lev. to Secs 26. 27. 34 & 35

Land level meso

Soil 1st rate

Scattering Mesquite Sage
and grasswood brush

N0°1'W. bet. Secs 26 + 27

∠ 13°55'E

40.00 Set a post 3 ft. long 3
ins square with marked
stone 12 ins. in the ground
for 1/4 Sec. lev. marked 148
on W. face, dug pits 18x18
x 12 ins. N and S. of post 5 1/2
dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft.
base around post

Range 12 West

Range

80.00

Set a post 4 ft. long 4 ins
square with marked
stone 12 ins. in the ground
for corr. to Secs. 22, 23, 26 & 27
marked

T.S. 23 on N.E.

R 12. WS 26 on S.E.

D 27. on SW Quad

4 22. on N.W. face with 2
notches in ^E and ^N ^W ^E faces
edges

dug pits 15 x 15 x 12 ins in
each Sec 5 1/2 ft dist. and
raised a mound of earth
2 ft. high 4 1/2 ft. base
around post

Land level mesu

Dred 1 3/4 rate

Scattering mesquite & Sage brush

Subdivisions T₁ & D.

Chambers

S 89° 58' E on a random
line bet. Secs 23 & 26

Va 13° 55' E

40.00 Set temporary 1/4 Sec cor

80.05 Intersect the N. end
line at 5 lks. N. of corr. to
Secs. 23, 24, 25 & 26

Thence I run

N 89° 56' W on a true line
bet. Secs 23 & 26

Fa 13° 55' E

40.03 Set a post 3 ft. long &
ins. square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor marked 1/4
on N. face, dug pits 15 x 15
x 12 ins. E & W of post 5 1/2 ft
dist. and raised a mound

Range 12 west

Chambers of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around post.

80.05 The loc. to Secs 22 23 26 & 27

Land level mesa

Soil $1\frac{1}{2}$ rate

Scattering Mesquite. Sage
and greasewood brush

May 23rd / 1893

N 80° 11'W. bet. Secs 22 and 23.

VA 13° 55'E.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for $1\frac{1}{4}$ Sec. cor. marked $1\frac{1}{4}$
P. in N. face, deep pits 18×18
 $\times 12$ ins. N end of post $5\frac{1}{2}$ ft
distant and raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base

Subdivisions. Tr. 80

Chain around foot

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for lev. to Secs 14, 15, 22, 23
marked

T 14. on N.E

R 12 on W 23. on S.E

S 22. on O. W End

S 15. on N.W. faces with
3 notches on ^E and 2 notches
on ^N faces
on ^E edge, dug pits 18 x 18 x
12 ins. in each sec 5th ft. dist
and raised a mound of
earth 2 ft. high 4 1/2 ft. base
around post

Level level mesa

Soil 1st rate, scattering Sage
mesquite + Grasswood brush

Range 12 West

Kearns

S $89^{\circ}36'E$ mature line
bet. Secs 14 + 23

VA $13^{\circ}55'E$

40.00 Set temporary 1/4 Sec. cor
79.90 Intersect the N end line at
1400 S of cor. to Secs 13, 14
23 and 24

Thence from

S $89^{\circ}58'W$ mature line
bet. Secs 14 and 23.

VA $13^{\circ}55'E$

39.95 Set a frost 3 ft. long 2 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked
1/4 on N face, dug pits
10 x 10 x 12 ins. E + W of frost
5 1/2 ft. dist. and raised a

Subdivisions T_h 8 D

Chain mound of earth 14 1/2 ft.
high 5 1/2 ft. base around
post

79.90 The loc. to Secs. 14 15. 22 23

Land level mesa

Soil 1st rate

Scattering Mesquite Sage
and greasewood brush

No. 1 W. bet. Secs 14 + 15

74° 13' 55" E.

29.50 ^{by a} ^{stage} ^{α 1500} ^{on line}

40.00

Set a post 3 ft. long 3 ins

squares with marked stone

12 ins. in the ground for

1/4 Sec. cor. marked 1/4 Sec.

N. face dug pits 15 x 15 x 12 ins

2nd end of post 5 1/2 ft. dia. and
raised a mound of earth

No. 1231

BOOK 29

123

BOOK 1231

Range 12 west

chain 1 1/2 ft. high 5 1/2 ft. base around
post

80.00. Set a post 4 ft. long 4 ins
square with marked
stone 12 ins. in the ground
for lev. to Lics 10, 11, 14 & 15
marked

T 8. S 11 on N.E.

R 12. W. S. 14. on O.E.

S 15. on O.W. ^{and}

O 10. in NW. faces with 4

notches on ^E and 2 notches on
N.E. faces
dug pits 15 x 15 x 12 ins

in each Pic 5 1/2 ft. dist. and

raised a mound of earth 4 ft.
high 4 1/2 ft. base around post

Land level meso

Soil 1st rate

Scattering Mesquite + Sagebrush

Subdivisions T₁ & D.

Chains N 89° 58' E. on a random
line bet. Secs 11 & 14

VA 130° 55' E

40.00 Set temporary 1/4 Sec. cor

80.10 Intersect the N and S line
at 100 yds. N. of cor. to Secs
11, 12, 13 & 14

Thence from

N 89° 58' W on a true line
bet. Secs 11 & 14

VA 130° 55' E

40.05 Set a post 3 ft. long in
square with marked stone
12 ins. in the ground for
1/4 Sec. cor. marked 1/4 Sec. on
N face, dug pits 15 x 15 x 12
ins. E & W. of post 5 1/2 ft. dist.
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft. base

Range 12 West

Mark around post

80.10 The lev. to Secs 10, 11, 14 + 15

Land level mesa

Soil 1st rate

Scattering Mesquite, Sage
and greasewood brush

N 0° 1' W. bet. Secs. 10 + 11

VA 13° 45' E

40.00 Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. Marked
140 on W. face, deep pits 15 x
15 x 12 ins. N and S of post 5 1/2
ft. dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft.
base around post.

Subdivisions T₁ S₁ D.

Chain

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for corners Secs. 2, 3, 9 or 11
marked

T₁ S₁ D 2 on N. E.

R 12. W. D 11. on S. E.

S 10. on W. and

D 3. on N. W. faces with 5
notches on ^E and 2 notches

on ^N faces ~~edges~~ dig pits 15 X 15 X
12 ins. in each Sec 5 1/2 ft.

dist. and raised a mound
of earth 2 ft. high 4 1/2 ft. base
around post

Land level mesa

Soil 1st rate

Scattering Ironwood & Palo Verde

Range 12 West

Main scattering Sage + Greasewood
brush

S 79° 55' E on a random
line bet. Secs. 2 + 11

VA 13° 55' E.

40.00 Set temporary 1/4 Sec. cor

80.00 Intersect the N mid. line
at. 5' E of Sec. to Secs

1, 2, 11 + 12

Thence Iron

West on a true line bet. Secs
2 and 11

VA 13° 55' E.

40.00 Set a post 3 ft long 3 ins
square with marked stone
12 ins. in the ground for 1/4
Sec. cor. marked 1/4 ft. on N. face

Subdivisions The S.D.

Cherms dug pits $15 \times 15 \times 12$ ins. & +
 W of post $5\frac{1}{2}$ ft. dist and
 raised a mound of
 earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
 around post

80.00 The levts Sec 2, 3, 10 + 11

Land level mesa

Soil $1\frac{3}{4}$ rate

Scattering Ironwood, leacti
 grasswood and Sage bush
 good grass

No 1st W. bet. Sec 2 + 3

90 130 55 E

40.00 Set a post 3 ft. long 3 ins
 square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor. marked 1/4 P.

Range 12 West

Main on W. face dug pits 15x15x12
 ins N. and S. of post 5 1/2 ft. dist.
 and raised a mound of
 earth 1 1/2 ft. high 3 1/2 ft. base
 around post

64.00 Intersect the N. bdy. of the Tr. at 4th ^{1/2} ^{mi.}
 N 89.57° E of corr. to Secs. 33 and 34
 as hereinbefore described
 Twp. 7. S. R. 12. W. at
 which point I set a post
 4 ft. long 4 ins. square
 with marked stone 12 ins
 in the ground for closing
 corr. to Secs. 2 and 3 Twp. 6. S. R.
 12 W. marked
 S. 6. S. R. 12 W. on C
 02. on E. end
 03 on W. faces with 2 notches
 on E. and 4 notches on W. faces
 dug pits 15x15x12 ins. S. E. 1 W.

Subdivisions The S.D.

chains of foot $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 2 ft. high $4\frac{1}{2}$ ft. base
 around foot

Land level meso

Soil $1\frac{1}{2}$ rate

Scattering Ironwood + Palo Verde

Scattering grasswood +

Page Brush

I tested my Solar
 by the sun at noon
 and found the latitude
 to be $32^{\circ}45'$

Range 2 West

Chain From the lerr. to Sec
 34. 33 and 34 on the S.
 Bdy. of the Tr. as hereinbefore
 described
 Run
 No 2 W. bet. Secs. 33 & 34
 T₁ 13° 45' E.

40.00 Set a post 3 ft. long 3 ins
 square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor. marked
 1/4 S. on W face, dug pits
 18 x 18 x 12 ins. N and S. of
 post 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft.
 high 3 1/2 ft. base around
 post

80.00 Set a post 4 ft. long 4 ins
 square with marked stone
 12 ins. in the ground for lerr. to

Subdivisions The S.D.

chains 27. 28. 33+34 marked

S.D. 27. on N.E.

R 12. W.D. 34 on O.E.

S 33. on O.W. ^{quad}

S 28. on N.W. faces with
notch on ^NE and 3 notches
on ^NE faces
on E edges. dug pits 18x18x12
ins. in each Sec 5 1/2 ft. dist

and raised a mound
of earth 2 ft. high 4 1/2 ft.

Base around post.

Land level mesa

Soil 10th/₁₀₀ rate

Scattering Mesquite Sage
and greasewood bush

Range 12 West

chain East on a random line
bet. Secs. 27 & 34

$\text{N } 13^{\circ} 45' \text{ E}$

40.00 Set temporary 1/4 Sec. cor.

80.05 Intersect the N End C. line
at 10 lks N. of corr. to Secs
26, 27, 34 & 35

Thence Iron

$\text{S } 89^{\circ} 56' \text{ W}$ on a true line
bet. Secs. 27 & 34

$\text{N } 13^{\circ} 45' \text{ E}$

40.03 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4 S
on N. face, dug pits 15 x 15 x 12
ins. E & W. of post $5\frac{1}{2}$ ft. dist
and raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base

Subdivisions T₁h 5 D.

Chairs around post

80.05 The lev. to Secs. 27, 28, 33 & 34

Land level mesa

Soil 1st rate

Scattered Sage mesquite
and greasewood brush

No. 2 W. bet. Secs 27 & 28

or 13° 45' E.

40.00 Set a post 3 ft. long &
3 ins. square with marked
stone 12 ins. in the ground
for 1/4 Sec. or marked 1/4
P. or W. face dug pits 15 x 15
x 12 ins. N and S. of post 5 1/2
ft. dist. and raised a
mound of earth 1 1/2 ft.
high 3 1/2 ft. base around
post

Range 12 West

Kamin

50.00 Set a post 4 ft. long 4 ins
square with marked
stone 12 ins. in the ground
for cor. to Secs. 21, 22, 27 & 28
marked

T & S. S 22 on N.E

R 12 NW 27 on O.E

P 28 on S.W and

O 21 on N.W. faces with 2
notches on ^E and 3 notches

on ^{N.E} faces
edges. dug pits 10x10x

12 ins. in each Sec 5 1/2 ft.

dist. and raised a mound
of earth 2 ft. high 4 1/2 ft base
around post

Land level used

Soil 1 1/2 rate

Scattering Mesquite & Sagebrush

Subdivisions T₁ & D.

Chains S 89° 56' E. on a random
line bet. Secs 22nd and 27
TA 13° 45' E

40.00 Set temporary 1/4 Sec. cor
79.90 Intersect the Nnd & S.
line at 19 lts S. of lev. to
Secs. 22. 23. 26 & 27

Thence I run
S 89° 56' W. on a true line
bet. Secs. 22nd and 27
TA 13° 45' E

39.95 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor marked 1/4
N. on N. face, deep pits 18 x 18
x 12 ins E & W. of post 5 1/2 ft.
dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft.

Range 12 West

chain base around foot
 79.90 The cor. to Secs 21, 22, 27, 28
 Land level mesa
 Soil 1st rate
 Scattered Mesquite, Sage
 and Greasewood brush

No 2 W. bet. Secs 21 & 22

70 13° 45' E

40.00 Set a foot 3 ft. long 3 ins.
 square with marked
 stones 2 ins. in the ground
 for 1/4 sec. cor. marked 1/4
 on W. face dug pits 18x18x12
 ins. N. and S. of foot 5 1/2 ft
 dist. and raised a mound
 of earth 1 1/2 ft. high 3 1/2 ft. base
 around foot

Subdivisions T₁ 80.

Chains

80-00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for Cor. to Secs 15, 16, 21, 22
marked

Q 8 S 15 on N. E.

R 12 W 22 on S. E.

S 21 on O. W. End

P 16 on N. W. face with
3 notches on ^E end, ^N ² ^{faces} ^E ^{edges}
dug pits 18 x 18 x 12 ins. in
each Sec. 5 1/2 ft. dist. and
raised a mound of earth
2 ft high 4 1/2 ft. base
around post

Land mostly level
with exception of a few small
sand hills.

Range 12 West

Chain Soil 1st gate
 Scattering mesquite, sage
 and greasewood brush

N 89° 56' E on a random
 line bet. Secs. 15 and 22
 VA 13° 45' E.

40.00 Set temporary 1/4 Sec. cor

70.10 Intersect the 2nd line at
 5th S. of cor. to Secs 15 22 + 23
 Thence Iron

S 89° 54' W, on a true line
 bet. Secs 15 and 22
 VA 13° 45' E

40.05 Set a post 3 ft. long in
 square with marked
 stone 12 in. in the ground
 for 1/4 Sec cor marked 1/4

Subdivisions T₁ & P.

Mark on N. face, dug pits 15x15
x 12 ins. E + W. of post 5 1/2 ft.
dist. and raised a
mound of earth 1 1/2 ft.
high 3 1/2 ft. base around post

80.10 The lerr. to Seco 15/16. 21 & 22

Land level mesa

Drill 1st rate

Scattering mesquite Sage
and greasewood brush

N 0° 2' W. bet. Seco 15 & 16

VA 13° 45' E

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. sw. marked 1/4 S
on N. face, dug pits 15x15x12

Range 12 west

Chambers in N and S. of post 5 1/2 ft.
dist. and raised a mound
of earth 1 1/2 ft. high 3 ft.
base around post

80.00 Set a post 4 ft. long 4 ins
square with marked stone
rows in the ground for line
to Secs 9, 10, 15 & 16 marked
T, S, 10 on N.E.

R 12 W. S 15. on O.E.

O 16 on S.W. end

S 9 on N.W. faces with 4
notches on ^E and 3 notches
on ^N faces
on ^E edges dug pits 15 x 15 x 12
ins in each Sec 5 1/2 ft. dist.
and raised a mound of
earth 2 1/2 ft. high 4 1/2 ft. base
around post
From which

Subdivisions. Tr 80.

Chaves on Ironwood 8 ins. diam
 brs N 50° W. 55 lks. dist.

marked T.S.R 12. W.D 9. C. 5

Land level mesa

Sail 1st rate

Scattering Mesquite

Sage + Greasewood brush

N 89° 54' E. on a random
 line bet. Secs 10 + 15

QA 10° 45' E.

40.00 Set temporary 1/4 Sec. cor.

80.20 Intersect the N end of
 line at 10 lks N. of cor. to
 Secs. 10, 11, 14 + 15

Then a true

P 89° 58' W on a true line
 bet. Secs. 10 + 15

Range 12 west

Trans

92 13045-8

40.10 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec cor. marked 140
on N face, dug pits 18x18x
12 ins E. W. of post 5 1/2 ft.
dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft. base
around post

80.20 The cor. to Secs 9, 10. 154/6

Sand level mesa

Soil 1st rate

Scattering mesquite, Sage
and greasewood brush
May 24/1893.

Subdivision of Tr. & P.

Chain

No 2' W. bet. Secs 9 & 10

Va 13° 45' E

70 Canal Stake x 1826.

B.M. 113²⁵ SW. about 50.00
dist.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the
ground for Sec. 9
marked 1/4 C. on W. face
dug pits 15 x 15 x 12 ins
W. End of post 5 1/2 ft. dist.
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft. base
around post

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for Sec. 10 Secs 3, 4, 9 & 10
marked

Range 12 West

Chains T.S.P. S. 3. on N.E.

R 12 W 10. on O. E.

S. 9 on O. W. and

S. 4. on N.W. faces with 5
 nodules on ^E and 3 nodules
 on ^{N.E. faces} ~~edges~~, dug pits 15x15x
 12 ins in each Dec. 5 1/2 ft.

dist and raised a mound
 of earth 2 ft. high 4 1/2 ft. base
 around ~~foot~~

Land level mesa

Soil 1st/₂ gate

Scattering Mesquite,
 Sage and greasewood
 brush

Subdivisions. T₁-S. 1.

Chains N 89° 58' E. on a random
line bet. Secs. 3 + 10

VA 14° E

40.00 Set temporary 114 Sec. cor

80.10 Intersect the N. end
line at 5 lks. S. of cor. to
Secs. 2, 3, 10 + 11

Thence run

S 89° 56' W. on a true line
bet. Secs 3 + 10

VA 14° E

40.05 Set a frost 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 114 Sec. cor. marked
1140. on N. face, dug pits
18 x 18 x 12 ins. E + W. of post
5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft

Range 12 west

Chain high $3\frac{1}{2}$ ft. base around ^{from}
 80.10 The lev. to Secs 3, 4, 9 & 10
 Sand level mesa
 Soil $1\frac{1}{4}$ rate
 Scattering Mesquite, Sage
 and greasewood bush

N $0^{\circ}2'$ W bet. Secs 3 & 4

N $91^{\circ}4'$ E.

40.00 Set a post 3 ft. long 3 ins.
 square with marked stone
 12 ins. in the ground for $1\frac{1}{4}$
 Sec cor. marked $1\frac{1}{4}$ on W
 face dug pits $18 \times 18 \times 12$ ins
 N and S of post $5\frac{1}{2}$ ft. dist.
 and raised a mound of
 earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
 around post.

Subdivisions. T_p. 8 D.

Kanis

63.75

Intersect the N. Bdy. of the T_p.
at 4.80. dis N 59° 58' E.

of Sec. to Secs. 32 + 33. T_p. 7

as hereinbefore described

D. R 12 W. at which point

I set a post 4 ft. long

4 ins square with

marked stone 12 ins

in the ground for blowing

Sec. to Secs 3 + 4 T_p. 8 D.

R 12 W. marked 66

T 8 D. R 12 W. on S.

D 3 on E. end

D 4 on W. faces with

3 notches on E + W. faces.

dug pits 18 x 18 x 12 ins

in each Sec 5 1/2 ft. dia.

and raised a mound

of earth 2 ft. high 4 1/2 ft

Range 12 West

Main

Base around foot

Sand level mesa

Soil 1st/₄ rate

Scattering Ironwood

and Palo Verde

Scattering grasswood

Mesquite and Sage brush

Subdivisions Tr. S. D.

Chains From the Cor. to Secs

45. 32 + 33 on the S. Side
of the Tr. as hereinbefore described
Trm

No. 2 W. bet. Secs 32 + 33.

L

Pa 14° E

40.00 Set a post 3 ft. long
3/4 in. square with marked
stone 12 ins. in the ground
for 1/4 Sec. Cor. marked.

1/4 Sec. Cor. marked 1140
on W. face, dug pit 18x18x
12 ins. N. end E. of post 5 1/2
ft. dist. and raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. base around post

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins in the ground

Range 12 west

Claims for lots Secs 25, 29, 32 + 33
marked

T & S. S. 25. on N. E.

R 12. W. S 33. on S. E.

S 32. on S. W. Quad

S 29. on N. W. faces with 1
wood on ^E and 4 woodies on
N. E. ^{faces} edges dug pits 18x18x
12 ins. in each Sec 5 1/2 ft.
dist and raised a mound
of earth 2 ft. high 4 1/2 ft. base
around post

Land level mesa

Soil 1st/₄ rate

Scattering Sage Mesquite &
grasswood brush

Subdivisions. Tr. & S.

Chains East on a random
line bet. Secs 28 + 33

$75^{\circ} 14' 00'' E$

40.00 Set temporary 114° Sec. Cor

80.00 Intersect the N. and S. line
at 5 1/2 Ms. N. of line to Secs
27. 25. 83 and 34

Thence Run

$N 89^{\circ} 58' W$ on a true
line bet. Secs 28 + 33

$75^{\circ} 14' 00'' E$

40.00 Set a post 3 ft. long
3 ins. square with

marked stone 12 ins. in
the ground for 114° Sec
Cor. marked 114° on N
face, dug pits $18 \times 18 \times 12$
ins. E + W. of post 5 1/2
ft. dist. and raised a

Range 12 West

Charis mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around foot
 80.00 The lev. to Secs. 28, 29, 32 & 33

Land level mesa

Soil $1\frac{1}{2}$ rate

Scattering mesquite, Sage
 and greasewood brush

No. 2 W. bet. Secs 28 & 29

VA 14° E

40.00 Set a post 3 ft. long 3 ins
 square with marked
 stone 12 ins. in the ground
 for 14 Sec. on marked
 1140 on W. face dug pits
 18 x 18 x 12 ins. 2 ft. S. of
 post $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth

Subdivisions. T_h. S. S.

Chains 1 1/2 ft high 3 1/2 ft base
around post

80.00 Set a post 4 ft long 4
in square with marked
stone 12 ins. in the
ground for loc. to Secs
20, 21, 28 + 29 marked
T_h. S. S. 21. on N. E.

R 12. N. of 28. on N. E.

S 29. on S. W. end

S 20. on N. W. faces with
2 notches on ^E end 4'
notches on _N E ^{faces} edges dug
pits 18 x 18 x 12 ins. in
each Sec 5 1/2 ft dist. and
raised a mound of
earth 2 ft high 4 1/2 ft.
base around post

Land level mesa

Range 12 West

Trains

Coil 1st/₂ rate

Scattering Mesquite. Sage
and grasswood brush

S 87° 58' E on a random
line bet. Secs 21 + 28
VA 14° E.

40.00 Set temporary 1/4 Sec. cor.
80.20 Intersect the N and S. line
at 12 chs. S. of cor. to Secs
21. 22. 27 + 28

Thence from

S 87° 57' W on a true line
bet. Secs. 21 + 28
VA 14° E.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground

Sub. T_h. 8th R 12 west.

Markis for 114 Sec cor. marked
 114 ft. on N. fac, dug pits
 18 x 18 x 12 ins. E + W. of
 foot 5 1/2 ft. dist. and
 raised a mound of
 earth 11 1/2 ft. high 3 1/2 ft.
 base around foot

80.20 The cor. to Secs 20. 21. 27. 29

Land level mesa

Soil 1st rate

Scattering Mesquite, Sage
 and Grasswood
 brush

Concluded, Book 1226.