

See Index

BOOK 1259

Field Notes

OF THE SURVEY OF BOOK 1259

The Exterior Boundaries
of
Township 6 North Range 9 East
lines necessary to connect same
with previous survey
including portion 1st Standard V.

Gila and Salt River Base and Meridian
1st Standard Par. North, thro
R. & G., ARIZONA.

By Wm A. Haverock D. S.

Under contract dated Oct. 17, 1878.

Survey commenced Dec. 18, 1878.

Survey completed Jan. 2, 1879.

Washington,
to Commissioner,

1259

Resurvey of the East 1/2 of 1st Stand.
Pal. North, thro. R & G.

Wm A. Hancock. Deputy Surveyor.

R.

Meridian.

FIELD NOTES

Camp No. *Dorwell* to 1st Standard N.
that portion of 1st Standard N. Lines of
Standard of Sec. 34-35-36. T. 5 N. R. 7 E.
South Boundary Range T. 5 N. R. 8 E. of

Gila and Salt River Meridian.

Territory of Arizona

Wm A. Hancock Deputy Surveyor.

his Contract of *October 17* 1878.
Survey commenced *December 18* 1878
y completed *December 23* 1878.

Platted
Copied for Washington,
sent to Commissioner,

1A

BOOK 1259

L. E. Barber	Chairman
Chas. H. Tyler	Chairman
George Patten	Hammer
Jack Rogers	Flagman

Index

Line from Camp McDowell		
to 1st Standard North.		1
South Body	T 5 N R 7 E	13
"	" " T 5 N R 8 E	16
West "	T 5 N R 8 E	21
East "	T 6 N R 8 & 9 E	29
South Body	T 6 N R 9 E	34
East "	T 6 N R 9 & 10 E	40
"	T 6 & 7 N " 9 E	46
"	T 6 N R 8 & 9 E	53

This last is part of (29)

Index

BOOK 1259

Line from Camp McDowell to
1st Standard North-

which is a resurvey

Part of S. R. 1. T. 5 N. R. 7 E. N.

	BOOK 1259		47	48	49	50	51	52			
		13	56	5	4	3	2	1	456		
		12	27						12447		
T. 6 N., R. 7 E.		13	5	8	18	T. 6 N., R. 9 E.	13	4	3	18	T. 6 N., R. 10
		24	3	1	19		24	4	2	10	
		25	3	0	30		25	4	1	30	
		36	31	32	33	34	35	36	4	0	31
		37	34	35	36	37	38	39			
		12	7	6	5	4	3	2	1		
		12	2	6	7						
		13	2	5	18	T. 5 N., R. 9 E.	13	2	5	18	T. 5 N., R. 10
T. 5 N., R. 7 E.		24	2	4	19		24	2	4	19	
		25	2	3	30		25	2	3	30	

34	35	36	31	32	33	34	35	36	1	31
x13	14	15	16	17	18	19	20	21		

To Camp McDowell
 7 miles 3800 ft. Tag 052-9

BOOK 1259

BOOK 1259

18

T.6 N., R.7 E

T.6 N., R.8 E

T.6 N., R.9 E

T.6 N., R.10 E

47 48 49 50 51 52
 13 56 5 4 3 2 1 4 5 6
 12 3 2 7 12 4 4 7
 13 5 8 18 13 4 3 18
 24 3 1 19 24 4 2 10
 25 3 0 30 25 4 1 30
 36 31 32 33 34 35 36 40 31
 34 35 36 37 38 39
 1 2 7 6 5 4 3 2 1

T.5 N., R.7 E

T.5 N., R.8 E

T.5 N., R.9 E

T.5 N., R.10 E

13 2 5 15
 24 2 4 19
 25 2 3 30

34 35 36 31 22 33 34 35 36 2 1 3 1
 13 14 15 16 17 18 19 20 21


To Camp McDowell
 7 Miles 3800 ft. Tag 52-9

BOOK 1259

Line from Camp McDowell to
1st Standard North-

Part of S- Bdy. T. 5 N; R. 7 E. N. *which is a resurvey*
 Ex 8 " " " " " 8 " *S.P.N.*
 " " " 6 " " 9 "

bet. 6 N. R's 8 + 9 "
 " " " " 9 + 10 "
 " 6 + 7 " " 9 "
 " ~~6 " " 8 + 9 "~~



Township

Range

Meridian.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

10

BOOK 1259

Preliminary Oaths of Assistants.

We, L. E. Barbey
 and C. H. Tyler
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

L. E. Barbey
C. H. Tyler
Chummen

Sworn to and subscribed before me, this 18th
 day of December, 1878.

W. H. Humeck
Notary Public

We, *George Patten* and
Jack Rogers
do solemnly swear that we will well and truly per-
form the duties of *dyinur* and
F. luyman
according to instructions given us, and to the best
of our skill and ability.

George Patten
dyinur
Jack Rogers

Sworn to and subscribed before me this *18th*
day of *December*, 187*8*

W. H. Merrill

Preliminary Oaths of Assistants.

We, L. E. Barberand C. H. Taylor

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

L. E. Barber
 Chairman

C. H. Taylor
 Chairman

Sworn to and subscribed before me, this 18th
 day of December, 1878

W. B. Hancock
 Notary Public

We, George Patten and

Jack Rogers

do solemnly swear that we will well and truly per-
form the duties of the men and

slaves

according to instructions given us, and to the best
of our skill and ability.

George Patten

Armen

Jack Rogers

slaves

Sworn to and subscribed before me this 18th

day of December, 1878

Wm. H. Humeck

Probate Judge

North of Gila and Salt River Meridian.

Chains ~~From the corner to Sections 35, 36, 1 and 2 on the South~~

~~boundary I ran~~

~~North, between Sections 35 and 36.~~

Variation East.

BOOK 1259

Commencing at center of Parade Ground marked by post 4 1/2 inches square, I run North 32° 40' East, as per data from field notes of W. H. Pierce of his survey of 1st Standard North under his contract of December 15th 1866 with the Surveyor General of New Mexico.

N^a 13° 53'

- 39.66 Right bank of Slough
- 40.70 Left bank of Slough
- 55.29 Right bank of Rio Verde
- 56.88 Left bank of Rio Verde
- 80.00 Edge of sandy bottom.

Line from Camp Mc. Dwire to Standard Meridian

Township

Range

of Gila and Salt River

Meridian.

with $32^{\circ}40'$ East same line

Chains

East, on a random line between Sections 25 and 36.

Variation $13^{\circ}55'$ East.

- 20.00 Enter level mesa
- 60.00 Foot of Ridge
- 74.50 Wide arroyo
- 78.00 Draw of hill
- 80.00 Northern slope of hill.

BOOK 1259

Simons Camp No. 2 ^{1st} Standard North
Township Range Meridian.
of Gila and Salt Rivers.
North 32° 40' East

Chains North between Sections 25 and 26.
BOOK 1259

Variation 13° 55' East.

- 22.00 Top of Ridge
- 23.00 Abrupt descent North
- 26.00 Centre of Narrows
- 38.00 Top of Ridge
- 75.00 Wide arrow bears South 80° West.
- 80.00 Foot of low ridge.

Line from Township *Camp Mc Dowell* to st Standard North of *Gila and Salt River* Meridian.
 Range 1 *both 32° 40' East same line*

Chains East, on a random line between Sections 24 and 25. **BOOK 1259**

Variation $13^{\circ} 55'$ East.

- 4.00 Top of Ridge
- 10.00 Arroyo
- 23.60 Top of Ridge bears West
- 25.50 Arroyo
- 68.00 Top of high ridge
- 80.00 North bank of wide arroyo bears West.

Township

Camp Mc Dowell

Range 1

to 1st Standard North

of Gila and Salt River

Meridian.

North 32° 40' East same line

BOOK
Chains

1259

North, between Sections 23 and 24.

Variation 13° 55' East.

- 8.00 Top of Ridge
- 20.00 Wide Arroyo
- 40.00 Top of Ridge
- 62.00 Arroyo
- 80.00 On slope of hill to North-west.

~~Line from~~ Township *Camp McLaw* Range *1st* Standard North
of *Gila and Salt River* Meridian.
with 32° 40' East same line

BOOK 1259

Chains

East, on a random line between Sections 13 and 24.

Variation $13^{\circ} 55'$ East.

- 10.00 Cross high ridge
- 21.00 Centre of Arroyo bears S. 80° W.
- 25.00 Enter high level Mesa
- 80.00 Brink of deep Cañon.

8. Line from ^{to} ~~Township~~ ^{to} ~~Range~~ ^{to} ~~Standard North of~~ ^{to} ~~Meridian.~~

Camp No. 10 *1st Standard North of*

Gila and Salt River *Meridian.*

North 32° 40' East same line

Chains ~~North, between Sections 13 and 14.~~

Variation $13^{\circ} 55'$ East.

- 9.00 Centre of Cañon 150 feet deep bears S. 80° W.
- 15.25 Top of Ridge
- 44.00 Deep Narrows.
- 51.00 Top of Ridge (follow ridge)
- 80.00 Northern slope of ridge.

Township *Camp W. Dowell* Range *1st Standard North of*
Gila and Salt River Meridian.
North 32° 40' East some

BOOK 1259

Chains

East, on a random line between Sections 12 and 13.

Variation $13^{\circ} 55'$ East.

- 9.00 Small Cañon bears S. 20° W.
- 12.00 Enter broken Mesa.
- 38.09 Supposed point on 1^{st} Standard North
 10^{th} Chs. and 50^{th} Lts. West of Cor. of Sec.
 34 and 35 Township 5^{th} R. 7^{th} East,
 Run East
 $N^{\circ} 13^{\circ} 55'$ East
- 6.50 Cañon bears S. 55° W.
- 10.50 Hunted thoroughly for corner and found
 none.
 Return to former point and run West
 $N^{\circ} 13^{\circ} 55'$ East
- 31.50 Found $\frac{1}{4}$ sec. corner center of sec. 34 .

Dec. 19th 1878

100. Township..... Range.....

..... Meridian.

Chains

North, between Sections 11 and 12.

Variation

East.

Township

Range

Meridian.

BOOK 1259

Chains

East, on a random line between Sections 1 and 12.

Variation

East.

Field Notes of Survey of that portion of the first Standard Parallel North forming the South Boundary of the E. 1/2 of Sec. 34 and Sec. 35 and 36 Township 5 North Range 7 East and the South Boundary of Township 5 North Range 8 East of Gila and Salt River Meridian.

Survey by Wm. A. Hancock under his contract of October 17th 1878 with the Surgeon General of Arizona.

Chains

North, between Sections 34 and 35.

Variation

East.

Commencing at $\frac{1}{4}$ sec. cor. of Sec. 34
 T^p. 5th R. 7th E. said corner being a
 Sandstone 25x11x9 in. and agrees with
 the description furnished by the office
 I run thence E. a true line along S.
 boundary of Sec. 34.
 N^o 13° 55' East.

12.00 Cañon about 100 feet deep and 4 chs.
 wide brs. S. 6° W.

29.50 Camp McDevall brs. S. 32° 40' W.

38.00 Cañon brs. S. 55° W.

40.00 Set a granite stone 18x8x7 in $\frac{2}{3}$ in
 ground, and on the W. built mound
 of earth, 2 feet high with pits 1 ft
 deep, 2 feet long, 1 ft wide, as per in-
 structions for Sec. cor. ³⁴⁺³⁵ No bearing true

Recovery
Chains

BOOK 1259 East, on a random line between Sections 26 and 35.

Variation East.

East on a true line along S. boundary of Sec. 35. $N^{\circ} 13^{\circ} 55' E$ East.

29.00 Cañon at base of Mt. course S. about 150 feet deep.

40.00 Set granite stone $12 \times 8 \times 7$ in. $\frac{2}{3}$ in ground and on the N. built mound of earth 2 ft. high with pits 1 ft deep 2 ft. long, 1 ft wide, as per instructions. No bearing trees.

80.00 Set granite stone $11 \times 10 \times 8$ in. $\frac{2}{3}$ in ground and on the N. built mound of earth 2 ft high with pits 2 ft long 4 ft deep and 1 ft wide, as per instructions for sec. ^{35 & 36} cor. No bearing trees.

with boundaries Township 24 N. 5 W. Range 7 E.

~~Range~~ Sisal and Salt Rivers Meridian.

Chains

North, between Sections 26 and 27.

BOOK 1259

Variation

East.

East on true line along S. boundary
Sec. 36. N^a 13° 55' E.

7.00 Top of Mountain, abrupt descent E.

40.00 Set Granite Stone 11x8x6 ins. $\frac{2}{3}$ in ground
and on the W. built mound of earth 2
ft. high with pits 1 ft deep, 2 ft long,
1 ft wide as per instructions for the
cor. No bearing trees.

64.00 Arrow bears S. 25° W.

80.00 Set Granite Stone 15x10x9 inches $\frac{2}{3}$
in ground and built on the W. side
mound of earth 2 ft high with pits
2 ft long, 1 ft deep and 1 ft wide as
per instructions for cor of T^p 5. R^{gs}
7x8 E.

Found mound of stones on the
summit of Mt. 9 chs E. as in de-
scription furnished me by the office.
No bearing trees.

This is the eastern limit of the survey
on the ^{1st} Standard N. as surveyed by
W. H. Pierce under his contract
hereinbefore referred to.

Variation East.

I run East on true line along the South boundary of Sec. 31

Mag 13° 55' East.

- 9.00 Top of Mt. large mound of stones.
- 15.00 Foot of Mt. Center broken mesa.
- 40.00 Set granite stone 14x10x8 in ²/₃ in ground and on the N. built mound of earth 2 ft high with pits 1 ft deep 2 ft long, 1 ft wide as per instructions for ¹/₄ Sec. Cor. No bearing trees.
- 60.00 Narrow brs. S. 65° W.
- 80.00 Set granite stone 16x12x8 inches ²/₃ in ground and on the N. built mound of earth 2 ft high with pits 1 ft deep 2 ft long, 1 ft wide as per instructions from ^{Boycor. Sep. 3/1832} which Palo Verde 6 in. dia. brs N. 85° W.
- 150 lks distant
- Palo Verde 4 in. dia. brs N. 9° E. 196 lks.
- No other trees convenient.
- Ground broken and rocky, very little vegetation.

Dec. 20th 1878.

Gila and Salt River
1st Stand, Par. N-

BOOK 125
Meridian.
BOOK 1259

Chains North, between Sections 22 and 23.

Variation East.

East on true line along the South Boundary of Sec. 32. Var $13^{\circ} 55'$ East.

36.00 Deep arroyo bears S. 85° E.

40.00 Set a granite stone $15 \times 12 \times 5$ in. $\frac{2}{3}$ in ground and on the W. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions from which

Palo Verde 7 in dia. br. N. 80° E. 25 lks dist.

Palo Verde $3\frac{1}{2}$ " " " S. 40° W. 15 " "

73.34 Road from Mr. Lowell to Reno in sandy arroyo br. S. 15° W.

80.00 Set Mcalpais rock $16 \times 12 \times 6$ in. $\frac{2}{3}$ in ground and on the W. built mound of earth 2 ft high with pits 2 ft long, 1 ft deep and 1 ft wide as per instructions from which
or exp. lines 32 & 33.

Palo Verde 8 in dia. br. N. 73° E. 76 lks dist

Palo Verde 5 " " " S. 27° E 50 " "

Ground rolling, rocky, small arroyos, little vegetation.

1st Stand Par N -
 Chains East, on a random line between Sections 14 and 23.

Chains	Variation	East.
	East on true line along South Boundary of Sec. 33	
	Va 13° 55' East	
24.50	Top of high rocky ridge. S. slope	
40.00	Set granite stone 15 x 12 x 8 in. ² / ₃ in ground and on the N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for ¹ / ₄ sec. cor. from which	
	Pale Verde 6 in. dia brs S. 45° W. 145 lks dist.	
48.00	Gravel, wide, sandy in bottom	
63.70	Top of high ridge bears S. abrupt descent East.	
80.00	Set granite stone 16 x 12 x 8 in. ² / ₃ in ground and on the N. built mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions. for cor. sec. 33 & 34	
	No bearing trees.	
	Ground broken, rocky, worthless.	
	Little vegetation.	

Chains North, between Sections 14 and 15.

Variation East.
East on true line along S. Boundary of Sec. 34.
Var. 13° 55' East.

- 5.00 Foot of hill.
- 22.00 Cross Sycamore Creek brs. S. 10° W.
- 38.50 Top of high ridge, steep.
- 44.00 Set a Granite stone 16x12x8 in. in large mound of rocks, 2 Chs. E. built mound of earth 2 ft high with pits 1 ft. deep, 2 ft long, 1 ft wide for $\frac{1}{4}$ sec. cor. - No bearing trees.
- 52.00 Enter grassy mesa.
- 50.00 Enter bottom land. Set Granite stone 17x13x8 in. $\frac{2}{3}$ in ground and in the W. built mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for sec. cor. from which
 Hackberry 12 in. dia. S. 14 lks dist
 Hackberry 8 " " " S 35° E 69 lks dist
 Hackberry 12 " " " N. 13° W. 40 " "

Surface broken, rocky.
Good grass last 25 Chs.

Dec. 21st 1878

Chains East, on a random line between Sections 11 and 14.

Variation East.

East on true line along the South boundary of Sec. 35. $\text{Var } 13^{\circ} 55' \text{ East}$

- 6.00 Dry creek
- 8.00 Top of bluff, bank 15 ft. high
- 33.00 Bottom sand and rocks, cement gravel
- 40.00 Set stone $14 \times 12 \times 6$ in $\frac{2}{3}$ in ground and on the N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for $\frac{1}{4}$ sec. cor, from which Mesquite 4 in dia. br N. 75° E 48 lks dist
- 70.00 Small rocky cañon.
- 80.00 Set granite stone $14 \times 10 \times 4$ in $\frac{2}{3}$ in ground and on the N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for Sec. cor from which
 - Pale Verde 6 in. dia. br N. 16° E. 40 lks dist
 - Pale Verde 5 " " " N. 66° W. 80 " "
 Surface broken, gravel and rocky

355
3.

Gila and Salt River
1st Stand, Par N,

Chains North, between Sections 10 and 11.

Variation East.
East on true line along the South Boundary
of Sec 36. $N^{\circ} 13^{\circ} 55'$ East.

- 35.00 Top of ridge covered with large bushes.
- 40.00 Set Granite stone $15 \times 10 \times 6$ in. $\frac{2}{3}$ in ground
and on the N. built mound of earth 2 ft high
with pits 1 ft. deep, 2 ft long, 1 ft wide as per
instructions - No bearing trees.
- 59.00 Cross northern slope of Mountain.
- 67.00 Cañon about 75 feet deep.
- 80.00 Set Granite stone $18 \times 12 \times 10$ in. $\frac{2}{3}$ in ground
and on the N. built mound of earth with
pits 1 ft deep, 2 ft long, 1 ft wide as per
instructions for cor. of T^{ps} 4 and 5 S.
R. 8 and 9 E. from which
Pale Verde 4 in dia. brs N. 22° E. 70 lks dist
Pale Verde 9 " " " S. 79° N. 385 " "
Pale Verde 6 " " " N. 65° N. 360 " "
3 Chs 75 lks South built mound of
stones on top of ridge that the corner
might be more easily found.
Surface hilly, broken, rocky.
Soil worthless.
Very little vegetation
Dec. 23. 1878.

21 Township Range

BOOK 1259 Meridian.

Chains East, on a random line between Sections 2 and 11.

Variation East.

With few exceptional places the whole of this line is over a country almost worthless for any purpose.

Township

Range

BOOK 1259

..... Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation

East.

Wm. A. Hancock Deputy Surveyor.

T. _____ R. _____

Meridian.

FIELD NOTES

Survey of the East ^{OF the} Boundary of T. 5 N. ^{Boundaries}
The *R. S. E.* and of the western ^{Boundaries} Lines of

Township *6 North* Range *9 East*
Gila and Salt River Meridian.

Territory of *Arizona*.

BY
Wm. A. Hancock Deputy Surveyor.

under his Contract of *October 17th* 18*78*.

Survey commenced *December 23^d* 18*78*

Survey completed *January 2nd* 18*79*

Platted,
Copied for Washington,
Transcript sent to Commissioner,

Township

6 N

Range

9 E

BOOK 1259

Meridian.

210

29

30

31

32

33

34

15

6

5

4

3

2

1

14

7

8

9

10

11

12

32

18

17

16

15

14

13

13

19

20

21

22

23

24

12

30

29

28

27

26

25

11

31

32

33

34

35

36

16

17

18

19

20

21

24

26

25

24

23

22

21D

Gila and Salt River

Meridian

BOOK 1259

Chains From the corner to Sections 35, 36, 1 and 2 on the South boundary - ran North, between Sections 35 and 36.

Variation East.

From the cor. to Twp. 5 N. R. 8 + 9 E. on 1st Standard Parallel North said cor. being a Granite Stone 18x12x10 in. 2/3 in ground and on the N. mound of earth 2 ft. high with pits 8 run N. on Range line between Secs 31 and 36

N^o 14° E.

As per Roach Transit.

- 9.00 Average 100 ft deep hrs S. 46° W.
- 39.00 " 75 " " " S.
- 40.00 Set Granite Stone 14x10x5 2/3 in ground and on the N. build mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for 1/4 Sec. Cor from which P
- Palo Verde 14 in dia. hrs. N. 24° W. 150 lbs
- Palo Verde 7 " " " " E. 95 "
- 66.00 Crosses N. slope high ridge
- 76.50 Point of Cañon 50 ft deep hrs. due E.
- 80.00 Set Granite Stone 14x12x3 in. 2/3 in ground and on the N. build mound of earth 2 ft. high with pits 1 ft deep

Township

Range

BOOK 1259

22^o

Meridian.

Chains

~~East, on a random line between Sections 25 and 26.~~

Variation

East.

2 ft long 1 ft wide as per instructions
 for cor. to Acres 31 + 36 from which
 Palo Verde 6 in dia br. N. 75° W. 215 lks.
 Palo Verde 4 " " " N. 18° E. 430 "
 Palo Verde 6 " " " S. 75° E. 75 "
 Sand - Rocky, broken
 Timber - Palo Verde
 Grass last 50 chains.

Dec. 23^d 1878.

BOOK 1259

Chains North, between Sections 25 and ³⁰26.

Variation 114° East.

- 5.00 Arroyo 6 chs wide hrs. N. 87° E.
- 33.00 Arroyo 4 " " " S. 30° W.
- 40.00 Set Granite Stone 16x12x3 in. ²/₃ in ground and on the N. build mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for Sec. 24 from which
- Palo Verde 4 in dia. hrs. N. 20° W. 150 lbs
- Palo Verde 6 " " " S. 86° E 126 "
- 60.00 Crosses N. slope of high ridge.
- 77.50 Deep Cañon hrs due E.
- 80.00 Set Granite Stone 16x12x4 in. ²/₃ in ground and on the N. build mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for cor. to Sec. 24-25 from which
- A Cottonwood 12 in. dia hrs S. 19° W. 400 lbs
- A Palo Verde 4 " " " E. 10° " "
- Surface - Rough, broken
- Timber - Palo Verde, Cactus.
- Grass.

Gila and Salt River

Meridian.

BOOK 1259

Chains

North

East, on a random line between Sections 24 and 25.

19

Variation

114°

East.

- 26.00 Top of high ridge.
 - 40.00 Set Granite Stone 12x10x5 in. ²/₃ in ground and on N. build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for ¹/₄ cor. from which Palo Verde 4 in dia. brs N. 95° W. 76 lks dist
Cactus 14 " " " N. 40 " "
 - 48.00 Top of grassy hill.
 - 75.00 Rocky Cañon brs N.
 - 80.00 Set Granite Stone 14x12x5 in. ²/₃ in ground and on N. build mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for cor. to Secs. 18-19-13-24 from which Palo Verde 3 in dia. brs N. 42° W. 42 lks dist
Cactus 16 " " " N 45° E. 35 " "
- Surface ~ Hilly, rocky
Soil ~ Worthless
Vegetation ~ Palo Verde, Cactus.
Some Grass.

25

BOOK 1259

Gila and Salt River

Meridian.

Chains

North, between Sections ~~20~~¹³ and ~~21~~¹⁸.

Variation

14°

East.

23.00

Rocky ridge, 4 chs wide

40.00

Set Granite Stone 12x10x6 in. $\frac{2}{3}$ in ground and on N. built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for $\frac{1}{4}$ Sec Cor.A Shubby Cactus (*Cereus Gigantus*) 20 in dia
brs. N. 21° W. 20 lbs (No Trees)

41.00

Top Rocky Ridge brs. N. 60° W.

57.25

Deep rocky Cañon brs. S. 36° W.

80.00

Set Granite Stone 24x10x4 in. $\frac{3}{4}$ in ground and on N. built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for cor to Sec. 12-13-18-7

Palo Verde 4 in. dia S. 67° 25' W. 175 lbs

Large Cactus 18 in dia. having an arm on each side brs. N. 33° E. 70 lbs.

Surface - Broken & rocky

Soil - Worthless

Timber - Palo Verde, Grease wood
Good Grass.

Chains

North, between Sections ~~13~~¹ and ~~14~~⁶

Variation

14°

East.

- 20.00 High grassy hill
- 35.00 Slope brs N. 87° W.
- 40.00 Set Granite Stone 16 x 10 x 6 in. $\frac{2}{3}$ in ground and on it built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for $\frac{1}{4}$ Sec Cor.
No bearing trees
- 46.00 Base of hill. Abrupt descent N. Sycamore Cr.
- 57.50 Foot of bluff. Sycamore Creek makes bend 3 chs N. of this point. Course from here S. 80° W.
- 60.50 Strikes foot of bluff on N side Creek
- 80.00 Set Post 4 ft long 4 in. sq marked and notched 1 ft in ground and on it built mound of rocks 3 ft high (No suitable earth)
Cor. is located 136 Crs N. side Cr. on slope of bluff. A perpendicular rock 10 ft high 10 Crs N. in which a vertical seam 4 ins wide brs due N.
A Pale Verde 4 in. dia. brs N. 40 Crs
A " " " " " S. 30° W. 12.5 Crs
That this cor. might be easily found built a witness mound 3 ft high with pits & charred plate
6.77 due N. Top Bluff
Surface - Broken, hilly
Soil - Worthless - Timber - Pale Verde, Mesquite
Grass except last 30 Chs.

Chains

East, on a random line between Sections 12 and 13.

Variation

East.

After the first mile on this line the land to West improves and the Eastern part of Twp. 5 N. Range 8 E. contains considerable good grazing land for cattle, Sycamore Creek runs through it about two miles to the West. To the East of the line is the main ridge of the Mazatal Mts.

Dec. 26. 1878.

Township

Range

BOOK 1259

Meridian.

Chains

North, between Sections 11 and 12.

Variation

East.

In
Field Notes of the Survey of the
Western lines of Township 6 North
Range 9 East of Gila and Salt
River Meridian.

Gila and Salt River Meridian.

Chains

North along the W. boundary 31 BOOK 1259
East, on a random line between Sections 1 and 12.

Variation 11 1/2° East.

To avoid Cañon of Sycamore Creek I offset 5 chs due W. Thence run North.

27.00 Arroyo brs S. 40° E. offset back to true line

31.50 Top rocky hill

40.00 Set Granite Stone 18x12x3 in. 3/4 in ground and on W. built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for 1/4 Sec. Cor.

A Palo Verde 5 in. dia. brs N. 50° W. 180 lks

52.00 Road from Mt. Lowell to Reno brs N. 45° E.

80.00 Set Post 4 ft long 3 ft sq. for cor to Sec 30-31 ^{or make notched}

25-36. This Post is embedded in fissure between two rocks.

To small rocky knoll with mound of rocks built around

A small scrubby Juniper in beh. rocks brs S. 72° 30' W. 150 lks

"Surface" " " among rocks windia. brs N. 58° 6' 2 ch

Soil - Broken - Rocky

Timber - Worthless

Timber - A few Juniper, Palo Verde.

Township 6 N. between Range 8 & 9 E.

30

Gila and Salt River

Meridian.

BOOK 1259 along the N. boundary 30
Chains North, on a random line between Sections 1 and 2.

Variation 14° East.

- 6.00 Dry Creek brs due East at this point. Gen. course S. 65°
- 15.00 Road Mt. Lovell to Reno brs S. 75° E.
- 36.00 Top of ledge of Porphyry rocks.
- 40.00 Set Porphyry Stone 18x8x6 ins ³/₄ in ground and on N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long 1 ft wide as per instructions for ¹/₄ Sec. Cor.
- 49.00 Arroyo brs S. 22° W.
- 78.00 Top high grassy hill
- 80.00 Set Granite Stone 14x12x4 in. ²/₃ in ground and on N. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long 1 ft wide as per instructions for Cor to Secs. 30-19-25-24

A scrubby Juniper in bunch of Rocks brs
 W. 9° 30' N. 280 lks
 Surface - Rolling
 Soil - Worthless
 Timber - A few Juniper
 Good grass.

Dec. 26. 1878

Township 6 N. between Ranges 8 & 9 E. 31
Gila and Salt River Meridian.

Chains North, ^{577 N. boundary 19} between Sections 34 and 35. BOOK 1259

Variation 14° East.

- 8.00 Bottom of hill
- 20.00 Road W. Dowell to Reno brs N. 20° W.
- 40.00 Set Malpais Stone 14 x 10 x 6 in. 2/3 in ground and on N. built mound of earth with pits 1 ft deep 2 ft long 1 ft wide as per instructions for 1st Sec Cor.
- Juniper 22 ins. dia brs N. 6° E. 1 ch
- 18 " " " " S 84° E. 1 "
- 43.00 Top small hill brs S. 7.5° W.
- 60.00 Crosses N. slope hill.
- 78.00 Small deep arroyo brs N. 60° E. Enter Mesa
- 80.00 Set Post 4 ft long 3 in sq. marked & notched 1 ft in ground drove charred stake and built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for Cor. Mes. 18-7-13-12.
- N Juniper 14 in. dia. brs S. 45° W. 50 lks
- 18 " " " " N. 40° W. 1 ch. dist
- Surface - Rolling
- Soil - Gravel
- Good grass.

Township 6 N. between Ranges 8 & 9 E.
32 Gila and Salt River Meridian.
BOOK 1259

Chains North W. boundary of East, on a random line between Sections 26 and 35.

Variation 14° East.

- 21.00 Arroyo brs N. 65° E.
- 40.00 Set Malpais Stone 15x12x5 ins 2/3 in ground and on W. built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for 1/4 Sec. Cor. A Juniper 16 in. dia. brs N. 50° W. 70 lbs.
- 60.00 Top of Hill
- 68.00 Arroyo brs S. 64° E. between rocky hills.
- 76.00 Top of hill
- 80.00 Set Post 4 ft long, 3 in. sq. 1 ft in ground marked and notched and on W. built mound of earth 2 ft high, drove charred stakes, dug pits 1 ft deep 2 ft long 1 ft wide as per instructions for cor to Sec. 6-7-1-12 from which Sycamore 12 ins dia. brs N 25° W. 215 lbs in chain Juniper leaning to W. brs S. 56° E. 80 " dist Surface broken last 20 ch. Soil - Worthless Grass.

Note- Description of W. Boundary Sec. 18 omitted in copying properly belongs on this page, will be found on Page 53

Chains

on N. Boundary
North, ~~between~~ Sections 26 and 27.

Variation *14°* East.

- 2.00 *Sycamore Creek brs. S. 70° E.*
- 10.50 *Top rocky bluff. Enter high Mesa*
- 32.00 *Summit of Mesa - Commence to descend*
- 40.00 *Set Malpais Stone 18x12x3 in. $\frac{3}{4}$ in ground and on N. built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for $\frac{1}{4}$ Sec. Cor. Located on N. slope bluff. Leave Mesa.*
- Juniper on brow bluff, 16 ins dia. N. 50° E. 45 lks*
- " 14 in dia N. 17° 20' E. 150 "*
- 50.00 *Enter deep arroyo brs S. 26° W.*
- 62.00 *Brow Bluff. Enter high grassy Mesa*
- 80.00 *Set Post (Juniper) 4 ft long, 4 sq. 1 ft in ground marked & notched, drove charred stake and built mound of earth 3 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for cor to $\frac{1}{4}$ Sec. N. P. 8 & 9 E*
- Juniper 6 in dia. brs N. 23° 30' E 3 chs*
- " 22 " " " S. 27° W. 350 lks*
- " 20 " " " S. 40° E. 480 "*

Surface - broken
 Soil - Worthless
 Timber - Juniper, Ash, Sycamore
 Live Oak in Canions.
 Good grass. Dec. 27. 1878

BOOK Chains

1259

East, on a ~~random~~ line between Sections 23 and 26.

run along S. Boundary 31

Variation

14°

East.

2.00 Sycamore Creek brs S. 18° W.

12.40 Crosses S. slope high rocky Peak

28.00 Deep Narrows

34.00 Top ridge allum for Conroy

39.03

~~40.00~~

Set Granite Stone 16x14x4 in. 2/3 in ground and on W. built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for 1/4 Sec. Cor. from which A Mesquite 8 in dia br. N. 45° E. 46 lks

" " " " " N. 86° W. 50 "

52.00

79.03

~~80.00~~

To point on E. slope high ridge, which line follows 30 chs.

Set Granite Stone 28x14x3 in. 3/4 in ground and on W. built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for cor. Sec. 31-32-5-6

A Willow 4 in dia. in Cañon br. S. 78° E. 56 lks

A Cactus 14 " " brs S. 40° W. 50 lks.

Surface - 20 ch. Rocky & Precipitous.

60 ch. Rolling Mesa.

Soil - Worthless.

Timber - Scarce. Mesquite, brush &c

Good grass.

Gila and Salt River

Chains

East on a true line along S. Boundary
North, between Sections 27 and 23. 32

BOOK 1259

Variation 114° East.

- 00.44 Rocky arroyo 1 ch wide 25 ft deep brs S. 45° W.
- 12.00 Top ridge
- 29.50 Arroyo brs. S. 38° W.
- 40.00 Set Granite Stone 13x12x8 3/4 in ground
and on N. built mound of earth 2 ft high
with pits 1 ft deep 2 ft long 1 ft wide as per
instructions for 1/4 Sec. Cor. No bearing trees near
- 48.00 Top of Hill
- 53.00 Crosses Southern slope ridge.
- 75.00 Crosses point of rocky ridge high ledge 10 lbs W.
- 80.00 Set Porphyry Stone 20x10x6 in. 3/4 in
ground and on N. built mound of earth 2
ft high with pits 1 ft deep 2 ft long 1 ft
wide as per instructions for Cor. to Secs.
32-33-14-5 from which
A Juniper Tree 6 in. dia brs due S. 340 lbs
No other trees near.
Surface - Rolling
Soil - Worthless.
Timber - A few Juniper
Good grass.

run along S. Boundary 33

Chains East, on a ~~random~~ line between Sections 11 and 23.

15.00 Rocky Narrows brs. N. 55° W. ascent to E. Variation 14° East.

40.00 Set Porphyry Stone 16x12x6 ins. 2/3 in ground and on W. built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for 1/4 Sec. Cor.

A Juniper 6 in dia. brs N. 65° W. 3 chs.

63.00 Crosses to S. slope of ridge

70.00 Top of Mountain

80.00 Set Granite Stone 22x10x4 ins. 3/4 in ground and on W. built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for cor to Secs. 33-34-3-4

A Juniper 20 in. dia. on ledge rocks brs S. 75° E 260 chs

" " 16 " " brs N. 80° E 275 chs

No other trees near.

Surface - Rolling, ascending 1st 70 chs.

Soil - Worthless

Timber - A few Juniper & Brush

1st 65 chs Good grass.

Chains

East in a true line along S. Boundary
North, between Sections 14 and 15. 34

BOOK 1259

Variation

11°

East.

- 5.00 Abrupt descent to E.
- 23.00 Deep Arroyo brs N. 40° E.
- 40.00 Set Granite Stone 18x12x4 in. ³/₄ in ground and on N. built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for ³/₄ Sec Cor. No trees near.
- 60.00 Top ridge brs N. 50° W. Dec. 28. 1878
- 71.50 Arroyo brs N. 45° W.
- 80.00 Set Oak Post 4 ft long 3 in sq. 1 ft in ground marked & notched & dove charred stake and built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for Cor to Secs. 34-35-2-3
 Juniper 8 in dia. brs S 76° W. 245 lbs
 Oak tree 12 " " " N. 10° E. 15 "
 " " 8 " " S. 14° E 20 "
 Surface - Rough & broken
 Soil - Barren
 Timber - Juniper, Live Oak, Brush
 Tall grass in Arroyos.

BOOK 1259

Chains

East, on a ^{true} ~~random~~ line ^{along S. Boundary 35} between Sections 11 and 14.

Variation

14°

East.

- 19.00 Arroyo brs N. 78° E.
- 30.00 Top high ridge bears N. 26° W.
- 40.00 Set a Post 4 ft long 3x2 ins 1 ft in ground marked $\frac{1}{4}$ S. above charred stake and built mound of earth with pits 1 ft deep 2 ft long 1 ft wide as per instructions for $\frac{1}{4}$ Sec. Cor. A live Oak 10 in. dia. brs S. 25° E. 120 lbs
- 6 " " " S. 40° W. 50 "
- 52.00 " Deep Arroyo brs N. 28° W.
- 69.00 Ridge
- 72.50 Arroyo.
- 80.00 Set Granite Stone 18x13x4 ins. $\frac{3}{4}$ in ground and on W. built mound of earth 2 ft high with pits 1 ft deep, 2 ft high 1 ft wide as per instructions for Cor to Secs. 35-36-1-2 from which
- A Red Oak 6 in. dia. brs due N. 57 lbs
- A Boulder Rock 4x4x6 ft sq marked X brs due S. 42 lbs bearing taken on cross.
- Surface - Broken, rough
- Soil - Worthless.
- Timber - Oak Juniper
- Good grass in arroyos.

Gila and Salt River

Meridian.

BOOK 1259

Chains

East on true line S. Boundary North, between Sections 10 and 11. 36

Variation 114° East.

40.00 Top High ridge bet Pt. & S. (Saddle between two hills), set Oak Post 4 ft long 4x2 in. sq marked and set 1 ft in ground and in Pt. built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for 1/4 Sec. Cor. From which
A Live Oak 12 in. dia bet S. 60° E. 240 lks

60.00 Arroyo bet S. 50° E.

69.00 Top ridge

80.00 Set Oak Post 4 ft long 4x4 in sq. 1 ft in ground marked and notched, drove charred stake and built mound of earth 3 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for cor. Twp. 5 & 6 N. R. 9-10 E.

{ This Cor. is located on pt. of small ridge sloping S.
A small Arroyo 80 lks to a small Arroyo 120 lks E
A Live Oak 6 in dia. bet N. 83° W. 93 lks

" " " " " " S. 68 1/2° E. 95 "

" Piñon 20 " " with large limb on E. side charred black bet S. 80° W. 28 lks.

Surface - High, rolling
Soil - Wealthless.

Numerous Live Oak & Piñon last 40 chs.
Good Grass.

Chains

North East Boundary of
East, on a random line between Sections 2 and 11.

Variation

14°

East.

- 12.00 Rocky ledge, brow hill. Enter on extensive Mesa 200 chains in length (N or S) and about 120 chains wide (East to West) This area is varied by occasional small arroyos and ridges and contains numerous Live Oak trees, Piñon & Juniper. It is commonly known by the appropriate name "The Park"
- 40.00 Set Post (of Juniper) 4 ft long 3x2 ins marked and set 1 ft in ground, Snow Chained stake built mound of earth 2 ft. high with pits 1 ft deep, 2 ft long 1 ft wide as per instructions for 1/4 Cor.
- A Live Oak 14 ins. dia. brs S. 6° E. 30 lbs
 " " 12 " " " N. 35° E 65 "
- 80.00 Set Granite Stone 18x10x4 3/4 in ground and on St. built mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for cor to Sec. 26-25-30-31 from which
- A double trunked Oak brs due N. 28 lbs
 A Juniper 26 in dia brs. N. 70° E 120 lbs
 A Piñon 14 " " " N. 55° W. 56 "
 " " 22 " " " S. 52° W. 50 "
- Surface - Mesa etc as above described.

Township

6 N. between Ranges 9 & 10 E. 23

Gila and Salt River

Meridian. 41

Chains

East Boundary 25
North, on a random line between Sections 2 and 3.

BOOK 125

Variation

14°

East.

22.00 Small rocky ridge.

40.00 Set Granite Stone 18x12x4 in. 3/4 in ground
and on N. built mound of earth 2 ft high
with pits 1 ft deep, 2 ft long 1 ft wide as per
instructions for 1/4 Sec. Cor.

A Live Oak 8 in dia. br N 32° W. 55 lbs

" " " 10 " " " S 25° E. 86 "

66.00 Arroyo br N. 67° E.

80.00 Set Granite Stone 14x12x8 in 2/3 in ground
and on N. built mound of earth 2 ft high
with pits 1 ft deep 2 ft long 1 ft wide as
per instructions for cor to Sec. 24-25-19-30.

A Piñon 28 in dia br due N. 90 lbs

No other trees near.

Surface ~ Rolling Mesa

Timber ~ Numerous Juniper, Oak, Piñon

Soil ~ Worthless.

Good grass.

Township
42

N. between Range 9 or 10 E.

BOOK 1259

Gila and Salt River

Meridian.

Chains

North, ^{on E. Boundary of 24} between Sections 20 and 24.

Variation 14° East.

40.00 Set Granite Stone 17x12x4 in. ^{2/3} in ground
and on N. built mound of Earth 2 ft high
with pits 1 ft deep 2 ft long 1 ft wide, as per
instructions for 1/4 Sec. Cor.

A Live Oak 8 in dia. brs N. 32° E 340 lks

" " " 12 " " " S. 64° 30' E 280 "

44.00 Foot of Hill. Leave Mesa or "Park"

59.00 Top of Hill.

72.00 Arrow brs N. 73° E.

80.00 Set Granite Stone 21x13x4 in ^{3/4} in ground
and on N. built mound of earth 2 ft high
with pits 1 ft deep, 2 ft long 1 ft wide as
per instructions for cor to Secs. 24-13-78-19

A Piñon 10 in dia brs S. 55° W. 5 chs

" " 13 " " " S. 60° W. 156 lks.

Surface - Messap except last 36 chs

Soil - Worthless

Timber - Live Oak, Juniper, Piñon

Good grass.

Chains North East Boundary of ¹³ **BOOK** East, on a random line between Sections 27 and 34. **1259**

Variation 14° East.

- 12.00 Top of High ridge Bas N. 80° E.
- 40.00 Set Granite Stone 17x12x6 ins. 2/3 in ground
and on N. built mound of earth 2 ft high with
pits 1 ft deep 2 ft long 1 ft wide as per in-
structions for 1/4 Sec. Cor.
- 52.00 A Scrub Oak 4 in dia. bs N. 17° 30' E. 126 lks
- 52.00 Deep arroyo bs S. 87° E.
- 63.00 Foot high ridge.
- 80.00 Set Granite Stone 16x12x5 in 2/3 in ground
and on N. built mound of earth 2 ft high
with pits 1 ft deep 2 ft long 1 ft wide as
per instructions for cor. to Secs 13-12-7-18
from which
- A Scrub Oak 4 in. dia. bs N 62° W. 220 lks
- " Live " 9 " " " N 45° E. 85 "
- " " " 7 " " " S. 22° W. 155 "
- Surface - High & broken
- Soil - Useless
- Timber - A few Oak, Juniper & thick brush
- Good grass 1st 60 chs.

Chains *in East Boundary 12* North, ~~between~~ Sections *27* and *28*.
 Variation *14°* East.

- 10.00 Top high ridge
- 23.00 Foot " " & 3 chs farther to Sand Wash
- 40.00 Set Granite Stone $14 \times 12 \times 6$ in. $\frac{2}{3}$ in ground
 and on W. built mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long 1 ft wide as per
 instructions for $\frac{1}{4}$ Sec. Cor.
 The trees near.
- 56.00 Top abrupt rocky ridge hrs *N. 87° W.*
- 64.00 Deep Gulch
- 66.55 Road *McCowell* to *Pino* hrs *N 82° W.*
- 80.00 Set Granite Stone $21 \times 12 \times 5$ in. $\frac{3}{4}$ in ground
 and on W. built mound of earth 2 ft high
 with pits 1 ft deep 2 ft long 1 ft wide as per
 instructions for cor. to Secs. 12-1-6-7 from
 which
 A scrub Oak 6 in dia hrs due *N. 38° W.* on
 ledge rocks. No other trees near
 Surface - Rough & broken
 Soil - Worthless
 Timber - Live Oak in gulches. Pines on
 ridges
 Grass - Scarce.

Dec 31. 1878

Chains

North East Boundary
East, on a random line between Sections 22 and 27.

Variation

114°

East.

- 13.00 Bare ridge on S. side rocky Cañon.
- 16.00 Centre Cañon brs S. 118° W.
- 22.00 Bare ridge on N. side Cañon
- 40.00 Set Granite Stone 15x12x5 in. $\frac{2}{3}$ in ground
and on N. built mound of earth 2 ft high
with pits 1 ft deep 2 ft long 1 ft wide as per
instructions for $\frac{1}{4}$ Sec. Cor.
- No trees near.
- 45.00 Arrow brs S. 82° E.
- 80.00 Set Granite Stone 27x9x4 in $\frac{3}{4}$ in ground
marked & notched and 6 ft N. built mound
of earth 3 ft high with pits 2 ft square
1 ft deep as per instructions for Cor. to
T. $\frac{6}{17}$ N. R. $\frac{3}{9}$ E. from which
A Piñon 10 in. dia. brs N. 33° W. 165 lks
A " 12 " " " N. 18° E. 373 "
- Surface - Rough & broken
Soil - Worthless
Timber - Live Oak (in gulches) Juniper
and Piñon
Good grass last 60 chains.

Variation

East.

From the Cor to Townships 6 and 7 North Range 9 and 10 E. I run West on a random line between said Townships the variation of my transit being 14° E. set temporary half mile posts at 40.00 and 80.00 Chains and at 5 miles, 78 Chains 15 Links to a point 1 chain 80 links south of the corner to Tps 6 and 7 North Ranges 8 and 9 East.

The correction for the true line will therefore be 1 chain 85 links East and 30 links South per mile.

Gila and Salt River

47 Meridian.

BOOK 1259

Chains

East, on a random line between Sections 15 and 22.

Variation East.
From the cor. to Twp. 6 & 7 N. R. 8 and 9 E. Turn
South $89^{\circ}47'$ East N. boundary Sec. 6.
NW $117^{\circ}05'$ East.

6.00 Brown Mesa

10.00 Centre deep Arroyo hrs S. 35° N.

15.00 Brown bluff - Enter Mesa.

~~38.15~~
~~44.41~~
38.4
Set Malpais rock $22 \times 10 \times 4$ ins. $\frac{3}{4}$ in
ground and on N. built mound of earth
2 ft high, with pits 1 ft deep 1 ft long 1 ft wide
as per instructions for $\frac{3}{4}$ Sec. Cor.
A Juniper 13 ins. dia. hrs S. 60° N.

63.00 Brown Mesa Abrupt descent E.

67.00 Centre deep arroyo hrs S. 36° N.

73.00 Brown bluff. Enter high Mesa.

~~78.15~~
~~80.00~~
~~80.15~~
Set Malpais Stone $24 \times 15 \times 4$ ins. $\frac{3}{4}$ in
ground and on N. built mound of earth
2 ft high with pits 1 ft deep 2 ft long 1 ft
wide as per instructions for cor to Secs 6-5
31-32.

A Juniper 16 ins. dia. hrs N. 68° N. 3 chs
" " " " S. 47° N. 250 lbs.
Surface - High Mesa broken by deep
arroyos.
Timber - A few Juniper trees.
Good grass.

48
BOOK 1259

Chains South 89° 47' 16" true line
North, between Sections 15 and 16. 32
Variation 14° East.

40.00 Set Malpais Stone 19x12x5 in. $\frac{3}{4}$ in
ground and on N. built mound of earth
2 ft high with pits 1 ft deep 2 ft long
1 ft wide as per instructions for $\frac{1}{4}$ Sec.
Cor. No trees near.

58.00 Blow Bluff - Leave Mesa
62.00 Centre deep arroyo br S. 30° W.

67.00 Blow Bluff - Enter Mesa

80.00 Set Malpais Stone 25x8x4 in. $\frac{3}{4}$ in
ground and on N. built mound of earth
with pits 1 ft deep, 2 ft long, 1 ft wide as per
instructions for cor to Sec 15-5-32 & 33
A Juniper stems. dia. br S. 36° W. 360 lks
No other trees near.

Surface - High Mesa broken by arroyos.
Soil - Dark Malpais. Worthless
Timber - A few Juniper
Good grass.

Jan 1. 1879

Gila and Salt River

BOOK 1259
Meridian.

Chains

South $89^{\circ}47' E$ true 4 33
East, on a ~~random~~ line between Sections ~~10~~ and ~~15~~Variation 14° East.

- 7.00 Brew Mesa. Enter Cañon
- 10.00 Centre Cañon Pass S. $45^{\circ} W$.
- 15.00 Brew Ridge. Enter Mesa.
- 40.00 Set McAlpais Stone $20 \times 10 \times 3$ in. $\frac{3}{4}$ in ground and on W . built mound of earth 2 ft high with pits 1 ft deep, 2 ft long 1 ft wide as per instructions for $\frac{1}{4}$ Sec. Cor. This cor. is on brow of bluff.
- A Juniper 18 in. dia brs. S. $10^{\circ} E$ 230 Ws. and is partly concealed from cor. by ledge of rocks.
- 51.00 Arroyo brs. S. $18^{\circ} W$. enter low Mesa.
- 80.00 Set Granite Stone $14 \times 14 \times 4$ in. $\frac{2}{3}$ in ground and on W . built mound of earth 2 ft high with pits 1 ft deep, 2 ft long 1 ft wide as per instructions for cor. to Sec. 14-3-33-34
- No trees near.
- Surface - High grassy Mesa broken by arroyos.
- Soil - McAlpais except last 30 chs which is gravel.
- Timber - A few Juniper
Good Grass.

32. ^{between}

Township 1 *6 & 7 N.* Range 9 *E.*

50
BOOK

1259

Gila and Salt River

Meridian.

Chains

South 89° 47' E true line
North, between Sections ~~9~~ and 10. *3 & 34*

Variation

14°

East.

14.00

Ridge

27.00

Arroyo hrs S 45° N.

40.00

Set Malpais Rock 12x12x6 in. ²/₃ in
ground and on N. built mound of earth
2 ft high with pits 1 ft deep 2 ft long 1
ft wide as per instructions for ¹/₄ Sec. Cor.
No trees near.

58.00

Ridge

72.00

Arroyo hrs S. 44° N.

80.00

Set Granite Stone 20x10x4 in. ³/₄ in
ground and on N. built mound of
earth with pits 1 ft deep 2 ft long 1 ft
wide as per instructions for cor to S.E.S.

3-2-34-35

A Suniper 16 in dia hrs S. 16° N. 78 lbs

"Surface" 17" " " N. 58° E. 342 "

Soil - Polling

Timber - Worthless.
A few Suniper
Good grass.

Chains

South $89^{\circ}47'$ E true
East, on a random line between Sections $\frac{2}{3}$ and $\frac{35}{10}$

Variation 14° East.

- 40.00 Set Granite Stone $18 \times 10 \times 3$ in. $\frac{3}{4}$ in ground and in St. built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for Sec. Cor from which
A Pinon br. S. 36° E. 388 lks.
- 50.00 High Ridge.
- 80.00 Set Granite Stone $17 \times 11 \times 4\frac{1}{2}$ ins. $\frac{2}{3}$ in ground and in St. built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for Cor. Sections 2-1-35-36
A Pinon 16 in. dia. br. S. 63° W. 313 lks
" " 19 " " " S. 37° W. 4 chs.
Surface - High and rolling.
Soil - Barren.
Timber - A few Juniper and Pinon
Good grass.

Between
34

Townships
52

6 & 7 N. Range 9 E.

Gila and Salt River

Meridian.

BOOK

1259

Chains

South 89° 47' E on true
North, on a random line between Sections 3 and 4.

Variation

14°

East.

- 21.00 Cross southern slope high ridge
 - 34.00 Deep Arroyo hrs S. 114° E.
 - 40.00 Set Granite Stone 16x12x4 in. 2/3 in ground and on W. built mound of earth 2 ft high with pits 1 ft deep 2 ft long 1 ft wide as per instructions for 1/4 ac. con.
 - A Live Oak 11 ins. dia. hrs S. 26° W. 130 lbs
 - " Piñon 19 " " " W. 71° W. 50 "
 - 47.00 Top high ridge descends to E.
 - 53.00 Deep Arroyo hrs S. 23° E.
 - 57.00 Crosses northern slope ridge
 - 60.00 Deep Arroyo hrs S. 23° E.
 - 63.00 Top ridge
 - 80.00 The corner to Sp. 6 & 7 N. R. 9 & 10 E.
- Surface - High & broken
Soil - Worthless
Timber - Oak, Juniper & Piñon numerous on last 20 chs.
Good Grass last 20 chs.

Jun 2. 1879

Township _____ Range _____

BOOK 1259 Meridian.

Chains

North, between Sections 32 and 33.

Variation

East.

26

Township.....Range.....

.....Meridian.

Chains

East, on a random line between Sections 28 and 33.

Variation

East.

Gila & Salt River

Chains

North, ^{on West Boundary 18} between Sections 28 and 29.

Variation

14°

East.

Note! This description should properly be on Page 14.

39.00 Wide Arroyo brs S. 70° E.

40.00 Set Sandstone Rock 15x12x3 1/2 in. 2/3 in
ground and on N. built mound of earth 2
ft high with pits 1 ft deep 2 ft long 1 ft wide
as per instructions for 1/4 Sec Cor.

Suniper 22 ins dia. brs N. 6° E. 1 Ch

18 " " " S 84° E 1 "

43.00 Top small hill brs S. 75° W.

60.00 Crosses N. slope hill.

78.00 Small deep arroyo brs N. 60° E. enter Mesa

80.00 Set Post 4 ft long 3 ins sq. marked &
notched 1 ft in ground drive charred stake
& built mound of earth 2 ft high with
pits 1 ft deep 2 ft long 1 ft wide as
per instructions for Cor. Secs. 18-7-13-12

A Suniper 14 in dia brs S. 45° W. 50 lbs

" Surface ~ Rolling
Soil ~ Gravel
Good grass.

Township

Range

M

Chains

East, on a random line between Sections 21 and 28.

Variation

Ea

List of Names.

54
BOOK 1259

No. 1259

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the East boundary

line of Tp 5 N Range 9 E and of

the Exterior lines of Tp 6 N

Range 9 E. of Delaware South

Reserve Mexican

Showing the respective capacities in which they acted.

L. E. Berley Chainman.

C. H. Tyler Chainman,

George Patton Axeman.

Jack Rogers Flagman.

Final Oath of Assistants.

We hereby certify that we assisted Wm A
Hancock U. S. Deputy Surveyor, in
surveying East boundary of
Sp. 5 of Range 8 E. and
Eastern lines of Sp. 6 W
Range 9 E of T10 and
Section 11

and that said Survey has been in all respects, to
the best of our knowledge and belief, well and
faithfully executed, and the boundary monuments
planted according to the instructions furnished by
the Surveyor-General.

L. C. Barber Chainman.

H. H. Taylor Chainman,

George Patten Axeman.

Jack Rogers Flagman.

Sworn to and subscribed before me, this 20th

day of January, 1879

Wm Hancock
Robert Peelye

Final Oath of Deputy Surveyor.

I, Wm A. Hancock
U. S. Deputy Surveyor, do solemnly swear that
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bear-
ing date the 17th day of October

1878. I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-Gener-
al, the Surveying Manual, and the laws of the
United States, surveyed all those portions of

the East boundary of Tp
5th Range & E and the
exterior line of Tp 6 W
Range 9 E of Pila and Salt
River Meridian

as are repre-
sented in the foregoing Field Notes as having
been surveyed under my directions; and I do
further solemnly swear that all the corners of
said surveys have been established and perpet-
uated in strict accordance with the Surveying
Manual and printed instructions, and also in ac-
cordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

W. H. Hancock

Deputy Surveyor

Sworn to and subscribed before me, this *20th*
day of *January*, 187*9*

J. J. Bidan

Justice of the Peace
of the County of Pima
Territory of Arizona

List of Names.

58

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of Line running-----

from Camp McDowell to-----
the first standard parallel north of-----
Gila and Salt River Beds and meridians-----
and feet of said standard line from-----

Corner of Section 34 T. 5 N. R. 7 E and-----
along South boundary of T. 5 N. R. 7 E-----

Showing the respective capacities in which they acted.

L. E. Rusby----- Chainman.

C. H. Tyler----- Chainman,

George Patten----- Axeman.

J. Rogers----- Flagman.

Final Oath of Assistants.

We hereby certify that we assisted Wm A. Hancock U. S. Deputy Surveyor, in surveying line from Camp. McC down to intersecting 1st Standard North thence running Standard line S. 8. E. Cor. of S. 5. W. R. S. E. line ~~the south line of said Township and running back of~~ of Dela. and Salt River meridians ~~the said Standard line of 1869~~

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

L. E. Barber Chairman.
W. H. Tyler Chairman,
George Tuttle Axeman.
Jack Rogers Flagman

Sworn to and subscribed before me, this 20th day of January, 1879
Wm A. Hancock
Robert J. Tyler

Final Oath of Deputy Surveyor. 60

I, Wm. H. Hancock

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 17th day of October

1879. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of a

line running from Camp
North 32° 40' East to the first
standard parallel North and
on said standard parallel with
the S. E. Cor. of Sp. 5 of Rm. 8 E. of
Edimond Salt River as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

BOOK 1259

Wm. H. Hunscomb

Deputy Surveyor.

Sworn to and subscribed before me, this 20th
day of January, 1879

J. J. Bohan

Justice of the Peace
of Phoenix Precinct
Municipal Territory
A. T.

U. S. Surveyor General's Office,

TUCSON, ARIZONA,

February 7, 1879.

The foregoing Field-Notes of the Survey of the line
from Camp McDowell to 1st Standard with
S. boundaries Sp. 5 N. Rgs. 7 and 8 E., E. boundary
Sp. 5 N. R. 8 E. and Exterior bound-
aries of Sp. 6 N. R. 8 E.

Of the Gila and Salt River Base and Meridian, Arizona, execu-
ted by Wm. A. Hancock

Deputy Surveyor, under his contract of the 17th
day of October, 1878; having been

critically examined and the necessary corrections and explana-
tions made, the said Field Notes and the surveys they describe
are hereby approved.

John Mason
Surveyor General.