

*See Index*  
*No. 1260*

*Robert A. Smith* Deputy Surveyor.

T. *6 N* R. *8 E*

*Wabash River* Meridian.

BOOK 1260

1260

# FIELD NOTES

OF *No. 1260*

The \_\_\_\_\_ Lines of  
Township \_\_\_\_\_ Range *5 East* } *Tract lines*  
\_\_\_\_\_ Meridian.

BY

\_\_\_\_\_ Deputy Surveyor.

under his Contract of \_\_\_\_\_ 18

Survey commenced \_\_\_\_\_

Survey completed March 29

Platted,  
Copied for Washington, *J.R.T.*  
Transcript sent to Commissioner, *ab.*



*Heber P. Patrick* Deputy Surveyor.  
 T. *6 North* R. *8 East*  
 T. *7 North* R. *8 East*  
 T. *7 North* R. *9 East*  
*Gila & Salt River* Meridian.

# FIELD NOTES

OF

The *Exterior* Lines of  
 Township *6 North* Range *8 East*  
 Township *7 North* Range *8 East*  
 Township *7 North* Range *9 East*  
*Gila and Salt River* Meridian.

BY

*Heber P. Patrick* Deputy Surveyor.

under his Contract of *February 28* 18*79*

Survey commenced \_\_\_\_\_

Survey completed \_\_\_\_\_


Platted,  
 Copied for Washington,  
 Transcript sent to Commissioner,

~~Indus~~  
Indus

South Bdy Bet. "	T. 6N; R. 8E. T. 6+7N; " 8E T. 7N; " 8+9E	}	Mact
------------------------	---	---	------

Indus

South Bdy.	T 6 N	R 8 E	3
Between	T 6+7 N	R 8 E	8
	T 7 N	R 8+9 E	16



Township 6 North Range 8 East  
13 Gila & Salt River Meridian.

6	5	4	3	2	1
<b>BOOK 1260</b>					
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

*5. 306*

*General Description page 6-14-22  
List of names of assistants affidavit &c  
Page 23.*

**Preliminary Oaths of Assistants.**

We, Lorenzo Barbey  
 and Albert Ross  
 do solemnly swear that we will faithfully execute  
 the duties of Chain Carriers; that we will level the  
 chain upon uneven ground, and plumb the tally  
 pins, whether by sticking or dropping the same;  
 that we will report the true distance to all notable  
 objects, and the true length of all lines that we as-  
 sist in measuring, to the best of our skill and  
 ability.

Lorenzo Barbey  
Albert Ross  
Chainmen

Sworn to and subscribed before me, this 24<sup>th</sup>  
 day of March, 1879.

Wm. Amuck  
Notary Public

We,

*Amos Presnell*  
*Andrew Adams*

do solemnly swear that we will well and truly per-  
 form the duties of *Arman and*

*Flagman*.

according to instructions given us, and to the best  
 of our skill and ability.

*A. H. Presnell*

*Arman*

*A. J. Adams*

*Flagman*

Sworn to and subscribed before me this *24<sup>th</sup>*

day of *March* 1879

*W. B. Sturtevant*

*Robt. J. J. J.*

Pre

We,

and

do solemn

the duti

chain u

pins, w

that we

objects,

sist in

ability.

Sw

day of

6 North Range 8 East 2  
Gila and Salt River Meridian. 1E

No. 1260

BOOK 1260

Field Notes  
of

Exterior Boundary Lines of  
Township 6 North Range 8 East.  
Gila and Salt River Meridian

by

Herbert R. Patrick, Deputy Surveyor  
under his contract of  
February 28th 1879.



BOOK 1260

Chains

From the corner to Sections 35, 36, 1 and 2 on the South boundary I ran

North, between Sections 35 and 36.

Variation  $14^{\circ}$  East.

Commence at post the established corner of T<sup>1</sup> 5 + 6 N. R. 8 + 0 E.

The witness trees all standing and agreeing with description given me by W<sup>th</sup> A. Hancock, Deputy Surveyor, as follows.

A Paloverde 5 in. diam bears east to a Plow 7" " " S. 30° W.

Also witness monument with stake pits &c 6.77 Chs. West Top of bluff.

The South West corner of T<sup>1</sup> 5 + 6 N. R. 8 + 0 E. being in high mountains, unapproachable I run West from the corner above described on a true line, on South Boundary of Section 36.

Va.  $14^{\circ}$  E.

By Roach's transit, determined by observation on north Star  
6.77 Bow of bluff.

20.00 Small Cañon 30' deep, base S. 15° W.

24.00 " Ridge.

32.00 " Cañon 30' deep " S. 15° E.

33.80 Road from Camp Howell to Globe City.  
New mark on S. 12° W.

East, on a random line between Sections 25 and 36.

Variation 14° East.

(South Boundary Sec 36 continued)

0.00 Set a Granite Stone 4 x 13 x 14 ins  
~~2 x 2 x 5 ins~~  
23 in ground and on the N. side mound  
of earth 2 ft high with side 1 ft deep 2 ft  
long & 1 ft wide as per instructions for 1/4 Sec. cor.  
From which.

Paloverde 8 ins. diam. brs. S. 82° E. 92 lb.  
no other trees near.

0.00 Arroyo Brs. S. 24° E.

0.00 Ridge " One S. 6 x 12 x 16 ins

0.00 Set Malpais Stone. ~~2 x 2 x 5 ins~~  
23 in ground and on the N. side mound  
of earth 2 ft high with side 1 ft deep 2 ft long  
& 1 ft wide as per instructions for cor. to Sections  
35 & 36 - 1 + 2

Paloverde 10 ins. diam. brs. N. 81° + 0° E. 110 <sup>lbs</sup>

" " " " " S. 23° E. 26 lbs

No other trees near.

Chains	North, between Sections 25 and 26.	Variation	14°	East.
	West on South Boundary Sec 25			
	Va. 140° E			
2.00	To small Ridge b's S 35° E			
2.00	Across b's. S. 35° E.			
2.00	Over Hill. Enter ascending mesa.			
1.75	Set back. On Mallin's Tomb 6 x 8 in			
	2 in ground set on top. suit wood			
	of cart. 2 ft high with pits of lead			
	2 ft long & 1 ft wide as per instructions			
	for 1/2 Sec. cor. from which			
	a Calaveras b's diam. b's. N 35° 25' E			
	" " " " b's. S 61° 20' W 200			
	600.			

In view that 40 chains to  
 line will run into high, precipitous  
 face of mountain and insurveyable.

March 26, 1879

Township

Range

BOOK

1260

Meridian.

Chains

East, on a random line between Sections 24 and 25.

Variation

East.

### General Description.

Township 6 North, Range 8 East.

This township contains a large amount of fine grazing land, located in the S.E. and N.E. part. Both parts being accessible to good water in places, the former at Sycamore Creek about  $\frac{1}{2}$  mile south of T<sub>1</sub> line, & the latter part from Rock Spring in Section 12 and from Alder Spring in Sec. 35, T<sub>6</sub> N. R. 8 E.

The Western  $\frac{2}{3}$  of the township is covered with high rocky mountains. The soil is mostly <sup>poor</sup> water except for grass.

The timber is scarce, on mts. are few Palomede & juniper.

Herbert R. Patrick  
Deputy Surveyor.

Township

Range

BOOK 1260

Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation

East.

Field Notes  
of

Boundary Line between  
Township 6 + 7, North Range 8 East.  
Gila and Salt River Indian

of  
Herbert R. Patrick Deputy Surveyor

under his contract of February 28 1879

Survey Commenced. March. 26<sup>th</sup> 1879  
Survey Completed. April. 5<sup>th</sup> 1879

Gila and Salt River

Chains

North, between Sections 13 and 14.

The North West corner of T. 65 N. R. 8 E. }  
 falls in high mountains unsurveyable }  
 therefore Variation 14° East.

Commence at East established corner to T. 67 N. R. 8 + 9 E.

The witness was all standing and agreeing with description furnished upon W. A. Hancock Deputy Surveyor as follows.

- A whipper Indian starting S. 23° 30' E. 300
- " " 22 " " " S. 27° 00' 350
- " " 10 " " " S. 4° E. 480

From this corner run West on a true line between T. 65<sup>th</sup> N. R. 8 E.

S. boundary Sec. 36. Variation in Reaches Transit. 14° E

- 8.00 mesa descends to W. (determined by observation on North Star)
- 19.50 Brown Mesa. Gila Canon
- 30.00 Sacanone Creek. ang. S. 20° E
- 38.00 Brown Mesa. Gila Canon
- 41.00 Set Black halpiaz stone 6x10x6 lbs
- 23 in round and on its W. built
- marked of rocks (is absence of teeth)
- 2 ft wide with pits 8 in deep. 2 ft
- long & 1/2 ft wide as per actual measurement

Note. (In consequence of rock in some places it was not possible to find from this corner)  
 A witness 7 in diam. lat. 186° 0' 1/2 in  
 No other trees near.

Chains East, on a random line between Sections 12 and 13.  
 Variation 14° East.

59.00 Crown of Mesa.  
 64.00 Descant to first more abundant -  
 74.00 Arroyo on S. H. of E.  
 80.00 Set Malpais Stone 4 x 12 x 12 ins.  
 2' 3" in round and on W. built mound  
 of adobe 2 ft high with pit 1' 6" deep  
 2 ft long & 1 ft wide as per instruction  
 for corner to Sec. 14 2-35 & 36.  
 from which.  
 A juniper 13 ins diam on N. 33° 58' 00"  
 " " 14 1/2 " " " N. 62° W. 318 1/2  
 to other two near.

Surface high bare in places.  
 Soil rocky & worthless.  
 Veg. juniper & Scrub oak.  
 Grass & small shrubs.

Chains North, between Sections 11 and 12.  
 Variation 14° East.

Met on a Line Line between  
 Twp 65<sup>th</sup> N. R 8<sup>th</sup> E. on  
 South Bound. Sec 35.  
 Va. 140<sup>a</sup>.

- 8.00 Top Hill.
- 23.00 Small Rock in Run from S. 25<sup>th</sup> E.
- 20.00 Set reddish granite stone 4 x 1 x 2 in  
 3 in ground, and on N. side  
 mound of earth 2 ft. high with  
 pits of steel 2 ft long 1 ft wide as  
 per instructions for Sec. Cor.  
 from which.  
 A marker 6 + in diam. S. 85° W. 32 ft. E.  
 " " " 16" " " S 77 1/2° W. 34 ft.
- 20.00 A high divide. Mesa descends to W.
- 4.00 Rocky part black Malpais rocks. about decent  
 to West.
- 55.00 Set post of Sycamore. 3 x 3 x 4 ft long  
 marked & hole in, 1 ft in ground  
 have chard slate and level mound  
 of earth 2 ft high with pits. of steel  
 2 ft long 1 ft wide as per instructions  
 for Cor. Sec. 2 & 3 - 34 - 35. from which  
 Sycamore 8 in diam. S. 85° W. 23 ft.  
 " " " 9" " " S. 75° E. 18 ft.



Chains

East, on a random line between Sections 1 and 12.

Variation

East.

✓ (~~Line North between S. 11 & 12 continued~~)

N. 48° 40' W. 65 ft.

a cottonwood 2 1/2 ins diam. on

a scrub oak 3 1/2 ins diam. to N. 18° E. 83 ft.

Surface high Mesa except  
east 1/2 ch.

Timber, juniper, scrub oak.

No. Mesquite, Spanish Sycamore.

Grass & small shrubs.

Soil W. of mesa:

12 Township 65<sup>th</sup> North Range 8, East  
 Gila and Salt River Meridian

BOOK 1260  
 Chains

North, on a random line between Sections 1 and 2.

Variation 14° E East.

West on true line between  
 Twp. 65<sup>th</sup> N. R. 8<sup>th</sup> E. along  
 South Boundary Sec. 34.

N. 14° E.

0.86 Rider Creek. 550 (true course) S. 12° W.  
 2.00 Top of Bank. enters mesa ascends to W.  
 4.00 Cross 550. S. 24° E.  
 2600 " " S. 29° E.

4000 Set Malpais Stone 3 1/2 x 4 x 14 ins  
 2 3/4 in ground, and on 1/2 built  
 mound of earth 2 ft high. with  
 pits 1 ft deep, 2 ft long and 1/2 wide  
 as per instructions got 1/2 factor  
 1/2 in. true near.

4600 Set as cut. S. W.  
 51.00 Top Ridge Brs. S. 32° E.  
 57.00 Middle Brs. S. 36° E.  
 6400 " " S. 36° E.  
 7000 " " S. 30° E.

7500 Set Malpais stone 6 1/2 x 10 x 17 ins. 2 in ground  
 and on 1/2 built mound of earth 2 ft high. with pits  
 1 ft deep, 2 ft long 1/2 ft wide as per instructions for 5  
 See 38 034 - 30 + top high ridge from which 6  
 juniper 6" diam 500. N. 29° E. 22 lbs.  
 " 16" " " N. 64° E. 357 lbs

Chains

North, between Sections 34 and 35.

Variation

East.

General Description

Township 7N. Range 8 East.

This township contains a strip of land from  $1/2$  to 1 mile in width along east boundary that is watered by Sycamore Creek. & can be irrigated in small lots.

The Sycamore Creek affords fine watering privileges for stock, with fine range of grass, near here, high into the Mountains on West.

The creek is well skirted with numerous kinds of timber the principal of which are Sycamore Oak, Cottonwood, Hackberry, & Willow.

Herbert R. Patrick  
Deputy Surveyor.

Surface, high to low mesa.

Soil, mostly clay.

Timber, juniper, Gambel's.

Grass, mesquite &c.

By less than 400 ft. to low mountains  
high rocky ridges & unsurveyable land

Mar. 27 - 1879

15

BOOK 1260

Township 7 North. Range 9 East.

Gila and Salt River Meridian.

	6	5	4	3	2	1
	7	8	9	10	11	12
21	18	17	16	15	14	13
20	19	20	21	22	23	24
19	30	29	28	27	26	25
17 1/2	31	32	33	34	35	36

Chains

North, between Sections 26 and 27.

Variation

East.

Field Notes  
 of  
 Boundary Line between  
 Townships 7 North R. 8 & 9 E.  
 Gila and Salt River Division  
 of

Herbert R. Patrick  
 Deputy Surveyor

Under his Contract of Feb 28 1879

Survey Commenced Mar. 26. 1879  
 Survey Completed April 5th. 1879

Chains East, on a random line between Sections 23 and 26.  
Variation East.

Commence at post. to  
established corner of T. 17 N  
R. 8 + 9 E. Witnesses all  
standing and agreeing with  
description furnished by  
Wm. A. Hancock Deputy Surveyor  
as follows

- W. 100 paces to iron nail S. 123° 30' E. 300
- " " 77 " " " S. 27° W 350.
- " " 10 " " " S. 40° E. 480.

from this corner I run  
North on a true line between  
Townships 7 N. R. 8 + 9 E.

1844 Reached point  
No. 140 E } Determined by  
Observations on 1846  
1847

17.00 Spaw of high wall, descend 1/2  
40.00 Set Malpais stone 5 x 10 x 5 ins. 1/2 in  
round and on N. built mound  
of earth 2 ft high with pits  
1 ft deep. 1/2 ft long 1/2 ft wide as per  
instructions for 1/2 sec. cor.  
No trees near.

55.00 Iron stake, large mass about 1/2  
to North  
66.00 Rock Arrow for N. 71° W.  
70.00 Crossed West side of ridge.

Chains

North, between Sections 22 and 23.

Variation

East.

50.00

Set granite stone 8x8x5 in  
 3 in ground and on N. built  
 mound of earth 2 ft high  
 with pits 1 ft deep. 2 ft long &  
 1 ft wide as per instructions  
 for Cox to Sections 30 & 31 - 36 & 25  
 No trees near

A large square Malpais boulder  
 4 ft high x 4 x 6 ft.  $\text{Dns } S 24^{\circ} E. 27 \frac{1}{2}$   
 properly marked for sec 31 also a  
 cross mark (X) on a high bearing  
 in cañon

Surface high & low  
 Soil Northern & rocky  
 Timber. Juniper. scrub oak  
 Neg. Grass. mesquit.  
 Spanish Bayonet.

1/4 Sec 20

Chains East, on a random line between Sections 14 and 23.  
North between Variation  $80^{\circ} 25'$  East.

- 2.00 Airways, brs. S. 45<sup>00</sup> W.
- 11.00 Top hill
- 35.00 Entire bottom land Sycamore creek.
- 40.00 Set Malpas Stone 8 in dia. 14 ins. 23 in ground. and on N. end of mound of earth 2 ft high with pits 1 ft deep 2 ft long and 1 ft wide as per instructions for 1/4 Sec. Cor. from this.
- A Sycamore 6 ins diam. 52<sup>00</sup> 55<sup>00</sup>
- " " 12 " " 65<sup>00</sup> E. 4<sup>00</sup>
- 50.00 Sycamore creek, brs. S. 30<sup>00</sup> W. down to stream. 1/4 stream on this point N. 45<sup>00</sup> E.
- 55.00 Oak tree 12 in diam. on line.
- 58.00 Sprucey Creek, brs. S. 20<sup>00</sup> E.
- 79.00 " " " S. 80<sup>00</sup> W.
- 80.00 Set Post 5 ft long 3 ins dia. marked & notched, 2 ft in ground from chain plate & built mound of earth 2 ft high with pits 1 ft deep 2 ft long & 1 ft wide as per instructions for Cor & Sec. 19 & 20 - 20025.

Note: Made Pond of water long th & down 2 ft to avoid washing out - at time of high water.

Sycamore 5 ins diam brs. N. 31<sup>00</sup> 20' W. 35' 100' dist  
 " 12 " " " S. 27<sup>00</sup> E. 43' 0'  
 " 6 " " " S. 75<sup>00</sup> 44' W. 31' 100' "  
 " 6 " " " N. 60<sup>00</sup> 16' E. 35' 100' "

Surface on line, last 45 ch. along creek bottom. Timber: Sycamore, Ashwood, Oak, Willow & undergrowth. Good grass.



Chains

North, between Sections <sup>24</sup> 14 and <sup>19</sup> 15.

Variation

14°

East.

0.50 Entre Open Salton & Chiswick. contains  
remains of Coall & an old Sheep Camp.

12.50 480 Yds East of this point is fork in  
creek. bedrock comes to surface, a fine waterway  
Place.

32.00 Crosses West fork. See compass bearings N. 82° W.

43.00 Set granite Stone 7" x 2" x 1" in.  
7" in ground, and one built mound  
of earth 2 1/2' high. 2 1/2' in pits  
deep 2 1/2' long & 1 1/2' wide as per  
instructions for Sec Cor  
An Oak 12" diameter. V. 100. 80 to  
a Sycamore 6" " " 40° N. - 70° W.

50.00 Top Bank on ridge

61.00 Sprays bro. S. Stone

80.00 Set Malpais Stone 5" x 2" x 1" in  
Ground and one built mound  
of earth 2 1/2' high. 2 1/2' in pits  
1 1/2' deep 2 1/2' long 1 1/2' wide as per  
instructions for Cor. Sec. 30th -  
18 17.9 To aid in finding this cor  
No remains of built mound of Stone

250 yds N. of Ridge, as per instructions }  
Surface. Salton land. Pot for cut to various plants.  
Timber Sycamore, Cottonwood, Oak, Huckleberry & Wildcherry.  
Good grass. Some flowers grow along creek.

BOOK  
 Chains

1260

East, on a random line between Sections 11 and 14.

Variation

East.

Note between sec 13 & 18,  
 No. 1402.

2.50  
 13.00  
 27.00  
 40.00

Top Ridge bns S. 250W.  
 Arroyo bns V 320W.  
 Small Cañon bns S 830W.  
 Set granite stone 4x9x19 ins <sup>1</sup>/<sub>4</sub> in  
 ground and on N built mound  
 7 feet high with pits  
 2 ft deep, 2 ft long, 1 ft wide as per  
 instructions for Sec Cor.

No trees

56.00  
 62.00  
 80.00

High Rocky Ridge bns S 270W.  
 Arroyo bns S 260W.  
 Set granite stone 6x10x15 <sup>1</sup>/<sub>4</sub> in ground  
 and on N built mound of earth  
 2 ft high with pits 1 ft deep, 2 ft  
 long & 1 ft wide as per instructions.  
 See also Sec 12013. - 7018  
 formation.

runner 12 ins diam bns N. 27°25' W. 105  
 " 3 " " " N. 47°38' E 202

Surface high & broken  
 timber a few juniper  
 and grasses.

Mar 25/87

on section 40 Ch. See section 7012  
 runs into high meadow

Chains

North, between Sections 10 and 11.

Variation

East.

### General Description

This township contains a large amount of good grazing land extending north into the mountains. Spearman Creek courses along its western border affords abundant watering places for stock.

Along the creek are a few small lots that might be irrigated & the banks are lined with numerous kinds of timber. The principal of which are Sycamore, Cottonwood, Oak, Willow &c.

Herbert R. Patrick  
Deputy Surveyor.

29 Township .....

Range .....

Meridian .....

Chains

East, on a random line between Sections 2 and 11.

Variation

East.

**List of Names.**

No. 1260.

*A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of* Exterior Lines of  
Township 6 North, Range 8 East,  
Township 7 North, Range 8 East,  
Township 7 North, Range 9 East.  
Gila & Salt River Meridian.

Showing the respective capacities in which they acted.

Lorenz Parbey Chainman.  
Albert Ross Chainman,  
Anson Presnell Axeman.  
Andrew Adams Flagman.

24

Final Oath of Assistants.

We hereby certify that we assisted Herbert  
R. Patrick U. S. Deputy Surveyor, in  
 surveying the Exterior Lines of  
Township 6 North, Range 8 East  
Township 7 North, Range 8 East  
Township 7 North, Range 9 East.  
Gila & Salt River Meridian

and that said Survey has been in all respects, to  
 the best of our knowledge and belief, well and  
 faithfully executed, and the boundary monuments  
 planted according to the instructions furnished by  
 the Surveyor-General.

Louise Parbey Chainman.  
Albert Rose Chainman,  
A. K. Russell Axeman.  
A. J. Adams Flagman.

Sworn to and subscribed before me, this 15<sup>th</sup>  
 day of April, 1879

Wm. H. Hemenck  
Notary Public

## Final Oath of Deputy Surveyor.

BOOK 1260

I, *Herbert R. Patrick*

U. S. Deputy Surveyor, do solemnly swear that  
in pursuance of a contract with John Wasson,  
United States Surveyor-General for Arizona, bear-  
ing date the *28th* day of *February*

187*9*, I have well, faithfully and truly, in my  
own proper person, and in strict conformity with  
the instructions furnished by the Surveyor-Gener-  
al, the Surveying Manual, and the laws of the  
United States, surveyed all those portions of

*Exterior Boundary lines of*

*Township 6 North Range 8 East*

*Township 7 North Range 8 East*

*Township 7 North Range 9 East*

*Gila & Salt River Meridian*

..... as are repre-  
sented in the foregoing Field Notes as having  
been surveyed under my directions; and I do  
further solemnly swear that all the corners of  
said surveys have been established and perpet-  
uated in strict accordance with the Surveying  
Manual and printed instructions, and also in ac-  
cordance with the additional requirements con-

24

26

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

*Herbert R. Pattee*

Deputy Surveyor.

Sworn to and subscribed before me, this <sup>15<sup>th</sup></sup> day of *April*, 1879.

*Wm. H. ...*  
*Robert J. ...*



## U. S. Surveyor General's Office,

TUCSON, ARIZONA,

May 3,

1879.

The foregoing Field Notes of the Survey of the  
 Exterior Lines of  
 Townships 6 and 7 North  
 Range 8 East and of  
 Township 7 North  
 Range 9 East.

Of the Gila and Salt River Base and Meridian, Arizona, execu-  
 ted by Herbert R. Patrick.

Deputy Surveyor, under his contract of the 28<sup>th</sup>  
 day of February, 1879, having been  
 critically examined and the necessary corrections and explana-  
 tions made, the said Field Notes and the surveys they describe  
 are hereby approved.

John Wasson  
 Surveyor General.