

Reed Nov 28, 1891.

1

copy
returned
Walden

sent to Comd U.L.O. Feb. 6th / 1892

BOOK 1263

1263

No 1263

4-671

BOOK 1263

BOOK 1263

BOOK 1263

FIELD NOTES

GENERAL LAND OFFICE

of the survey

of the

Exterior Lines of

T. 26 N. R. 13 E. T. 27 N. R. 15, 16, 17, 18, 19, 20 E.

Surveyed by John C. Smith, U.S.G.S.

Under his Contract No. 16

Dated Nov. 12th 1880.

Survey commenced April 14th 1881

" completed July 13th "

T. 28 N. R. 16, 17, 18, 19 and 20 E. Cont.

T. 29 N. R. 15, 16, 18 and 19 E.

BOOK 1263

11896

3 1202

1 826

1 806

BOOK 1263

18

121087

10 11811

12 307

12 367

12 1247

13 10718

15 11714

T.R.8N.R.17E

T.R.8N.R.18E

13 3818

T.R.8N.R.19E

T.R.8N.R.20E

24 10619

22 11523

24 2719

24 3919

25 10430

27 11426

25 2630

25 4030

36 10331 32 33 34 11235 36 31 32 33 34 35 36 31 32 33 34 35 36 31 32 33

84 83 82 80 79 78 63 62 60 59 57 55 45 47 48 50 51 52 122 124 125

1 8 7 6 5 4 3 2 1 6 5 4 3 2 1 28 6 5 4 3 2 1 12 6 6 5 4

12 8 7 8 9 10 11 12

101 100 99 97 96 95

12 217

12 1277

13 9 0 15

17 16 15 14

13

T.R.7N.R.17E

T.R.7N.R.18E

13 12818

T.R.7N.R.19E

T.R.7N.R.20E

24 9 110

24 1819

24 12919

25 9230

25 1730

25 13130

25 15630

31 32 33 34 35 36 16 31 32 33 34 35 36 133 31 32 33 34 35 36 153 31

75 73 71 70 68 66 136 137 138 140 141 143 146 147 149 150 151 153 158

6 5 4 3 2 1 14 6 5 4 3 2 1 6 5 4 3 2 1 160 6

12 137

12 1617

T.R.6N.R.15E

T.R.6N.R.16E

T.R.6N.R.17E

T.R.6N.R.18E

T.R.6N.R.19E

T.R.6N.R.20E

13 1018

24 1119

25 1030

26 931

1 6

12 5

T.R.5N.R.17E

13 4

24 3

25 2

26 1

Index for

BOOK 1263

BOOK 1264

BOOK 1265

Index for

BOOK 1263

BOOK 1264

BOOK 1265

Survey commenced April 14

completed July 13th - 1911

Complete Index of
Books # 1263 - 1264 - 1265

10

BOOK 1263

Index

Pages-inc.

East. Boundary of	5, 25 N. R. 17 E.	1	158	✓
"	" " " " 26. " " " "	9	15	
"	" " " " 27 " " " "	16	24	
"	" " " " 28 " " " "	25	34	
"	" " " " 28 " " 18 "	35	44	✓
South	" " " " 28 " " 18 "	45	53	✓
North	" " " " 27 " " 17 "	55	65	✓
South	" " " " 27 " " 17 "	66	76	✓
North	" " " " 27 " " 16 "	78	86	✓
West	" " " " 27 " " 16 "	87	93	✓
Ass. S. Body	" " " " 27 " " 16 "	94	102	✓
West	" " " " 28 " " 16 "	103	111	✓
Ass. East	" " " " 28 " " 16 "	112	121	✓
South	" " " " 28 " " 19 "	122	125	✓
East	" " " " 28 " " 19 "		124/2	✓
West	" " " " 27 " " 19 "	126	134	✓
South	" " " " 27 " " 18 "	135	144	✓
South	" " " " 27 " " 19 "	146	154	✓
East	" " " " 27 " " 19 "	155	157	✓

Pages

South	Boundary of T. 27 N. R. 20 E. 158-159
East	" " " 26 " " 19 " 160-163

No. 1263

BOOK 1263

1E

CHAINS. East. Boundary T. 25 N. R. 17 E.

At 1st Standard Cor. to
Townships 25 N. Rs. 17 and 18
East. I took an observation
on Polaris as previously
described, and was
North bet sun 31 and 36
with front and back sights
Ta. $12^{\circ} 50' E.$

Descent

40.00

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. N. and
S. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{4}$ S, on W. face,

49.00 Easier flat bears E. and N.

56.45 Trail bears E. and N.

79.00 Low valley or flat bears E. and N.

Ascent

76.00 Top of spur 35 ft. high bears
E. and N. Descent.

CHAINS East Boundary of T. 25 N. R. 17 E.

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 25, 30, 31, 36, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 25 N. S. 30 on N. E.

R. 18 E. S. 31 on S. E.

R. 17 E. S. 36 on S. W. and

S. 30 on N. W. faces, with 1 notch on

S. and 5 notches on N. edges.

Surface rolling
Soil Ind. rot
Good grass.

North lot. Div. 25 and 30

To 12050'E.

Discard

3.00

Foot of Spur. bars. E. and W.

thru own rolling country

40.00

Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S. on W. face,

AINS. E. Boundary of T. 25 N. R. 17 E.

80.00 Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 19, 24, 25, 30, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 25 N. S. 19 on N. E.

R. 18 E. S. 20 on S. E.

R 17 E. S. 25 on S, W, and

S. 24 on N. W. faces, with 2 notches on

S. and 4 notches on N. edges.

Surface rolling
Soil Ind. Sols
Good grass.

North bet. Secs. 19 and 24

To 12° 50' E.

Over rolling country

23.20 Wash... 9... lks. wide course. W.

28.00 Ground spur bears E. & N.

26.00 Top .. - 50 ft. high

40.00 Set a ~~stone~~ ^{malpais stone} 9 X 8 X 7 ins. 6

ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on ..W... face, and raised a mound of stone 1 1-2 ft. high 2 ft. base, alongside. Pits impracticable.

CHAINS. East. Boundary of T. 25 N. R. 17 E

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 6, 7, and 12, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 25 N. S. 6 on N. E.

R. 17 E. S. 7 on S. E.

R. 17 E S. 12 on S. W, and

S. 1 on N. W. faces, with 5 notches on S. and 1 notch on N. edges.

Surface level and rolling

Soil Ind. rate.

Good grass

North bet. Sec. 1 and 6

Ya. 12° 50' E.

Over gently rolling surface.

40.00

Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on W. face,

80.00

Set a post 4 1/2 ft. long 4 ins. sq. with marked

CHAINS East. Boundary of G. 25 N. R. 17 E.

Stove 12 ins. in the ground
for cor. to Tps. 25 and 26 N.

R. 17 and 18 E. marked

G. 26 N. S. 31 on N. E.

R. 18 E. S. 6 on S. E.

G. 25 N. S. 1 on S. W. and

R. 17 E. S. 36 on N. W. fence
with 6 notices on each

edge dug pits 24x18x12 ins
lengthwise on each line

N. S. E. and N. of post 6 ft.

dist. and raised a mound
of earth 2 1/2 ft. high 5 ft. from
around post;

Surf for rolling soil

Ind. rock

Good grass

8.

BOOK 1268

CHAINS East. Boundary of T. 25 N. R. 17 E.

General Description

The land is rolling on both sides of the line.

There are some high Buttes to the east a few miles.

Good grass and some 1st rate soil.

April 14th 1891

CHAINS. East Boundary of T. 26. N. R. 17 E.

From the cor. to Sp. 25 and 26 N.

Rs. 17 and 18 E. A run north

Lat. was 31 and 36 -

$\frac{1}{2}$ to 13° E.

Over gently rolling surface.

40.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S, on W. face,

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs 25, 30, 31 and 36, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 26 N. S. 30 on N. E.

R. 18 E. S. 31 on S. E.

R. 17 E. S. 36 on S, W, and

S. 25 on N. W. faces, with 1 notch on S. and 5 notches on N. edges.

Surface gently rolling.

Soil 2nd rate.

Good grass.

CHAINS East Boundary of T. 26 N. R. 17 E.

North 1st. Sec. 25 and 30,

7a. 13° E,

Over gently rolling surface.

40.00

Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on W. face,

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 24, 25 and 30, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 26 N. S. 19 on N. E.

R. 18 E. S. 30 on S. E.

R. 17 E.

S. 25 on S, W, and

S. 24 on N. W. faces, with 2 notches on

S. and 4 notches on N. edges.

Surface gently rolling.

Soil 2nd rate.

Good grass.

AINS. East Boundary of T. 26 N. R. 17 E.

North 1/4 Secs. 19 and 24

Pa. 13° E.

Over gently rolling surface.

40.00

Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 2 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S. on W. face,

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 18, 19 and 24 dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 26 N. S. 18 on N. E.

R. 18 E. S. 19 on S. E.

R. 17 E S. 24 on S. W. and

S. 19 on N. W. faces, with 3 notches on

S. and 3 notches on N. edges.

Surface gen^ly rolling.

Soil 2nd rate.

Good grass.

CHAINS. East. Boundary of T. 26 N. R. 17 E.

North Pt. Sec. 13 and 18

Ya. 13° E.

Over gently rolling surface.

40.00

Deposited a marked stone 12 ins. in the ground, for ¹⁴...Sec. Cor., dug pits 18X18X12 ins.N. and S.of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ¹⁴...S, on...W...face,

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. ¹²...¹³... and ¹⁸..., dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 26...N. S. ...7... on N. E.

R. 18...E. S. 18... on S. E.

R. 17 E. S. ...13... on S, W, and

S. ...12... on N. W. faces, with...4...notches on

S. and...2...notches on N. edges.

Surface gently rolling.

Soil 2nd rate.

Good grass.

CHAINS. East Boundary of T. 26 N. R. 17 E.

North 1st. Sec. 7 and 12.

7a. 13° E.

Over gently rolling surface.

31.30

Trail bears N. W. and S. E.

40.00

Deposited a marked stone 12 ins. in the ground, for ^{1/4} Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ^{1/4} S, on W. face,

7a70

Wash ^{1/2} lks. wide course, *West*.

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. ^{1/4} 6, 7 and 12, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 26 N. S. 6 on N. E.

R. 17 E. S. 7 on S. E.

R. 17 E S. 12 on S. W. and

S. 1 on N. W. faces, with ⁵ notches on

S. and ¹ notch on N. edges.

Surface gently rolling.

Soil 2nd rate.

Good grass.

CHAINS. East Boundary of T. 26 N. R. 17 E

North St. Secs. 1 and 6.

Pa. 13° E.

Over gently rolling surface.

40.00 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ 8, on W. face,

80.00 Deposited a marked stone 12 ins. in the ground for Cor. to Tps. 26 and 27 North Secs. 17 and 18 E. dug pits 24X18X12 ins. lengthways on each line N. S. E. and W. of cor. 6 ft. dist. and raised a mound of earth 2 1/2 ft. high 5 ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. sq. 12 ins. in the ground.

CHAINS. East Boundary of T. 26 N. R. 17 E.

marked

T. 27 N. S. 31 on N.E.

R. 18 E. S. 6 on S.E.

T. 26 N. S. 1 on S.W.

R. 17 E. S. 36 on N.W. face,
with 6 notches on each edge

Surface gently rolling.

Soil 2nd rate.

Good grass.

CHAINS, East Boundary of T. 27 N. R. 17 E

From the cor. to Tps 26 and 27 N.

Rs. 17 and 18 E. 1 run

North bet. Dics. 31 and 36.

Pa. 13° E.

Over gently rolling surface.

20.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{6}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{6}$ S, on W. face,

40.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S, on W. face,

60.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{6}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{6}$ S, on W. face,

CHAINS. East. Boundary of T. 27 N. R. 17 E

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. ~~25, 26, 31, 34, 36~~....., dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 27... N. S. 30... on N. E.

R. 18... E. S. 31... on S. E.

R. 17 E.

S. 36... on S, W, and

S. 2.5... on N. W. faces, with.....notches on

S. and.....notches on N. edges.

Surface gently rolling.

Soil 2nd rate.

Good grass.

North Pt. Secs. 25 and 30.
Ta. 13° E.

Over level country

20.00

Deposited a marked stone 12 ins. in the ground, for ~~116~~...Sec. Cor., dug pits 18X18X12 ins....N...and S.....of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...N...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~...S, on...W...face,

40.00

Deposited a marked stone 12 ins. in the ground, for ~~114~~...Sec. Cor., dug pits 18X18X12 ins...N...and S.....of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...N...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~114~~...S, on...W...face,

18.

CHAINS. East. Boundary of T. 27 N. R. 17 E

60.00

Deposited a marked stone 12 ins. in the ground, for ~~116~~... Sec. Cor., dug pits 18X18X12 ins.... N... and S..... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~... S, on... W... face,

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. ~~19, 24, 25 and 30~~, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. ~~27~~... N. S. ~~19~~... on N. E.

R. ~~17~~... E. S. ~~30~~... on S. E.

R. 17 E S. ~~25~~... on S, W, and

S. ~~24~~... on N. W. faces, with... ~~7~~... notches on S. and... ~~4~~... notches on N. edges.

Surface level.

Only 2nd stalt

Good grass.

North lat. Secs. 19 and 24

Pa. 130 E.

over level country.

CHAINS. East Boundary of T. 27 N. R. 17 E

20.00 Deposited a marked stone 12 ins. in the ground, for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.
In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on W. face,

40.00 Deposited a marked stone 12 ins. in the ground, for ~~114~~ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.
In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~114~~ S, on W. face,

60.00 Deposited a marked stone 12 ins. in the ground, for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.
In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on W. face,

80.00 Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. ~~13, 18, 19 and 24~~, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.
In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked
T. ~~27~~ N. S. ~~18~~ on N. E.
R. ~~18~~ E. S. ~~19~~ on S. E.
S. ~~24~~ on S. W, and
S. ~~13~~ on N. W. faces, with ~~3~~ notches on S. and ~~3~~ notches on N. edges.

Surface level.

Soil Ind. rail.

Good grass.

CHAINS. East. Boundary of T. 27 N. R. 17 E

North Pt. Dec. 13 and 18,

Pa. 13th E.

Over level country.

19.40

Trail bears N. W. and S. E.

20.00

Deposited a marked stone 12 ins. in the ground, for $\frac{11}{6}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{11}{6}$ S, on W. face,

40.00

Deposited a marked stone 12 ins. in the ground, for $\frac{14}{4}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{14}{4}$ S, on W. face,

60.00

Deposited a marked stone 12 ins. in the ground, for $\frac{11}{6}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{11}{6}$ S, on W. face,

66.25

Trail bears N. E. and S. W.

71.00

Wash. 20 lks. wide course, *West*

CHAINS. East Boundary of T. 27 N. R. 17 E

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 7, 12, 13 and 18, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 27.....N. S. 7.....on N. E.

R. 18.....E. S. 18.....on S. E.

R. 17 E. S. 13.....on S, W, and

S. 12.....on N. W. faces, with 4 notches on

S. and 2 notches on N. edges.

Surface level.

Soil and rats.

Good grass. April 15th 1891

North lot. Secs. 7 and 12.

Pa. 13th L.

Over level surface.

13.55

Wash.....lks. wide course, etc.

19.40

Trail bears N. E. and S. W.

27.20

Wash.....lks. wide course, S. E. (same)

31.10.

Wash.....lks. wide course, etc. "

HAINS East Boundary of T. 27 N. R. 17 E.

North lat. Ans. 1 and 6.

$79.13^{\circ} E$.

ascend gradually Over gently rolling surface.

16.04 Trail bears E. and N.

20.00 Set a sandstone $14 \times 14 \times 3$ ins., 9 ins. in the ground, for $1/6$ Sec. Cor., marked $1/6$ on W... face, dug pits $18 \times 18 \times 12$ ins., N... and S... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

21.10 Entire field bears E. and N.

28.00 Leave " " " " "

38.30 Trail bears N. W. and S. E.

40.00 Set a sandstone $15 \times 13 \times 3$ ins., 10 ins. in the ground, for $1/4$ Sec. Cor., marked $1/4$ on W... face, dug pits $18 \times 18 \times 12$ ins., N... and S... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

60.00 Set a sandstone $15 \times 14 \times 5$ ins., 10 ins. in the ground, for $1/6$ Sec. Cor., marked $1/6$ on W... face, dug pits $18 \times 18 \times 12$ ins., N... and S... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

74.00 Ship corral about 4 chs. that

75.50 Descend gradually.

BOOK 1263

CHAINS

East. Boundary of T. 27 N. R. 17 E.

80.00

Set a sand stone $18 \times 10 \times 7$ ins
 12 ins, in the ground
 for cor. to Tps. 27 and 28 N,
 R's 17 and 18 E. marked
 with 6 notches on each edge,
 dug pits ^{lengthwise on each side} $24 \times 18 \times 12$ ins.,
 N. S. E. and W. of stone 6 ft.
 dist. and raised a
 mound of earth $2\frac{1}{2}$ ft.
 high 5 ft. face along side

Surface gently rolling.

Soil ^{2nd} rate.

Grass fair.

CHAINS East Boundary of T. 28 N. R. 17 E.

From the cor. to Sp. 27 and 28
N. Sec. 17 and 18 E. I run
North bet. Sec. 31 and 36.

$7\alpha, 13^{\circ} 15' E.$

Over gently rolling surface.

16.00 Entire field bears E. and N.
18.00 Leave " " " " "

20.00 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{6}$ Sec. Cor., dug pits 18X18X12 ins. N. and
S. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{6}$ S, on W. face,

40.00 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. N. and
S. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{4}$ S, on W. face,

40.70 Trail bears N. W. and S. E.

60.00 Set a sandstone $14 \times 12 \times 3$ ins., 9 ins.
in the ground, for $\frac{1}{6}$ Sec. Cor., marked $\frac{1}{6}$ on W.
face, dug pits 18x18x12 ins., N. and S. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

CHAINS. East. Boundary of T. 28 N. R. 17 E

73.25

Trail bears N. W. and S. E.

80.00

Set a sandstone $16 \times 12 \times 7$ ins. 11 ins. in the ground for Cor. to Secs. 25, 26, 31 and 36, marked with 1 notch on S. and 1 notch on N. edges, dug pits $18 \times 18 \times 12$ ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface gently rolling.

Soil 2nd rate.

Grass poor.

North Pt. Sec. 25 and 30.

Pa. $13^{\circ} 15' E$.

Over gently rolling surface.

80.5

Trail bears N. W. and S. E.

15.05

Trail bears N. W. and S. E.

20.00

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits $18 \times 18 \times 12$ ins. N and S of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on W face,

40.00

Set a sandstone $16 \times 13 \times 8$ ins. 11 ins. in the ground, for 114 Sec. Cor., marked 114 on W face, and raised a mound of stone 1 1-2 ft. high 2 ft. base, alongside. Pits impracticable.

CHAINS. East Boundary of T. 28 N. R. 17 E.

48.10 Wash....9....lks. wide course, O.E.

18.50 Trail bears E. and N.

60.00 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{6}$ Sec. Cor., dug pits 18X18X12 ins....N...and...S...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{6}$ S, on...W.. face,

67.40 Trail bears E and N.

73.40 Trail bears " " "

80.00 Set a sandstone...17...X...12...X...10...ins...11...ins. in the ground for Cor. to Secs. 19, 24, 25 and 30...marked with 2...notches on S. and 4...notches on N. edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface gently rolling.

Soil 2nd rate.

Grass poor.

North bet. Secs. 19 and 24.

70. 13° 15' E.

Over gently rolling surface.

CHAINS. East Boundary of T. 28 N. R. 17 E

15.65 Trail bears $N. 80^{\circ} E.$ and $S. 80^{\circ} W.$

20.00 Set a sandstone $12 \times 10 \times 6$ ins., 8 ins. in the ground, for 116 Sec. Cor., marked 116 on $W.$ face, dug pits $18 \times 18 \times 12$ ins., $N.$ and $S.$ of stone 5 $1-2$ ft. dist., and raised a mound of earth 1 $1-2$ ft. high, 3 $1-2$ ft. base, alongside,

31.20 Trail bears $E.$ and $N.$

33.20 Trail bears " " "

40.00 Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits $18 \times 18 \times 12$ ins. $N.$ and $S.$ of corner 5 $1-2$ ft. dist., and raised a mound of earth 1 $1-2$ ft. high, 3 $1-2$ ft. base over it.

In $N.$ pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114 $S.$ on $W.$ face,

50.00 Entire field bears $E.$ and $N.$

54.00 Same " " " " "

60.00 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits $18 \times 18 \times 12$ ins. $N.$ and $S.$ of corner 5 $1-2$ ft. dist., and raised a mound of earth 1 $1-2$ ft. high, 3 $1-2$ ft. base over it.

In $N.$ pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 $S.$ on $W.$ face,

64.20 Trail bears $N. 80^{\circ} E.$ and $S. 80^{\circ} W.$ 70.00 Entire field bears $E.$ and $N.$

78.50 Same " " " " "

No. 1263

BOOK 1263 29

CHAINS East Boundary of S. 28 T. 9. R. 17 E

80.00

Set a sandstone ¹⁴ X ¹² X ⁵ ins., ⁹ ins. in the ground for Cor. to Secs. ¹⁷ 18, 19 and 24 marked with ³ notches on S. and ³ notches on N. edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface gently rolling.

Soil ^{2nd} rate.

Grass fair.

North lat. Secs. 13 and 18.

79. 13° 15' E

Ascend gently.

9.50 Trail from N. 80° E and S. 80° W.

9.30 " " " " "

20.00

Set a sandstone ¹⁴ X ¹² X ³ ins., ⁹ ins. in the ground, for ¹⁶ Sec. Cor., marked ¹⁶ on ^{W.} face, dug pits 18x18x12 ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

29.20 Trail from S. 75° W. and N. 75° E.

32.50 " " " " "

40.00

Set a sandstone ¹² X ¹¹ X ⁴ ins., ⁸ ins. in the ground, for ¹⁴ Sec. Cor., marked ¹⁴ on ^{W.} face, dug pits 18x18x12 ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

CHAINS. East Boundary of T. 28 N. R. 17 E

60.00

Set a sandstone...7...X...9...X...8...ins., 11...ins.
in the ground, for $\frac{1}{16}$...Sec. Cor., marked $\frac{1}{16}$...on...W.
face, dug pits 18x18x12 ins., N...and...S...of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

7395

Trail bears N. E. and S. W.

80.00

Set a sandstone...13...X...9...X...9...ins., 8...
ins. in the ground for Cor. to Secs. 7, 12, 13 and 18...
marked with 4...notches on S. and 2...notches on N.
edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.
base, alongside.

Surface gently rolling.

Soil ^{2nd} rate.

Grass fair.

North Mt. Secs. 7 and 12.

Pa. $13^{\circ} 15' E$.

Descend into gulch.

10.04

Wash...8³...lks. wide course, S.E.

14.60

Top of bank and enter field
from N.W. and S.E.

18.00

Leave field from N.W. and S.E.

CHAINS East Boundary of S. 28 N. T. 17 E

20.00	Set a sandstone $18 \times 14 \times 6$ ins., 12 ins. in the ground, for $1/16$ Sec. Cor., marked $1/16$ on W... face, dug pits $18 \times 18 \times 12$ ins., N... and S... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,
40.00	Set a sandstone $18 \times 14 \times 3$ ins., 12 ins. in the ground, for $1/4$ Sec. Cor., marked $1/4$ on W... face, dug pits $18 \times 18 \times 12$ ins., N... and S... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,
60.00	Set a sandstone $12 \times 10 \times 6$ ins., 8 ins. in the ground, for $1/6$ Sec. Cor., marked $1/6$ on W... face, dug pits $18 \times 18 \times 12$ ins., N... and S... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,
72.85	Trail to Graibe from N.W. and S.E.
80.00	Set a sandstone $18 \times 12 \times 4$ ins., 12 ins. in the ground for Cor. to Secs. $1/6, 7$ and $1/2$ marked with 5 notches on S. and 1 notch on N. edges, dug pits $18 \times 18 \times 12$ ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside. Surface gently rolling. Soil 2 nd rate. Grass fair.

CHAINS. East Boundary of T. 28 N. R. 17 E

North bet. Sec. 1 and 6.

Ya. $13^{\circ} 15' E$.

Ascend gradually along east
slope of mesa.

20.00 Set a sandstone $16 \times 12 \times 8$ ins. in the ground, for $1/6$ Sec. Cor., marked on W. face, and raised a mound of stone 1 1-2 ft. high 2 ft. base, alongside. Pits impracticable.

20.05- Wash 7 lks. wide course, $0 E$.

2830 Trail bears N. E. and S. W.

40.00 Set a sandstone $20 \times 12 \times 8$ ins. in the ground, for $1/4$ Sec. Cor., marked on W. face, dug pits $18 \times 18 \times 12$ ins., N_1 and S_1 of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

From which

a cedar tree 6 ins. in diam. bears
 $S. 87^{\circ} E. 113$ links dist.
marked $1/4 S. B. T.$

A cedar tree 4 ins. in diam.
bears $N. 79^{\circ} W. 53$ links dist.
marked $1/4 S. B. T.$

CHAINS. East Boundary of T. 28 N. R. 17 E.

60.00

Set a sandstone $16 \times 12 \times 9$ ins. in the ground, for $\frac{1}{6}$ Sec. Cor., marked on W. face, and raised a mound of stone 1-2 ft. high 2 ft. base, alongside. Pits impracticable.

80.00

Set a sandstone $16 \times 10 \times 9$ ins. 11 ins. in the ground for Closing Cor. to Tps. 28 N. Rs 17 and 18 E, marking C. C. with 6 notches on S, E, and W. faces. dug pit: $24 \times 18 \times 12$ ins. crosswise on each line S. E. and W. of stone 6 ft. dist and raised a mound of earth 2 ft. high 5 ft. base alongside.

From which a cedar tree 10 ins. in diam, tran. S. 100 E. 94 links dist. marked.

T. 28 N. R. 18 E. S. 6 B.S.

No other suitable trees within limits

CHAINS. East. Boundary of T. 28 N. R. 17 E.

Surface rolling and rough
Soil 2nd and 3rd rank.

Scattering cedar trees.

Grass fair.

General Description.

This line through Tps. 28
N. passes from 1 to 2
miles east of a high
rocky mesa.

On the east is a
valley, which is cultivated
by the Indians, as is
also the land on the
west to the foot of the
mesa.

April 16th 1891.

BOOK 1263

CHAINS. East Boundary of T. 28 N. R. 18 E.

From 1st Closing Cor. to Tpo.
28. N. At 18 and 19 E. I
run South lat. NW. 1 and 6.

Pa. 13° E.

Descend from high mesa slope.

Descend into cañon

Bottom corner SE, ascend
Top.

20.00

Set a sandstone ¹⁴ X ¹² X ³ ins., ⁹ ins.
in the ground, for ^{1/6} Sec. Cor., marked ^{1/6} on ^W...
face, dug pits 18x18x12 ins., ^N... and ^S... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

Descending more gradual.

Trail bears N. E. and S. W.

40.00

Set a sandstone ⁹ X ⁸ X ⁷ ins., ⁶ ins.
in the ground, for ^{1/4} Sec. Cor., marked ^{1/4} on ^W...
face, dug pits 18x18x12 ins., ^N... and ^S... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

Trail bears N. E. and S. W.

60.00

Set a sandstone ¹⁴ X ¹¹ X ⁴ ins., ⁹ ins.
in the ground, for ^{1/6} Sec. Cor., marked ^{1/6} on ^W...
face, dug pits 18x18x12 ins., ^N... and ^S... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

CHAINS East. Boundary of T. 28 N. R. 18 E.

77.00

Trail bears N. E. and S. W.

80.00

Set a sandstone $11 \times 10 \times 5$ ins. 2
 ins. in the ground for Cor. to Secs. $10, 7$ and 12
 marked with 5 notches on S. and 1 notch on N.
 edges, dug pits $13 \times 13 \times 12$ ins. in each Sec. 5 $1-2$ ft.
 dist. and raised a mound of earth 2 ft. high, 4 $1-2$ ft.
 base, alongside.

Surface mountainous 2^d chains

Rolling 60. chains.

Dirt 2nd and 4th rate

Grass poor.

South bet. Secs. 7 and 12.

T_a. 13° E.

Over gently rolling surface.

20.00

Set a sandstone $9 \times 8 \times 7$ ins. 6 ins.
 in the ground, for 116 Sec. Cor., marked 116 on W
 face, dug pits $18 \times 18 \times 12$ ins., N. and S. of stone
 5 $1-2$ ft. dist., and raised a mound of earth 1 $1-2$ ft.
 high, 3 $1-2$ ft. base, alongside,

22.20

Wash 30 lks. wide course, *DN.*

26.90

Trail bears N. E. and S. W.

38.00

Trail bears N. E. and S. W.

CHAINS East Boundary of T. 28 N. R. 18 E

40.00	Set a sandstone $14 \times 12 \times 3$ ins., 9 ins. in the ground, for $1/4$ Sec. Cor., marked $1/4$ on W. face, dug pits $18 \times 18 \times 12$ ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,
42.20	Trail bears N. E. and S. W.
48.00	Trail bears E. and N.
49.00	Stagon road bear. N.E. and S.W.
53.90	Trail bears N. E. and S. W.
60.00	Set a sandstone $19 \times 12 \times 3$ ins., 14 ins. in the ground, for $1/6$ Sec. Cor., marked $1/6$ on W. face, dug pits $18 \times 18 \times 12$ ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,
61.95	Trail bears N. E. and S. W.
65.90	Center field trans. E. and N.
66.00	Same " " " "
68.5	Trail bears N. W. and S. E.
80.00	Set a sandstone $14 \times 12 \times 3$ ins., 9 ins. in the ground for Cor. to Secs. 7, 12, 13 and 18 marked with 4 notches on S. and 2 notches on N. edges, dug pits $18 \times 18 \times 12$ ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside. Surface gently rolling. Soil 2^{nd} rate. Grass fair.

CHAINS. East Boundary of T. 28 N. R. 18 E.

South bet. Secs. 13 and 18.

Pa. 13° E.

Over gently rolling surface.

3.00 Enter field bears N. W. and S. E.

8.00 Leave " " " "

16.25 Hagon road to Home Canyon bears E. and W.

20.00 Set a sandstone 16 X 12 X 3 ins., 11 ins. in the ground, for 1/6 Sec. Cor., marked 1/6 on W. face, dug pits 18x18x12 ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

33.80 Trail bears N. E. and S. W.

40.00 Set a sandstone 13 X 10 X 4 ins., 8 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W. face, dug pits 18x18x12 ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

44.00 Trail bears N. E. and S. W.

60.00 Set a sandstone 13 X 10 X 4 ins., 8 ins. in the ground, for 1/6 Sec. Cor., marked 1/6 on W. face, dug pits 18x18x12 ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

62.00 Enter field bears E and W.

63.00 Leave " " " "

CHAINS. East Boundary of T. 28 N. R. 18 E.

66.50	Wash.....lks. wide course, <i>SW.</i>
9.90	Trail bears N. E. and S. W.
80.00	Set a sandstone $12 \times 10 \times 5$ ins. 8 ins. in the ground for Cor. to Secs. $13, 18, 19$ and 24 marked with 3 notches on S. and 3 notches on N. edges, dug pits $18 \times 18 \times 12$ ins. in each Sec. 5 $1-2$ ft. dist. and raised a mound of earth 2 ft. high, 4 $1-2$ ft. base, alongside.
	Surface gently rolling.
	Soil 2^{nd} rate.
	Grass fair.

Smith bet. Secs. 19 and 24.
 $\gamma. 13^{\circ} E.$

Over gently rolling surface.

10.97	Trail bears E. and N.
20.00	Set a sandstone $11 \times 8 \times 6$ ins. 7 ins. in the ground, for 116 Sec. Cor., marked 116 on W. face, dug pits $18 \times 18 \times 12$ ins., N. and S. of stone 5 $1-2$ ft. dist., and raised a mound of earth 1 $1-2$ ft. high, 3 $1-2$ ft. base, alongside,

24.00 Trail bears E. and N.

CHAINS East Boundary of T. 28 N. R. 18 E.

40.00 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.
 In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S, on W. face,

46.80 Wash 100 yds. wide course, W.

60.00 Set a sandstone 9 X 8 X 7 ins., 6 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on W. face, dug pits 18x18x12 ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

65.80 Trail from E. end W.

80.00 Set a sandstone MATATA ^{along} 13 X 10 X 8 ins., 8 ins. in the ground for Cor. to Secs. 19, 24, 25 and 30 marked with 2 notches on S. and 4 notches on N. edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface gently rolling.

Soil 2nd rate.

Grass fair.

South Mt. Sec. 25 and 30.
 Ta. 13° E.

Over gently rolling surface.

CHAINS. East Boundary of T. 28 N. R. 18 E.

5.00	Trail from G. and H.
4.00	" " N. 80° W and S 80° E.
20.00	Deposited a marked stone 12 ins. in the ground, for <u>1/6</u> Sec. Cor., dug pits 18X18X12 ins. ...N... and ...S... of corner 5 1-2 ft. d.t., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In ...N... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <u>1/6</u> S, on ...W... face,
24.75	Trail from E. and H.
24.75	" " " " "
12.15	" " " " "
40.00	Deposited a marked stone 12 ins. in the ground, for <u>1/4</u> Sec. Cor., dug pits 18X18X12 ins. ...N... and ...S... of corner 5 1-2 ft. d.t., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In ...N... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <u>1/4</u> S, on ...W... face,
60.00	Deposited a marked stone 12 ins. in the ground, for <u>1/6</u> Sec. Cor., dug pits 18X18X12 ins. ...N... and ...S... of corner 5 1-2 ft. d.t., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In ...N... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <u>1/6</u> S, on ...W... face,

CHAINS East Boundary of T. 28 N. R. 18 E.

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 25, 24, 31 and 36, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 28 N. S. 30 on N. E.

R. 19 E. S. 31 on S. E.

R. 18 E S. 36 on S. W. and

S. 25 on N. W. faces, with 1/2 notch on S. and 1/2 notches on N. edges.

Surface gently rolling.

Soil 2nd rate.

Grass fair.

South St. Sec. 31 and 36.

Co. 13° E.

Acres gradually

10.00

Trail bears N. W. and S. E.

20.00

Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S. on W. face,

36.25

Trail bears N. W. and S. E.

BOOK 1263

HAINS. East boundary of T. 28 N. R. 18 E.
Trail from.

37.00 E and W. into other one.

40.00 Set a sandstone ⁹.....X⁸.....X⁷...ins., ⁶.....ins.
in the ground, for ^{1/4} Sec. Cor., marked ^{1/4} on...W...
face, dug pits 18x18x12 ins., N...and...S...of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

41.50 Descend gradually.

59.50 Ascend "

60.00 Set a sandstone ¹⁵.....X¹⁴.....X³.....ins., ¹⁰.....ins.
in the ground, for ^{1/6} Sec. Cor., marked ^{1/6} on...W...
face, dug pits 18x18x12 ins., N...and...S...of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

63.00 Trail from E and W.

64.00 Descend gradually.

69.00 Wash 7 ft. deep 20 links wide
course west, ascend

80.00 Set a sandstone 14x13x3 ins. 9
ins. in the ground for Cor.
to Tps. 27 and 28 N. R's 18
and 19 E. marked with
6 notches on each edge.
dug pits 24x18x12 ins.
lengthwise on each link

CHAINS East. Boundary of T. 28 N. R. 18 E.

6 ft. dist. and raised
a mound of earth 2½ ft.
high 5 ft. base along side

Surface gently rolling.

Soil 2nd rate.

Good grass.

April 18th 1891

CHAINS. South Boundary of T. 28 N. R. 18 E.

From the cor. to Tps. 27 and 28 N.

R's 18 and 19 E. I run West on
a random line ^{through said Tps.} sitting temporary
any $\frac{1}{16}$, $\frac{1}{4}$, and mile cor.

at each. 20, 40, 60 and
80. Chains, and find the
township line to be 5 miles,
78 chs. and 68 links long
and the falling to be 125 links
north of the cor. to Tps. 27

and 28 N. R's 17 and 18 E.
The correction for the true line
will therefore be 20 $\frac{1}{2}$ links
south, per. mile and its
course will be N. 89° 51' E.

From the cor. to Tps. 27 and
28 N. R's 17 and 18 E.

I run N. 89° 51' E. 1019
true line bet. Secs. 6 and 31

CHAINS.

South Boundary of T. 28 N. R. 18 E

Descend

Pa. 13° E

Over gently rolling surface.

18.68

Set a sandstone $15 \times 10 \times 6$ ins., 10 ins. in the ground, for 116 Sec. Cor., marked 116 on N. face, dug pits $18 \times 18 \times 12$ ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

35.75

Trail bears N. W. and S. E.

38.68

Set a sandstone $14 \times 12 \times 9$ ins., 9 ins. in the ground, for 114 Sec. Cor., marked 114 on N. face, dug pits $18 \times 18 \times 12$ ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

42.30

Enter field from N. W. and S. E.

56.00

Leave " " N. and S.

58.68

Set a sandstone $20 \times 13 \times 9$ ins., 15 ins. in the ground, for 116 Sec. Cor., marked 116 on N. face, dug pits $18 \times 18 \times 12$ ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

78.68

Set a sandstone $13 \times 11 \times 8$ ins., 8 ins. in the ground for Cor. to Secs. $6, 7, 31$ and 32 marked with 1 notch on W. and 5 notches on E. edges, dug pits $18 \times 18 \times 12$ ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface gently rolling.

Soil 2nd rate.

Grass poor.

CHAINS

South Boundary of T. 28 N. R. 18 E.

77.89°51'E on a true line bet. S.W.S.

S and 32.

74.13° E.

Over gently rolling surface.

20.00 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and ... W. ... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on ... N. ... face,

25.50 Trail bears N. W. and S. E.

39.30 " " N. and S.

40.00 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. E. and ... W. ... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S, on ... N. ... face,

45.00 Wash ... lks. wide course, O. 200 ft.

49.85 Trail bears N. E. and S. W.

59.50 " " N. and S.

CHAINS. *South Boundary of T. 28 N. R. 18 E.*

60.00

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

7320

Trail bears N. W. and S. E.

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 25, 26 and 27, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 28 N. S. 33 on N. E.

R. 18 E. S. 4 on S. E.

T. 27 N S. 5 on S, W; and

S. 32 on N. W. faces, with 2 notches on

W. and 4 notches on E. edges.

Surface gently rolling. *and level*

Soil 1st rate.

Some brush.

*N. 89° 51' E. on a true line
bet. Secs. 4 and 33.*

74° 13' E.

Over land country

CHAINS South Boundary of S. 28 N. R. 18 E.

1.40	Trail bears N. and S.
1.90	Trail bears " " "
20.00	Deposited a marked stone 12 ins. in the ground, for <u>116</u> Sec. Cor., dug pits 18X18X12 ins.... <u>E</u> ...and <u>W</u> ...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In <u>E</u> ...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <u>116</u> S, on <u>N</u> ...face,
22.00	Wash... <u>100</u> lks. wide course, S.E.
25.80	" 90 " " " S. 100 N.
26.80	Trail bears N. and S.
31.50	Wash... <u>200</u> lks. wide course, South
40.00	Deposited a marked stone 12 ins. in the ground, for <u>114</u> Sec. Cor., dug pits 18X18X12 ins.... <u>E</u> ...and <u>W</u>of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In <u>E</u> ...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <u>114</u> S, on <u>N</u> ...face,
52.00	Trail bears N. E. and S. W.
60.00	Set a sandstone <u>14</u> X <u>10</u> X <u>4</u> ins., <u>9</u> ins. in the ground, for <u>116</u> Sec. Cor., marked <u>116</u> on <u>N</u> ... face, dug pits 18x18x12 ins., <u>E</u> ...and <u>W</u> ...of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

CHAINS. South Boundary of T. 28 N. R. 18 E

80.00

Set a sandstone ¹⁸ X ⁹ X ⁸ ins. ⁷ ins. in the ground for Cor. to Secs. ³⁴ ³³ and ³⁴ marked with ³ notches on W. and ³ notches on E. edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface gently rolling, and level.

Soil ^{2nd} rate.

Grass poor.

N. 89° 51' E. on a true line
bet. S. 15. 3 and 34.

Pa. 13° E.

Over level country.

16.70

Trail bears N. and S.

20.00

Deposited a marked stone 12 ins. in the ground, for ¹¹⁶ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ¹¹⁶ S, on N. face,

40.00

Set a sandstone ¹⁴ X ¹⁰ X ⁴ ins. ⁹ ins. in the ground, for ¹⁴ Sec. Cor., marked ¹⁴ on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

BOOK 1263

CHAINS South Boundary of T. 28 N. R. 18 E.

49.00 Trail bars N. and S.

51.80 " " " " "

60.00 Set a sandstone 9 X 8 X 7 ins., 6 ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

80.00 Set a sandstone 8 X 8 X 8 ins., 5 ins. in the ground for Cor. to Secs. 2, 3, 34 and 35 marked with 4 notches on W. and 2 notches on E. edges, dug pits 18x18x12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface gently rolling, and level

Soil 2nd rate.

Grass fair.

N. 89° 51' E. on a true line

bet. S.W. 2 and 35.

To. 13° E.

Over gently rolling surface.

20.00 Set a sandstone 10 X 8 X 7 ins., 7 ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

CHAINS. South Boundary of T. 28 N. R. 18 E

40.00 Set a sandstone 11 X 9 X 6 ins. 7 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on N face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

46.50 Trail bears N. W. and S. E.

60.00 Set a sandstone 16 X 10 X 4 ins. 11 ins. in the ground, for 1/6 Sec. Cor., marked 1/6 on N face, and raised a mound of stone 1 1-2 ft. high 2 ft. base, alongside. Pits impracticable.

65.00 Wash 4 1/2 lks. wide course, N.W.

80.00 Set a sandstone 12 X 8 X 6 ins. 8 ins. in the ground for Cor. to Secs. 1, 2, 35 and 36 marked with notches on W and 1 notch on E edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface gently rolling.

Soil 2nd rate.

Good grass.

N. 89° 51' E. on a true line
bet. SW, 1 and 36.
Ta. 13° E.

Over gently rolling surface.

CHAINS.

South Boundary of S. 28 N. T. 18 E

20.00

Set a sandstone $14 \times 10 \times 6$ ins., 7 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N face, dug pits $18 \times 18 \times 12$ ins., E and W of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

34.00

Wash 19 lks. wide course, north.

40.00

Set a sandstone $9 \times 8 \times 7$ ins., 6 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N face, dug pits $18 \times 18 \times 12$ ins., E and W of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

41.60

Wash 20 lks. wide course, N. N.

54.00

Trail bears N. and S.

60.00

Set a sandstone $14 \times 8 \times 5$ ins., 9 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N face, dug pits $18 \times 18 \times 12$ ins., E and W of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

80.00

The cor. to Tps 27 and 28 N.
R's 18 and 19 E.

Surface rough and rolling
Soil 3rd rate
Good grass.

April 20th 1891

CHAINS. North Boundary of T. 27 N. R. 17 E

At 1st cor. to Sps. 27 and 28 N
 Rs. 17 and 18 E. I take a sight
 to an object on 1st meridian
 several miles to north, as
 previously determined by observation
 on Odavis in morning
 1st range line bet. Rs 17 and 18
 I turn off an angle of 90°
 to 1st west, and run
 west on a true line making
 the necessary allowance for
 convergence -

West. bet. Sec. 1 and 36.

Pa. 13° 15' E

Over gently rolling surface.

20.00

Set a sandstone 15... X... 10... X... 4... ins., 10... ins.
 in the ground, for $\frac{1}{4}$ Sec. Cor., marked 116... on... N...
 face, dug pits 18x18x12 ins., ... E. and ... W. of stone
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
 high, 3 1-2 ft. base, alongside,

20.58

Trail bears

N. W. and S. E.

CHAINS. North Boundary of T. 27 n. R. 17 E.

40.00 Set a sandstone 18 X 14 X 4 ins., 12 ins. in the ground, for 114 Sec. Cor., marked 114 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

40.50 Enter allali flat from N.E. and SW. water 1 ch. north, Indications of coal near 114 sec. cor.

44.00 Clear flat. from N.E. and SW.

60.00 Set a sandstone 15 X 10 X 5 ins., 10 ins. in the ground, for 116 Sec. Cor., marked 116 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

79.00 Enter field from N. and S.

80.00 Set a sandstone 14 X 10 X 4 ins., 9 ins. in the ground for Cor. to Secs. 1, 2, 3, 5 and 36 marked with 5 notches on W and 1 notch on E. edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface gently rolling.

Soil 2nd rate.

Grass fair.

CHAINS North Boundary of T. 27. R. 17 E.

West 1/2 Sec. 2 and 35

74.13° E.

Over gently rolling surface.

110 Leave field beam N. and S.

20 Trail bears N. W. and S. E.

4.60 Trail bears N. W. and S. E.

20.00 Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N. face,

3.80 Trail bears N. W. and S. E.

40.00 Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on N. face,

48.50 Trail beam N. and S.

49.75 " " " " "

CHAINS *North Boundary of T. 27 N. R. 17 E*

60.00 Deposited a marked stone 12 ins. in the ground, for ^{1/6} Sec. Cor., dug pits 18X18X12 ins. ... E. and ... W. s. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ^{1/6} S, on N. face,

62.50 Trail bears N. E. and S. W.

64.00 Wash ²⁵ lks. wide course, *AM.*

65.00 Trail bears N. E. and S. W.

80.00 Set a sandstone ¹ 2 X ¹⁰ X ⁶ ins., ⁸ ins. in the ground for Cor. to Secs. ^{2, 3, 34 and 35} marked with ⁴ notches on W and ² notches on E. edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface gently rolling.

Soil 2nd rate.

Grass fair.

No. 1263

BOOK 1263

59

U. S. Surveyor-General's Office,

TUCSON, A. T., *Feb. 6th* 1882

The foregoing Field Notes of the Surveys of
Exteriors of Trs. 25, 26, 27, 28
R. 17 and 18. E.

.....
Gila and Salt River Meridian
in *Arizona* executed by

John B. Smith

U. S. Deputy Surveyor, under his contract dated

November 1st 1878

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Royal Johnson
U. S. Surveyor-General
for the Territory of Arizona.