

BOOK 1334

Resurveys of
Range line bet. Rs 1. & 2 E. T. 5 N.
N. Bdy. T. 5 N. - R. 1 E.
N. Bdy. T. 3 N. - R. 4 E.
(Powers)

1334

4-671

FIELD NOTES
GENERAL LAND OFFICE.

No. 1334

Resurvey. — BOOK 1334

Jersey

Days

Bot T 5 N. R 1 + 2 E	11
North Body T 5 N R 1 E	13
North " T 3 N R 4 E	26

Preliminary Oaths of Assistants.

We Edward H. Bridwell
 and Ridgley C. Powers Jr.
 do solemnly swear that we will well and faithfully execute
 the duties of Chain Carriers; that we will level the chain over
 even and uneven ground, and plumb the tally pins, either by
 sticking or dropping the same; that we will report the true dis-
 tance to all notable objects, and the true length of all lines that
 we assist in measuring, to the best of our skill and ability and
 in accordance with instructions given us in the ^{re} survey of the
 Sub-divisional lines of Tp. 4 N. R. 1 E.
The Range line between ranges 1 and 2
East - Tp. 5 - N., the North Boundary of
Tp. 5 - N. R. 1 E. and the N. Boundary of Tp. 3 N.
R. 4 East
 of the principal base and meridian in the Territory of Arizona.

Edward H. Bridwell Chairman.

Ridgley C. Powers Jr. Chairman.

S.P. Hoefler

Subscribed and sworn before me, this 23^d

day of August 1894

S.P. Hoefler

Notary Public.

I David Mae

do solemnly swear that *I* will well and truly perform the
the duties of *Assessor*

in the establishment of corners and other duties according to
instructions given ^{me} ~~us~~ and to the best of ^{my} ~~our~~ skill and ability,
in the ^{re} survey of the *Sub-divisional lines of T. 4 N.
R. 1 E., The Range line between ranges 1 and 2 E. of
T. 5 N., The North Boundary of T. 5 N. R.
1 E., and the North Boundary of T. 3 N.
Range 4 East -*
of the principal base and meridian in the Territory of Arizona.

David Mae

S.P. Hoefler Subscribed and sworn to before me this *23^d*

day of *August* 18*99*

S.P. Hoefler
Notary Public.

No. 1334

BOOK 1334

18

Field Notes of the
Resurvey of the
Range Line between P. 1 & 2
T. 5 N.

of the Principal Base and
meridian in the

Territory of Arizona
as surveyed by

Ridgley C. Powers

U. S. Deputy Surveyor

in accordance with

Special instructions dated Aug. 20, 1894.

also

The N. Bdy. of T. 5 N. R. 1 E. and
N. Bdy. of T. 3 N. R. 4 E

Survey commenced Aug. 27, 1894

Survey completed Aug. 30, 1894.

List of Names and duties
of assistants

Edward H. Bridwell	} Chairman
Ridgely C. Powers Jun.	
David Moe	Axeman

Index to N. Bdy. T. 3 n. R. 4 E.

26	28	30	31	33	35
----	----	----	----	----	----

Indexes, (continued.)

9	
7	
6	
5	
3	
1	

E. Body. J. 5 N. R. 1 E.

N. Body. J. 5 N. R. 1 E.

14	15	17	18	20	21
----	----	----	----	----	----

T. 5 N. - R. 1 E.

1E

BOOK 1334

Resurvey of Range Line between

Journey commenced Aug. 29th
1894 with a Burt Solar compass
in good adjustment. Lat. $33^{\circ}44'N$.
Long. $112^{\circ}10'W$.

I begin at the Standard Cor.
to Tps. 5 N. Rs. 1 and 2 E,
which is a stone about $8 \times 6 \times 4$
ins. above ground marked S.C.
with 6 notches on N, E. & W,
faces, pits on N, E. and W. of
stone and mound of earth
alongside, from which I run

North bet. Secs. 31 and 36
Va. $13^{\circ}19'E$.

Ascend S. slope of mountain

20.00 Begin steep ascent of same
bears N. $80^{\circ}W$.

Sub. R₁ 1 x 2 E. J. 5 N.

4.05 Top of mountain about 400 ft above last cor. bears N. 80° W.

Descend.

0.00 Set a stone 12 x 8 x 7 ins 8 ins in the ground for $\frac{1}{4}$ Sec, Cor. marked. $\frac{1}{4}$ on N. face and raised a mound of stones 1 $\frac{1}{2}$ ft high 2 ft. base alongside. Pits impracticable.

0.06 $\frac{1}{4}$ Sec. Cor. set by Deputy Martineau, on line

0.00 Small wash, course E. and foot of mountain. Ascend mountain

5.55 Top of ridge, bears E x W, about 300 ft high. Descend.

30.00 Set a stone 15 x 10 x 7 ins, 10 ins in the ground for Cor. to Secs. 25, 30, 31, 36, marked with 1 notch on S. and 5 notches on N. edges

Resurvey of Range line

and raised a mound of
stones $1\frac{1}{2}$ ft high 2 ft base
alongside. Pits impracticable
Land mountainous
Soil 4th rate, rocky
No timber.

North bet. Secs. 25 & 30
Na. $13^{\circ} 19' E.$

- 0.15 Deputy Mountman's Res. cor. on line.
- 5.65 Wash 20 lbs. wide Course S. $75^{\circ} W.$
- 40.00 Set a stone $15 \times 10 \times 7$ ins. 10 ins
in the ground for $\frac{1}{4}$ Sec. cor.
Marked $\frac{1}{4}$ on W. face, dug pits
 $18 \times 18 \times 12$ ins. W. & S. of stone
 $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base alongside.

bet R.s. 1 & 2 E. T. 5 N.

0.08 $\frac{1}{4}$ Dec. Cor. set by Deputy In a stream
on line

70.70 Wash 20 lbs wide, course S. 85° W.

58.50 Wash 25 lbs. wide, course S. 85° W.

80.00 Set a post 4 ft long 4 ins. dia.
with mked. stone 12 ins. in the
ground for Cor. to Decs. 19. 24,
25. 30, mked

J. 5 N. S. 19 on N. E.

R. 2 E. S. 30 on S. E.

R. 1 E. S. 25 on S. W. and

S. 25 on N. W. faces, with 2
notches on S. and 4 notches on
N. edges. Dig pits 18 x 18 x 12^{ins}
in each Dec. 5 $\frac{1}{2}$ ft dist. and
raised a mound of earth 2 ft
high 4 $\frac{1}{2}$ ft base around post
Land broken

Soil 4th rate - stony

Resurvey of Range line bet.

No timber.

Dense brush 8000 Chs.

North bet. Secs. 19 and 24
 Va. $13^{\circ} 19' E$.

- 0.10 Sec. Cor. set by Deputy
 Martineau on line
- 10.60 Small wash, course $S. 85^{\circ} W$.
- 18.00 Wash 25 lks. wide, course $S. 85^{\circ} W$.
- 40.00 Set a stone $14 \times 8 \times 8$ ins. 10 ins
 in the ground for $\frac{1}{4}$ Sec. Cor.
 mtd. $\frac{1}{4}$ on N. face. Dug pits
 $18 \times 18 \times 12$ ins. N. & S. of stone
 $5\frac{1}{2}$ ft. dist. and raised a mound
 of earth $1\frac{1}{2}$ ft high. $3\frac{1}{2}$ ft base
 alongside.
- 40.10 $\frac{1}{4}$ Sec. Cor. set by Dept. Martineau
- 80.00 Set a stone $10 \times 8 \times 7$ ins 7 ins

R¹⁰ 1 & 2 E. J. 5 N.

in the ground for cor. to Secs.
13, 18, 19, 24 mkd. with 3
notches on N. & S. edges, and
raised a mound of stones 1½ ft
high 2 ft base alongside.
Pits impracticable.

Land broken & rough
Soil 4th rate - rocky
No timber.

Dense brush & mountains S. or Chs

North bet. Secs. 13 & 18

N. or 13° 19' E.

0.05 Deputy Martineau's Sec. cor. on line
+0.00 Set a stone 15 x 7 x 6 ins 10 ins
in the ground for ¼ Sec. cor.
Mkd. ¼ on W. face. Dig pits
18 x 18 x 12 ins. N. & S. of Stone 5½

Resurvey of Range line

1/2 ft dist, and raised a mound of Earth 1 1/2 ft high 3 1/2 ft base alongside.

40.08

42.15

1/4 sec. cor. set by Deputy mariner ^{line on}
Wash 20 lks. wide, course S. 80° W.

46.40

Small wash, course S. 80° W.

80.00

Set a stone 16 x 7 x 4 ^{ins} 11 ^{ins} in the ground for cor. to Secs. 7, 12, 13, 18, marked with 2 notches on S. and 4 notches on N. edges. Dig pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft dist. and raised a mound of earth 2 ft high 4 1/2 ft base alongside.

Land level

Soil 2nd rate. gravelly

No timber

Dense brush 80. W Chs.

North bet. Secs. 7 & 12
Va. 13° 19' E

bet. R's 1 & 2 E. T. 5 n.

- 0.10 See. Cov. set by Deputy
Martineau on line.
- 40.00 Set a stone $14 \times 14 \times 5$ in, 10 in in
the ground for $\frac{1}{4}$ See. Cov. mkd.
 $\frac{1}{2}$ on W. face, and raised a mtd.
of stones $1\frac{1}{2}$ ft high 2 ft base
alongside. Pits impracticable.
- 40.09 $\frac{1}{4}$ See. Cov. set by Deputy
Martineau on line.
- 80.00 Set a stone $15 \times 8 \times 5$ in, 10 in
in the ground for Cov. to Secs.
1, 6, 7, 12, mkd. with 5 notches
on S. and 1 notch on N. edges,
and raised a mound of stones
 $1\frac{1}{2}$ ft high 2 ft base alongside
Pits impracticable.
Land level
Soil 3° rate, stony
No timber
Dense brush

Resurvey of Range line

North Sect. Secs. 1 & 6

Var. $13^{\circ} 19' E.$

- 0.06 Sec. Cor. Set by Deft. Martineau
on line
- 40.00 Set a stone $16 \times 7 \times 5$ ^{ins} 11 ^{ins} in
the ground for $\frac{1}{4}$ sec. Cor. Marked
 $\frac{1}{4}$ on N. face, and raised a
mound of stones $1\frac{1}{2}$ ft high 2 ft
base alongside. Pits impracticable.
- 40.03 $\frac{1}{4}$ sec. Cor. Set by Deputy
Martineau on line.
- 80.00 The corner set by Deputy
Martineau, on line, a stone
about $10 \times 8 \times 6$ ^{ins} above
ground, with 6 notches on each
edge, and a mound of stones $1\frac{1}{2}$
ft high 2 ft base alongside.

bet. R's 1 x 2 E. J. 5 N.

Pts impracticable.

As this corner is correct in distance and alignment I adopt it as the true Cor. to Ips. 5 x 6 n. R's 1 x 2 E. and inform Deputy Martineau, (who had received special instructions of even date with mine, to destroy all the monuments erected by him on the line just surveyed) of the fact.

I destroy the Ip. corner previously set by me 48 Chs North.

Land level

Soil 3rd rate. Stony

No timber.

Dense brush & Chs.

Resurvey of Range line

August 29, 1894

General Description.

The lands on each side of this line are of fair quality and entirely covered with brush from 3 to 10 ft high. For more particular description see field notes of Subdivision of T. 5' n. R. 1 E.

Let R. 1 & 2 E. J. 3 m.

Resurvey of N. Boundary

Survey commenced Aug. 30
1894 with a Burt Solar Compass
in good adjustment. Latitudes
 $33^{\circ}48'N$. $7a$, $13^{\circ}19'E$.

The resurvey of the Range line
bet. R's 1 & 2 E, J. 5ⁿ N. having
shown the N. E. Cor. of J. 5ⁿ N.
R. 1 E. to be 48 lks. too far north
it becomes necessary to resurvey
the north boundary of said Jp.
The falling to the S. of 48 lks.
gives 8 lks. $7/8$ mile, equal to
 $3' va$. in course. The new course
of N. Bdy. will therefore be $N. 89^{\circ}$
 $50' E. + 03' = N. 89^{\circ}53' E.$

I begin at the cor. to Jp.

of J. 5th N. 1st P. 1 E.

546 N. R. 102 E. just re-established, and from it I run

S. 89° 53' W. on a true line
bet. Secs. 1 & 36

N. 13° 19' E.

- 4.000 Set a stone 10 x 8 x $\frac{1}{2}$ ins in
the ground for $\frac{1}{4}$ sec. Cor. Mk'd.
 $\frac{1}{4}$ on N. face. Dug pits 18 x 18
x 12 ins. E. & W. of Stone $5\frac{1}{2}$ ft
dist. and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
alongside. Destroyed former
corner on N. of line.
- 5.3.00 Left bank of New River, dry
bed. Course S.
- 6.5.00 Right bank of same.
- 8.0.00 Set a stone 18 x 8 x $\frac{1}{2}$ ins - 12 ins.

Resurvey of N. Boundary

in the ground for Cor. to Secs. 1
2, 35, 36, marked with 1 notch
on E. and 5 notches on W. edges,
and raised a mound of stones
1½ ft high 2 ft base alongside.
Pits impracticable.

Land rolling and brushy

Soil 5th rate

No timber

Destroyed former cor. 40 lbs. N.

S. 89° 53' W. on a true line

bet. Secs. 2 and 35

Na. 13° 19' E.

5.00 Wash, course S.W.

12.00 Gulch, course South.

of T. 5 N. R. 1 E.

BOOK 1334

16

40.00 Seba Stone $12 \times 7 \times 7$ ins 8 ins in
the ground for $\frac{1}{4}$ Sec. Cor. Mkd. $\frac{1}{4}$
on N. face, dug pits $18 \times 18 \times 12$
ins. E. & W. of stone $5\frac{1}{2}$ ft dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside.

I destroyed my former $\frac{1}{4}$ Sec. Cor.
north of line.

80.00 Seba Stone $17 \times 8 \times 6$ ins 12 ins in
the ground for Cor. to Secs. 2, 3
34, 35, mkd. with 2 notches
on E. and 4 notches on W.
edges, dug pits $18 \times 18 \times 12$ ins in each,
Sec. $5\frac{1}{2}$ ft. dist. and raised a
mound of earth 2 ft high $4\frac{1}{2}$ ft
base alongside.

I destroyed my former Sec.
Cor. 32 lbs. north.

Land level

17

BOOK 1334

Resurvey of North Bdry.

Dial 3^d salt

No timber. Dense brush

S. $89^{\circ}53'$ W. on a true line bet.

Dees. 3 & 34

Va. $13^{\circ}19'$ E.

4000 Set a stone $12 \times 8 \times 5$ in - 8 in in the ground for $\frac{1}{4}$ Sec. Cor. Mk'd. $\frac{1}{4}$ on N. face. dug pits $18 \times 18 \times 12$ in E. & W. of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside. I destroyed my form $\frac{1}{4}$ Sec. Cor. N. of line.

6900 Road to Frog Tanks, bears N. 10° E.

8000 Set a stone $18 \times 8 \times 7$ in - 12 in in the ground for Cor. to Dees. 3. 4, 33. 34 mk'd. with 3 swiches on E. & W. edges, and raised a

S. 3 N. R. 1 E.

mound of stones $1\frac{1}{2}$ ft high 2 ft
base alongside. Pits unprac-
-ticable.

I destroyed former Sec.
Cor. 24 Ecs. north of line.

Land broken

Soil 4th rate - rocky

No timber. Dense brush

S. $89^{\circ} 53'$ W. on a true line
bet. Secs. 4 & 33

Na. $13^{\circ} 19' 8''$.

13.00 a road, bears S. W. & N. E.

40.00 Set a stone $12 \times 8 \times 5$ ins 8 ins
in the ground for $\frac{1}{4}$ Sec. Cor.
mkd. $\frac{1}{4}$ on N. face, and
raised a mound of stones $1\frac{1}{2}$ ft

Resurvey of North Body. of
high 2 ft base alongside,
Pits impracticable.

I destroyed former $\frac{1}{4}$ sec.
Cor. 20 lbs. north of line.

8000 Set a stone $14 \times 10 \times 9$ ins 10 in in
the ground for Cor. to Sec. 4. 5
32, 33 mtd. with 4 notches on E.
and 2 notches on N. edges, and
raised a mound of stones $1\frac{1}{2}$ ft
high 2 ft base alongside. Pits
impracticable.

I destroyed former Sec. Cor. 16 lbs.
North of line.

Land broken & rocky

Soil 5^{th} grade

No timber. Dense brush.

J. S. N. R. 1 E.

S. $89^{\circ} 53'$ W. on a true
line bet. Secs. 5 and 32

Va. $13^{\circ} 19'$ E.

6.00 Road, bears N. E.

24.00 Left bank of Agua Fria

34.00 Right bank of same, course S.

46.00 Set a stone $18 \times 15 \times 15$ ^{ins} 12 ^{ins}

in the ground for $\frac{1}{4}$ sec. Cor.

mkd. $\frac{1}{4}$ on N. jaw. and

raised a mound of stones $1\frac{1}{2}$
ft high 2 ft base alongside.

Pits impracticable.

I destroyed my former $\frac{1}{4}$ sec.

cor. 12 lbs. north of line.

43.00 Ridge, bears S. E. & N. W.

55.00 Gulch, course S. E.

76.00 Gulch, course S. E.

80.00 Set Stone $15 \times 10 \times 9$ ^{ins} 10 ^{ins} in

Resurvey of North Body, of
 the ground for cov. to Dec. 5, 6
 31, 32, marked with 5 notches on
 E, and 1 notch on W. edges,
 and raised a mound of stones
 1 1/2 ft high 2 ft base alongside
 Pits impracticable.

I destroyed former Sec. Cov.
 8 Ebs, North of line.

Land Mountainous

Soil 5th rate - rocky

No timber

S. 89° 53' W. on a true line
 bet. Dec. 6 and 31

8. cov Ridge bears ^{va. 13° 19' E.} S. E. and N. W.

4000 Set a stone 14 x 8 x 5 ^{ins} 9 ^{ins}
 in the ground for 1/4 Dec. Cov. marked

T. 5 N. R. 1 E.

$\frac{1}{4}$ on N. face, and raised a mound of stones $1\frac{1}{2}$ ft high 2 ft base alongside, Pits impracticable.

I destroyed my former $\frac{1}{4}$ sec
Cor. 4 lks, north of line

79.80

The Cor. W Tps. 5 & 6 n,
R. 1 E. & 1 W.

Land mountainous

Soil 5th rate

No timber.

August 30th - 1894

General Description.

The lands on each side of this line are uncultivated because of lack of water for cultivation, but with irrigation will produce fair crops of grain and vegetables.

For a more particular description see field notes of Subdivision of T. 5 N. R. 18.

For signature see page 37.

Resurvey of North Bdy.

Survey commenced Aug. 27, 1894
with a Burt Solar compass in
good adjustment.

The joint resurvey of the
Range line bet. ranges 3 & 4
E. T. 3 N. completed August
27th 1894, having shown the N. W.
Cor. of T. 3 N. R. 4 E. to be
5.4 lks. too far North and 5.67
making total length of N. body. 6 miles 4.24 chs.
Chs. too far East it becomes
necessary to resurvey the N.
Body of T. 3 N. R. 4 E.

The falling at the N. W. Cor
of this Sp. being 5.4 lks. or 9
lks. for mile, equals 4'.
As the course of North Boundary

of T. 3 N. R. 4 E.

in original survey was West
the course will now be
 $S. 89^{\circ} 56' W.$ for said body line.

I begin at the newly
established Cor. to Tps. 3 & 4
N. R. 3 & 4 E. and from it
I run

$N. 89^{\circ} 56' E.$ on a true line
bet. Sec. 6 and 31

$N. 13^{\circ} 21' E.$

44.24 Set a post 3 ft long 3 ins.
square with mkd. stone 12 ins. in
the ground for $\frac{1}{4}$ sec. Cor. mkd.
 $\frac{1}{4}$ S. on N. face, dug pits 18 x 18
x 12 ins. E & W. of post $5\frac{1}{2}$ ft
dist. and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base

Resurvey of North road, of
around post. I destroyed the
former $\frac{1}{4}$ Dec. 50 ebs North of line.

84.24 Set a post 4 ft long $4\frac{1}{2}$ in sq.
with mld. stone 12 in. in the
ground for Cor. to Dec. 5. 6. 31. 32
marked with

T. 4 n. S. 32 on n. E.

R. 4 E. S. 5 on S. E.

T. 3 n. S. 6 on S. W. and

S. 31. on N. W. face, with
1 notch on W. and 5 notches on
E. edges. Dig pits $18 \times 18 \times 12\frac{1}{2}$ in
in each Dec. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth 2 ft
high $4\frac{1}{2}$ ft base around post

I destroyed the former Dec.
Cor. 45 ebs. North.

Land level

J. 3 N. R. 4 E.

Soil 1st rate
No timber

N. $89^{\circ} 56' E$. on a true line
bet. Secs. 5 and 32
Va. $13^{\circ} 21' E$

40.00 Set a post 3 ft. long 3 ins. sq.
with mkd. Stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. mkd.
 $\frac{1}{45}$ on N. face, dug pits $18 \times 18 \times$
12 ins. E. & W. of post $5\frac{1}{2}$ ft.
dist. and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post. I destroyed former
 $\frac{1}{4}$ Sec. north of line.

80.00 Set a post 4 ft long 4 ins.
square, with mkd. Stone 12 ins

Resurvey of North Body of
in the ground for cor. to Secs.

11. 5. 32, 33, marked

T. 4 N. S. 33 on N. E.

R. 4 E. S. 4 on S. E.

T. 3 N. S. 5 on S. W. and

S. 32 on N. W. of ams, with
4 notches on E. and 2 notches
on W. edges. Dug pits 18 x 18 x 12
ins. in each Sec, 5 1/2 ft. dist.
and raised a mound of earth
2 ft high 4 1/2 ft base around
post. I destroyed former Sec.
Cor. 36 lks, North

Land level

Soil 1st rate

No timber

T. 3 N. R. 4 E.

N. $89^{\circ} 56' E$, on a true line
bet. Secs. 4 & 33

Va. $13^{\circ} 21' E$.

4000

Set a post 3 ft long 3 ins. sq. with mtd. stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. mtd. $\frac{1}{4}$ S. on N. face, dug pits $18 \times 18 \times 12$ ins. E. & W. of post $5\frac{1}{2}$ ft dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post. I destroyed former $\frac{1}{4}$ Sec. Cor. on N. of line.

8000

Set a post 4 ft long 4 ins square, with mtd. stone 12 ins. in the ground for, Cor. to Secs. 3, 4 33.34, marked

T. 4 N. S. 34 on N. E.

R. 4 E. S. 3 on S. E.

Resurvey of North Body of
 S. 3 N. S. 4 on S. W. and
 S. 33 on N. W. faces. with

3 notches on E. & W. edges.

Dug pits $18 \times 18 \times 12$ ins. in each
 Dec. $5\frac{1}{2}$ ft dist. and raised
 a mound of earth 2 ft high $4\frac{1}{2}$
 ft base around post.

I destroyed the former cor.
 27 lbs. North

Land level

Soil 1st rate

No timber.

N. $89^{\circ} 56' E.$ on a true line
 bet. Decs. 3 and 34

Var. $13^{\circ} 21' E.$

4000 Set a mesquite post 3 ft long

J. 3 N. R. 4 E.

3 ins. sq. with mkd. stone 12^{ins}
in the ground for $\frac{1}{2}$ sec. Cor.
mkd. 25 on N. face. dug pits
18 x 18 x 12 ins, E. & W. of post
5 $\frac{1}{2}$ ft. dist. and raised a
mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$
ft base around post.

I destroyed former $\frac{1}{4}$ sec. Cor N.

8000

Set a mosquito post 4 ft
long 4 ins. sq. with mkd. stone
12 ins. in the ground for Cor. W
Decs. 2, 3, 34, 35, marked

J. 4 N. S. 35 on N. E.

R. 4 E. S. 2 on S. E.

J. 3 S. S. 3 on S. W. and

S. 34 on N. W. faces, with
4 notches on W. and 2 notches
on E. edges. Dug pits 18 x 18 x 12

Resurvey of North Body, of
 ins. in each sec. $5\frac{1}{2}$ ft. dist.
 and raised a mound of earth
 2 ft high $4\frac{1}{2}$ ft base around
 post. I destroyed former
 sec. Cor. 18 lks. north

Land level

Soil 1st rate

No timber

N. $89^{\circ} 56'$ E. on a true line
 bet, secs. 2 and 35

Da, $13^{\circ} 21'$ E.

4000 Set a post 3 ft long 3 ins. square
 with mkd. stone 12 ins. in the ground
 for $\frac{1}{4}$ sec. cor. mkd. $\frac{1}{4}$ S. on N.
 face. dug pits $18 \times 18 \times 12$ ins. E.
 \times W. of post $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth $1\frac{1}{2}$ ft.

J. 3 N. R. 4 E.

high $3\frac{1}{2}$ ft base around post

I destroyed the former $\frac{1}{4}$ sec
cor. on n. of line.

8000

Set a post 4 ft long 4 ins. sq.
with mld. stone 12 ins. in the
ground for Cor. to Secs. 1, 2, 35
36, marked

J. 4 N. S. 36 on N. E.

R. 4 E. S. 1 on S. E.

J. 3 N. S. 2 on S. W. and

S. 35 on N. W. face, with 5
notches on W. and 1 notch on E.
edges. Dig pits 18 x 18 x 12 ins. in
each Sec. $5\frac{1}{2}$ ft dist; and
raised a mound of earth 2 ft
high $4\frac{1}{2}$ ft base around post.

I destroyed the former sec. Cor
9 E. North.

Resurvey of North Body, of

Land level

Soil 2^d rate

No timber

N. $89^{\circ} 56' E$. on a true line

bet. Secs. 1 and 36

Na. $13^{\circ} 21' E$.

4000 Set a post 3 ft long 3 ins. sq. with mkd. stone 12 ins. in the ground for $\frac{1}{4}$ sec. cor. mkd. $\frac{1}{2}$ in on N. face. dug pits $18 \times 18 \times 12$ ins. E. & W. of post $5\frac{1}{2}$ ft dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post.

I destroyed the $\frac{1}{4}$ sec. cor. on N. of line 4 lks. dist.

J. 3 N. R. 4 E.

8000 The Cor. W 3rd & 4th N.
R. 4 & 5 E.

Aug. 27, 1894

General Description

For general description see
field notes of the Subdivision of
this Township.

Ridgely C. Powers
M.S. Deputy Surveyor.

U. S. Surveyor-General's Office,

TUCSON, A. T., Jan: 28th 1885.

The foregoing Field Notes of the Surveys of
 Range line bet. Rs 1 & 2 E. T. 5.
 N. North body of T. 5. N. R. 1. E.
 & North Body T. 3. N. R. 4. E
 of the — Gila and Salt River Meridian
 in Arizona executed by
 Ridgley C. Powers
 U. S. Deputy Surveyor, under his ^{spl Instrs} contract dated
 August 20 1874 & cont. Jan 1. 92.
 having been critically examined, the necessary correc-
 tions and explanations made, the said Field Notes and
 the surveys they describe are hereby approved.

Levi H. Manning
 U. S. Surveyor-General
 for the Territory of Arizona.