Book "J"

60

BOOK II

EAST, WEST AND NORTH BOUNDARIES

T. 25 N, R. 3 E.

1379

BOOK 1379

4-671

FIELD NOTES

GENERAL LAND OFFICE.

60A Concluded, from Book 1446.

Checked C.L.M.

Comp M.D.

Compared C.M.-M.G.
7/9/08

Desc. sheets copied by CMT 4/18/08

Des Sheet Com. by CLD & CMG.
4/28/08.

checked CLD & CMG

BOOK 1379

Index

	76	77	79	81	83	85	
73	6	5	4	3	2	1	61
71	7					12	
69	18		T.25N. R3E.			13	
67	19					24	
65	30					25	
63	31	32	33	34	35	36	

A

40

E. Bdy. of T. 25 N. R 3 E BOOK 1379

No. 1379

North, bet. secs. 1 and 6.

Over rolling land through dense cedar and pinon

8.00 Variation, 13° 37' E.

10.00 Enter scattering cedar and pinon

36.00 Enter dense cedar and pinon.

40.00 Set a sand stone 14 x 12 x 6 ins. 10 ins. in the ground for ¼ sec. cor. mkd. ¼ on W. face, from which

A pinon, 6 ins. in diam; bears N. 9° 25 E. 31 lks. dist., mkd. ¼ S 6 B T.

A pinon, 6 ins. in diam., bears N. 78° 55' W. 100 lks. dist., mkd ¼ S 1 B T.

80.00 Set a sand stone 20 x 10 x 6 ins 15 ins. in the ground for cor. ~~Tps 25 and 26 N Rs 3 and 4 E~~ of ~~secs 1, 6, 31 and 36~~ mkd. with 6 notches on N.E. W. and

E. Bdy. of T. 25 N. R. 3 E.

~~and S. edges;~~ each edge ½ from which

A cedar, 6 ins. in diam., bears N. 52° 10' E. 319 lks. dist., mkd T 26 N R 4 E S 31 B T.

A cedar, 6 ins. in diam., bears S. 30° 40' E. 28 lks. dist., mkd T 25 N R 4 E S 6 B T.

A pinon, 5 ins. in diam., bears S. 34° 37' W. 76 lks. dist., mkd T 25 N R 3 E S 1 B T.

A cedar 4 ins. in diam., bears N. 24° 53' W. 78 lks. dist., mkd T 26 N R 3 E S 36 B T.

Land, rolling.

Soil, stony; 3rd and 4th. rate.

Timber, cedar and pinon, 50 chs.

Nov. 6. 1902

W. Bdy. of T. 25 N. R 3 E.

Nov. 7, At 8 a.m. I m.t. I set off 16°5'30"E on decl. arc, 35°28' on lat. arc and with the solar determine a true meridian at the ~~the magnetic bearing of the same meridian is N 13° W. which is reduced by the table on page 100 of the manual gives the mean mag. dec. 21° 54' E~~ S.C. to Tps. ~~24 and~~ 25 N. Rs 2 and 3 E. previously described.

Thence I run

North. bet. secs. 31 and 36

Descend N.E. slope of hill through dense cedar and pinon.

17.05 Road. bears N.W. and S.E.

19.00 Foot of 100 ft. descent, bears N.W. and S.E. Thence over nearly level land.

20.00 Leave dense cedar and pinon, enter scattering cedar and pinon and dense chico and buck brush

40.00 Set a lime stone 18 x 12 x 10 ins. 12 ins. in the ground for ¼

W. Bdy. of T. 25 N. R. 3 E.

BOOK 1379

sec. cor. mkd 4 on W. face; raise a mound of stone 2 ft. base 1½ ft. high W. of cor., from which A cedar, 16 ins. in diam., bears S. 89° 30' E. 114 lks. dist., mkd 4 S 31 B T. No other trees in limits suitable for bearing trees.

80.00 Set a sand stone 20 x 20 x 8 ins. 15 ins. in the ground for cor of secs. 25, 30 31 and 36; mkd. with 5 on N. and 1 notch on S. edges; dig pits 18 x 18 x 12 ins in each sec: 5½ ft dist; and raise a mound of earth 4 ft. base, 2 ft. high W. of cor; from which A cedar, 20 ins. in diam., bears S. 58° 53' E. 338 lks. dist mkd T 25 N R 3 E S 31 B T.

No other tree in limits

Land, rolling and mountainous.

W. Bdy of T. 25 N. R 3 E

Soil, stony; 3rd and 4th rate
Timber, cedar and pinon.
Mountainous land or land covered with dense cedar pinon or buck and chico brush 80 chs.

North, bet. secs. 25 and 30
Over rolling land through scattering cedar, pinon and dense chico and buck brush.

11.65 Bottom of ravine, 2 chs. wide, 30 ft. deep, course N.W.

40.00 Set a malapais stone 20 x 14 x 6 ins. 7 ins. in the ground and in a mound of stone can not set deeper. mkd 1/4 on W. face; raise a mound of stone 2 ft base, 1 1/2 ft high W. of cor. pits impracticable. No trees in limits

W. Bdy. of T. 25 N. R. 3 E.

BOOK 1379

suitable for bearing trees.

80.00 Set a malapais stone 22 x 14 x 10 ins. 15 ins. in the ground for cor. of secs. 19 24 25 and 30 mkd with 4 notches on N. and 2 notches on S. edges; raise a mound of stone 2 ft. base, 1½ ft. high W. of cor., from which

P. B. impracticable

A pinon, 8 ins. in diam., bears N. 4° 40' E. 73 lks. dist., mkd T 25 N R 3 E S 30 B T. 19

As other trees in limits suitable for bearing trees.

Land rolling.

Soil, stony; 3rd and 4th rate.

Timber, scattering cedar pinon and dense chico and buck brush 80 chs

Clouds at noon prevent taking latitude observation.

W. Bdy. of T. 25 N. R 3 E.

North, bet. secs. 19 and 24
Over rolling land through
scattering cedar, pinon and
dense chico and buck brush.

40.00 Set a malapais stone 20 x 14 x 8
ins. 15 ins. in the ground
for ¼ sec. cor. mkd ¼ on W.
face; from which
A pinon, 8 ins. in diam.,
bears N. 49° 50' W. 55 lks. dist.,
mkd ¼ S 24 B T.
A pinon, 20 ins. in diam.,
bears N. ~~11°~~ 79° 00' 12' E. 222 lks. dist.,
mkd ¼ S 19 B T.

53.00 Bottom of ravine, 2 chs. wide, 40
ft. deep course ~~N.W.~~ S E

80.00 Set a malapais stone 24 x 14 x 8
ins. 16 ins. in the ground for
cor. of secs. 13, 18, 19 and 24

W. Bdy. of T. 25 N. R. 3 E.

mkd. with 3 notches on N. and S. edges; dig pits 18 x 18 x 12 ins in each sec. 5½ ft. dist., raise a mound of earth 4 ft. base, 2 ft. high W. of cor. No trees in limits suitable for bearing trees.

Land, rolling.

Soil, stony; 3rd and 4th rate.

Timber, scattering cedar, pinon or dense chico and buck brush 80 chs.

Nov. 7, 1902.

Nov. 8. At 8 A M. l. m. t. I set off 16° 23' S. on the decl. arc, 35° 31' on the lat arc and with the solar determine a true meridian.

Thence I run

North, bet. secs. 13 and 18.

Over rolling land through scattering cedar, pinon and dense chics and buck brush.

40.00 Set a malapais stone 20 x 14 x 6 ins. 15 ins. in the ground for ¼ sec. cor. mkd. ¼ on W. face; from which

A pinon, 8 ins. in diam., bears S. 72° 35' E. 162 lks. dist., mkd. ¼ S 18 B T.

A pinon, 10 ins. in diam., bears S. 34° W. 134 lks. dist., mkd. ¼ S 13 B T.

80.00 Enter dense cedar and pinon, bears E. and W.

80.00 Set a malapais stone 18 x 14 x 8 ins. 12 ins. in the ground for cor. of secs. 7, 12, 13 and 18 mkd. with 2 notches on N.

W. Bdy. of T. 25 N. R 3 E.

and 4 notches on S. edges;
from which
A cedar, 10 ins. in diam.,
bears N. 53° 45' E. 119 lks. dist.,
mkd T 25 N R 3 E S 7 B T.
A pinon, 12 ins. in diam.,
bears S. 20° 50' E. 13 lks. dist.,
mkd. T 25 N. R ~~2~~ 3 E. S ~~13~~ 18 B T.
A pinon, 12 ins. in diam.,
bears S 50° W. 155 lks. dist.,
mkd T 25 N R 2 E S 13 B T.
A pinon 8 ins. in diam.
bears N. 22° 18' W. 108 lks. dist.,
mkd T 25 N R 2 E S 12 B T.
Land, rolling.
Soil, stony and sandy 3rd and 4th rate.
Timber, dense cedar, pinon and
shico and buck brush. 80 chs.

North, bet. secs. 7 and 12
Over rolling land through
dense cedar, pinon and chico
and buck brush.

37.00 Ravine, course N.W. 4 chs. wide,
50 ft. deep.

40.00 Set a sand stone 18 x 18 x 14 ins.
12 ins. in the ground for 1/4
sec. cor. mkd 1/4 on W. face;
from which
A pinon, 8 ins. in diam.,
bears S. 87° 25' E 63 lks. dist.,
mkd 1/4 S 7 B T.
A cedar, 10 ins. in diam.,
bears N. 53° 41' W. 218 lks. dist.,
mkd 1/4 S 12 B T.
Now 8. at this cor. at 11h 43' 49"
A.M. l. m t. I set off 16° 27' 30"
on deck arc and obtain

BOOK 1379

the sun on the meridian. The resulting latitude is 35° 32' which is the latitude nearly.

60.30 Drain, course W.

75.00 Leave dense cedar and pinon. Enter scattering cedar and pinon

80.00 Set a lime stone 12x12x6 ins. 8 ins. in the ground for cor of secs. 1, 6 7 and 12.. mkd with 1 notch on N. and 5 notches on S. edges; dig pits 18x18x12 ins in each sec. 5 ½ ft. dist. and raise a mound of earth 4 ft. base, 2ft high W. of cor. No trees in limits suitable for bearing trees.

Land rolling.

Soil, stony; 3rd. and 4th. rate.

Timber, dense cedar pinon

or chics and buck brush 88 chs.

North, bet. secs. 1 and 6
Over rolling land through scattering cedar, fir and dense chics and buck brush.

40.00 Set a lime stone 18 x 12 x 5 ins. 12 ins. in the ground for ¼ sec. cor. mkd. ¼ on W. face; from which
A cedar, 10 ins in diam., bears S. 8° 20' W. 119 lks. dist., mkd ¼ S 1 B T.
A cedar, 12 ins. in diam., bears S. 88° 30' E. 197 lks. dist., mkd ¼ S 6 B T.

42.00 Leave scattering timber into open country covered with dense chics and buck brush bears E and W.

74 W. Bdy. of T. 25 N. R. 3 E.

BOOK 1379

80.00 Set a lime stone 22 x 18 x 8 ins.
15 ins in the ground for cor of
T's 25 and 26 N. R's 2 and 3 E. marked with
6 notches on each edge
~~N. E. S. and W. edges~~.
raise a mound of stone 3 ft. base,
1½ ft high S. of cor.
Nov. 8, 1902

N. Bdy. of T. 25 N. R 3 E.

Nov 10 at 8 A M I m. t. I set off 16° 57' 30" S. on decl. arc 35° 33' N on lat. arc and with the solar determine a true meridian at the cor of Tps 25 and 26 N. Rs 3 and 4 E.

Thence I run

N. 89° 43' W. on a random line along N. bdy. of T. 25 N. R 3 E. setting temporary 1/4 sec. and sec. corners at intervals of 40 chs. and at 481.26 chs. intersect W. bdy. of the Tp. 45 lks S. of the cor. of Tps 25 and 26 N. Rs 2 and 3 E. previously described. The following answers to a correction of 0° 03' or 7 lks S. per mile counting from the N. E. cor of the Tp.

Thence I run

N. Bdy. of T. 25 N. R 3 E.

S. 89°40' E. bet. secs. 6 and 31 marking and blazing true line. Over rolling land through dense chico and buck brush.

7.00 Enters scattering cedar and pinon bears N. and S.

41.26 Set a lime stone 14 x 10 x 8 ins 10 ins. in the ground for ¼ sec. cor. mkd ¼ on N. face; dig pits 18 x 18 x 12 ins. E and W. of cor. 3 ft. dist; raise a mound of earth 3 ½ ft base 1½ ft high N. of cor. No trees in limits suitable for bearing trees.

81.26 Set a lime stone 22 x 15 x 8 ins. 14 ins. in the ground for cor. of secs. 5, 6 31 and 32 mkd. with 5 notches on E and 1 notch on W. edges; dig pits

18 x 18 x 12 ins. in each sec. 52 ft. dist; raise a mound of earth 4 ft. base 2 ft high W. of cor. No trees in limits suitable for bearing trees.

Land, rolling.

Soil, stony; 3rd. and 4th. rate.

Timber, scattering cedar, pinon and dense chico and buck brush

81.26 chs.

At this cor at $11^h 43' 58''$ A.M. l.m.t. I set off $17° 02'$ S on decl. arc and observe the sun on the meridian. The resulting latitude is 35° 39' N which is the latitude nearly.

S. 89° 40' E. bet. secs 5 and 32 Over rolling land through

scattering cedar, pinon and dense chico and buck brush.

40.00 Set a lime stone 12 x 8 x 6 ins 8 ins. in the ground for ¼ sec. cor. mkd. ¼ on N. face; dig pits 18 x 18 x 12 ins. E. and W. of cor. 3 ft. dist; and raise a mound of earth 3½ ft. base, 1½ ft high N. of cor. No trees in limits suitable for bearing trees.

80.00 Set a lime stone 12 x 10 x 6 ins. 8 ins. in the ground for cor. of secs. 4, 5, 32 and 33. mkd with 4 notches on E. and 2 notches on W. edges, from which A cedar, 5 ins. in diam bears N. 44° E. 113 lks. dist., mkd T 26 N R 3 E S 33 B T A cedar, 6 ins. in diam.,

bears S. 20° E. 242 lks. dist.,
mkd. T 25 N R 3 E S 4 B T.
A cedar, 6 ins. in diam.,
bears S. 76° 45' W. 242 lks. dist.,
mkd. T 25 N R 3 E S 5 B T.
A cedar, 6 ins. in diam.,
bears N. 59° 40' W. 125 lks. dist.,
mkd T 26 N R 3 E S 32 B T.
Land, rolling.
Soil, stony; 3rd. and 4th. rate.
Timber, scattering cedar, pinon,
buck and chico brush 80 chs.

S. 89° 40' E. bet. secs. 4 and 33
Over rolling land through
scattering cedar, pinon and
dense chico and buck brush.
40.00 Set a lime stone 15 x 12 x 8 ins.
10 ins. in the ground for

N. Bdy. of T. 25 N. R. 3 E.

BOOK 1379

¼ sec. cor. mkd. 4 on N. face; dig pits 18 X 18 X 12 ins. E and W. of cor. 3 ft. dist., raise a mound of earth 3 ± ft. by 1 ± ft. N. of cor. No trees in limits suitable for bearing trees

80.00 Set a lime stone 14 X 10 X 8 ins. 10 ins in the ground for cor. of secs. 3, 4, 33 and 34 mkd with 3 notches on E and W. edges. dig pits 18 X 18 X 12 ins in each sec. 5 ± ft. dist; raise a mound of earth 4 ft. base 2 ft. high W. of cor. No trees in limits suitable for bearing trees

Land, rolling.

Soil, 3rd and 4th. rate. stony.

Timber, scattering cedar, pinon and dense chico and buck

brush 80 chs.

Nov. 10, 1902

Nov. 11. At 8 A M I. m. t. I set off ~~17° 17' 30"~~ 17° 14' 30" S. on decl. and 35° 33' N on lat arc and with the solar determine a true meridian.

Thence I run.

S. 89° 40' E. bet. secs. 3 and 34

Over rolling land through scattering cedar, pinon and dense chico and buck brush.

40.00 Set a sand stone 14 X 10 X 6 ins. 10 ins. in the ground for ¼ sec. cor. mkd ¼ on N. face; dig pits 18 X 18 X 12 ins. E and W. of cor. 3 ft. dist., raise a

mound of earth 3½ ft. base
1½ ft. high N. of cor. No trees
suitable for bearing trees in limits

5 00.00 Enters dense cedar and pinon.
bears N.W. and S.E.

7 00.00 Enters scattering cedar and
pinon; bears N. and S.

8 00.00 Set a malapais stone 18 x 14 x
8 ins., 12 ins. in the ground
for cor of secs. 2, 3, 34 and
35 mkd. with 2 notches on
E. and 4 notches on W. edges;
dig pits 18 x 18 x 12 ins in
each sec. 5½ ft. dist., raise
a mound of earth 4 ft base
2 ft. high W. of cor. No trees
in limits suitable for
bearing trees.
Land rolling.

N. Bdy. of T. 25 N. R 3 E

Soil, stony and sand
3rd and 4th rate.
Timber, scattering and dense
cedar, pinon and dense
chico and buck brush 80 chs.

V

S. 89° 40' E. bet. secs. 2 and 35
Over rolling land through
scattering cedar and pinon
and dense chico and buck brush.

18.00 Enter dense cedar and pinon

30.00 Enter scattering cedar and
pinon bears N. and S.

40.00 Set a malapais 20 x 8 x 6 ins.
14 ins in the ground for
¼ sec. cor. mkd. ¼ on N. face;
dig pits 18 x 18 x 12 ins E. and
W. of cor. 3 ft. dist.. raise a
mound of earth 3½ ft. base

1½ ft. high N. of cor. No trees in limits suitable for bearing trees.

60.00 Entry dense cedar and pinon, bears N. and S.

80.00 Set a malapais stone 20 x 12 x 6 ins 14 ins. in the ground for cor of secs. 1, 2, 35 and 36. mkd with 1 notch on E and 5 notches on W. edges; from which

A pinon 10 ins. in diam., bears N. 60° 17' E 8 7 lks. dist., mkd T 26 N R 3 E S 3 6 B T.

A pinon 10 ins. in diam. bears S. 59° 15' E. 121 lks. dist. mkd. T 25 N R 3 E S 1 B T.

A pinon 14 ins. in diam. bears S. 10° 57' W. 164 lks. dist.,

mkd T 25 N R 3 E S 2 B T.
A pinon, 10 ins. in diam,
bears N. 32° 45' W. 5 2 lks. dist.,
mkd. T 26 N R 3 E S 35 B T.
Land, rolling.
Soil, stony; 3rd. and 4th. rate.
Timber, dense or scattering
cedar and pinon or dense
chico and buck brush 80 chs.

S. 89° 40' E. bet. secs 1 and 36
Over rolling land through
dense cedar and pinon.
40.00 Set a malapais stone 18
X 10 X 6 ins. 12 ins. in the
ground for ¼ sec. cor. mkd
¼ on N. face; from which
A cedar 12 ins. in diam,
bears N. 75° 55' E 9 4 lks. dist.,

N. Bdy. of T. 25 N. R. 3 E.

mkd. ¼ S 36 B T.

A cedar 14 ins. in diam., bears S. 12° 55' E. 39 lks. dist., mkd. ¼ S 1 B T.

80.00 The cor. of Tps. 25 and 26 N. Rs 3 and 4 E.

Land, rolling.

Soil, stony; 3rd and 4th rate.

Timber, dense cedar and pinon 80 00 chs.

Nov 11, 1902.

East Bdy. Tp. 25 N. R. 3 E.

General Description.

The lands along the East boundary of township 25 N. R. 3 E. is very rough broken and mountainous, of a lava and volcanic formation, drained by numerous ravines and small rough canons.

It is covered with a dense growth of scrubby cedar and pinon, which is worthless for commercial purposes, but serve to hold snow and conserve rainfall in a limited way, causing the grass to grow if but sparsely which would otherwise be almost barren.

No mineral deposits of any kind were found, and there are no settlers or improvements.

No permanent water supply, such as springs, reservoirs etc.

The land is chiefly valuable for grazing.

J. Carl Caudle
U. S. Deputy Surveyor.

88

North Bdy. T. 25 N. R. 3 E.

General Description

BOOK 1379

The lands along the north boundary of township 25 N., R. 3 E., are mountainous and rolling, covered for the most part by scrubby cedar and pinon timber, which is worthless for commercial purposes, but serve to retain the snow and rainfall. A sparse growth of grass covers most of the land, which renders it chiefly valuable for grazing.

There are no settlers nor any improvements of any kind, nor are there any streams or springs.

No mineral deposits of any kind were discovered. The formation is volcanic in the eastern part and limestone in the middle and western part.

Carl R. Caudle
U. S. Deputy Surveyor

West Bdy. Tp. 25 N., R. 3 E.

General Description

The lands along the west boundary of Township 25 N. R. 3 E. are mountainous and rolling, covered partly by a scrubby growth of cedar and pinon, which are worthless for commercial purposes and are not extensive enough to conserve the snow and rain fall. A sparse growth of grass covers most of the land which renders it chiefly valuable for grazing purposes.

The formation is lava and limestone, and no mineral deposits of any kind were discovered.

There are no settlers or any improvements of any kind.

There are no streams or springs along this boundary.

Carl R. Gaudy
U. S. Deputy Surveyor

90

No. 1379

Observation for latitude

BOOK 1379

AMP
91

1379

Boundaries of Latitudes, Departures

BOOK

Line Designated	True Bearing	Distance chs.
E. Bdy. T. 25 N. R. 3 E.	North	480.00
N. Bdy. T. 25 N. R. 3 E.	N. 89°40' W.	481.26
W. Bdy. T. 25 N. R. 3 E.	South	480.00
6th St. Par. North, & S. Bdy. T. 25 N. R. 3 E.	Easterly	
	S. 89°19' E.	39.92
	S. 89°24' E.	39.87
	N. 89°57' E.	40.29
	S. 88°48' E.	40.37
	S. 88°30' E.	40.08
	N. 89°03' E.	40.18
	S. 88°54' E.	40.28
	N. 89°19' E.	40.26
	N. 89°55' E.	40.20
	S. 89°46' E.	40.31
	S. 89°23' E.	39.65
Convergency	S. 89°55' E.	40.40
	Totals	
	Error in Latitude	

Tp. 25 N., R. 3 E.
and Closing Error.

Latitudes		Departures	
N.	S.	E.	W.
480.00			
2.80			481.26
	480.00		
	.48	39.92	
	.43	39.87	
.09		40.29	
	1.21	40.37	
	1.05	40.08	
.63		40.18	
	.77	40.28	
.48		40.26	
.73		40.20	
	.16	40.31	
	.43	39.65	
	.06	40.40	.57
484.76	484.59	481.81	481.77
484.73			
	.17	Error in Dep.	.04
	.14		

Marion Gaudle
U.S. Deputy Surveyor

Carl R. Gaudle
U. S. Deputy Surveyor.

LIST OF NAMES.

A list of the names of the individuals employed by Carl
Candle and Marvin Candle
United States Deputy Surveyor, to assist in running, measurin
marking the lines and corners described in the foregoing field n
the survey of the Exterior boundaries
Tps. 2 N. R. 9 E. & 2 5 N. R. 3

of the Gila and Salt River Base and Meridian, in the Territory of Ari-
zona, showing the respective capacities in which they acted.

Ellery Knowles, Chainman.
J. H. Cone Jr., Chainma
, Chainma
, Chainm
Philip Kinsey, Axman
A. H. Marshall, Axman
Willis E. Owens, Flagma

FINAL OATH OF ASSISTANTS.

I hereby certify that we assisted Carl R. E. Marvin Candle
U. S. Deputy Surveyor, in surveying all those parts or portions
of exterior boundaries of Tps.
ng, and R. 9 E. Es 25 N. R. 3 E.
notes of
,
Co.

BOOK 1379

of and Salt River Base and Meridian, in the Territory of Ari-
zona represented in the foregoing field notes as having been sur-
veyed by me and under his direction; and that said survey has been
made, to the best of our knowledge and belief, well and faith-
fully surveyed, and the corner monuments established according to the
instructions furnished by the United States Surveyor-General for
Arizona.

Ellery Knowles, Chainman.
W. Lee, Chainman.
, Chainman.
, Chainman.
Phillip Hiss, Axman.
A. H. Marshall, Axman.
Willis E. Owen, Flagman.

Subscribed and sworn to before me this 6th day
of December, 1902.

Carl R. Candle
U. S. Deputy ~~Notary Public.~~ Surveyor

Marvin Candle
U. S. Deputy Surveyor

FINAL OATH OF UNITED STATES DEPUTY SURVEYO

95

I, Earl R. E. Marvin Caudle, United

Deputy Surveyor, do solemnly swear that in pursuance of a co

received from Hugh K. Price, United

Surveyor-General for Arizona, bearing date of the thirtie

day of June, 1902; I have well, faithfull

truly, in my own proper person, and in strict conformity wi

instructions furnished by the United States Surveyor-General f

zona, the Manual of Surveying Instructions, and the laws of the

States, surveyed all those parts or portions of the Extern

boundaries of Tps. 21 N. R. 9 E. a

25 N. R. 8 E.

BOOK 1379

of the Gila and Salt River Base and Meridian, in the Territory

zona, as are represented in the foregoing field notes as having be

veyed by me and under my direction; and I do further solemnly

that all the corners of said survey have been established and p

strict accordance with the Manual of Surveying Instructions, the instructions of the United States Surveyor-General for Arizona, the specific manner described in the field notes, and that the fore- are the TRUE field notes of such survey; and should any fraud be ed I will suffer the penalty of perjury, under the provisions of of Congress approved August 8, 1846.

Marvin Goudle
Carl Goudle

U. S. Deputy Surveyor.

scribed and sworn to before me this 31st day
December, 1902

J. M. Finnigan
Clerk District Court

b150-8-02

BOOK 1379

For Authority of Red Ink corrections
see Debuhjo Letters of Oct- 1st, 19th &
30th 1903

BOOK 1379 98

A P P R O V A L.

Office of the

United States Surveyor-General,

Phoenix, Arizona.

Feb. 18 - 1904

The foregoing field notes of the survey of the E. W. & N. Bdries of T. 28 N. R. 3 E. & N. E & W. Bdries of T. 21 N. R. 9 E.

of the Gila and Salt River Base and Meridian, in the Territory of Arizona.

Executed by Candle & Candle

United States Deputy Surveyor, under his contract No. 97, dated June 30 1902, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frank A. Ingalls

U. S. Surveyor-General.