

See Index

FIELD-NOTES

OF
The *the Retracings of* *Cateron* Lines of

Township *21 North* Range *2 East*
Township *22 North*
Range *3 East*

Gila and Salt River Meridian, *Arizona*.

No. 1388

BY

BOOK 1888

W. R. Fitzgerald Deputy Surveyor,

under his contract of *July 27th* 188*2*.

Survey commenced *January 13th* 188*3*.

Survey completed *January 16th* 188*3*.

Plat'd by

No. 1388

188

made for Washington by

188

Copied for Register by

1388

Plat'd
Copied
Completed
Indisput

Indy

BOOK 1388

Retracings of	Page.
East Bdy T 21 N. - R. 2, E. 1	
and	
South " T. 22 N. R 3 E. 12.	

BOOK 1388

6	5	4	3	2	1	6	5	4	3	2	1	
7	8	9	10	11	12	7	D. 22 M.				11	12
18	17	$\frac{17}{M}$	15	14	13	18	W. M. B. C.				14	13
20	20	BOOK 1388				20	21	22	23	24		
30	30	30	27	26	25	30	29	28	27	26	25	
31	32	33	34	35	36	31	32	33	34	35	36	
						12	13	15	17	15	20	
6	5	4	3	2	1							
						10						
7	8	9	10	11	12							
18	17	$\frac{17}{M}$	15	14	13							
20	20	21	22	23	24							
30	30	30	27	26	25							
31	32	33	34	35	36							

and description of instruments used
 For Preliminary Catalogue
 Band No. 1

E. boundary T. 21 N., R. 2 E., S. 1/2 S. R. M.

No. 1388

Chain

Before proceeding with the retracing of this boundary, I made a change of 10 minutes in the latitude arc of my solar compass, by subtracting same from the reading previously given and at noon, verified and corrected same, by observation on the sun. I also further tested instrument by reversing.

From the Standard Cor. to Tps. 21 N., R. 2nd E. 3 E., previously described, by me I run

North on a random line, bet. secs. 31st & 36.

Wa. $14^{\circ}45'$ East.

Descend gradually.

- 2. 30 A Yellow Pine, 20 ins. dia.
- 3. 90 Enter Flat, bears E. ^{1/2} W.
- 14. 70 Lean Flat, bears N. W. ^{1/2} S. E. ^{1/2} ascends.
- 39. 95 To old 14 sec. cor., which is a post, set firmly in the ground, marked 14 S. on W. face, with a mound of stone

E. boundary T. 21 N., R. 2 E., S. 25 R. M.

Shanis.

around post, in good order;

from which bears:

A Yellow Pine, 48 ins. dia., N. 65° W., 55 lks. dist.,
marked 14 S. B. T.A Yellow Pine, 20 ins. dia., S. 77° E., 30 lks. dist.,
marked 14 S. B. T.46.00 Top of spur, bears N. 40° W. ^{2nd} S. 40° E. ^{2nd} descend.

58.75 A Yellow Pine, 40 ins. dia.

59.80 A Yellow Pine, 36 ins. dia.

61.00 Cross road, bears N. 30° W. ^{2nd} S. 30° E.79.94 To old cor. to sec. 25, 30, 31 ^{2nd} 36, which
is a post, set firmly in the ground, marked
T. 21 N., S. 30 on N. E.

R. 2 E., S. 31 on S. E.

R. 2 E., S. 36 on S. W. ^{2nd}S. 25 on N. W. face, with 1 notch on
S. ^{2nd} 5 notches on N. edges, and astone mound, in good order,
around post; from which bears:A Yellow Pine, 40 ins. dia., N. 74° W., 70 lks. dist.,
marked T. 21 N., R. 2 E., S. 25 R. T.

E. boundary T. 21 N., R. 2 E., S. 36 R. V.

Chains

A Yellow Pine, 36 ins. dia., S. 77° E., 69 lks. dist.,
marked T. 21 N., R. 3 E., S. 31 R. V.

A Yellow Pine, 36 ins. dia., S. 61° W., 130 lks. dist.,
marked T. 21 N., R. 2 E., S. 36 R. V.

Land mountainous and rolling.

Soil 3rd rate.

Timber of Pine and Oak.

Vegetation, bunchgrass and sagelike.

North on a random line, bet. secs. 25 & 30,
T. 14th 45' East.

Descend.

39.94 To old 14 sec. cor., which is a post
set firmly in the ground, marked
14 S. on W. face, with a stone
mound, in good order, around
post; from which bear:

a Yellow Pine, 40 ins. dia., S. 27° E., 68 lks. dist.,
marked 14 S. R. V.

a White Oak, 20 ins. dia., N. 44° W., 49 lks. dist.,
marked 14 S. R. V.

E. boundary T. 21 N., R. 2 E., G. & W. R. M.

Lohains

79.96 To a point 23 lks. East of old ar.
to secs. 19, 24, 25th & 30, which is a
spot, set firmly in the ground, marked
T. 21 N., S. 19 or N.E.

R. 3 E., S. 30 or S.E.

R. 2 E., S. 25 or S.W.th

S. 24 on N.W. faces, with 2 notches
on S.th & 4 notches on N. edges and a
mound of stone, in good order, around
spot; from which bears:

A yellow Pine, 24 ins. dia, N. 80° E., 67 lks. dist,
marked T. 21 N., R. 3 E., S. 19 B. V.

A yellow Pine, 20 ins. dia, S. 80° E., 160 lks. dist,
marked T. 21 N., R. 3 E., S. 30 B. V.

A yellow Pine, 36 ins. dia, S. 72° W., 28 lks. dist,
marked T. 21 N., R. 2 E., S. 25 B. V.

A yellow Pine, 30 ins. dia, N. 29 1/2° W., 39 lks. dist,
marked T. 21 N., R. 2 E., S. 24 B. V.

The return course is therefore S. 20° E.

Land rolling. Soil 3rd rate.

Timber of Pine. Vegetation, bunchgrass.

E. boundary T. 21 N., R. 2 E., S. 1 and S. R. M.

Chains,

North and random line, bet. secs. 19th & 24th,
 Var. 14° 45' East.

Ascend gradually.

40.00 To old '74 sec. cor., which is a post,
 set firmly in the ground, marked
 '74 S. or W. fac; with a stake wound
 in good order, around post;

from which bear:

A White Oak, 10 ins. dia, S. 54° E., 32 lks. dist,
 marked '74 S. B. V.

A White Oak, 12 ins. dia, N. 54° W., 52 lks. dist,
 marked '74 S. B. V.

64.00 Top of Spur, bear N. 20° W. $\frac{1}{2}$ S. 20° E. $\frac{1}{2}$ descend.

79.95 To old cor. to secs. 13, 18, 19th & 24th,
 which is a post, set firmly in the
 ground, marked

T. 21 N., S. 18 or N. E.

R. 2 E., S. 19 or S. E.

R. 2 E., S. 24 or S. W. $\frac{1}{2}$ N.

S. 13 or N. W. facing, with 3 notches
 on N. and S. edges; pits in each

E. boundary T. 21 N., R. 2 E., S. 1/4 S. R. 11.

Chains

see, 5 1/2 ft. dist. and a mound of earth, in good order, around post;

From which bars:

A yellow Pine, 40 ins. dia, N. 80° E., 131 lks. dist.,
marked T. 21 N., R. 3 E., S. 18 B. 7.

A yellow Pine, 15 ins. dia, S. 61 1/2° E., 40 lks. dist.,
marked T. 21 N., R. 3 E., S. 19 B. 7.

A yellow Pine, 20 ins. dia, S. 5° W., 40 lks. dist.,
marked T. 21 N., R. 2 E., S. 24 B. 7.

A yellow Pine, 36 ins. dia, N. 33 1/2° W., 163 lks. dist.,
marked T. 21 N., R. 2 E., S. 13 B. 7.

Land rolling ^{to} mountains.

Soil 3rd rate.

Timber of Pine - heavy.

Vegetation, bunch grass & sagebrush.

North on a random line, bet. secs. 18 & 18.

Var. 14° 45' East.

Descend.

25.00 Enter Flat, bear E. & W.

39.98 To old 14 sec. cor., which is a post

E. boundary T. 21 N., R. 21 E., S. 7 N. A. R. M.

Chains

set firmly in the ground, marked
14 S. on W. face, with pits in good
order, N. and S. of post, 5 1/2 ft. dist.,
and a mound of earth of correct
size, around post.

51.00 a Basin, bears W., 180 lks. dist.

58.00 Cross road, bears N. 40° E. and S. 40° W.

79.96 To old cor. to sec. 7, 12, 13 and 18,
which is a post, set firmly in the
ground, marked

T. 21 N., S. 7 on N. E.

R. 3 E., S. 18 on S. E.

R. 3 E., S. 13 on S. W. and

S. 12 on N. W. faces, with 4 notches
on S. and 2 notches on N. edges; with
pits, in good order, in each sec.,
5 1/2 ft. dist, and a mound of earth
of regular size, around post;

from which bears:

a Yellow Pine, 30 ais. dia, N. 77° E., 60 lks. dist.,
marked T. 21 N., R. 3 E., S. 7 B. C.

E. boundary T. 21 N., R. 2 E., G. W. & R. M.

Chamis

A Yellow Pine, 40 ins. dia., N. 12° E., 81 lks. dist.,
marked T. 21 N., R. 2 E., S. 18 B. V.

A Yellow Pine, 36 ins. dia., N. 25° W., 108 lks. dist.,
marked T. 21 N., R. 2 E., S. 18 B. V.

A Yellow Pine, 36 ins. dia., N. 60° W., 50 lks. dist.,
marked T. 21 N., R. 2 E., S. 18 B. V.

Land rolling.

Soil 2nd and 3rd rates.

Heavy timber of Pine.

Vegetation, bunchgrass & sagebrush.

North on a random line, bet. secs. 7 & 12.

Sta. 14° 45' East.

Around.

14.00 Top of Ridge, bears N. 45° E. & S. 45° W. & descend.

40.00 To old 1/4 sec. cor., which is a post
set firmly in the ground, marked
1/4 S. on W. face, with pits in good
order, N. and S. of post, 5 1/2 ft. dist., and
a mound of earth of requisite size,
around post; from which bears:

E. boundary T. 21 N., R. 2 E., G. & S. R. M.

Lehans

A yellow Pine, 36 ins. dia., S. 77° W., 44 lks. dist.,
marked '14 S. B. T.

A yellow Pine, 40 ins. dia., N. 47° W., 50 lks. dist.,
marked '14 S. B. T.

45.00 Cross Wash, 20 lks. wide, course N. 60° E. ascend.

60.00 Top of Ridge, cross N. 70° E. 2^{nd} S. 70° W. descend.

80.00 To old cor. to sec. 1, 6, 7th & 12, which
is a post, set firmly in the ground,
marked T. 21 N., S. 6 on N. E.

R. 3 E., S. 7 on S. E.

R. 2 E., S. 12 on S. W. 2^{nd}

S. 1 on N. W. face, with 5 notches
on S. 2^{nd} & 1 notch on N. edges and a
stone mound, in good condition,
around post; from which bears:

A yellow Pine, 30 ins. dia., N. 55° E., 74 lks. dist.,
marked T. 21 N., R. 3 E., S. 6 R. T.

A yellow Pine, 40 ins. dia., S. 20° E., 93 lks. dist.,
marked T. 21 N., R. 3 E., S. 7 R. T.

A yellow Pine, 40 ins. dia., S. 76° W., 67 lks. dist.,
marked T. 21 N., R. 2 E., S. 12 R. T.

E. boundary T. 21 N., R. 2 E., S. 1 B. T.

Chains

A Yellow Pine, 30 mis. dia., N. 87 1/4 W., 22 lks. dist.,
marked T. 21 N., R. 2 E., S. 1 B. T.

Land rolling.

Soil 2nd and 3rd rate.

Heavy timber of Pine.

Vegetation, bunchgrass and sagebrush.

North on a random line, bet. secs. 1 & 6.

Wa. 14° 45 East.

Descend.

22.00 A Yellow Pine, 24 mis. dia.

39.95 To old 14 sec. cor., which is a post,
set firmly in the ground, marked
14 S. on W. face, with a stone
around, in good order, around post;

from which bears:

A Yellow Pine, 20 mis. dia., N. 75 E., 23 lks. dist.,
marked 14 S. B. T.

A Yellow Pine, 30 mis. dia., S. 61 1/2 W., 18 lks. dist.,
marked 14 S. B. T.

41.00 Cross road bears N. E. 1/4 S. W.

E. boundary T. 21 N., R. 2 E., S. 36 and S. R. M.

Leaves

79.95 To old cor. to Tps. 21st and 22nd N., R.
2nd and 3rd E., which is a post set
firmly in the ground, marked
T. 22 N., S. 31 or N. E.
R. 3 E., S. 6 or S. E.
T. 21 N., S. 1 or S. W. ^{1/2}
R. 2 E., S. 36 or N. W. face, with
brackets on each edge and
a mound of stone, in good
order, a rural post.
Land level.
Soil 2nd and 3rd rate.
Timber of Pine.
Vegetation, bunchgrass ^{and} sagebrush.
January 13th 1883.

S. boundary T. 22 N., R. 3 E., G. 2nd S. R. M.

Chains.

From the cor. to T. 21st and 22nd N.,
R. 3rd and 3rd E., ^{previously described by me} I run
East on a random line, bet. secs. 6th and 31st,
Va. 14° 45' East.

Over rolling land:

- 11.50 Cross road, bears N. & S.
- 39.30 To a point 15 lks. South of old 14 sec.
cor., which is a post, set firmly in
the ground, marked 14. S. on N. face, with
a stone mound, in good order,
around post.
- The return course is therefore S. 89° 47' W.
- 79.30 To a point 10 lks. South of old cor.
to secs. 5, 6, 31st and 32, which is a
post, set firmly in the ground, marked
T. 22 N., S. 32 on N. E.
R. 3 E., S. 5 on S. E.
T. 21 N., S. 6 on S. W. 2nd
S. 31 on N. W. faces, with 5 notches on
E. 2nd notch on W. edges and a mound
of stone in good order, around post;

S. boundary T. 22 N., R. 3 E., S. 1/4 S. R. M.

Lehans.

from which bears:

A Yellow Pine, 20 ins. dia, N. $49\frac{1}{2}^{\circ}$ E., 87 lks. dist,
marked T. 22 N., R. 3 E., S. 32 B. T.

A Yellow Pine, 48 ins. dia, S. $15\frac{1}{4}^{\circ}$ E., 66 lks. dist,
marked T. 21 N., R. 3 E., S. 5 B. T.

A Yellow Pine, 24 ins. dia, S. 35° W., 57 lks. dist,
marked T. 21 N., R. 3 E., S. 6 B. T.

A Yellow Pine, 23 ins. dia, N. 85° W., 127 lks. dist,
marked T. 22 N., R. 3 E., S. 31 B. T.

The return course is therefore S. $89^{\circ} 51' 14''$ W.

Land rolling.

Soil 3rd rate.

Heavy timber of Pine and Oak and
undergrowth of some and grasses.

East on a random line, bet. secs. 5 and 32,

W. $14^{\circ} 45'$ East.

Over rolling land.

40.00 To old 14 sec. cor, which is a post
set firmly in the ground, marked
"14" on N. face, with a star round

S. boundary T 22 N, R. 3 E, G. & S. R. M.

Chains

in good order, around post;

From which bears:

A Yellow Pine, 36 vis. dia., S. $10\frac{1}{4}^{\circ}$ E, 320 lks. dist.,
marked 14 S. B. T.A Yellow Pine, 46 vis. dia., N. 45° W, 239 lks. dist.,
marked 14 S. B. T.80.00 To a point 10 lks. South of our cor. to
secs. 4, 5, 32 & 33, which is a
Yellow Pine, 20 vis. dia., marked

T. 22 N, S. 33 or N. E.

R. 3 E, S. 4 or S. E.

T. 21 N, S. 5 or S. W. ^{1/2} ES. 32 or N. W. faces, with 2 notches
on W. ^{1/2} E 4 notches on E. edges;

From which bears:

A Yellow Pine, 20 vis. dia., N. 70° E, 80 lks. dist.,
marked T. 22 N, R. 3 E, S. 33 B. T.A Yellow Pine, 24 vis. dia., S. 38° E, 82 lks. dist.,
marked T. 21 N, R. 3 E, S. 4 B. T.A Yellow Pine, 24 vis. dia., S. $62\frac{1}{4}^{\circ}$ W, 182 lks. dist.,
marked T. 21 N, R. 3 E, S. 5 B. T.

S. boundary T. 22 N., R. 3 E., S. 32 B. 7.

Labels

A yellow Pine, 20 in. dia., N. 57° W., 147 lbs. dia.,
marked T. 22 N., R. 3 E., S. 32 B. 7.

The return course is therefore S. 89° 47' W.

Land rolling.

Soil 3rd rate.

Heavy timber of Pine & Oak
undergrowth of cane & Juniper.

East on a random line, bet. sec. 4th & 8th,
W. 14° 45' East.

Ascend.

25.00 Top of spur, bears N. 30° E. & N. 30° W.,
and descend.

37.63 A yellow Pine, 24 in. dia.

49.00 To sec. 14 sec. cor. which is a post,
set firmly in the ground, marked
14 on N. face, with a stone mound
around post, in good order;
from which bears:

A yellow Pine, 36 in. dia., S. 63° W., 46 lbs. dia.,
marked 14 S. B. 7.

S. boundary T. 22 N., R. 3 E., G. 2 or S. R. M.

Claims

A yellow Pine, 24 ins. dia, N. $55\frac{1}{2}^{\circ}$ W., 25 lks. dist.,
marked T. 22 N., R. 3 E. corner section
W. edge of Flat, course S. 40° W.

64.20 E. edge of Flat, bears N. 40° E. $2\frac{1}{2}$ W. S. 40° W.

80.00 To a point 15 lks. South of sea cor. to
sec. 3, 4, 33 $2\frac{1}{2}$ 34, which is a
post, set firmly in the ground, marked
T. 22 N., S. 34 or N. E.
R. 3 E., S. 3 or S. E.

T. 21 N., S. 4 or S. W. $2\frac{1}{2}$

S. 33 on N. W. face, with 3 notches
on E. $2\frac{1}{2}$ W. edges and a mound of
stone, in good order, around post;

From which bears:

A yellow Pine, 20 ins. dia, N. $8\frac{1}{2}^{\circ}$ E., 107 lks. dist.,
marked T. 22 N., R. 3 E., S. 34 B. T.

A yellow Pine, 20 ins. dia, S. $63\frac{1}{2}^{\circ}$ W., 40 lks. dist.,
marked T. 21 N., R. 3 E., S. 4 B. T.

A yellow Pine, 24 ins. dia, N. 28° W., 140 lks. dist.,
marked T. 22 N., R. 3 E., S. 33 B. T.

The return course is therefore S. $89^{\circ} 47'$ W.

S. boundary T. 22 N., R. 3 E., S. 1/4 S. R. M.

Chains

Land mountainous and rolling.

Soil 3rd rate.

Heavy timber of Pine and Oak and
undergrowth of cane and jamper.

Eastern a random line, bet. sec. 3rd and 34.

Var. 14° 40' East.

Ascend.

30.00 Top of Butte, bars N. and S. and descend.

40.00 To old 14 sec. cor, which is a post
set firmly in the ground, marked
14 S. on N. face, with pits, in
good order, E. and W. of post, 5 ft.
dist, and a mound of earth, in
good condition, around post,

From which bars:

A yellow Pine, 30 in. dia., S. 10 1/2° E., 112 lks. dist,
marked 14 S. & B. J.

50.00 Enter Flat, bars N. 30° W. and N. 30° E.

80.00 To a point 17 lks. S. of old
cor. to sec. 2, 3, 34 and 35, which

S. boundary T. 22 N., R. 3 E., G. 2nd S. R. M.

Charris

is a post, set firmly in the ground,
marked T. 22 N., S. 35 on N. E.

R. 3 E., S. 2 on S. E.

T. 21 N., S. 3 on S. W. ^{2nd}

S. 74 on N. W. face, with 2 notches
on E. ^{2nd} 4 notches on W. edges and
a mound of stone, in good order,
around post.

The return course is therefore S. 87° 45' W.

Land rolling.

Soil 3rd rate.

Timber of Pine.

Vegetation, bunchgrasses ^{2nd} / sagebrush.

East on a random line, bet. secs. 2 ^{2nd} 35.

Wa. 14° 45' East.

Curr Flat.

20.00 Bear Flat, bears N. 10° E. ^{2nd} S. 10° W. ^{2nd} ascend.

37.50 A yellow Pine, 20 ins. dia.

40.00 Toled 14 sec. cor, which is a post,
set firmly in the ground, marked 14 S.

S. boundary T. 22 N., R. 3 E., S. ^{sec} 36 S. R. W.

Chamie.

on N. face, with a stone mound, in good order, around post.

59.00 Top of Spur, bears N. 35° E. $\frac{3}{4}$ S. 30° W. $\frac{1}{4}$ descend.

80.00 To a point 15 lks. South of sec. cor.

to sec. 1, 2, 35 $\frac{3}{4}$ 36, which is a post, set firmly in the ground, marked

T. 22 N., S. 36 on N. E.

R. 3 E., S. 1 on S. E.

T. 21 N., S. 2 on N. W. $\frac{3}{4}$

S. 35 on N. W. faces, with 1 notch

on E. $\frac{3}{4}$ 5 notches on W. edges; into pits in each sec; 5 ft. dist,

and a mound of earth, in good order, around post; from which bears:

A Yellow Pine, 24 ins. dia, N. 55 1/4° E, 15 1/2 lks. dist, marked T. 22 N., R. 3 E., S. 36 P. J.

A Yellow Pine, 24 ins. dia, S. 72° E, 29 lks. dist, marked T. 21 N., R. 3 E., S. 1 P. J.

A Yellow Pine, 20 ins. dia, S. 67° W, 31 lks. dist, marked T. 21 N., R. 3 E., S. 2 P. J.

A Yellow Pine, 19 ins. dia, N. 77° W, 32 lks. dist.

S. boundary V. 22 N., R. 3 E., G. & O. R. M.

Locations.

marked V. 22 N., R. 3 E., S. 35 R. 1.

The return course is therefore S. 89° 47' ^{W.} E.Land rolling ^{to} mountains.Soil 3rd rate.Heavy timber of Pine and Oak and
undergrowth of same.

East on a random line, bet. secs. 36 & 36

W. 14° 48' East.

Descend gradually.

34.48 A Yellow Pine, 36 ins. dia.

40.00 To sta 14 sec. cor, which is a post set

firmly in the ground, marked 14 S,
on N. face, with a stone mound in good
order, around post; from which bears:A Yellow Pine, 36 ins. dia, S. 55° W., 219 lks. dist.,
marked 14 S. B. T.A Yellow Pine, 25 ins. dia, N. 29 1/2° W., 179 lks. dist.,
marked 14 S. B. T.

43.15 Cross A. & O. R. R., bears N. 35 1/2° W. & S. 35 1/4° E.

45.80 H. L. Harris' stone, bears N., 25 lks. dist.

S. boundary T. 22 N., R. 3 E., G. 9th S. R. M.

No. 1388

Claims.

52.43 A. 2nd P. R. R. pump house.

53.63 A. 2nd P. R. R. Water tank.

80.00 A point 10 lks. South of old cor. to
Tps. 21st & 22 N., R. 3rd & 4 E., which
is a post set firmly in the ground,
marked T. 22 N., S. 31 or N. E.

R. 4 E., S. 6 or S. E.

T. 21 N., O. 1 or S. W. 2nd

R. 3 E., O. 36 on N. W. face, with 6
notches on each edge and a mound
of stone, in good order, around post;

From which bears:

a Yellow Pine, 14 ins. dia., N. 26° E., 129 lks. dist,
marked T. 22 N., R. 4 E., S. 31 B. V.

a Yellow Pine, 24 ins. dia., S. 25 1/2° E., 17 1/2 lks. dist,
marked T. 21 N., R. 4 E., S. 6 B. V.

a Yellow Pine, 24 ins. dia., S. 65 1/4° W., 99 lks. dist,
marked T. 21 N., R. 3 E., O. 1 B. V.

a Yellow Pine, 40 ins. dia., N. 56° W., 81 lks. dist,
marked T. 22 N., R. 3 E., S. 36 B. V.

The return course is therefore S 89° 51' W.

22 Retracing
S. boundary V. 22 N., A. 3 E., G. & O. R. M.

BOOK 1388

Chains.

Land rolling.

Soil 3rd rate.

Heavy timber of Pine and
undergrowth of some ^{few} Juniper.

I carefully examined the adjustments
of my solar compass today,

particularly the latitude and
meridian apparatus and found
them correct.

January 16th 1883.

For final notes see
Book No. 14

U. S. Surveyor General's Office,

Tucson, Arizona, Feb 25, 1884

The foregoing Field Notes of the Survey of the

Retracings of The Exterior Lines of
 Township 21 North
 Range 2 East, And
 Township 22 North
 Range 3 East.

Of the Gila and Salt River Base and Meridian, Arizona, execu-
 ted by W. R. Fitzgerald

Deputy Surveyor, under his contract of the 20th

day of July, 1882, having been
 critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe
 are hereby approved

Royal Johnson
 Surveyor General.