

See Index

#3 N.E. - Bundle
Field Notes.

No. 1394

at the Exterior lines of
Townships 13 $\frac{3}{4}$ 14 N. Range
1 East. 15 N. Range
1 W. Gila & Salt River Meads

Arizona Territory

BOOK. 1394

By S. W. Foreman Dep. Sur.
under his contract of May 29th 1871

Survey commenced Sept 8th 1871

Survey completed " 26 "

No. 1394



A
BOOK 1394

Preliminary Oaths of Assistants.

I, _____ do solemnly
swear that I will well and truly perform the duties of
Compassman, according to instructions given me, and to
the best of my skill and ability.

Subscribed and sworn to before me, this _____ day of
187

U. S. Deputy Surveyor.

—♦♦—
We, Geo. W. Carr and
Josep General
do solemnly swear that we will faithfully execute the duties
of Chain Carriers; that we will level the chain upon uneven

ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines, that we will assist in measuring, to the best of our skill and ability.

George W Carr
Joseph Freniel

Subscribed and sworn to before me, this 5th day of Aug 1871



U. S. Deputy Surveyor.
E. W. Wells
Clerk Dist Court
3^d District.




10.

I, We John Riley & James Allen
do solemnly swear that ^{we} will well and truly perform the
duties of ~~Flagman~~ & ~~Assman~~
according to instructions given me, and to the best of my
skill and ability.

John Riley
James Allen

Subscribed and sworn the be before me, this 5th
day of Aug 1871



U. S. Deputy Surveyor.
C. W. Wells
Clerk Dist Court
3rd dist at



BOOK 1894
Index

	Page
1 E.	1
1+2 "	8
1+2 "	14
1 "	21
+2 W	28
1 "	34

6	5	4	3	2	1	6	5	4	3	2	1	6	5	4	3	2	1	6	5	4	3	2	1
7	BOOK	1394	12	BOOK	1394	12	7	BOOK	1394	12	BOOK	1394	12										
18	<i>S. H. N. R. 2 M</i>	13	18	<i>S. H. N. R. 1 M</i>	13	18	<i>S. H. N. R. 1 E</i>	13	18	<i>S. H. N. R. 2 E</i>	13												
17		24	17		24	17		24	17		24												
30		25	30		25	30		25	30		25												
31	32	33	34	35	36	31	32	33	34	35	36	31	32	33	34	35	36	31	32	33	34	35	36
6	5	4	3	2	1	6	5	4	3	2	1	6	5	4	3	2	1	6	5	4	3	2	1
7						7						7						7					
18	<i>S. 15 N. R. 2 M</i>	13	18	<i>S. 15 N. R. 1 M</i>	13	18	<i>S. 15 N. R. 1 E</i>	13	18	<i>S. 15 N. R. 2 E</i>	13												
19		24	19		24	19		24	19		24												
30		25	30		25	30		25	30		25												
31	32	33	34	35	36	31	32	33	34	35	36	31	32	33	34	35	36	31	32	33	34	35	36
6	5	4	3	2	1	6	5	4	3	2	1	6	5	4	3	2	1	6	5	4	3	2	1
7						7						7						7					
18	<i>S. H. N. R. 2 M</i>	13	18	<i>S. H. N. R. 1 M</i>	13	18	<i>S. H. N. R. 1 E</i>	13	18	<i>S. H. N. R. 2 E</i>	13												
19		24	19		24	19		24	19		24												
30		25	30		25	30		25	30		25												
31	32	33	34	35	36	31	32	33	34	35	36	31	32	33	34	35	36	31	32	33	34	35	36
6	5	4	3	2	1	6	5	4	3	2	1	6	5	4	3	2	1	6	5	4	3	2	1
7						7						7						7					
18	<i>S. 15 N. R. 2 M</i>	13	18	<i>S. 15 N. R. 1 M</i>	13	18	<i>S. 15 N. R. 1 E</i>	13	18	<i>S. 15 N. R. 2 E</i>	13												
19		24	19		24	19		24	19		24												
30		25	30		25	30		25	30		25												
31	32	33	34	35	36	31	32	33	34	35	36	31	32	33	34	35	36	31	32	33	34	35	36

Index

					Page
Det. T's	13 + 14	N;	R.	1	E. 1
"	13	"	R's	1+2	" 8
"	14	"	"	1+2	" 14
"	14 + 15	"	"	1	" 21
"	15	"	"	1+2	W 28
"	15 + 16	"	"	1	" 34

Field Notes

of the External Boundary Lines of
Townships 13th & 14th North, of
Range 1 East of the West. North
Line of Township 15 North, of
Range 1 West, of the Gila and
Salt River Meridians
Arizona Territory

By S. W. Foreman, Deputy Surveyor.

North Boundary of Township

13 North of Range 1 East

Gila and Salt River Meridian

No. 1394

Between Townships 13⁴⁰ 14 North, Range 1 East

Gila and Salt River Meridian

No. As it is impracticable to run the south boundary of Township 13 North, Range 1 East, on account of deep and impassable cañons and precipitous rocky mountains I therefore run as follows, —

Begin at the corner to townships 13⁴⁰ 14 North, of Ranges 1 East and 1 West and run thence, —

East, on a true line between sections 6³¹.

Var. $13^{\circ}45'$ East

(as per transit observation of Polaris)

6.00 Deep ravine runs south east.

39.53 Set a $\frac{1}{4}$ section corner stone $16 \times 12 \times 6$ inches as per instructions. No trees near.

Note — deducted 47 links on this $\frac{1}{2}$ mile for convergence and at —

79.53 Set a stone $18 \times 10 \times 6$ inches, as per instructions for the corner to sections 5, 6, 31³² 32. No trees near.

Land rolling. Soil 2nd rate. No timber.

Between Townships 13th & 14th North. Range 1 East
Gila and Salt River Meridian

Set East on true line between sections 5th & 32.
(var. 13° 45' East)

40.00 Set a $\frac{1}{4}$ section corner stone 16 x 14
x 6 inches as per instructions
No trees near.

80.00 Set a stone 18 x 14 x 8 inches as per
instructions for the corner to sections
4, 5, 32, ^{and} 33.
No trees near.

Land rolling.

Set 2^d rats.

No timber.

Peterson Townships 13th & 14th North, Range 1 East

Gila and Salt River Meridians

No. East outcrop line between sections 4th & 33.

Var. 13° 45' East

10.00 Enter level land bears north & south.

40.00 Set a 14 section corner stone 14 x 8
x 4 inches as per instructions.

No trees near.

80.00 Set a stone 16 x 14 x 8 inches as
per instructions for the corner to
sections

3, 4, 33rd & 34.

No trees near.

Land level.

Soil 1st water.

No timber.

4

Peterson Townships 13th & 14th North, Range 1 East

Gild and Salt River Meridian

1st East, on true line, between sections 3rd & 34th
 var. 13° 45' East

32.00 Enter level land bears north and south

35.00 Road bears north and south.

40.00 Set a 1/4 section corner stone
 22 x 8 x 4 inches as per instructions
 No trees near.

47.00 Enter field, bears north and south

67.50 Leave same.

80.00 Set a stone 16 x 14 x 8 inches
 as per instructions for the corner
 to sections 2, 3, 34th & 35.

No trees near.
 Sand level. Soil 1st rate.
 No timber.

Between Townships 13th & 14th North, Range 1 East
 Gila and Salt River Meridian

Acres East, on true line between sections 2nd & 35th
 var. 13° 45' East
 10.00 Land rolling north and south.

40.00 Set a 1/4 section corner stone 12 x 10
 x 10 inches as per instructions.
 No trees near.

80.00 Set a stone 18 x 10 x 8 inches
 as per instructions for the corner to
 sections 1, 2, 35th and 36.
 No trees near.

Land rolling and ascending,
 Soil 2nd rate. No timber.

Between Townships 13th & 14th North, Range 1 East.

Gila and Salt River Meridian

No East on a true line between sections 1st & 36th.

Sec. 13th 45' East

31.50 Road to Verde leaves north east ²⁰⁰ south west

40.00 Set a '44 section corner post in a mound and set as per instructions

No trees near
and begin to ascend hill.

80.00 Set a stone 12 x 6 x 5 inches as per instructions for the corner to sections 1, 6, 31st and 36.

No trees near.

Land broken and stony.
Soil poor. No timber.

East Boundary of Township
13 North. Range 1 East.

Gila ^{and} Salt River Meridian

Peters Township 13 North, Range 1st 2 East
 Gila and Salt River Meridians

Ch. As the south Boundary of this
 Township cannot be run I therefore
 run from the township corner

South between sections 1st & 6.

Dir. $14^{\circ} 02'$ East

(as per fore and back sights on eastnd west line)
 running along west slope of steep
 mountain, at—

40.00 Set a $\frac{1}{4}$ section corner stone
 10x8x8 inches as per instructions
 No trees near.

80.00 Set a stone 16x10x10 inches as
 per instructions for the corner
 to sections 6, 7, 1st & 12.

No trees near.

Land steep west slope
 Soil poor. No timber.

Between Townships 13 North, Range 1^{and} 2 East

Gila and Salt River Meridian

No. South, between sections 7^{and} 12.

Sec. 14° 02' East

40.00 Set a 1/4 section corner stone 10 x 10
x 6 inches as per instructions

No trees near.

62.00 Deep gulch runs west.

71.00 Deep ravine runs west.

80.00 Set a stone 16 x 10 x 6 inches as
per instructions for the corner to
sections 12, 13, 7^{and} 18.

No trees near.

Land broken rocky west
hill side.

Soil poor. No timber.

Between Townships 13 North, Ranges 1st & 2nd East.

Gila and Salt River Meridian

No South, between sections 13rd & 18.

var. 14° 02' East

40.00 Set a stone 14 x 10 x 8 inches as per instructions, for ^{1st} section corner.

No trees near.

52.50 Deep gulch runs west.

80.00 Set a stone 18 x 10 x 8 inches as per instructions for the corner to sections

18, 19, 13rd & 24.

No trees near.

Land broken and stony.

Soil poor. No timber.

Between Townships 13 North. Ranges 1^{and} 2 East

Gila and Salt River Meridian

To South between sections 19^{and} 24.
Var. 14° 02' East

40.00 Set a $\frac{1}{4}$ section corner stone
14 x 8 x 6 inches as per instructions.
No trees near.

Begin steep ascent.

80.00 Set a stone 20 x 10 x 6 inches in
stone mound as per instructions
for the corner to sections
24. 25. 19^{and} 30
No trees near.

Sand broken and rocky.
Soil poor. No timber.

P¹²
 Between Townships 13 North. Range 1st 2 East
 Gila and Salt River Meridian

S^h South, between sections 25th & 30.
 Var 14° 02' East

40.00 Set a '44 section corner stone
 14 x 10 x 6 inches as per instructions
 No trees near.

and here the mountain becomes
 so steep and rough that it
 is impossible to extend this
 line any farther south.

Sept. 8th 1871

X
 Date —

General Description

Township 13 North, Range 1 East, embraces the south end of the Agua Fria settlement and contains some 1st rate land and is noted for the fertility of the soil that is now under cultivation.

Adjacent to the agricultural lands is a fine range of grazing country along the foot hills.

S. W. Foreman
U. S. Dep. Surveyor

East Boundary of Township
14 North. of Range 1 East.
Gila ^{and} Salt River Meridian

Peterson Townships 1st North. Range 1st & 2nd East

Gila and Salt River Mercedino

- No Begin at the corner to Townships
13th & 14th North of Range 1st & 2nd
East and run —
North, between sections 31st & 36.
Var. 14° 02' East
(as per transit observation of Polaris)
- 40.00 Set a 1/4 section corner post in a mound
and pits as per instructions.
No trees near.
- 56.00 Road to Camp Verde bears East & West.
- 80.00 Set a post in a mound and pits
as per instructions for the corner to
sections 25, 36, 30th and 31.
No trees near.
Land rolling. Soil 2nd rate.
No timber.

Between Townships 14 North, Ranges 1st & 2nd East,
Gila and Salt River Meridian

So North, between sections 25th & 30.

Var. 14° 02' Each

40.00 Set a 1st section corner post in a mound
and pits as per instructions.

No trees near.

80.00 Set a post in a mound and pits
as per instructions for the corner to
sections 24, 25, 19th & 30.

No trees near.

Land rolling. Soil 2nd rate
No timber.

Between Townships 14 North, Ranges 1st & 2nd East.
 Giland Salt River Meridian.

14 North, between sections 19th & 24.
 Var. 124° 02' East

40.00 Set a 1/4 section corner post in a mound and pits as per instructions
 No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner to sections
 13, 24, 18th & 19.
 No trees near.

Sand rolling south west slope
 of the base of the "Black Mountain
 Range".

Soil 2nd rate. No timber.

Between Townships 14 North, Ranges 1st & 2 East.

Gila ^{and} Salt River Meridian

40 North between sections 13^{and} 18.
 var. 14° 02' East

40.00 Set a 1/4 section corner post in a mound and set as per instructions.
 No trees near

59.50 Gulch runs south west.

80.00 Set a post in a mound and set as per instructions for the corner to sections 12, 13, 7^{and} 18.
 No trees near.

Land rolling foot hills.
 Soil 3rd rate. No timber.

Between Townships 14 North, Range 1st & 2nd East

Gila ^{and} Salt River Meridian

In North, between sections 7th & 12.

or 13° 58' East

(as per fore and back sights)

40.00 Set a 1/4 section corner post in a mound and felt as per instructions
No trees near.

43.70 Deep gulch runs south west and begin steep ascent. bears east ^{and} west.

80.00 Set a stone 18x16x8 inches as per instructions for the corner to sections
1, 12, 6 ^{and} 7.

No trees near.

Land broken and rough.

Soil 3rd rate. No timber.

19

Peterson Township 14 North, Range 1st 2 East
 Gila^{no} Salt River Meridian

S_{he} North, between sections 1st 6.
 Var 13° 58' East

40.00 Set a 1/4 section corner post in a
 mound and pits as per instructions.
 No trees near.

80.00 Set a stone 20 x 10 x 10 inches as
 per instructions for the corner to
 sections 1, 6, 31st 36.
 No trees near.

Land steep south west slope of
 Black mountain.
 Soil poor and stony.
 No timber.

Sept 9th 1871
 Date

X

North Boundary of Township

14 North. of Range 1 East

Gila and Salt River Meridian

Between Townships 14th & 15th North. Range 1 East
 Gila^{no} Salt River Meridian

Ch^o Begin at the corner to townships 14
 and 15 North. of Ranges 1st & 2nd East
 and run —

West on a random line between townships
 14th & 15th North. Range 1 East

var. $13^{\circ} 58'$ East

(as per east boundary)

and set temporary half mile and mile
 posts at 40 and 80 chains and at
 5 miles and 79 chains — Intersect the
 west boundary line 105 links south
 of the township corner on the meridian
 therefore the correction will be
 line. $1\frac{1}{2}$ links North per mile.

The falling is therefore 7' per mile
 and therefore the course is —
 South. $89^{\circ} 53'$ East

and I run on a true line as follows —

Between Townships 14th & 15th North. Range 1 East

Gila and Salt River Meridian

No. 89° 53' E.
 East. on true line between sections 6th & 31.
 Var. 13° 58' East

39.00 Set a 7th section corner post in a mound and set as per instructions.
 No trees near.

79.00 Set a post in a mound and set as per instructions for the corner to sections
 5, 6, 31st & 32.
 No trees near.

Land smooth undulating.
 Soil 1st rate.
 No timber.

Peterson Townships 14th 15th North, Range 1 East.

Gilath Salt River Meridian

S. 89° 53' E.
 100 Feet on true line between sections 5th and 32.

var 13° 58' East

40.00 Set a 1st section corner post in a mound and pits as per instructions
 No trees near.

80.00 Set a post in a mound and pits as per instructions for the corner to section.

4. 5. 32 and 33.

No trees near.

Land undulating and smooth surface.

Soil 1st rate.

No timber.

Peterson Townships 14th 15th North, Range 1 East

Gile and Salt River Meridian

S. 89° 53' E.

No. Cast. on true line between sections 4th and 33.

Var. 13° 58' East

40.00 Set a post in a mound and pits
as per instructions for 1st sec. cor.
No trees near.

80.00 Set a post in a mound and
pits as per instructions for the
corner to sections.
3. 4. 33rd and 34.
No trees near.

Land ascending to the east. —
Smooth grassy plain.
Soil 1st rate.
No timber.

Peterson Townships 14^{and} 15 North, Range 1 East

Gila and Salt River Meridian

S. 89° 53' E.

Set East on true line between sections 3^{and} 34.
Var. 13° 58' East

- 40.00 Set a 1/4 section corner post in a mound and pits as per instructions.
No trees near.
- 48.00 Accent becomes steeper.
- 80.00 Set a stone 18 x 10 x 6 inches as per instructions for the corner to sections 3, 3, 34^{and} 35.
No trees near.

Land according to the east.

Soil 2^d rate

No timber.

Peterson Townships 14th & 15th North, Range 1 East

Gila and Salt River Meridian

S. 89° 53' E.

No East on true line between sections 2nd & 35.

var. 13° 58' East

40.00 Set a 1/4 section corner stone 14x10
x 6 inches as per instructions.

No trees near.

80.00 Set a stone 18x10x10 inches as
per instructions for the corner to sections
1, 2, 35th & 36.

No trees near.

Land foot hills of Black
mountain.

Soil 2nd rate. No timber.

Between Townships 14th & 15th North, Range 1 East

Gila and Salt River Meridian

S. 89° 53' E.

East on true line between sections 1st & 36th
var. 13° 58' East

40.00 Set a 1/4 section corner stone 16 x 12
x 4 inches as per instructions.

No trees near.

80.00 The corner to sections

1, 6, 31st & 36th.

Land broken and steep south
west slope of mountain,
Soil poor. No timber

Sept 11th 1871

X Date


General Description

The lands in Township 14 North, Range 1 East, are of good quality, mostly smooth and gently rolling, affording a heavy growth of fine grass.

Township 15 North, Range 1 East, contains only a little good land along the west and south boundaries, but is mostly on the Black Mountain, which is a high rocky range running south east and north west.

S. W. Foreman

U. S. Dep. Surveyor.



List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the Ed Boundary lines of Townships 13 & 14 N. Range 1 E.

showing the respective capacities in which they acted.

Geo W. Carr.	Chairman
	Compassman.
Joseph Friend	Chairman.
John Riley	Flagman
	Chairman.
James Allen	Axeman.

Final Oaths of Assistants.

We hereby certify that we assisted
Deputy Surveyor, in surveying
the E. Boundary line of
Tps 13 & 14 N. Range 1 E.

and that said Survey has been in all respects, to the
best of our knowledge and belief, well and faithfully sur-
veyed, and the boundary monuments planted according to
the instructions furnished by the Surveyor-General.

- John Riley
- James Allen
- George W. Case
- Joseph Fievel

Subscribed and Sworn to before me
this 11th day of Sept A D 1891

E. W. Wells
Clerk Dist Court
3^d Dist A.D.



Final Oath of Deputy Surveyor.

I,
 Deputy Surveyor, do solemnly swear that, in pursuance
 with a contract with
 United States Surveyor-General for Arizona, bearing date
 the day of , I have well, faithfully
 and truly, in my own proper person, and in strict con-
 formity with the instructions furnished by the Surveyor-
 General, the Surveying Manual, and the laws of the
 United States, surveyed all those parts or portions of
 the *Ex boundary lines*
of Tps 13 & 14 N. Range
16.



are represented in the foregoing Field Notes as having

27D

BOOK 1394

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

Solomon W. Faxon
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 11th
day of Sept 1871

E. W. Wells
Clerk Dist Court
3^d Dist A. S.

Sub
his



West Boundary of Township
15 North. of Range 1 West
Gila & Salt River Meridian

Preliminary Oaths of Assistants.

I, _____ do solemnly
swear that I will well and truly perform the duties of
Compassman, according to instructions given me, and to
the best of my skill and ability.

Subscribed and sworn to before me, this _____ day of
1877

U. S. Deputy Surveyor.

We, *Geo. W. Larn* and
Joseph General

do solemnly swear that we will faithfully execute the duties
of Chain Carriers; that we will level the chain upon uneven

ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines, that we will assist in measuring, to the best of our skill and ability.

George W. Bar
Joseph F. Fennel

Subscribed and sworn to before me, this 3 day of
Aug 1871

U. S. Deputy Surveyor.
Ed. W. Wells
Clerk District
3^d District.



276

We John Riley & James Allen
do solemnly swear that ^{we} will well and truly perform the
duties of Flagman & Assessor
according to instructions given me, and to the best of my
skill and ability.

John Riley
James Allen

Subscribed and sworn the be before me, this 5
day of Aug 1871



U. S. Deputy Surveyor.
Edw. Wells
Clerk Dist Court
3^d Dist Ill



Between Townships 15 North, Range 1st 2 West
Gila and Salt River Meridian

- No Begin at the corner to townships
14th & 15 North of Range 1st 2
West, and run thence
North, between sections 31 & 36,
Var. 14° 04' East
(as per fore and back sights)
- 23.00 Right bank of Granite Creek, 2 chains
wide runs north east.
- 36.00 Left bank of same and entry cornfield.
- 40.00 Set a '44 section corner post in a
mound and pits as per instructions
No trees near.
- 42.00 House 10 chains west of line.
- 56.00 Leave cornfield bears north east ²⁰ south west.
- 66.25 Road bears north east.
- 80.00 Set a post in a mound and pits as
per instructions for the corner to sections
25, 36, 30 & 31. - No trees near.
Land level, Soil 1st rate
No timber

29

Between Townships 15 North, Range 1st West
Gila and Salt River Meridian

No	North, between sections 28 th and 30, Sec. 14 th East
20.00	Run 10 chains east of line
31.00	Steep Bank 20 feet high east & west.
40.00	Set a 4 th section corner stone 16 x 10 x 10 inches as per instructions. No trees near.
80.00	Set a stone 16 x 10 x 8 inches in mounds and pits as per instruc- tion for the corner to sections 34, 25, 19 th and 30. No trees near.
	Land level. Soil 1 st rate. No timber.

Peterson Townships 13 North Range 1 & 2 West
Gila Salt River Meridian

Sec North, between sections 19th & 24.
var. 1st 0 1/4' East

40.00 Set a 1/4 section corner stone 16 x 10
x 8 inches as per instructions.

No trees near.

58.00 Top of round knoll 20 feet high.

80.00 Set a stone 16 x 12 x 8 inches in a
mound and pile as per instructions
for the corner to sections

18, 19, 13th & 24.

No trees near.

Land level, Soil 1st rate
No timber.

31
 Between Townships 15 North, Ranges 1st & 2nd West.

Gila Salt River Meridian

Sec North, between sections 4 & 3rd 18.
 Sec 14th 04th East

40.00 Set a $\frac{1}{4}$ section corner stone 14x10
 x 6 inches as per instructions
 No trees near.

80.00 Set a post in a mound and pile
 as per instructions for the corner
 to sections 12, 13, 7th & 18.
 No trees near.

Land level.
 Soil 1st rate.
 No timber.

Peterson Township 15 North Range 1 & 2 West

Gila and Salt River Meridians

Sec 14 North, between sections 7 and 12
 Sec. 14⁰⁰ East

40.00 Set a 4th section corner post in
 a mound and pits as per in-
 structions.

No trees near

80.00 Set a stone 16 x 10 x 8 inches in
 a mound and pits as per in-
 structions for the corner to sections

1, 12, 6 and 7.

No trees near.

Land lock.

Soil 1st rate

No timber.

Between Townships 15 North, Ranges 1st and 2nd West
 Gila and Salt River Meridian

40.00 North, between sections 1st and 6.

Var 14° 04' East

40.00 Set a 1st section corner post in a mound and pits as per instructions
 No trees near

80.00 Set a post in a mound and pits as per instructions for the corner to sections.

1, 6, 31st and 36.

No trees near

Land sold,

Sold 1st rate.

No timber.

North Boundary of Township

15 North. of Range 1 West

Gila and Salt River Meridians.

Between Townships 15th & 16th North, Range 1 West
Gila and Salt River Meridian

No. Begin at the corner to Townships
15th & 16th North, Ranges 1st & 2nd West
I run --

East on random line along the north
line of sections 6, 5, 4, 3, 2, and 1 --

for 14° 07' East
(as per transit observation of Polaris)
and at 40 and 80 chains set half
mile and mile posts and at 5 miles
and 78.50 chains, intersect the east
boundary line at the corner to
Townships 15th & 16th North of Ranges
1 East and 1 West.

* Therefore I run west on true line
as follows --

* Therefore the correction will be
1 chain and 50 links West.

BOOK 1394

Between Townships 15th & 16th North, Range 1 West
Gila and Salt River Meridians

Sec. West, between sections 1st and 36th.
Var. 14° 07' East

40.00 Set a $\frac{1}{4}$ section corner stone 12 x 10 x 8
inches in ground and pits as per
instructions.

No trees near.

80.00 Set a stone 14 x 8 x 6 inches as per
instructions for the corner to sections
1, 2, 35th & 36th.

No trees near.

Sand loam. Soil 1st & 2^d rate.
No timber.

Bellevue Townships 15th & 16th North. Range 1 West.

Gila and Salt River Meridian

Sec. West. satum line between sections 2nd and 35th
 Var. $14^{\circ} 07'$ East

40.00 Set a $\frac{1}{4}$ section corner stone $16 \times 8 \times 6$
 inches in mound of earth with pits
 as per instructions.

No trees near.

80.00 Set a stone $10 \times 10 \times 8$ inches in
 mound and pits as per instructions
 for the corner to sections
 2, 3, 34th and 35th.

No trees near.

No timber.

Land level.

Soil 3rd rate.

Between Townships 15th & 16th North, Range 1 West
Gila and Salt River Meridian

No West on tree line between sections 3rd & 3rd.
Saz 14° 07' East

40.00 Set a $\frac{1}{4}$ section corner stone 14 x 8 x 7
inches in mound and pits as per
instructions.

No trees near.

80.00 Set a stone 10 x 8 x 8 inches in mound
with pits as per instructions for the
corner to sections

3, 4, 33rd & 34.

No trees near.

Land rolling.

Soil 3rd rate

No timber

Bellevue Township 15th 16 North Range 1 West
 Gela and Salt River Meridian

As West, between sections 4th & 33 on true line
 Var. 14° 07' East

40.00 Set a $\frac{1}{4}$ section corner stone 16 x 9 x 5
 inches in mound with pits as per
 instructions.
 No trees near.

80.00 Set a stone 10 x 9 x 9 inches in mound
 and pits as per instructions for the
 corner to sections.
 4, 5, 32, & 33.
 No trees near.

Land sloping to east.
 Soil 2nd rate.
 No timber

Peterson Township 15th 16 North Range West
 Gila and Salt River Meridian

Chs West, on true line between sections 5th and 32.

Var. 14° 07' East

40.00 Set a $\frac{1}{4}$ section corner stone 12 x 10
 x 6 inches in mound with file as
 per instructions.

No trees near

57.00 Road bears north west.

66.50 Road to Prescott north west.

80.00 Set a post in mound and file as
 per instructions for the corner to
 sections 5, 6, 31st and 32.

No trees near.

Land rolling.

Soil 1st st and 2nd rate.

No timber.

Between Townships 15th & 16th North, Range 1 West
Gila and Salt River Meridian

No	West. return line between sections 6 th & 31. Var. 14° 07' East
5.00	Granite Creek 150 links wide runs north west
19.00	Enter field bears north west.
30.00	Leave field and enter gravelly mesa.
40.00	Set a 1/4 section corner post in ground & pits as per instructions. No trees near.
78.50	Set a stone 16 x 8 x 8 inches in ground and pits as per instructions for the corner to sections 1, 6, 31 st & 36. No trees near.
	Land rolling. Soil 2 nd rate. No timber.
X	Date, Sept. 26 th 1871

List of Names.

A List of the Names of the individuals employed to assist
in running, measuring, or marking the lines and corners
described in the foregoing Field Notes of
the Exterior Boundary lines of Town
Ship 15 S. R. 1 W.

showing the respective capacities in which they acted.

Geo. W. Carr	Compassman.
Joseph Fennel	Chainman.
& John Peley	Chainman.
James Allen	Archer. Pilgrimage
	Haystack
	Archer

Final Oaths of Assistants.

We hereby certify that we assisted *Solomon*
W. Looman Deputy Surveyor, in surveying

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

John Piley
James Allen
George W. Carr
Joseph Fenner

Subscribed and Sworn to before me
this 26 day of Sept A D 1871

Edw Wells
Clerk Dist Court
3^d dist at

Final Oath of Deputy Surveyor.

I, *Salomon W Foreman*
Deputy Surveyor, do solemnly swear that, in pursuance
with a contract with *John Wasson*
United States Surveyor-General for Arizona, bearing date
the day of , I have well, faithfully
and truly, in my own proper person, and in strict con-
formity with the instructions furnished by the Surveyor-
General, the Surveying Manual, and the laws of the
United States, surveyed all those parts or portions of
Exterior Boundary lines of Town
Ship 15 N. Range 1 W.
Gila and Salt River Meridian

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

Solomon W. Forsman
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 26
day of Sept 1871

Edw. Wells
Clerk Dist Court
2^d Dist Ariz.

Surveyor General's Office
Tucson A.T.

October 20th 1871

The foregoing Field Notes of
the Survey of the Exterior
Boundary lines of Townships
13 N. Range 1 E. 14 N. Range
1 E. & 15 N. Range 1 W.
Gila & Salt River Base
and Meridian line in the
Territory of Arizona, ex-
ecuted by S. W. Foreman
Deputy Surveyor under his
contract dated May 29th 1871
having been critically examined
the necessary corrections and
explanations made, the said
field Notes and the surveys
they describe are hereby
approved.

John Mason
A. S. Surveyor General
for Arizona