

1

1395

1395

BOOK 1395

F I E L D N O T E S

OF THE SURVEY OF

Exterior Lines of Tps. 16 N.,
Rs. 8, 9 & 10 E., Tp. 15 N., Rs.
9, 10 & 11 E., Tp 14 N., Rs. 10 &
11 E. and S. Bdry. Tp. 14 N.,
R. 12 E., also Range lines Tp. 13
N. bet. R. 9 and 10 E., and Ranges
12 and 13 East.

of the
Gila and Salt River Base and
Meridian,

ARIZONA.

Executed by Theodore F. White, D.S.
under his contract of Aug. 5, 1880.
Survey commenced May 25, 1881.
Survey completed June 23, 1881

West Bdry. T 15 N, R 9 E

North " T 15 N, R 9 E.

T 16 N, Bet 8 & 9 E.

South Bdry T 16 N, R 8 E

West " T 16 N R 8 E

1A


Preliminary Oaths of Assistants.

We, Richard Shrope
and Saml. W. Van Relt

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Richard Shrope
Saml. W. Van Relt

Sworn to and subscribed before me, this 4th
day of April, 1881



William J. Osborn
Notary Public
Tinn Co. W. Va.

We, Frank Carpenter, Jno Blake
William Morrison and C. H. Patchett
do solemnly swear that we will well and truly per-
form the duties of Axman, Assistant Axman,
Woundman and Magman respectively
according to instructions given us, and to the best
of our skill and ability.

Frank Carpenter
Jno Blake
William Morrison
C. H. Patchett

Sworn to and subscribed before me this 4th
day of April, 1881

William J. Osben
Notary Public
Pima Co., Ariz.



gru

Range Line: T^h. 13 N. Betw. R^s. 12 & 13 E.

Gila & Salt River Meridian

Preliminary to commencing the survey, I, at noon May 24, 1881, took a careful observation on the sun for latitude on line of the Third Standard North, with my instrument, which is a Burt's Improved Solar Compass. Having obtained the instrumental latitude, I find the variation of the needle at my starting point to be;

Var. $14^{\circ} 13' E.$

allowing for instrumental error as found by comparing my instrument with the U.S. Standard Meridian at Tucson. On the night of the 24th May, I took an observation on Polaris, and found the meridian so obtained to agree precisely with the meridian

Range Line: T. 13 N. R. 12 & 13 E.
Gila & Salt River Meridian

projected by solar observations,
and the variation of the needle
as above.

I commence, May 25, 1881,
at the cor. to Township 13 N.
Ranges 12 & 13 E. on the Third
Standard Parallel North; Gila
and Salt River Meridian and
Base Line, which is marked
by a sandstone, showing 12x10x7
ins. above ground, marked with
six notches on the East and six
notches on the West, with a
mound of stone alongside. From
this marked stone

A Pine 6 ins. diam. bro N 47 $\frac{1}{2}$ ° E. 56 lbs. dist.
marked T. 13 N. R. 13 E. S. 31.

A Pine 16 ins. diam. bro N 88° E. 81 lbs. dist.
marked T. 13 N. R. 12 E. S. 36

No. 1395.

Range Line: T₁ 13 N. Betw. R_s. 12 & 13 E.

Gila & Salt River Meridian

a Pine 25 in. diam. bro. S $14\frac{1}{2}$ E. 27 lbs. dist.
marked, but the marks illegible.

This does not agree with the
description of this cor. furnished me by the Surveyor General's office, but I satisfied myself that it is the true corner beyond question as named, by retracing the 3rd Standard North from where the road from Verde to Apache crosses it more than 23 miles west of this point, making measurements, finding all the corners and carefully checking the same and comparing the topography with the copy of the original field notes. I found the line to correspond essentially in these particulars

Range Line: Tⁿ. 13 N. Between. R^s. 12 & 13 E.

Gila and Salt River Meridian
Chs.

with said field notes, with
the exception of the descrip-
tion of the above corner
which is my starting point.
Starting from this cor. I run
North between Secs. 31 & 36
Var. $14^{\circ} 13' E$.

Ascend

- 6.00 Top of ascent and descend to
wards canon.
- 22.00 Descend steeply into canon.
- 28.34 Bottom of canon and creek 26^{ths}.
wide, runs N. E. Canon 200 ft. deep.
- 39.71 @ Pine 40 ins. diam.
- 40.00 Set a post 4 ft. 3 ins. sq. with
marked stone 12 ins. in the ground
for $\frac{1}{4}$ Sec. cor., marked $\frac{1}{4}$ S. dug
pits 18 x 18 x 12 ins. $5\frac{1}{2}$ ft dist from
post, and raised a mound

Range Line; Twp. 13 N. Betw. Rs. 12 & 13 E.

Gila and Salt River Meridian

Chs

of earth $1\frac{1}{2}$ high, $3\frac{1}{2}$ ft. base
around post; from which
A Pine 16 ins. diam. brs. N. 36° E. 24 lbs. dist.
marked $\frac{1}{4}$ S. B. T.

A Pine 12 ins. diam. brs S. 32° W 45 lbs. dist.
marked $\frac{1}{4}$ S. B. T.

80.00 Set a post 4 ft. long 4 ins. sq. with
marked stone 12 ins. in the ground
for cor. to Secs. 25, 30, 31 & 36, marked
T. 13 N. S. 30. on N E.

R. 13 E. S. 31 on S. E.

R. 12 E. S. 36 on SW

S. 25 on N. W. faces with one
notch on S. and 5 notches on N.
edges; dug pits $18 \times 18 \times 12$ ins. in
each sec. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth 2 ft. high, $+4\frac{1}{2}$
ft. base around post; from which
A Pine 15 ins diam. brs N. 14° E. 38 lbs. dist.

Range Line; T. 13 N. R. 13 E. S. 30, B. T.

Gila and Salt River Meridian

Chs.

marked T. 13 N. R. 13 E. S. 30, B. T.

A Pine 10 ins. diam. bro. S 70 E. 115 lks. dist.

marked T. 13 N. R. 13 E. S. 31 B. T.

A Pine 15 ins. diam. bro. S 15 W. 87 lks. dist.

marked T. 13 N. R. 12 E. S. 36 B. T.

A Fir 9 ins. diam. bro. N. 74 W. 62 lks. dist.

marked T. 13 N. R. 12 E. S. 25 B. T.

High rolling and broken surface

Stony soil 3rd rate

Heavy pine timber throughout

Some fir and oak, Pine undergrowth.

North between Secs. 25 & 30

Var. 14° 13' E.

10.15 Little gulch 10 lks. wide, runs E.

40.00 Set a post 4 ft. long 3 ins. sq. with
marked stone 12 ins. in the ground
for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S.

Range Line; T₁. 13 N. Betw. R. 12 & 13 E.

Gila and Salt River Meridian

Chs.

and raised a mound of stones
1½ ft. high, 3½ ft. base, around
post, from which

a Pin 30 ins. diam. bro. N 69 E. 82 lbs. dist. marked
"4 S. B. T."

a Pin 4 ins. diam. bro S 28 W. 43 lbs. dist.
marked "4 S. B. T."

80.00 Set a post 4 ft. long, 4 ins. sq. with
marked stone 12 ins. in the ground
for the cor. to Secs. 19, 24, 25 & 30
marked

T. 13 N. S. 19, on N. E.

R. 13 E. S. 30 on S. E.

R. 12 E. S. 25 on S. W.

S. 24 on N. W. face, with 4
notches on the north and 2
notches on the S. edges. Raised
a mound of stone 2 ft. high 4½ ft.
base, around post; from which

Range Line: T¹. 13 N. Betw. R. 12 & 13 E.

Gila and Salt River Meridian

Chs.

- A Pine 14 ins. diam. brs. N 48° E. 59 lks. dist.
marked T. 13 N. R. 13 E. S. 19 B. 5.
 - + A Pine 20 ins. diam. brs S 57° E. 18 lks. dist.
marked T. 13 N. R. 13 E. S. 30. B. 5.
 - A Pine 15 ins. diam. brs S 15° W 104 lks. dist.
marked T. 13 N. R. 12 E. S. 25 B. 5.
 - A Pine 16 ins. diam. brs N 58° W. 97 lks. dist.
marked T. 13 N. R. 12 E. S. 24. B. 5.
- Rolling. Soil 3rd rate
Heavy pine timber throughout.
Pine undergrowth.

North between Secs. 19 & 24

Var. 14° 13' E.

40.00

Set a post 4 ft. long 3 ins. sq.
with marked stone 12 ins. in the
ground, for ¹/₄ Sec. Cor. marked
¹/₄ S. and raised a mound

Range Line, T₁. 13 N. Betwn. R₁. 12 & 13 E.

Gila and Salt River Meridian

Chs.

of stone 1½ ft high, 3½ ft base
around post, from which

A Pine 39 ins. diam. bro N 47 E. 48 lbs. dist.
marked ¼ S. B. T.

A Pine 34 ins diam. bro. N 68½ W. 82 lbs. dist.
marked ¼ S. B. T.

57.00 Little valley 100 lbs. wide, runs E.

80.00 Set a post 4 ft. long, 4 ins. sq.
with marked stone 12 ins. in the
ground for the cor. to Secs. 13, 18,
19 & 24. marked

T₁. 13 N. S. 18. on N. E.

R₁. 13 E. S. 19 on S. E.

R₁. 12 E. S. 24 on S. W.

S. 13 on the N. W. face, with 3
notches on the N. & S. edges. Raised
a mound of stone 2 ft. high, 4½ ft
base around post from which
A Pine 13 ins. diam. bro N 77 E. 122 lbs. dist.

Range Line; T^h. 13 N. Betwn. R^s. 12 & 13 E.

Gila and Salt River Meridian

Chs.

marked T. 13 N. R. 13 E. S. 18. B.T.

A Pine 20 ins. diam. brs. S. 40 E. 128 lbs. dist.

marked T. 13 N. R. 13 E. S. 19. B.T.

A Pine 16 ins. diam. brs. S 70 W. 37 lbs. dist.

marked T. 13 N. R. 12 E. S. 24. B.T.

A Pine 18 ins diam. brs. N 43 W. 20 lbs dist.

+ marked T. 13 N. R. 12 E. S. 13. B.T.

Rolling. Soil 3rd rate

Heavily pine timber throughout
Undergrowth of pine & oak

North. Between Secs. 13 & 18

Pat. 14° 13' E.

19.50 Gulch 25 lbs wide, runs E.

40.00 Set a post 4 ft. long & ins. sq.
with a marked stone, 12 ins. in
the ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised a mound of

Range Line: $\frac{1}{4}$ Sec. 13 N. Between Rs. 12 & 13 E.
Gila and Salt River Meridian

Chs.

stone $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
around post, from which
a pine 18 ins. diam. bro. N 27° E. 20 lks. dist.
marked $\frac{1}{4}$ S. B. S.

a pine 28 ins. diam. bro. S $37\frac{1}{2}^{\circ}$ W. 12 lks. dist.
marked $\frac{1}{4}$ S. B. S.

80.00 Set a post 4 ft. long, 4 ins. sq. with
a marked stone 12 ins. in the ground
for the cor. to Secs. 7, 12, 13 & 18, marked
 $\frac{1}{4}$ Sec. 13 N. S. 7 on N. E.

R. 13 E. S. 18 on S. E.

R. 12 E. S. 13 on S. W.

S. 12 on N. W. face, with 2 notches
on the N. and 4 notches on the S.
edges. Raised a mound of stone
2 ft. high $4\frac{1}{2}$ ft. base around
post, from which

a Pine 38 ins. diam. bro. N 54° E. 23 lks. dist.
marked $\frac{1}{4}$ Sec. 13 N. R. 13 E. S. 7 B. S.

Range Line; Twp. 13 N. Between Rs. 12 & 13 E.
 Gila and Salt River Meridian
 Chs.

An Oak 10 ins. diam. brs S 67 E. 70 lbs. dist.
 marked T. 13 N. R. 13 E. S. 18 B. T.

A Pine 27 ins. diam. brs S. 80 W. 45 lbs. dist.
 marked T. 13 N. R. 12 E. S. 13 B. T.

A Pine 29 ins. diam. brs N 34 W. 53 lbs. dist.
 marked T. 13 N. R. 12 E. S. 12. B. T.

Rolling. Soil 3rd rate
 Heavy pine timber throughout
 Undergrowth of pine & oak.

North Between Secs. 7 & 12
 Twp. 14th 13' E.

40.00 Set a post 4 ft. long, 3 ins. sq.
 with a marked stone, 12 ins. in
 the ground, for $\frac{1}{4}$ Sec. Cor. mark
 id $\frac{1}{4}$ S. Raised a mound of stone
 $1\frac{1}{2}$ ft high, $3\frac{1}{2}$ ft. base around

Range Line: T₁. 13 N. Between R_s. 12 & 13 E.

Gila and Salt River Meridian

Chs.

post, from which
 * A Pine 28 ins. diam. brs S. 53 E. 26 lbs. dist.
 marked $\frac{1}{4}$ S. B. T.

A Pine 19 ins. diam. brs N 69 W. 54 lbs. dist.
 marked $\frac{1}{4}$ S. B. T.

61.76 Rocky gulch 30 lbs. wide, runs NE.

80.00 Set a post 4 ft. long, 4 ins sq. with
 marked stone 12 ins. in the ground
 for cor. to Secs. 1, 6, 7 & 12, marked
 T₁. 13 N. S. 6 on N. E.

R. 13 E. S. 7 on S. E.

R. 12 E. S. 12 on S. W.

S. 1 on N. W. face, with 1 notch
 on N and 5 notches on S. edges.

Raised a mound of stone 2 ft. high
 4 $\frac{1}{2}$ ft. base around post, from which

A Pine 11 ins. diam. brs N. 30 E. 28 lbs. dist.
 marked T₁. 13 N. R. 13 E. S. 6. B. T.

A Pine 27 ins. diam. brs S 60 E. 94 lbs. dist

Range Line, T₁. 13 N. Between R₁s. 12 & 13 E.

Gila and Salt River Meridian

Chs.

marked T₁. 13 N. R. 13 E. S. 7 B. T.

A Pine 24 ins. diam. bro. S 59 N. 117 lbs. dist.

marked T₁. 13 N. R. 12 E. S. 12 B. T.

A Pine 12 ins. diam. bro. N 64 W. 40 lbs. dist.

marked T₁. 13 N. R. 12 E. S. 1, B. T.

Rolling & somewhat broken
Soil 3rd & 4th rate

Heavy pine timber throughout
Undergrowth of pine & oak.

North between Secs. 1 & 6

Var. 14° 13' E.

21.19 Gulch 15 lbs. wide, runs N. E.

40.00 Set a post 4 ft. long 3 in. sq.

with marked stone 12 ins. in
ground for $\frac{1}{4}$ Sec. Cor. marked

$\frac{1}{4}$ S. Raised mound of stone

1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base around

Rang Line; Twp. 13 N. Betw. Rs. 12 & 13 E.

Gila and Salt River Meridian

Chs.

post, from which

A Pine 42 ins. diam. brs S 65 E. 12 lks. dist.
marked $\frac{1}{4}$ S. B. T.

A Pine 38 ins. diam. brs. N. 81 W. 86 lks. dist.
marked $\frac{1}{4}$ S. B. T.

54.00 Dup. gulch 50 lks. wide runs N. E.

80.00 Set a post $\frac{1}{2}$ ft. long, 4 ins. sq.
with marked stone 12 ins. in ground
for the cor. to Twp. 13 & 14 N. Rs.
12 & 13 E. marked

T. 14 N. S. 31 on N. E.

R. 13 E. S. 6. on S. E.

T. 13 N. S. 1 on SW.

R. 12 E. S. 36 on N. W faces

with 6 notches on each edge

Raised a mound of stones $2\frac{1}{2}$ ft.
high, 5 ft. base, around post, from which

A Pine 12 ins. diam. brs. N 27 E. 46 lks. dist.

marked T. 14 N. R. 13 E. S. 31 B. T.

Range Line: Sp. 13 N. 13 E. Between R. 12 & 13 E.
Gila and Salt River Meridian

A Pine 16 ins. diam. brs. S 80° E. 39 lbs. dist.
marked T. 13 N. R. 13 E. S. 6. B. S.

A Pine 26 ins. diam. brs S 67° W. 56 lbs. dist.
marked T. 13 N. R. 12 E. S. 1 B. S.

A Juniper 30 ins. diam. brs N 55° W. 104 lbs. dist.
marked T. 14 N. R. 12 E. S. 36 B. S.

Rolling & broken. Soil 3rd rate
Heavy pine timber throughout
Undergrowth of pine & oak.

Note: I made a reconnaissance
of the timber belt
between the 3rd and 4th Stand-
ards North in the fall of
1880. I found that it extend-
ed northwest from the point
I started from in the foregoing
survey. that along the 3rd

Standard North, and for at least one township in width north of this Standard the country is cut up in every direction with deep canyons which become deeper with more precipitous sides as you go further north and east, rendering the timber found between the canyons practically inaccessible. It will only pay to get it out when it becomes very valuable from scarcity, which is not likely to occur. I found as I went north that the canyons turned east and ran into the Little Colorado through various passes in the mountains. after

going north about six miles the canons became fewer the timber heavy and accessible from the direction of the railroad. I found as I before stated that the timber belt extended northwest, in the direction of the San Francisco Mountains, and that the Range Line between R. 12 & 13 E. would soon run out of timber of commercial value north of the cor. to Tps. 13 & 14 N. R. 12 & 13 E. Therefore from this last named corner I turn west and attempt to reach the main body of the timber "most subject to depredation". I run, ~~min~~

Exterior Boundary. Between Tps. 13 & 14 N. R. 12 E.

Gila and Salt River Meridian

Chs.

Post between Sections 1 & 36

Var. $14^{\circ}13'$ East

40.00 Set a post 4 ft. long, 3 ins. sq. with
marked stone 12 ins. in the ground
for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. and
raised a mound of stone $1\frac{1}{2}$ ft
high, $3\frac{1}{2}$ ft. base around post.
from which

A pine 6 ins. diam. bro. S. 40° W. 7 lks. dist.
marked $\frac{1}{4}$ S. B. S.

A pine 22 ins. diam. bro. N 48° W. 21 lks. dist.
marked $\frac{1}{4}$ S. B. S.

58.85 Rocky gulch 100 ft deep runs N.W.

64.00 Little canon 150 ft deep 125 lks. wide
in bottom. runs N.E.

80.00 Set a post 4 ft. long, 4 ins. sq. with
marked stone 12 ins. in the ground
for the Cor. to Secs. 1, 2, 35 & 36, marked
 $T14$ N. S. 36 or N. E.

Exterior Bndry: Between Tps. 13 & 14 N. R. 12 E.

Gila and Salt River Meridian

Chs.

R. 12 E. S. 1 on S. E.

T. 13 N. S. 2 on S. W.

S. 35 on the N. W. face with
1 notch on the E. and 5 notches on
the W. edges. Raised mound of
stones 2 ft. high 4½ ft. base
around post. from which
a pine 29 ins. diam. bro. N. 64 E. 107 lbs. dist.

marked T. 14 N. R. 12 E. S. 36 B. T.

a pine 24 ins. diam. bro S. 40 E. 62 lbs. dist.

marked T. 13 N. R. 12 E. S. 1 B. T.

a pine 27 ins. diam. bro S. 43 W. 63 lbs. dist.

marked T. 13 N. R. 12 E. S. 2 B. T.

a pine 16 ins. diam. bro N. 46 W. 95 lbs. dist.

marked T. 14 N. R. 12 E. S. 35 B. T.

High rolling and broken surface

Soil 3rd and 4th rate

Heavy pine timber throughout

Undergrowth of pine & oak.

Exterior Boundary: Between Tps. 13 & 14 N. R. 12 E.

Gold and Salt River Meridian

Chs.

West between Secs. 2 & 35

Var. 14° 13' E.

40.00

Set a post 4 ft. long, 3 ins. sq. with
marked stone 12 ins. in the ground
for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. and
raised a mound of stone $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post. from which
a jumper 15 ins. diam. bro N 44 E. 61 lbs. dist.
marked $\frac{1}{4}$ S. B.T.

a pine 30 ins. diam. bro S 75 $\frac{1}{2}$ W. 39 lbs. dist.
marked $\frac{1}{4}$ S. B.T.

80.00

Set a post 4 ft. long, 4 ins. sq. with
marked stone 12 ins. in the ground
for the cor. to Secs. 2, 3, 34 & 35, marked
T. 14 N. S. 35 on N. E.

R. 12 E. S. 2 on S. E.

T. 13 N. S. 3 on S. W.

S. 34 on the N. W. face, with 2
notches on the E. and 4 notches on

Exterior Boundary: Between Tps. 13 & 14 N. R. 12 E.

Gila and Salt River Meridian

Obs.

the W. edges. Raised a mound of
stone 2 ft. high 4½ ft. base a
round post, from which
a pine 29 ins. diam. bro. N. 28 E. 113 lbs. dist.

marked T. 14 N. R. 12 E. S. 35 B. J.

a pine 30 ins. diam. bro. S 3° E. 37 lbs. dist.

marked T. 13 N. R. 12 E. S. 2, B. T.

a pine 18 ins. diam. bro. S 46 W. 55 lbs. dist.

marked T. 13 N. R. 12 E. S. 3 B. T.

a pine 28 ins. diam. bro. N 64 W. 38 lbs. dist.

marked T. 14 N. R. 12 E. S. 34 B. T.

High rolling surface. Soil 3rd rate.
Heavy pine timber throughout.
Undergrowth of pine & oak.

West between Secs 3 & 34

Lat. 14° 13' E.

31.50

Rocky gulch 50 ft. deep, 25 lbs wide in bottom

Exterior Boundary: Between Tps. 13 & 14 N. R. 12 E.

Gila and Salt River Meridian

Chs.

runs N.

40.00 Set a post 4 ft. long, 3 ins. sq. with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. and raised a mound of stone $1\frac{1}{2}$ high, $3\frac{1}{2}$ ft. base around post from which

a pine 24 ins. diam. bro. S43 W. 39 lbs. dist. marked $\frac{1}{4}$ S. B. T.

a pine 16 ins. diam. bro. N66 W. 38 lbs. dist. marked $\frac{1}{4}$ S. B. T.

45.00 Descend towards big cañon

50.00 Descend precipitately.

Further west the line is impassable on account of big cañon which appears to be between 400 and 500 ft. deep with precipitous sides and about a half a mile wide across the top. I could

General Description:

not find a crossing of this
 canon for miles north or south
 of the line. So I find it im-
 practicable to extend a line into
 the main body of the timber
 from this direction and return
 to the Third Standard to take
 up another range line. May 25, 1881

General Description: The Range
 line between Rs. 12 & 13 E. Tps. 13 N
 and the line between Tps 13 & 14 N.
 R. 12 E. just run by me, pass
 through land heavily covered with
 timber. On either side of the
 Range line are deep canons run-
 ning in a northerly direction and
 then easterly towards the Little Colo-
 rado, into which they empty.
 The line between Tps 13 & 14 N. R. 12 E

General Description:

intersects one of these cañons, as shown, at a place where it is impassable for a long distance. The soil is rocky and poor for agricultural purposes, but bears a luxuriant growth of grass, furnishing good grazing through the Spring, summer & fall months. Water is found in all the deep cañons. Owing to these cañons the timber is very difficult of access and there is no present need of subdivisions along these lines.

Theodore F. White
U.S. Deputy Surveyor.

Range Line: T⁴p. 13 N. Betw. Rs. 9 & 10 E.
Gila and Salt River Meridian

I do not run the range lines between Rs. 11 & 12 E. and between Rs. 10 and 11 E. from the Standard for the reasons before set forth, but take up the Range Line between Rs. 9 and 10 E. This lies along the summit of the Mogollon Mountains; passes over ground upon which correct measurements can be made; through the best timber on the range, possessing the most commercial value, and most subject to depredation; as it approaches the line of the Atlantic and Pacific Railroad. I commence at the Standard Cor. to T⁴p. 13 N. Rs. 9 & 10 E. which

Range Line: T^p. 13 N. Betwⁿ Rs. 9 & 10 E.
Gila and Salt River Meridian

Chs.

is a limestone showing 6x10x6 ins
above ground, marked with
6 notches on the E. and W. and
from which

An Oak 20 ins diam. brs. N 62° E. 60 lbs. dist.
marked T. 13 N. R. 10 E. S. 31 B. J.

An Oak 15 ins. diam. brs S 75° W. 40 lbs. dist.
marked T. 12 N. R. 9 E. S. 1 B. J.

A pine 24 ins. diam. brs. N 8° W. 94 lbs. dist.
marked T. 13 N. R. 9 E. S. 36 B. J.

From this cor. I run
North Between Secs. 31 & 36
Var. 14° 15' E.

As found by observation with solar
instrument.

14.87 a Pine 24 ins. diam.

22.00 Little Creek 5 lbs. wide, runs N.E.
ascend

31.00 Top of ascent about 100 feet above

Range Line: T₁. 13 N. Betw'n R₁. 9 & 10 E.
Gila and Salt River Meridian

Chs.

- little valley in which the creek runs. Descend
- 38.50 Dry gulch 10 fks wide runs S. E.
Ascend
- 40.00 Set a post 4 ft. long, 3 ins. sq.
with marked stone, 12 ins. in the
ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised a mound of stone
 $1\frac{1}{2}$ ft high, $3\frac{1}{2}$ ft. base around
post. from which
a pine 24 ins. diam. brs N $39\frac{1}{2}$ E. 45 fks dist.
marked $\frac{1}{4}$ S. B. 5.
- a pine 30 ins. diam. brs. S. $59\frac{1}{2}$ W. 28 fks dist.
marked $\frac{1}{4}$ S. B. 5.
- 42.00 Top of gradual ascent and enter
plateau.
- 66.82 a pine 24 ins. diam.
- 80.00 Set a post 4 ft. long, 4 ins. sq.
with a marked stone, 12 ins. in

Range Line: $\frac{1}{2}$ p. 13 N. Between Rs. 9 & 10 E.

Gila and Salt River Meridian

Chs.

the ground, for the cor. to Secs. 25,
31, 31 & 36, marked

T. 13 N. S. 30 on N. E.

R. 10 E. S. 31 on S. E.

R. 9 E. S. 36 on S. W.

S. 25 on N. W. face, with 5 notches
on N. and 1 notch on S. edges. Raised
a mound of stone around it
2 ft high, $4\frac{1}{2}$ ft base, from which
a pine 20 ins. diam. brs. N 82 E 44 lks. dist.

marked T. 13 N. R. 10 E. S. 30 B. T.

a pine 18 ins. diam. brs. S 69 E. 58 lks. dist.

marked T. 13 N. R. 10 E. S. 31 B. T.

a pine 23 ins. diam. brs. S 43 W. 72 lks. dist.

marked T. 13 N. R. 9 E. S. 36 B. T.

a pine 33 ins. diam. brs. N 68 W. 39 lks. dist.

marked T. 13 N. R. 9 E. S. 25 B. T.

Rolling. Soil along little creek
good, balance 2nd and 3rd rate

Rang Line: T₁. 13 N. R₁ 10 E.

Gila and Salt River Meridian

Chs.

Heavy pine timber, throughout
Undergrowth of pine

- North between Secs. 25 & 30
Var. 14° 15' E.

11.60 Road, called the "Mormon Road"
from the Little Colorado settlements
to the Tonto Basin, bears S. W. & N. E.

40.110 Set a post 4 ft. long, 3 ins. sq.
with marked stone 12 ins. in
ground, for $\frac{1}{4}$ Sec. Cor. mark-
ed $\frac{1}{4}$ S. and raised mound
of stone $1\frac{1}{2}$ ft high, $3\frac{1}{2}$ ft. base
around post, from which
an Oak 9 ins. diam. brs S 67° E 94 fms. dist.
marked $\frac{1}{4}$ S. B. T.

a pine 24 ins. diam. brs N. 49° W. 62
marked $\frac{1}{4}$ S. B. T.

Rang Line: T^p. 13 N. Betwn. Rs. 9 & 10 E.
Gila and Salt River Meridian

Chs.	
52.34	a pine 20 ins. diam
61.111	a pine 24 ins. diam.
76.82	a pine 20 ins. diam
80.00	<p>Set a post 4 ft. long, 4 ins. sq. with marked stone 12 ins. in the ground, for Cor. to Secs. 19, 24, 25 & 30, marked</p> <p>T^p. 13 N. S. 19 on N. E. R. 10 E. S. 30 on S. E. R. 9 E. S. 25 on S. W. S. 24 on N. W. face, with 4 notches on N. and 2 notches on S. edg. Dug pits 18x18x12 ins. in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft high, 4 1/2 ft. base around post, from which,</p> <p>10 ins. diam. brs. N. 5 7/8 E. 104 lks. dist. marked T^p. 13 N. R. 10 E. S. 19 B. 5.</p>

Rangeline: Twp. 13 N. Between Rs. 9 & 10 E.
 Gila and Salt River Meridian
 Chs.

a pine 23 ins. diam. hrs. S. $37\frac{1}{2}$ E. 81 lbs. dist.
 marked T. 13 N. R. 10 E. S. 30 B.T.

a pine 15 ins. diam. hrs. S. $42\frac{1}{2}$ W. 101 lbs. dist.
 marked T. 13 N. R. 9 E. S. 25 B.T.

a pine 20 ins. diam. hrs. N. $26\frac{1}{2}$ W. 40 lbs. dist.
 marked T. 13 N. R. 9 E. S. 24 B.T.

Slightly rolling surface. Soil 3rd
 rate. Heavy pine timber throughout
 some oak and undergrowth.

North between Secs. 19 & 24
 Var. $14^{\circ}15'$ E.

- 29.00 Descend from table land
 34.20 Rocky gulch 10 lbs. wide, runs S.W.
 ascend.
 40.00 Set a post 4 ft long, 3 ins. sq.
 with marked stone 12 ins. in
 the ground, for "4 Sec. Cor.

Range Line; T₁. 13 N. Between R_s. 9 & 10 E.
Gila and Salt River Meridian

Chs.

marked $\frac{1}{4}$ S. and raised a mound of stone 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around post, from which an oak 7 ins. diam. bro. N 53 E. 43 lbs. dist. marked $\frac{1}{4}$ S. B. S.

a pine 20 ins. diam. bro. S 43 W. 54 lbs. dist. marked $\frac{1}{4}$ S. B. S.

41.00 Enter plateau

72.90 a pine 20 ins. diam

80.00 Set a post 4 ft. long, 4 ins. sq. with marked stone 12 ins. in the ground for Cor. to Secs. 13, 18, 19 & 24, marked T₁. 13 N. S. 18 on N. E.

R. 10 E. S. 19 on S. E.

R. 9 E. S. 24 on S. W.

S. 13 on N. W. face, with 3 notches on the N. and S. edges. Raised a mound of stone 2 ft. high, 4 $\frac{1}{2}$ ft. base around post, from which

Rangitane; T^y. 13 N. Bitou. P. 9 & 10 E.
Gila and Salt River Meridian

Chs.

a pine 30 ins. diam. brs. N. 1° E. 84 lbs. dist.
marked T^y. 13 N. R. 10 E. S. 18 B. T.

a pine 22 ins. diam. brs. S. 15° E. 58 lbs. dist.
marked T^y. 13 N. R. 10 E. S. 19 B. T.

An oak 10 ins. diam. brs. S. 36 W. 82 lbs. dist.
marked T^y. 13 N. R. 9 E. S. 24, B. T.

a pine 30 ins. diam. brs. N. 2° W. 4 lbs. dist.
marked T^y. 13 N. R. 9 E. S. 13 B. T.

Somewhat rolling. Soil 3rd rate
Heavy pine timber throughout
Some oak, and undergrowth.

~~~~~

North Bitouye Secs. 13 & 18  
Cor. 14° 15' E.

440.000 Set a post 4 ft. long, 3 ins. sq.  
with marked stone 12 ins. in  
the ground, for 1/4 Sec. Cor.  
marked 1/4 S. and round a

Rang Line: Twp. 13 N. Betw. Rs. 9 & 10 E.  
Gila and Salt River Meridian

Chs.  
mound of stone  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around post, from which  
an oak 13 ins. diam. bro East 30 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

+ an oak 10 ins. diam. bro S. 30 W. 91 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

45.95 "Mormon Road" to Tanta, bro S. E. & N. W.

52.35 a pine 20 ins. diam.

80.00 Set a post 4 ft. long, 4 ins. sq,  
with marked stone 12 ins. in  
ground, for Cor. to Secs. 7, 12,  
13 & 18 marked

T. 13 N. S. 7 on N. E.

R. 10 E. S. 18 on S. E.

R. 9 E. S. 13 on S. W.

S. 12 on N. W. face, with 2  
notches on N. and 4 notches on  
the S. edges; dug pits  $18 \times 18 \times 12$  ins.  
in each sec.  $5\frac{1}{2}$  ft. dist. and



Rangel Line: Sp. 13 N. Between. Co. 9 & 10 E.

Gila and Salt River Meridian

raised a mound of earth -  
2 ft high  $4\frac{1}{2}$  base around post  
front which

A pine 18 ins. diam. bro N  $65\frac{1}{2}$  E. 127 lbs. dist.  
marked T. 13 N. R. 10 E. S. 7 B. T.

A pine 20 ins. diam. bro S  $58$  E. 53 lbs. dist.  
marked T. 13 N. R. 10 E. S. 18 B. T.

A pine 26 ins. diam. bro S.  $20$  W. 64 lbs. dist.  
marked T. 13 N. R. 9 E. S. 13 B. T.

A pine 18 ins. diam. bro N  $59$  W. 41 lbs. dist.  
marked T. 13 N. R. 9 E. S. 12 B. T.

Gently rolling surface. Soil 3<sup>rd</sup> rate  
Heavy pine timber throughout  
Some oak and undergrowth.

North Between Secs. 7 & 12  
Var.  $14^{\circ} 15'$  E.

40.00 This is in a little valley running N.E.

Range Line:  $\frac{1}{4}$  Sec. 13 N. Between Rs. 9 & 10 E.  
Gila and Salt River Meridian

Set a post 4 ft. long, 3 ins. sq.  
with marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. mark-  
ed  $\frac{1}{4}$  S. dug pits 18 x 18 x 12 ins  
 $5\frac{1}{2}$  ft. dist. from post, and  
raised a mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around post.  
from which

a pine 24 ins. diam. brs N 89 E. 270 lbs. dist.  
marked  $\frac{1}{4}$  S. B.T.

a pine 22 ins. diam. brs N 74 W. 258 lbs. dist.  
marked  $\frac{1}{4}$  S. B.T.

63.41

Mormon Road to Tonto, brs. S.W. & N.E.  
a water hole called "Turkey Tanks"  
about one mile N.E. along road.

75.00 ascend.

80.011

Set a post 4 ft. long, 4 ins. sq. with  
marked stone 12 ins. in the ground,  
for Cor. to Secs. 1, 6, 7 & 12, marked  
T. 13 N. S. 6 on N. E.

Range Line;  $\frac{1}{4}$  Sec. 13 N. Between R. 9 & 10 E.  
Gila and Salt River Meridian

Obs.

R. 10 E. S. 7 on S. E.

R. 9 E. S. 12 on S. W.

S. 1 on N. W. face, with 1 notch  
on N. and 5 notches on S. edges,  
raised a mound of stone  
2 ft. high,  $4\frac{1}{2}$  ft base, around  
post, from which

a pine 32 ins. diam. brs. N 34 E. 147 lbs. dist.  
marked T. 13 N. R. 10 E. S. 6. B. T.

a pine 28 ins. diam. brs. S. 27 E. 63 lbs. dist.  
marked T. 13 N. R. 10 E. S. 7. B. T.

a pine 30 ins. diam. brs. S. 53 W. 60 lbs. dist.  
marked T. 13 N. R. 9 E. S. 12 B. T.

a pine 25 ins. diam. brs. N 24 W. 178 lbs. dist.  
marked T. 13 N. R. 9 E. S. 1 B. T.

Gently rolling. Soil along little  
valley at  $\frac{1}{4}$  sec. cor. good, the  
balance 3<sup>rd</sup> rate. Heavy pine timber  
throughout. Undergrowth



Range Line: Tps. 13 & 14 N. Between Rs. 9 & 10 E.

Gila and Salt River Meridian

Chs.

North Between Secs. 1 & 6

Var.  $14^{\circ}15'E$ .

- 15.00 Center table land
- 33.59 a pine 18 ins. diam.
- 40.00 Set a post 4 ft. long, 3 ins. sq. with a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. and raised mound of stone  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post from which
- a pine 16 ins. diam. brs.  $N 82^{\circ} E$ . 28 lbs. dist. marked  $\frac{1}{4}$  S. B. T.
- a pine 20 ins. diam. brs.  $N 60^{\circ} W$ . 30 lbs. dist. marked  $\frac{1}{4}$  S. B. T.
- 80.00 Set a post  $4\frac{1}{2}$  ft long, 4 ins. sq. with marked stone 12 ins. in the ground for the corner Tps 13 and 14 N Rs. 9 & 10 E. marked T. 14 N S. 31 on N. E.

Range Line: T. 13 N. Between R. 9 & 10 E.

Gila and Salt River Meridian

Chs.

R. 10 E. S. 6 on S. E.

T. 13 N. S. 1 on S. W.

R. 9 E. S. 36 on N. W. faess, with  
 ematches on each edg. Raised  
 a mound of stones 2½ ft. high  
 5 ft. base around post, from which  
 a pine 16 ins. diam. brs. N 75 E. 130 lbs. dist  
 marked T. 14 N R. 10 E. S. 31 B. T.

a pine 14 ins. diam. brs. S. 54 E. 100 lbs. dist.  
 marked T. 13 N. R. 10 E. S. 6 B. T.

An oak 20 ins diam. brs. S 10 W. 103 lbs dist.  
 marked T. 13 N. R. 9 E. S. 1 B. T.

Pine 10 ins. diam. brs. N 48 W 95 lbs. dist.

marked T. 14 N R. 9 E. S. 36 B. T.

Gently rolling. Soil 3<sup>rd</sup> rate

Heavy pine timber throughout  
 Some oak, and undergrowth  
 of pine and oak.

General Description: The fore-

Range Line. Tps. 13 N. Betw'n Rs. 9 & 10 E.

Gila and Salt River Meridian

going Range Line, passes through heavy timber its whole length. Both Tps 13 N Rs. 9 & 10 E. are covered with fine pine timber which will come into market in course of time when that further north is used up. The surface is rolling along the line, but in the interior of the townships there are some cañons. There is but little agricultural land, but it all furnishes excellent grazing during the spring summer and fall months. Water is scarce along the line except during the rainy season; but it can be found in the cañons to the east or west of the line.

Theodore G. White

U.S. Deputy Surveyor



Rang. Line: T<sup>1</sup>/<sub>4</sub> N. Between Rs. 9 & 10 E.  
Gila and Salt River Meridian

Chs.

North Between Secs. 31 & 36

T<sup>1</sup>/<sub>4</sub> N. 14° 15' E.

40.00 Set a post 4 ft. long, 3 ins. sq.  
with marked stone 12 ins. in  
the ground for <sup>1</sup>/<sub>4</sub> Sec. Cor. marked  
<sup>1</sup>/<sub>4</sub> S. and raised a mound of  
stone 1½ ft high, 3½ ft. base  
around post. from which  
a pine 14 ins. diam. brs S 28 E. 35 lks. dist.  
marked <sup>1</sup>/<sub>4</sub> S. B. T.

a pine 16 ins. diam. brs N 21 W. 86 lks. dist.  
marked <sup>1</sup>/<sub>4</sub> S. B. T.

71.60 a pine 20 ins. diam.

80.00 Set a post 4 ft. long, 4 ins. sq.  
with marked stone 12 ins. in the  
ground for Cor. to Secs. 25, 30, 31  
& 36, marked  
T<sup>1</sup>/<sub>4</sub> N. S. 30 on N. E.

R. 10 E. S. 31 on S. E.

Range Line; T<sup>h</sup>. 14 N. Between Rs. 9 & 10 E.  
Gda and Salt River Meridian

Obs.

R. 9 E. S. 36 on S. W.

S. 25, on N. W. face, with 5 notches  
on the N. and 1 notch on the S. edge  
dug pits 18 x 18 x 12 ins. in each  
sec. 5 1/2 ft. dist. and raised a  
mound of earth 2 ft. high, 4 1/2 ft.  
base around post, from which  
a pine 14 ins. diam. brs N 75 E. 110 lbs. dist.

marked T<sup>h</sup>. 14 N. R. 10 E. S. 30 B. T.

a pine 9 ins. diam. brs S. 32 1/2 E. 33 lbs. dist.

marked T<sup>h</sup>. 14 N. R. 10 E. S. 31 B. T.

a pine 36 ins. diam. brs S 34 1/2 W. 135 lbs. dist.

marked T<sup>h</sup>. 14 N. R. 9 E. S. 36 B. T.

a pine 26 ins. diam. brs N 71 W. 95 lbs. dist.

marked T<sup>h</sup>. 14 N. R. 9 E. S. 25 B. T.

Gently rolling. Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate  
Heavy pine timber throughout  
Undergrowth.

Rangeline: Tl. 17 N. Between Rs. 9 & 10 E.

Gila and Salt River Meridian

Chs.

North Between Sics 2, 5 & 30  
Taz.  $14^{\circ}15' E.$

40.00 Set a post 4 ft. long, 3 ins. sq.  
with marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and raised a mound  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base around post  
from which  
a pine 30 ins. diam. bro S  $22\frac{1}{2}^{\circ}$  E. 90 lbs. dist.  
marked  $\frac{1}{4}$  S. B.T.

a pine 9 ins. diam. bro. S.  $71^{\circ}$  W. 24 lbs. dist.  
marked  $\frac{1}{4}$  S. B.T.

62.00 Leave table land and descend

70.00 Gulch 20 lbs. wide, runs W. of N.

76.97 a pine 24 ins. diam

80.00 Set a post 4 ft. long, 4 ins. sq.  
with marked stone 12 ins. in  
the ground, for the Cor. to Sics.  
19, 24, 25 & 30, marked



Range Line: T. 14 N. Between R. 9 & 10 E.  
Gila and Salt River Meridian  
Chs.

T. 14 N. S. 19 on N. E.

R. 10 E. S. 30 on S. E.

R. 9 E. S. 25 on S. W.

S. 24 on N. W. faces, with 4 notches  
on N. and 2 notches on S. edges

Raised a mound of stones 2 ft  
high,  $4\frac{1}{2}$  ft base around post.  
from which

a pine 22 ins. diam. hrs N44E, 26 lbs. dist.  
marked T. 14 N. R. 10 E. S. 19 B. 5.

a pine 21 ins. diam. hrs. S 59 $\frac{1}{2}$  E. 69 lbs. dist.

marked T. 14 N. R. 10 E. S. 30 B. 5

a pine 14 ins. diam. hrs S. 58 $\frac{1}{2}$  W. 70 lbs. dist.

marked T. 14 N. R. 9 E. S. 25 B. 5.

a pine 48 ins. diam. hrs N48W. 112 lbs. dist.

marked T. 14 N R. 9 E. S. 24 B. 5.

Slightly rolling. Soil 3<sup>rd</sup> rate  
Heavy pine timber throughout,  
Some oaks, and undergrowth.

Rang/Line; T<sup>n</sup>. 14 N. Between Rs. 9 & 10 E.

Gila and Salt River Meridian

Chs.

North Between Secs. 19 & 24  
Par.  $14^{\circ}15' E.$

- 29.93 a pine 26 ins. diam.  
40.00 Set a post 4 ft. long, 3 ins. sq. with marked stone, 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. and raised a mound of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post from which a pine 10 ins. diam. brs N  $34\frac{1}{2}^{\circ} E.$  39 fms. dist. marked  $\frac{1}{4}$  S. B. T.
- a pine 16 ins. diam. <sup>brs</sup> N.  $50^{\circ} W.$  57 fms. dist. marked  $\frac{1}{4}$  S. B. T.
- 69.80 Dry gulch 20 fms. wide, runs N. E.  
80.00 Set a post 4 ft. long, 4 ins. sq. with marked stone, 12 ins. in the ground for Cor. to Secs 13, 18, 19 & 24, marked T. 14 N. S. 18 on N. E.  
R. 10 E. S. 19 on S. E.

Range Line: T<sub>14</sub> N. Betw. R. 9 & 10 E.

Gila and Salt River Meridian

Chs.

R. 9 E. S. 24 on S. W.

S. 13. on N. W. face. with 3 notches  
on N. and S. edges. Raised a mound  
of stone 2 ft. high, 4 1/2 ft. base around  
post, from which

a pine 8 ins. diam. brs N 48 1/2 E. 113 lbs. dist.

marked T. 14 N. R. 10 E. S. 18 B. T.

a pine 6 ins. diam. brs. S. 26 E. 53 lbs. dist.

marked T. 14 N. R. 10 E. S. 19 B. T.

a pine 23 ins. diam. brs S. 29 1/2 W. 93 lbs. dist.

marked T. 14 N. R. 9 E. S. 24 B. T.

a pine 26 ins. diam. brs. N 88 W. 63 lbs. dist.

marked T. 14 N. R. 9 E. S. 13. B. T.

Rolling. Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Heavy pine timber throughout

North Between Secs. 13 & 18

Var. 14° 15' E.



Range Line: T<sup>h</sup>. 14 N. Between Rs. 9 & 10 E.  
Gila and Salt River Meridian

Chs.

- 12.50 Gulch 20 lbs. wide, runs S. of W.  
40.00 Set a post 4 ft. long, 3 ins. sq.  
with marked stone 12 ins. in the  
ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and raised dug pits 18x18  
x12 ins and raised mound of  
earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
post, from which  
a pin 22 ins. diam. hrs. S. 35 E. 9 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.  
a pin 18 ins. diam. hrs. S. 42 W. 28 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.  
80.00 Set a post 4 ft. long, 4 ins. sq.  
with marked stone, 12 ins. in the  
ground, for Cor. to Secs. 7, 12  
13 & 18 marked  
T<sup>h</sup>. 14 N. S. 7 on N. E.  
R. 10 E. S. 18 on S. E.  
R. 9 E. S. 13 on S. W.

Range Line: T<sup>p</sup>. 14 N. Betw. R. 9 & 10 E.  
Gila and Salt River Meridian

Chs.

S. 12 on N. W. face, with 2 notches  
on N. and 4 notches on S. edges

Raised a mound of stone 2 ft. high  
4½ ft. base around post, from which  
a pine 25 ins. diam. brs. N 23 E. 10 lbs. dist.

marked T. 14 N. R. 10 E. S. 7 B. T.

a pine 16 ins. diam. brs. S 53 E. 38 lbs. dist.

marked T. 14 N. R. 10 E. S. 18 B. T.

a pine 14 ins. diam. brs S. 72 W. 25 lbs. dist.

marked T. 14 N. R. 9 E. S. 13 B. T.

a pine 15 ins. diam. brs. N 42 W. 53 lbs. dist.

marked T. 14 N. R. 9 E. S. 12 B. T.

Smooth, a little rolling. Soil 3<sup>rd</sup> rate

Heavy pine timber throughout

Some undergrowth of pine

~~~~~

North Between Secs. 7 & 12

Var. 14° 15' E.

Range Line: T_{p.} 14 N. Between R_{s.} 9 & 10 E.
Gila and Salt River Meridian

40.00 Set a post 4 ft long, 3 ins. sq.
with marked stone 12 ins. in the
ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised mound of stone
 $1\frac{1}{2}$ ft high, $3\frac{1}{2}$ ft. base around post
from which

a pine 14 ins. diam. brs. S $88\frac{1}{2}$ W. 80 lbs. dist.
marked $\frac{1}{4}$ S. B. T.

a pine 6 ins. diam. brs. N 27 W. 30 lbs. dist.
marked $\frac{1}{2}$ S. B. T.

41.80 Gulch 40 lbs wide runs N.W.

80.00 Set a post 4 ft. long, 4 ins. sq.
with marked stone 12 ins. in the
ground, for Cor. to Secs. 1, 6, 7 & 12
marked

T_{p.} 14 N. S. 6 on N. E.

R. 10 E. S. 7 on S. E.

R. 9 E. S. 12 on S. W.

S. 1 on N. W. faces, with 1 notch

Range Line; T^h. 14 N. Between R^s 9 & 10 E.
 G^la and Salt River Meridian

ca 9. and 5 notches on S. edges.

Raised a mound of stone 2 ft. high
 4½ ft. base around post, from which
 a pine 14 ins. diam. brs N 55 E. 74 lbs. dist.

marked T. 14 N. R. 10 E. S. 6. B. T.

a pine 26 ins. diam. brs S. 56 E. 90 lbs. dist

marked T. 14 N. R. 10 E. S. 7. B. T.

a pine 20 ins. diam. brs. S 35 W. 87 lbs. dist.

marked T. 14 N. R. 9 E. S. 12 B. T.

a pine 28 ins. diam. brs N 38 W. 19 lbs. dist.

marked T. 14 N R. 9 E. S. 1 B. T.

Rolling. A little broken on last half
 mile. Soil 3rd rate. Heavy pine
 timber throughout.

North Between Secs. 18 & 6

Var. 140° 15' E.

31.2/6 a pine 18 ins. diam.

Range Line: Tps. 14 N. Between Rs. 9 & 10 E.

Gila and Salt River Meridian

Chs.

40.00

Set a post 4 ft. long, 3 ins. sq. with marked stone 12 ins. in the ground, with cor $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. and dug pits 18 X 18 X 12 ins. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post, from which a pine 28 ins. diam. brs. N 50 E. 24 lbs. dist. marked $\frac{1}{4}$ S. B. T.

a pine 32 ins. diam. brs. N $71\frac{1}{2}$ W. 28 lbs. dist. marked $\frac{1}{4}$ S. B. T.

80.00

Set a post 4 ft long, 4 ins. sq. with marked stone 12 ins. in the ground, for Cor. to Tps. 14 & 15 N Rs. 9 & 10 E. - marked T. 15 N. S. 31 on N. E. R. 10 E. S. 6 on S. E.

T. 14 N. S. 1 on S. W.

R. 9 E. S. 36 on N. W. face, with

Ranger Run; T^p. 14 N. Betw. Rs. 9 & 10 E.
Gila and Salt River Meridian

6 notches on each edge. Dug
posts 24 x 18 x 12 ins. lengthwise on
each line N. S. E. & W. of post
left. dist., and raised a mound
of earth 2 1/2 ft high. 5 ft base
around post, from which
an oak 18 ins. diam. brs. N 6 E. 87 lbs. dist.

marked T^p. 15 N. R. 10 E. S. 31, B. T.

a pine 24 ins. diam. brs. S 35 E. 9 lbs. dist.

marked T^p. 14 N. R. 10 E. S. 6, B. T.

a pine 24 ins. diam. brs. S 57 W. 42 lbs. dist.

marked T^p. 14 N. R. 9 E. S. 1, B. T.

An oak 8 ins. diam. brs. N 50 W. 90 lbs. dist.

marked T^p. 15 N. R. 9 E. S. 36, B. T.

Rolling and rising A. Soil 3^d rate.
Heavy pine timber throughout.
Some oak. Undergrowth of
oak and pine.

May 27, 1881

Range Line: T^p. 14 N. Between R^s. 9 & 10 E.

Gila and Salt River Meridian

General Description: The foregoing line passes through heavy timber its whole distance. Both T^ps. 14 N. R^s. 9 & 10 E. are covered with good pine timber. In the western part of T. 14 N. R. 9 E. the timber thins out however. The surface is rolling along line. There is a scarcity of water except during the rainy season and while the snows are melting. There is little agricultural land but there is excellent grazing throughout the timber during the milder months of the year.

Theodore H. White

U.S. Deputy Surveyor

Range Line: T^p. 15 N. Between R^s. 9 & 10 E.
Gila and Salt River Meridian

Chs.

North Between Secs. 31 & 36
T^r. 14' 16" E.

as found by observation with
Solar Compass.

40.00

Set a post 4 ft long, 3 ins. sq.
with marked stone, 12 ins. in
the ground, for "4 Sec. Cor. marked
1/4 S. and raised a mound of
stone 1 1/2 ft high, 3 1/2 ft base a
round post, from which
a pine 6 ins. diam. brs N 60 E. 69 lbs. dist.
marked "4 S. B. T.

a pine 28 ins. diam. brs S 19 E. 128 lbs. dist.
marked "4 S. B. T.

78.50

ascend to top of hill 100^{ft} high & descend

80.00

Set a post 4 ft long, 4 ins. sq.
with marked stone 12 ins. in the
ground, for Cor. to Secs. 215, 30
31 & 36, marked

Range Line; Tⁿ. 15 N. Between R^s. 9 & 10 E.

Gila and Salt River Meridian

Chs.

T. 15 N. S. 30 on N. E.

R. 10 E. S. 31 on S. E.

R. 9 E. S. 36 on S. W.

S. 25 on N. W. face, with
5 notches on N. and 1 notch on S.
edges. Raised a mound of stone
2 ft. high, 4½ ft base around
foot, from which

an oak 10 ins. diam. brs N. 37½ E. 14 lbs. dist.

marked T. 15 N. R. 10 E. S. 30 B. T.

a pine 7 ins. diam. brs S 38½ E. 78 lbs. dist.

marked T. 15 N. R. 10 E. S. 31 B. T.

a pine 12 ins. diam. brs. S 5° W. 65 lbs. dist.

marked T. 15 N. R. 9 E. S. 36 B. T.

a pine 8 ins. diam. brs N 43° W. 75 lbs. dist.

marked T. 15 N. R. 9 E. S. 25 B. T.

This cor. is at N. base of little hill
above noted. in smooth, ascending
N. Pine timber throughout & some oak

Range Line; T. 15 N. Between R. 9 & 10 E.
Gila and Salt River Meridian

Chs.

North - Between Secs. 215 & 311

Lat. $14^{\circ} 16' E.$

40.00

Set a post 4 ft. long, 3 ins. sq. with marked stone, 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. and raised mound of stone $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base around post, from which a pine 14 ins. diam. bro S58 $^{\circ}$ 67' W. dist marked $\frac{1}{4}$ S. B. T.

An oak 7 ins. diam. bro S73 $^{\circ}$ W 37' W. dist. marked $\frac{1}{4}$ S. B. T.

80.00

Set a post 4 ft. long, 4 ins. sq. with marked stone 12 ins. in the ground for Cor. to Secs. 19, 24, 25 & 30, marked T. 15 N. S. 19 on N. E.

R. 10 E. S. 30 on S. E.

R. 9 E. S. 25 on S. W.

S. 24 on N. W. faces, with 4 notches on N.

Range Line; Sp. 15 N. Between Rs. 9 & 10 E.
Gila and Salt River Meridian

Chs.

and 2 notches on S. edges, and
raised a mound of stone 2 ft
high, 4½ ft. base around post
from which

A pine 12 ins. diam. brs. N 63 E. 27 kcs. dist.
marked T. 15 N. R. 10 E. S. 19 B. T.

A pine 21 ins. diam. brs. S 58½ E. 47 kcs. dist.
marked T. 15 N. R. 10 E. S. 30 B. T.

A pine 14 ins. diam. brs. S 2° W. 58 kcs. dist.
marked T. 15 N. R. 9 E. S. 25 B. T.

A pine 9 ins. diam. brs. N 63° W. 15 kcs. dist.
marked T. 15 N. R. 9 E. S. 24 B. T.

Rolling and somewhat broken
Heavy pine timber throughout.
Some oaks and undergrowth.

North Between Secs. 19 & 24
Var. 14° 16' E.

Rangeline; Twp 15 N. Betwn. Rs. 9 & 10 E.
Gila and Salt River Meridian

- Chs.
40.00 Set a post 4 ft long, 4 ins. sq. with marked stone, 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. and dug pits 18x18x12 ins. $5\frac{1}{2}$ ft dist. and raised mound of stone $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft base, around post, from which
A pine 26 ins. diam. brs. S14E. 34 lbs. dist.
marked $\frac{1}{4}$ S. B. T.
A pine 14 ins. diam. ^{brs} N61W. 44 lbs. dist.
marked $\frac{1}{4}$ S. B. T.
- 54.62 Gulch 35 lbs. wide, runs W. ascend
57.00 Top of ascent, and descend
64.50 Gulch 30 lbs. wide; runs W. this is in little grassy valley running same direction, water along it in tanks.
- 80.00 Set a post 4 ft long, 4 ins. sq. with marked stone, 12 ins. in the ground, for Cor. to Secs. 13 & 18.

Rang. Lim: Sp. 15 N. Between Rs. 9 & 10 E.

Gila and Salt River Meridian

Chs.

19 & 24, marked
T. 15 N. S. 18. on N. E.

R. 10 E. S. 19 on S. E.

R. 9 E. S. 24 on S. W.

S. 13 on N. W. face, with 3 notches
on N & S. edges, dug pits 18x18x12
ins. in each sec. 5 1/2 ft. dist, and
raised a mound of earth 2 ft.
high, 4 1/2 ft. base, around post, from
which

a pine 28 ins. diam. hrs. N 53 1/2 E. 253 lbs. dist.

marked T. 15 N R. 10 E. S. 18 B. T.

A pine 36 ins. diam. hrs. S 30 E. 154 lbs. dist.

marked T. 15 N. R. 10 E. S. 19 B. T.

A pine 24 ins. diam. hrs. S 64 W. 87 lbs. dist.

marked T. 15 N R. 9 E. S. 24 B. T.

a pine 33 ins. diam. hrs. N 89 W. 2 lbs. dist.

marked T. 15 N R. 9 E. S. 13 B. T.

Rolling Soil good along bottom

Range Line: T¹p. 15 N. Between Rs. 9 & 10 E.

Gila and Salt River Meridian

Obs.

above noted. Heavy pine timber
throughout.

North Between Secs. 13 & 18
T¹p. 14 & 16 E.

40.00 Set a post 4 ft. long, 3 ins. sq. with
marked stone, 12 ins. in the ground
for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. and
raised mound of stone $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post, from which
a pine 20 ins. diam. brs N $50\frac{1}{2}$ E. 133 fms. dist.
marked $\frac{1}{4}$ S. B.T.

A pine 30 ins. diam. brs N 48 W. 44 fms. dist.
marked $\frac{1}{4}$ S. B.T.

75.65 a pine 20 ins. diam.

80.00 Set a post 4 ft. long, 4 ins. sq.
with marked stone, 12 ins. in the
ground, for Cor. to Secs. 7, 12, 13 & 18

Range Line: T^h. 15 N. Between Rs. 9 & 10 E.

Gila and Salt River Meridian

marked

T^h. 15 N. S. 7 on N. E.

R. 10 E. S. 18 on S. E.

R. 9 E. S. 13 on SW

S. 12 on N. W. faces. with 2 notches

on N and 4 notches on S. edges. Dug

pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft

dist. and raised mound of earth

2 ft. high, 4 1/2 ft. base around

post. from which

A pine 18 ins. diam. brs. N. 72 E. 80 lbs. dist.

marked T^h. 15 N. R. 10 E. S. 7 B. T.

A pine 10 ins. diam. brs. S. 21 1/2 E. 121 lbs. dist.

marked T^h. 15 N. R. 10 E. S. 18. B. T.

A pine 12 ins. diam. brs. S. 13 W. 170 lbs. dist.

marked T^h. 15 N. R. 9 E. S. 13. B. T.

A pine 14 ins. diam brs. W. 30 W. 25 lbs. dist.

marked T^h. 15 N. R. 9 E. S. 12. B. T.

Smooth. S. 1st rate. Heavy pine timber throughout

Range Line, T^p. 15 N. Between Rs. 9 & 10 E.
Gila and Salt River Meridian

Obs.

North Between Secs. 7 & 12
Var. $14^{\circ} 16' E.$

00 In little grassy flat draining S.E.
Set a post 4 ft. long, 3 ins. sq. with
marked stone 12 ins. in the ground
for $\frac{1}{4}$ Sec. Cor. marked " $\frac{1}{4}$ S.;" dug
pits $18 \times 18 \times 12$ ins. $5\frac{1}{2}$ ft. dist. and
raised mounds of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post, from which
a pine 25 ins. diam. brs. $N 56\frac{1}{2} E.$ 68 lbs. dist.
marked " $\frac{1}{4}$ S. B. T.

a pine 24 ins. diam. brs. $N 23\frac{1}{2} W.$ 230 lbs. dist.
marked " $\frac{1}{4}$ S. B. T.

74.50 ascended to top of hill 75 ft. high

80.00 On E. slope of ridge extending S.
Set a post 4 ft long, 4 ins. sq. with
marked stone, 12 ins. in the ground
for Cor. to Secs. 1, 6, 7 & 12, marked
T. 15 N. S. 6 on N.E.

Kauai Line: Sp. 15 N. Between R. 9 & 10 E.

Gila and Salt River Meridian

R. 10 E. S. 7 on S. E.

R. 9 E. S. 12 on S. W.

S. 1 on N. W. face, with 1 notch on N. and 5 notches on S. edge. Raised a mound of stone 2 ft high. 4 1/2 ft base around post from which a pine 10 ins. diam. brs N 41 E. 65 lbs. dist

marked T. 15 N. R. 10 E. S. 6. B. T.

a pine 24 ins. diam. brs S. 15 E. 63 lbs. dist.

marked T. 15 N. R. 10 E. S. 7 B. T.

a pine 23 ins. diam brs. S 60 W. 179 lbs. dist

marked T. 15 N. R. 9 E. S. 12 B. T.

an oak 12 ins. diam. brs. N 80 W. 38 lbs. dist.

marked T. 15 N. R. 9 E. S. 1 B. T.

Rolling and ascending N. Soil 3" mt. Heavy pine timber throughout



Range Line: T¹⁴/15 N. Between R^s. 9 & 10 E.

Gila and Salt River Meridian

Chs.

North Between Secs. 1 & 6

Tar. 14° 16' E.

40.00 Set a post 4 ft. long, 3 ins. sq. with marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. and raised mound of stones $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post, from which

An oak 8 ins. diam. brs. S. 18° E. 24 lbs. dist. marked $\frac{1}{4}$ S. B. T.

An oak 9 ins. diam. brs. N. 88° W. 14 lbs. dist. marked $\frac{1}{4}$ S. B. T.

61.28 a pine 18 ins. diam.

74.41 a pine 20 ins. diam.

75.00 a deep gulch 50 ft deep; runs S. E.

80.00 Set a post $\frac{1}{2}$ ft. long, 4 ins. sq. with marked stone, 12 ins. in the ground, for Cor. to T¹⁴/15 N R^s. 9 & 10 E. marked

Range Line: Twp. 15 N. Between Rs. 9 & 10 E.

Gila and Salt River Meridian

Chs.

T. 16 N. S. 31 on N. E.

R. 10 E. S. 6 on S. E.

T. 15 N. S. 1 on S. W.

R. 9 E. S. 36 on N. W. face, with
6 notches on each edge, N. S. E. 1/4
raised a mound of stone 2 ft.
high, 4 1/2 ft. base around post
from which

a pine 25 ins. diam. brs N 1° E. 137 lbs. dist.

marked T. 16 N. R. 10 E. S. 31 B. T.

a pine 30 ins. diam. brs S. 29 E. 263 lbs. dist.

marked T. 15 N. R. 10 E. S. 6 B. T.

a pine 24 ins. diam. brs S. 53 1/2 W. 269 lbs. dist.

marked T. 15 N. R. 9 E. S. 1, B. T.

a pine 28 ins. diam. brs N. 75° W. 157 lbs. dist.

marked T. 16 N. R. 9 E. S. 36 B. T.

Rolling, a little broken on N end
Soil 13rd rate

Heavy pine timber throughout

Rango Line; Tps. 15 N. Between Rs. 9 & 10 E.

Gila and Salt River Meridian

General Description:

The foregoing line passes through heavy pine timber its whole length. Surface rolling, in places a little broken. There is but little tillable land, but excellent grazing throughout during the milder months of the year. There is fine pine timber throughout both Tps. 15 N. Rs. 9 & 10 E. and it is very accessible. Water is scarce during the dry season of the year but can be found in tanks at various points. Many large bands of sheep are pastured in this part of the mountains during the summer.

Theodore F. White
U.S. Deputy Surveyor

Range Line: Sp. 16 N. Range. 9 & 10 E.

Gila and Salt River Meridian

Chs.

North Between Secs. 31 & 36
 Var. $14^{\circ} 16' E.$

3.00

Enter table land

40.00

Set a post 4 ft. long. 3 ins. sq.
 with marked stone, 12 ins. in the
 ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised a mound of
 stone $1\frac{1}{2}$ ft. ^{high} $3\frac{1}{2}$ ft. base around
 post, from which
 a pine 25 ins. diam. brs N $40\frac{1}{2}$ E. 72 lbs. dist.
 marked $\frac{1}{4}$ S. B. T.

No tree near in the other sec. The
 corner occurring in a little grassy
 flat.

80.00

Set a post 4 ft. long. 4 ins. sq.
 with marked stone, 12 ins. in
 the ground, for Cor. to Secs. 25,
 30, 31 & 36, marked
 $\frac{1}{4}$ 16 N. S. 30 on M.E.

Rangeli: Sp. 16 N. Betw. Rs. 9 & 10 E.

Gila and Salt River Meridian

Obs.

R. 10 E. S. 31 on S. E.

R. 9 E. S. 36 on S. W.

S. 25 on N. W. face, with 5 notches on N and 1 notch on S. edge. Raised a mound of stone 2 ft high, 4 1/2 ft base around post, from which

a pine 19 ins. diam. brs N 48 1/2 E. 139 lbs. dist. marked T. 16 N. R. 10 E. S. 30 B. T.

a pine 20 ins. diam. brs S. 53 1/2 E. 104 lbs. dist. marked T. 16 N. R. 10 E. S. 31 B. T.

a pine 20 ins. diam. brs S. 15 W. 31 lbs. dist. marked T. 16 N. R. 9 E. S. 36 B. T.

a pine 10 ins. diam. brs N 77 1/2 W. 132 lbs. dist. marked T. 16 N. R. 9 E. S. 25 B. T.

Flat. Soil 3rd rate. Pine timber throughout.

Range Line; T. 16 N. Between R. 9 & 10 E.
Gila and Salt River Meridian

Chs.

North between Secs. 25 & 30
Var. $14^{\circ} 16' E.$

40.00 Set a post 4 ft. long, 3 ins. sq.
with marked stone, 12 ins. in
the ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. dug pits $18 \times 18 \times 12$ ins. $5\frac{1}{2}$
ft. dist. and raised mound
of earth $1\frac{1}{2}$ ft high by $3\frac{1}{2}$ ft
base around post, from which
a pine 22 ins. diam. brs. $S. 57^{\circ} W.$ 64 lbs dist
marked $\frac{1}{4}$ S. B. T.

A pine 20 ins. diam. brs. $N. 43^{\circ} W.$ 93 lbs. dist
marked $\frac{1}{4}$ S. B. T.

80.00

Set a post 4 ft. long, 4 ins. sq. with
marked stone, 12 ins in the ground
for the Cor. to Secs. 19, 24, 25 & 30
marked

T. 16 N. S. 19 on N. E.

R. 10 E. S. 30 on S. E.

Ranger Line; T. 16 N. R. 10 E. S. 9 & 10 E.
Gila and Salt River Meridian

R. 9 E. S. 25 on S. W.

S. 24 on N. W. face, with 4 notches
on the N. and 2 notches on the S.
edges. Raised mound of stone
2 ft high, 4 1/2 ft base around post
from which

a pine 5 ins. diam. brs. N. 49 E. 33 lbs. dist.
marked T. 16 N. R. 10 E. S. 19 B. T.

a pine 8 ins. diam. brs. S. 25 E. 75 lbs. dist.
marked T. 16 N. R. 10 E. S. 30. 13. T.

a pine 20 ins. diam. brs. S. 50 1/2 W. 85 lbs. dist.
marked T. 16 N. R. 9 E. S. 25 B. T.

a pine 9 ins. diam brs N. 22 1/2 W. 38 lbs. dist.
marked T. 16 N. R. 9 E. S. 24 B. T.

This Cor. is on S. E. slope of hill
S. E. of Pine Spring.

Ascending N. Soil 3rd rate

Pine timber throughout

Some oak and undergrowth

Rang Line: Sp. 16 N. Betwn. Rs. 9 & 10 E.
Gila and Salt River Meridian

North Between Secs. 19 & 24
Twp. 14° 16' E.

Ascend.

1.27 a rocky point

15.50 Top of E. slope on line of hill S.E.
of Pine Springs 200 ft. above plain

17.10 a pine 20 ins. diam.

21.00 Descend

40.00 This is near N.E. base of hill. Set
a post 4 ft. long, 3 ins. sq. with a
marked stone, 12 ins. in the ground
for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. and
raised mound of stones $1\frac{1}{2}$ ft
high, $3\frac{1}{2}$ ft. base, around post,
from which

a pine 38 ins. diam. brs. N 8° E. 25 lbs dist.
marked $\frac{1}{4}$ S. B. T.

a pine 26 ins. diam. brs. S 18° W. 24 lbs dist.
marked $\frac{1}{4}$ S. B. T.

Range Line; T. 16 N. R. 10 E. Co. 9 & 10 E.

Gila and Salt River Meridian

Chs.

- 75.00 Enter level land
- 80.00 Set a post 4 ft. long 4 ins. sq. with marked stone, 12 ins. in the ground, for Cor. to Secs. 13, 18, 19 & 24, marked
- T. 16 N. S. 18 on N. E.
 R. 10 E. S. 19 on S. E.
 R. 9 E. S. 24 on S. W.
 S. 13 on N. W. faces, with 3 notches on N. & S. edges. Raised mound of stones 2 ft. high 4½ ft. base around post. from which a pine 18 ins. diam. brs N 49 E. 128 lbs. dist. marked T. 16 N. R. 10 E. S. 18 B. T.
- a pine 27 ins. diam. brs S. 69 E. 42 lbs. dist. marked T. 16 N. R. 10 E. S. 19 B. T.
- a pine 25½ ins. diam. brs S. 64 W. 122 lbs. dist. marked T. 16 N. R. 9 E. S. 24 B. T.

Ranger Line; ¹⁴Sp. 16 N. Between P.C. 9 & 10 E.
Gila and Salt River Meridian

Obs.

A pine 24 ins. diam. brs. N $37\frac{1}{2}$ W. 134 lbs. dist.
marked $\frac{1}{4}$ S. 16 N. R. 9 E. S. 13 B. T.
This mile passes over E. slope of
hill S.E. of Pine Spring. Soil 3' ^{not}
Heavy pine timber throughout.
Some fir and oak. Under-
growth of pine & oak.

North Between Secs. 13 & 18
Twp. 14° 16' E.

40.00 Set a post 4 ft. long, 3 ins. sq.
with marked stem. 12 ins. in
ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raise mound of stem
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post, from which
A pine 26 ins. diam. brs. S $76\frac{1}{2}$ E. 134 lbs. dist.
marked $\frac{1}{4}$ S. B. T.

Range Line: T₁₆N. R. 9 & 10 E.
Gila and Salt River Meridian

Chs.	a pine 27 ins. diam. brs. N. 83 W. 86 lks. dist. marked $\frac{1}{4}$ S. B. T.
49.30	a pine 30 ins. diam.
54.00	Road, from Pine Spring to Sunset Pass N.E. & S.W.
57.70	Another road, branch of the above
59.40	Road, branch of the same
80.00	Set a post 4 ft long, 4 ins. sq. with marked stone, 12 ins. in ground, for sec. cor. to Secs.
	7, 12, 13 & 18, marked T ₁₆ N. S. 7 on N.E.
	R. 10 E. S. 18 on S.E.
	R. 9 E. S. 13 on S.W.
	S. 12 on N. W. faces, with 2 notches on N. and 4 notches on S. edgws. Raised a mound of stone 2 ft high, 4 $\frac{1}{2}$ ft base around post from which

Range Line; T^h. 16 N. R. 9 & 10 E.
Gila and Salt River Meridian
Chs.

a pine 23 ins. diam. brs N 14° E. 41 lbs. dist.
marked T. 16 N. R. 10 E. S. 7 B. T.

a pine 40 ins. diam. brs. S 63° E. 86 lbs. dist.
marked T. 16 N. R. 10 E. S. 18 B. T.

a pine 13 ins. diam. brs. S. 44½ W. 34 lbs. dist.
marked T. 16 N. R. 9 E. S. 13 B. T.

a pine 26 ins. diam. brs N. 8 W. 125 lbs. dist.
marked T. 16 N. R. 9 E. S. 12 B. T.

Rolling. Soil stony 3rd rd to
Heavy pine timber throughout
mmmm

North Between Secs. 7 & 12
T^h. 14° 16' E.

10.00 Rocky point

40.00 Set a post 4 ft long, 3 ins. sq.
with marked stone, 12 ins. in
the ground, cor ¼ Sec. Cor.
marked ¼ S. and raised a

Range Line; $\frac{1}{4}$ Sec. 16 N. Between Rs. 9 & 10 E.
Gila and Salt River Meridian

Chs.

mound of stones $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post, from which
a pine 16 ins. diam. brs S 19° E. 135 lbs. dist.
marked $\frac{1}{4}$ S. B. T.

a pine 14 ins. diam. brs. N $9\frac{1}{2}$ W. 91 lbs. dist.
marked $\frac{1}{4}$ S. B. T.

80.00 Set a post 4 ft long, 4 ins. sq. with
marked stone 12 ins. in the ground
for Cor. to Secs. 16, 7 & 12, marked
T. 16 N. S. 6 on N. E.

R. 10 E. S. 7 on S. E.

R. 9 E. S. 12 on S. W.

S. 1 on N. W. face, with 1 notch
on N. and 5 notches on S. edges

Raised mound of stone 2 ft high
 $4\frac{1}{2}$ ft base, around post, from which
a pine 20 ins. diam. brs N 82° E. 89 lbs. dist.
marked T. 16 N. R. 10 E. S. 6 B. T.

a pine 26 ins. diam. brs S 42° E. 199 lbs. dist.

79

Rangitani: Sp. 16 N. Between Rs. 9 & 10 E.
Gila and Salt River Meridian

Chs.

marked T. 16 N. R. 10 E. S. 7 B. T.
A pine 26 ins. diam. by S 83 W. 23 lbs. dist.
marked T. 16 N. R. 9 E. S. 12 B. T.
An oak 12 ins. diam. by N 66 W. 142 lbs. dist.
marked T. 16 N. R. 9 E. S. 1 B. T.
Rolling and descending N.
Soil stony 3rd rate
Heavy pine timber throughout
Some oak.

~~~~~

Comp.

North Between Secs. 1 & 6  
Twp. 14° 16' E.

411.00

Set a post 4 ft. long, 3 ins. sq. with  
marked stone, 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. dug  
pits 18 X 18 X 12 ins. 5  $\frac{1}{2}$  ft. dist.  
and raised mound of earth  
1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around

Range Line; T<sup>11</sup>. 16 N. Between Rs. 9 & 10 E.  
Gila and Salt River Meridian

Chs.

post. This is in a little grassy opening

41.01 Intersect the Fourth Standard Parallel North, 34.63 chs. E. from the Standard Cor. to Secs 32 & 33, South Boundary of T<sup>11</sup>. 16 N. Range 10 E. — Set a post 4½ ft. long 4 ins. sq. with marked stone 12 ins. in the ground for Closing Cor. to T<sup>11</sup>. 16 N. Rs. 9 & 10 E. marked C.C. T<sup>11</sup>. 16 N. on S.

R. 10 E. S. 6 on E.

R. 9 E. S. 1 on W. face, with 6 notches on S. E & W. face, dug pits 24 x 18 x 12 ins. on each line S. E & W. of post 6 ft dist. and raise mound of earth 2½ ft high, 5 ft base, around post

Range Line; T<sup>1</sup>. 16 N. Between R<sup>s</sup>. 9 & 10 E.  
Gila and Salt River Meridian

from which

a pine 30 ins. diam. has N 2 W, 48 9/10 dist  
marked T<sup>1</sup>. 17 N. R. 10 E. S. 33 T. 9.

This cor. occurs in little grassy o.  
pening. No other trees near.

Smooth, a little rolling. Soil  
2<sup>nd</sup> and 3<sup>rd</sup> rate. Pine  
timber throughout the half  
mile. May 28, 1881

General Description: The  
 foregoing 5 1/2 + miles pass through  
 heavy pine timber. There is  
 no agricultural land along the  
 line, but west of it some distance  
 at Pine Spring there is some farm  
 ing. There is excellent grazing  
 in every direction. The timber  
 in T<sup>1</sup>. 16 N. R. 9 & 10 E. is good and  
 accessible. These townships



Range Line: T<sup>p</sup>. 16 N. Betw<sup>n</sup> R<sup>s</sup>. 9 & 10 E.

Gila and Salt River Meridian

adjoin~~ing~~ townships already subdivided north of the 4<sup>th</sup> Standard N. The tier 16 N of townships and for a width of about three townships are the first to be subdivided under my present contract as they cover the nearest timber of commercial value and to the line of the Atlantic and Pacific Railroad remaining unsurveyed, very accessible and most subject to depreciation. — water is scarce along the line, but is found in Springs in the hills west of the line. Large bands of sheep are grazed in its vicinity.

Theodore J. White U<sup>s</sup>. Deputy Surveyor

South Boundary. Tps. 14 N. R. 10 E.  
Gila & Salt River Meridian

As heretofore explained the mountains along the Gird Standard N. and for the breadth of one township north, are very much cut up by duplications rendering the timber very difficult of access. So I provide for the subdivision of the timber belt north and west of this broken area. That is nearer the line of the Atlantic & Pacific Railroad very accessible and subject to depreciation, and the timber fine. I commence at the Cor. to Tps. 13 & 14 N. R. 9 & 10 E. recently established by me, which is a post  $4\frac{1}{2}$  ft. long 4 ins. sq. marked N. 44 N. S 31 on NE

South Boundary, T. 14 N. R. 10 E.  
Gila & Salt River Meridian

R. 10 E. S. 6 on S. E.

T. 13 N. S. 1 on S. W.

R. 9 E. S. 36 on N. W. face, with 6  
notches on each edge with  
mid. of stones  $2\frac{1}{2}$  ft. high, raised  
around post, from which  
a pine 16 ins. diam. brs N 75 E 130 lbs. dist.  
marked T. 14 N. R. 10 E. S. 31 B. T.

A pine 14 ins. diam. brs. S. 54 E. 100 lbs. dist.  
marked T. 13 N. R. 10 E. S. 6 B. T.

An Oak 20 ins. diam. brs. S. 10 W. 103 lbs. dist.  
marked T. 13 N. R. 9 E. S. 1 B. T.

A pine 10 ins. diam. brs N 48 W. 95 lbs. dist.  
marked T. 14 N. R. 9 E. S. 36 B. T.

Thence I run

East on true line Between Secs. 6 & 31

Var.  $14^{\circ} 15' E$ .

as per observation with Solar  
Compass.



South Bndry, T<sub>1</sub>. 14 N. R. 10 E.  
Gila and Salt River Meridian  
Chs.

39.50 allowing 50 lbs. for convergence  
at this place. Set a post 4 ft.  
long, 3 ins. sq. with marked  
stone, 12 ins. in the ground for  
 $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$  S. and  
dug pits 18 x 18 x 12 ins.  $3\frac{1}{2}$  ft. dist.  
and raised mound of earth  
+  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
post, from which  
a pine 29 ins. diam. hrs. N 8 E 63 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

a pine 20 ins. diam. hrs. S 64 W. 70 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

50.00 Road from Little Colorado to Louisa  
called the "Mormon Road" hrs. SW & NE.

79.50 Set a post 4 ft. long 4 ins. sq.  
with marked stone 12 ins. in  
the ground, for Cor. to Secs

South-Budry., Twp. 14 N. R. 10 E.  
Gila & Salt River Meridian

Obs.

5, 6, 31 & 32, marked

T. 14 N S. 32 on N. E.

R. 10 E. S. 5 on S. E.

T. 13 N S. 6 on S. W.

S. 31 on N. W. face with 5  
notches <sup>on</sup> the E. and 1 notch on the  
W. edge. Raised a mound of  
stone 2 ft. high 4½ ft. base  
around post, from which  
a pine 17 ins. diam. bro N 27° E. 18 lbs. dist.

marked T. 14 N R. 10 E. S. 32 B. T.  
a pine 28 ins. diam. bro. S. 33° E 41 lbs. dist.

marked T. 13 N R. 10 E. S. 5 B. T.

a pine 12 ins. diam. bro S 32 W 23 lbs. dist.

marked T. 13 N R. 10 E. S. 6 B. T.

a pine 30 ins. diam. bro N 52 W 36 lbs. dist.

marked T. 14 N R. 10 E. S. 31 B. T.

Rolling. Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Heavy pine timber throughout & undergrowth

South Boundary, T. 14 N., R. 10 E.,  
Gila and Salt River Meridian.

Chs.

East on a true line, between Secs. 5 & 32  
Cor.  $14^{\circ} 15' E.$

- 35.40 Creek 25 fms. wide in little valley  
runs N.
- 40.00 Set a post 4 ft. long, 3 ins. sq. with  
a marked stone, 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. and  
raised mound of stones  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. \* base around post, from which  
a pine 21 ins. diam. bro. N  $38^{\circ} E$  36 fms. dist.  
marked  $\frac{1}{4}$  S. B. T.  
a pine 17 ins. diam. bro S.  $11^{\circ} E$ . 32 fms. dist.  
marked  $\frac{1}{4}$  S. B. T.
- 80.00 Set a post 4 ft. long, 4 ins. sq.  
with marked stone 12 ins. in the  
ground, for Cor. to Secs. 4, 5, 32 & 33  
marked  
T. 14 N., S. 33 on N. E.  
R. 10 E., S. 4 on S. E.



South Boundary, T. 14 N. R. 10 E.  
Gila & Salt River Meridian

T. 13 N. S. 5 on S. W.

S. 32 on N. W. face, with 4  
notches on E. and 2 notches on W.  
~~face~~ edges. Raised a mound of  
stone 2 ft. high, 4½ ft. base around  
post, from which

An oak 10 ins. diam, bro N 88 E 88 lbs. dist.

marked T. 14 N. R. 10 E S. 33 B. T.

A pine 12 ins. diam, bro. S 5 E. 134 lbs. dist.

marked T. 13 N. R. 10 E. S. 4 B. T.

A pine 30 ins. diam, bro S. 71 W 52 lbs. dist.

marked T. 13 N. R. 10 E. S. 5 B. T.

A pine 50 ins. diam, bro. N 33 W. 81 lbs. dist.

marked T. 14 N. R. 10 E. S. 32 B. T.

Rolling. Soil 3<sup>rd</sup> rate  
Heavy pine timber throughout

South Boundary, T. 14 N. R. 10 E.  
Gila & Salt River Meridian

Chs.

East on a true line between Secs. 4 & 33

Var.  $14^{\circ}15' E.$

Ascending E.

40.00 Set a post 4 ft. long, 3 ins. sq.  
with a marked stone, 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. mark-  
ed  $\frac{1}{4} S.$  and raised a mound  
of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
around post, from which  
a pine 29 ins. diam. brs. S. 34 E. 26 lks. dist.  
marked  $\frac{1}{4} S. B. T.$

A pine 15 ins. diam. brs N 12 W 28 lks. dist.  
marked  $\frac{1}{4} S. B. T.$

80.00 Set a post 4 ft. long, 4 ins. sq.  
with marked stone, 12 ins. in  
the ground, for Cor. to Secs.  
3, 4, 33 & 34 marked  
T. 14 N. S. 34 on N. E.  
R. 10 E. S. 3 on S. E

South Bendry, Sp. 14 N. R. 10 E.  
Gila & Salt River Meridian

Chs.

T. 13 N. S. 4 on S.W.

S. 33 on N. W. face, with  
3 notches on E. & W. edges, Raised  
a mound of stone 2 ft. high, 4 1/2 ft.  
base, around post, from which  
a pine 23 ins. diam. brs. N 52 E. 148 lbs. dist.  
marked T. 14 N. R. 10 E. S. 34, B. T.

a pine 26 ins. diam. brs. S 40 E. 89 lbs. dist.  
marked T. 13 N. R. 10 E. S. 3, B. T.

a pine 20 ins. diam. brs. S 68 W. 87 lbs. dist.  
marked T. 13 N. R. 10 E. S. 4, B. T.

An Oak 12 ins. diam. brs. N 58 W 134 lbs. dist.  
marked T. 14 N. R. 10 E. S. 33, B. T.

Rolling. Soil 3<sup>rd</sup> rate  
Heavy pine timber throughout  
Undergrowth

~~~~~


South Budry, Twp. 14 N. R. 10 E.
Gila & Salt River Meridian

Chs

East on a true line, between Secs. 3 & 34
Twp. 14 N. R. 10 E.

16.06 Pine 20 ins. diam.

40.00 Set a post 4 ft long, 3 ins. sq.
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised a mound of stone
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, around
post, from which
a pine 20 ins. diam. brs. S. 73° E. 93 lbs. dist.
marked $\frac{1}{4}$ S. B. T.

A pine 40 ins. diam. brs. N 32° W 42 lbs. dist.

64.53 A pine 18 ins. diam.
marked $\frac{1}{4}$ S. B. T.

80.00 Set a post 4 ft. long, 4 ins. sq.
with marked stone 12 ins. in
the ground, for Cor. to Secs. 2, 3
34 & 35, marked

T. 14 N S. 35 on N. E.

R. 10 E. S. 2 on S. E.

South Bendry; T. 14 N., R. 10 E.
Gila & Salt River Meridian

Obs.

T. 13 N., S. 3 on S.W.

S. 34 on N.W. faces, with ⁺2 notches
on E. and 4 notches on W. edges

Raised mid. of stone 2 ft. high.

4½ ft. base, around post, from which

a pine 18 ins. diam. brs. N 83½ E. 61 lbs. dist.

marked T. 14 N., R. 10 E., S. 35 B., T.

a pine 20 ins. diam. brs. S. 27 E. 88 lbs. dist.

marked T. 13 N., R. 10 E., S. 2 B., T.

a pine 18 ins. diam. brs. S. 27½ W. 59 lbs. dist.

marked T. 13 N., R. 10 E., S. 3 B., T.

a pine 28 ins. diam. ^{brs} N 9½ W. 122 lbs. dist.

marked T. 14 N., R. 10 E., S. 34 B., T.

Rolling. Soil 3rd rate

Heavily pine timber throughout
Undergrowth

~~~~~

South Boundary, T<sup>h</sup>. 14 N. R. 10 E.  
Gila & Salt River Meridians

|       |                                                                                                                                                                                                                                                                                                                                        |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chs.  | East on true line between Secs 28 & 35<br>Var. $14^{\circ}15' E.$                                                                                                                                                                                                                                                                      |
| 17.00 | Cañon 200 yds. wide runs N.<br>ascend                                                                                                                                                                                                                                                                                                  |
| 28.00 | Cañon 300 yds. wide runs S.E. same<br>as above.                                                                                                                                                                                                                                                                                        |
| 40.00 | Set a post 4 ft. long, 3 ins. sq.<br>with marked stone, 12 ins. in<br>the ground, for $\frac{1}{4}$ Sec. Cor, marked<br>$\frac{1}{4}$ S. and raised a mound of<br>stone $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, around<br>post, from which<br>a pine 24 ins. diam. bro. South 12 yds. dist.<br>marked $\frac{1}{4}$ S. B. T. |
|       | a pine 26 ins. diam. bro. N56W 68 yds. dist.<br>marked $\frac{1}{4}$ S. B. T.                                                                                                                                                                                                                                                          |
| 45.00 | Cañon 250 yds. wide runs N.E.<br>Same Cañon as above.                                                                                                                                                                                                                                                                                  |
| 80.00 | Set a post 4 ft. long, 4 ins. sq.                                                                                                                                                                                                                                                                                                      |



South Budny, T. 14 N. R. 10 E.  
Gila & Salt River Meridian

Obs.

with marked stone 12 ins. in  
the ground, for Cor. to Secs. 1, 2  
35 & 36, marked

T. 14 N. S. 36 on N. E.

R. 10 E. S. 1 on S. E.

T. 13 N. S. 2 on S. W.

S. 35 on N. W. face, with 1 notch  
on E. and 5 notches on W. edges.

dug pits 18x18x12 ins. in each  
Sec. 5 1/2 ft. dist. and raised rnd.  
of earth 2 ft. high 4 1/2 ft. base  
around post, from which

a pine 18 ins. diam. brs N 25 E. 17 lbs. dist.

marked T. 14 N. R. 10 E. S. 36 B. T.

a pine 23 ins. diam. brs S. 69 1/2 E. 9 8 lbs. dist.

marked T. 13 N. R. 10 E. S. 1, B. T.

a pine 14 ins. diam. brs S. 71 W. 33 lbs. dist.

marked T. 13 N. R. 10 E. S. 2, B. T.

a pine 13 ins. diam. brs. N 44 1/2 W 25 lbs. dist.

South Bndry. T<sup>n</sup>. 14 N. Range 10 E.  
Gila & Salt River Meridian

Chs.

marked T<sup>n</sup>. 14 N. R. 10 E. S. 35 B. T.  
Rolling & Broken.  
Soil 3<sup>rd</sup> & 4<sup>th</sup> rate  
Heavy pine timber throughout

Cast on true line, between Secs. 1836  
Var. 14° 15' E.

- 3.20 a pine 24 ins. diam  
40.00 Set a post 4 ft. long, 3 ins. sq  
with marked stone 12 ins. in the  
ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and dug pits 18x18x12 ins  
5 $\frac{1}{2}$  ft. dist. and raised mound  
of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base  
around post, from which  
a pine 12 ins. diam. brs. N50°E 12 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.  
a pine 14 ins. diam. brs S. 33 W. 25 lbs. dist

South Bendry, T<sup>ps</sup>. 14 N. R. 10 E.  
Gila & Salt River Meridian

Chs.

marked  $\frac{1}{4}$  S. B.T.

63.00 Bottom of a cañon 150 yds. wide, runs  
N. and into larger cañon in short  
distance

80.00 Set a post  $4\frac{1}{2}$  ft. long, 4 ins. sq  
with marked stone. 12 ins. in the  
ground, for Cor. to T<sup>ps</sup>. 13 & 14  
N. Rs. 10 & 11 E. marked  
T<sup>ps</sup>. 14 N. S. 31 on N.E.

R. 11 E. S. 6 on S.E.

+ T<sup>ps</sup>. 13 N. S. 1 on S.W.

R. 10 E. S. 36 on N.W. face  
of post, with 6 notches on each  
edge. Raised mound of stone  
 $2\frac{1}{2}$  ft. high 5 ft. base, around  
post from which

a pine 26 ins. diam. hrs N 50 E. 53 yds. dist.  
marked T<sup>ps</sup>. 14 N. R. 11 E. S. 31, B.T.

a pine 22 ins. diam. hrs S. 83 E. 48 yds. dist.



South Bendry. T<sup>p</sup>. 14 N. R. 10 E.  
Gila & Salt River Meridian

marked T. 13 N R. 11 E. S. 6. B. T.  
a pine 24 ins. diam. bro S 38 W 112 lbs. dist.

marked T. 13 N R. 10 E. S. 1. B. T.  
a pine 42 ins. diam. bro N 49 W 47 lbs. dist.

marked T. 14 N R. 10 E. S. 36. B. T.  
Very broken. Soil 4<sup>th</sup> rate  
Thick pine timber throughout  
Some Spruce, Silver fir & oak  
Undergrowth.

General Description:

The foregoing six miles  
passes over a rolling and in places  
broken surface. The line crosses  
the summit or divide of the  
Mogollon Mountains along the  
S. bendry of secs. 33 & 34.  
The soil is mostly of poor  
quality for any agricultural

South Boundary. T<sup>p</sup>. 14 N. R. 10 E.

Gila & Salt River Meridian

purpose. Along the little valley that the line crosses on S. boundary of sec. 32 is some good land. Water is found in holes along this little valley, and further west past in canon. There is fine pine timber all along the line, standing thick and of good size. There is excellent grazing along line, more particularly for sheep, as it is rather stony for other stock. T<sup>p</sup>. 13 N. R. 10 E. contains good timber, but the surface is very much cut up by canons and the timber very difficult of access. T<sup>p</sup>. 13 N. R. 10 E. contains excellent timber with smoother surface

Theodore J. White U. S. Dep. Survey

Com.  
South Bendry. Twp. 14 N. R. 11 E.

Gila & Salt River Meridian

Chs.

From Cor. to Tps. 13 & 14 N. Rs.  
10 & 11 E. just established. Run  
East on true line between Secs. 6 & 31  
Lat.  $14^{\circ}14' E.$

As per observation with Solar  
Compass.

40.00 Set a volcanic rock  $18 \times 12 \times 10$  ins. 12 ins.  
in the ground, marked  $\frac{1}{4}$ , and  
dug pits  $18 \times 18 \times 12$  ins.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base alongside, from which  
a pine 15 ins. diam. hrs N  $35^{\circ} E.$  50 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

80.00 Set a volcanic rock  $16 \times 14 \times 10$  ins. 11 ins.  
in the ground, for the Cor. to Secs 5, 6,  
31 & 32 marked with 5 notches  
on the E. and 1 notch on the W. edges  
dug pits  $18 \times 18 \times 12$  ins. in each sec.  
and raised a mound of earth



South Budry. T. 14 N. R. 11 E.  
Gila & Salt River Meridian

2 ft high 4½ ft base alongside  
from which

a pine 12 ins. diam. bns N 40 E. 62 lbs. dist.  
marked T. 14 N. R. 11 E. S. 32 B. T.

a pine 15 ins. diam. bns S. 31 W. 51 lbs. dist.  
marked T. 13 N. R. 11 E. S. 6 B. T.

Broken. Soil 4th rate.

Pine timber throughout

Undergrowth of pine & oak

East on true line between Secs. 5 & 32

Var. 14° 14' E.

40.00

Set a volcanic rock 16 x 14 x 8 ins. 11 ins.  
in the ground, for ¼ Sec. Cor.  
marked ¼. dug, pits 18 x 18 x 12 ins.  
5½ ft. dist. and raised a mound  
of earth 1½ ft. <sup>high</sup> 3½ ft. base along  
side, from which

South Budry, Twp. 14 N. R. 11 E.  
Gila & Salt River Meridian

Chs.

a pine 14 ins. diam. brs. N 41 E. 64 lbs. dist.  
marked T. 4 S. B. T.

80.00

Set a volcanic rock 16 x 14 x 8 ins  
11 ins. + in the ground, and for  
Cor. to Secs. 4, 5, 32 & 33, marked  
with 4 notches on the E. and  
2 notches on W. edges, dug pits  
18 x 18 x 12 ins. in each sec. and  
raised mound of earth 2 ft  
high, 4 1/2 ft. base alongside  
from which

a pine 16 ins. diam. brs. N. 39 E. 53 lbs. dist.  
marked T. 14 N. R. 11 E. S. 33 B. T.

a pine 15 ins. diam. brs. S 37 W. 68 lbs. dist.  
marked T. 13 N. R. 11 E. S. 5 B. T.

Broken. Soil 3<sup>rd</sup> & 4<sup>th</sup> rate  
Pine timber throughout  
Undergrowth of pine

South Budry, T<sub>p.</sub> 14 N. R. 11 E.  
Gila & Salt River Meridian

Chs.

East on true line between Secs. 4 & 33  
Var.  $14^{\circ}14'E$ .

40.00

Set a volcanic rock,  $13 \times 12 \times 10$  ins.  
gins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$ , dug pits  
 $18 \times 18 \times 12$  ins.  $5\frac{1}{2}$  ft. dist, and  
raised mound of earth along  
side, from which  
a pin 13 ins. diam. b<sub>s.</sub> S.  $20^{\circ}E$  43 fms. dist.  
marked  $\frac{1}{4}$  S. B. T.

Very broken. Pine timber through-  
out. — Further E. the line is  
impassable for about two miles  
as I find by examination, on ac-  
count of its descending into  
big cañon with very precipitous  
sides along which it is impossi-  
ble to make measurements.

The cañon comes from S. & runs East  
along —



In line of S. Budry. T<sup>n</sup>. 14 N R. 11 E.  
Gila & Salt River Meridian

Chs.

line. So, in order to extend  
a line further E. I return to  
Cor. to Secs. 4, 5, 32 & 33, just es-  
tablished and run  
North between Secs. 32 & 33  
Var.  $14^{\circ} 14' E.$

37.011 Descend into Cañon 200 yds. wide  
at bottom runs S. of E. into big can-

on  
40.111 Set a post 4 ft. long, 3 ins. sq.  
with marked stone 12 ins. in  
the ground for  $\frac{1}{4}$  Sec. Cor. mark-  
ed  $\frac{1}{4}$  S. and raised a mound  
of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
around post, from which  
a Cedar 12 ins. diam. hrs. S. 40 E. 80 yds. dist.  
marked  $\frac{1}{4}$  S. B. T.

A pine 18 ins. diam. hrs N 67 W 37 yds. dist  
marked  $\frac{1}{4}$  S. B. T.

In line of S. Budy. T. 14 N. R. 11 E.  
Gila & Salt River Meridian

- Chs.  
68.00 Enter high table land  
80.00 Set a post 4 ft. long, 4 ins. sq.,  
with marked stone, 12 ins. in the  
ground, for Cor. to Secs. 28, 29, 32  
& 33 marked  
T. 14 N. S. 28 on N. E.  
R. 11 E. S. 33 on S. E.  
S. 32 on S. W.  
S. 29 on N. W. faces with 4 notches,  
10. on the E. and 1 notch on S. edge  
Raised a circ. of stone 2 ft. high  
4½ ft. base around post, from which  
a pine 26 ins. diam. brs N 26 E. 82 lbs. dist.  
marked T. 14 N. R. 11 E. S. 28 B. T.  
A pine 18 ins. diam. brs S 52 E. 62 lbs. dist.  
marked T. 14 N. R. 11 E. S. 33 B. T.  
A pine 19 ins. diam. brs S. 68 W. 59 lbs. dist.  
marked T. 14 N. R. 11 E. S. 32 B. T.  
A pine 20 ins. diam. brs. N 66 W. 51 lbs. dist.

In lieu of S. Bondry, T<sup>p</sup>. 14 N. R. 11 E.

Gila & Salt River Meridian

Chs.

marked T. 14 N. R. 11 E. S. 29 B. T.  
 Very broken. Soil 3<sup>rd</sup> & 4<sup>th</sup> rate  
 Thick pine timber throughout  
 Some oak, and undergrowth.  
 May 30, 1881

From the last established cor. I  
 turn East and run  
 East on true line, between Secs. 28 & 33  
 Var. 14° 14' E.

- 7.00 Descend  
 29.00 Bottom of descent  
 40.00 Set a post 4 ft. long, 3 ins. sq.  
 with marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. mark.  
 rd  $\frac{1}{4}$  S. and raised mound  
 of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
 around post, from which  
 An Oak 8 ins. diam. brs N 85 E. 9 fms. dist.



Section of S. Budry. T<sup>y</sup>. 14 N. R. 11 E.  
Gila & Salt River Meridian

Chs.

marked  $\frac{1}{4}$  S. B. T.

An Oak 10 ins. diam. bro S. 35 E. 49 lbs. dist.

marked  $\frac{1}{4}$  S. B. T.

Ascend

46.00 Top of ascent.

81.00 Set a post 4 ft. long, 4 ins. sq.  
with marked stone 12 ins. in the  
ground, for Cor. to Secs. 27, 28  
33 & 34, marked

T. 14 N. S. 27 on N. E.

R. 11 E. S. 34 on S. E.

S. 33 on S. W. end.

S. 28 on N. W. face. with 3 notches  
on E. and 1 notch on S. edge. Raised  
mid of stone 2 ft. high, 4  $\frac{1}{2}$  ft. base  
around post from which

An Oak 16 ins. diam. bro N 50 E. 4 lbs. dist.

marked T. 14 N. R. 11 E. S. 27 B. T.

An Oak 12 ins. diam. <sup>bro</sup> S 68 E. 35 lbs. dist.

marked T. 14 N. R. 11 E. S. 34 B. T.

Int. line of S. Bundy.  $\frac{1}{4}$  Sec. 14 N. R. 11 E.

Gila & Salt River Meridian

Obs.

An oak 11 ins. diam. hrs. S. 14 W. 33 $\frac{1}{2}$  hrs. dist.

marked  $\frac{1}{4}$  Sec. 14 N. R. 11 E. S. 30 B. T.

A pine 40 ins. diam. hrs. N 52 W 123 hrs. dist.

marked  $\frac{1}{4}$  Sec. 14 N. R. 11 E. S. 28 B. T.

Partly flat on high lath land  
Some broken. Soil 4<sup>th</sup> rate

Thick pine timber throughout  
Undergrowth of pine & oak

~~~~~

East on true line between Secs. 27 & 34

Cor. 14° 14' E

23.311 a pine 24 ins. diam.

40.000 Set a post 4 ft. long, 3 ins. sq.,
with marked stone 12 ins. in the
ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised end of stone
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft base around
post, from which

In line of S. Budry, Tⁿ. 14 N. R. 11 E.
Tida & Salt River Meridian

Obs.

A pine 18 ins. diam. brs S. 36 E. 11 kcs. dist.
marked $\frac{1}{4}$ S. B. T.

A pine 16 ins. diam. brs $171^{\circ} 67' W$. 69 kcs. dist.
marked $\frac{1}{4}$ S. B. T.

80.00 Set a post 4 ft. long, 4 ins. sq. with
marked stone 12 ins. in the ground
for Cor. to Secs. 26, 27, 34 & 35, marked
Tⁿ. 14 N. S. 26 on N. E.

R. 10 E. S. 35 on S. E.

S. 34 on SW

S. 27 on N. W. facis. with 2 notches
on the E. and 1 notch on S. edge

Raised a rnd. of stone 2 ft. high
4 $\frac{1}{2}$ ft. base around post, from which

An Oak 8 ins. diam. brs. $N 21^{\circ} \frac{1}{2} E$. 38 kcs. dist.
marked Tⁿ. 14 N. R. 11 E. S. 26 B. T.

An Oak 10 ins. diam. brs S 4 E. 57 kcs. dist.
marked Tⁿ. 14 N R. 11 E. S. 35 B. T.

A pine 36 ins. diam. brs. S. $70^{\circ} W$. 17 kcs. dist.

In line of S. Berdry. Tⁿ. 14 N. R. 11 E.
Gila & Salt River Meridian

chs.

marked T. 14 N. R. 11 E. S. 34 B. T.
An Oak 12 ins. diam. hrs N 44 W 96 lbs. dist.

marked T. 14 N. R. 11 E. S. 27 B. T.
Broken. Soil 3rd rate
Heavy pine timber throughout
Undergrowth of pine & oak.

~~~~~

East on true line between Secs 26 & 35  
Lat. 14° 14' E.

- 40.110 Set a post 4 ft. long, 3 ins. sq.  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor, marked  
 $\frac{1}{4}$  S. and raised a mound of  
stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
around post, from which  
a pine 34 ins. diam. hrs. North 30 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.  
A pine 28 ins. diam. hrs S 9 E. 18 lbs. dist

In line of S. Budry. T. 14 N. R. 11 E.

Gila & Salt River Meridian

chs.

marked  $\frac{1}{4}$  S. B.T.

- 52.00 Descend towards big cañon
- 68.00 Bottom 300 yds. wide runs N. E. and ascend. sides very precipitous.
- 80.00 Set a post 4 ft. long, 4 ins. sq. with marked stone, 12 ins. in the ground, for Cor. to Secs. 25, 26, 35 & 36, marked.
- T. 14 N. S. 25 on N. E.
- R. 10 E. S. 36 on S E
- S. 35 on S. W.
- S. 26 on N. W. faces, with 1 notch on E. and 1 notch on the S. edges. Raised mid. of stone 2 ft high, 4  $\frac{1}{2}$  ft. base around post from which
- a pine 18 ins. diam. brs. N. 10 E. 25 yds. dist. marked T. 14 N. R. 11 E. S. 25 B.T.
- a pine 16 ins. diam. brs. S. 40 E. 57 yds. dist.

In line of S. Pudry, T<sup>p</sup>. 14 N. R. 11 E.

Saba & Salt River Meridian

Chs.

marked T. 14 N. R. 11 E. S. 36 B. T.

A pine 20 ins. diam. hrs S. 35 W. 60 Ws. dist.

marked T. 14 N. R. 11 E. S. 35 B. T.

A pine 17 ins. diam. hrs N 42 W 65 Ws. dist.

marked T. 14 N. R. 11 E. S. 26, B. T.

Very Broken. Soil 4<sup>th</sup> rate  
Heavy pine timber throughout  
Undergrowth of pine & oak

~~~~~

South between Secs. 35 & 36.

Var. 14° 14' E.

40.00 Saba post 4 ft. long, 3 ins. sq,
with marked stone, 12 ins.
in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ S. and raised
mound of stone $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft.
base around post, from which
A pine 18 ins. diam. hrs N. 15 E. 45 Ws. dist.

In lieu of S. Bundry. T^o. 14 N. R. 11 E.
T^o 14 & Salt River Meridian

chs.

marked "4 S. B. T.

A pine 15 ins. diam. hrs. S 35 W. 48 lbs. dist.

marked "4 S. B. T.

Broken. Soil 4th rate, stony
Heavy pine water throughout
Undergrowth of pine.

80.111

Set a post 4 ft. long, 4 ins. sq. with
marked stone 12 ins. in ground
for Cor. to Secs. 1, 2, 35 & 36, marked
T. 14 N. S. 36 on N. E.

R. 11 E. S. 1 on S. E.

T. 13 N. S. 2 on S. W.

S. 35 on N. W. face, with 1 notch
on E. and 5 notches on W. edges. Raise

ed a mound of stone 2 ft. high

4 1/2 ft. base around post, from which

A pine 36 ins. diam. hrs. N 71 E. 56 lbs. dist.

marked T. 14 N. R. 11 E. S. 36 B. T.

A pine 18 ins. diam. hrs. S. 40 E. 46 lbs. dist.

South Budry, T^p. 14 N. R. 11 E.
Gila & Salt River Meridian
chs.

marked T^p. 13 N. R. 11 E. S. 1 B.T.
a pine 10 ins. diam. hrs. S. 33 W. 52 lbs. dist.
marked T^p. 13 N. R. 11 E. S. 2 B.T.
a pine 14 ins. diam. hrs. N 18 W. 28 lbs. dist.
marked T^p. 14 N. R. 11 E. S. 35 B.T.
Broken. Soil 4th rate. Stony
Heavy pine timber throughout
Undergrowth of pine.

From the last established cor. Iron
West on true line between Secs. 2 & 35
T^p. 14 N. R. 11 E.

- 15.00 Ravine. 30 lbs. wide at bottom
runs N.
- 30.00 Descend steeply towards big
cañon
- 40.00 Set post 4 ft. long, 3 ins. sq.
with marked stone 12 ins. in

South Bendry. T^h. 14 N. R. 11 E.

Gila & Salt River Meridian

Chs.

ground for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised a md. of stone
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around
 post, from which

A Fir 18 ins. diam. brs. S. 25 E. 38 Wks. dist.
 marked $\frac{1}{4}$ S. B. T.

A pine 12 ins. diam. brs. N. 15 W. 40 Wks. dist.
 marked $\frac{1}{4}$ S. B. T.

Just beyond this point the side of the
 cañon becomes vertical and is im-
 passable. The cañon runs N. E. from
 here. West of this point its direction
 is E. for a long dist. It is the same
 cañon that obstructs in running
 E. on S. bendry. Sec. 33. and winds
 back & forth directly along the line
 between this point and the $\frac{1}{4}$ Sec. Cor.
 on S. bendry, of Sec. 33. and the line
 is impracticable between these points

South Budry. T^p. 14 N. R. 11 E.
Gila & Salt River Meridian

I return to the Cor. to Secs.
1, 2, 35 & 36 and run
East on true line between Secs. 1 & 36
Var. $14^{\circ} 14' E$.

- 0.50 Descend into gulch
- 3.00 Bottom of same, 50 yds. wide, runs N.
- 40.00 Set a post 4 ft. long, 3 ins. sq. with
marked stone 12 ins. in the ground
for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S.
and raised a wd. of stone $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft base around post, from which
a pine 35 ins. diam. brs. S. $5^{\circ} E$. 79 yds. dist
marked $\frac{1}{4}$ S. B. T.
- a pine 36 ins. diam. brs. N $40^{\circ} W$. 111 yds. dist.
marked $\frac{1}{4}$ S. B. T.
- 43.87 Pine 40 ins. diam.
- 42.50 Descend into cañon 200 ft deep
- 75.50 Bottom of cañon and creek 100 yds. wide
runs N. W. Ascend.

South Boundary. Tⁿ. 14 N. R. 11 E.
Gila & Salt River Meridian

- 78.00 Leave cañon, but still ascend to corner.
- 80.00 Set a post 4½ ft. long, 4 ins. sq. with marked stone 12 ins. in the ground, for Cor. to Tⁿs. 13 & 14 N. R. 11 & 12 E. marked T. 14 N. S. 31 on N.E.
R. 12 E. S. 6 on S.E.
T. 13 N. S. 1 on S.W.
R. 11 E. S. 36 on N.W. face, with 6 notches on each edge, dug pits 24 x 18 x 12 ins. lengthwise on each line N.E. S. & W., and raised a mound of stone 2½ ft. high 5 ft. base around post, from which a pine 28 ins. diam. bro. N 63½ E. 38 lbs. dist. marked T. 14 N. R. 12 E. S. 31 B. T.
a pine 24 ins. diam. bro. S 58 E. 50 lbs. dist. marked T. 13 N. R. 12 E. S. 6. B. T.

South Budmg. Tp. 14 N. R. 12 E.
Gila & Salt River Meridian

a pine 16 ins. diam. ^{hrs} S 82 W. 32 lbs. dist.
marked T. 13 N R. 11 E. S. 1. B. T.

a pine 30 ins. diam. hrs. N 11 1/2 W 57 lbs. dist.
marked T. 14 N R. 11 E. S. 36 B. T.

High rolling & broken. Soil 4th rate
Heavy pine timber throughout
Undergrowth of pine.

From the township Cor. just es-
tablished I continue
East on true line between Secs. 6 & 31
Lat. 14° 14' E.

As per observation with Solar
Compass.

39.50 Set a post 4 ft. long, 3 ins. sq.
with marked stone 12 ins. in the
ground. for 1/4 Sec. Cor. marked
1/4 S. and raised ind. of stone

South Bendry. T. 14 N. R. 12 E.
Gila and Salt River Meridian

1½ ft. high 3½ ft. base around
post from which
a pine 14 ins. diam. brs S 47 W. 32 lbs. dist.
marked ¼ S. B. T.

a pine 10 ins. diam. brs N 45 W. 25 lbs. dist.
marked ¼ S. B. T.

(Allow 50 lbs. for convergency at
this place.)

79.511 Set a post 4 ft. long, 4 ins. sq.
with marked stone 12 ins. in
the ground, for Cor. to Secs. 5, 6,
31 & 32 marked

T. 14 N. S. 32 on N. E.

R. 12 E. S. 5 on S. E.

T. 13 N. S. 6 on SW

S. 31 on N. W. face, with 5 notches
on the E. and 1 notch on W. edges.
dug pits 18 x 18 x 12 ins. in each. sec.
5½ ft. dist. and raised mid. of

South Boundary, T. 14 N. R. 12 E.
Gila & Salt River Meridian

Chs.

earth 2 ft. high 4 1/2 ft. base
around post, from which
a pine 24 ins. diam. brs N 65 E. 34 lbs. dist.
marked T. 14 N. R. 12 E. S 32 B. T.

a pine 26 ins. diam. brs S. 23 E. 38 lbs. dist.
marked T. 13 N. R. 12 E. S 5 B. T.

a pine 28 ins. diam. brs S 46 W. 61 lbs. dist.
marked T. 13 N R. 12 E. S. 6 B. T.

An Oak. 12 ins. diam. brs. N 60 W. 20 lbs. dist.
marked T. 14 N. R. 12 E. S. 31 B. T.

Rolling Soil 3rd rate

Very heavy pine timber throughout
Undergrowth of pine

East on true line between Secs 5 & 32
Tas. 14° 14' E.

440.00 Set a post 4 ft. long, 3 ins. sq.
with marked stone 12 ins. in

Smith Budry, T. 14 N., R. 12 E.
Gila & Salt River Meridian

Chs.

The ground for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised end. of stone
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base, around
post, from which
a pine 24 ins. diam. brs. S. 80 W., 84 lbs. dist.

marked $\frac{1}{4}$ S. B, T.

a pine 28 ins. diam. brs. N 45 W., 39 lbs. dist.
marked $\frac{1}{4}$ S. B, T.

S. 11. 0. 11

Set a post 4 ft. long, 4 ins. sq. with
marked stone, 12 ins. in the ground
for Cor. to Secs. 4, 5, 32 & 33, marked
T. 14 N. S. 33 on N E.

R. 12 E. S. 4 on S. E.

T. 13 N. S. 5 on S. W.

S. 32 on N. W. face, with 4 notches
on E. and 2 notches on W. edges.

dig pits $18 \times 18 \times 12$ ins. in each
sec. and raised end. of earth
2 ft. high, $4\frac{1}{2}$ ft. base around post

South Budry. Sp. 14 N. R. 12 E.
Gila & Salt River Meridian

Obs.

from which

An Oak 16 ins. diam. brs. N 3° E. 16 lbs. dist.
marked T. 14 N. R. 12 E. S. 33 B. T.

Pine 8 ins. diam. brs. S 26° E. 45 lbs. dist.

marked T. 13 N. R. 12 E. S. 4 B. T.

A pine 13 ins. diam. brs. S. 80 W. 50 lbs. dist.

marked T. 13 N. R. 12 E. S. 5 B. T.

A pine 12 ins. diam. brs. N. 78 W. 67 lbs. dist.

marked T. 14 N. R. 12 E. S. 32 B. T.

Rolling. Soil 2nd & 3rd grade

Very thick pine timber throughout
Undergrowth of pine.

~~~~~

East out true line between Secs. 4 & 33  
Var. 14° 14' E.

36.84 a pine 36 ins. diam

40.00 Set a post 4 ft. long, 3 ins. sq.  
with marked stone, 12 ins. in the

South Bendry. T<sup>n</sup>. 14 N. R. 12 E.

Gila & Salt River Meridian

chs.

ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and raised a mound of  
 stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
 around post. from which  
 a pine 35 ins. diam. bro. North 18 kcs. dist.  
 marked  $\frac{1}{4}$  S. B. T.

a pine 16 ins. diam. bro S. 66 E. 105 kcs. dist.  
 marked  $\frac{1}{4}$  S. B. T.

63.70 Rocky gulch 25 kcs. wide, runs N. E.

80.011 Set a post 4 ft. long, 4 ins. sq.  
 with marked stone, 12 ins. in  
 the ground, for Cor. to Secs. 3, 4,  
 33 & 34. marked

T. 14 N. S. 34 on N. E.

R. 12 E. S. 3 on S. E.

T. 13 N S. 4 on S. W.

S. 33 on N. W. face, with 3  
 notches on E. & W. edges. Raised  
 a mound of stone 2 ft. high,  $4\frac{1}{2}$  ft.

South Bndry. T<sup>y</sup>. 14 N. R. 12 E.  
Gila & Salt River Meridian

base, around post, from which  
a pine 28 ins. diam. brs N 70 E. 56 lks. dist.  
marked T. 14 N. R. 12 E. S. 34 B. T.

A pine 10 ins. diam. brs S 45 E. 95 lks. dist.  
marked T. 13 N. R. 12 E. S. 3 B. T.

A pine 24 ins. diam. brs. S. 34 W. 86 lks. dist.  
marked T. 13 N. R. 12 E. S. 4 B. T.

a pine 30 ins. diam. brs. N 32 W. 109 lks. dist.  
marked T. 14 N. R. 12 E. S. 33 B. T.

Rolling & broken. Soil 3<sup>rd</sup> rate  
Heavy pine timber throughout  
This is on the edge of table  
land overlooking big cañon, the  
same that I struck in running  
E. on this line from Cor. to Secs.  
34 & 35, 2 & 3, and which is  
impassable. See "Exterior Bndry.  
Bluma T<sup>y</sup>. 13 & 14 N. R. 12 E."

May 31, 1881



### General Description:

The foregoing Exterior Boundaries Between Tps. 13 & 14 N. Range 11 and portion of Range 12 East and the lines in lieu of a portion of the S. boundary of Tps. 14 N. R. 11 E. pass over a rolling and in places a very broken surface. The soil is poor for agricultural purposes, being very stony, but the land produces abundance of grass furnishing excellent pasturage for stock, more particularly for sheep. Water is scarce during the drier portion of the year, except in the canon, where it can always be found. Tps. 13 N. R. 11 & 12 E. contain good timber but it is very difficult

## General Description:

of access on account of the numerous impassable cañons intersecting them. Tps. 14 N. Rs. 11 & 12<sup>3</sup> contain fine timber which is more accessible for the most part, more particularly that in Tps. 14 N., R. 11 E.

Theodore S. White

U.S. Deputy Surveyor

East Bndry. Tps. 14 N. Range 11 E.  
Gila and Salt River Meridian

From Tps. Cor. to Tps. 13 & 14 N.  
Rs. 11 & 12 E. just established Town  
North between Secs. 31 & 36

Var.  $14^{\circ}14'$  East

As heretofore found and again ver-  
ified at this point by observation  
with Solar Compass.

21.70 Dep gulch 30 fms. wide at bottom  
runs N. W. into cañon

40.00 Set a post 4 ft. long, 3 ins. sq.  
with marked stone. 12 ins. in the  
ground for "4 Sec. Cor. marked  
"4 S. and raised end of stone  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base around post  
from which

a pine 24 ins. diam. hrs N  $42^{\circ}$  E 105 fms. dist.  
marked "4 S. B. T.

a pine 8 ins. diam. hrs S  $46^{\circ}$  W 16 fms. dist.  
marked "4 S. B. T.



East Boundary Twp. 14 N. R. 11 E.

Gila and Salt River Meridian

Chs.

50.70

Rocky Gulch 25 fms. wide, runs W

80.00

Set a post 4 ft. long, 4 ins. dia,  
with marked stone 12 ins. in the  
ground, for Cor. to Secs. 25, 30, 31  
& 36, marked

Twp. 14 N. S. 30 on N. E.

R. 12 E. S. 31 on S. E.

R. 11 E. S. 36 on S. W.

S. 25 on N. W. face, with 5 notches  
on N. and 1 notch on S. edges.

Raised a mound of stone 2 ft. high  
4 1/2 ft. base around post, from which  
a pine 20 ins. diam. brs N 5 E. 61 fms. dist.

marked T. 14 N. R. 12 E. S. 30 B. T.

a pine 20 ins. diam. brs S. 33 1/2 E. 17 1/2 fms. dist.

marked T. 14 N. R. 12 E. S. 31 B. T.

a pine 13 ins. diam. brs S. 82 1/2 W. 41 fms. dist.

marked T. 14 N. R. 11 E. S. 36 B. T.

a pine 18 ins. diam. brs N 33 W 81 fms. dist.

East Endry. T. 14 N. R. 11 East.

Gila and Salt River Meridian

marked T. 14 N. R. 11 E. S. 25, 28, 29

Very much broken. Soil 4<sup>th</sup> rate  
Heavy pine timber throughout  
~~~~~

North between Secs. 25 & 31

Var. 14° 14' East

40.0000 Set a post 4 ft. long, 3 ins. sq.
with marked stone 12 ins. in
the ground, for "4 Sec. Cor.
marked "4th and raised a
mound of stone 1½ ft. high, 3½ ft
base, around post, from which
a pine 30 ins. diam. brs S. 70 E. 38 lbs. dist
marked "4 S. 18 T.

a pine 24 ins. diam. brs N 31 W. 10 lbs. dist, marked "4 S. 18 T.

65.00 Rocky gulch 31 lbs. wide, runs NW.

80.00 Set a post 4 ft. long, 4 ins. sq.
with marked stone 12 ins. in the
ground for Cor. to Secs. 19, 24, 25 & 30

East Endry, Tⁿ. 14 N. Range 11 E.
Gila & Salt River Meridian

Obs.

marked.

Tⁿ. 14 N. S. 19 on N. E.

R. 12 E. S. 30 on S. E.

R. 11 E. S. 25 on S. W

S. 24 on N. W. faces, with 2
notches on S. & 4 notches on N.
edges. Raised ⁱⁿ mid. of stone 2 ft
high 4 1/2 ft base around post,
from which

A pine 24 ins. diam. brs N 45 E. 5 lbs. dist.
marked T. 14 N. R. 12 E. S. 19 B. T.

A pine 26 ins. diam. brs S 8 E. 43 lbs. dist.
marked T. 14 N. R. 12 E. S. 30 B. T.

A pine 16 ins. diam. brs S 37 W 45 lbs. dist.
marked T. 14 N. R. 11 E. S. 25 B. T.

A pine 20 ins. diam. brs N 31 W. 20 lbs. dist.
marked T. 14 N. R. 11 E. S. 24 E. B. T.

Broken. Soil 3" rate

Heavy pine timber throughout. Undergrowth

East Bendry. Twp. 14 N. Range 11 East
Gila and Salt River Meridian

Chs. 12.00	North between Secs. 19 & 24 Tas. $14^{\circ} 14' E$.
17.80	Commence steep descent into big cañon
35.80	Descent becomes precipitous Bottom of Cañon about 5000 ft. dep.
39.30	Creek - Chulovis Fork 50 yds. wide dep. with rapid current, runs N.E.
40.00	Set a post 4 ft. long, 3 ins. sq. with marked stone 12 ins in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. and raised mid. of stone $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft base around post. From which a pine 10 ins diam. lies S.W. 111 yds. dist. marked $\frac{1}{4}$ S. B. T. a Walnut 8 ins. diam. lies west 69 yds. dist. marked $\frac{1}{4}$ S. B. T.

East Bundry. Tⁿ. 14 N. Range 11 E.

Gila & Salt River Meridian

Ascend steeply

42.30 Top of rocky bluff

57.13 Top of steep ascent.

78.00 Top of table land bordering canyon

80.00 Set a post 4 ft. long, 4 ins. sq. with marked stone 12 ins. in the ground, for Cor. to Secs.

13, 18, 19 & 24 marked

T. 14 N. S. 18 on N. E.

R. 12 E. S. 19 on S. E.

R. 11 E. S. 24 on S. W.

S. 13 on N. W. face, with 3 notches

on N. & S. edges. Raised a rnd.

of stone 2 ft. high 4 1/2 ft. base

around post, from which

a pine 24 ins. diam. brs N 41 1/2 E. 119 lbs. dist.

marked T. 14 N. R. 12 E. S. 18 B. T.

A pine 10 ins. diam. brs. S. 58 E. 21 lbs. dist.

marked T. 14 N. R. 12 E. S. 19 B. T.

East Budry. T^h. 14 N. Range 11 E.
Gla & Salt River Meridian

a pine 20 ins. diam. brs. S 88 $\frac{1}{2}$ W. 38 $\frac{1}{2}$ kds. dist.
marked T. 14 N. R. 11 E. S. 24 13 T.

A pine 18 ins. diam. brs. N 60 $\frac{1}{2}$ W 39 $\frac{1}{2}$ kds. dist.
marked T. 14 N. R. 11 E. S. 13 13 T.

Broken. Cross big canon
Soil poor.

Heavy pine timber throughout
Walnut along creek, & brush.

North between Secs. 13 & 18
T^h. 14 $^{\circ}$ 14' E.

40.00 Set a post 4 ft. long, 3 ins. sq.,
with marked stone 12 ins. in
the ground for $\frac{1}{4}$ Sec. Cor., marked
 $\frac{1}{4}$ S. and raised pt. of stone
1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base around
post, from which
A pine 12 ins. diam. brs. S. 48 E. 5 $\frac{1}{2}$ kds. dist.

East Budny. T. 14 N. Range 11 E.
Gila & Salt River Meridian

Chs.

marked $\frac{1}{4}$ S. B. T.

A pine 40 ins. diam. brs N 80 W. 69 lbs dist.

marked $\frac{1}{4}$ S. B. T.

60.00 Rocky gulch 30 lbs wide, runs N. E.

80.00 Set a post 4 ft. long, 4 ins. sq,
with marked stone 12 ins. in the
ground for Cor. to Secs. 7, 12, 13
& 18, marked

T. 14 N. S. 7 on N. E.

R. 12 E. S. 18 on S. E.

R. 11 E. S. 13 on S. W

S. 12 on N. W. faces, with

2 notches on N. & 4 notches on
S. edge. Raised mid. of stone
2 ft. high, 4 $\frac{1}{2}$ ft. base around
post, from which

A pine 8 ins. diam. brs N 86 E. 67 lbs dist.

marked T. 14 N. R. 12 E. S. 7 B. T.

A pine 10 ins. diam. brs S. 26 E. 39 lbs dist.

East Budry, T^h. 14 N. Range 11 E,
Gula & Salt River Meridian

Chs.

marked S. 14 N. R. 12 E. S. 18 B. T.
a pine 24 ins. diam. bro. S. 44 W. 114 lbs. dist.

marked S. 14 N. R. 11 E. S. 13 B. T.
a pine 27 ins. diam. bro. N. 41 W. 18 lbs. dist.

marked S. 14 N. R. 11 E. S. 12 B. T.
Rotting and broken. Soil poor
Heavy pine timber and under
growth throughout.

North end between Secs. 7 & 12
T^h. 14° 14' E.

39.80 Enter little valley 200 lbs. wide
runs E.

40.00 Set a post 4 ft. long, 3 ins. sq.,
with marked stone 12 ins. in the
ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. dug pits 18 x 18 x 12 ins. 5 $\frac{1}{2}$ ft.
dist. from post and raised red.

East Budry, Twp. 14 N., R. 11 East
 Gila & Salt River Meridian

Cho.

of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
 around post, from which
 a pine 33 ins. diam. brs S. 75° E. 43 $\frac{1}{2}$ kds. dist.
 marked '4 S. B. T.
 a pine 40 ins. diam. brs. S 87° W 23 $\frac{1}{2}$ kds. dist.
 marked '4 S. B. T.

80.00

Set a post 4 ft. long, 4 ins. sq,
 with marked stone 12 ins. 1 in
 the ground, for Cor. to Secs. 1, 6
 of T. 12 marked

T. 14 N. S. 6 on N. E.
 R. 12 E. S. 7 on S. E.
 R. 11 E. S. 12 on S. W.

S. 1 on N. W. face, with 1
 notch on N. & 5 notches on S. edges
 Raised mid. of stone 12 ft. high
 with $4\frac{1}{2}$ ft. base around post
 from which
 a pine 8 ins. diam. brs N 36° E 15 $\frac{1}{2}$ kds. dist.

East Endry. T^h. 14 N. R. 11 East
Gila & Salt River Meridian

Chs.

marked T. 14 N. R. 12 E. S. 6, B. T.
A pine 10 ins. diam. brs S 35 E. 58 lbs. dist

marked T. 14 N. R. 12 E. S. 7, B. T.
A pine 26 ins. diam. brs. S. 20 W. 24 lbs. dist.

marked T. 14 N. R. 11 E. S. 12, B. T.
A pine 18 ins. diam. brs N 65 W. 47 lbs. dist.

marked T. 14 N. R. 11 E. S. 1, B. T.
Broken. Soil 3rd rate except
along little valley where it is
good.

Thick pine timber throughout.

North between Secs. 1 & 6

Var 14° 14' E.

40.00 Set a post 4 ft. long 3 ins. sq.
with marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S.
Raised mid. of stone 1 $\frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft.

East Rudry, Tps. 14 N., R. 11 East,
Gila & Salt River Meridian

Chs.

base around post, from which
a pine 12 ins. diam. brs N 72° E. 68 $\frac{1}{2}$ lbs. dist.
marked '4 S. B. T.

a pine 28 ins. diam. brs. S 30° W. 84 $\frac{1}{2}$ lbs. dist.
marked '4 S. B. T.

811,000

Set a post $4\frac{1}{2}$ ft. long, 4 ins. sq.
with marked stone 12 ins. in the
ground for Cor. to Tps. 14 & 15 N
R. 11 & 12 E. marked

T. 15 N. S. 31 on N. E.

R. 12 E. S. 6 on S. E.

T. 14 N. S. 1 on S. W.

R. 11 E. S. 36 on N. W. faces, with
6 notches on each edge. dug
pits 24 x 18 x 12 ins. on each
line N. E. S. & W. 6 ft. dist.
and raised sur. of earth $2\frac{1}{2}$ ft.
high 5 ft. base around post
from which

East Ludry. T^h. 14 N. R. 11 East.

Gla & Salt River Meridian

a pine 18 ins. diam. brs N 30 E 57 lbs. dist.
marked T. 15 N. R. 12 E. S. 31 B. T.

a pine 16 ins. diam. brs S. 35 E. 47 lbs. dist.
marked T. 14 N. R. 12 E. S. 6. B. T.

a pine 24 ins. diam. brs S 41 W. 126 lbs. dist.
marked T. 14 N. R. 11 E. S. 1 B. T.

a Juniper 15 ins. diam. brs. N 44 W 89 lbs. dist.
marked T. 15 N. R. 11 E. S. 36. B. T.

Moderately Surface. Soil 2nd rate
thick pine timber throughout
Undergrowth of pine.

June 1, 1881

General Description

The foregoing six miles
pass over a rolling, broken and
undulating surface. On the
E. endry. of Sec. 24 the line cross
is the Cañon of Chevalier's Fork
very deep, and wide across the

East Rudry, T^{wp}. 14 N., Range 11 E.,
Gda & Salt River Meridian

top with precipitous sides.
On the bottom of this cañon there
is a large stream of water, con-
taining fish and with evidence
of beaver inhabiting it. The
land is mostly poor for agri-
cultural purposes. On the
E. endry of Sec. 12 the line
crosses a little valley containing
good land. There is heavy
pine timber throughout. T^{wp}.
14 N., Range 11 E. contains fine
timber which is accessible
north of the big cañon before
mentioned. The southern part
of T^{wp}. 14 N., R. 12 E. also contains
good timber, but it is very diffi-
cult of access on account of nu-
merous sup. erions. Theodore A. White
U.S. Deputy Surveyor

Exterior: Tps. 14 N. Between Rs. 10 & 11 E.
Gila & Salt River Meridian

Obs.

From Cor. to Tps. 13 & 14 N.
Ranges 10 & 11 E. just established
by me (May 30th 1881) I run
North between Secs. 31 & 36

Var. $14^{\circ}14'$ East

As per previous observation
with Solar compass, and again
verified.

Descend into cañon

13.80 Bottom of cañon & water 100 yds.
wide runs N. of E.

Ascend.

32.60 a pine 48 ins. diam.

140.1111 Set a post 4 ft. long, 3 ins. sq,
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ S, raised ind. of
stone $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post, from which

Exterior; T_{p.} 14 N. Between Rs. 10 & 11 E.

Gila & Salt River Meridian

Obs.

A pine 38 ins. diam. hrs. N 5° E, 75 hrs. dist.
marked $\frac{1}{4}$ S. B, T.

An oak 16 ins. diam. hrs. N 41 W, 57 hrs. dist.
marked $\frac{1}{4}$ S. B, T.

49.60 Top of high table land extending
E & W.

80.011 Set a post 4 ft. long, 4 ins. sq
with marked stone 12 ins. in the
ground, for Cor. to Secs. 25, 31
31 & 36, marked

T_{p.} 14 N. S. 31 on N. E.

R. 11 E. S. 31 on S. E.

R. 10 E. S. 36 on SW.

S. 25 on N. W. face, with
5 notches on N. & 1 notch on S.

edges. Raised around of stone
2 ft. high, 4 $\frac{1}{2}$ ft. base around
post, from which

A pine 24 ins. diam. hrs. N 42° E, 38 hrs. dist.

Exterior; T. 14 N. Between Rs. 10 & 11 E.
Sida & Salt River Meridian

Chs.

marked T. 14 N. R. 11 E. S. 30 B. T.

a Juniper 24 ins. diam. bro S. 40 E. 11 lbs. dist.

marked T. 14 N. R. 11 E. S. 31 B. T.

a pine 20 ins. diam. bro S 66 W. 73 lbs. dist.

marked T. 14 N. R. 10 E. S. 36 B. T.

a pine 36 ins. diam. bro N. 31 W. 116 lbs. dist.

marked T. 14 N. R. 10 E. S. 26 B. T.

Hydrating Surface.

Soil 2nd ~~rate~~ 9 Brd rate

Thick pine timber throughout
Some oak, and under growth.

North between Secs. 25 & 31

Var. 14° 14' E.

149.000

Set a post 4 ft. long. 3 ins. sq.
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. Raised a rod. of stone

Exterior: T₁₄N. Between Rs. 10 & 11 E.

Gila & Salt River Meridian

1½ ft high, 3½ ft. base around
post, from which
a pine 23 ins. diam. b_{rs} S. 73½ E. 32 lbs. dist.
marked ¼ S. B. T.

a pine 17 ins. diam. b_{rs} N 1° W. 54 lbs. dist.
marked ¼ S. B. T.

811.000 Set a post 4 ft. long 4 ins. sq
with marked stone 12 ins. in
the ground for Cor. to S_{cs}. 19,
24, 25 & 30 marked
T₁₄N. S. 19 on N.E.
R. 11 E. S. 30 on S.E.
R. 10 E. S. 25 on S.W.

S. 24 on N.W. face, with
4 notches on N. & 2 notches on
S. edges. Raised prot. of stone
2 ft. high; 4½ ft. base around
post, from which
a pine 20 ins. diam. b_{rs} N 21 E. 75 lbs. dist.

Exterior: T₁. 14 N. Between Rs. 10 & 11 E.
Gila & Salt River Meridian

marked T₁. 14 N. R. 11 E. S. 19 B. T.
a pine 18 ins. diam. brs S. 10 E. 103 lks. dist.

marked T₁. 14 N. R. 11 E. S. 30 B. T.
a pine 10 ins. diam. brs. S. 64 W. 37 lks. dist.

marked T₁. 14 N. R. 10 E. S. 25 B. T.
a pine 23 ins. diam. brs N 48 W. 113 lks. dist

marked T₁. 14 N. R. 10 E. S. 24 B. T.
Undulating & rolling

Soil 2nd & 3rd rate
Thick pine timber & some oak
throughout. Undergrowth

North between Secs. 19 & 24
T₁. 14° 14' E.

35.11.11 Rocky gulch 40 lks. wide, runs N.W.

40.11.11 Set a post 4 ft. long, 3 ins. sq.,
with marked stone 13 ins. in
the ground, for 1/4 Sec. Co. marked

Exterior; T₁₄ N. Ranges 10 & 11 E.
Gila & Salt River Meridian

Chs

"4 S. Raised (mid. of stone) 1½ ft.
high, 3½ ft. base around post
from which

a pine 12 ins. diam. brs N. 1° E. 80 lbs. dist.
marked "4 S. B.T.

a pine 25 ins. diam. brs S. 85 W. 43 lbs. dist.
marked "4 S. B.T.

63.96 a pine 30 ins. diam.

66.50 Leave late land & descend.

80.011 Set a post 4 ft. long, 4 ins. sq.
with marked stone 12 ins. in the
ground, for Cor. to Secs. 13, 18,
19 & 24, marked

T. 14 N. S. 18 on N. E.

R. 11 E. S. 19 on S. E.

R. 10 E. S. 24 on S. W.

S. 13 on N. W. faces, with 3
notches on N. & S. edges. Raised
mid. of stone 2 ft. high, 4½ ft.

Exterior; Twp. 14 N. Between Rs. 10 & 11 E.
Gila & Salt River Meridian

Obs.

base around post, from which
a pine 24 ins. diam. brs. N 32 E, 82 lbs. dist.
marked T. 14 N. R. 11 E. S. 18 B. T.

a pine 48 ins. diam. brs. S 32 E, 147 lbs. dist.
marked T. 14 N. R. 11 E. S. 19 B. T.

An oak 18 ins. diam. brs. S. 32 W, 77 lbs. dist.
marked T. 14 N. R. 10 E. S. 24 B. T.

An oak 15 ins. diam. brs. N. 63 W, 45 lbs. dist.
marked T. 14 N. R. 10 E. S. 13 B. T.

Mostly table land. Soil 2nd rate
thick pine timber throughout
Some oak & aspen.

Undergrowth of pine & oak.

North between Secs. 13 & 18
Twp. 14 N. R. 14 E.

40.00 Set a post 4 ft. long, 3 ins. sq.
with marked stone 12 ins. in

Exterior; Twp. 14 N. Between Rs. 10 & 11 E.
Sida & Salt River Meridian

Obs.

the ground for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. Raised ind. of stone $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around post,
from which

a pine 22 ins. diam. brs. N 18 E, 102 lbs. dist.
marked $\frac{1}{4}$ S. B. J.

a pine 28 ins. diam. brs. N. 36 W. 26 lbs. dist.
marked $\frac{1}{4}$ S. B. F.

64.00 Ravine 100 lbs. wide runs N. E.

80.00 Set a post 4 ft. long, 4 ins. sq.
with marked stone, 12 ins. in
the ground, for Cor. to Secs. 7, 12,
13 & 18 marked

T. 14 N. S. 7 on N. E.

R. 11 E. S. 18 on S. E.

R. 10 E. S. 13 on S. W.

S. 12 on N. W. face, with
2 notches on W. & 4 notches on
S. edges. dig pits 18 x 18 x 12 ins.

Exterior, T. 14 N. Between Rs. 10 & 11 E.
Gila & Salt River Meridian

Obs.

in each sec. $5\frac{1}{2}$ ft. dist. and
raised mid. of earth 2 ft. high
 $4\frac{1}{2}$ ft. base around post, from
pit in

A pine 20 ins. diam. hrs N $52\frac{1}{2}$ E. 169 fks. dist.
marked T. 14 N. R. 11 E. S. 4 B. T.

A pine 20 ins. diam. hrs. S 22 E. 92 fks. dist.
marked T. 14 N. R. 11 E. S. 18 B. T.

A pine 18 ins. diam. hrs S 52 W. 93 fks. dist.
marked T. 14 N. R. 10 E. S. 13 B. T.

An oak 16 ins. diam. hrs N 48 W. 81 fks. dist.
marked T. 14 N. R. 10 E. S. 12 B. T.

Broken and descending N.
Heavy pine timber throughout
Undergrowth of pine & oak.

North between Secs. 7 & 12
Tas. 14° 14' E.

Exterior: T. 14 N., Between Rs. 10 & 11 E.
Gila & Salt River Meridian

Chs.

- 1478 a pine 24 ins. diam.
 401.000 Set a post 4 ft. long, 3 ins. sq.,
 with marked stone 12 ins. in
 the ground for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. Raised a rnd. of stone $1\frac{1}{2}$ ft.
 high, 4 $\frac{1}{2}$ ft. base around post
 from which
 a pine 10 ins. diam. hrs. N 21 E, 18 lbs. dist.
 marked $\frac{1}{4}$ S. B. T.
 an oak 10 ins. diam. hrs. S 87 W. 15 lbs. dist.
 marked $\frac{1}{4}$ S. B. T.
 871.000 Set a post 4 ft. long, 4 ins. sq.,
 with marked stone, 12 ins. in
 the ground, for Cor. to Sec. 16,
 of 12 marked
 T. 14 N. S. 6 on N. E.
 R. 11 E. S. 7 on S. E.
 R. 10 E. S. 12 on S. W.
 S. 1 on N. W. face, with 1 notch

Exteriors; Sp. 14 N. Between Rs. 10 & 11 E.
Gila & Salt River Meridian

Obs.

on N. and 5 notches on S. edges,
dug pits 18x18x12 ins. in each sec.
5 $\frac{1}{2}$ ft. dist. and raised mid. of
earth 2 ft. high 4 $\frac{1}{2}$ ft. base around
post, from which

A pine 20 ins. diam. brs. N46E. 111 lbs. dist.
marked T. 14 N. R. 11 E. S. 6. B. T.

A pine 13 ins. diam. brs. S14E. 25 lbs. dist.
marked T. 14 N. R. 11 E. S. 7 B. T.

A pine 30 ins. diam. brs. S67W. 61 lbs. dist.
marked T. 14 N. R. 10 E. S. 12 B. T.

A pine 28 ins. diam. brs. N43W. 84 lbs. dist.
marked T. 14 N. R. 10 E. S. 1 B. T.

Rolling and broken.

Soil 3rd rate

Heavy pine timber throughout
Some oaks and undergrowth

Exterior; T. 14 N. Between Rs. 10 & 11 E.
Gila & Salt River Meridian

Chs.

North between Secs. 1 & 6
Var. $14^{\circ} 14' E.$

440.00 Set a post 4 ft. long, 3 ins. sq.
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4} S.$ Raised end of stone
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around
post, from which
a pine 16 ins. diam. bns N $44\frac{1}{2}^{\circ} E.$ 132 lks. dist.
marked $\frac{1}{4} S.$ B.T.

a pine 20 ins. diam. bns S. 10 W. 63 lks. dist.
marked $\frac{1}{4} S.$ B.T.

80.00 Set a post $4\frac{1}{2}$ ft. long, 4 ins. sq.
with marked stone 12 ins. in
the ground, for Cor. to Tps.
14 & 15 N. Rs. 10 & 11 E., marked
T. 15 N. S. 31 on N.E.
R. 11 E. S. 6 on S.E.
T. 14 N. S. 1 on S.W.

Exterior: Sp. 14 N. Between Rs. 10 & 11 E.
Gila & Salt River Meridian

Obs.

R. 10 E. S. 36 on N.W. face, with
Cnotches on each edge. Raised
mid. of stone $2\frac{1}{2}$ ft. high, 5 ft. base
around post, from which
a pine 16 ins. diam. bro. N 19 E. 115 lbs. dist.

marked Sp. 15 N. R. 11 E. S. 31 B. T.

a pine 13 ins. diam. bro. S. 67 E. 6 lbs. dist
marked Sp. 14 N. R. 11 E. S. 6. B. T.

a pine 30 ins. diam. bro. S 76 W. 62 lbs. dist.
marked Sp. 14 N. R. 10 E. S. 1. B. T.

a pine 19 ins. diam. bro. N 22 W 55 lbs. dist
marked Sp. 15 N. R. 10 E. S. 36 B. T.

Rolling, Soil 3" rate
Heavy pine throughout
Undergrowth of pine

June 2, 1881

General Description: The foregoing
six miles pass over a broken
then flat and again broken and

Exterior: Tps. 14 N. Between Rs. 10 & 11 E.

Gila & Salt River Meridian

rolling surface. Soil mostly poor for agricultural purposes but bearing fine grass affording excellent grazing, more particularly for sheep, as it is rather stony for other stock. Water is scarce but is found in the cañon in the S. End of the line and in occasional tanks. There is good pine timber throughout. Both Tps. 14 N. Rs. 10 & 11 E. are covered with pine timber which is accessible from the direction of the Atlantic & Pacific R. R.

Theodore H. White

U.S. Deputy Surveyor.

Exterior: N. Boundary. $Tps. 14 \& 15 N. R. 10 E.$
 Gila & Salt River Meridian

Comp
 From the Cor. to $Tps. 14 \& 15 N.$
 $R. 10 \& 11 E.$ I run West on a
 random line between said town-
 ships, the variation of my Com-
 pass being $14^{\circ} 15'$ East. I set tem-
 porary half mile and mile corners
 and in 5 miles, 79 chs. and 10 lbs
 I intersect the West boundary of the
 $Tps. 71$ lbs. South of the Cor. to
 $Tps. 14 \& 15 N. R. 9 \& 10 E.$ The cor-
 rection for the true line therefore
 will be 90 lbs. West, and 12 lbs.
 N. per mile. Therefore

From the Cor. to $Tps. 14 \& 15 N. R.$
 $9 \& 10 E.$ recently established by
 me (May 27th 1881) I run
 $S. 89^{\circ} 53' E.$ on true line between Secs (683)
 Var. $14^{\circ} 15' E.$

As per observation with Solar *Comp*pass.

Exterior: N. Rudrij. T^y. 14 N. R. 10 E.

Gila & Salt River Meridian

Obs.
39.111

Set a post 4 ft. long, 3 ins. sq. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. Raised end of stone $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base, around post from which

A pine 10 ins. diam. b^rs N $40\frac{1}{2}$ E. 30 lbs. dist. marked $\frac{1}{4}$ S. B. T.

a pine 30 ins. diam. b^rs S. 59 E. 56 lbs. dist. marked $\frac{1}{4}$ S. B. T.

79.111

Set a post 4 ft. long, 4 ins. sq. with marked stone 12 ins. in the ground for Cor. to Secs. 5, 6, 31 & 32, marked T. 15 N. S. 32 on N. E.

R. 10 E. S. 5 on S. E.

T. 14 N. S. 6 on S. W.

S. 31 on N. W. faces, with 5 notches on E. and 1 notch on W. edg^s. Raised a end of stone 2 ft.

Exterior: N. Bndry. $\frac{1}{2}$ N. R. 10 E.
Gila and Salt River Meridian

high. 4 $\frac{1}{2}$ ft. base around post, from which
a pine 18 ins. diam. brs N. 62 E. 74 lbs. dist.
marked T. 15 N. R. 10 E. S. 32 B. T.

a pine 12 ins. diam. brs. S 34 E. 60 lbs. dist.
marked T. 14 N. R. 10 E. S. 5 B. T.

a pine 20 ins. diam. brs S. 67 W 118 lbs. dist.
marked T. 14 N. R. 10 E. S. 6 B. T.

a pine 24 ins. diam. brs. N 53 W, 164 lbs. dist.
marked T. 15 N. R. 10 E. S. 31 B. T.

Rolling. Soil 2nd & 3rd rate
Heavily pine timber throughout

S. 89° 53' E. on true line between Secs. 5 & 32
Var. 14° 15' E.

6.79 Road, called the "Mormon Road"
from Little Colorado etc. to Gault
Basin. brs. N. & S.

40.00 Set a post 4 ft. long, 3 ins. sq.

Exterior: N. Budny T. 14 N. R. 10 E.

Gila & Salt River Meridian

Chs.

with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. Raised mid. of stone $1\frac{1}{2}$ ft
high, $3\frac{1}{2}$ ft. base around post
from which

a pine 36 ins. diam. brs S. 26 E. 234 fms. dist.
marked $\frac{1}{4}$ S. B. T.

a pine 30 ins. diam. brs N 23 W. 89 fms. dist.
marked $\frac{1}{4}$ S. B. T.

80.00 Sit a post 4 ft long, 4 ins. sq. with
marked stone, 12 ins in the ground
for Cor. to secs. 4, 5, 32 & 33
marked

T. 15 N. S. 33 on N. E.

R. 10 E. S. 4 on S. E.

T. 14 N. S. 5 on S. W.

S. 32 on N. W. face with 4 notches
on East and 2 notches on W.
edge. Raise a mid. of stone

Exterior: N. Budry; Sp. 14 N. R. 10 E.

Gila & Salt River Meridian

Chs.

2 ft. high 4½ ft base around
post from which

a pine 40 ins. diam. bss. N 14½ E. 15 lbs. dist.
marked T. 15 N. R. 10 E. S. 33 B. T.

a pine 18 ins. diam. bss. S 36 E. 94 lbs. dist.
marked T. 14 N. R. 10 E. S. 4 B. T.

a pine 30 ins. diam. bss. S 14½ W 174 lbs. dist.
marked T. 14 N. R. 10 E. S. 5 B. T.

a pine 24 ins. diam. bss. N 42½ W 188 lbs. dist.
marked T. 15 N. R. 10 E. S. 32 B. T.

Rolling and ascending South.
Heavy pine timber throughout

S. 89° 55' E. on true line between Secs. 4 & 33
Var. 14° 15' E.

40.1111

Set a post 4 ft. long, 3 ins. sq. with
marked stem 12 ins. in the ground
for ¼ Sec. Cor. marked ¼ S.

Exterior; N. Budry T. 14 N. R. 10 E.
Gila & Salt River Meridian

Obs.

dug pits 18x18x12 ins. 5½ ft. dist
and raised ind. of earth 1½ ft
high, 3½ ft base around post,
from which

a pine 30 ins. diam. brs. N 9 E. 65 lbs. dist.
marked ¼ S. B. T.

a pine 36 ins. diam. brs. S 45 W. 44 lbs. dist.
marked ¼ S. B. T.

56.32 a pine 26 ins. diam.

66.00 Dry wash 30 lbs. wide, runs N of E.

87.111 Set a post 4 ft. long, 4 ins. sq.
with marked stakes 12 ins. in the
ground for Cor. to Secs. 3, 4, 83.
& 34, marked

T. 15 N S. 34 on N. E.

R. 10 E. S. 3 on S E

T. 14 N. S. 4 on S. W

S. 33 on NW face, with 3 notches
on E. & W. edgws. Raised a

Exterior; N. Budry, T. 14 N. R. 10 E.

Gila & Salt River Meridian

Chs.

mid. of stone 2 ft. high, 4 1/2 ft
base around post, from which
a pine 20 ins. diam. brs. N 60 E. 82 lbs. dist.

marked S. 15 N. R. 10 E. S. 34 B. T.

a pine 26 ins. diam. brs. S 36 1/2 E. 91 lbs. dist.

marked T. 14 N. R. 10 E. S. 3 B. T.

a pine 30 ins. diam. brs. S. 57 W. 73 lbs. dist.

marked T. 14 N. R. 10 E. S. 4 B. T.

a pine 28 ins. diam. brs. N 71 1/2 W. 105 lbs. dist.

marked S. 15 N. R. 10 E. S. 33 B. T.

Rolling. Soil 3rd rate

Heavy pine timber throughout

S. 89° 55' E. on true line between Secs. 3 & 34

Var. 14° 15' E.

18.27 a pine 20 ins. diam.

40.111 Set a post 4 ft long. 4 ins. Sq.
with marked stone 12 ins. in the

Exterior; A. Budny Sp. 14 N. R. 10 E,
Gila & Salt River Meridian

Chs.

ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised md. of stone
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around
post, from which

A pine 20 ins. diam. to N 87° E 37 fms. dist
marked $\frac{1}{4}$ S. B. T.

A pine 18 ins. diam. to S. 2° W. 85 fms. dist.
marked $\frac{1}{4}$ S. B. T.

76.60 Dry wash 25 fms. wide, runs S. E.

87.11 A post 4 ft. long, 4 ins. sq.
with marked stone 12 ins. in
the ground for Cor. to Secs. 2, 3,
34 & 35 marked

T. 15 N. S. 35 on N. E.

R. 10 E. S. 2 on S. E.

T. 14 N. S. 3 on S. W

S. 34 on N. W. faces, with 2 notches
on E. and 4 notches on W. edges
raised md. of stone $1\frac{1}{2}$ ft. high

Exterior: N. Budry. T₁. 14 N. R. 10 E.
Sida & Salt River Meridian

Chs.

3½ ft. base around post, from which
a pine 24 ins. diam. brs. N. 8 E. 124 lks. dist.
marked T. 15 N. R. 10 E. S. 35 B. T.

a pine 26 ins. diam. brs. S. 75 ½ E. 110 lks. dist.
marked T. 14 N. R. 10 E. S. 2 B. T.

a pine 8 ins. diam. brs. S. 18 W. 71 lks. dist.
marked T. 14 N. R. 10 E. S. 3 B. T.

a pine 24 ins. diam. brs. N. 64 W. 72 lks. dist.
marked T. 15 N. R. 10 E. S. 34 B. T.

Rolling & broken. Soil 3rd rate
Heavy pine timber throughout.

S. 89° 55' E. on true line between Secs. 2 & 35
Tas. 14 15 E.

40.00

Sida post 4 ft. long, 4 ins. sq.
with marked stone, 12 ins. in the
ground, for ¼ Sec. Cor. marked
¼ S. raised end. of stone 1½ ft. high

Exterior: N. Budry. T_p. 14 N, R. 10 E.

Gila & Salt River Meridian

chs.

3½ ft. base around post, from which

a pin 24 ins. diam. brs. S 26½ E, 168 fms. dist.
marked "4 S. B. T.

a pin 23 ins. diam. brs. N. 53 W, 140 fms. dist.
marked "4 S. B. T.

871.000 Set a post 4 ft. long, 4 ins. sq.
with marked stone, 12 ins. in
the ground, for Cor. to secs. 1, 2
35 & 36. Marked

T. 15 N, S. 36 on N. E.

R. 10 E, S. 1 on S. E.

T. 14 N, S. 2 on S. W.

S. 35 on N. W. face, with 1 notch
on E. & 5 notches on W. edges.

Raised mid. of stone 2 ft. high.

4½ ft. base around stone post
from which

a pin 33 ins. diam. brs N 46½ E, 82 fms. dist.

Exterior: N. Bundy, Tⁿ. 14 N. R. 10 E.
Gila & Salt River Meridian

Chs.

marked T. 15 N. R. 10 E. S. 36 B. T.

a pine 30 ins. diam. hrs. S 19° E. 126 lbs. dist.

marked T. 14 N. R. 10 E. S. 1, B. T.

a pine 36 ins. diam. hrs. S. 24° W. 75 lbs. dist.

marked T. 14 N. R. 10 E. S. 2 B. T.

a pine 24 ins. diam. hrs. N 46° 1/2 W. 184 lbs. dist.

marked T. 15 N. R. 10 E. S. 35, B. T.

Rolling, Soil 3rd rate
Large pine timber throughout.

~~~~~

S. 89° 35' E. on true line between Secs. 1 & 36

Var. 14° 15' E.

21.00 Ravine 50 lbs. wide runs N. E.

40.00 Set a post 4 ft. long, 3 ins. sq.  
with marked stone 12 ins. in  
the ground, for 1/4 Sec. Cor. marked  
1/4 S. raised end of stone 1 1/2 ft.  
high, 3 1/2 ft. base around post

Exterior: N. Boundary T. 14 N. R. 10 E.

Gila & Salt River Meridian

Chs.

from which

a pine 12 ins. diam. hrs. S. 3° W 38 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

a pine 36 ins. diam. hrs. N. 20° W 57 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

443.00 Ravine 50 lbs. wide runs N. E.

76.93 Pine 24 ins. diam.

841.00 In the Cor. established to Sps.  
14 & 15 N. Rs. 10 & 11 E.

Rolling & broken, Soil 3<sup>rd</sup> rate  
Heavy pine timber throughout

June 3, 1881  
General Description: The fore-  
going six miles passed over  
a broken and rolling country  
covered with grass furnishing ex-  
cellent grazing, but the soil is  
poor ~~for~~ for agricultural purposes.  
There is heavy pine timber through



Exterior; N. Budry. T. 14 N. R. 10 E.  
Gila & Salt River Meridian.

ant. T. 14 N. R. 10 E. and T. 15  
N. R. 10 E. are both covered with  
fine pine timber and which  
is very easy of access. Water  
is scarce during the dryer part  
of the year, but is found at differ-  
ent points in tanks. During  
the rainy season and during the  
melting of the snows water is  
very abundant in every direction  
in numerous streams and  
wet weather springs.

Theodore J. White

U.S. Deputy Surveyor

Exterior; N. Budny. T. 14 N. R. 11 E.  
Gila & Salt River Meridian

Obs.

From the Cor. to Tps. 14 & 15 N.  
Rs. 10 & 11 E. established by me  
I run East on a random line  
between said townships. The vari-  
ation of my Compass being  $14^{\circ} 15' E.$   
I set temporary half mile & mile  
cors. and in 5 miles, 79 chains  
and 15 lks. I intersect the E.  
boundary of the township 83 lks.  
N. of the Cor. to Tps. 14 & 15 N.  
Rs. 11 & 12 E. The correction  
for the true line is therefore 85 lks  
West and 14 lks. S. per mile  
Therefore from the Cor. to Tps.  
14 & 15 N. Rs. 11 & 12 E. recently  
established by me (June 1, 1881)  
I run  
N.  $89^{\circ} 54' W.$  on true line between Secs. 1 & 36  
T.  $14^{\circ} 15' E.$

Exterior: N. Bundy Tr. 14 N. R. 11 E.  
Gila & Salt River Meridian

Chs.

As per observation with Solar Com-  
pass.

1206 a pine 26 ins. diam.

40110 Set a post 4 ft. long, 3 ins. sq. with  
marked stone, for  $\frac{1}{4}$  Sec. Cor.

marked  $\frac{1}{4}$  S. raised a mound  
of stone  $1\frac{1}{2}$  ft high,  $3\frac{1}{2}$  ft. base  
around post, from which  
a pine 28 ins. diam. brs N.  $13\frac{1}{2}$  E. 74 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

a pine 26 ins. diam. brs S  $67\frac{1}{2}$  E. 88 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

80111 Set a post 4 ft. long, 4 ins. sq.  
with marked stone, 12 ins. in the  
ground, for Cor. to Secs. 1, 2,  
35 & 36, marked

T. 15 N. S. 36 on N. E.

R. 17 E. S. 1 on S. E.

T. 14 N. S. 2 on S. W.



BOOK 1895

Exteriors; N. Bundry. T. 14 N. R. 11 E.  
Gila & Salt River Meridian

Chs.

S. 35 on N. W. face, with 1 notch  
on the E. and 5 notches on W.  
edgws. Raised a mound of stone  
2 ft. high.  $4\frac{1}{2}$  ft. base around  
post, from which

a pine 10 ins. diam. hrs. N. 40 E. 107 lbs. dist.  
marked T. 15 N. R. 11 E. S. 36 B. T.

a pine 30 ins. diam. hrs. S. 45 E. 48 lbs. dist.  
marked T. 14 N. R. 11 E. S. 1, B. T.

An oak 8 ins. diam. hrs. S 38 W. 46 lbs. dist.  
marked T. 14 N. R. 11 E. S. 2, B. T.

a pine 12 ins. diam. hrs. N 41 W. 20 lbs. dist.  
marked T. 15 N. R. 11 E. S. 35, B. T.

High, rolling surface

Sail 2<sup>nd</sup> & 3<sup>rd</sup> rate

Heavy pine timber throughout

Exteriors; N. Bundy, Tp. 14 N. R. 11 E.  
Sula & Salt River Meridian

Chs.

N.  $89^{\circ}54'W$ . on true line between Secs. 2 & 35  
Tas.  $14^{\circ}15'E$ .

40.110 Set a post 4 ft. long, 3 ins. sq.  
with marked stone, 12 ins. in  
the ground for  $\frac{1}{4}$  Sec. cor. mark.  
sd  $\frac{1}{4}$  S. raised out. of stone  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post,  
from which

a pine 18 ins. diam. brs. N.  $64^{\circ}E$ . 24 fms. dist.  
marked  $\frac{1}{4}$  S. B. T.

a pine 15 ins. diam. brs. S.  $12^{\circ}W$ . 15 fms. dist.  
marked  $\frac{1}{4}$  S. B. T.

87.111 Set a post 4 ft. long, 4 ins. sq.  
with marked stone 12 ins. in  
the ground. for Cor. to Secs. 2, 3,  
34 & 35, marked

T. 15 N. S. 35 on N. E.

R. 11 E. S. 2 on S. E.

T. 14 N. S. 3 on S. W

Exterior: N. Bundy.  $\frac{1}{4}$  Sec. 14 N. R. 11 E.  
Gila & Salt River Meridian

Chs.

S. 34 on N.W. face, with 2  
notches on E. and 4 notches on W.  
edges. Raised a md. of stone  
2 ft. high, 4 1/2 ft. base around  
post from which

An Oak 14 ins. diam. brs. N 54 E. 63 fms. dist.  
marked S. 15 N. R. 11 E. S. 35 B.T.

a pine 12 ins. diam. <sup>brs</sup> S. 64 E. 31 fms. dist  
marked S. 14 N. R. 11 E. S. 2 B.T.

a pine 13 ins. diam. brs. S. 59 W. 67 fms. dist.  
marked S. 14 N. R. 11 E. S. 3 B.T.

a pine 12 ins. diam. brs. N 54 W 64 fms. dist.  
marked S. 15 N. R. 11 E. S. 34 B.T.

High rolling surface.

Soil 3<sup>rd</sup> grade

Heavy pine timber throughout



Exterior: N. Budry, T<sub>p</sub>. 14 N. R. 11 E.  
Gila & Salt River Meridian

- Chs. N.  $89^{\circ}34'$  W. on true line between Sec. 3 & 34  
Cor. 14 $^{\circ}15'$  E.
- 24.55 a pine 16 ins. diam.
- 40.00 Set a post 4 ft. long, 3 ins. sq,  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. mark-  
ed  $\frac{1}{4}$  S. Raised mid. of stone  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
post, from which  
a pine 30 ins. diam. brs. S 28 W. 56 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.
- a pine 36 ins. diam. brs. N 55 W. 22 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.
- 80.00 Set a post 4 ft. long 4 ins. sq  
with marked stone, 12 ins. in the  
ground, for Cor. to secs. 3, 4, 33 & 34  
marked  
T. 15 N. S. 34 on N. E.  
R. 11 E. S. 3 on S. E.

Exterior; N. Boundary. T. 14 N. R. 11 E.  
Gila & Salt River Meridian

Chs.

T. 14 N. S. 4 on S. W

S. 33 on N. W. face, with 3  
notches on E. & W. edges. Pariaid  
rod. of stone 2 ft. high  $4\frac{1}{2}$  ft.  
base around post, from which  
a pine 18 ins. diam. brs N. 53 E. 196 lbs. dist.

marked T. 15 N. R. 11 E. S. 34 B. T.

a pine 26 ins. diam. brs. S  $9\frac{1}{2}$  E. 81 lbs. dist  
marked T. 14 N. R. 11 E. S. 3 B. T.

a pine 22 ins. diam. brs S. 43  $\frac{1}{2}$  W. 266 lbs. dist.  
marked T. 14 N. R. 11 E. S. 4 B. T.

a pine 22 ins. diam. brs N. 58  $\frac{1}{2}$  W 89 lbs. dist.  
marked T. 15 N. R. 11 E. S. 33 B. T.

High rolling surface. Soil 3<sup>rd</sup> rate  
Heavy pine timber and oak  
undergrowth throughout.

N. 89° 54' W. on true line between Secs. 4 & 33

Exterior: N. Budry. T. 14 N. R. 11 E.  
Gila & Salt River Meridian

Chs.

Cor. 14° 15' E.

40.00

Set a post 4 ft. long, 3 ins. sq.,  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. dug pits 18 x 18 x 12 ins.  $5\frac{1}{2}$  ft.  
dial. and raised med. of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around post from  
which

Open 40 ins. diam. brs N 30° E. 43 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

a pine 24 ins. diam. brs S. 9° E. 75 lbs. dist.

80.00

Set a post <sup>marked  $\frac{1}{4}$  S. B. T.</sup> 4 ft. long, 4 ins. sq.,  
with marked stone 12 ins. in  
the ground, for Cor. to Secs. 4, 5  
32 & 33, marked

T. 15 N. S. 33 on N. E.

R. 11 E. S. 4 on S. E.

T. 14 N. S. 5 on S. W

S. 32 on N. W. face, with 4 notches



Exterior; N. Bundy, T. 14 N. R. 11 E.  
 Gila Salt River Meridian

Chs.

on the E. and 2 notches on W.  
 edge. Raised a rod. of stone 2 ft.  
 high,  $4\frac{1}{2}$  ft. base around post  
 from which

a pine 36 ins. diam. br. N 37 E, 251 lbs. dist.  
 marked T. 15 N. R. 11 E. S. 33, B. T.

a pine 24 ins. diam. br. S. 38 E, 143 lbs. dist.  
 marked T. 14 N. R. 11 E. S. 4, B. T.

a pine 10 ins. diam. br. S 32 $\frac{1}{2}$  W. 167 lbs. dist.  
 marked T. 14 N. R. 11 E. S. 5, B. T.

High rolling surface.

Soil 3 $\frac{1}{2}$  rate.

Heavy pine timber throughout.

~~~~~

N. 89° 34' W. on true line between Secs. 5 & 32
 Cor. 14° 15' E.

40, 000 Set a post 4 ft. long, 3 ins. sq.
 with marked stone 12 ins. in

Exterior. N. Budry. T. 14 N. R. 11 E.
Gila & Salt River Meridian

Obs. the ground, for $\frac{1}{4}$ Sec. Cor. marked
id $\frac{1}{4}$ S. raised and, of stone
1 $\frac{1}{2}$ ft high, 3 $\frac{1}{2}$ ft. base around
post, from which

- 1. A pine 30 ins. diam. bss. S. 47 W. 79 fks. dist.
marked $\frac{1}{4}$ S. B. T.
- A pine 24 ins. diam. bss. N. 6 W. 49 fks. dist.
marked $\frac{1}{4}$ S. B. T.

66.00 Descend into cañon 100 ft. deep
1571 fks. wide at bottom, runs N. E.

80.00 Set a post 4 ft. long, 4 ins. sq.
with marked stone, 12 ins. in
the ground, for Cor. to Secs. 5, 6,
31 & 32, marked
T. 15 N. S. 32 on N. E.
R. 11 E. S. 5 on S. E.
T. 14 N. S. 6 on S. W
S. 31 on N. W. face, with 5 notches
on the E. and 1 notch on the W.

Exterior: N. Budry. T. 14 N. R. 11 E.
Gila & Salt River Meridian

Chs.

Raised end. of stones 2 ft
high, 4 $\frac{1}{2}$ ft. base around
post, from which
a pine 16 ins. diam. brs. N. 50 $\frac{1}{2}$ E. 215 lbs. dist.
marked T. 15 N. R. 11 E. S. 32 B. T.

a pine 24 ins. diam. brs. S. 7 $\frac{1}{2}$ E. 222 lbs. dist.
marked T. 14 N. R. 11 E. S. 5 B. T.

a pine 23 ins. diam. brs. S. 67 W. 146 lbs. dist.
marked T. 14 N. R. 11 E. S. 6 B. T.

a pine 26 ins. diam. brs. N 47 $\frac{1}{2}$ W. 157 lbs. dist.
marked T. 15 N. R. 11 E. S. 31 B. T.

High, rolling and broken surface
Soil 3rd & 4th rate

Heavy pine timber throughout
~~~~~

N. 89° 54' W. on true line between Secs. 6 & 31  
Cor. 14° 15' E.

110.00 Set a post 4 ft. long, 3 ins. sq.



Exterior: N. Bundy, T. 14 N. R. 11 E.  
Gila & Salt River Meridian

Chs.

with marked stone, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. and raised  
a mpl. of stone  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around post. from  
which

A pine 16 ins. diam. hrs S. 47° W. 39 fms dist.  
marked  $\frac{1}{4}$  S. B. T.

A pine 12 ins. diam. hrs N 66° W. 23 fms dist.  
marked  $\frac{1}{4}$  S. B. T.

44.00 Ravine 50 fms. wide, runs N. E.

79.15 To the Cor. established to Cor.  
Tps. 14 & 15 N. R. 10 & 11 E.

High rolling surface.

Soil 3<sup>rd</sup> rate

Heavy pine timber throughout

Undergrowth of pine.

June 4, 1881

General Description: The fore-

Exterior: N. Budry. T<sup>y</sup>. 14 N. R. 11<sup>e</sup>.

Gila & Salt River Meridian

going six miles pass over  
rolling and in places broken  
surface. The soil is poor  
for agricultural purposes. There  
is an abundance of grass, fur-  
nishing excellent grazing  
There is good pine timber  
all along the line. Both T<sup>y</sup>s  
14 & 15 N. Range 11<sup>e</sup>. contain  
excellent pine timber very  
conveniently located.

Theodor A. White  
U.S. Deputy Surveyor

Exterior, Sp. 15 N. Between Rs. 10 & 11 E.

Sila & Salt River Meridian

Chs. From the Cor. to Sp. 14 & 15 N.  
Rs. 10 & 11 East. recently establish-  
ed by me June 2<sup>nd</sup> 1881. I run  
North between Secs. 31 & 36  
Var.  $14^{\circ}15' E.$

98.00 Enter Cañon, runs N. E.

40.00 In Cañon. Set a post 4 ft. long  
3 ins. sq. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. Raised md.  
of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
around post, from which  
a pine 16 ins. diam. brs. S. 10 E. 89 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.  
a pine 14 ins. diam. brs. S 52 W. 138 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

40.40 Leave Cañon.

80.100 Set a post 4 ft. long. 4 ins. sq.  
with marked stone 12 ins. in



Exterior:  $T. 15 N.$  Between  $R. 10 \& 11 E.$   
Gila & Salt River Meridian

Obs.

The ground, for Cor. to Secs.  
25, 31, 31 & 36, marked

$T. 15 N. S. 30$  on  $N. E.$

$R. 11 E. S. 31$  on  $S. E.$

$R. 10 E. S. 36$  on  $S. W.$

$S. 25$  on  $N. W.$  face, with  
1 notch on  $S.$  and 5 notches on  
 $N.$  edges. Raised and of stone 2 ft.  
high  $4\frac{1}{2}$  ft. base around post  
from which

a pine 25 ins. diam. brs  $N 74 E.$  354 lbs. dist.  
marked  $T. 15 N. R. 11 E. S. 30. B. T.$

a pine 26 ins. diam. brs  $S 45\frac{1}{2} E.$  141 lbs. dist.  
marked  $T. 15 N. R. 11 E. S. 31. B. T.$

a pine 30 ins. diam. brs  $S 16 W.$  207 lbs. dist.  
marked  $T. 15 N. R. 10 E. S. 36. B. T.$

a pine 27 ins. diam. brs  $N 28 W.$  172 lbs. dist.  
marked  $T. 15 N. R. 10 E. S. 25. B. T.$

High, rolling. Soil 3<sup>rd</sup> rate. Heavy pine throughout

Exterior; T. 15 N. Between R. 10 & 11 E.  
Gila & Salt River Meridian

No. North between Secs. 25 & 30  
Var.  $14^{\circ} 15' E$

7.43 a pine 28 ins. diam.  
10.00 Set a post 4 ft. long, 3 ins. sq.  
with marked stone, 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. mark-  
ed  $\frac{1}{4} S$ . Raised circ. of stone  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
post, from which  
a pine 15 ins. diam. brs. N. 9 E. 64 fks. dist.  
marked  $\frac{1}{4} S. B. T.$

a pine 18 ins. diam. brs. N 86 W. 84 fks. dist.  
marked  $\frac{1}{4} S. B. T.$

80.00 Set a post 4 ft. long, 4 ins. sq.  
with marked stone, 12 ins. in  
the ground for Cor. to Secs. 19,  
24, 25 & 30 marked  
T. 15 N. S. 19 on N. E.  
R. 11 E. S. 30 on S. E.

Exterior;  $T. 15 N. R. 11 E. S. 10$

Gila & Salt River Meridian

R. 10 E. S. 25 on S. W

S. 24 on N. W. face, with 2 notches on S. and 4 notches on the W. edges. Raised a rod of stone 2 ft. high,  $4\frac{1}{2}$  ft base around post, from which

a pine 24 ins. diam. bro. N. 35 E. 341 lbs. dist.  
marked  $T. 15 N. R. 11 E. S. 19 B. T.$

a pine 31 ins. diam. bro. S 29 E. 204 lbs. dist.  
marked  $T. 15 N. R. 11 E. S. 30 B. T.$

A pine 28 ins. diam. bro. S. 52 W. 394 lbs. dist.  
marked  $T. 15 N. R. 10 E. S. 25 B. T.$

a pine 18 ins. diam. bro. N 6 W. 357 lbs. dist.  
marked  $T. 15 N. R. 10 E. S. 24 B. T.$

Mundulating, Descending S. E.  
Soil 3<sup>rd</sup> rate

Large pine timber throughout



terior; Sp. 15 N. Betwa. Rs. 10 & 11 E,  
Gila & Salt River Meridian

North between Secs. 19 & 24  
Twp. 14° 15' E.

10.00 Set a volcanic rock 20 x 15 x 12 ins.  
15 ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  and raised  
a rnd. of stone  $1\frac{1}{2}$  ft high,  $3\frac{1}{2}$  ft.  
base alongside. This corner is  
a little grassy opening,  $\frac{1}{2}$  trees  
near cor.

11.00 Set a post 4 ft. long, 4 ins.  
sq. with marked stone 12 ins. in  
the ground, for Cor. to Secs. 13,  
18, 19 & 24, marked  
S. 15 N. S. 18 on N. E.  
R. 11 E. S. 19 on S. E.  
R. 10 E. S. 24 on S. W.  
S. 13 on N. W. face, with 3  
notches on N. & S. edges. Raised  
rnd. of stone 2 ft. high,  $4\frac{1}{2}$  ft.

Exterior: T. 15 N. Between Rs. 10 & 11 E.  
Gila & Salt River Meridian

base around post, from which  
a Juniper 15 ins. diam. bro. N 44  $\frac{1}{2}$  E. 403 lbs. dist.  
marked T. 15 N. R. 11 E. S. 18. B. T.

A Juniper 18 ins. diam. bro. S. 39  $\frac{1}{2}$  E. 165 lbs. dist.  
marked T. 15 N. R. 11 E. S. 19. B. T.

A Juniper 12 ins. diam. bro. S 28 W. 29 lbs. dist.  
marked T. 15 N. R. 10 E. S. 24. B. T.

A Juniper 20 ins. diam. bro. N 9  $\frac{1}{2}$  W. 228 lbs. dist.  
marked T. 15 N. R. 10 E. S. 13. B. T.

Undulating Surface. Soil 3<sup>rd</sup> rate  
Pine timber, Some Juniper & oak  
throughout. Undergrowth.

Exterior, T. 15 N. Between R. 10 & 11 E.  
Gila & Salt River Meridian

North between Secs. 13 & 18  
T. 14° 15' E.

40.011 Set a post 4 ft. long, 3 ins. sq.  
with marked stone, 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. Raised a circ. of stone  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post  
from which

A pine 30 ins diam. brs N 43 E, 79 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

Oak 12 ins. diam. brs S 33 W, 27 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

57.05 A pine 24 ins. diam.

80.011 Set a post 4 ft. long, 4 ins. sq.  
with marked stone 12 ins. in the  
ground, for Cor. to Secs. 7, 12  
13 & 18, marked

T. 15 N. S. 7 on N. E.  
R. 11 E. S. 18 on S. E.



Exterior, Sp. 15 N. Between Rs. 10 & 11 E.

Gila & Salt River Meridian

Chs.

R. 10 E. S 13 on S. W.

S. 12 on N. W. face, with 4 notches on S. and 2 notches on N. edges, dug pits 18 X 18 X 12 ins in each sec. 5½ ft. dist. and raise mid. of earth 2 ft. high 4½ ft. base around post, from which

A pine 19 ins. diam. brs N 17 E. 124 lbs. dist. marked T. 15 N. R. 11 E. S. 7, B. T.

A pine 16 ins. diam. brs S. 53 E. 85 lbs. dist. marked T. 15 N. R. 11 E. S. 18, B. T.

A pine 18 ins. diam. brs. S. 28½ W. 50 lbs. dist. marked T. 15 N. R. 10 E. S. 13, B. T.

A pine 20 ins. diam. brs N 18 W. 104 lbs. dist. marked T. 15 N. R. 10 E. S. 12 B. T.

Rolling surface. Soil 2-93 note  
Heavy pine lumber throughout

Exterior: T<sup>h</sup>. 15 N. Between R. 11 & 11 E.  
Gila & Salt River Meridian

Chs. North between Secs. 7 & 12  
T<sup>h</sup>. 14° 15' E.

- 39.09 A pine 24 ins. diam.  
40.00 Set a post 4 ft. long, 3 ins. sq.,  
with marked stone, 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. Raised end of stone  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
post, from which,  
A pine 20 ins. diam. brs. N. 33 E. 175 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.  
An oak 12 ins. diam. brs. S. 78 W. 75 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.
- 87.00 Set a post 4 ft. long, 4 ins. sq.,  
with marked stone 12 ins. in  
the ground, for Cor. to Secs. 1, 6, 7  
& 12, marked  
T<sup>h</sup>. 15 N. S. 6 on N. E.  
R. 11 E. S. 7 on S. E.





Exterior; Sp. 15 N. Betw. Rs. 10 & 11 E.  
Gila & Salt River Meridian

- Obs.  
40.00 Set a post, 4 ft. long, 3 ins. sq.,  
with marked stone, 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. mark-  
ed  $\frac{1}{4}$  S. and raised a md. of  
stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
around post, from which  
a piniper 20 ins. diam. brs. S 18 W. 274 the dist-  
marked  $\frac{1}{4}$  S, B. T.
- 87.00 Set a post  $4\frac{1}{2}$  ft. long, 4 ins. sq.,  
with marked stone, 12 ins. in  
the ground, for Cor. to Sp. 15  
& 16 N. Rs. 10 & 11 E., marked  
 $\frac{1}{16}$  N. S. 31 on N. E.  
R. 11 E. S. 6 on S. E.  
S. 15 N. S. 1 on S. W.  
R. 10 E. S. 36 on N. W. faces,  
with 6 notches on each edge  
and raise md. of stone  $2\frac{1}{2}$  ft.  
high, 5 ft. base around post.

Exterior; T<sub>p.</sub> 15 N. Between R<sub>s.</sub> 10 & 11 E.

Sula & Salt River Meridian

from which

A Cedar 20 ins. diam. hrs S. 37 E. 488 fms. dist.  
marked T<sub>p.</sub> 15 N. R. 11 E. S. 6 137.

A Cedar, 12 ins. diam. hrs S. 12 W. 679 fms. dist.  
marked T<sub>p.</sub> 15 N. R. 10 E. S. 1. 137.

This is in a grassy opening. No  
trus near in the other Secs.

Descending N. then flat.

• Large pine timber with grassy  
openings along this mile.

Some undergrowth pine & pauper

June 6, 1881

General Description: The  
foregoing six miles passes  
over a rolling & undulating  
surface, mostly smooth but  
stony. Soil poor for agri-  
cultural purposes, but pro-  
ducing abundant grass

Exterior: T<sup>h</sup>. 15 N. Between R. 10 & 11 East  
Gila & Salt River Meridian

affording good grazing. Water is scarce during the dry part of the year, but is found in occasional tanks. Timber is abundant and fine, thinner however on the east end of the line where it is interspersed with grassy openings. Both T<sup>h</sup>s. 15 N. R. 10 & 11 E. are covered with good timber which is very accessible located.

Theodore A. White  
U.S. Deputy Surveyor



Exterior: N. Budry. Tps. 15 & 16 N. R. 10 E.

Gila & Salt River Meridian

chs.

From Cor. to Tps. 15 & 16 N. R. 10  
& 11 E. just established by me,  
I run West between said Townships  
on a random line, the variation  
of my Solar Compass being  $14^{\circ}16' E.$   
I set temporary half mile and  
mile corners, and in 5 miles  
 $78$  chains and  $70$  fms. intersect  
West boundary of the townships  
 $65$  fms. N. of the Cor. to Tps.  
15 & 16 N. R. 9 & 10 E. The cor-  
rection for the true line is there-  
fore  $130$  fms. west and  $11$  fms  
per mile, South. Therefore  
From the Cor. to Tps. 15 & 16 N.  
R. 9 & 10 E. recently established  
by me (May 28, 1881) I run  
N.  $89^{\circ}55' E.$  on true line between Secs. 6. & 31  
Var  $14^{\circ}16'$  East

Exterior: N. Budry.  $\frac{1}{2}$  p. 15 N. R. 10 E.

Glad & Salt River Meridide

chs.

As per observation with Solar  
Compass.

38.70 Set a post 4 ft. long, 3 ins. sq.  
with marked stone, 12 ins. in the  
ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and raised mid. of stone  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post  
from which

a pine 24 ins. diam. brs S. 73 E. 42 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

A pine 24 ins. diam. brs N. 1° W. 74 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

78.70 Set a post 4 ft. long, 4 ins. sq.  
with marked stone, 12 ins. in the  
ground, for Cor. to Secs. 5, 6, 31  
& 32, marked

T. 16 N. S. 32 on N. E.

R. 10 E. S. 5 on S. E.

T. 15 N. S. 6 on S. W.

Exterior; N. Budry.  $\frac{7}{16}$  N. R. 10 E.  
Gila & Salt River Meridian

Obs.

and S. 31 on N. W. face, with  
5 notches on E. and 1 notch on  
W. edges. Raised ind. stone 2 ft  
high,  $4\frac{1}{2}$  base around post  
from which.

x a pine 28 ins. diam. brs. N 62 E. 47 lbs. dist.  
marked  $\frac{7}{16}$  N. R. 10 E. S. 32, B.T.

a pine 16 ins. diam. brs. S 57  $\frac{1}{2}$  E. 53 lbs. dist.  
marked  $\frac{7}{16}$  N. R. 10 E. S. 5 B.T.

a pine 12 ins. diam. brs. S 56 W. 70 lbs. dist.  
marked  $\frac{7}{16}$  N. R. 10 E. S. 6, B.T.

a pine 20 ins. diam. brs. N.  $77\frac{1}{2}$  W. 66 lbs. dist.  
marked  $\frac{7}{16}$  N. R. 10 E. S. 31 B.T.

Rolling & ascending N. W.

Soil 2 & 3<sup>rd</sup> rate

Heavy pine timber throughout  
Some oak and undergrowth.



Cove

Exterior: A. Bundry. T<sub>1</sub>. 15 N. R. 10 E.

Gila &amp; Salt River Meridian

Chs.

N. 89° 35' E. on true line between Secs. 5 & 32  
T<sub>1</sub> S. 14° 16' E.40.00 Set a post 4 ft. long, 3 ins. sq.,  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and raised a mound of stone  
1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base around  
post, from whicha pine 20 ins. diam. brs S. 27° W, 209 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.a pine 16 ins. diam. brs N 67 $\frac{1}{2}$ ° W, 188 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.80.00 Set a post 4 ft. long, 4 ins. sq.,  
with marked stone, 12 ins. in  
the ground, for Cor. to Secs. 4, 5,  
32 & 33, marked  
T<sub>1</sub>. 16 N. S. 33 on N. E.  
R. 10 E. S. 4 on S. E.  
T<sub>1</sub>. 15 N. S. 5 on S. W

Exterior, N. Budry,  $\text{Sp. } 15 \text{ N. R. } 10 \text{ E.}$   
Gila & Salt River Meridian

Obs.

S. 32 on N. W. face, with 4 notches  
on E. and 2 notches on W. edges, and  
raised a mound of stone 2 ft. high,  
 $4\frac{1}{2}$  ft. base around post, from which  
a pine 36 ins. diam. brs.  $\text{N } 45 \text{ E. } 240$  lbs. dist.

marked  $\text{S. } 16 \text{ N. R. } 10 \text{ E. S. } 33, \text{ B. T.}$

a pine 24 ins. diam. brs.  $\text{S. } 21 \text{ E. } 27$  lbs. dist.

marked  $\text{S. } 15 \text{ N. R. } 10 \text{ E. S. } 4, \text{ B. T.}$

a pine 36 ins. diam. brs.  $\text{S. } 38 \text{ W. } 17$  lbs. dist.

marked  $\text{S. } 15 \text{ N. R. } 10 \text{ E. S. } 5, \text{ B. T.}$

a pine 10 ins. diam. brs.  $\text{N } 89 \text{ W. } 137$  lbs. dist.

marked  $\text{S. } 16 \text{ N. R. } 10 \text{ E. S. } 32, \text{ B. T.}$

Rolling and descending South  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Heavy pine timber. Some oak  
and undergrowth throughout.

$\text{N } 89 \text{ } 55 \text{ E.}$  on true line between Secs. 4 & 33

Exterior: N. Bundy. T<sup>n</sup>. 15 N. R. 10 E.  
Gila & Salt River Meridian

Chs.

Var. 14° 16' East.

- 29.00 "Mormon Road" from Little Col.  
road etc. to Louts, brs. N & S.
- 40.00 Set a post 4 ft. long, 3 ins. sq. with  
marked stone, 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. and  
raised and. of stone 1  $\frac{1}{2}$  ft. high  
3  $\frac{1}{2}$  ft. base around post, from  
which  
a pine 36 ins. diam. brs S. 77 E. 17 1/2 kts. dist.  
marked  $\frac{1}{4}$  S. B. T.
- a pine 10 ins. diam. brs N 47 W. 20 kts. dist.  
marked  $\frac{1}{4}$  S. B. T.
- 80.00 Set a post 4 ft. long, 4 ins. sq.  
with marked stone 12 ins. in  
the ground, for Cor. to Secs.  
3, 4, 33 & 34, marked  
T. 16 N. E. 34 on N. E.  
R. 10 E. S. 3 on S. E.



Exterior; N. Budry. Sp. 15 N. R. 10 E.  
Gila & Salt River Meridian

Chs.

S. 15 N. S. 4 on S. W.

S. 33 on N. W. faces. with 3  
notches on each edge E & W.

Raised ind. of stone 2 ft. high  
4½ ft. base around post. from  
which

A pine 15 ins. diam. brs N 46½ E. 296 lbs. dist.  
marked S. 16 N. R. 10 E. S. 34 B. T.

A pine 24 ins. diam. brs S. 62 E. 167 lbs. dist.  
marked S. 15 N. R. 10 E. S. 3. B. T.

A Juniper 24 ins. diam. brs S. 48½ W. 273 lbs. dist.  
marked S. 15 N. R. 10 E. S. 4 B. T.

An oak 8 ins. diam. brs N 73½ W. 110 lbs. dist.  
marked S. 16 N. R. 10 E. S. 33 B. T.

Descending West. Soil 3" rate  
thick pine timber. Some oak  
and Juniper throughout

Exterior; N. Budry.  $\frac{1}{2}$  S. 15 N. R. 10 E.

Gila & Salt River Meridian

Chs. N 89 53' E, on true line between Secs 3 & 34  
 Nat. 14 16' E.

40.011 Set a post 4 ft. long, 3 ins. sq. with marked stone, 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. and raised mid. of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post, from which

A pine 20 ins. diam. brs S. 17 E. 21 lbs. dist. marked  $\frac{1}{4}$  S. B. T.

A pine 24 ins. diam. brs N 48 W. 139 lbs. dist. marked  $\frac{1}{4}$  S. B. T.

52.92 a pine 12 ins. diam.

84.00 Set a volcanic rock 14 x 10 x 8 ins. 10 ins. in the ground for the cor. to Secs. 2, 3, 34 & 35 marked with 2 notches on the E. and 4 notches on W. edge, and raised a mid. of stone 2 ft. high,  $4\frac{1}{2}$  ft. base alongside. From the stone

Exterior: N. Bundy, T<sup>n</sup>. 15 N. R. 10 E.  
Gila & Salt River Meridian

Chs.

a jumper 10 ins. diam. brs. S. 18 W. 173 lbs. dist.  
marked T. 15 N. R. 10 E. S. 3 B.T.

a jumper 8 ins. diam. brs N 7° W. 222 lbs. dist.  
marked T. 16 N. R. 10 E. S. 3 4. B.T.

This is in a grassy opening. There  
are no trees near in the other secs.

Rolling. Soil 3<sup>rd</sup> rate

Large pine timber. Some juniper  
and oak and undergrowth throughout  
~~~~~

N. 89° 55' E. on true line between Secs. 2 & 35
Dist. 14° 16' East.

30.011 Top of round hill & descend

40.011 Set a post 4 ft. long, 3 ins. sq
with marked stone, 12 ins in the
ground, for ¹/₄ Sec. Cor. marked
¹/₄ S. and raised end. of stone
¹/₂ ft. high, 3 ¹/₂ ft. base around

Exterior; N. Rudry. Sp. 15 N. R. 10 E.

Gila & Salt River Meridian

Obs.

post, from which
a pine 13 ins. diam. brs S 20 E. 248 lbs. dist.
marked $\frac{1}{4}$ S. B. T.

An oak 4 ins. diam. brs N 55 E. 30 lbs. dist.
marked $\frac{1}{4}$ S. B. T.

80.11

A volcanic rock 15 x 10 x 8 ins.
10 ins. in the ground for Cor. to Secs
1, 2, 35 & 36 marked with 1 notch
on E. and 5 notches on W. edges
and raised end of stone 2 ft
high $4\frac{1}{2}$ ft base alongside.
This occurs in a grassy opening
No trees immediately around Cor. near
enough to mark.

Rolling. Soil 3rd rate
Pine timber. Some juniper and
oak and undergrowth

Exterior: N. Budry. Sp. 15 N. R. 10 E.
Gila & Salt River Meridian

- Cho. N. $89^{\circ}55'$ E. on true line between Secs. 1 & 36
Lat. $14^{\circ}16'$ E.
- 40.00 Set a post 4 ft. long, 3 ins. sq.
with marked stone, 12 ins. in
the ground for $\frac{1}{4}$ Sec. Cor. mark-
ed $\frac{1}{4}$ S. and raised a mol. of
stone $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
around post, from which
a pine 20 ins. diam. brs S. 50 W. 91 kcs. dist.
marked $\frac{1}{4}$ S. B. T.
- An oak 8 ins. diam. brs. N. 74° W. 75 kcs. dist.
marked $\frac{1}{4}$ S. B. T.
- 80.111 To the Cor. established to Tps.
15 & 16 N. Rs. 10 & 11 E.
Rolling. Soil 3rd rate
Pine timber, some oak and
juniper and undergrowth
throughout. June 7, 1881

Exterior: N. Bundy, T^h. 15 N. R. 10 E.
Gila & Salt River Meridian

Obs.

General Description: The foregoing six miles pass over a rolling and undulating surface, mostly smooth, but stony. The land is poor for agricultural purposes but produces good grass, furnishing good feed for stock. Many sheep are grazed in this vicinity. Water is scarce during the dry portion of the year, but is then found in occasional tanks. There is good pine timber all along the line, being the heaviest on the west portion. Both T^h. 15 & 16 N. R. 10 E. have good pine timber accessibly located.

Theodore H. White
U.S. Deputy Surveyor

Exterior: E. Bundy. Tps. 15 N. R. 11 E.
Gila & Salt River Meridian

Obs.

From the Cor. to Tps. 14 & 15 N.
Rs. 11 & 12 E. recently established by
me (Jan'y 1, 1881) I run
North between Secs. 31 & 36
Tas. 14° 15' East
as per observation with Solar
Compass.

34.38 An oak 18 ins. diam.

40.00 Set a post 4 ft. long, 3 ins. sq.
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ Sec. Cor. mark-
ed $\frac{1}{4}$ S. and dug pits 18x18x12 ins.
5 $\frac{1}{2}$ ft. dist. from post, and raised
a rnd. of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft.
base around post, from which
a pine 16 ins. diam. brs N 62° E 27 fms. dist.
marked $\frac{1}{4}$ S. B. T.

An oak 10 ins. diam. brs S. 68 W 15 fms. dist
marked $\frac{1}{4}$ S. B. T.

Exterior; E. Rudry. $\frac{1}{2}$ S. 15 N. R. 11 E.

Gila & Salt River Meridian

Obs.
80, 110

Set a post 4 ft. long, 4 ins. sq. with
marked stone 12 ins. in the ground
for Co. to Secs. 25, 30, 31 & 36, marked
S. 15 N. S. 31 on N.E.

R. 12 E. S. 31 on S.E.

R. 11 E. S. 36 on S.W

S. 25 on N.W. face, with 1 notch
on S. and 6 notches on N. edges.

Raised mid. of stone 2 ft. high, $4\frac{1}{2}$ ft.
base around post, from which
a pine 16 ins. diam. hrs N. 47° E. 47 kts. dist.
marked S. 15 N. R. 12 E. S. 30 B. T.

A pine 12 ins. diam. hrs. S $26\frac{1}{2}^{\circ}$ E. 129 kts. dist.
marked S. 15 S. R. 12 E. S. 31, B. T.

A pine 10 ins. diam. hrs S. $6\frac{1}{2}^{\circ}$ W. 48 kts. dist.
marked S. 15 S. R. 11 E. S. 36, B. T.

A pine 12 ins. diam. hrs. N 44° W. 32 kts. dist.
marked S. 15 S. R. 11 E. S. 25, B. T.

Rolling. Soil 3rd rate. Many pine timber throughout.

Exterior: E. Budry, Tⁿ. 15 N. R. 11 E.
Gila & Salt River Meridian

Chs.

North between Secs. 25 & 30
Var. 14° 15' E.

- 20.20 A pine 26 ins. diam.
- 40.00 Set a post 4 ft. long, 3 ins. sq. with marked stone, 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. and raised mid. of stone $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, around post from which
a pine 16 ins. diam. brs. N. 57° E. 70 lbs. dist. marked $\frac{1}{4}$ S. B. T.
a pine 12 ins. diam. brs. S. 87° W. 47 lbs. dist. marked $\frac{1}{4}$ S. B. T.
- 80.00 Set a post 4 ft. long, 4 ins. sq. with a marked stone 12 ins. in the ground, for Cor. to Secs. 19, 24, 25 & 30, marked T. 15 N. S. 19 on N. E. R. 12 E. S. 30 on S. E.

Exterior; E. Bundy, Jr. 15 N. R. 11 E.
Gila & Salt River Meridian

Chs.

R. 11 E. S. 25 on S. W.

S. 24 on N. W. face, with 2 notches
on S. and 4 notches on N. edges
dug pits 18x18x12 ins., in each sec.
5½ ft. dist., and raised wd. of
earth around 2 ft. high, 4½ ft. base
around post, from which

a pine 16 ins. diam. brs N. 47 E. 110 lbs. dist.
marked S. 15 N. R. 12 E. S. 19 B. T.

A pine 24 ins. diam. brs S. 76 E. 86 lbs. dist.
marked S. 15 N. R. 12 E. S. 31 B. T.

A pine 18 ins. diam. brs. S. 66½ W. 74 lbs. dist.
marked S. 15 N. R. 11 E. S. 26 B. T.

A pine 24 ins. diam. brs N. 11 W. 53 lbs. dist.
marked S. 15 N. R. 11 E. S. 24 B. T.

Rolling Surface

Soil 3rd rate

Heavy pine timber, and undergrowth
throughout.

Exterior: E. Budry, Twp. 15 N. R. 11 E.
Gila & Salt River Meridian

Chs

North between Secs. 19 & 24

Var. $14^{\circ} 15' E$

- 41.00 Set a post 4 ft. long, 3 ins. sq.
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised end of stone $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around post
from which
a pine 14 ins. diam. hrs. N $17\frac{1}{2}$ E. 146 Rods dist.
marked $\frac{1}{4}$ S. B. T.
- a pine 12 ins. diam. hrs. S $71\frac{1}{2}$ W. 160 Rods dist.
marked $\frac{1}{4}$ S. B. T.
- 72.50 Bottom of rocky cañon 150 ft.
deep, 100 lbs. wide at bottom, runs west
into larger cañon in a short distance
- 73.70 Bluff of rocks and ascend from
cañon
- 80.00 Set a post 4 ft. long, 4 ins. sq.
with marked stone 12 ins. in

Exterior: E. Bndry. Sp. 15 N. R. 11 E.
Gla & Salt River Meridian

Chs.

The ground for Cor. to Secs. 13, 18, 19
& 24, marked

S. 15 N. S. 18 on N. E.

R. 12 E. S. 19 on S. 18

R. 11 E. S. 24 on S. W

S. 13 on N. W. faces, with 3 notches
on the N. & S. edges, dug pits 18 x
18 x 12 ins, in each sec. 5 1/2 ft. dist.
and raised mid. of each 2 ft. high
14 1/2 ft. base around post, from which
a pine 8 ins. diam. brs N 38 1/2 E. 53 lbs. dist.
marked S. 15 N. R. 12 E. S. 18 B. T.
a pine 24 ins. diam. brs S 7 1/2 E. 41 lbs. dist.
marked S. 15 N. R. 12 E. S. 19 B. T.
a pine 8 ins. diam. brs S. 73 W. 18 lbs. dist.
marked S. 15 N. R. 11 E. S. 24 B. T.
a pine 12 ins. diam. brs N. 24 W. 19 lbs. dist.
marked S. 15 N. R. 11 E. S. 13 B. T.

Very broken. Soil 4" rate. Dense pine timber 8000,

Exterior: E. Rudry, T. 15 N. R. 11 E.
Gila & Salt River Meridian

Chs.

North between Secs. 13 & 18

Var. 14° 15' E.

- 1.00 Commence descent into deep cañon.
- 5.00 Bottom of cañon 200 ft. deep, 200 yds wide at bottom, runs N. E., & ascend.
- 10.00 Enter table land & leave cañon
- 40.00 Set a post 4 ft. long, 3 ins. sq. with marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. mark. set $\frac{1}{4}$ S. and raise end. of stone $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post, from which
a pine 12 ins. diam., brs. S 28° E. 17 $\frac{1}{2}$ kts. dist. marked $\frac{1}{4}$ S. B. T.
a pine 26 ins. diam., brs. S 68° W 23 kts. dist. marked $\frac{1}{4}$ S. B. T.
- 80.00 Set a post 4 ft. long, 4 ins. sq. with marked stone 12 ins. in the ground, for Cor. to Secs.

Exterior: E. Budry, T. 15 N. R. 11 E.
Gila & Salt River Meridian

Obs.

7, 12, 13 & 18, marked

T. 15 N. S. 7 on N. E.

R. 12 E. S. 18 on S. E.

R. 11 E. S. 13 on S. W.

S. 12 on N. W. face, with 2

notches on N. & 4 notches on S.

edges, raised a cord. of stone

2 ft. high, 4 1/2 ft. base around

post, from which

a pine 28 ins. diam. bro. N 56 E 18 lbs. dist.

marked T. 15 N. R. 12 E. S. 7, 13, T.

a pine 16 ins. diam. bro. S. 34 E. 80 lbs. dist.

marked T. 15 N. R. 12 E. S. 18, B, T.

a pine 24 ins. diam. bro. S. 47 1/2 W. 24 lbs. dist.

marked T. 15 N. R. 11 E. S. 13, B, T.

a pine 25 ins. diam. bro. N. 22 W. 64 lbs. dist.

marked T. 15 N. R. 11 E. S. 12, B, T.

Broken, Soil 4th rate

Pine timber, some juniper & dogwood throughout.

Exterior; E. Budry, T. 15 N. R. 11 E.
Gila & Salt River Meridian

Obs.

North between Sec. 7 & 12
T. 14¹⁵ E.

- 2.110 Rocky gulch 50 fks. wide runs N. E.
- 441.00 Set a post 4 ft long, 3 ins. sq.
with marked stone 12 ins. in
the ground for $\frac{1}{4}$ Sec. Co. mark
id "4 S. and raised mid. of
stone $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
around post, from which
a pine 30 ins. diam. brs. S 18 E. 121 fks. dist.
marked "4 S. B. T.
- a pine 25 ins. diam. brs. S 59 W. 52 fks. dist.
marked "4 S. B. T.
- 63.50 a gulch 40 fks. wide, runs N. E.
- 80.00 Set a post 4 ft. long, 4 ins. sq.
with marked stone 12 ins. in
the ground, for Co. to Secs.
1, 6, 7 & 12, marked
T. 15 N. S. 6 on N. E.

Exterior, E. Budry, $T. 15 N. R. 11 E.$
Gila & Salt River Meridian

chs.

R. 12 E S. 7 on S. E.

R. 11 E S. 12 on S. W

S. 1 on N. W. face, with 1 notch
on N. and 5 notches on S. edges

Raised a rd. of stone 2 ft. high
4 1/2 ft. base around post. from which

a pine 12 ins. diam. hrs. S. 2 E. 214 lbs. dist.

marked $T. 15 N. R. 12 E. S. 7. B. T.$

a pine 8 ins. diam. hrs S. 40 W. 250 lbs. dist.

marked $T. 15 N. R. 11 E. S. 12. B. T.$

a pine 24 ins. diam. hrs N. 2 1/2 W. 127 lbs. dist.

marked $T. 15 N. R. 11 E. S. 1. B. T.$

Broken surface

Soil 4" rate

Pine lumber throughout

Juniper & Shets undergrowth

~~~~~

Exterior; E. Bidry. T<sup>h</sup>. 15 N. R. 11 E.  
Sila & Salt River Meridian

Chs.

North between Secs. 1 & 6  
T<sup>h</sup>. 14° 15' E.

38.30 Rocky gulch 30 lbs. wide runs N.E.

40.00 Set a post 4 ft. long, 3 ins. sq.  
with a marked stone, 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. raised a mid. of stone  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post  
from which

A pine 6 ins. diam. brs S 68° E. 73 lbs. dist.  
marked  $\frac{1}{4}$  S. B.T.

A pine 8 ins. diam. brs N. 47° W. 24 lbs. dist.  
marked  $\frac{1}{4}$  S. B.T.

57.00 Bottom deep rocky gulch runs  
N.E. then S. E & E.

80.00 Set a post  $4\frac{1}{2}$  ft. long 4 ins. sq  
with marked stone, 12 ins. in  
the ground, for Cor. to **2<sup>nd</sup> 1/2**.  
15 & 16 N. Rs. 11 & 12 E. marked

Exterior; E. Rudry,  $T. 15 N. R. 11 E.$   
Gila and Salt River Meridian

chs.

$T. 16 N. S. 31$  on N. E.

R. 12 E. S. 6 on S. E.

$T. 15 N. S. 1$  on SW.

R. 11 E. S. 36 on N. W. face, with  
6 notches on each edge, Raised  
mid. of stone  $2\frac{1}{2}$  ft. high 5 ft.  
base around post, from which  
A pine 24 ins. diam. brs. N 42 E. 179 lbs. dist.  
marked  $T. 16 N. R. 12 E. S. 31, B. T.$

A pine 26 ins. diam. brs. S. 22 W. 282 lbs. dist.  
marked  $T. 15 N. R. 11 E. S. 1, B. T.$

A pine 25 ins. diam. brs. N. 6 W. 143 lbs. dist.  
marked  $T. 16 N. R. 11 E. S. 36, B. T.$

No trace near in the other section  
Rolling, some broken. Soil 4<sup>th</sup> rate  
Pine timber throughout, some  
Juniper & oak and undergrowth

June 8, 1881

General Description: The fore-



Exterior: E. Budry. T<sub>p.</sub> 15 N. R. 11 E.  
Gila & Salt River Meridian

going six miles pass over  
a rolling and broken surface  
the soil is poor for agri-  
cultural purposes. There  
is considerable grass along  
the line. Water is found along  
the cañon that the line crosses  
on the E. budry of Sec. 13. There  
is good pine timber all along  
the line, it being the heaviest  
on the South. T<sub>p.</sub> 15 N. R. 11 E.  
is covered with fine pine  
timber accessible located for  
the most part. T<sub>p.</sub> 15 N. R. 12 E.  
contains pine timber in the  
western portion of it, but it  
becomes thin and runs into  
Cedar and Juniper and brush  
to the East.

Theodore H. White  
M<sub>y.</sub> Deputy Surveyor

Exterior: N. Budry. T. 15 N. R. 11 E.  
Gila & Salt River Meridian

ms. From the Cor. to Tps. 15 & 16 N. R. 10 & 11 East. recently established by me (Jan 6, 1881) I run East on a random line between said townships. I set temporary half mile and mile corners and in 5 miles. 78 chs. and 83 fks. I intersect the E. Budry. of the townships 53 fks. N. of the Cor. to Tps. 15 & 16 N. R. 11 & 12 E. The correction for the true line is therefore 122 fks West, and 9 fks. South per mile Therefore from the Cor. to Tps. 15 & 16 N. R. 11 & 12 E. just established by me I run N. 89° 56' W. on true line. between Secs 1 & 36 Var. 14° 16' E. As per observation with Solar Compass

Exterior: N. Bidry. Sp. 15 N. R. 11 E.

Gila & Salt River Meridian

Chs.

40.110

Set a post 4 ft. long, 3 ins. sq.,  
with marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. dug pits 18 x 18 x 12 ins. diam.  
5  $\frac{1}{2}$  ft. dist. and raised rd. of earth  
 $1\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft. base around  
post, from which

A pinon 13 ins. diam. hrs. N 49 E. 7 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

A pinon 12 ins. diam. hrs. S. 70 W 45 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

80.00

Set a post 4 ft. long, 4 ins. sq.,  
with marked stone 12 ins. in the  
ground for Cor. to Secs. 1, 2, 35  
& 36, marked

T. 16 N. S. 36 on N. E.

R. 11 E. S. 1 on S. E.

T. 15 N. S. 2 on S. W.

S. 35 on N. W. face with 1 notch



Exterior: N. Budry. Sp. 15 N. R. 11 E.

Gila & Salt River Meridian

on E. and 5 notches on W. edges,  
dug pits 18 x 18 x 12 ins. in each  
sec. and raised end of earth  
2 ft. high, 4½ ft. base around  
post from which.

A piñon 10 ins. diam. brs. N 63½ E. 177 lks. dist.  
marked T. 16 N. R. 11 E. S. 36 B. T.

A piñon 30 ins. diam. brs. S. 58½ E. 382 lks. <sup>dist</sup>  
marked T. 15 N. R. 11 E. S. 1. B. T.

No trees near in the other sections.

Broken, Rocky, Soil 4th rate  
Pine timber, Some piñon & juniper  
and undergrowth throughout.

N. 89° 56' W, on true line, between Secs. 2 & 35  
Var. 14° 16' E.

140.111 Set a lava rock 15 x 12 x 6 ins.,  
10 ins. in the ground for ¼ Sec.

Exterior: N. Budry, T. 15 N. R. 11 E.  
Gila & Salt River Meridian

Obs.

Cor. marked  $\frac{1}{4}$ . and raised  
a md. of stone  $1\frac{1}{2}$  ft. <sup>high</sup>  $3\frac{1}{2}$  ft. high  
base alongside.

This occurs in a grassy opening  
No trees near enough to mark.

87.111

Set a lava rock  $18 \times 10 \times 10$  ins. 12 ins  
in the ground, for Cor. to Secs. 2, 3,  
34 & 35 marked <sup>with</sup>  $\frac{1}{2}$  notches on  
the E. and 4 notches on W. edges.  
and raised md. of stone  $2\frac{1}{2}$  ft.  
high,  $11\frac{1}{2}$  ft. base alongside

This occurs in a grassy open-  
ing with no trees near enough  
to the cor. to mark.

Undulating and descending E.  
Pine timber and juniper  
with occasional grassy openings.

Exterior: N. Budry,  $T. 15 N. R. 11 E.$   
Gila & Salt River Meridian

Obs. N.  $89^{\circ} 56' W.$  on true line between Secs. 38 & 34  
Var.  $14^{\circ} 16' E.$

40,000 Set a lava rock 20 ins.  $\times$  12  $\times$  5 ins.  
15 ins. in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  and raised md.  
of stone  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
alongside. In grassy opening  
No. trees near enough to mark.

87,000 Set a post 4 ft. long, 4 ins. sq.  
with marked stone, 12 ins. in the  
ground, for Cor. to Secs. 3, 4,  
33 & 34 marked.

$T. 16 N. S. 34$  on N.E.

$R. 11 E. S. 3$  on S.E.

$T. 15 N. S. 4$  on S.W.

S. 33 on N.W. cor. faces, with  
3 notches on E. & W. edges, raised  
a md. of stone 2 ft. high  
 $4\frac{1}{2}$  ft. base around post



Exterior: N. Budry, T<sup>y</sup>. 15 N. R. 11 E.  
Gila & Salt River Meridian

Chs.

This cor. comes in little grassy opening with no tree immediately around cor. near enough to mark undulating. Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate Pine timber on either side of line some juniper & undergrowth with grassy openings throughout.

N.  $89^{\circ}56'W$ . on true line between Secs. 4 & 33  
Eas.  $14^{\circ}16'E$ .

40.00 Set a lava rock  $15 \times 12 \times 8$  ins. 10 ins in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$ . raised a md. of stone  $1\frac{1}{2}$  ft.  $3\frac{1}{2}$  ft. base alongside.

In little grassy opening No. trees here  
80.00 Set a post 4 ft. long. 4 ins. sq. with marked stone 12 ins. in the ground for Cor. to Secs.

Exterior: N. Budry. T. 15 N. R. 11 E.  
Gila & Salt River Meridian

Chs.

4, 5, 32 & 33, marked

T. 16 N. S. 33 on N. E.

R. 11 E. S. 4 on S. E.

T. 15 N. S. 5 on S. W.

S. 32 on N. W. face, with 4  
notches on E. and 2 notches

on W. edge. Raised a mod. of  
stone 2 ft. high, 4 1/2 ft. base

around post, from which  
a pine 6 ins. diam. <sup>brs</sup> N. 41 E. 38 lbs. dist.

marked T. 16 N. R. 11 E. S. 33, B. T.

A pine 8 ins. diam. brs S. 51 E. 33 lbs. dist.

marked T. 15 N. R. 11 E. S. 4 B. T.

A pine 8 ins. diam. brs. S. 55 W. 8 lbs. dist.

marked T. 15 N. R. 11 E. S. 5, B. T.

A pine 14 ins. diam. brs. N 54 W. 38 lbs. dist.

marked T. 16 N. R. 11 E. S. 34, B. T.

Mudulating. Soil 3<sup>rd</sup> rate

Pine timber and undergrowth throughout.

Exterior: St. Bndry, Twp. 15 N., R. 11 E.  
Gila & Salt River Meridian

Chs.

N.  $89^{\circ}56'$  W. on true line between Secs. 5 & 32  
T. 14 N. 16' E.

411.000 Set a post 4 ft. long, 3 ins. sq.  
with marked stone 12 ins. in the  
ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. dug pits 18 x 18 x 12 ins.  $5\frac{1}{2}$  ft.  
dist. from post and raised  
rod of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft.  
base around post.

811.000 In grassy opening no trees near.  
Set a post 4 ft. long, 4 ins. sq.  
with marked stone 12 ins. in  
the ground, for Cor. to Secs. 5, 6.  
31 & 32 marked

T. 16 N. S. 32 on N. E.

R. 11 E. S. 5 on S. E.

T. 15 N. S. 6 on S. W

S. 31 on N. W. face, with 5  
notches on E. and 1 notch on W.



Exterior; N. Budry. Sp. 15 N. R. 11 E.  
Gila & Salt River Meridian

cks.

edges. raised med. of stone 2 ft  
high  $4\frac{1}{2}$  ft base around post  
from which

a pine 26 ins. diam. brs N. 10 E. 129 lks. dist.  
marked T. 16 N. R. 11 E. S. 34 B.T.

a pine 20 ins. diam. brs. S 37 E. 16 lks. dist.  
marked T. 15 N. R. 11 E. S. 5 B.T.

a pine 36 ins. diam. brs S. 50 W. 61 lks. dist.  
marked T. 15 N. R. 11 E. S. 6 B.T.

a pine 20 ins. diam. brs. N 36 W. 200 lks. dist  
marked T. 16 N. R. 11 E. S. 31 B.T.

Undulating. Soil 3<sup>rd</sup> rate  
Large pine and some pines throughout

N.  $89^{\circ}56'W$ . on true line between Sec. 6 & 31  
Var.  $14^{\circ}16'E$ .

10.00 Set a post 4 ft. long. 3 ins. sq.  
with marked stone 12 ins. in

Exterior: N. Budry. Sp. 15 N. R. 11 E.  
Gila & Salt River Meridian

Chs.

the ground, for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. and raised md.  
of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
around post, from which  
a cedar 6 ins. diam. brs. N47E. 181 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

a cedar 7 ins. diam. brs. S. 46 E. 247 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

78.83

To the Cor. established to Sp.  
15 & 16 N. R. 10 & 11 E.

Undulating surface.

Soil 3<sup>rd</sup> rate

Large pine, some juniper  
throughout

June 9, 1881.

General Description: The  
foregoing six miles passes  
over an undulating surface  
mostly, but stony. The land

Exterior: N. Brady. T<sub>p.</sub> 15 N. R. 11 E.  
Gila & Salt River Meridian

is poor for agricultural purposes, but produces abundant grass, furnishing good pasturage for large bands of sheep that are here pastured through the timber.

There is pine timber much of it large with some Douglas and oak and underbrush along line. T<sub>p.</sub> 15 N. R. 11 E is covered with pine timber of good quality and mostly accessible. In township 16 N. R. 11 E. the pine timber thins out and juniper and cedar takes its place.

Water is scarce but is found in occasional tanks.

Theodore H. White  
U.S. Deputy Surveyor.



Exterior: E. Rudry. Tps. 16 N., R. 10 E.  
Gila & Salt River Meridian

Chs.

From the Cor. to Tps. 15 & 16 N.  
R. 10 & 11 E. just recently estab-  
lished by me, I run  
North between Secs. 31 & 36  
Var.  $14^{\circ} 16' E.$

as per observation with Solar  
Compass.

40.110. Set a volcanic rock,  $15 \times 12 \times 6$  ins.  
10 ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor., marked  $\frac{1}{4}$ , and raised  
mid. of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft.  
base alongside. No trees near

87.111 Set a post 4 ft. long, 4 ins. sq.,  
with marked stone 12 ins. in  
the ground, for Cor. to Secs.  
25, 30, 31 & 36, marked  
T. 16 N., S. 30 on N. E.  
R. 11 E., S. 31 on S. E.  
R. 10 E., S. 36 on SW

Exterior: E. Budry.  $\text{Sp. } 16 \text{ N. } R. 10 \text{ E.}$   
 Gila & Salt River Meridian

chs. S. 25 on N. W. face, with 1 notch  
 on S. and 5 notches on N. edges.  
 dug pits  $18 \times 18 \times 12$  ins in each  
 Sec.  $5\frac{1}{2}$  ft. dist, and raised  
 rnd. of earth 2 ft. high,  $4\frac{1}{2}$  ft.  
 base around post.  
 This is in a grassy opening  
 and there are no trees near enough  
 to mark.

Pine timber on either side of this.  
 Some juniper and underbrush  
 Surface undulating soil 2 rods.

North between Secs. 25 & 30  
 $\text{Var. } 14^{\circ} 16' \text{ E.}$

40.00 Set a volcanic rock  $12 \times 10 \times 8$  ins  
 8 ins in the ground, for  $\frac{1}{4}$  Sec.  
 Cor. marked  $\frac{1}{4}$ , and raised

Exterior: E. Rudry, T<sup>h</sup>. 16 N. R. 10 E.  
Gila & Salt River Meridian

a sq. of stone 1½ ft. high  
3½ ft. base alongside.  
No trees near.

80.111 Set a volcanic rock, 15 x 8 x 6 ins  
10 ins in the ground, for Cor. to  
Ses. 19, 24, 25 & 30. marked  
with 2 notches on S. and 4  
notches on N. edges. Raised  
a sq. of stone 2 ft. high, 4½ ft.  
base alongside. This is in  
a grassy flat with no trees near  
enough to mark.

Smooth nearly flat. Soil good  
Pine timber along west side of  
line with some juniper and  
undergrowth.

Com North between Ses. 19 & 24



Exterior: E. Budry. T<sup>n</sup>. 16 N. R. 10 E.  
Gila & Salt River Meridian

Mar. 14° 16' E.

44.000 Set a volcanic rock 15 x 12 x 8 ins.  
10 ins. in the ground, for <sup>1</sup>/<sub>4</sub> Sec. Cor.  
marked <sup>1</sup>/<sub>4</sub>. and raised end  
of stone 1 1/2 ft. high, 3 1/2 ft. base  
alongside. No true mar.

59.000 "Buckboard Road" from Pine Spring  
to Chavis Pass. bro. E & W.

80.000 Set a post 4 ft. long, 4 ins. sq.  
with marked stone 12 ins. in the  
ground, for the Cor. to Secs. 13, 18,  
19 & 24 marked  
T. 16 N. S. 18 on N. E.  
R. 10 E. S. 19 on S. E.  
R. 9 E. S. 24 on S. W.  
S. 13 on N. W. faces, with 3 notches  
on N. & S. edges. dug pits 18 x 18 x 12 ins.  
in each sec. 5 1/2 ft. dist. and rais-  
ed end of earth 2 ft. high, 4 1/2 ft.

Exterior; E. Budry, T<sup>p</sup>. 16 N., R. 10 E.

Gila & Salt River Meridian

base around post,

This occurs in grass flat. No  
trees near enough to mark.

Flat. Soil 2<sup>nd</sup> rate

Large size timber along west  
side of line. Juniper and brush

North between Secs. 13 & 18  
Lat. 14° 16' E.

411.111 Set a volcanic rock 15 x 12 x 6 ins.  
10 ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked 4, and raised mid.  
of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
alongside. No trees near

80.111 Set a volcanic rock 15 x 14 x 6 ins.  
10 ins. in the ground for Cor. to  
Secs. 7, 12, 13 & 18 marked with  
4 notches on S. and 2 notches on N.

Exterior: E. Budry, Sp. 16 N. R. 10 E.  
Gila & Salt River Meridian.

edges, and raised mid. of stone  
2 ft. high,  $4\frac{1}{2}$  ft. base alongside  
from the marked stone

A Cedar, 24 ins. diam. brs. S 8 E. 397 lbs. dist.  
marked T. 16 N. R. 11 E. S 8 B. T.

A Cedar, 8 ins. diam. brs. N 88 $\frac{1}{2}$  W 102 lbs. dist.  
marked T. 16 N. R. 10 E. S 12 B. T.

Flat surface Soil 2<sup>nd</sup> rate  
Pine timber along west side of line  
and Juniper and undergrowth.

North between Secs. 7 & 12  
Twp. 14<sup>th</sup> 16' E.

40.00 Set a volcanic rock  $30 \times 21 \times 10$  ins.  
23 ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$ , and raised mid.  
of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
alongside. Potatoes near.



Exterior: G. Rudry. Sp. 16 N. R. 10 E.  
Gila & Salt River Meridian

Chs.

80.111

Set a volcanic rock, 15 x 12 x 10 ins.  
10 ins. in the ground. for Cor.  
to Secs. 1, 6, 7 & 12 marked with  
5 notches on S. and 1 notch on W.  
edges. Raised a med. of stone  
2 ft. high, 4 1/2 ft. base alongside  
from the Cor.

a Cedar 12 ins. diam. hrs. N. 40° E. 158 lbs. dist.  
marked T. 16 N. R. 11 E. S. 6 13 T.

a Cedar 10 ins. diam. hrs S. 39 W 129 lbs. dist.  
marked T. 16 N. R. 10 E. S. 12 13 T.

Smooth. Soil 3<sup>rd</sup> rate

Pine timber along W. side of line  
Some Juniper & cedar & undergrowth.

North between Secs. 1 & 6  
Tas. 14° 16 E.

22.08

Road via Jaycock's tanks to Charis

Exterior: E. Budry. Tp. 16 N. R. 10 E.

Gila & Salt River Meridian

chs. Pass. brs. S.E. & N.W.

16.111 Dry wash 571 lks. wide runs S.E.

10.111 Set a volcanic rock 15x10x8 ins.

10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$ , and raised end of stone  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base along side, from Cor.

a pin 12 ins. diam. brs. S.  $85\frac{1}{2}$  E. 166 lks. dist. marked  $\frac{1}{4}$  S. B. T.

a pin 24 ins. diam. brs. S.  $18\frac{1}{2}$  W. 205 lks. dist. marked  $\frac{1}{4}$  S. B. T.

On this day also run out the 4<sup>th</sup> Standard N. Range 11 E. and find the point of intersection of the E. Budry. Tp. 16 N. R. 10 E. with said Standard to be at

41.621 Intersect the 4<sup>th</sup> Standard North 32.18 chs. E. of the Cor. to Sec. 32 & 33 Tp. 17 N. R. 11 E. at this point

Exterior: E. Bundry. T<sup>h</sup>. 16 N, R. 10 E.  
Gila & Salt River Meridian

Obs.

I set a Closing Cor. by setting  
a volcanic rock 24 x 15 x 15 ins. 18 ins  
in the ground for said C. Cor.  
marked C.C. with 6 notches  
on S, E & W edges. Raised end  
of stone 2 1/2 ft. high 5 ft. base along  
side. From the Cor.

A pine 10 ins. diam. bns. S. 65 W 56 lbs. dist.  
marked T. 16 D. R. 10 E. S. 1 B. T.

A Cedar 10 ins. diam. bns S. 22 W 80 lbs dist  
marked C. 16 W. R. 10 E. S. 1 B. T.

Flat. Soil 3" note

Pine timber along West side of line  
Some Juniper & Cedar. & antelope growth.

June 10, 1881

General Description: - The fore-  
going line passes over smooth  
surface mostly flat. There  
is some good soil along it.



terior; E. Rudry, Tp. 16 N. R. 10 E,  
Gila & Salt River Meridian

There is abundance of grass  
furnishing good grazing and  
large bands of sheep are pastured  
in this section. Water is scarce  
but is found in occasional tanks.

Tp. 16 N. R. 10 E. is covered with  
a fine growth of pine timber  
that is very easy of access. In  
Tp. 16 N. R. 11 E. the pine thins out  
and a dense growth of cedar  
and juniper takes its place.

Theodore H. White  
Maj., Deputy Surveyor

Exterior: S. Budry. Tps. 15 N. R. 9 E.  
Gila & Salt River Meridian

Chs.

From the Cor. to Tps. 14 & 15 N.  
Rs. 9 & 10 E. recently established by  
me (May 27<sup>th</sup>) and which is fully  
described in these notes. A run  
West on a true line between Secs. 18 & 36  
Var  $14^{\circ} 16' E$ .

40.00

As per previous observation with  
Solar Compass, and again verified  
Set a post 4 ft. long, 3 ins. sq.  
with marked stone 12 ins. in the  
ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and raised a rnd. of stone  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
post, from which  
a pine 13 ins. diam. hrs S. 65 W. 104 fms. dist.  
marked  $\frac{1}{4}$  S. B. T.

a pine 14 ins. diam hrs N 66 W. 108 fms. dist.  
marked  $\frac{1}{4}$  S. B. T.

71.60

a pine 38 ins. diam.

terior: S. Budry. T. 15 N. R. 9 E.

Gila & Salt River Meridian

Set a post 4 ft. long, 4 ins. sq. with marked stone 12 ins. in the ground, for Cor. to Secs. 1, 2, 35 & 36 marked

T. 15 N. S. 36 on N. E.

R. 9 E. S. 1 on S. E.

T. 14 N. S. 2 on S. W.

S. 35 on N. W. face, with 1 notch on E. and 5 notches on W. edge, dug pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft. dist. and raised mt. of earth 2 ft. high 4 1/2 ft. base around post, from which a pine 24 ins. diam. brs N 34 E. 37 lbs. dist. marked T. 15 N. R. 9 E. S. 36 B, T.

a pine 23 ins. diam. brs S. 40 E. 97 lbs. dist

marked T. 14 N. R. 9 E. S. 1, B, T.

a pine 27 ins. diam. brs. S. 64 W. 90 lbs. dist.

marked T. 14 N. R. 9 E. S. 2, B, T.



Exterior: S. Rudy. T. 15 N. R. 9 E.  
Gila & Salt River Meridian

a pine 28 ins. diam. hrs N 53 W 68 hrs. dist.  
marked T. 15 N. R. 9 E. S. 35 13. 1.  
Rolling. Soil 2<sup>nd</sup> rate  
Heavy pine timber throughout  
Undergrowth - *o* pines!

West on true line, between Secs. 28 & 35  
Tar.  $14^{\circ} 16' E.$

- 11.35 Creek 100 hrs. wide runs S.  
39.70 a pine 50 ins. diam.  
40.00 Set a post 4 ft. long, 3 ins. sq.  
with marked stone, 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor.  
marked "45". dug pits 18x18x12 ins  
 $5\frac{1}{2}$  ft. dist. from post, and raised  
mid. of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around post, from which  
a pine 12 ins. diam. hrs. N 40 E. 71 hrs. dist

Exterior: S. Rudry, T. 15 N. R. 9 E.  
Gila & Salt River Meridian

marked 4 S. B. T.

A pine 38 ins. diam. hrs. S. 66 W. 52 lbs. dist.

marked 4 S. B. T.

44.00 Dry Crank 15 lbs. wide, runs S. E.

0.00 Set a post 4 ft. long, 4 ins. sq.  
with marked stone 12 ins. in  
the ground for Cor. to Secs. 2, 3

34 & 35 marked

T. 15 N. S. 35 on N. E.

R. 9 E. S. 2 on S. E.

T. 14 N. S. 3 on S. W.

S. 34 on N. W. face, with 2  
notches on E. and 4 notches on  
W. edges, dug pits 18x18x12 ins.

in each sec. 5 1/2 ft. dist. and  
raised, mt. of earth 2 ft. high  
4 1/2 ft. base around post, from which  
a pine 29 ins. diam. hrs. N. 79 E. 86 lbs. dist.  
marked T. 15 N. R. 9 E. S. 35, B. T.

Exterior; S. Budry. T<sup>n</sup>. 15 N. R. 9 E.  
Gila & Salt River Meridian

Chs.

A pine 20 ins. diam. brs. S. 26 E. 148 kts. dist.  
marked T. 14 N. R. 9 E. S. 2. B. T.

A pine 16 ins. diam. brs. S. 34 W. 66 kts. dist.  
marked T. 14 N. R. 9 E. S. 3. B. T.

A pine 3 7/8 ins. diam. brs. N 2 1/2 W. 119 kts. dist.  
marked T. 15 N. R. 9 E. S. 3. B. T.

Rolling surface. Good soil  
along Creek on E. end of hill  
Heavy pine timber & undergrowth  
of pine throughout.

West on true line, between Secs. 3 & 34  
Var. 14° 16' East

40.110 Set a post 4 ft. long, 3 ins. sq.  
with marked stone 12 ins. in  
the ground, for 1/4 Sec. Cor. marked  
1/4 S. and raised a mid. of stone  
1 1/2 ft. high 3 1/2 ft. base around



Exterior; S. Rudry, Twp. 15 N. R. 9 E.  
Gila & Salt River Meridian

Chs.

post, from which  
a pine 24 ins. diam. brs N 33 E, 93 kts. dist.  
marked  $\frac{1}{4}$  S. B. T.

A pine 36 ins. diam. brs. S. 26 W. 93 kts. dist.  
marked  $\frac{1}{4}$  S. B. T.

11.000 Set a post 4 ft. long, 4 ins. sq.,  
with marked stone 12 ins. in  
the ground, for Cor. to Secs. 3, 4,  
33 & 34 marked

T. 16 N. S. 34 on N. E.  
R. 9 E. S. 3 on S. E.

T. 14 N. S. 4 on S. W.

Sec. 33 on N. W. face, with  
3 notches on E. & W. edges. Rais-  
ed md. of stone 2 ft. high  
4  $\frac{1}{2}$  ft. base, around post  
from which

A pine 13 ins. diam. brs N 16 E, 139 kts. dist.  
marked T. 15 N. R. 9 E. S. 34 B. T.

Exterior: S. Rudry, T<sub>1</sub>. 15 N, R. 9 E.  
Gila & Salt River Meridian

Chs.

a pine 24 ins. diam. brs S 34 E. 92 lbs. dist.  
marked T. 14 N. R. 9 E. S. 3. 13 T.  
a pine 10 ins. diam. brs S 38 W 26 lbs. dist.  
marked T. 14 N R 9 E. S. 4. 13 T.  
a pine 20 ins. diam. brs. N 68 W. 119 lbs. dist.  
marked T. 15 N. R. 9 E. S. 33. 13 T.  
Disending S. & E. Soil 2" wet  
Heavy pine timber and under  
growth of pine & oak throughout

Weston true line, betw. Secs. 4 & 33.

Var. 14° 16' East.

40. 111 Set a post 4 ft. long, 3 ins. sq.,  
with marked stone 12 ins. in the  
ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S, and raised cyl. of stone  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around  
post, from which

terior; S. Rudry. T. 15 N. R. 9 E.  
Gila & Salt River Meridian

An oak 12 ins. diam. brs N 37° E. 88 lbs dist.  
marked 1/4 S. B. T.

A pine 33 ins. diam. brs. S. 72 W. 55 lbs dist.  
marked 1/4 S. B. T.

0.00 Set a post 4 ft. long, 4 ins. sq,  
with marked stone 12 ins. in the  
ground, for Cor. to Secs. 4, 5, 32  
& 33, marked

T. 15 N. S. 33 on N. E.

R. 9 E. S. 4 on S. E.

T. 14 N. S. 5 on S W

S. 32 on N. W. faces, with  
4 notches on E. and 2 notches on  
W. edges. Raised around of stone  
2 ft. high, 4 1/2 ft. base around  
post, from which

A pine 12 ins. diam. brs N 36 E. 91 lbs dist.  
marked T. 15 N. R. 9 E. S. 33 B. T.

A pine 24 ins. diam. brs S. 50 E. 132 lbs dist.



247

Exterior; S. Budry. T. 15 N. R. 9  
 Gila & Salt River Meridian

Obs.

marked T. 14 N. R. 9 E. S. 4 B. T.

A pine 10 ins. diam. brs. 588 W. 16 lbs. dist.

marked T. 14 N. R. 9 E. S. 5 B. T.

A pine 28 ins. diam. brs. 449 W. 126 lbs. dist.

marked T. 15 N. R. 9 E. S. 3 B. T.

Rolling and descending S.

Slope 3<sup>rd</sup> rate

Thick pine timber and under-  
 growth of pine & oak throughout



Exterior: S. Bundy. T<sup>1</sup>. 15 N. R. 9 E.  
Gila & Salt River Meridian

Chs.

West on true line between Secs. 5 & 32

Var.  $14^{\circ} 16' E.$

40.00 Set a post 4 ft. long, 3 ins. sq. with  
marked stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. and  
raised end of stone  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base around post, from which  
a pine 16 ins. diam., brs. S. 30 E. 18 fms. dist  
marked  $\frac{1}{4}$  S. B. T.

a pine 23 ins. diam. brs. N. 32 W. 33 fms. dist.  
marked  $\frac{1}{4}$  S. B. T.

80.00 Set a post 4 ft. long, 4 ins. sq.  
with marked stone 12 ins. in the ground  
for Cor. to Secs. 5, 6, 31 & 32, marked  
T. 15 N. S. 32 on N. E.

R. 9 E. S. 5 on S. E.

T. 14 N. S. 6 on S. W.

S. 31 on N. W. face, with 5 notches  
on E. and 1 notch on W. edge. Raised



Exterior: S. Rudry. T. 15 N. R. 9 E.  
Gila & Salt River Meridian

Obs.

a mod. of stone 2 ft. high,  $4\frac{1}{2}$  ft.  
base around post, from which  
a pine 15 ins. diam. brs N 50° E. 77 yds. dist.  
marked T. 15 N. R. 9 E. S. 32 B. T.

a pine 16 ins. diam. brs S. 34° E. 19 yds. dist.  
marked T. 14 N. R. 9 E. S. 5 B. T.

a pine 25 ins. diam. brs. S. 47° W. 9 yds. dist.  
marked T. 14 N. R. 9 E. S. 6 B. T.

a pine 10 ins. diam. brs. N 19° W. 80 yds. dist.  
marked T. 15 N. R. 9 E. S. 31, B. T.

Rolling. Soil 3 rate

Heavy pine timber throughout  
Thick undergrowth of pine & oak

Wishou true line between Sies 6 & 31  
Var. 14° 16' E.

40.00 Set a post 4 ft. long, 3 ins. sq,  
with marked stone 13 ins. in

Exterior: S. Rudry. Tps. 15 N. R. 9 E.  
Gila & Salt River Meridian

Chs.

The ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. Raised and of stone  $1\frac{1}{2}$  ft  
high,  $3\frac{1}{2}$  ft base around post  
from which

a pine 35 ins. diam. brs. N  $12^{\circ}$  E, 54 lbs. dist,  
marked  $\frac{1}{4}$  S. B. T.

A pine 12 ins. diam. brs. S. 60 W, 39 lbs. dist,  
marked  $\frac{1}{2}$  S. B. T.

69.00 Top of ridge, extending S. W.

79.00 Allowing 100 lbs. for convergency  
at this place. — Set a post  $4\frac{1}{2}$  ft  
long, 4 ins. sq. with marked  
stone 12 ins. in the ground, for  
Cor. to Sec. Tps. 14 & 15 N. R. 8,  
& 9 E. marked

T. 15 N. S. 31 on N. E.

R. 9 E. S. 6 on S. E

\* T. 14 N. S. 1 on SW

• R. 8 E. S. 6 on N. W. face, with

251

Exterior; S. Rudry.  $4^{\circ} 15' N, R, 9^{\circ} E.$   
Gila & Salt River Meridian

Obs.

6 notches on each edge N. E. S.  
& W. Raised end of stone  $2\frac{1}{2}$  ft.  
high, 5 ft. base around part  
from which

A pine 10 ins. diam. brs N  $20^{\circ} E$  23 lbs. dist  
marked  $J. 15 N. R. 9^{\circ} E. S. 31, B. T.$

An oak 8 ins. diam brs S.  $5^{\circ} E$  26 lbs. dist  
marked  $J. 14 N. R. 9^{\circ} E. S. 6, B. T.$

A pine 25 ins. diam. brs S.  $28^{\circ} W$  44 lbs. dist.  
marked  $J. 14 N. R. 8^{\circ} E. S. 1, B. T.$

A pine 18 ins. diam. brs N  $67^{\circ} W$ . 59 lbs. dist.  
marked  $J. 15 N. R. 8^{\circ} E. S. 36, B. T.$

Descending S. E. Soil 3<sup>rd</sup> rate  
Heavy pine timber and thick under-  
growth of pine & oak throughout

June 18, 1881.

General Description: The fore-  
going six miles passed over  
a rolling surface. There is



Exterior: S. Budry, T<sup>p</sup>. 15 N. R. 9 E.

Sida & Salt River Meridian

Chs.

Some good land along, more partic-  
ularly along the creek, which the line  
crosses on the S. Budry of sec. 35.

Water is found in this creek.

Grass is abundant and many  
sheep are pastured here. There is  
heavy pine timber along the  
whole extent of the line. T<sup>p</sup>. 14 N

R. 8 E. has good pine along the  
Eastern and northern portions  
but becomes thinner in the

western part. T<sup>p</sup>. 15 N. R. 9 E.  
has heavy timber over its whole  
extent.

Theodore J. White  
U.S. Deputy Surveyor

Exterior: W. Brady, Tps. 15 N., R. 9 E.  
Gila & Salt River Meridian.

Chs.

From the Cor. to Tps. 14 & 15 N.  
Rs. 8 & 9 E. just established by  
me. I run  
North between Secs. 31 & 36  
Lat.  $14^{\circ}18'$  East  
as per observation with Solar  
Compass

- 10.65 a pine 28 ins. diam.  
40.00 Set a post 4 ft. long 3 ins. sq.  
with marked stone 2 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and raised a wd. of stone  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
post, from which  
a pine 10 ins. diam. brs S.  $24^{\circ}$  E. 65 lbs dist  
marked  $\frac{1}{4}$  S. B. T.  
A pine 13 ins. diam. brs N  $63^{\circ}$  W. 50 lbs dist  
marked  $\frac{1}{4}$  S. B. T.  
80.00 Set a post 4 ft. long, 4 ins. sq.

Exterior: W. Rudry.  $T. 15 N. R. 9 E.$   
Gila & Salt River Meridian

Chs.

with marked stone, pins, in  
the ground for Cor. to Secs. 25, 30,  
31 & 36 marked

$T. 15 N. S. 30$  on N.E.

$R. 9 E. S. 31$  on S.E.

$R. 8 E. S. 36$  on S.W.

$S. 25$  on N.W. face, with 5  
notches on N. and 1 notch on  
the S. edges. Raised a mod. of  
stone 2 ft. high,  $4\frac{1}{2}$  ft. base  
around post, from which  
a pine 26 ins. diam. brs.  $N. 14^{\circ} E.$  93 lbs. dist.

marked  $T. 15 N. R. 9 E. S. 30 B. T.$

A pine 32 ins. diam. brs.  $S. 24^{\circ} E.$  48 lbs. dist.

marked  $T. 15 N. R. 9 E. S. 31 B. T.$

A pine 24 ins. diam. brs.  $S. 7^{\circ} 6' W.$  67 lbs. dist.

marked  $T. 15 N. R. 8 E. S. 36 B. T.$

A pine 30 ins. diam. brs.  $N 30 W.$  197 lbs. dist.

marked  $T. 15 N. R. 8 E. S. 25 B. T.$



Exterior: W. Budry. T<sub>p</sub>. 15 N. R. 9 E.  
Gila & Salt River Meridian

Chs.

Descending North Soil 3' rate  
Thick pine timber and under  
growth throughout.

North between Secs. 25 & 30  
Var. 14° 18' E.

40.00 Set a post 4 ft. long, 3 ins. sq,  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. mark-  
ed  $\frac{1}{4}$  S. and raised mid. of stone  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base ground  
post, from which  
a pine 18 ins. diam. brs. S. 43 E. 65 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

80.00 Set a <sup>marked  $\frac{1}{4}$  S. B. T.</sup> post 4 ft. long, 4 ins. sq.  
with marked stone 12 ins. in  
the ground for the Cor. to Secs.

Exterior: Mr. Budry,  $T. 15 N. R. 9 E.$   
 Gila & Salt River Meridian

Chs.

19, 24, 25 & 30 marked

$T. 15 N. S. 19$  on N.E.

$R. 9 E. S. 30$  on S.E.

$R. 8 E. S. 25$  on S.W.

$S. 24$  on N.W. faces, with 2 notches  
 on the S. and 4 notches on the N.  
 edges. Raised a md. of stone  
 2 ft. high,  $4\frac{1}{2}$  ft. base, around  
 post. from which

a pine 29 ins. diam. brs. N. 70 E. 100 lbs. dist.  
 marked  $T. 15 N. R. 9 E. S. 19, B. T.$

a pine 22 ins. diam. brs. S 35 E. 31 lbs. dist.  
 marked  $T. 15 N. R. 9 E. S. 30, B. T.$

a pine 17 ins. diam. brs. S. 14 W. 57 lbs. dist.  
 marked  $T. 15 N. R. 8 E. S. 25, B. T.$

a pine 16 ins. diam. brs. N 37 W. 45 lbs. dist.  
 marked  $T. 15 N. R. 8 E. S. 24, B. T.$

Ascending N.W.

Pine timber throughout and undergrowth

Exterior: Mt. Bundy Tr. 15 N. R. 9 E.  
Gila & Salt River Meridian

- | Obs   | North between Secs. 19 & 24<br>Var. $14^{\circ} 18' E.$                                                                                                                                                                                                                                                               |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 40.00 | Set a post 4 ft. long, 3 ins. sq, with marked stone 12 ins in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ N. and raised a rnd. of stone $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post, from which a pin 28 ins diam. brs. N $1^{\circ} E$ 11 lbs. dist. marked $\frac{1}{4}$ S. B. T. |
|       | An oak 12 ins diam. brs S. 40 W. 67 lbs. dist. marked $\frac{1}{4}$ S. B. T.                                                                                                                                                                                                                                          |
| 61.00 | A Cracks 75 lbs. wide runs S. W.                                                                                                                                                                                                                                                                                      |
| 65.50 | Round rocky bluff bordering Crack bottom                                                                                                                                                                                                                                                                              |
| 80.00 | Set a post 4 ft. long, 4 ins. sq. with marked stone, 12 ins. in the ground. for Cor. to Secs. 13, 18, 19 & 24, marked                                                                                                                                                                                                 |



Exterior, W. Budry, T. 15 N., R. 9 E.,  
Gila & Salt River Meridian

chs.

T. 15 N. S. 18 on W. E.

R. 9 E. S. 19 on S. E

R. 8 E. S. 24 on S. W.

S. 13 on N. W. faces, with 3  
notches on W. & S. edges, dug  
posts 18 x 18 x 12 ins. in each  
Sec. 5 1/2 ft. dist. and raised  
a qud. of earth 2 ft. high, 4 1/2 ft.  
base around post, from which  
a pine 24 ins. diam. brs. N 70 E. 71 fks dist.  
marked T. 15 N. R. 9 E. S. 18, 13, T.

A pine 28 ins. diam. brs S 87 1/2 E. 100 fks. dist.  
marked T. 15 N. R. 9 E. S. 19, 13, T.

A pine 29 ins. diam. brs S 67 1/2 W. 103 fks dist.  
marked T. 15 N. R. 8 E. S. 24, 13, T.

A pine 12 ins. diam. brs N 48 W. 135 fks dist.  
marked T. 15 N. R. 8 E. S. 13, 13, T.

Rolling, Broken along creek.

Soil 3' rate. Heavy pine & undergrowth throughout

Exterior: H. Rudry, T. 15 N. R. 9 E.  
Gila & Salt River Meridian

- Chs. North between Secs. 13 & 18  
T. 14<sup>o</sup> 18' E.
- 40.00 Set a post 4 ft. long, 3 ins. sq.,  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. and raised mid.  
of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft  
base around post, from which  
a pine 10 ins. diam. brs. N 67<sup>o</sup> E. 43<sup>o</sup> W. dist.  
marked  $\frac{1}{4}$  S. B. T.  
a pine 24 ins. diam. brs. N 40<sup>o</sup> W. 3<sup>o</sup> dist.  
marked  $\frac{1}{4}$  S. B. T.
- 87/111 Set a post 4 ft. long, 4 ins. sq.,  
with marked stone 12 ins. in the  
ground, for Cor. to Secs. 7, 12,  
13 & 18, marked  
T. 15 N. S. 7 on N.E.  
R. 9 E. S. 18 on S.E.  
R. 8 E. S. 13 on S.W.

Exterior: N. Rudry. T<sup>n</sup>. 15 N. R. 9 E.  
Sila & Salt River Meridian

Chs.

S. 12 on N. W. face, with 4 notches  
on S. and 2 notches on N. edge  
Raised a md. of stone 2 ft. high  
4 1/2 ft. base around post from which  
A pine 28 ins. diam. brs. N. 20 E. 174 lbs. dist.  
marked T. 15 N. R. 9 E. S. 7, 13, T.  
A pine 24 ins. diam. brs. S. 72 E. 64 lbs. dist.  
marked T. 15 N. R. 9 E. S. 18, 13, T.  
A pine 27 ins. diam. brs. S. 31 W. 77 lbs. dist.  
marked T. 15 N. R. 8 E. S. 13, 13, T.  
A pine 27 ins. diam. brs. N. 32 W. 113 lbs. dist.  
marked T. 15 N. R. 8 E. S. 12, 13, T.

Mostly flat. Soil 2<sup>nd</sup> rate  
Acadyl pine timber and under  
growth of same, throughout.

North between Secs. 7 & 12  
Var. 14° 18' E.



Exterior: M. Budry. T<sub>1</sub> 15 N. R. 9 E.  
Gila & Salt River Meridian

- |               |                                                                                                                                                                                                                                                                                                                                      |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chs.<br>10.22 | A pine 36 ins. diam.                                                                                                                                                                                                                                                                                                                 |
| 40.01         | Set a post 4 ft. long, 3 ins. sq.,<br>with marked stem 2 ins. in<br>the ground, for $\frac{1}{4}$ Sec. Cor.,<br>marked $\frac{1}{4}$ D. and raised a nd.<br>of stem $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base<br>around post, from which<br>a pine 36 ins. diam. brs. S. 45 E. 44 lbs. dist.<br>marked $\frac{1}{4}$ S. B. T. |
|               | A pine 24 ins. diam. brs. S. 70 W. 107 lbs. dist.<br>marked $\frac{1}{4}$ S. B. T.                                                                                                                                                                                                                                                   |
| 64.65         | A pine 20 ins. diam.                                                                                                                                                                                                                                                                                                                 |
| 80.01         | Set a post 4 ft. long, 4 ins. sq.,<br>with a marked stem 12 ins.<br>in the ground, for the Cor.<br>to Secs. 1, 6, 7 & 12, marked<br>T. 15 N. S. 6 on N. E.<br>R. 9 E. S. 7 on S. E.<br>R. 8 E. S. 12 on S. W                                                                                                                         |

Exterior: St. Budny, Twp. 15 N., R. 9 E.  
 6th & Salt River Meridian

Chs.

S. on N.W. face, with 1 notch  
 on N. and 5 notches on S. edge.  
 Raised mid. of stone 2 ft high, 4 1/2 ft.  
 base around post, from which  
 a pine 28 ins. diam. brs. N 22 E. 118 kts. dist.  
 marked T. 15 N. R. 9 E. S. 6 B. T.  
 a pine 38 ins. diam. brs. S. 14 E. 50 kts. dist  
 marked T. 15 N. R. 9 E. S. 7 B. T.  
 a pine 39 ins. diam. brs. S. 20 W. 78 kts. dist  
 marked T. 15 N. R. 8 E. S. 12, B. T.  
 a pine 29 ins diam. brs N 42 W 109 kts dist  
 marked T. 16 N. R. 8 E. S. 1 B. T.

Mostly flat. Soil 3 or 4  
 Heavy pine timber throughout  
 Undergrowth of pine oak

North between Secs. 1 & 6  
 Var. 14° 18' E.

Exterior: T. Rudry. T. 15 N, R. 9 E.  
Gila & Salt River Meridian

- Chs.  
17.40 Dry wash 40 lks. wide runs S.W  
40.00 Set a post 4 ft. long, 3 ins. sq.  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. mark-  
ed  $\frac{1}{4}$  S. and raised mid. of stone  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
post, from which  
a pine 2 $\frac{1}{4}$  ins. diam. brs. N 22 E, 75 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.  
a pine 13 ins. diam. brs. N 70 W, 121 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.  
87.00 Set a post  $4\frac{1}{2}$  ft. long, 4 ins. sq.  
with marked stone, 12 ins. in  
the ground, for Cor. to Tps.  
15 & 16 N, R. 8 & 9 E, marked  
T. 16 N. S. 31 on N. E.  
R. 9 E. S. 6 on S. E.  
T. 15 N. S. 1 on SW  
R. 8 E. S. 36 on N. W. face



Exterior: H. Bundy,  $\frac{1}{2}$  N. R. 9 E.  
Sala & Salt River Meridian

Chs.

with 6 notches on each edge  
N. E. S. & W. Raised a mid. of  
stone  $2\frac{1}{2}$  ft. high 5 ft. base a  
round foot from which

A pine 20 ins. diam. <sup>brs</sup> N 53 E 122 lbs. dist.  
marked T. 16 N. R. 9 E. S. 31 B. T.

A pine 8 ins. diam. brs S. 57 E. 32 lbs. dist.  
marked T. 16 N. R. 9 E. S. 6 B. T.

A pine 18 ins. diam. brs S 48 W 40 lbs. dist.  
marked T. 16 N. R. 8 E. S. 1 B. T.

A pine 12 ins. diam. brs N 77 W 106 lbs. dist.  
marked T. 16 N. R. 8 E. S. 36 B. T.

Ascending N. Soil 3<sup>rd</sup> rate  
Heavy pine timber throughout  
Undergrowth of pine & oak

General Description: The fore-  
going six miles passes over a  
rolling, and partly flat and

Exterior; T<sup>r</sup>. Rudry. T<sup>r</sup>. 15 N. R. 9 E.  
Gila & Salt River Meridian

then sloping surface, mostly smooth; the land is of little value for agricultural purposes but furnishes good grazing from the abundant grass it produces. Water is found in the creek which the line crosses on the W. boundary of T<sup>r</sup>. 19, and in occasional tanks. The pine timber is heavy along the whole line, but the pine timber belt does not extend much further to the S. W. So that T<sup>r</sup>. 15 N R 8 E. has not much pine timber in the S. W. portion of it. T<sup>r</sup>. 15 N R 9 E. has fine pine timber over its whole extent.

Theodore H. White  
U. S. Deputy Surveyor

Exterior: N. Boundary, Tps. 15 N., R. 9 E.,  
 Gola & Salt River Meridian

Obs.

From the Cor. to Tps. 15 & 16 N., R. 8 & 9  
 E. just established by me, I ran  
 East on a random line between  
 said townships, the variation of my  
 solar Compass being  $14^{\circ} 17'$  East. I  
 set temporary half mile and mile  
 cors. and at 5 miles, 78 obs. and  
 80 lks. I intersect the E. boundary  
 of the townships 72 lks. N. of the  
 Cor. to Tps. 15 & 16 N., R. 9 & 10 E.

The correction for the true <sup>line's</sup> bearing  
 is 120 lks. West and 12 lks. S.  
 per mile. Therefore, from the  
 Cor. to Tps. 15 & 16 N., R. 9 & 10 E.  
 I recently established by me  
 and fully described in these notes  
 I run

N.  $89^{\circ} 55'$  W. on true line between Secs. 18 & 36  
 Twp. 14  $16'$  E.



Exterior: N. Rudry, T. 15 N. R. 9 E.  
Gla & Salt River Meridian

chs.

as per Solar Compass.

7.00

Dup rocky gulch 100<sup>exp</sup> wide  
runs S. E.

411.011

Set a post 4 ft. long, 3 ins. sq  
with marked stone, 12 ins in  
the ground, for  $\frac{1}{4}$  Sec. Cor. mark.  
id.  $\frac{1}{4}$  S. raised mid. of stone  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. pine around post.  
From which

A pine 37 ins. diam. brs. S 18 E, 93 lbs. dist  
marked  $\frac{1}{4}$  S. B. T.

A pine 28 ins. diam. brs N 20 W, 68 lbs. dist  
marked  $\frac{1}{4}$  S. B. T.

53.68 A pine 30 ins. diam.

811.011

Set a post 4 ft long, 4 ins sq,  
with marked stone 12 ins. in  
the ground, for the Cor. to Secs.

1, 2, 35 & 36 marked

T. 16 N. S. 36 on N. E.

Exterior: N. Rudry, T. 15 N. R. 9 E.  
Gila & Salt River Meridian

Cher

R. 9 E. S. 1 or S. E.

T. 15 N. S. 2 or S. W

S. 35 on N. W. faces, with 1 notch  
on the E. and 5 notches on W.  
edges. Raised a cord of stone  
2 ft high 4 1/2 ft. base around  
post, from which

A pine 16 ins. diam. brs. N 20 E. 86 lbs. dist.  
marked T. 16 N. R. 9 E. S. 36 B. T.

A pine 18 ins. diam. brs. S 65 E. 71 lbs. dist.  
marked T. 15 N. R. 9 E. S. 1 B. T.

A pine 30 ins. diam. brs. S 70 W. 106 lbs. dist.  
marked T. 15 N. R. 9 E. S. 2 B. T.

A pine 20 ins. diam. brs. N 40 W. 89 lbs. dist.  
marked T. 16 N. R. 9 E. S. 35 B. T.

Smooth, descending a little S.  
Heavy pine timber throughout  
June 20, 1881

Exterior: S. Rudry. T<sub>1</sub>. 15 N. R. 9 E.  
Gula & Salt River Meridian

Chs.

S. 89° 35' W, on true line between Secs 2 & 35  
Var. 14° 17' E.

As per observation with Solar Compass

40.00

Set a post 4 ft. long, 3 ins. sq.  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. mark  
1/4 S. and build ind. of stone  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
post, from which

a pine 13 ins. diam, brs. N 33 E, 46 lbs. dist,  
marked  $\frac{1}{4}$  S. B, T,

a pine 18 ins. diam, brs. S. 42 E, 32 lbs. dist,  
marked  $\frac{1}{4}$  S. B, T,

80.00

Set a post 4 ft. long, 4 ins. sq,  
with marked stone 12 ins. in  
the ground for Cor. to Secs  
2, 3, 34 & 35 marked

T<sub>1</sub>. 16 N. S. 35 on N. E.  
R. 9 E. S. 2 on S. E



Exterior: N. Budry. Sp. 15 N. R. 9 E.  
Gila & Salt River Meridian

Chs.

T. 15 N. S. 3 or S. W.

S. 34 on N. W. face, with 2 notches  
on E. and 4 notches on W. edges.

Raised ind. of stone 2 ft. high  
4 1/2 ft. base around post, from  
which

An oak 6 ins. diam. brs N 77 E. 71 lbs. dist.  
marked T. 16 N. R. 9 E. S. 35 B. T.

A pine 15 ins diam. brs S. 53 E. 103 lbs. dist.  
marked T. 15 N. R. 9 E. S. 2. 13. T.

A pine 8 ins. diam. brs S. 21 W 126 lbs. dist.  
marked T. 15 N. R. 9 E. S. 3. 13. T.

A pine 2 1/2 ins. diam. brs. N 70 W 19 lbs. dist.  
marked T. 16 N. R. 9 E. S. 34. B. T.

Smooth, rolling Soil 3 rate  
Heavy pine timber throughout  
Some oaks and undergrowth



Exterior; N. Bundy, T. 15 N. R. 9 E,  
Gila & Salt River Meridian

Chs.

N 89° 55' W, on true line, between Secs 33 & 34  
Var. 14° 17' E.

40.00 Set a post 4 ft long, 3 ins. sq,  
with marked stone, 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. mark-  
ed  $\frac{1}{4}$  S, and raised mid. of stone  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
post, from which.

A pine 20 ins. diam. brs N 8° 12' E 124 fms. dist  
marked  $\frac{1}{4}$  S. B. T.

A pine 18 ins. diam. brs S. 68° W, 97 fms. dist,  
marked  $\frac{1}{4}$  S. B. T.

50.00 Set a post 4 ft, long 4 ins. sq,  
with marked stone, 12 ins. in  
the ground for Cor. to Secs.  
3, 4, 33 & 34 marked  
T. 16 N. S. 34 on N. E.  
R. 9 E. S. 3 on S. E.  
T. 15 N. S. 4 on S. W

Exterior, N. Budry, T. 15 N. R. 9 E.  
Gila & Salt River Meridian

Obs.

S. 33 on N. W. face, with 3  
notches on E. & W. edge. Raised  
a rnd. of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft.  
base around post, from which  
a pine 20 ins. diam. brs N 18 E. 28 lbs. dist.  
marked T. 16 N. R. 9 E. S. 34, B. T.  
a pine 18 ins. diam. brs. S. 36 E. 79 lbs. dist.  
marked T. 15 N. R. 9 E. S. 3, B. T.  
a pine 20 ins. diam. brs S. 58 $\frac{1}{2}$  W. 70 lbs. dist.  
marked T. 15 N. R. 9 E. S. 4, B. T.  
a pine 30 ins. diam. brs N 24 W. 50 lbs. dist.  
marked T. 16 N. R. 9 E. S. 33, B. T.  
Smooth, rolling. Soil 3 rods  
Heavy pine timber throughout  
Sandy oak.

S. 89 $^{\circ}$  33' Throug line, between Secs. 4 & 33  
T. 14 $^{\circ}$  17' E.



Exterior; N. Dudley. T<sup>o</sup>. 15 N. R. 9 E.  
Gila & Salt River Meridian

Ch  
40.00

Set a post 4 ft long, 3 ins. sq,  
with marked stone, 12 ins. in the  
ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and raised ind. of stone  
 $1\frac{1}{2}$  ft high,  $3\frac{1}{2}$  ft base around  
post, from which

A pin 13 ins diam, brs. S 36 E 16 knots  
marked  $\frac{1}{4}$  S. B. T.

A pin 12 ins. diam, brs. N 89 W 47 knots  
marked  $\frac{1}{4}$  S. B. T.

50.00

Set a post 4 ft long, 4 ins. sq,  
with marked stone, 12 ins. in  
the ground, for Cor. to Secs. 4, 5,  
32 & 33, marked

T. 16 N. S. 33 on N. E.

R. 9 E. S. 4 on S. E.

T. 15 N. S. 4 on S. W.

S. 32 on N. W. face, with  
4 notches on E. and 2 notches

Exterior: N. Budry, T<sub>1</sub> 15 N. R. 9 E.  
Gila & Salt River Meridian

chs.

on W. edges, raised a mid.  
of stone 2 ft. high, 4½ ft. base  
around post, from which  
a pine 38 ins. diam. brs N 44 E, 50 lbs. dist.  
marked T<sub>1</sub> 16 N. R. 9 E. S. 33 B. T.

A pine 12 ins. diam. brs S. 30½ E, 52 lbs. dist.  
marked T<sub>1</sub> 15 N. R. 9 E. S. 4, B. T.

A pine 20 ins. diam. brs. S 39½ W, 133 lbs. dist.  
marked T<sub>1</sub> 15 N. R. 9 E. S. 5, B. T.

A pine 8 ins. diam. brs. N 31 W, 116 lbs. dist.  
marked T<sub>1</sub> 16 N. R. 9 E. S. 32 B. T.

Smooth, depending S. E. Soil 3 rods  
Heavy pine timber throughout

N. 89° 35' W. on true line, between Secs 5 & 32  
Var. 14° 17' E.

40.00 A 4 ft. post, 4 ft. long, 3 ins.  
sq. with marked stone

Exterior: N. Rudry, T<sup>n</sup>. 15 N. R 9 E,  
Gila & Salt River Meridian

Chs.

12 ins. in the ground, for  $\frac{1}{4}$  Sec.  
Cor., marked  $\frac{1}{4}$  S, raised a mid.  
of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
around post, from which  
a pine 8 ins. diam. brs S  $58\frac{1}{2}$  E. 28 fms. dist.  
marked  $\frac{1}{4}$  S. B. T.

A pine 16 ins. diam. brs N  $68\frac{1}{2}$  W 57 fms. dist.  
marked  $\frac{1}{4}$  S. B. T.

80.110

Set a post 4 ft. long, 4 ins. sq.,  
with marked stone 12 ins. in  
the ground, for Cor. to Secs. 5, 6,  
31 & 32, marked  
T<sup>n</sup>. 16 N. S. 32 on N. E,  
R. 9 E. S. 5 on S. E,  
T<sup>n</sup>. 15 N. S. 6 on S. W  
S. 31 on N. W. faces, with  
5 notches on E. and 1 notch on  
W. edges. Raised mid. of stone  
2 ft. high,  $4\frac{1}{2}$  ft. base around



Exterior: N. Bundy,  $\frac{1}{2}$  1/2 N. R. 9 E,  
Gila & Salt River Meridian

chs.

post, from which  
a pine 40 ins. diam. brs. N  $83\frac{1}{2}$  E, 31 kts. dist.,  
marked  $\frac{1}{2}$  1/2 N. R. 9 E. S. 2 B. T.

a pine 40 ins. diam. brs. S. 20 E, 95 kts. dist.,  
marked  $\frac{1}{2}$  1/2 N. R. 9 E. S. 5, B. T.

a pine 36 ins. diam. brs. S. 28  $\frac{1}{2}$  W. 65 kts. dist.,  
marked  $\frac{1}{2}$  1/2 N. R. 9 E. S. 6 B. T.

a pine 25 ins. diam. brs. N  $28\frac{1}{2}$  W. 110 kts. dist.,  
marked  $\frac{1}{2}$  1/2 N. R. 9 E. S. 3, B. T.

Smooth and undulating  
Soil 3<sup>rd</sup> rate,

Thick pine timber throughout. Some oak.

N.  $89^{\circ} 33'$  W. on true line, between Secs. 6 & 31  
T. 14<sup>th</sup> 17<sup>th</sup> E.

40.00 Seba post, 4 ft. long, 3 ins.  
sq. with marked stone, 12 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor.

Exterior: N. Rudry, Twp. 15 N., R. 9 E.,  
Sida & Salt River Meridian

marked  $\frac{1}{4}$  S, and raised a  
rod of stone  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base around feet, from  
which

A pine 22 ins. diam. brs. S. 65 $\frac{1}{2}$  W. 42 lbs. dist.,  
marked  $\frac{1}{4}$  S, B, T,

A pine 20 ins. diam. brs. N. 7 W. 44 lbs. dist.,  
marked  $\frac{1}{4}$  S, B, T,

78.80 In the Cor. established to Twp.  
15 & 16 N., R. 9 & 8 E.

Rolling. Soil 3 rate.

Heavy pine timber & some oak  
throughout.

General Description: The  
gorgeous six miles pass  
over a rolling and undulat-  
ing surface, mostly  
smooth. The land is of

Exterior: N. Budry.  $\frac{2}{4}$  15 N. R. 9 E.  
Gila & Salt River Meridian

little value for agricultural purposes but produces abundance of grass, affording excellent grazing a great part of the year. Water is scarce during the dry portion of the year. There is heavy pine timber along the whole extent of the line. Both  $\frac{2}{4}$  15 & 16 N. R. 9 E. are covered with fine timber accessibly located.

Theodore J. White  
U.S. Deputy Surveyor



Exterior: Tps. 16 N. Betw. Rs. 8 & 9 E.  
Gila & Salt River Meridian

Chs.

From the Cor. to Tps. 15 & 16 N.  
Rs. 8 & 9 E. just recently estab-  
lished by me (Jan. 20, 1881) from  
North between Secs. 31 & 36  
Var.  $14^{\circ} 17' E.$

As per previous observation with  
Solar Compass, and again verified

7.96

a pine 18 ins. diam.

40.00

Set a post 4 ft. long, 3 ins. sq.,  
with marked stone, 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor.,  
marked  $\frac{1}{4}$  S. and raised mid-  
of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base  
around post upon which  
a pine 24 ins. diam. br S. 11 E. 27 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

A pine 20 ins. diam. br S. 23 $\frac{1}{2}$  W. 86 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

57.00

Deep rocky gulch 30 lbs. wide, runs N.

Exterior:  $\frac{1}{2}$  mi. N. Beton. Rs. 889 E.

Gila & Salt River Meridian

Chs.  
80.00 Set a post 4 ft. long. 4 ins. sq.  
with marked stone pins in  
the ground, for Coy. to Secs.

25, 30, 31 & 36, marked

T. 16 N. S. 31 on N. E.

R. 9 E. S. 31 on S. E.

R. 8 E. S. 36 on S. W.

S. 25 on N. W. face, with 1  
notch on S. and 5 notches on N.  
edges. Raised rnd. of stone  
 $\frac{1}{2}$  ft. high,  $4\frac{1}{2}$  ft. base around  
post, from which

A pine 20 ins. diam. brs. N. 35 E. 24 fms. dist.  
marked T. 16 N. R. 9 E. S. 30, 31.

An oak 7 ins. diam. brs. S. 43 $\frac{1}{2}$  E. 103 fms. dist.  
marked T. 16 N. R. 9 E. S. 31, 36, T.

A pine 20 ins. diam. <sup>brs.</sup> S. 62 W. 100 fms. dist.  
marked T. 16 <sup>N.</sup> R. 8 E. S. 36, 31, T.

A pine 24 ins. diam. brs. N. 67 W. 122 fms. dist.

Exterior: T<sup>c</sup>. 16 N. Between Rs. 8 & 9 E.  
Gila & Salt River Meridian

marked T<sup>c</sup>. 16 N. R. 8 E. S. 25. B. T.  
Rolling. Soil 3 rats  
Pine timber throughout.  
Some oak.

North between Secs. 25 & 30  
T<sup>c</sup>. 14' 17' E.

40.00

Set a post 4 ft. long. 3 ins. sq.  
with marked stone, 12 ins. in  
the ground, for 4 Sec. Cor. marked  
1/4 S. and raised a md. of stone  
1/2 ft. high, 3 1/2 ft. base around  
post, from which  
a pine 30 ins. diam. brs. N. 57° E. 37/100 dist.  
marked 1/4 S. B. T.

a pine 24 ins. diam. brs. S. 11 W. 44/100 dist.  
marked 1/4 S. B. T.

80.00

Set a post 4 ft. long 4 ins. sq.



Exterior: Sp. 16 N. Betwa. Rs. 8 & 9 E.  
Gila & Salt River Meridian

with marked stone 12 ins.  $\pm$  in  
the ground for Cor. to Secs. 19, 24,  
25 & 30, marked  
T. 16 N. S. 19 on N. E.  
R. 9 E. S. 30 on S. E.  
R. 8 E. S. 25 on S. W.  
S. 24 on N. W. faces, with  
2 notches on S. and 4 notches  
on N. edges, dug pits 18 x 18 x 12 ins.  
in each sec. 5  $\frac{1}{2}$  ft. dia. and  
raised rnd. of earth 2 ft. high  
4  $\frac{1}{2}$  ft. base around post, from which  
a pine 22 ins. diam. brs N. 64 $\frac{1}{2}$  E. 116 lbs. dist.  
marked T. 16 N. R. 9 E. S. 19 B. T.  
a pine 26 ins. diam. brs S. 28 $\frac{1}{2}$  E. 128 lbs. dist.  
marked T. 16 N. R. 9 E. S. 30 B. T.  
a pine 24 ins. diam. brs S. 7 W. 53 lbs. dist.  
marked T. 16 N. R. 8 E. S. 25 B. T.  
a pine 20 ins. diam. brs N. 74 W. 19 lbs. dist.

Exterior:  $T. 16 N. R. 8 E. S. 24 B. T.$   
 Gila and Salt River Meridian

marked,  $T. 16 N. R. 8 E. S. 24 B. T.$   
 Mostly smooth and ascending N.  
 Soil 3' rate  
 Heavy pine timber throughout

North between Secs. 19 & 24  
 $Var. 14^{\circ} 17' E.$

200.111 a pine 24 ins. diam.

40.111 Set a post 4 ft. long, 3 ins. sq.  
 with marked stone, 12 ins. in  
 the ground, for  $\frac{1}{4}$  Sec. Cor. mark-  
 ed  $\frac{1}{4} S.$  and raised a mid-  
 of stone 2 ft. high,  $3\frac{1}{2}$  ft. base  
 around post, from which  
 a pine 26 ins. diam. brs.  $N. 7^{\circ} E. 35$  the dist.  
 marked  $\frac{1}{4} S. B. T.$   
 a pine 38 ins. diam. brs.  $S. 83 W. 88$  the dist.  
 marked  $\frac{1}{4} S. B. T.$

Exterior: T. 16 N. Between R. 889 E.  
Sila & Salt River Meridian

- Chs.  
57.00 A rocky gulch 50 yds. wide runs  
E. of S. Water along it in tanks.  
20.00 Sila post 4 ft. long, 4 ins. sq,  
with marked stone, 12 ins. in  
the ground, for Cor. to Secs.  
13, 18, 19 & 24, marked  
T. 16 N. S. 18 on N. E.  
R. 9 E. S. 19 on S. E.  
R. 8 E. S. 24 on S. W.  
S. 13 on N. W. face, with  
3 notches on N. & S. edges. Rais-  
ed mid. of stone, 2 ft. high, 4 1/2 ft.  
base around post, from which  
a pine 16 ins. diam. br. N 72 1/2 E. 34 yds. dist.  
marked T. 16 N. R. 9 E. S. 18, B. T.  
a pine 14 ins. diam. br. S. 10 E. 38 yds. dist.  
marked T. 16 N. R. 9 E. S. 19, B. T.  
a pine 20 ins. diam. br. S. 33 W. 137 yds. dist.  
marked T. 16 N. R. 8 E. S. 24, B. T.



Exterior; T. 16 N. Betw. Rs. 8 & 9 E.

Mad & Salt River Meridian

chs.

a pine 6 ins. diam. br. N. 64 W. 104 lbs. dist.  
marked T. 16 N. R. 8 E. S. 13, B. 1.  
Mostly Smooth, ascending N.  
Soil 3<sup>rd</sup> rate  
Heavy pine timber throughout  
Scattering oak & undergrowth

North between Secs. 13 & 18  
Lat.  $14^{\circ} 17' E$

311.70 a pine 10 ins. diam.  
140.00 Set a post 11 ft. long. 3 ins.  
sq. with marked stone 12 ins.  
in the ground for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. and dug  
pits 18 x 18 x 12 ins.  $5\frac{1}{2}$  ft. dist.  
and raised mid. of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post  
from which

Exterior: Twp. 16 N. Range. Rs. 8 & 9 E.  
Gila & Salt River Meridian

Chs.

A pine 10 ins. diam. brs. N. 71 E. 29 $\frac{1}{2}$  dist.  
marked  $\frac{1}{4}$  S. B. T.

A pine 12 ins. diam. brs. West 5 $\frac{1}{2}$  lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

41.16 a pine 27 ins. diam.

63.12 a pine 30 ins. diam.

80.00 A square post, 4 ft. long, 4 ins. sq.  
with marked stone 12 ins. in  
the ground, for Cor to sec. 7, 12,  
13 & 18, marked

T. 16 N. S. 7 on N. E.

R. 9 E. S. 18 on S. E.

R. 8 E. S. 13 on S. W.

S. 12 on N. W. faces, with  
2 notches on N. and 4 notches  
on S. edges. Raised mid. of stone  
2 ft. high, 4 $\frac{1}{2}$  ft. base around post,  
from which

A pine 36 ins. diam. brs. N. 15 E. 54 $\frac{1}{2}$  lbs. dist.

Exterior:  $\frac{1}{4}$  Sec. 16 N., Between. Co. 8 & 9 E.,  
Gila & Salt River Meridian

Chs.

marked  $\frac{1}{4}$  Sec. 16 N., R. 9 E., S. 7, B. 1,  
a pine 20 ins. diam. bxs. S. 50° E. 33 kcs. dist.  
marked  $\frac{1}{4}$  Sec. 16 N., R. 9 E., S. 18, B. 1,  
a pine 15 ins. diam. bxs. S. 87° W. 88 kcs. dist.  
marked  $\frac{1}{4}$  Sec. 16 N., R. 8 E., S. 13, B. 1,  
a pine 18 ins. diam. bxs. N. 68½° W. 89 kcs. dist.

marked  $\frac{1}{4}$  Sec. 16 N., R. 8 E., S. 12, B. 1,  
Undulating. Soil 3' rate.  
Heavy pine timber throughout  
Some oak & undergrowth

North between Secs. 7 & 12  
Twp. 14° 17' E.

40.00 Seta post 4 ft. long, 3 ins.  
sq. with marked stone 12 ins.  
in the ground. for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. and raised end  
of stone 1½ ft. high 3½ ft. base



Exterior; T. 16 N. Betw. R. 8 & 9 E.  
Gila & Salt River Meridian

|       |                                                                                                                                                                                                                                                                                                                                                   |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chs   | around post, from which<br>a pine 9 ins. diam. br. S. 87° E. 15 kts. dist.<br>marked 4, S. B. T.                                                                                                                                                                                                                                                  |
| 65.00 | a pine 15 ins. diam. br. N. 80 W. 3 1/2 kts. dist.<br>marked 1st S. B. T. C.                                                                                                                                                                                                                                                                      |
| 66.00 | a deserted house 20 Chs. E.                                                                                                                                                                                                                                                                                                                       |
| 69.45 | Grassy park<br>Road from Pine Springs to Verde<br>br. S. W. & N. of E.                                                                                                                                                                                                                                                                            |
| 80.00 | In grassy opening. Set a post<br>4 ft. long, 4 ins. sq. with<br>marked stone 12 ins. in the<br>ground for the Cor. to Sec.<br>1, 6, 7 & 12 marked<br>T. 16 N. S. 6 on N. E.<br>R. 9 E. S. 7 on S. E.<br>R. 8 E. S. 12 on S. W.<br>S. 1 on N. W. face, with 1 notch<br>on N. and 5 notches on S. edges.<br>dug pits 18 x 18 x 12 ins. in each dir. |

Exterior:  $\frac{1}{2}$  1/2 N. Return. R. 8 & 9 E.  
Gila & Salt River Meridian

Chs.

$5\frac{1}{2}$  ft. dist. and raised end  
of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
around post. No trees near,  
directly around post near enough  
to mark.

Smooth & Soil & ratey  
Heavy pine timber throughout  
near

North between Secs. 1 & 6

39.21 Intersect the Fourth Standard  
Parallel N., 35, 40 chs. East of  
the Stand. Cor. to Secs. 32 & 33  
 $\frac{1}{2}$  1/2 N. R. 9 E. Set a Closing  
Cor. to Secs. 1 & 6. Set a post  $4\frac{1}{2}$  ft.  
long 4 ins. sq. with marked  
stone 12 ins. in the ground  
for Closing Township Corner, to

Exterior: Tps. 16 N. R. 8 & 9 E.  
Gila & Salt River Meridian

Tps. 16 N. R. 8 & 9 E. Secs. 1 & 6  
marked

T. 16 N. C. C. on S. face

R. 9 E. S. 6 on E "

R. 8 E. S. 1 on W. face, with  
5 notches on E & W. edges. Raised  
a sq. of stone 2 1/2 ft. high 5 ft.  
base around post, from which  
a pine 38 ins. diam. brs. S. 76 W. 358 lbs. dist.  
marked C. C. T. 16 N. R. 8 E. S. 1 B. T.

A pine 28 ins. diam. brs. N 74 W. 226 lbs. dist.  
marked C. C. T. 17 N. R. 8 E. S. 2 B. T.

Heavy Pine timber along E. & W. of line  
Smooth almost flat

Soil good. June 21, 1881

General Description: The fore-  
going five & half mile pass  
over a smooth rolling &



Exterior: T<sub>4</sub>. 16 N., R. 8 & 9 E.

Gila & Salt River Meridian

undulating surface. Soil  
along N. end of line good.  
Abundance of grass furnish-  
ing good pasturage.

Large and heavy growth  
of pine timber throughout.  
Both T<sub>4</sub>s 16 N., R. 8 & 9  
East are covered with a  
fine growth of pine timber  
interspersed with oaks  
and some fir. Water is  
found in tanks and springs  
E. & W. of the line.

Theodore H. White  
M<sub>2</sub>. Deputy Surveyor

Exterior: S. Rudry, Twp. 16 N. R. 8 E.  
Gila & Salt River Meridian

From the township Cor. to Twp.  
15 & 16 N. Rs. 8 & 9 E. just re-  
cently established by me and  
fully described in these notes.  
I run.

Post, on true line between Secs. 1 & 36  
Var.  $14^{\circ} 17' E.$

As per previous observation with  
Solar Compass & again verified.

40.00 Set a post 4 ft. long, 3 ins.  
sq. with marked Stone, 12 ins.  
in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4} S.$  and raised  
rad. of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft.  
base around post, from which  
a pine 22 ins. diam. brs. S 55 W. 46 lbs. dist.  
marked  $\frac{1}{4} S.$  B.T.

a pine 12 ins. diam. brs. N 55 W. 49 lbs. dist.  
marked  $\frac{1}{4} S.$  B.T.

Exterior: S. Bundy, T<sup>n</sup>. 16 N., R. 8 E  
 Gila & Salt River Meridian

Chs.  
 81-111

Set a post 4 ft. long, 4 ins.  
 sq. with marked stone 12 ins.  
 in the ground, for Cor. to  
 Secs. 1, 2, 35 & 36, marked  
 T<sup>n</sup>. 16 N., S. 36 on N. E.

R. 8 E., S. 1 on S. E.

S. 15 N., S. 2 on S. W.

S. 35 on N. W. faces, with  
 1 notch on E. and 5 notches on  
 W. edges. Raised a mud. of stone  
 2 ft. high, 4 1/2 ft. base around  
 post, from which

A pine 30 ins. diam. hrs. N 22 E. 47 lbs. dist.  
 marked T<sup>n</sup>. 16 N., R. 8 E., S. 36 137.

1 An oak 8 ins. diam. hrs. S. 53 1/2 E. 122 lbs. dist.  
 marked T<sup>n</sup>. 15 N., R. 8 E., S. 1. 187.

An oak 12 ins. diam. hrs. S. 29 W. 20 lbs. dist.  
 marked T<sup>n</sup>. 15 N., R. 8 E., S. 2 137.

An oak 10 ins. diam. hrs. N 39 W. 43 lbs. dist.



Exterior: S. Boundary,  $T. 16 N. R. 8 E.$

Gila & Salt River Meridian

chs.

marked  $T. 16 N. R. 8 E. S. 35. 18. T.$   
Rolling. Soil 3<sup>rd</sup> rate,  
thick fine timber throughout  
Some oak.

~~~~~

Post on a true line between, Sec. 28 & 35
Cor. $140^{\circ} 17' E.$

9.00 Rocky gulch 300 yds. wide
minus S. W.

12.80 Rocky bluff extending N. & S.

40.00 Set a post 4 ft. long. 3 ins. sq.
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ S. and raised ind.
of stone $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
around post, from which
a fine 16 ins. chain, to $N. 47^{\circ} E. 42$ yds. dist
marked $\frac{1}{4}$ S. 18. T.

Exterior: S. Budry, Tⁿ. 16 N. R. 8 E.
Gila & Salt River Meridian

Chs.

A pine 25 ins. diam. brs. S. 70 E. 98 lbs. dist.
marked $\frac{1}{4}$ S. B. T.

80.1111 Set a post 4 ft. long, 4 ins. sq.
with marked stone 12 ins. in
the ground for Cor. to Secs.

2, 3, 34 & 35, marked

T. 16 N. S. 35 on N. E.

R. 8 E. S. 2 on S. E.

T. 15 N. S. 3 on S. W.

S. 34 on N. W. faces, with
2 notches on E. and 4 notches on

W. edges. Raised a sub. of
stone 2 ft. high, $4\frac{1}{2}$ ft. base
around post, from which
A pine 20 ins. diam. brs. N. 22 E. 47 lbs. dist.
marked T. 16 N. R. 8 E. S. 35, B. T.

A pine 22 ins. diam. brs. S. 44 E. 102 lbs. dist.

marked T. 15 N. R. 8 E. S. 2, B. T.

A pine 14 ins. diam. brs. S. 9 W. 142 lbs. dist.

Exterior: S. Boundary, $\frac{1}{2}$ Sec. 16 N. R. 8 E.
Gila & Salt River Meridian

Chs. marked $\frac{1}{2}$ Sec. 15 N. R. 8 E. S. 3, B. T.
A pine 22 ins. diam. brs. N. $43\frac{1}{2}$ W. 62 lbs. dist.
marked, $\frac{1}{2}$ Sec. 16 N. R. 8 E. S. 3, B. T.
Broken. Soil 4th rate,
thick pine timber throughout.
Some oak & undergrowth.

West true line between Secs. 3 & 34
Var. $14^{\circ} 17' E$.

41, 111 Sit a post 4 ft. long, 3 ins. sq.
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ Sec. cor.
marked $\frac{1}{4}$ S. raised end of
stone $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
around post from which
A pine 10 ins. diam. brs. S. 70 W. 43 lbs. dist.
marked $\frac{1}{4}$ S. B. T.
A pine 10 ins. diam. brs. N. 89 W. 47 lbs. dist.

Exterior: S. Budny. T. 16 N. R. 8 E.
Gita & Salt River Meridian

Chs.

80.00

marked $\frac{1}{4}$ S. B. T.
Set a post, 4 ft. long, 4 ins.
sq. with marked stone
12 ins. in the ground, for the
Cor. to Sec. 3, 4, 33 & 34
marked

T. 16 N. S. 34 on N. E.

R. 8 E. S. 3 on S. E.

T. 15 N. S. 4 on S. W.

S. 33 on N. W. face, with
3 notches on E. & W. edges. Risen
ed a quad. of stone 2 ft. high
 $4\frac{1}{2}$ ft. base around post
from which

A pine 16 ins. diam. brs. N. 44 $\frac{1}{2}$ E. 78 lks. dist.
marked T. 16 N. R. 8 E. S. 34, B. T.

A pine 23 ins. diam. brs. S. 19 E. 22.6 lks. dist.
marked T. 15 N. R. 8 E. S. 3, B. T.

A juniper 14 ins. diam. brs. S. 36 $\frac{1}{2}$ W. 81 lks. dist.

Exterior: S. Bidry, T. 16 N. R. 8 E,
Gila & Salt River Meridian

chs.

marked T. 15 N. R. 8 E. S. 4, B. T.
A pine 19 ins. diam. brs. N. 46 W. 220 lbs. dist.
marked T. 16 N. R. 8 E. S. 3, B. T.
Rolling, Soil 3rd rate,
Pine timber throughout
Some juniper and oak

Western true line, betw. Secs. 4 & 33
Var. $140^{\circ} 17' E.$

9.25 A pine 18 ins. diam.

7.17 A pine 16 ins. diam.

10.00 Set a post 4 ft. long, 3 ins.
sq. with marked stone 12 ins.
in the ground for $\frac{1}{4}$ Sec. Co.
marked $\frac{1}{4}$ S. Raised a mid.
of stone $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
around post, from which
A pine 19 ins. diam. brs. N. 46 E. 92 lbs. dist.

Exterior: S. Bundy, $\frac{1}{2}$ N. R. 8 E.
Gila & Salt River Meridian

Cho.

marked $\frac{1}{4}$ S. B. T.

A pine 20 ins. diam. bro. S $48\frac{1}{2}$ E. 81 krs. dist.
marked $\frac{1}{4}$ S. B. T.

55.43
80.011

A pine 10 ins. diam.

Set a post 4 ft. long, 4 ins. sq.
with marked stone 12 ins. in the
ground, for Cor. to Secs. 4, 5,
32 & 33, marked

T. 16 N. S. 33 on N. E.

R. 8 E. S. 4 on S. E.

T. 15 N. S. 5 on S. W.

S. 32 on N. W. face, with
4 notches on the E. and 2 notch

as on the W. edge. Raised a
rod. of stone 2 ft. high, 4" sq.
base around post from which
a juniper 14 ins. diam. bro. N. $76\frac{1}{2}$ E. 57 krs. dist.

marked T. 16 N. R. 8 E. S. 33. B. T.

A pine 16 ins. diam. bro. S. 15 E. 111 krs. dist.

Exterior: S. Rudry, $71^{\circ} 16' N. R. 8^{\circ} E.$
 Gola & Salt River Meridian

Chs.
 marked $S. 15^{\circ} N. R. 8^{\circ} E. S. 4, 13, 17,$
 a juniper 12 ins diam. brs. $S. 53^{\circ} W. 28$ lbs. dist.
 marked $S. 15^{\circ} N. R. 8^{\circ} E. S. 5, 13, 17,$
 a pine 15 ins. diam. brs. $N 46^{\circ} \frac{1}{2} W. 237$ lbs. dist.
 marked $S. 16^{\circ} N. R. 8^{\circ} E. S. 32, 13, 17,$
 Rollup of Soil 3' rate,
 Pine Knots throughout
 Some juniper & oak,
 ~~~~~

Wagon true line, between Secs. 5 & 32  
 $Var. 14^{\circ} 17' E.$

86 a pine 12 ins. diam.  
 11.00 Set a post 4 ft. long, 3 ins. sq.  
 with marked stone 12 ins. in  
 the ground, for  $\frac{1}{4}$  Sec. Co. marked  
 $\frac{1}{4} S.$  and, raised a mid. of stone,  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
 post, from which

Exterior: S. Rudry. T<sup>n</sup>. 16 N. R. 8 E.  
Gila & Salt River Meridian

Chs.

A pine 16 ins. diam. bro. S. 48 W. 137 $\frac{1}{2}$  lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

A pine 21 ins. diam. bro. N. 31 W. 103 lbs. dist.  
marked  $\frac{1}{4}$  S. B. T.

80.00

Set a post 4 ft. long 4 ins  
sq. + w<sup>th</sup> marked stone 12 ins.  
in the ground for Cor. to Secs.

5, 6, 31 & 32 marked

T. 16 N. S. 32 on N. E.

R. 8 E. S. 5 on S. E.

T. 15 N. S. 6 on S. W

S. 31 on N. W. face, with

5 notches on E. and 1 notch

on W. edges. Raised a mud,

of stone 2 ft. high, 4 $\frac{1}{2}$  ft. base

around post, from which

A pine 16 ins. diam. bro. N. 57 E. 182 lbs. dist.

marked T. 16 N. R. 8 E. S. 32 B. T.

A pine 12 ins. diam. bro. S. 65 E. 164 lbs. dist.

Interior: S. Budry,  $\frac{1}{2}$  N. R. 8 E.

Gila & Salt River Meridian

chs.

marked T. 15 N. R. 8 E. S. 5, B. T.

a pine 14 ins. diam. brs. S. 73 W. 145 lbs. dist.

marked T. 15 N. R. 8 E. S. 6, B. T.

a pine 23 ins. diam. brs N. 31 W. 210 lbs. dist.

marked T. 16 N. R. 8 E. S. 3, 13, 9.

Smooth and ascending E.

Soil 1<sup>st</sup> 2<sup>nd</sup> rate.

Pine timber throughout,

Some juniper and oak.

~~~~~

West on true line between Secs. 6 & 31

Var. $14^{\circ} 14' E$.

2.23 a pine 20 ins. diam.

8.571 ascend E. slope of hill called
"Apache Maid"

40.00 Set a post 4 ft. long, 3 ins. sq,
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ Sec. Cor. marked

Exterior: S. Budry. $\frac{1}{2}$ 16 N. R. 8 E.
Gila & Salt River Meridian

"4 S. Raised a mid. of stone $\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base around post
from which

a juniper 22 ins. diam. by N. 52 N. 15 E. ^{marked}
marked $\frac{1}{4}$ S. T. O. T.

"44. 70 Top on line of "Apache Maid" hill
500 or 600 ft high.

"48. 49 (Allowing 157 lbs. for Convergence
at this place) Set a post $\frac{1}{2}$ ft.
long, 4 ins. sq. with mark-
ed stone 12 ins. in the ground
for the Cor. to $\frac{1}{2}$ ps. 15 & 16 N.

- Rs. "8 8 E. marked

$\frac{1}{2}$ 16 N. S. 31. on N. E.

R. 8 E. S. 6 on S. E.

$\frac{1}{2}$ 15 N. S. 1 on S. W.

R. 7 E. S. 3 6 on N. W. faces, with

6 notches on each edge N. E.

S. & W. Raised a mid. of

Exterior: S. Rudry, Tⁿ. 16 N. R. 8 E.

Gila & Salt River Meridian

Stone 2½ ft. high, 5 ft. base
around post, from which
a juniper 42 ins. diam. brs. S. 14 E. 114 lbs. dist.
marked T. 15 N. R. 8 E. S. 6, B. T.

a juniper 24 ins. diam. brs. S. 72½ W. 118 lbs. dist.
marked T. 13 N. R. 7 E. S. 1 B. T.

No trees near in the other sections
"Mostly on steep slope of "Apache
Mail" hill. Soil good on extreme
E. end then 4th rate.

Pine timber on E. end then
juniper and oak with dense
undergrowth of scrub oak
for balance of mile.

June 22, 1881
General Description: The
foregoing six miles pass over
a smooth rolling surface
for the most part. There is

Exterior: S. Rudry, T^h. 16 N. R. 8 E.
Gila & Salt River Meridian

Some land near west end
good for agricultural pur-
poses. All furnishes good
pasturage and quite a num-
ber of cattle and horses are
grazed in this vicinity. There
is good timber along the whole
line except on the "Apache
Maid" hill where there is a dense
undergrowth of scrub oak, man-
zanita etc. on the E. slopes.

T^h. 15 N. R. 8 E. has good
timber in the N. E. portion, but
it thins out in the S. W. part.
T^h. 16 N. R. 8 E. has good pine
timber and accessible lo-
cated.

Geo. J. White
M^g. Deputy Surveyor

Exterior; Mt. Bundy, T^h. 16 N., R. 8 E.
Gila & Salt River Meridian

From the Cor. to T^hs. 15 & 16 N.,
R. 7 & 8 E. just established by
me I run
North between Secs. 31 & 36
Var. 14° 16' E.

As per observation with Solar
Compass.

a pine 18 ins. diam.

Summit of hill ("Apache Maid") on
line. The highest point is a short
distance east. Descend

Set a post 4 ft. long, 3 ins. sq,
with marked, stone 12 ins. in
the ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. and raised mid. of stone
 $1\frac{1}{2}$ ft. high, 3 ft. base around
post, from which

An oak 9 ins. diam. hrs. N. 73 E. 20 lbs. dist
marked $\frac{1}{4}$ S. B. T.

Exterior: W. Rudry, T. 16 N. R. 8 E.
Gila & Salt River Meridian

Obs.

- A pine 20 ins. diam. hrs. S. 85 W. 68 kts. dist.
marked $\frac{1}{4}$ S. B. T.
- 52.00 Foot of Apache Maid "hill"
on the north.
- 73.31 A pine 18 ins. diam.
- 80.00 Set a post 4 ft. long, 4 ins. sq.
with marked stone 12 ins. in
the ground, for Cor. to Secs.
25, 30, 31 & 36, marked
T. 16 N. S. 30 on W. E.
R. 8 E. S. 31 on S. E.
R. 7 E. S. 36 on S. W.
S. 25 on N. W. face, with
5 notches on N. and 1 notch
on S. edge, dug pits 18 x 18 x 12
ins. in each Sec. 5 $\frac{1}{2}$ ft. dist.
and raised end. of earth 2 ft.
high, 4 $\frac{1}{2}$ ft. base around
post, from which

Extremities N. Rudry, T. 16 N. R. 8 E.
Gila & Salt River Meridian

a pine 23 ins. diam. hrs. N 85 E. 165 lbs. dist.
marked T. 16 N. R. 8 E. S. 30, B. T.

a pine 22 ins. diam. hrs. S. 5 E. 167 lbs. dist.
marked T. 16 N. R. 8 E. S. 31, B. T.

a juniper 23 ins. diam. hrs. S. 40 W. 202 lbs. dist.
marked T. 16 N. R. 7 E. S. 36, B. T.

a pine 18 ins. diam. hrs. N 42 1/2 W. 370 lbs. dist.
marked T. 16 N. R. 7 E. S. 25, B. T.

Descending N. from top of
Apache ^{Mountain} hill, then undulating
Soil 3" & 2" rate

Pine timber throughout.

Some oak, juniper & underbrush.

North between Secs. 25 & 30
T. 14° 16' E.

Trail from Noneman's Lake etc to
Verde, hrs. S. W. & N. E.

Exterior: St. Rudry, Tⁿ 16 N. R. 8 E.
Gila & Salt River Meridian

- Chs.
 17,10 Gulch 40 lbs. wide runs S.W.
 33,40 Gulch 50 lbs. wide runs West
 water along it in tanks.
 40,00 Set a post 4 ft. long, 3 ins. sq.
 with marked stone 12 ins. in
 the ground, for $\frac{1}{4}$ Sec. Cor. mark
 id $\frac{1}{4}$ S. dug pits 18 x 18 x 12 ins
 $5\frac{1}{2}$ ft. dist. from post, and
 raised mid. of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft base around post from which
 a line 19 ins. diam. hrs. S. 8 E. 159 lbs. dist
 marked $\frac{1}{4}$ S. B. T.
 A pin 20 ins. diam. hrs S. $3\frac{1}{2}$ W. 112 lbs. dist
 marked $\frac{1}{4}$ S. B. T.
 44,57 Gulch 30 lbs. wide runs West
 80,00 Set a post 4 ft. long, 4 ins. sq.
 with marked stone 12 ins. in
 the ground, for Cor. to Secs.
 19, 24, 25 & 30, marked

Exterior: N. Dudley, T. 16 N., R. 8 E.
Gila & Salt River Meridian

Ans.

T. 16 N., S. 19 on N. E.

R. 8 E., S. 30 on S. E.

R. 7 E., S. 25 on S. W.

S. 24 on N. W. face, with

4 notches on N. and 2 notches

on S. edges. Basis of a ped. of

stone 2 ft. high, $4\frac{1}{2}$ ft. base

around post, from which

a pine 16 ins. diam. brs. N 72° E. 294 lbs. dist.

marked T. 16 N., R. 8 E., S. 19, B. T.

a pine 27 ins. diam. brs. S 9° E. 167 lbs. dist.

marked T. 16 N., R. 8 E., S. 30, B. T.

a pine 30 ins. diam. brs. S $27\frac{1}{2}$ W. 198 lbs. dist.

marked T. 16 N., R. 7 E., S. 25, B. T.

a pine 30 ins. diam. brs. N 54° W. 23 lbs. dist.

marked T. 16 N., R. 7 E., S. 24, B. T.

Smooth, undulating

Pine lumber throughout

Some juniper & oak

Exterior; N. Bundy, Twp. 16 N. R. 8 E
Gila & Salt River Meridian

Chs.

North between Secs. 19 & 24
Twp. 14° 16' E.

40.00

Set a post 4 ft. long, 3 ins. sq.
with marked stone 12 ins. in
the ground for $\frac{1}{4}$ Sec. Cor. mark-
ed $\frac{1}{4}$ S. raised a md. of stone
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around
post, from which

a pine 26 ins. diam. brs N. 18° E. 164 yds. dist.
marked $\frac{1}{4}$ S. B. T.

a pine 30 ins. diam. brs. N 19° W 78 yds. dist.
marked $\frac{1}{4}$ S. B. T.

60.00

Road from Pine Springs etc. to road
S. W. & N. E. direction

80.00

Set a post 4 ft. long, 4 ins. sq.
with marked stone, 12 ins. in
the ground, for the Cor. to Secs.
13, 18, 19 & 24, marked

Exterior: H. Budry, T₁₆N, R. 8E.
Gila & Salt River Meridian

Chs.

T₁₆N, S. 18 on N.E.

R. 8E. S. 19 on S.E.

R. 7E. S. 24 on S.W.

S. 13 on N.W. face, with 3
notches on N. & S. edges, raised
incl. of stone 2 ft. high, 4 1/2 ft.
base around post, from which
a juniper 40 ins. diam. brs. N 16E. 111 kts. dist.
marked T₁₆N, R. 8E. S. 18, B.T.

a pine 8 ins. diam. brs S. 44E. 40 kts. dist
marked T₁₆N, R. 8E. S. 19 B.T.

a pine 19 ins. diam. brs. S. 20W. 293 kts. dist.
marked T₁₆N, R. 7E. S. 24 B.T.

a pine 12 ins. diam. brs. N 7 1/2 W. 177 kts. dist.
marked T₁₆N, R. 7E. S. 13, B.T.

Soil 3' rate

Pine timber throughout
Some juniper and oak

Exterior; W. Bndry, T. 16 N. R. 8 E.
Gila & Salt River Meridian

Chs.

North between Secs. 13 & 18
Twp. 14° 16' E.

17.34 Old Road hrs. E, 1/2 W.

40.00 Set a post 4 ft. long, 3 ins. sq,
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ S. dug pits 18 x 18 x 12 ins. 5 $\frac{1}{2}$ ft
dist. from post, and raised mt.
of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base
around post, from which
a juniper 2 3 ins. diam. hrs. N 33 E. 34 1/2 hrs. dist.
marked $\frac{1}{4}$ S. B. T.

73.20 Gulch 20 hrs wide, runs S. W.

89.11 Set a post 4 ft. long, 4 ins. sq,
with marked stone, 12 ins. in
the ground, for Cor. to Secs. 7, 12,
13 & 18 marked
T. 16 N. S. 7 on N. E.
R. 8 E. S. 18 on S. E.

Exterior: N. Rudry, $\frac{1}{2}$ N. R. 8^o E.
Gila & Salt River Meridian

R. 7^o E. S. 13 on S. W.

S. 12 on N. W. face, with 2
notches on N. and 4 notches on
S. edges, raised mt. of stone
2 ft high, $4\frac{1}{2}$ ft base around
post, from which

a juniper 22 ins. diam. hrs. N. 47^o E. 364 lbs. dist.
marked $\frac{1}{2}$ N. R. 8^o E. S. 7, 13, 11

a juniper 18 ins. diam. hrs. S 72^o E. 192 lbs. dist.
marked $\frac{1}{2}$ N. R. 8^o E. S. 18, 13, 11

a juniper 20 ins. diam. hrs. S 57^o W. 140 lbs. dist.
marked $\frac{1}{2}$ N. R. 4^o E. S. 13, 13, 11

Descending South

Soil 3^o rate

Pine timber, some oak
and juniper throughout.

~~~~~



Exterior: M. R. Dry, T. 16 N. R. 8 E.  
Gila & Salt River Meridian

Chs.

North between Secs. 7 & 12

Var.  $14^{\circ} 16' E.$

9.42 A pine 14 ins. diam.

40.00 Set a post 4 ft. long, 3 ins. sq.,  
with a marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and raised a ped. of stone  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around  
post, from which

A pine 12 ins. diam. brs. N 66 E. 40 the dist.  
marked  $\frac{1}{4}$  S. B. T.

A pine 14 ins. diam. brs. S.  $16\frac{1}{2}$  E. 37 the dist.  
marked  $\frac{1}{4}$  S. B. T.

80.00 Set a post 4 ft. long, 4 ins. sq.,  
with marked stone 12 ins. in  
the ground, for Cor. to Secs.  
16, 7 & 12, marked  
T. 16 N. S. 6 on N. E.  
R. 8 E. S. 7 on S. E.

Exterior; W. Rudry. Sp. 16 N. R. 8 E.  
Gib & Salt River Meridian

cho.

R. of E. S. 12 on S. W.

S. 1 on N. W. faces, with 1 notch  
on N. and 5 notches on S. edges,  
Raised a mud. of stone 2 ft. high  
4 1/2 ft. base around post from  
which

A pine 25 ins. diam. hrs N 82 E. 34 lbs. dist.  
marked S. 16 N. R. 8 E. S. 6 13, 7.

A pine 16 ins. diam. hrs S. 61 E. 105 lbs. dist.  
marked S. 16 N. R. 8 E. S. 7, 13, 7.

A pine 19 ins. diam. hrs. S. 27 W. 174 lbs. dist.  
marked S. 16 N. R. 7 E. S. 12, 13, 7.

A pine 10 ins. diam. hrs. N. 26 W. 70 lbs. dist.  
marked S. 16 N. R. 4 E. S. 1, 13, 7.

Rolling. Soil 4<sup>th</sup> rate

Pine timber throughout

Some oak and juniper

Exterior: T. Bidry, T<sup>n</sup>. 16 N., R. 8 E.,  
Gila & Salt River Meridian

Chs.

North between Secs. 1 & 6  
Tap. 14° 16' E.

- 7<sup>n</sup>. 50 Top of ascent and descend  
33.67 Gulch 20 fms. wide runs S.W  
37.01 Intersect the Fourth Stand-  
ard Parallel North, produced.  
(which I this same date run out)  
37.10 Chs. East of the Cor. to Secs.  
32 & 33 T<sup>n</sup>. 1<sup>n</sup> N., R. 8 E. I here  
establish a Closing Cor. by setting  
a post 4½ ft long 4 ins. sq. with  
marked stone pins in the  
ground, for Closing Cor. to T<sup>n</sup>s.  
16 N., R. 7 & 8 E. marked  
T<sup>n</sup> 16 N. C.C. on S. face  
R. 8 E. S. 6 on E. "  
R. 7 E. S. 1 on W. face, with  
6 notches on E. & W. sides. Raised  
mid of stone 2½ ft high 5 ft. base



Exterior; T. R. Dudley, Twp. 16 N. R. 8 E.  
Gla & Salt River Meridian

Chs. around post, from which  
a pine 12 ins. diam. brs. S. 22 $\frac{1}{2}$  E. 57 $\frac{1}{2}$  Ws. dist.  
marked T. 16 N. R. 8 E. S. 6 B. T.  
a pine 20 ins. diam. brs. S. 14 $\frac{1}{2}$  W. 117 $\frac{1}{2}$  Ws. dist.  
marked T. 16 N. R. 7 E. S. 1 B. T.

Somewhat broken soil 4<sup>th</sup> rate  
Heavy pine timber, some oak.

Surveyed June 23, 1881

General Description: The foregoing  
five and a half miles pass over  
an undulating and rolling sp.  
face mostly smooth. The  
land is of little value for  
agricultural purposes.  
Good pine timber is found all  
along it. In Twp. 16 N. R. 7 E. the  
pine timber soon runs out to the  
west, but Twp. 16 N. R. 8 E. has good  
timber over its whole extent.

Theodore F. White U.S. Dep. Surveyor

## List of Names.

A List of the Names of Individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing Field Notes of the survey of the exterior lines of Townships 16 N. Rs. 8, 9 and 10 E. Twp. 15 N. Rs. 9, 10 and 11 E. Twp. 14 N. Rs. 10 and 11 E. and south boundary Twp. 14 N. R. 12 E. Also range lines T. 13 N, bet. Rs. 9 and 10 E. and Rs. 12 and 13 E.

Showing the respective capacities in which they acted.

|                   |                |
|-------------------|----------------|
| Richard Shrope    | Chainman.      |
| Samuel H Van Pelt | Chainman.      |
| Frank Carpenter   | Axeman.        |
| G. H. Paley       | Flagman.       |
| John Blake        | Assist. Axeman |
| William Morrison  | Measurman      |

320


Final Oath of Assistants.

C  
C  
H

We hereby certify that we assisted Theodore  
J. White U. S. Deputy Surveyor, in surveying  
 the exterior lines of Townships 16 N. Rs.  
 8 9 and 10 E. Twp. 15 N. Rs. 9, 10 and  
 11 E. Twp. 14 N. Rs. 10 and 11 E. and  
 south boundary Twp. 14 N. R. 12 E.  
 Also Range Lines 7, 13, 7 N. bet. Ranges  
 9 and 10 E. and bet. Rs. 12 and 13 E.  
 and that said Survey has been in all respects, to the best of our  
 knowledge and belief, well and faithfully executed, and the  
 boundary monuments planted according to the instructions  
 furnished by the Surveyor-General.

- Richard Shroyer Chainman.
- Samuel Chainman.
- Frank Carpenter Axeman.
- C. H. Patchett Flagman.
- John Blake Assistant Axeman
- William Morrison Mountman

Sworn to and subscribed before me, this eighth  
 day of September, 1886.



William Osburn  
 Notary Public  
 Pima Co. A. T.



## Final Oath of Deputy Surveyor.

I, Theodore H. White

United States Deputy Surveyor, do solemnly swear that I have, in my own proper person and with the necessary assistants, well, truly and faithfully executed the survey of the exterior lines of Township 16 N. R's. 8. 9 and 10 E. Twp. 15 N. R's. 9. 10 and 11 E. Twp. 14 N. R's. 10 and 11 E. and South boundary Twp. 14 N. R. 12 E. Also Range lines 7. 13 N. bet. Ranges 9 and 10 E. and bet. R's. 12 and 13 E. under my contract with John Wasson, United States Surveyor General for Arizona, bearing date the Fifth day of August 1886; that in making the said Survey I have used only such instruments as were approved by the said Surveyor-General, exercising due care in the preservation of adjustments of the same; that in using the solar compass I have at no time projected established lines depending for alignment upon the magnetic needle; that I have in all respects complied with the laws of the United States governing public-land

surveys, the surveying manual, and such additional instructions as have been furnished me by and through the said Surveyor-General relating to the aforesaid Survey; that I have thoroughly acquainted my assistants in the field with the nature of their duties under the laws and instructions above mentioned; that to the best of my knowledge and belief all assistants so employed have likewise obeyed the aforesaid laws and instructions, and that the annexed field-notes are the original, true, and correct returns of the said Surveys.

*Theodore F. White*  
U. S. Deputy Surveyor

Subscribed and sworn to before me this *20th*  
day of *September* 1881



*William F. Osburn*  
Notary Public  
Pima Co. A. T.

U. S. Surveyor General's Office,

TUCSON, ARIZONA, November 5 - 1881

The foregoing Field Notes of the Survey of the E 4:

lines of Tps. 16 ct. R. 8. q. 10 E. Tps. 15 ct. R's 9. 10 +  
 11. E. Tps. 14 ct. R. 10 + 11. E. and S. Adm. Tps.  
 14 ct. R. 12 E. - also, Range lines Tps. 13 ct. bet:  
 R. 9 and 10. E. and Ranges 12 and 13 East -

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by Theodore T. White

Deputy Surveyor, under his contract of the Fifth

day of August, 1881, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved.

John Mason  
 Surveyor General.