

Contract No 41
No 2

Copy

Book "E" BOOK 1465

Field Notes

See Index
OF THE SURVEY OF

E. B. T. G. S. R. T. E.

No. 1465

and the

^{1st} Auxiliary Meridian E.

Through T. G. S.

BOOK 1465

1465

Gila and Salt River Base and Meridian

ARIZONA.

By R. C. Powers D. S.

Under contract dated July 20 1883.

Survey commenced 1883 187 .

Survey completed 1885 187 .

No. 1465

BOOK 1465

Index.

Page

C. B T 6 S R 7 E

1 to 10

^{1st} Aux. Meridian

Through T 6 S

11 to 19

Through S. 6 S., bet. R.

4 & 5

7 & 8

E.

1 *16* 6

1 *9* 6

12 *17* 7

12 *7* 7

13 *15* 18

13 *6* 18

24 *14* 19

24 *4* 19

25 *12* 30

25 *2* 30

36 *11* 31

36 *1* 31

See Book 1479
for this line.

E. B. T. C. S. R. 7 E

Lbs.

From the Cor to Tps 6 and 7
S. Rs 7 and 8 E. recently
established by me I run
North-Set Secs 31 and 36
Va 13° E

19.60

Road brs S. E

40.00

Set a post 3 ft long 3 ins
diam with marked stone 12
ins in the ground for $\frac{1}{4}$ Sec
Cor. marked $\frac{1}{4}$ S on NW face.
dug pit- 18 x 18 x 12 ins N and
S of post $5\frac{1}{2}$ ft dist and
raised a mound of earth-
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post.

80.00

Set a post 4 ft long 4 ins sq
with marked stone 12 ins in
the ground for Cor to Secs
25-30-31-36. marked

E. B. T. C. S.

Lhs

of earth- 2 ft high $4\frac{1}{2}$ ft
base around post.

Sand level

Soil 2" rate

mesquite and greasewood
brush the entire mile

North- bet Secs 19 and 24
Va 13° E.

40.00 Set a post 3 ft long 3 ins
diam with marked stone
12 ins in the ground for
1/4 Sec Cor. marked 1/4 S on
NW face. dug pits 18x18x12 ins
N and S of post $5\frac{1}{2}$ ft dist
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post.

R 7 E

lbs

80.00 Set a post 4 ft long 4 ins sq
with marked stone 12 ins in
the ground for Cor to Secs
13-18-19-24 marked

T 6 S. S 18 on N. E

R 8 E. S 19 on S. E

R 7 E. S 24 on S. W and

S 13 on N. W faces. with
3 notches on N and S edges.
dug pits 18 X 18 X 12 ins in
each Sec 5 1/2 ft dist and
raised a mound of earth
2 ft high 4 1/2 ft base around
post. from which

A mesquite 10 ins diam br
N 60° E. 81 lbs dist marked

T 6 S. R 8 E. S 18 B T

Land level

April 2nd 1911

mesquite and grease wood brush

E. R. T. C. S.

chs

North- bet Secs 13 and 18
 Va 13° 05' E

39.00

Road to S. E

40.00

Set a post 3 ft long 3 ins
 diam with marked stone
 12 ins in the ground for
 $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ S on NW
 face. dig pits 18x18x12 ins
 N and S of post $5\frac{1}{2}$ ft dist
 and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post.

80.00

Set a post 4 ft long 4 ins
 sq with marked stone 12
 ins in the ground for Cor
 to Secs 7-12-13-18 marked
 T C S. S 7 on N. E
 R & E. S 18 on S. E
 R & E. S 13 on S. W and
 S 12 on N W faces with

R 7 E

Lhs

4 notches on S and 2 notches
on N edges. dug pits 18X18X
12 ins in each Sec 5½ ft
dist and raised a mound
of earth 2 ft high 4½ ft
base around post

Sand level

Soil 2" rate

mesquite & grease wood brush.

North- bet Secs 7 and 12.

Wa 13° E

8. 85- Road brs S. E.

40.00 Set a post 3 ft long 3 ins
diam with marked stone 12
ins in the ground for ¼ Sec
Cor. marked ¼ S on N fac. dug
pits 18X18X12 ins N and S of
post 5½ ft dist and raised a

E. B. T. G. S

Lhs

80.00 mound of earth - $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post.
 Set a post 4 ft long 4 ins sq
 with marked stone 12 ins in
 the ground for Cor to Secs 1-6-
 7-12. marked

T G S. S 6 on N E

R 8 E. S. 7 on S. E

R 7 E. S 12 on S. N 8

S 1 on N. N faces with 5
 notches on S and 1 notch on
 N edges dug pits $18 \times 18 \times 12$
 ins in each sec $5\frac{1}{2}$ ft dist
 and raised a mound of earth
 2 ft high $4\frac{1}{2}$ ft base around post
 Land level

Soil 2nd rate

Mesquite & grease wood brush

~~~~~



R 7 E

chs

North- Set Secs 1 and 6  
 Wa 13° E

40. 00 Set a post 3 ft long 3 ins  
 diam with marked stone 12  
 ins in the ground for  $\frac{1}{4}$  Sec  
 Cor. marked  $\frac{1}{4}$  S on N face.  
 dug pits 18X18X12 ins N and S  
 of post  $5\frac{1}{2}$  ft dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft base around post.

114. 72 Intersect the 1<sup>st</sup> Stand  
 Par South- at a point 22. <sup>chs</sup>  $\frac{1}{2}$  - 1 lks

W of Stand Cor to Secs 31 & ~~32~~ 75-5

recently re-established by me.  
 and Set a Meridian post 4  
 ft long 4 ins sq with marked  
 stone 12 ins in the ground  
 for closing cor to Tps 6 S.  
 Rs 7 and 8 E. marked  
 C. C. T 6 S on S

E. B. T. G. S. R. T. E.

Lhs

R & E. S 6 on E and  
 R & E. S 1 on N faces with  
 6 notches on S. E and N faces  
 dug pits 24x18x12 in cross  
 wise on each line S. E & N  
 of post 6 ft dist and  
 raised a mound of earth  
 2½ ft high 5 ft, base around  
 post.

Land level.

Soil 2<sup>nd</sup> rate

Mesquite and greasewood brush.

The C. C. previously set by me  
 at 80.72 ds on the continued  
 line of 1<sup>st</sup> stand. I destroyed.

---

1<sup>st</sup> Auxiliary Guide Meridian  
 E. Through T<sub>6</sub> S.  
 Lhs

From the Cor to T<sub>6</sub> 6 and 7 S.  
 R<sub>4</sub> and 5 E. recently estab-  
 lished by me I run  
 North bet Secs 31 and 36  
 On 13° 12' E.

40.00 Set a post 3 ft long 3 ins diam  
 with marked stone 12 ins in  
 the ground for  $\frac{1}{4}$  Sec Cor.  
 marked  $\frac{1}{4}$  S on NW face. dug  
 pits 18 X 18 X 12 ins N & S of post  
 5 $\frac{1}{2}$  ft dist and raised a mound  
 of earth 1 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft  
 base around post.

80.00 Set a post 4 ft long 4 ins sq  
 with marked stone 12 ins in  
 the ground for Cor to Secs 25-  
 30-31-36. marked

T<sub>6</sub> S. S 30 on N. E

R<sub>5</sub> E. S 31 on S. E.

R<sub>4</sub> E. S 36 on S. W and

1<sup>st</sup> Auxiliary Meridian

lehs

S 25 on N. W face. with 1 notch on S and 5 notches on N edges dug pits 18x18x12 ins in each sec 5 1/2 ft dist and raised a mound of earth 2 ft high 4 1/2 ft base around post.

Land level  
Soil 2<sup>nd</sup> rate  
Clear brush.

North bet Secs 25 and 30  
Wa 13° 12' E

40.00 Set a post 3 ft long 3 ins diam with marked stone 12 ins in the ground for 1/4 Sec Cox marked 1/4 on W face. dug pits 18x18x12 ins N and S of post 5 1/2 ft dist and raised a mound

E. Through T<sub>p</sub> 6 South-  
 lch

of earth-  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 around post.

80.00 Set a post 4 ft long 4 ins sq  
 with marked stone 12 ins in  
 the ground for Cor to Secs 19-24  
 25-30. marked

T 6 S. S 19 on N E

R 5 E S 30 on S E

R 4 E S 25 on S. W and

S 24 on N W faces. with  
 2 notches on S and 4 notches on  
 N edges, dug pits  $18 \times 18 \times 12$   
 ins in each Sec  $5\frac{1}{2}$  ft dist and  
 raised a mound of earth-  
 2 ft high  $4\frac{1}{2}$  ft base around post  
 Land level

Soil 2" rate-

dense brush.

1<sup>st</sup> Auxiliary Meridian

chs

North bet Secs 19 and 24  
Va 18° 12' E

40.00

Set a post 3 ft long 3 ins diam with marked stone 12 ins in the ground for <sup>1</sup>/<sub>4</sub> Sec Cor. marked <sup>1</sup>/<sub>4</sub> S on NW face. dug pits 18x18x12 ins N and S of post 5 1/2 ft dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

80.00

Set a post 4 ft long 4 ins sq with marked stone 12 ins in the ground for Cor to Secs 13-18-19-24 marked

T 6 S. S 18 on N. E

R 5 E. S 19 on S. E

R 4 E. S 24 on S. W &

S 13 on N. W faces with 3 notches on N and S edges. dug pits 18x18x12 ins in each Sec

E. Through T 6 S  
 Lchs

$5\frac{1}{2}$  ft dist and raised a mound of earth 2 ft high  
 $4\frac{1}{2}$  ft base around post.

Land level

Soil 2<sup>nd</sup> rate

dense brush.

North- bet Secs 13 and 18

Wa  $13^{\circ} 10' E$ .

- 40.00 Set a post 3 ft long 3 ins diam with marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S on N face. large pits 18x18x12 ins N & S of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.
- 78.39 Cross wash 38 lbs wide course N. M.

1st Auxiliary Meridian

Chs

80.00

Set a post 4 ft long 4 ins sq with marked stone 12 ins in the ground for Cor to Secs 7-12 13-18. marked

T 6 S. S 7 on N. E

R 5 E. S 18 on S. E

R. 4 E. S 13 on S. W and

S 12 on Or W faces with 4 notches on S. and 2 notches on Or edges. dug pits 18x18x12 ins in each sec 5 1/2 ft dist and raised a mound of earth 2 ft high 4 1/2 ft base around post.

Land level

Soil 2" rate -  
dense brush.



E. Through T 6 S.

chs

North bet Secs 7 and 12

Wa 13° 12' E

40.00 Set a post 3 ft long 3 ins diam with markul stone 12 ins in the ground for <sup>1</sup>/<sub>4</sub> Sec Cor. markul <sup>1</sup>/<sub>4</sub> S on N fac. dug pits 18x18x12 ins N and S of post 5 1/2 ft dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

80.00 Set a post 4 ft long 4 ins sq with markul stone 12 ins in the ground for Cor to Secs 1-6 7-12. markul

T 6 S. S 6 on N E.

R 5 E. S 7 on S. E.

R 4 E. S 12 on S. W and

S 1 on N. N faces with 5 notches on S. and 1 notch on N edges. dug pits 18x18x12

1<sup>st</sup>/<sub>4</sub> Auxiliary Meridian

Lehs

ins in each sec 5 1/2 ft dist  
and raised a mound of  
earth 2 ft high 4 1/2 ft base  
around post.

Land level

Soil 2<sup>nd</sup> rate

Clear brush.

North bet Secs 1 and 6

On 13° 12' E

40.00

Set a post 3 ft long 3 ins  
diam with marked stone 12  
ins in the ground for 1/4 Sec.  
Cor. marked 1/4 S on NW face.  
dug pits 18 X 18 X 12 ins N and S  
of post 5 1/2 ft dist and raised  
a mound of earth 1 1/2 ft high  
3 1/2 ft base around post.

E. Through T 6 S.

lbs

80. 90 Intersect the 1<sup>st</sup> Stand S.  
 7. 24 chs E of Stand Cor to Secs  
 31 & 32. T 5 S. R 5 E. recently estab-  
 lished by me. and Set a  
 post 4 1/2 ft long 4 ins sq  
 with marked stone 12 ins in  
 the ground for closing cor to  
 Tps 6 S. Rs 4 and 5 E.  
 marked E. E. T 6 S on S.  
 R 5 E. S 6 on E and  
 R 4 E. S 1 on N faces.  
 with 6 notches on S. E & W  
 faces. dug pits 24 X 18 X 12 ins  
 S. E and W of post crosswise  
 on each line 6 ft dist and  
 raised a mound of earth  
 2 1/2 ft high 5 ft base around post.  
 Land level  
 Soil 2" rati-  
 clear brush.