

See Index
Field Note
1472

OF THE SURVEY OF THE

Extensives

BOOK 1472

-OF-

Township 10 South Range 14 East

Gila and Salt River Base and Meridian

1472

ARIZONA.

By George J. Rostking D.S.

Under contract dated May 9 1884

Survey commenced 5th June 1884

Survey completed 5 June 1884

1472

Preliminary Oaths of Assistants.

We, *Saml. A. Van Pelt*
and *Joseph O. Ford*

do solemnly swear that we will well and faithfully execute the duties of Chain Carriers; that we will level the chain upon even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability and in accordance with the instructions given us in the

Survey of the Exterior and Subdivision lines of
Twp 10 South Range 14 East
G. & S. R. Meridian,

Saml. A. Van Pelt
Joseph O. Ford

Sworn to and subscribed before me, this *2^d* day of

June, 188*4*

John Gardiner
Notary Public


We, Gilbert H Rhodes
Thos. M. Sweeney & Elijah W. Smith
do solemnly swear that we will well and truly perform the
duties of Apexman and
Flagman
in the establishment of corners and other duties according to
instructions given us, and to the best of our skill and ability.
in the Survey of the Exterior
and Subdivisions Lines of
Twp 10 S. R 14 East G. & B. R.
Meridian

Gilbert H Rhodes
Thos. M. Sweeney
Elijah W. Smith

Sworn to and subscribed before me this 22 day of

June, 1884

John Gardner
Notary Public



1472

BOOK 1472

The instrument used
in making this
survey was a
Solar transit with
Smiths patent Solar
attachment just
received from the
maker and in
fine adjustment.

Index to Extensors

E. By J. 10 S. R. 14 E. 1 ^{Paper} to 11 inches
 W. " " " " " " " 12 to 20 "
 N. " " " " " " " 21 to 27 "

BOOK 1472

	26	25	24	23	22	21	
18	6	5	4	3	2	1	8
17	7						12 6
16	18	<i>J. 10 S. R. 14 E.</i>					13 5
15	19						24 4
13	30						25 3
12	31						36 1

E. By. of T. 10 S. R. 14 E.
G. and S. R. 7th.
Chavis

From the Standard Cor.
to Tpr. 10 S. R. 14 & 15 E.
marked in a post 4 in
sq. marked S. C. 5. 10 S.
on N. R. 15 E. S. 21 on
E. and R. 14 E. S. 26 on
N. face with ^{pins 2 1/2 x}
18 x 12 ^{lens wire on each line} ins. N. E. and 27.
of post 6 ft. dist. and
a mound of earth
around post. I run
North on a true line
bet. Sec. 21 and 26

Var. 12° 52' E.

Along N. slope of Santa
Catalina mountains
4000 Set a granite 18 x 16 x 10 in.
12 in. in the ground
for 4 Sec. Cor. marked
44 on N. face and
raised a mound

E. By of D. 10 S. R. 14 E.
 Chain

of stone alongside
 of Pits impracticable
 80,00 set a ground: stone
 16x12x6 ins. 11 ins. in
 the ground for Cor.
 to Secs. 25, 30, 31 and
 36 marked with 1 notch
 on S. and 5 notches
 on N. edge and
 raised a mound
 of stone alongside.

Pits impracticable
 Surface mountainous
 Soil 4th rate rocky
 Some grass

E. Coy. of 5, 10 S. R., 14 E.,
 Chain of G. and S. R. M.

North. Lat. Sec. 25 and 30
 Ta. $12^{\circ} 52' E$.

Along N. slope of Santa
 Catalina Mountains

40,00 Set a granite stone
 10x10x8 ins. 7 ins. in the
 ground for 14° Sec.
 Cor. marked 14 on N.
 face. and raised
 a mound of stone
 alongside.

Old infracture

80,00 Set a granite stone
 14x11x8 ins. 9 ins. in
 the ground for Cor.
 to Sec. 19, 24, 25 and
 30. marked with 2
 notches on S. and 4
 notches on N. edges,
 and raised a mound
 of stone alongside.

E. Co. of T. 10 S. R. 14 E.
 Harris J. and S. R. M.

Pits impracticable
 Sur face mountainous
 Soil 4th rate stony
 Some grass

North Set. Sec. 19 & 24
 along N. slope of
 of *Wentz* *leatalina* mts. $12^{\circ} 52' E.$

40.00

Set a granite stone
 $12 \times 10 \times 6$ ins. 8 ins. in
 the ground for
 14 Sec. Cor. marked
 14 on N. face and
 raised a mound
 of stone alongside.

Pits impracticable
 80.00 Set a granite stone
 $16 \times 10 \times 8$ ins. 11 ins. in
 the ground for Cor.
 to Secs. 18, 19
 and 24 marked
 with 3 notches on

E. E. of T. 10 S. R. 14 E.
 S. of J. and S. R. M.
 Linn

N. and S. edges, and
 raised a mound
 of stone alongside.
 Pit impracticable
 Surface mountainous
 Soil 7th rate stony
 Some grass

North pt. Sec. 13 & 18
 T. 12 S. R. 14 E.

Along N. slope of
 Santa Catalina mt.
 4000 Set a granite stone
 14 x 10 x 6 ins. 9 ins.
 in the ground
 for "14 Sec. 13.
 marked "14 on N.
 face and raised
 a mound of stone
 alongside.
 Pit impracticable

E. By. of T. 10 S. R. 14 E.
 Chain of Grand S. R. M.

8000 Set a granite stone
 14x10x6 ins. 9 ins. in
 the ground for
 Cor. to Sec. 7, 12,
 13, and 18 marked
 with 4 notches on S
 and 2 notches on
 N. edges and
 raised a mound
 of stone along side.
 Pile impracticable
 Surface mountainous
 Soil 4th rate stony
 Some grass

North pt. Sec. 7 and 12
 Va. $12^{\circ} 52' E.$

Along N. slope of Santa

10.50 Catalpa into
 18.50 Lower Canada clay, or 25 lbs. miles.

4000 ascend steep bluff.
 Set a granite stone
 12x10x8 ins. 8 ins.

P. Qy. of T. 10 S. R. 14 E.
 Chausse and S. R. M.

in the ground for
 44 Sec. Cor. marked
 44 on N. face and
 raised a mound
 of stone along side
 Pib. impracticable
 41.70 Wagon road for
 N. C. and S. N. ascend
 mt. spur for N. E. and S. N.
 80.00 Set a granite stone 16x12
 x6 in. 11 in. in the
 ground for Cor. to
 Sec. 1. C. 7 and 2 mark-
 ed with 5 notches
 on S. and 1 notch
 on N. edges. and
 raised a mound
 of stone along side
 Pib. impracticable
 Surface mountainous
 Soil 4th rate stony

P. B. of S. 10 S. R. 14 E.
Chain
G. and S. R. M.

Some grass

North Pt. Sec. 1 and 6
Va. 12° 52' E.

15.50 Descend from spur
Foot of spur trs. N.E. and
S. W. Cross wagon
road trs. N.E. and S.W.
around a mt. spur

40.00 Top of spur trs. N.E. and
S. W. and

Set a post 3 ft. long 3 ins. diam. with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor,
marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12
ins. N. and S. of post 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft, high, 3 $\frac{1}{2}$ ft. base. around
post.

64.00
65.60 Descend
small trs. N. of line 2 chs.
Foot of spur trs. N.E. and S. W.
Cross wagon road trs.
N.E. and S.W.

80.00 Set a post 4 $\frac{1}{2}$ ft.
long 4 ins. sq. with

E. Coy of Tro. 10 S. R. 14 E,
 Twp. 19 N. and S. R. M.
 Chaus

marked stave 12 ins
 in the ground
 for Cor. to Tr. 9 and
 10 S. R. 14 and 15
 E, marked 5.9 S. S.
 31 on N.E. R. 15 E.
 S. 6 on S.E. 5.10 S.
 S. 1 on N.W. and R.
 14 E. S. 36 on N.W.
 four with 6 notches on
 each edge dug pits
 24x18x12 ins. lengthwise
 on each line N.E. S.
 and W. of post. 6
 ft. dia. and raised
 a mound of earth
 2 1/2 ft. high 5 ft. face
 around post.
 Surface mountainous
 Soil 2nd. and 4th rate

E. Ry. of S. 10 E. R. 14 E.
Rans J. G. and S. R. M.

Some grass

I carefully examined
the adjustments of my
Solar Transit with Smith's
Solar attachment to-day
particularly the latitude
and revolving appa-
ratus and found
them correct.

June 3rd. 1854

General Description

This line runs over an
exceedingly mountainous
country, it being ^{along} the
W. slope of the Santa
Catalina Mts. The soil is
nearly all 4th rate and
very rocky, but produces
some grass.

There is no timber

E. By. of F. 10 S. Q. 14 E.
Chavis J. and S. Q. M.

near the line,
In the Cañada del
Oro there is a fine
stream of water.

N. by of 5, 10 S. R. 14 E.
 Saw G. and S. R. M.
 Saw

From the Standard
 Cor. to 5th 10 S. R. 14
 13 and 14 E. which is
 a post 4 ins. sq,
 marked No. 108. on N,
 R. 14 E. S. 31 on E, and
 R. 13 E. S. 36 on N. face.
 with 6 notches on N, E,
 and N. face. and pits
 crosswise on line N, E,
 and N. of post. 6 ft.
 dist. and a mound
 of earth around post.
 I run North on a
 true line bet. Secs,
 31 and 36

Var. 12° 52' E.

40,00

Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins. in the ground for $\frac{1}{4}$ Sec, Cor,
 marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12
 ins. N. and S. of post 5 $\frac{1}{2}$ ft. dist. and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around

N. By of T. 10 S. R. 14 E.
 Chains Grand S. R. M.

post.

8000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 25, 26, 27 & 28 marked T. 10 S. 30 on N. E. R. 14 E. S 31 on S. E. R. 13 E. S. 26 on S, W, and S, 25 on N, W, faces with / notch on S, and 5 notch on N edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft, high. 4½ ft. base. around post.

Surface mountainous and rolling
 Soil 2d. and 4th rate
 Grass. good
 Scatteredly mesquite

North. Lat. Dec. 25 and 30
 Va. 12° 52' E.

4000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for ¼ Sec, Cor, marked ¼ S. on N. face, dug pits 18 x 18 x 12 ins. N. and S. of post 5½ ft. dist. and raised a mound of earth 1½ ft, high. 3½ ft. base. around post.

74
 N. By. of T. 10 S. 9. 14 E.
 Chain of G. and S. R. W.

8000 Set a post 4 ft. long 4 ins. square, with marked
 stone, 12 ins, in the ground for Cor, to Secs,
 19, 24, 25 & 30 marked T. 10 S. S. 19 on
 N. E. R. 14 E, S. 30 on S. E. R. 13 E S, 25 on
 S, W, and S, 24 on N, W, faces with Z notch
 on S, and 4 notch on N, edges, dug
 pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist.
 and raised a mound of earth, 2 ft. high, 4 1/2 ft.
 base. around post.

From which land a ~~tree~~
 mesquite tree 10 ins
 in diam. fr. S. 20 W.
 120 lbs. diet. marked
 T. 10 S. R. 13 E. S. 25 W. S.
 No other trees within limits
 Surface rolling and mountainous
 Soil 3rd. rate
 Good grass
 Scattered mesquite trees

W. Co. of T. 10 S. R. 14 E.
 Chain of J. and S. A. M.

North of Sec. 19 and 24
 Va. 120° 52' E.

40.00 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor.
 marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12
 ins. N. and S. of post $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
 post.

70.00 Set a post 4 ft. long 4 ins. square, with marked
 stone, 12 ins, in the ground for Cor, to Secs,
 13, 18, 19 & 24 marked T. 10 S. S. 15 on
 N. E. R. 14 E. S. 19 on S. E. R. 13 E. S. 24 on
 S, W, and S, 13 on N, W, faces with 3 notch
 on S, and 3 notch on N edges, dug
 pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.
 and raised a mound of earth 2 ft, high. $4\frac{1}{2}$ ft.
 base. around post.

From which a
 mesquite 6 ins. in diam. brs.

S. 35° E. 97 lbs. dist. marked
 T. 10 S. R. 14 E. S. 19 B. 5.

A mesquite 7 ins. in diam. brs.

S. 10° E. 120 lbs. dist marked
 T. 10 S. R. 14 E. S. 19 B. 5.

M. Ry. of 5th 10 S. R. 14 E.
 Chain of G. and S. R. M.

Surface rolling and mountainous
 Soil 3rd rate

Good grass
 Scattering mesquite trees

North bet. Secs. 13 and 18
 Va. 12° 52' E.

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12 ins. N. and S. of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post. from which a mesquite 10 ins in diam. frs.

S. 30° E. 30 lbs. dist. marked "4 S. B. S. No other trees within limits"

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor. to Secs, 7, 12, 13 and 18 marked T. 10 S. S. 7 on N. E. R. 14 E., S. 18 on S. E. R. 13 E. S. 13 on S, W, and S, 12 on N, W, faces with 4 notch on S, and 2 notch on N edges, dug

N. 24. of 5, 10 S. R. 14 E.
 Chain g. r. S. R. W.

pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist.
 and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft.
 base. around post.

Surface rolling and level
 Soil ind. rate
 Good grass
 Scattering mesquite trees

North Fet. Sec. 7 and 12
 Va. $12^{\circ} 52' E.$

4000 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor,
 marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12
 ins. N. and S. of post $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
 post.

8000 Set a post 4 ft. long 4 ins. sqare, with marked
 stone, 12 ins, in the ground for Cor, to Secs,
 16. 7 and 12 marked T 10 S. S. 0 on
 N. E. R. 14 E. S. 7 on S. E. R. 13 E S, 12 on
 S, W, and S, / on N, W, faces with 5 notch
 on S, and / notch on N edges, dug
 pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.

N. by. of T. 10 S., R. 14 E.
 S. of G. and S. R. M.
 chain

and raised a mound of earth 2 ft, high. $4\frac{1}{2}$ ft.
 base. around post.

Surface level
 Soil sub. rate
 Good grass
 Scattering mesquite trees

North bet. Sec. 1 and 6
 Va. $12^{\circ}52' E$

40,00 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
 marked $\frac{1}{4}$ S. on W. face, dug pits 18 x 18 x 12
 ins. N. and S. of post $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft, high. $3\frac{1}{2}$ ft. base. around
 post.

80,00 Set a post $4\frac{1}{2}$ ft. long
 4 ins. sq. with
 marked stone 12 ins.
 in the ground for
 Cor. to T. 9 and 10 S.
 R. 13 and 14 E, marked
 T. 9 S. S. on N. E., R. 14 E.

N. Co. of T. 10 S. R. 14 E.
 Chain of G. and S. R. M.

St. 6 on S.E. T. 10 S.
 St. 1 on S.W. and R. 13 E.
 St. 96 on N.W. face,
 with 6 notches on S.
 N. E. & N. edges dug pits
 24 x 18 x 12 ins. lengthwise
 on each line N. S. E.
 & N. of post. 6 ft. dist.
 and raised a mound
 of earth 2 1/2 ft. high
 5 ft. face around post
 From which is live oak
 20 ins. in diam. brs. N.
 4 Ch. dist. marked T. 9 S.
 R. 5. No other trees

within limits

Shypan level

Soil red. sate

Good grass

Scattering mesquite and
 live oak trees.

N. B. of T. 10 S. R. 14 E.
 Chain

From the Cor. to Tps. 9 and
 10 S. Rs. 13 and 14
 E. first established
 by me I run East
 on a random line ^{76.12° 52' E.} setting
 temporary 14 Sec. and 1/2 Sec.
 lines. Set each 40 and
 50 Ch. and at 479.40 Ch.
 Intersed Range line bet. Rs.
 14 & 15 E. 42 lbs. N. of the
 Cor. to Tps. 9 & 10, S. Rs. 14
 and 15 E. which was
 recently established by
 me. Thence I run
 N. 89° 57' W. on a true
 line bet. Secs. 1 and 26
 Va. 12° 52' E.

4000 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins, in the ground for 1/4 Sec, Cor,
 marked 1/4 S. on N. face, dug pits 18 x 18 x 12
 ins. E. and W. of post 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around post.

N. By. of T. 10 S. R. 14 E.
 Chain

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 12. 25-206 marked T. 9 S. S. 26 on N. E. R. 14 E. S. 1 and E. T. 10 S. S. 2 on S, W, and S, 25 on N. W. faces with 5 notch on N and 1 notch on E edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high. 4½ ft. base. around post.

Surface rolling
 Soil red. salt
 Good grass

A. 89° 57' N. bet. Sec.
 2 and 25

Va. 12° 52' E.

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for ¼ Sec. Cor. marked ¼ S. on N face, dug pits 18 x 18 x 12 ins. E. and W. of post 5½ ft. dist. and raised a mound of earth 1½ ft. high. 3½ ft. base. around post.

N. By. of T. 10 S. R. 14 E.

Chains

8000 Set a granite stone 12 x 8 x 6 ins, 8 ins. in the ground for Cor, to Secs. 2, 3, 34 & 36 marked with 4 notch on W. and 2 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/4 ft. dist. and raised a mound of earth 2 ft. high. 4 1/2 ft. base. alongside.

Surface gently rolling
Soil sub. loam

Good grass

N. 89° 57' W. bet. Secs.
3 and 34

Va, 12° 52' E.

4000 Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for 1/4 Sec, Cor marked 1/4 S. on N. face, dug pits 18 x 18 x 12 ins. E. and W. of post 5 1/4 ft. dist. and raised a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around post.

8000 Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor, to Secs, 34, 33 and 34 marked T 9 S. S. 34 on N. E. R 14 E, S. 3 on S. E. T. 10 S, S. 4 on S. W. and S. 33 on N. W. face with 3 notch

N. By T. 10 S. R. 14 E.

Chairs

u W and 3 notch u on E. edge, dug
pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist.
and raised a mound of earth 2 ft. high. 4 1/2 ft.
base. around post.

Sur face level
Soil 2nd. rate

Good grain

N. 89° 57' W. bet. Secs.
4 and 33

Va. 12° 52' E.

4000

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec. Cor.
marked 1/4 S. on N. face, dug pits 18 x 18 x 12
ins. E. and W. of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
post.

46.80

Prod to, N.E. and N.W.

7000

Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins. in the ground for Cor, to Secs,
4, 5, 32 and 33 marked T. 9 S. S. 33 on

A. By. T. 10 S. R. 14 E.

Chain

N. E. R. 14 E. S. 4 on S. E. T. 10 S, S, 5 on
S, W, and S, 32 on N, W, face; with 2 notch
on W and 4 notch on E. edges, dug
pits 18 x 18 x 12 ins. in each Sec, 5 1/2 ft. dist.
and raised a mound of earth 2 ft. high. 4 1/2 ft.
base. around post.

Surface level

Soil 1st. rate

Good grass

N. 79° 57' W. bet. Secs.
5 and 32

N. 12° 52' E.

40.00

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for 1/4 Sec. C
marked 1/4 S. on W face, dug pits 18 x 18 x 12
ins. E. and W. of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
post.

8.00

Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins. in the ground for Cor. to Secs,
56.31 & 32 marked T. 9 S. S. 32 on
N. E. R. 14 E. S. 5 on S. E. T. 10 S, S, 4 on

A. Co. of T. 10 S. R. 14 E.
Chavis

S, W, and S, \mathcal{I} on N, W, faces with 1 notch
on \mathcal{N} , and \mathcal{O} notch --- on E. edges, dug
pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.,
and raised a mound of earth 2 fl, high $4\frac{1}{2}$ ft.
base. around post.

Surface level
Soil 2nd. rate
Good grass

A. $89^{\circ} 07' \mathcal{N}$. bet. Sec.
 \mathcal{O} and \mathcal{I}
Va. $12^{\circ} 5-2' \mathcal{E}$.

29.00
37.40
45.00

Proceed to wash
Dry wash. 10 lbs. with lev. \mathcal{N} .
around
Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for $\frac{1}{2}$ Sec. Cor,
marked $\frac{1}{2}$ S. on \mathcal{N} . face, dug pits 18 x 18 x 12
ins. E. and \mathcal{N} . of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ fl, high $3\frac{1}{2}$ ft. base. around
post.

79.40

The Cor. to Tps. 9 and 10 S.
Rs. 13 and 14 E.

A. Co. of T. 10 S. R. 14 E.

Chairs

Surface rolling
Soil Substrate
Good grass
Scattering brush

I carefully examined
the adjustment of
my Solar Transit with
Smith's Solar attachment,
to-day first tried as by
the latitude and
solar apparatus
and found them
correct.

June 5th 1884

General Description
This line runs
over a level and
rolling country,
covered with a

luxuriant growth
of grass with
scattered brush
and mesquite trees
The soil is nearly
all 2nd. rate

For final note see Book
no 2.

George Koskrze
U.S. Depy Surveyor

U. S. Surveyor General's Office,

Tucson, Arizona, July 19. 1884

The foregoing Field Notes of the Survey of the

Extensions - of
 Township 10 South
 Range 14 East

of the Gila and Salt River Base and Meridian, Arizona, execu-

ed by

George J. Posten

Deputy Surveyor, under his contract of the

9th

of

May

1884, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

I hereby approve of

Royal Johnson
 Surveyor General.