

BOOK 1480

1480

F I E L D N O T E S

" OF THE SURVEY OF

EXTERIORS

Tps.	1 N., Rs. 1,2,3,4, & 5 E.,
"	1 S., Rs. 1,2,3,4, & 5 E.,
"	2 S., R. 2 E.,
"	3 S., R. 2 E.

Gila and Salt River Meridian

ARIZONA. *

By Willard F. Ingalls, D. S.
Contract Dated Feby. 18, 1868.

10 11 12 13 14 23 24 25 26 28 36 39 40 41 42 51 52 53 54 55 56 65 66 67 68 70 71
6 5 4 3 2 1 8 6 5 4 3 2 1 2 6 5 4 3 2 1 4 9 6 5 4 3 2 1 6 2

12772 12207 12257 12477 1261

D.I.R. 1E 13 7 18 D.I.R. 2E 13 19 18 D.I.R. 3E 13 3 18 D.I.R. 4E 13 4 6 18 D.I.R. 5E 13 6 0

24619 241819 243119 244579 2460

25430 257630 258130 2574530 2559

36331 361331 363031 364431 3658

1736 1916 11046 11156 1125

12747 1277 127037 121147 12124

D.I.R. 1E 13 7 18 D.I.R. 2E 13 19 18 D.I.R. 3E 13 1 18 D.I.R. 4E 13 1 18 D.I.R. 5E 13 1 23

247119 240119 241319 2423

257730 257030 257030 257230 25722

33 34 35 36 37 31 32 33 34 35 36 37 31 32 33 34 35 36 11 31 32 33 34 35 36 12 1
X12 82 81 79 84 85 86 87 88 89 90 95 96 97 98 106 107 107 109 109 116 117 118 118 119 120 121

4 3 2 1 1276 5 4 3 2 1 1296 5 4 3 2 1 6 5 4 3 2 1 6 5 4 3 2 1

121257 121297

D.I.R. 1E 13 13 18 D.I.R. 2E 13 12 18 D.I.R. 3E D.I.R. 4E D.I.R. 5E

24130 2573030

33 34 35 36 37 31
X135 134 133 133 31
4 3 2 1 1376

121397

D.I.R. 1E D.I.R. 2E 13 19 18 D.I.R. 3E D.I.R. 4E D.I.R. 5E

2413919 2574030

32 33 34 35 36 141 31
X140 144 143 142 141

BOOK 1480

BOOK 1480

BOOK 1480

BOOK 1480

1 1480

BOOK 1480

Field Notes of the survey of
 the Exterior Boundaries of
 Township 1 N Range 1 E
 of the Gila & Salt River
 Meridian in the Territory
 of Arizona by Welford
 H. Ingalls Deputy Surveyor
 under his Contract bearing
 date of February 18th
 1868

Plotted by C. D.

Copied for Washington
 E. C. Farley

Preliminary Oaths of Assistants.

I, Robert Bryant

do solemnly swear that I will well and truly perform the duties of Comptroller, according to the instructions given me and to the best of my skill and ability.

Robert Bryant

Subscribed and sworn to before

me, this 1st day
of March A.D. 1868.

Wm. F. Ingalls
Dept. Surgen

I, Thomas L. Taylor

do solemnly swear that I will well and truly perform the duties of Axeman, according to the instructions given me and to the best of my skill and ability.

Thomas L. Taylor

Subscribed and sworn to before

me, this 1st day
of March A.D. 1868.

Wm. F. Ingalls

BOCI 1480

We, *Fastino Gonzales* and *Antonio Espinosa*
do solemnly swear that we will faithfully execute the duties
of Chain-carriers; that we will level the chain upon uneven
ground, and plumb the tally-pins, whether by sticking or
dropping the same; that we will report the true distance to
all notable objects, and the true length of all lines that we
may assist in measuring, to the best of our skill and
ability.

Fastino Gonzales
Antonio Espinosa

Subscribed and sworn to before me, this *1st*
day of *March* A.D. 1868.

Wm. H. Ingalls
Deft. Surgeon

Between Ranges 1 & 2 E. Twp 1 N.

Gila Ed Salt River Meridian

- Chs From the established cor
to Township 1 N Range
1 Ed 2 ^{on 3rd line} E (Cor agreeing with
description furnished by the
Office) I run North on
Range line on East Bound-
ary of Sec 36
 $\text{Rn } 13^{\circ}36' \text{ E by solar Compass}$
- 10.00 set a post for $\frac{1}{4}$ sec cor with
mound & pits as per instructions
- 20.00 set a post for cor to sec 25.36.30 & 31
with mound and pits as per
instructions
Sand level - sandy
Soil 1st & 2nd rates
Manzanita brush

7 Bet Ranges 1 & 2 E Apr 1 & 4
 Gila Ed East River Meridian

Chs North on East Boundary
 of Sec 25
 $74^{\circ} 36' E$

5.00 A slough from River 3.00 chs
 wide runs West

21.00 Left bank of East River runs N65⁰⁰
 Ascertain the distance across
 the River bet sec 25 & 35 as
 follows viz:-

I caused a flag to be set
 on right bank of River and
 on the line bet sec 25 & 35.
 From the post on left bank
 of River I run West 557 chs
 to a point from which the
 flag on right bank bears
 $S 45^{\circ} E$ which gives as the
 distance across the River

Get Langer 1 f 2 E Sp 1 N
 via El Salt River. Meridian

- Chy on the line bet sec^s 25 f 30
 5.57 Chy to which add
 21.10 chy distance from
 of River makes
 26.57 To flag on right bank ^{South} of River
- 40.00 Get a post for 1/4 sec cor with
 mound & pits as per instructions
- 58.00 Old Bed of Salt River 4.80 chy
 wide broad E & W
- 65.00 Leave River Bottom broad E & W
 Enter Mesquite brush. very thick
- 80.00 Get a post for cor to sec^s
 24, 25, 19 f 30 with mound and
 pits as per instructions
 Land level - rather sandy north of River
 Soil 1st f 2nd rates occasionally
 subject to a slight overflow

3 Bet Ranges 1 and 2 E 7 ps 1 W

4 1/2 E of Salt River Meridian

Ch. Uplands soil 2nd rate
 Timber Cottonwoods on banks of
 River with some scattering trees
 on Bottoms lands
 Mesquite brush N of River Bottoms

2 North on East Bdy of Sec 9th
 T_W 130° 36' E

4020 Set a post for 1/4 sec cor with
 mound and pits as per
 instructions

St. 111 Set a post for cor to sec 5 B. 24, 18749
 with mound and pits as per
 instructions
 Sand level. Soil 1st rate
 Mesquite E of sage brush

Between Ranges 1st & 2nd E Twp 1st N
 5th 2nd East River Meridian

On North or East Boundary of Sec 13
 Twp 13° 36' E

40.00 for a part for 1/4 sec cor with
 mound and pits as per
 instructions

80.00 for a part for cor to sec^s 12, 13, 14 & 18
 with mound and pits as per
 instructions

Land level

at 1st rate

Thick mesquite and sage brush

North or East Bdy of Sec. 12
 Twp 13° 36' E

40.00 for a part for 1/4 sec cor with mound
 and pits as per instructions

- 8

BOOK 1480

Bet Ranges 1 & 2 E Tps 1 N

Tolard Salt River Meridian

C 50.00 Saw thick mesquite brush band
N.E. & S.W.

C 80.00 Set a post for cor to sec 1, 12, 6 & 7
with mound and pits as
per instructions

Saw level

2 Set 1st rate

Mesquite and Sage brush on
south 50.00 chs - on balance
Sage brush

North on East Boundary
of Sec 1

Now $13^{\circ}36' E$

40.00 Set a post for 1/4 sec cor
with mound and pits
as per instructions

Between Ranges 1 & 2 E Tps 1 W
Gila and Salt River Meridian

8020 for a post for cor to Townships
1 & 2 N Ranges 1 & 2 E with
mound and pits as per
instructions

Land level

file 1st & 2nd rates

Scattering Mesquite & Sage brush

March 2, 1868

From the cor to Townships 1 & 2 N
Ranges 1 & 2 E I run
West on a random line bet
said Townships the variation
of my Compass being $13^{\circ} 36' E$.
I set temporary $\frac{1}{2}$ mile and
mile posts at every 40.00 and
80.00 chs. I find the Township
line to be 5 miles 77.25 chs
and the falling 3.36 chs
north of Township corner

North Boundary T_p 120 R 1 E
 Gila and Salt River Meridian

Chs. The correction for the true
 line will therefore be
 56 lbs North per mile.

From the cor to Township 142
 N Range 1 E & W on Gila
 and Salt River Meridian I run

East on a true line bet
 Sec^s 6 and 31
 to 14° 00' E

37.25 Set a post for 1/4 sec cor
 with mound and pits
 as per instructions

77.25 Set a post for cor to sec^s 5, 6, 31
 & 32 with mound and
 pits as per instructions

North Boundary Tp 1 NB 1 E
 7th Ed Salt River Meridian

Chs. Sand level
 Soil 2nd + 3rd rates
 Mesquite Ed Sage brush

East on true line bet
 Sec 5 + 32
 7a 14° E

40.00 Let a part for 1/4 sec cor
 with mound and pits as
 per instructions

80.00 Let a part for cor to Sec 4 S.
 32 + 33 with mound and
 pits as per instructions
 Sand level
 Soil 3rd rate
 Mesquite Ed Sage brush

North Boundary $\frac{1}{2}$ 1st R 1 E
 Tila Ed Salt River Meridian

Ch East on a true line bet
 sec 4 & 3
 $\frac{3}{4}$ a 14° 00' E

40.20 Set apart fir 14 sec cor
 with mound and pits
 as per instructions

58.95 Old Road bears NW $\frac{1}{8}$ E

80.00 Set apart fir cor to sec 3, 4,
 33 & 34 with mound and
 pits as per instructions
 Land level

Oil 2nd $\frac{1}{8}$ rates

Guano wood Ed scattering Mesquite

East on a true line bet
 sec 4 and 3
 $\frac{3}{4}$ a 14° 00' E

North Boundary T_P 1 N R 1 E

Gila Salt River Meridian

40.00 Set a post for 1/4 sec cor
with mound and pits
as per instructions

80.00 Set a post for cor to sec^s 2, 3,
34 & 35 with mound and pits
as per instructions
Sand level
Soil and 13rd notes
Meadow Ed scattering Mesquite

East or a true line bet
sec^s 2 & 35
Mag 140° 00' E

40.00 Set a post for 1/4 sec cor
with mound and pits
as per instructions

80.00 Set a post for cor to sec^s

North Broadway Tps 1 N R 1 E
 Tula Ed Past River Meridian

Chs 1, 2, 35 + 36 with mound and
 pits as per instructions
 Sand level
 Soil 2nd rate
 Gumwood, sage brush and
 scattering mesquite

2

East on a true line bet
 Sec^s 1 and 36
 Tn 14th E

40.00 Set a post for 1/4 sec cor
 with mound and pits as
 per instructions

8000 The cor to Tps 1 + 2 N Ranges 1 + 2 E
 Sand level, soil 2nd + 1st rate.
 Mesquite + gum wood brush
 March 3rd 1868

3

Field notes of the survey of
the Exterior Boundaries of

Township 17N Range 2E

of the Gila ^{and} Salt-River Meridian
in the Territory of Arizona
by Wilfred F. Ingalls Deputy
Surveyor under his contract
bearing date of February
18. 1888

Plotted A. D.
Copied for Washington
E. C. Fairley

East Boundary T_p 17 N R 2 E

Gila Ed Salt River Meridian

Chs From the established cor to
to Townships 1 N Range
2 T₃ E on Gila Ed Salt River
Base Line I run North
on Range line ~~then~~ on
East Boundary of sec 36
7a 13°33' E by John Couper

40.00 Set a post for 1/4 sec cor with
mound and pits as per
instructions

70.00 A Road bears E 7 N

80.00 Set a post for cor to sec^s
25, ³⁶26, ³¹35 T₃ E with mound
and pits as per instructions
Sand level. Soil 3rd rate
Undergrowth Mesquite Ed Sage brush

East Boundary T_b 122 R 2 E

Great Salt River Meander

Ch North on East Boundary
of sec 25
ra 13°33' E

4000 Set a post for 1/4 sec cor
with mound and pits
as per instructions

5000 Enter mesquite thicket bears E & W

7100 To left bank of South channel
of Salt River runs NW.

Set W.P. for cor to Sec^s 24, 25, 19 & 30 with mound & pits as per instructions

I now caused my flag to be
set on the right bank of this
portion of the river on the line
bet sec^s 25 & 30 and of sec^s 19 & 24.

From the point on the left bank
of the river set 7100 chs from
cor to sec^s 25, 36, 30 & 31 I run a
base East 800 chs to a point
from which the flag on right

East Boundary T_p 17 R 2 E

Gila ^{Ed} Salt River Meridian

Chs. back bears N 28° W which gives
as the distance across the
river on the line bet^h sec^s
25 + 30 ^{Ed} its continuation 18.05 chs,
making 86.05 chs to flag.

At this point in place of flag
I established a witness post
for cor to sec^s 24, 25, 19 + 30 - 600
chs north of true cor to said
sec^s with mound and pits as
per instructions.

(The point for cor to sec^s 24, 25, 19 + 30
falling in the river could not
be established)

Soil level

Soil 2nd rate - sandy
Undergrowth Mesquite brush
Yucca cottonwoods on banks of river

East Boundary Tp 12R 2E

Gila Ed Salt River Meridian

- Chy North on East Boundary
of sec 24 counting distance
from the true cor to sec
24, 25, 19 & 30 - Va 13° 33' E
- 6.05 - To witness Post to said sections
- 40.00 Set a post for 1/4 sec cor into
ground and pits as per
instructions
- 46.00 A slough from River 3 or 4
wide runs SW
- 80.00 Set a post for cor to sec
13, 24, 18 & 19 with ground and
pits as per instructions
Land level - sandy and unfit
for cultivation
Timber scattering all around on
banks of River and slough

East Boundary T^o 170 B 2 E

Gla^d Salt River Meridian

Chs North on East Boundary
of sec 13
7a 13^o33' E

6.07 T^o left bank of north channel
of Salt river running NW
I now caused my flag to
be set on the right bank and
on the line bet sec 13 & 18.

From the point on left bank
I run a line East 7.93 chs
to a point from which the
flag on the right bank bears
N 45 W which gives for the
distance across the river on
the line bet sec 13 and 18
7.93 chs to which add 6.07 chs
distance south of river makes

14.00 T^o flag on right bank of river.
4.00 Set a post for 1/4 sec cor with mound
and pits as per instructions

East Boundary T₁ 1322 E

Gila And Salt River Meridian

8200 Set a post for cor to sec
12, 13, 17 & 18 with mound and
pits as per instructions
Land level. — South of north chan-
nel sandy and unfit for cul-
tivation

North of river per note
Timber Cottonwood on river bank,
Mesquite brush north of river

North on East Boundary of
Sec 12

T₁ 13033' E

4000 Set a post for 1/4 accew with
mound and pits as per
instructions

8000 Set a post for cor to sec 1, 12.

East Boundary T⁶p 1 N R 2 E

Gila Ed Salt River Meridian

ch¹ 6+7 with mound and pits as
per instructions
Land level
Out or cote
Mesquite brush

North on East-Boundary
of sec 1
wa 13033' E

40.00 Set a post for 1/4 sec cor
with mound and pits
as per instructions

49.82 Lower Wickburg and Fort
McDowell Road bears N 60° W

80.00 Set a post for cor to Townships
15² N Range 2³ E

East Boundary T¹p 1 N R 2 E

Great Salt River Meander

Chs with mound and pits as

per instructions

Land level

Soil pt & 2nd rates

Merquite brush

March 13, 1868

From the cor to Township
1 T²N Range 2 T³E
I run West on a random
line ~~XXXX~~ ~~XXXX~~ ~~XXXX~~ on

North Boundary T¹p 1 N R 2 E
the variation of my solar
Compass being 13° 33' E

I set temporary half mile and
mile posts at every 40.00
80.00 chs.

I find the Township line line
to be 5 miles 77.75 chs and

North Boundary 1/4 1/2 R 2 E

Gila Salt River Meridian

Chs the falling 3.36 Chs North
of the Township corner.
The correction for the true line
will therefore be 58 Lk South
per mile

From the cor to Township 142 N
Range 142 E 2 run
East on a true line bearing
sec 31 5.6
7a 13° 57' E

37.75 Set apart for 1/4 sec cor with
mound and pits as per
instructions

77.75 Set apart for cor to sec 5.6.3/1432
with mound and pits as
per instructions

North Boundary T_p 172R2E

Gila + Salt River Meridian

Chs. Band level
Soil 2nd rate
Scattering mesquite and
greasewood brush

East on a true line bet
Sec^s 5 + 32
To 13° 57' E

4000 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8000 Set a post for cor to sec^s
4, 5, 32 + 33 with mound and
pits as per instructions
Band level. Soil 2nd rate
Scattering mesquite and
greasewood brush

North Broadway 1st 1st R 2 E

Gila + Salt River Meridian

Chs East on a true line bet

sec^s 4 & 3

7a 12° 57' E

4000 Set a post for 1/4 sec cor with mound and pits as per instructions

8000 Set a post for curve sec^s 3, 4, 3, 3 & 4 with mound and pits as per instructions

Scattering mesquite + quailwood brush

Land level

One 2nd rate

East on a true line bet

sec^s 3 & 4

7a 12° 57' E

4000 Set a post for 1/4 sec cor

North Boundary T₂ N₂ E

Gila + Salt River Meridian

Cly with mound and pits as
per instructions8000 Report for cor to sec^s 2, 3,
34 + 35 with mound and
pits as per instructions

Land level

Incl pt + 2nd rates

Mesquite & quercus wood brush

Eas on a line line bet

sec^s 2 + 3

Ta 13° 57' E

~~20.57 Lower Wickenburg & Fort McDowell
Road bears north~~4400 Report for 1/4 sec cor with
mound and pits as per
instructions

North Boundary Tp 17 R 2 E

Gila Ed Salt River Mexican

8200 Set a post for cor to sec^s
1, 2, 3, 4, 5, 6 with mound and
pits as per instructions
Land level
Soil 2nd rate
Mesquite and sage brush

East on a true line bet
sec^s 1 + 36
Twp 13th 5th E

20.50 Lower Mckenberg End Foot
McDowell Road bears north S E

4000 Re-survey for 1/4 sec cor
with mound and pits as
per instructions

8000 The cor to Townships 17th 2nd N
Ranges 2 and 3 E

7629

BOOK 1480

Nate Bunday To MR 28

Gila Salt River Meridian

Chs Sand dale
Salt Pt route
Mesquite and Greasewood
bush

March 14, 1868

See on page 5 - 12. 2d, 1868/19 29A

5

BOOK 1480

Field notes of the survey of
the Exterior Boundaries of
Township 1 N Range 2 E
of the Gila and Salt River
Abundant in the Territory of
Arizona by Wilfred H. Ingalls
Deputy Surveyor under his
Contract bearing date of
18th day of February 1868

Platting L. D.

Copies for Washington
E. Farley

East Boundary T^p 1 N R 3 E

Gila & Salt River Meridian

35 From the Established corner
to Townships 1 N Range
3 & 4 E on Gila & Salt River
Base Line (cor agreeing with the
description furnished by the Office)
I run North on Range line
on East Boundary of sec 36
C^{or} a 13040' E by Solar
Compass

4000 Cera post for 1/4 sec cor
with mound and pits
as per instructions

8000 Cera post for cor to sec^s
25.36.30 & 31 with mound and
pits as per instructions
Land level. Soil 2nd rate
Thick mesquite brush on
north half mile

East Boundary T₁ NR 3 E

Gila + Salt River Meridian

Ch₁ North on East Boundary
of sec 25
Ta 13 40' E

4400 Set apart for 1/4 sec cur
with mound and pits
as per instructions

8000 Set apart for cur to sec 24, 25
19 + 00 with mound and pits
as per instructions
Land level
Soil sub 1/200 rates
Mesquite brush

North on East Boundary of
sec 24
Ta 13 40' E

4400 Set apart for 1/4 sec cur

East Boundary T^o 1 2 L 3 E

Gila Salt River Meridian

Chs with mound and pits
as per instructions

71.00 A Road bears E 7 W

78.00 To left bank of route channel
of Salt River. The cor to sec^s
25, 24, 30 + 19 falling in the river
and cannot therefore be established
at 77.75 chs per a N P for
cor to said sections with
mound and pits as per
instructions

I now caused a flag to be set
on the right bank and from
the "N.P." on left bank run ~~the~~
a base East 563 chs to a
point from which the flag on
the right bank bears $234\frac{1}{4}^{\circ}$ N
which makes 8.27 chs from the
N.P. 25 chs south of left bank of

East Boundary 1 to 121 R 26

Gila Salt River Meridian

Chs river to flag on the right
bank of river
Sand level
Soil pt 200' sales
Mesquite brush

North on East Boundary of
Sec 13 counting distance
from bank for cor to sec^s
13, 34, 18 + 19 in river
Va 13040' E

6.02 To flag on right bank of river.

4000 Set a post for 1/4 sec cor with
monument and pits as per
instructions

57.89 To left bank of north channel

East Boundary T₁ N R 3 E

Gila & Salt River Meridian

Chs { of Salt River running SW
 I now caused a flag to be
 set on the right bank and
 on the line bet sec^s 13 & 18
 From the station on left bank
 I run a base East 9.11 chs
 to a point from which the
 flag on right bank bears
 N45°W which gives for the
 distance across the river
 on the line bet sec^s 13 & 18
 9.11 chs to which add
 51.89 " distance south of
 river makes

\$1.00 To flag on ~~left~~^{right} bank of River

Exp Report for cor to sec^s
 12, 13, 7 & 8 with mound and
 pits as per instructions
 Land level - bet rivers sandy
 3rd rate subject to overflow

East Boundary T₁P₁N₃R₃E

Gila Ed Salt River Meridian

Chs from 2 to 8 feet.
North of river land 2nd rate

North on East Boundary
of Sec 12
Ta 1 1/2 740' E

4100 To settlers irrigation ditch 20
ft wide bears N 62° W + S 62° E

8c25 - A Road " " "

9c60 Settlers ditch 35 ft wide bears
N 62° W + S 62° E. (These ditches ^{carry})

^{furnish} nearly all the water the settlers
need in T₁P₁N₃R₃E in irrigating
their lands)

38c85 - Road from Michenberg to
Fort McDowell bears N 60° + S E

40c00 Lava stone 15 + 10 + ^{Pr 1/4 sec} ~~10~~
with mounds and pits as
per instructions

East Boundary T¹ 12 E 3 E

Gda Rd Salt River Meridian

8000 Set a post for cor to sec^s 1, 12, 6 + 7
with mound and pits as
per instructions

Land level

Soil 3rd rate

Greenwood brush

Note: - at about 20. or less from
the cor to sec^s 12, 13, 17 + 18 on above
line we ^{discovered} ~~discovered~~ to the East about
30. or less ancient ruins of an
adobe house surrounded by
a wall.

North on East Boundary of
Section 1
Cra 13 2 40' E

4000 Set a post for 1/4 sec cor with
mound and pits as per
instructions

East Boundary T^h 17 R 3 E

Delta Ed East River Meridian

8000 Set a post for cor to Township
1st 2^d Ranges 3rd 4th E
with mound and pits as
per instructions

Land level

Oil 2nd rate

Merquite and quercus brush

March 25. 1868

From the cor to Township
1st 2^d Ranges 3rd 4th E I am
West on a random line
along North Boundary of
T^h 17 R 3 E the variation of
my solar compass being $13^{\circ} 5' E$
I set temporary half mile and
mile posts at every 40.00
and 80.00 chs

I find the Township line

North Brundage T^p 17ⁿ R³ E³

Gila & Salt River Meridian

Chs to be 5 miles 79.17 chs and
the falling 1.82 chs north of
the Township corner

The correction for the true line
will therefore be $30\frac{1}{3}$ lks South
per mile

From the cor to Township 17ⁿ
Ranges 2^W E² & 2^W

East on a true line bet
sec 6 & 7

72° 13' 48" E

39.17 Set apart for $\frac{1}{4}$ sec cor
with mound and pits
as per instructions

79.17 Set apart for cor to sec 6
56.3 17ⁿ 2 with mound and

North Boundary 7p 17R 2E

Gila + Salt River Meridian

Ch pits as per instructions
 Land level
 Soil 1st rate
 Mesquite brush

Estimate line bet
 sec 5 5 + 3 2
 7W 13 45'E

4000 Scrap for 1/4 sec corner
 with mound and pits as
 per instructions

5000 Scrap for corner sec 5
 40 5 3 2 + 3 3 on Eastern edge of
 a thick mesquite growth bearing
 NE + SW with mound and
 pits as per instructions
 Land level
 Soil 1st rate

North Boundary Twp 17R 3 E

Set Salt River meridian

Clear thick mesquite brush

Establish true line between 4 + 3 3

7a 13° 48' E

4000 Set a post for 4 sec corner with mound and pits as per instructions

8000 Set a post for corner to sec 3, 4, 3, 3 + 4 with mound and pits as per instructions

Land level

Soil 1 ft into

Scattering greasewood and mesquite

Establish true line between

sec 3 + 3 + 4

7a 13° 48' E

North Boundary T_p 1 N R 3 E

Gila Salt River Meridian

4000 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8000 Set a post for cor to sec^s
2, 3, 34 + 35 with mound and
pits as per instructions

Land level

Drill at well

Sage, grass and + mesquite brush

East on a true line bet
sec^s 2 + 35

70° 13' 48" E

3800 To upper road from Fort Mc Dowell
to Mickelburg bears NW + SE

4000 Set a post for 1/4 sec cor with
mound and pits as per
instructions

North Boundary, T¹N R³E

Delta Salt River Meridian

41.84 Old Ditch 75 ft wide bears north & E

8200 Peraport for cor to sec^s 1, 2, 3, 5
+ 36 with mound and pits
as per instructions

Land level

Int Pt note

Greenwood Ed Page bush

East-natural line bet
sec^s 1 and 36
70 13048' E

4020 Peraport for 1/4 sec cor
with mound and pits
as per instructions

8220 The cor to Townships 152 N
Ranges 3 and 4 E

1643

BOOK 1480

North Boundary 70 17 R 3 E

Gla Salt-River Meridian

Chs Sand level
Fert pr rate
Scattering greasewood and
mesquite
March 26, 1888

7)

BOOK 1480

43A

Field Notes of the survey of
the Exterior Boundaries of

Township 17N Range 4E

of the Gila and Salt River
Meridian in the Territory
of Arizona by Wilfred H.
Ingalls Deputy Surveyor
under his contract bearing
date of 18th day of Feb-
ruary 1868

Copied for Washington C. D.
E. C. Fairley

East Boundary 5th 1st N R H E

Gila Salt River Meridian

461 I began at the established
 Cor to Turnships 1st N Range
 + 5th E on the Gila and Salt
 River Base line (Cor agreeing
 with description furnished me by
 the Office) and ran

North on Range line along
 East Boundary of sec 36
 70° 13' 35" E by solar
 Compass

462 Set a post for 1/4 sec cor with
 mound and pits as per
 instructions

463 Set a post for cor to sec 5
 25.36.30 + 31 with mound and
 pits as per instructions
 Land level
 Soil pt + 2nd rates - sandy

East Boundary Twp 17N R 4E

Gila Salt River Meridian

Chs Mesquite and greasewood
brush

North on East Boundary
of sec 25
Ta 13035.1 E

4000 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8000 Set a post for cor to sec
24, 25, 19 & 30 with mound and
pits as per instructions
Land level

Soil at rate - sandy
mesquite
brush

North on East Boundary

East Boundary T^h 1 N B 4 E

Into Ed Salt River Meridian

Chs of sec 27
T^h 13° 35' E

4000 Reaport for 1/4 sec cor with mound and pits as per instructions

8000 Reaport for cor to sec^s 13, 24, 18 & 19 with mound and pits as per instructions
Land level
Limb 2nd & 3rd rates
Mesquite brush

North on East Boundary
of sec 13
T^h 13° 30' E

4000 Reaport for 1/4 sec cor with mound and pits as per instructions

East Boundary Twp 17N R 4 E

Gila ^{and} Salt River Meander

2000 Section for corr to sec^s
 12, 13, 7 + 18 with mound and
 pits as per instructions
 Sand sandy and broken and
 subject to overflow from one to
 two feet deep at every consid-
 erable rise of Salt River.
 Set 3rd rate
 Timber Cottonwood on
 north 60. or clay

North on East Boundary
 of sec 12
 Twp 17N R 4 E

2000 To left bank of Salt River,
 I now caused a flag to be set
 on the right bank and on
 the line bet sec^s 7 + 12.
 From the point on left bank

East Boundary Tps 12R4E

Gila Salt River Meridian

- Chs of river I am a base west
 6.37 chs to a point from
 which the flag bears $727^{\circ} E$
 - continue the base west to a
 point 11.46 chs west of cen-
 trary cr on left bank from
 which point the flag on the
 right bank bears $742\frac{1}{2}^{\circ} E$
 which gives for the distance
 across the river on the line
 between $742\frac{1}{2}$ - 12.57 chs
 to which add 2.00 chs dist
 length of river makes
- 14.57 To flag on right bank of River
- 4020 Set a post for $\frac{1}{4}$ sec cor with
 mound and pits as per
 instructions
- 8220 Set a post for cor to sec 8
 1.1206 $\frac{1}{4}$ with mound and

East Boundary T₁₀ 1² R 4 E

Get Salt River Meridian

Chs pits as per instructions
 Land level - subject to inundation
 from 2 to 3 feet from Salt River
 Soil 1st & 2nd rules
 Timber cottonwood on both
 banks of River
 Mesquite bush on north
 60.00 chs

North on East Boundary
 of sec 1
 T₁₀ 1² R 4 E

40.00 Get a pit for 1/4 sec cor with
 mound and pits as per
 instructions

49.00 Leave river bottom ^{beats E of} and gradually
 ascend mesa

North Boundary Tp 13 R 4 E

Gata and Salt River Indian

Saw set a post for cor to Townships
1 + 2 N Ranges 4 + 5 E with
mound and pits as per
instructions
Land South 49.00 ch. level
Soil 1st rate
Remainder mesa 3rd rate
Mesquite brush very dense
April 6, 1888

From the cor to Townships
1 + 2 N Ranges 4 + 5 E I saw
nest on a random line along
North Boundary of Tp 13 R 4 E
the variation of my compass
being $13^{\circ} 27' E$
I set temporary $\frac{1}{2}$ mile and mile
posts at every 40.00 & 80.00 ch.
I find the Township line to
be 5 miles 78.52 ch. and

North Boundary 57° 1' 24" E

Gila & Salt River Meridian

Chs and the bearing 3.18 chs North
of Township corner

The correction for the true
line will therefore be 53 2/3
feet per mile.

From the cor to Township 142nd
Ranger 274° E 2 run

Set on a true line bet
secs 6 & 31

72° 13' 57" E

38.52 Set apart for 1/4 sec cor with
mound and pits as per
instructions

78.52 Set apart for cor to sec 5.6.
31 & 32 with mound and pits
as per instructions

North Boundary T₁ M R H E

Gild End Det River meander

Ch Land level
Soil 2nd rate
Grassland & sage brush

East mature timber
Sec^s 5 T 8 2
T₁ 3^s 5^s E

16.00 W. Keuberg & Fort McDowell
Road bears NE & SW

42.00 Level part for 1/2 sec on
with mound and pits
as per instructions

66.00 ascend

82.00 Level part for 1/2 sec on
32 T 8 3 with mound and
pits as per instructions
Land west 66.00 ch level

1953

BOOK 1480

North Annuaday T₁ N R H E

Gila Salt River Meridian

Chs. Civil Pt. & 2nd ratesRemainder gradually sloping SW
Mesquero + mesquite brush
Scattering cactiEast on a true line bet
sec 4 & 3
T₁ 12050' E23.00 To top of ascent. (The sum-
mit of a small butte bears
North about 18.00 chs dist -
also the summit of another
bears South about 20.00 chs
descend4000 Descent for 1/4 sec cor
with mound and pits
asper instructions

66.00 Foot of descent

8.00 Descent for cor to sec 5

North Boundary T₁ N R 4 E

Great Salt River Meridian

Chs 3, 4, 33 & 34 with mound and pits as per instructions
 Land (excepting ^{East} West 1400 Chs)
 rolling and rocky
 Soil 2nd & 3rd rate
 Sage & mesquod brush

East a true line bet
 sec^s 3 & 34
 N 13° 57' E

4000 Seraput fir 1/4 sec cor
 with mound and pits
 as per instructions

8000 Seraput fir cor to sec^s 2, 3,
 34 & 35 with mound and pits
 as per instructions
 Land level. Soil 2nd rate
 Sage & mesquod brush

North Boundary T₁ N R 4 E

Gila Salt River Meridian

Ch East on a true line
bet sec^s 2 + 30
Ta 13° 50' E

4000 Set a post for 1/4 section
with mound and pits
as per instructions

8000 Set a post for cor to sec^s 1, 2,
3 5 + 36 with mound and
pits as per instructions
Land level
Dirt low rate
Greasewood + Sage brush
and a few scattering mesquite

East on a true line bet
sec^s 1 + 36
Ta 13° 50' E

North Boundary Tp 17N R4E

Gila Salt River Meridian

4000 Sera post for 1/4 sec cor
with mound and pits as
per instructions

8000 The cor to Townships 17N
Ranges 4 & 5 E
Land rolling
Soil 2nd cast.

Manwood and sage brush
and some scattering mesquite
April 7, 1868

9m

9.

BOOK 1480

Field Notes of the survey of
the Exterior Lines of

Township 12ⁿ Range 3^e &

of the Giland Salt-River
Meridian in the Territory
of Arizona by Wilfred H.

Duggals U.S. Deputy Surveyor
Under his contract bear-
ing date the 18th day of
February 1868

Platted C.D.

Copied for Washington

E.C. Farley

East Boundary Tp 17N R 3 E

Great Salt River Meridian

Chs I begin at the established
 cor^r Townships 17N Ranges
 37E & on Great Salt River
 Base line (the cor agreeing
 with the description furnished
 me by the Office viz: a granite
 stone 22+9+4) and run
 North on Range line on
 East Boundary of sec 36
 Va 130°35' E by solar
 Compass

4000 Grapport for 1/4 sec cor
 with mound and pits
 as per instructions

8000 Grapport for cor to sec^s 25, 36,
 30 & 1 with mound and pits
 as per instructions
 Land level
 Soil pt & 2nd rates

East Boundary Tp 13R5E

Gila Ed Salt River Meridian

Clear Scattering mesquite and greasewood
brush and few scattering
cacti.

North on East Boundary
of sec 25th

wa. 13° 35' E

4020 Set apart fir 1/4 sec
with mound and pits
as per instructions

8220 Set apart fir on sec 24 & 25
19th & 21st with mound and pits
as per instructions

Land level

Set out rate

Some mesquite and greasewood
brush

East Boundary Tp 17 R 5 E

Gila Ed Bolt River Meridian

Chy North on East Boundary
of sec 24
Ta 13° 35' E

5000 A Road bears N 5° E.

4000 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8000 Set a post for cor to sec^s
13, 24, 18 + 19, with mound and
pits as per instructions
Land loc^d
Enil 2nd rate
Scattering Palo Verde + sage brush

North on East Boundary
of sec 13
Ta 13° 35' E

61

BOOK 1480

East Boundary Twp 17 R 5 E

Gila Ed Salt River Meridian

4000 Set a post for 1/4 sec cor with mound and pits as per instructions

8000 Set a post for cor to sec^s 12, 13, 7 & 8 with mound and pits as per instructions
Sand level
but set rate
Palls verde + greasewood brushNorth on East Boundary
of sec 12
Ta 13035 E

4000 Set a post for 1/4 sec cor with mound and pits as per instructions

8000 Set a post for cor to sec 1, 12

East Boundary Tp 17R5E

Gila and Salt River Meridian

647 with mound and pits
as per instructions

Land level

Soil 2nd rate

Greasewood brush

North on East Boundary
of sec 1
Ta 13° 35' E

4000 Set a post for 4 sec cor
with mound and pits
as per instructions

6700 To ancient arcan or ditch
25 ft wide bearing E 40°

6750 To foot of mesa. Leave same
bear E 40° and enter river bottom

8000 Set a post for cor to Townships

8-63

BOOK 1480

North Boundary T_p 17 N R_s 5 E

Gela + Salt River Meridian

Ch_y 142 N Ranges 5 + 6 E
 with mound and pits
 as per instructions
 Land generally coal bottom
 Oil per rate - mesa 2nd rate
 Some mesquid brush
 April 17, 1868

From the cor to Townships
 142 N Ranges 5 + 6 E Iron

Went on a random line
 on north boundary of
 T_p 17 N R_s 5 E

Va 13040' E by Solar Compass

I set temporary 1/2 mile + mile posts
 at every 400 + 800 ch_y

At 17100 intersected the left bank
 of the Quilchity channel of
 Salt River which runs SW

North Boundary Tp NR R & E

Gila Salt River Meander

Chs Set temporary post at this point. I now caused my flag to be set on the right bank of said river on said line. From the temporary post I run south 6.83 chs to a point from which the flag on right bank bears N45 W which gives for the distance across the river on line 6.83 chs

and

At 242.63 chs intersected left bank of northerly channel of Salt River running S42 W. Set a temporary post at this point. I now caused a flag to be set on the right bank and on the line and from the temporary post on left bank I ran 22.63 chs to a point from which the flag on right

2065

BOOK 1480

North Boundary Tp 12R5E

Great Salt River Meridian

Chy bank of river bears N45W
which gives for the distance
across the river on this line
263 chy.

I find the Township line
to be 5 miles 79.26 chy and
the falling 1.56 lks north of
the Township corner.

The correction for the true line
will therefore be 26 lks south
per mile

From the cor to Township
1 + 2N Ranges 4 + 5E I run

East on a true line bet
sec 5 6 + 3 1

Pa 130 51' E

39.26 Set apart for 1/4 sec cor
with mound and pits
as per instructions

North Boundary T₁P₁N₁R₁S₁E

Gila + Salt River Meridian

791.26 Set a post for cor to sec 5, 6,
31 + 32 with mound and
pits as per instructions
Land rolling.
Soil SW rate
Greasewood and sage brush

East or true line bet
sec 5 + 32
wa 13° 57' E

4000 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8000 Set a post for cor to sec 4, 5.
32 + 33 with mound and pits
as per instructions
Land level. Soil SW + 30 rates
Greasewood and sage brush

North Boundary Tp 17 R 5 E

Gila and Salt River Meridian

Chy East on a true line bet
sec 54 & 33
Ta 130° 51' E

4000 Let a post for 1/4 sec cor
with mound and pits as
per instructions

74.74 To right bank of northern channel
of Salt River

I now caused a flag to be set
on the ~~right~~ bank and on the
line bet sec 54 & 33

I then ran South 26° Chy
to a point from which the
flag on the left bank bears
N 45° E which makes

77.39 to flag on left bank

8200 Let a post for cor to sec 8, 4
33 & 34 with mound and pits

North Broadway No 17R 5 E

Gata Es Salt-River Mendocino

chs as per instructions

Land level - near river very sandy.

Soil 2nd rate

Timber Cottonwood along river
banks

Greasewood Sage brush and
some willows

East magnetic line bet
sec 8 3 + 34

Ta 13° 57' E

4020 Scraped for succor with
mound and pits as per
instructions

62.17 To right bank of Southern channel
of Salt river
I now caused a flag to be set
on the left bank and on the

North Boundary Tr 12 R 5 E

Delta End Salt River Meander

Ch line bet sec^s 3 & 4
 From the point on ~~the~~ right
 bank on ^{said} line. I run South
 5.83 chs to a point from which
 the flag on left bank bears
 N 45° E

69.00 To flag on left bank of continuous
 channel of Salt River.

82.00 Set a post for cor to sec^s
 2, 3, 34 & 35 with mound ^{and}
 pits as per instructions
 Land level - sandy - the por-
 tion between the two channels
 being subject to inundation 2 or
 3 feet. The river evidently
 at times of very high water
 sweeps over the entire bottom
 from the north to the south
 Channel of Salt River
 Timber Cottonwood & willows

North Boundary T₁ 1/2 R S E

Gila and Salt-River Meander

4000 Mesquid brush and some
arrowweed near bank of
River

East main line her sec^s
2 + 3 5

70 13° 57' E

4000 Set apart for 74 sec cor
with mound and pits as
per instructions

8000 Set apart for cor to sec^s
1, 2, 3 5 + 6 with mound and
pits as per instructions

Land level bottom

Set 1st rate

Walrus + mesquid brush

North Boundary T¹P¹N¹R⁵E

Gila and Salt-River Meridian

Ch¹ East on a true line bet
sec⁵ 1 & 36

7¹ 13⁰ 57' E

4000 Set apart for 1/4 sec on
with mound and pits as
per instructions

7500 Road from Mancosa Wells to
Fort McDowell bears N 15 1/2° E

8000 The cor to Townships 1 & 2 N
Ranges 5 & 6 E
Sand level - 1st rate
Tuber - scattering cottonwoods
on west 25-40 chs.
Some mesquite bush
April 18. 1868

Field Notes of the survey of
 the Eastern Boundaries of
 Township 1 S Range 1 E
 of the Gila and Salt River
 Meridian in the Territory
 of Arizona by Wilfred H.
 Ingalls Deputy Surveyor
 under his Contract bear-
 ing date of 18th day
 of February 1858

Printed and
 Copied for Washington
 E. C. Farley

East Boundary Tps 12 R 1 E

into Salt River Meridian

Chs The SW portion of this Tps. is made fractional by high barren mountains unfit for cultivation - I therefore begin at a point on the Glen and Salt River Base line making allowance for convergence of 2.36 chs West of Standard Cor to Tps 1 N Ranges 102 E on said Base line which agrees with the description furnished me by the office. I established the closing cor to Tps 1 S Ranges 102 E by setting post with mound and pits as per instructions and from the cor post established on run South on Range line on East Boundary of sec 1
 on 102°23' E by Solar Compass

East Boundary T₁₀ 1 SR 1 E

Gr^o Salt River Meridian

4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8000 Set apart for cor. to sec^s 1, 12,
6 & 7 with mound and
pits as per instructions

Land level

One 2nd 1000 rods

Merquite and Sage brush

Smith on East Boundary
of sec 12
T₁₀ 13° 23' E

4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

BOOK 1480
East Boundary

75

Tp 1 Range 1 E

Gila Salt River Bendian

8200 Lava pt for cor to sec 12, 13,
7478 with mound and pits
as per instructions
Land gently rolling
Soil 2nd rate
Mesquite and sage brush

points on East Boundary of
Sec 13
Ta 13⁰² 3' E

4000 Lava pt for 14 sec cor
with mound and pits
as per instructions

8200 Lava pt for cor to sec 13, 14
18479 with mound and pits
as per instructions
Land level

East Boundary Tp 1 SR 1 E

Gita Salt River Meridian

Ch. Inl 2nd 1300 rates
 Mesquite and Sage brush

South or East Boundary
 of Sec 24

Ta 1302 3' E

40.00 per a part for 1/4 sec. with
 with mound and pits
 as per instructions

80.00 per a part for cuts and 2425
 1900 with mound and
 pits as per instructions
 Land level

Inl 2nd rate
 Mesquite and Sage brush

East Boundary T_p 1 N R 1 E

Glad Salt River Meridian

Chs 4.65 - Chs to which add
74.87 " dist north of river
makes

79.15 - To fecy on left bank

8000 Set a post for cor to sec 25.36.
35781 with mound and
pits as per instructions

Land level

Set at 2nd cuts

Thicket Cottonwood on either
bank of Gila river - with green-
wood + willow undergrowth
- very dense

Merquite + sage brush N of river

South on East Boundary
of sec 36
N 13° 23' E

East Boundary T¹P¹R¹E

Great Salt River Meridian

4400 Grap for 1/4 sec cor
with mound and pits
as per instructions

57000 A slough from ^{Quila} river through
under runs North ^{West} East Bottom

8000 Grap for cor to Townships
1 & 2 Ranges 1 & 2 E with
mound and pits as per
instructions

Sand-level bottom 1st rate
Remainder 2nd rate
Timber Cottonwood on river banks,
Aunowood sedge growth

From the cor to Townships
1 & 2 Ranges 1 & 2 E from
West on a true line bet

South Boundary T^o 1 SR 1 E

Great Salt River Meridian

Sec 5 / T 36

7a 13023 E by Solar Compass

37.50 A slough 20 ft wide runs North

400 Set apart fir 1/4 sec cor
with mound and pits
as per instructions

500 Set apart fir cor to sec 1, 2.
35 T 36 with mound and pits
as per instructions

Low level bottom

Soil sub note

Mesquite brush

Scattering Cottonwood timber
on East 1/2 mile

Smith Boundary Tp 12R1E

Ida Salt River Meridian

Chs West on true line bet
 sec 2 & 3
 7a 135° 23' E

25.75 Leave River Bottoms Cross NW
 & SE. Enter mesa

4420 Wrap up first sec cor
 with mound and pits
 as per instructions

826 Set a stone 10+9+9 paces to pt
 2.3.34 1830 as per instructions
 Land East 25.75 Chs level
 Bottom - 2nd rate
 Remained rolling mesa slo-
 ping East
 Sub 3rd rate
 Scattering pearwood - mesquite
 and cactus

Smith Boundary Op 1 N 1 E

Great Salt River Meridian

Chs West on a true line bet
sec^s 3 & 4
T₂ 13 23' E

420 Set apart for 1/4 sec cor
with mound and pits
as per instructions

820 Set apart for cor to sec^s 3, 4,
3 & 4 with mound and
pits as per instructions
Sand rolling + sloping East
Soil 2nd & 3rd rods
Measurements Mesquite and
Cactus

West on a true line bet
sec^s 4 & 3
T₂ 13 23' E

South Boundary T^o N R 1 E

Gila Salt River Meridian

4000 Scraper for 1/4 sec cor with
mound and pits as per
instructions

6000 Scraper for cor to fractional
sec. 4 & 5 (at the base of a
high and barren range of
mountains supt for cul-
tivation bearing North & South)
with mound and pits
as per instructions

Land rolling, sandy mesa
sloping East

Soil 2nd rate

Merquite and greasewood

April 30, 1868

13

Field notes of the survey
of the Exterior Boundaries of
fractional

Township 1 S Range 2 E
of the Grand Salt River
Meadows in the Territory of
Arizona by Welped J.
Ingalls Deputy Surveyor
under his Contract bear-
ing date of 18th day of
February 1868

Plotted by
Copied for Washington
E. C. Farley

Smith Boundary Tp 1 R 2 E

Great Salt River Meridian

On I begin at cor to Township 1 R 2 E
Ranges 1 R 2 E and run

East on a true line on Smith Bdy
of Sec 31

To 13° 23' E by Solar Compass

000 To the River 5000 chs wide runs
NW - not too deep to prevent cross-
ing it on line. Secure Bottom.

58.11 Set a post for 1/4 section with
mound and pits as per
instructions

59.00 Road from Mancipa Wells to
Wickenburg bears NW & SE

8.11 Set a post for cor to sec 5, 6,
31 & 32 with mound and pits

South Boundary Tp 12R 2E

Great Salt River Meridian

Clear Mesquites greasewood and
scattering cactus

East mature line bet
Sec^s 3 & 4
T₁₃ 23' E

4000 Set apart for 1/4 acre
with mound and pits
as per instructions

8000 Set apart for 1/2 acre
34 & 5 with mound and
pits as per instructions
Land rolling
Soil 2nd rate
Mesquite & greasewood

South Boundary 1/2 1 N 2 E

Old Salt River Mendocino

Ch East on a true line bet
sec 2 & 3

ra 13023' E

4020 Set apart fir cur with
mound and pits as per
instructions

8050 Set apart fir cur to sec 2,
3 & 6 with mound and
pits as per instructions

Land rolling

Coil 2nd 3rd rates

Mesquite, greasewood and
Green tree bunch

East on a true line bet sec
1 and 36

ra 13023' E

Smith Boundary T¹ S R 2 E

1 Gila Fed Salt River Meridian

4000 feet apart for 1/4 sec cor
with mound and pits as
per instructions

8000 feet apart for cor to Townships
1 T 2 S Ranges 2 T 3 E with
mound and pits as per
instructions

Land rolling - sandy 3rd with
Mesquite and greasewood brush
and scattering cactus along line

From the cor to Townships 1 T 2 S
Ranges 2 T 3 E & 2nd Run

North on Range line see
see 86 T 3 1

70° 23' E by solar
Compass

East Boundary Tp. 1 RR 2 E

Gold & Salt River Meridian

40.00 Set apart for 1/4 sec cor
with mound and pits
as per instructions

58.00 As aund

80.00 Set apart for cor to sec 25, 30,
30 1/2) with mound and pits
as per instructions

Land South 58.00 chs rolling
Remained sloping South
(East of line mountains - unfit
for cultivation)

and 30th rate

Mesquite & Mesquod bush

North lot sec 25 1/2 0

Tral 30 23' E

40.00 Set apart for 1/4 sec cor (as

East Boundary T^b 1st Range 2nd E^o

Gita & Salt River Meridian

Chs base of high barren mountains
 unfit for cultivation (ears & fur)
 with mound and pits as
 per instructions

Land sloping gradually South
 Soil 2nd cult

Mesquite and greasewood
 May 5. 1868

I begin at a point on the
 Gita & Salt River Base line
 4.72 chs West of Standard
 Cor to Townships 1st N Range
 2nd E. As a post at
 this point for closing Cor
 to Township 1st N Range 2nd E
 with mound and pits as
 per instructions. Thence
 South on Range line bet

East Brundage Tpl 2R 2E

Gila Salt River Meridian

Chs Secs 1 + 6

7a 13023'E by Solar Compass

40.00 Seraport fir 1/4 sec cor
with mound and pits
as per instructions
Gradually descend

78.50 A dry sandy arroyo, 100 lks
wide runs West

80.00 Seraport fir cor to sec 1, 1/2, 6 + 7
with mound and pits
as per instructions
Land north 1/2 level
" south 1/2 slopes south
Soil 1st + 2nd rules
Sage and grass mound

East Boundary T^p 1 R² 2 E

Lot ^{End} Salt River Meridian

Ch. South by sec 7 & 2
 T^p 1 R² 2 E

4000 Acre part for 1/4 sec corner
 at base of mountain bearing
 E^{ter} suit for cultivation
 with mounds and pits as
 per instructions

Land sloping gradually ^{North}
 In 2nd 3rd rows

Greenwood Stage bush
 May 6, 1868

Field Notes of the survey of
the eastern 9th boundaries of
fractional

Township 1 S Range 3 E

of the Gila and Salt River
Meridian in the Territory
of Arizona by Wilfred H.
Ingalls Deputy Surveyor
under his contract bear-
ing date of 18th day of
February 1868

North 1/2

Copied for Washington
Eben. C. Fairley

South Boundary Tp 1SR 3E

Gila Salt River Meridian

Chs I begins at the corner of Tps
142 & Ranges 2 & 3 E and runs

East on true line between
secs 8 & 9

72° 13' 38" E by solar Compass

38.11 Set a stone 20+8+6 for 1/4 sec
cor as per instructions

78.11 Set a stone 14+12+8 for corner
secs 5, 6, 3, 1 & 2 as per
instructions

Land West 1/2 mile level

" East 1/2 of low parts
of hills, sloping ~~down~~ south

Land north of line mountains
and suitable for cultivation

Smith Brundage P 12R 3E

Gila Edsall-River Meridian

Chs East on a true line per
rec 5732
7a 130 38 E

4000 Set a stone 20 x 18 x 16 for 1/4
rec as per instructions

8000 Set a stone 25 x 18 x 15 for cor
to recs 4, 5, 32, 33 as
per instructions
Sand hilly sloping south
" north of line mountainous
and unfit for cultivation
and 3rd rate
Greasewood & sage brush

East on a true line per
rec 4733
7a 130 38 E

South Boundary Tp 1 S R 3 E

Gdard Salt River Meridian

4030 Lava stone 16+12+6 for 1/4 sec
or as per instructions

8000 Lava stone 20+16+10 for cut to
secs 3, 14, 3, 3, 13, 4 as per
instructions

Land hilly & rocky - sloping south
" north of line hilly and mountainous
amorous & unfit for cultivation
fuel & r. rate
Muscaterd and grasswood

East on true line for
secs 3 & 13, 4
Val 13' 38" E

4030 Lava stone 16+12+6 for 1/4
sec or as per instructions

South Boundary Tp 1 SR 3 E

Gita Gulch River Meridian

5400 Leave prints of hills, bears N E 200

8000 Set a stone 25718415 for cor
to sec 2, 3, 3 4 13 5 as
per instructions

Land West 5400 Chy prints of
hills sloping South
Remains level

Set 3rd rate

Greenwood bush

East on a line true ber
sec 2 13 5

2013' 38' E

4000 Set a post for 1/4 sec cor
with mound and pits
as per instructions

Smith Boundary Tp 1 R 2 E

Gate and Salt River Meridian

8000 Set apart for cor to sec 1 & 2, 35136
with mound and pits
as per instructions
Land level and rocky slo-
ping Smith
Inl 3rd rate
Greasewood

East mature line bet
sec 1 & 36
in 13°38' E

4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8000 Set apart for cor to Townships
1 & 2 Ranges 3 & 4 E
with mound and pits

East Boundary 7th 1st R 3rd E

Great Salt River Meridian

Chs as per instructions

Sand huck

Orch 3rd rate

Greenwood and mesquite

I begin as per to Township
1st 2nd Ranges 3rd 4th E and run

North on Range line bet
secs 31 & 36

on 13° 38' E by
Solar Compass

4th sec Sec a part for 4th sec
with corner and pits
as per instructions

8th sec Sec a part for cor to sec 25-36
30 & 31 with corner and

East Boundary T_p 1 Q_R 3 E₃

Go to Salt River Meridian

Chs pits as per instructions
 Land level
 Inl 2nd rate
 Greasewood and mesquite

North bearing 25° 30'
 Va 13° 08' E. ascend

37.100 To foot of spur of mountain
 bears N E & SW. Ascend

42.00 Set a post for 1/4 sec cor
 with mound and pits
 as per instructions

46.00 Descend

49.00 To foot of same bears N E & SW

80.00 Set a post for cor to sec

101. East Boundary BOOK 1480

Sp 1 & Range 3 &

Great Salt River Meridian

Chs 24425719730 with mound and
pits as per instructions

Land North & South parts level.

1st 2nd rate

Middle part spur of mount.
aim trending NE

1st 3rd rate

Land West of line mountainous
unfit for cultivation bears Nth

Greasewood and mesquite

North bet secs 19 & 24
7a 13' 38' E

4000 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8000 Set a post for cor to sec 13 24

East Boundary T_p 1 SR 3 E

Gita Ed Salt River Meridian

Chs 18779 with mound and
pits as per instructions
Land level

but 3rd rate

Greasewood sage brush and
scattering mesquite
Land out of line mountainous
and unfit for cultivation

North line sec^s 13 778
N 13 38' E

4420 Serapunt fir 4 sec cir
with mound and pits as
per instructions

8000 Serapunt fir cir to sec^s 12 & 13,
7778 with mound and pits
as per instructions

East Boundary Tp. 1 SR 3 E

Gila Ed Salt-River Meridians

Chs Land level
 One 2nd rate
 Greenwood, sage brush and
 scattering Mesquite

North bearing 7 1/2
 (or 13° 38' E)

14100 Foot of mountain bears E & W.
 Ascend

4000 Set a line 24 + 12 + 8 for 1/4
 rec on or top of ~~both~~ ridge
 bears E and west as per
 instructions
 Descend

8000. Set a post for center of 11267
 with mound and pits as

East Boundary Tp 1 SR 3 E

Gita and Salt-River Meridian

Chs per instructions at base of mountain
bearing West + SE
Land south 1/4 sec rolling
Remainder North and South slopes
of mountain
Sol 3rd rate
Greasewood

North 1/4 sec 1 + 6
7a 13th 38' E

4000 Separated from 1/4 sec cor
with mound and pits
as per instructions

8011 Intersect Gita and Salt-River
Base line 6.03 Chs west of
Standard cor to Township
1 N Ranges 3 + 4 E

East Boundary Tp 1 SR 3 E

Gita Salt River Meridian

Chs Set apart for closing out
 5 Townships 1 Range 3 1/4 E
 with owned and pets as
 per instructions

Land gradually sloping North
 for 2 1/2 to 3 rods

Greenwood and sage brush

May 11, 1868

17

Field Notes of the survey of
the Exterior Boundaries of
Township 1 S Range 4 E
of the Latahd Salt River
Meridian in the Territory
of Arizona by Wilfred F.
Sugall, Deputy Surveyor
under his contract bearing
date of 18th day of
February 1868

Copied for Washington D
E. C. Harley

South Boundary T^p 18R 4E

Uta End Salt River Meridian

Chs 2 begin at the established
cor to Townships 172 South
Ranges 344 E and run

East on a true line on
Unit Boundary of Sec 31
T^p 13045th E as per
Solar Compass

38.77 Set a post for 1/4 sec cor
with mound and pits
as per instructions

78.77 Set a post for cor to sec 35.6,
31722 with mound and
pits as per instructions
Land gradually sloping
South End East
Soil quit rate
Greasewood End Sage brush

South Boundary Tp 18 R 4 E

Gila and Salt River Meridian

Ch East on a true line on
South Boundary of sec 32
Ta 13045 E

5:00 a Road bears N E + SW

8:50 " " " " "

4:00 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8:00 Set a post for cor to sec 5 1/2
32 + 33 with mound and
pits as per instructions
Land gradually sloping East
Soil generally sub soil
Measure and sage brush

East on a true line on South
Boundary of sec 33
Ta 13045 E

South Boundary Sp 1² R 4E

Old End Salt River Meridian

- 40.00 Set a post for 1/4 sec cor
with mound and pits
as per instructions
- 59.50 Road to Fort McDowell Camp
N E + SW

80.00 Set a post for cor to sec 3, 4,
3 3 1/4 with mound and
pits as per instructions
Land level
Inl 2nd rate
Mesquid and scattering
mesquite brush

East on a true line on
South Boundary of sec 34
T¹ R¹³ S⁴⁵ E

40.00 Set a post for 1/4 sec cor

6⁹ South Boundary
Sp 1 S Range H E

BOOK 1480

Gila Salt River Meridian

Ch with mound and pits
as per instructions

8000 Set a post for cor to sec
2.3.34 35 with mound and
pits as per instructions

Level level

One 2nd + 3rd rates

Scattering greasewood and
mesquite bush

East on a true line on
South Boundary of sec 35
7a 13³⁰ 45¹ E

4000 Set a post for 1/4 sec cor with
mound and pits as per
instructions

6000 Enter Mesquite Thicket
bear N E + SW

Smith Boundary Tp 18 R 4E

Gita Hall-Rice Meridian

8000 Separat for art sec 1, 2,
35 & 36 with mound and
pits as per instructions
Land level
Incl sub date
Mesquite and greasewood brush

East on a true line on
South Boundary of sec 36
70° 13' 45" E

5000 Leave Mesquite Thicket bears 71 E & SW

4000 Separat for 1/4 sec cor with
mound and pits as per
instructions

8000 Separat for art Township 18
S Range 4 & 5 E with mound and
pits as per instructions

East Boundary Tps 1 & 2 R 4 E

Watauga Salt River Meridian

Ch. Sand levels
Soil 2nd rate
Mesquite and greasewood brush
May 14, 1868

From the cor to Tps 1 & 2 R
Ranges 4 & 5 E I run
North on East Boundary
of Sec 36
by 137° 45' E by
Solar Compass

25.00 Enter Mesquite Thicket bears N E & SW

40.00 Set a post for 1/4 sec cor with
mund and pits as per
instructions

45.00 Leave Mesquite Thicket
bears N E & SW

East Boundary T₁ 18 Range 4 E

Gulch East River Meridian

8000 Beraport for cor to sec^s 25, 26,
 27 & 28 with mound and
 pits as per instructions
 Sand level
 One 2nd & 3rd rates
 Mesquite and greasewood bush

North on East Boundary
 of sec 25
 T₁ 13 & 13 - 1 E

4000 Beraport for 1/4 sec cor
 with mound and pits
 as per instructions
~~Sand level~~
 One 2nd

8000 Beraport for cor to sec^s 24 & 25,
 19 & 20 with mound and pits
 as per instructions

East Boundary Tp 18R 4E

Gila Ed Salt River Meridian

Obs Land level
One 2nd 13th rule
Scattering mesquite brush

North on East Boundary
of sec 24

2a 13° 45' E

4000 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8000 Set a post for cor to sec
13, 24, 18 & 19 with mound and
pits as per instructions
Land level
One 2nd 13th rule
Scattering mesquite and
greasewood brush

East Boundary T¹b 18 R 4 E

Line East Salt River Meridian

Ch₁ North on East Boundary
of sec 12
3/4 13° 45' E

4420 Set a post for 1/4 sec cor-
with mound and pits
as per instructions

79.00 Ft. McDowell Road bears N E + SW

8220 Set a post for cor to sec^s 12, 13,
7 & 8 with mound and pits
as per instructions

Land level

Dial and 7th rates

Merquite and greasewood bush

North on East Boundary
of sec 12
3/4 13° 45' E

East Boundary T₁ 18 R 4 E

Gila and Salt River Meridians

4000 Set a post for $\frac{1}{4}$ sec cor
with mound and pits
as per instructions

8000 Set a post for cor to sec^s
11, 12, 6 & 7 with mound and
pits as per instructions
Land level
Dirt sub grade
Greasewood and mesquite

North of East Boundary
of sec 1
T₁ 13 R 4 S 1 E

4000 Set a post for $\frac{1}{4}$ sec cor
with mound and pits
as per instructions

79.65 - Natural Gila and Salt

East Brundage T18R4E

Gila and Salt River Meridian

Obs River Base True 9.44 ch
West of the Standard Cor
to ~~own~~ Townships 1 North
Ranges 4 + 3 E
Set a post for dining cor
to Townships 18 Ranges 4 + 3 E
with mound and pits
as per instructions
Land level

Soil 2nd rate
Mesquite and greasewood
brush

May 15, 1868.

Field Notes of the Survey of
the Exterior Boundaries of
Township 1 S Range 5 E
of the Gila and Salt River
Meridian in the Territory
of Arizona by Alfred J. Dugall's
Deputy Surveyor under
his Contract bearing date
of 18th day of February
1868

Photo L. B.
Copied for Washington
E. C. Stanley

Smith Boundary Tp 1 SR 5 E

Gita & Salt River Meridian

Chs. From the established cor to
Townships 1 & 2 S Ranges
4 & 3 E 2 run

East on a true line on
South Boundary of sec 31
T¹ R⁴ E by Solar
Compass

38.11 Sera put for 1/4 sec cor with
mound and pits as per
instructions

78.11 Sera put for cor to sec 30.6.
31 T¹ R² with mound and
pits as per instructions
Land level
Dial and T³ rates
Mesquite and greasewood
bush

South Boundary Twp. 18 R 5 E

Gila Ed Salt River Meridian

4000 East on a true line on
South Boundary of sec 32
ra 13040 'E

4000 Set a post for $\frac{1}{4}$ sec cor-
with mound and pits
as per instructions

8000 Set a post for cor to sec 41, 5,
32 & 33 with mound and
pits as per instructions
Land level

Out 2nd 13000 rates

Sage brush, greasewood and
scattering mesquite

East on a true line on South
Boundary of sec 33
ra 13040 'E

South Boundary Tp 18R 5E

Gila Salt River Meridian

33.00 A Road bears $N 30^{\circ} E + 830m$.

40.00 Set a post for $1/4$ sec cor
with mound and pits
as per instructions

77.57 A Road bears $N 20^{\circ} W + 820'$ of

82.00 Set a post for cor to sec 34.

33134 with mound and
pits as per instructions

Land level

Out 2nd rate

Greewood and sage brush

East as a true line on
South Boundary of sec 34
 $N 13^{\circ} 40' E$

40.00 Set a post for $1/4$ sec cor

6^{1st}

BOOK 1480

BOOK 1480

South Boundary Tp 18R5E

Ida Edsall River Meridian

cls - with mound and pits
as per instructions

8200 Set a post for cor to sec 2, 3, 34
T35 with mound and pits
as per instructions

Land level

One 2nd T35th rates

measured, sage and
mesquite brush

East on a true line on
South Boundary of sec 35
7a 1340' E

35.111 Road bears N E 2 W

4400 Set a post for 4 sec cor
with mound and pits
as per instructions

South Boundary Tp 18 R 5 E

Wula^{and} Salt-River Meridian

8220 Serapunt fir cor^a sec^s 35 & 36.
 1, 2, 35 & 36 with mound and
 pits as per instructions
 Land quite rolling
 Soil subst 3rd rates - sandy
 Greasewood & Sage brush and
 scattering mesquite

East or a true line on
 South Boundary of sec 36
 Ra 13° 40' E

4420 Serapunt fir 1/4 sec cor
 with mound and pits
 as per instructions

8220 Serapunt fir cor^a Townships
 1 & 2 Ranges 5 & 6 E
 with mound and pits
 as per instructions

East Boundary Tps 18 R 5 E

Gila and Salt River Meridian

On Land gently rolling
Soil 3rd cuts - sandy
Greasewood and sage brush
and scattering mesquite "

May 26, 1868

From the cor to Township 17 S
Range 5 + 6 E I run

North on Range line on East
Boundary of sec 36

To 1340' E by solar
Compass

4th cor Set a post for 1/2 sec cor with
monument and pits as per
instructions

8th cor Set a post for cor to sec 25:36,
30 + 31 with monument and
pits as per instructions

East Boundary Tp 18 R 5 E

Between Salt River Meridian

Chs Land level sandy
 Soil 3rd rate
 Greasewood and sage brush

North on East boundary of
 Sec 25

7a 1374' E

4000 Set apart for 1/4 sec cor
 with mound and pits
 as per instructions

5000 Set apart for cor to sec 24, 25,
 19 & 20 with mound and
 pits as per instructions
 Land gently rolling
 Soil 3rd rate sandy
 Greasewood and sage brush
 Scattering Mesquite "

6/23

BOOK 1480

East Boundary Tp 18R5E

Old Salt River Meander

Chs North on East Boundary of
Sec 24
T₁₈R₅E

40.00 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8.00 Set a post for cor to sec 13, 24
1879 with mound and pits
as per instructions
Sand level
at 3rd rate
Mearwood and scattering
mesquite brush

North on East Boundary of
Sec 13
T₁₈R₅E

East Boundary of 1885 E

La Grange River Mendocino

40.00 Per a post for 1/4 sec cor with mound and pits as per instructions

80.00 Per a post for cor to sec 12, 13, 14 & 18 with mound and pits as per instructions

Land level

Oil 3rd rate

Grasswood, sage brush and scattering Mesquite "

Scattering Cacti

North on East Boundary of sec 12

3a 13040' E

40.00 Per a post for 1/4 sec cor with mound and pits as per instructions

East Boundary Tp 18 R 5 E

Gila and Salt River Meridian

80.00 Set a post for cor. to sec 1, 12,
6 + 7 with mound and pits
as per instructions
Sand level
Oil 2nd $\frac{1}{2}$ rates
Greenwood, sage and
scattering mesquite, bush
" cacti

North on East Boundary of
Sec 1
Ta 1 $\frac{3}{4}$ 40' E

40.00 Set a post for $\frac{1}{4}$ sec cor
with mound and pits
as per instructions

80.63 Subsect Gila and Salt River
Base line S. H 2 Ch, West
of the Standard cor to

East Boundary T^o 18 R 5 E

Gila Ed Salt River Meridian

Chs Townships 1² Ranges 5⁴ E
 Set apart for closing corner
 of Townships 15 Ranges 5⁴ E
 with mound and pits as
 per instructions

Land level

Dir 3rd rate

Measured, pegged & catterung
 mesquite brush

May 27, 1868

Field Notes of the survey of the
 Exterior Boundaries of
 Township 2 Range 2 E
 of the Gila and Salt River
 Meridian in the Territory
 of Arizona by Wilfred H.
 Ingalls Deputy surveyor
 under his contract bear-
 ing date of 18th day of
 February 1888

Platted L.S.

Copied for Washington
 E. C. Harley

West
~~East~~ Boundary 76 2 SR 2 E

Gila and Salt River Meridian

Ch. I begin at the established
 cor to Townships 1 & 2 S
 Ranges 1 & 2 E and run

South on Range line bet
 sec 5 & 6

On 13⁰ 20' E by Solar
 Compass

4000 Set a post for 1/4 sec cor
 with mound and pits
 as per instructions

8000 Set a post for cor to sec 5 & 6.
 6 & 7 with mound and pits
 as per instructions
 Land level. Soil 1st 2nd rates
 Sage, Greasewood and
 Mesquite bush

4, 21

West Boundary Tp 12 R 2 E

Flat Salt River Meridian

Ch. South base sec 7 & 12
T 12 R 20' E

~~4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions~~

23.00 A slough 571 lks wide runs NW
30.00 Leave River Bottoms bears NW 1/4
Enter mesa

4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8000 Set apart for cor to sec 7, 12,
13 & 18 with mound and
pits as per instructions
Land level except mesa
which is rolling

West Boundary 5th 1st R 2nd E

Gila Salt River Meridian

Obs Soil 2nd 13th rate
 Greasewood, mesquite and
 Sage brush

South bearing 13° 18'
 ra 13° 20' E

4th 1st R 2nd E
 firaport for 4th 1st R 2nd E
 mound and pits as per
 instructions at base of mount-
 ain suitable for cultivation
 bearing NW + SE
 Land rolling mesa
 Soil 3rd rate
 Greasewood and Sage brush

2 begins at cor to Township 1st 2nd S
 Range 2nd 3rd E and run
 South on Range line bearing 13° 18'
 ra 13° 20' E by Solar Compass

6 129A

BOOK 1480

East Boundary 7p x SR 2 E

Set a point on Meridian

4000 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8000 Set a post for cor to sec
1, 12, 6 + 7 with mound and
pits as per instructions
Level level
One 2nd note
Mesquite and sage brush

South bet secs 7 + 12
7a 13020 E

40100 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8000 Set a post for cor to sec 12, 6.

East Boundary Tp 22R 2E

Gila Salt River Meidion

chs 7+18 with mound and pits
as per instructions
Land gently rolling
Soil sandy 2nd rate
Mesquite and sage brush

South bet sec^s 13+18
on 13000' E

4000 feet apart for 1/4 sec cr
with mound and pits
as per instructions

8000 feet apart for cr to sec^s 13, 14,
18+19 with mound and
pits as per instructions
Land level. Soil 2nd rate
Mesquite, greasewood and
sage brush

8^{1/2}

BOOK 1480

East Boundary Tp 1 NR 2 E

Guard Salt River Meridian

Ch. South by sec 19 + 24
ra 13⁰⁰ 'E

4000 Set apart for 1/4 section
with mound and pits
as per instructions

8000 Set apart for cuts sec 24, 25,
19 + 20 with mound and pits
as per instructions

Land line

On 2nd rate

Greasewood, Mesquite and
Sage brush

South by sec 25 + 30
ra 13⁰⁰ 'E

. 80 Road from Moberly to Maricopa
Wells bears NW + SE

East Boundary Tp 7 SR 2 E

Gila and Salt River meander

4000 Aslough 200 ch wide bears
E + W

Enter River bottoms bears E + W

17.50 An ancient Escal 100 ch wide bears N E + SW

2000 Road from Wickenburg to mar-
icopa wells bears N E + SW

4000 Seraput fir 1/4 section with
mound and pits as per
instructions

52.00 Gila River 3/4 ch wide runs West
Leave " Bottoms.

8000 Seraput fir cut to sec 25, 36,
30 + 31 with mound and pits
as per instructions

Sand North of river level Bottoms 1st rate

" South " " " 2nd rate

North of now Cottonwood and

70-132

BOOK 1480

East Boundary Sp. 1 & R 2 E

Great Salt Plain Meridian

Clear Willow brush and a dense growth of arrowweed
Swards of rice mesquite

South line sec 31 T36
R13 S20 E

40.000 Separat for 1/4 sec cor
with mound and pits
as per instructions

61.000 Road from Mancoska Wells
to Weckenburg bears N20°W 820' E

87.000 Separat for cor to Townships
24 S & Ranges 24 E with
mound and pits as per
instructions

Land rolling. Soil 2nd rate
mesquite and sagebrush

fruits Bounded by T₁ SR 2E

Gila and Salt River Meridians.

Ch₂ From the corner sec^s 2 & 3 S Range
2 & 3 E 2nd Run

West on true line bet sec^s
1 & 6

70° 13' 20" E by Solar Compass

40.00 Set apart for 1/4 sec^s corner
with mound and pits
as per instructions

80.00 Set apart for corner to sec^s 1 & 2,
35 & 36 with mound and
pits as per instructions

Land bush

On the 2nd side

Merquite and sage brush

West on true line bet

sec^s 2 & 3

70° 13' 20" E

134

South Boundary T^h R 2 E

Go to Salt River Meridian

4000 Set a post for 1/4 sec cor with mound and pits as per instructions

8000 Set a post for cor to nos 2, 3, 34 + 35 with mound and pits as per instructions

Land level

Oil 2nd rate

Merquite brush

West on a true line bet
sec 2 + 3 + 4
7a 13 20 'E

4000 Set a post for 1/4 sec cor with mound and pits as per instructions

South Boundary to 2SR 2 E

Gita Salt-River Meridian

67.000 A salt-rough 69 lks wide
bears N E S W

8000 Scrap for articles 3 H,
3 B + 1 A with mound and
pits as per instructions
Land level
Inl 300 rods
Mesquite and Sage brush

Next on a true line
bears N 41° 32'
to 13° 20' E

15.000 Foot of ^{rolling} mesa bears N 20° W + S 20° E
Gradually ascend

41.000 Scrap for 1/4 acre with
mound and pits as per
instructions

74 1/2

BOOK 1480

South Boundary T^o 2nd R 2 E

Gile and Salt River Meridian

80.000 Acraput fir cut to sec 4, 5,
 2 2 7 3 with mound and pits
 as per instructions at base
 of mountain scrub fir cul-
 tivation bearing 72° W + 52° E
 Land East 15.000 chs level

Remnants rolling mesa slo-
 ping NE

One 200 1300 notes

Yucca, Sage brush and
 scattering cactus

June 6, 1868.

Field Notes of the Survey of the
• Exterior Boundaries of
Practical

✓ Township 3 S Range 2 E
of the Gila and Salt River
Meridian in the Territory
of Arizona by Alfred H.
Jugalls Deputy Surveyor
under his Contract of
18th day of February 1868

Platted L.S.

Copied for Washington
E. C. Harley

East Boundary T¹ B 3¹ S Range 2 E

Gila and Salt River Meridian

Chs I begin at the established cor
to Townships 2 T¹ B 3¹ S Ranges
2 + 3 E and run

South on Range line between
secs 1 + 6

(α 130° 30' E by Solar Compass)

4400 Set apart for 1/4 sec cor with
mound and pits as per
instructions

6600 A Road bears NW + SE

8000 Set apart for cor to secs 11, 12, 6 + 7
with mound and pits as
per instructions

Land level. Soil 2nd rate
Mesquite - very dense

434 East Broadway 7p2 BR 2E

Gila Est Salt River Meridian

Ch. South bet sec 7 & 12
T_a 13030' E

4000 Set apart for 1/4 acre
with mound and pits
as per instructions

8000 Set apart for acre to sec 12, 13.
7, 18 with mound and pits
as per instructions
Land level
Soil sub site
Scattering Mesquite brush

South bet sec 13 & 18
T_a 13030' E

720 A slough 60 ft wide bears E for

East Boundary Tp 3 R 2 E

Gila Ed Salt River Meridian

4020 Sera part for 1/4 sec cor
with mound and pits as
per instructions

8220 Sera part for cor to sec^s 13, 24,
18 & 19 with mound and pits
as per instructions

Land level - north & south parts
2nd rate

- middle part - wet 3rd rate

Scattering Cottonwood
Mesquite brush

South bet sec^s 19 & 24
ra 13⁰⁰ 30' E

4020 Sera part for 1/4 sec cor
with mound and pits as
per instructions

East Boundary Tps 21 R 2 E

Gila Salt River Meridian

48.20 Road from Mancopa Wells
to Fort Yuma bears N 65 W
Mancopa Wells lie \pm immediately
on the southerly side of this road
about $1\frac{3}{4}$ miles NE

80.00 Set apart fir cor to sec 24, 25
1980 with mound and pits
as per instructions
Soil level - alkali
Soil 3rd rate - good grass
Scattering mesquite

South bet sec 25 & 30
T 21 R 2 E

40.00 Set apart fir 1/4 sec cor
with mound and pits
as per instructions

East Boundary T³ SR 2 E
 Gila Salt River Meridian

8000 Serapmt for corr to sec 25, 36, 36
 T³ 1 with mound and pits
 as per instructions
 Land level
 Soil and salt
 Scattering Mesquite

South lot sec 31 T³ 6
 Ra 13030 'E

4000 Serapmt for 1/4 sec corr
 with mound and pits as
 per instructions

8000 Serapmt for corr to Townships
 30 & 31 Ranges 2 & 3 E
 with mound and pits
 as per instructions
 Land level, Soil and salt
 Mesquite and sage brush

8742

BOOK 1480

South Boundary T^{ps} 3 & 4 R 2 E

Old End Salt River Meridian

Ch The cor to Townships 3 & 4 S Ranges
1 & 2 E not having been es-
tablished I begin at the cor
to Townships 3 & 4 S Ranges
2 & 3 E and run

West on a true line on
South Boundary of sec 36,
T^{ra} 13 S 5 E by
Solar Compass

4000 feet a post for the cor
with mound and pits as
per instructions

5000 feet a post for cor to sec 1, 2,
3 & 36 with mound and pits
as per instructions
Land level. Soil good to no rates
Sage and mesquite brush
June 16, 1888

South Boundary 7p 28 R 2 E

Gila and Salt River Meridian

Chs West on a true line on South
Boundary of sec 25
Ta 13° 25' E

4000 Set a post for 1/4 sec corner
with mound and pits
as per instructions

8000 Set a post for corner to sec 2, 3,
34 & 35 with mound and
pits as per instructions
Land sloping gradually East
Soil 3rd soil
Mesquite and sage brush

West on a true line bet
secs 3 & 4
Ta 13° 35' E

10144

BOOK 1480

South Boundary Tp 3 SR 2 E

Line Ed Salt-River Meridian

40.00 Set a post for 1/4 sec cor
with mound and pits
as per instructions

80.00 Set a post for cor to sec 3, 4,
3 3 3 4 with mound and
pits as per instructions
Land gradually slopes East
Soil 3-4
Mesquite and sage brush

Meridian line on
South Boundary of sec 3 3
Ta 130 35' E

34.00 Road from Mancipia Wells to
Fort Gunn bears NE 2 SW

40.00 Set a post for 1/4 sec cor

BOOK 1480

South Boundary 7p 3 SR 2 E

Gda Ed Salt-River Meridian

Chs with mound and pits as
per instructions

8000 Set a post for ac 416;
32 + 33 with mound and
pits as per instructions

Land rolling mesa sloping East
Soil 3rd rate

Palo verde and greasewood
bush & scattering cactus

Next culture line on
South Boundary of sec 22
70 18 30 E

~~40,000~~ Set a post for 1/4 ac cr at
foot of mountains except for
cultivation with mound and
pits as per instructions

15-146

BOOK 1480

Anti Boundary to S R & E

Gila & Salt River Meridian

Land rolling mesa dipping E
Soil & water

Palo verde, greasewood and
Scattering cactus.

On account of high mountains
I can extend this line no
further

June 14, 1888