

1530

See Index <sup>in</sup>  
1530  
Field Notes

BOOK 1530

of the survey of the Exterior  
lines of Townships 18 S.  
ranges 12, 13 and 14 E,  
of the Gila and Salt  
River, Meridian. Arizona.  
Executed by Theo. F. White  
U.S. Dep. Sur. under his  
contract dated Oct. 14, 1872.  
Survey commenced Dec. 19, 1872.  
Survey completed Dec. 28, 1872.  
See notes of "Conoa Land Grant"  
for closing lines on East & South  
Border of T. 18 S., R. 13 E.

BOOK 1530

15-30

Index

BOOK 1530

South and West Bchis - of -  
T. 188; R. 12 E

South and East Bchis - of -  
T. 188; R. 13 E -

South and East - Bchis - of -  
T. 188; R. 14 E.

See notes of ~~the~~ "Canoe Land  
Grant" for closing lines on  
East & South Bchis of T. 188.,  
R. 13 E.

Preliminary Oaths of Assistants.

I,  
do solemnly swear that I will well and truly perform the duty of a  
Compassman, according to instructions given me, to the best of my skill and ability.

Subscribed and sworn to before me, this

1877

U. S. Deputy Surveyor

We, *L. G. Reynolds*  
*John Robbins*

do solemnly swear that we will faithfully execute the duty of Chain Carriers; that we will level the chain upon

do solemnly plumb the tally pins, whether by sticking or the same; that we will report the true distance to the objects, and the true length of all lines, that we in measuring, to the best of our skill and ability.

*L. G. Reynolds*  
*John Robbins*

Subscribed and sworn to before me, this 16<sup>th</sup> day of  
November 1877

U. S. Deputy Surveyor.

*J. G. W. Caffery*  
Notary Public

I, *W. W. Davis* & *R. A. Vayoz*  
do solemnly swear that I <sup>we</sup> will well and truly perform the  
duties of *Surveyor* & *Assessor*, respectively,  
according to instructions given <sup>us</sup> me, and to the best of my  
skill and ability.

*W. W. Davis*  
*R. A. Vayoz*

Subscribed and sworn the be before me, this *16*  
day of *December* 18*77*

*U. S. Deputy Surveyor.*

*J. C. McCarroll*  
*Notary Public*



En. White & Co.

18512 E - 5 - 1 1/2 M. B. ...

18513 E - 5 - 5 - ...

18514 E - 5 - 5 - ...

BOOK 1530

Index

S Bay	T	185	R	12E.	1
W	"	"	185	"	12E. 7
S	"	"	185	"	13E. 14
E	"	"	185	"	13E. 20
S	"	"	185	"	14E. 27
E	"	"	185	"	14E. 33



S. Boundary of Township 18 S. range 12 E.

Edw. Salt River Meridian

From the cor. to townships 18 and  
19 S. ranges 12 and 13 E.

which cor. I found as established  
a post in mound and no trees  
near, Iron

West. true line betwees 1836  
on  $12^{\circ}58'$  East

(As per transit observations of Polaris)

39.00 Spruce 20 lbs wide iron S. of E.

40.00 Amesquite tree 3 in. dia. which I  
mark as per instructions for '4  
see. cor. No trees near.

80.00 Set post in mound a perch  
with pits as per instructions  
for the cor. to see 1. 2. 35  
and 36. No trees near.

Sand rolling. Soil 2<sup>o</sup> rate.  
No timber.

2  
S. Boundary of Township 18 S. range 12 E.

Line Salt River Meridian  
West on true line between sec  
2 & 35.

var 12° 58' E

36.00 Driven 20 lbs wide run  
S. of E.

40.00 Set post in mound of stones  
as per instructions for 1/4 sec.  
cor. No trees near.

80.00 Set post in mound of  
stones as per instructions for  
the cor. to sec 2, 3, 34  
and 35. No trees near.  
Land rolling & barren.  
Soil F. rate. No timber.



S. Boundary of Township 18 S. range 12 E.

Line 4. Salt River Meander

See West on true line between sees  
3 and 34.

on  $12^{\circ}58'$  East.

40.00 Set post in mound of earth  
with pits as per instructions  
for sec. cor.

No trees near.

80.00 Set post in mound of  
earth with pits as per in-  
structions for the cor. to  
secs. 3, 4, 33 and 34.

No trees near.

Land rolling. Soil good  
for grass. No timber.

S. Boundary of Township 18 Range 12 E.

Sec 4 Salt River Meander  
 Sec. West on true line between secs

4 5 33

var 12° 58' East

10.00 Dry creek 15 lbs wide runs S.E.

40.00 Set post in mound of earth  
 with pits as per instructions  
 for 4 sec. cor. No trees near.

80.00 Set post in mound of stones,  
 on steep rock S.E. slope,  
 as per instructions for the cor.  
 to secs 4, 5, 32 and 33.

No trees near.

Land rolling and broken.

Soil 3<sup>rd</sup> rate.

No timber.

S. Boundary of Township 18 S. range 17 E.

6th & Salt River Meridian

to West corner line between sec

5<sup>th</sup> & 32

or 12° 58' East

5.00 Line runs over high rock point  
of mountain, extending N. & N.E.

17.00 Dry creek 20 lvs wide, runs S. E.

40.00 Set post in mound of stones as  
per instructions for 14 sec. cor.

No trees near

48.00 Dry creek 12 lvs wide runs S. E.

80.00 Set post in mound of stones  
as per instructions for the cor.  
to secs. 5, 6, 31 and 32.

No trees near.

Land broken.

Soil 3<sup>rd</sup> rate.

No timber.

S. Boundary of Township 18 S. range 12 E.

Side of Salt River Meridian

As West on true line between sec

6 & 31.

at  $12^{\circ} 58'$  East

15.10 Dry creek 20 lbs wide runs S. E.

40.00 Set post in ground of earth  
with pits as per instructions for  
true cor. No trees near.

And allowing 89 lbs as the  
calculated convergence of  
meridians from the 4<sup>th</sup> Stand-  
ard Parallel to this point, at

79.11 Marked a stone  $7 \times 7 \times 10$  in,  
in mound of stones, as per  
instructions for the cor. to  
Townships 18 and 19 S. ranges  
11 and 12 E.

No trees near.

Land broken. Soil 3<sup>rd</sup> rate.

No Timber.

W. Boundary of Township 18 S. Range 12 E.

Gila and Salt River Meridian

From the cor to townships 18  
and 19 S. ranges 11 and 12 E.  
Town

North between secs 31<sup>1</sup>/<sub>2</sub> 36.

var 12° 58' East

(As per S. boundary)

20.00 Dug creek 20 lbs wide am S. of E.

40.00 Set post in mound of earth  
with pits as per instructions  
for sec. cor. No trees near.

70.50 Dug creek 12 lbs wide am S. of E.

80.00 Set post in mound of earth with  
pits as per instructions for the  
cor. to secs 25<sup>1</sup>/<sub>2</sub>, 30, 31<sup>1</sup>/<sub>2</sub> 36.

No trees near.

Land rolling. Soil 2<sup>o</sup> rate.

Some grass.

November.

W. Boundary of Township 18 Range 126.  
 Sida & Salt River Meander  
 On North between secs 25 & 30  
 on 12° 58' East

40.00 Set post in mound of earth  
 with pits as per instructions  
 for 4 sec. cor. No trees near.

80.00 Set post in mound of earth  
 with pits as per instructions  
 for the cor. to secs. 19, 24  
 25 and 30. No trees near.

Land calling.

Soil good for grass.

No timber.

W. Boundary of Township 18 Range 2 E.

1/4 Sec 2 Salt River Median  
 line North between secs 19 & 24  
 var  $12^{\circ} 58'$  East.

15.00 Dr. per sec 12 lbs. wide, runs S.E.

40.00 Set post in mound of earth  
 with pits as per instructions for  
 base cor. No trees near.

46.00 Dr. per sec 30 lbs. wide, runs S.E.

80.00 Set post in mound of earth  
 with pits as per instructions  
 for the cor. to secs 18, 19,

13 and 24. No trees near.  
 Land rolling & broken.

Soil good for grass.

No timber.

W. Boundary of Township 18 Range 12 E.  
 Sec 2 Salt River Meander  
 to North

between sec 13 & 18

and 12° 58' East

- 20.00 Dry creek 15 ft wide, runs S.E.
- 40.00 Set post in mound of earth  
 with pile as per instructions for  
 1/4 sec. cor. No trees near.
- 80.00 Set post in mound of earth  
 with pile as per instructions  
 for the cor. to sec 7, 12, 13  
 and 18. No trees near.
- Land rolling.  
 Soil 2<sup>nd</sup> rate.  
 No timber.



W. Boundary of Township 18 Range 12 E.  
 Ed. Salt River Meander  
 to North

between sec 7 and 12

at  $12^{\circ} 58'$  East

- 13.00 Dry creek 20 ft wide runs E.  
 16.00 Dry creek 15 " " " E.  
 40.00 Set post in mound with pits  
 as per instructions for 4 sec.  
 cor. No trees near.  
 47.00 Dry creek 30 ft wide runs S. of E.  
 80.00 Set post in mound of earth  
 with pits as per instructions for  
 the cor. to sec 1, 6, 7 and  
 12. No trees near.  
 Land broken..  
 Soil good for grass.  
 No timber.

N. Boundary of Township 18 Range 12 E.  
 1/2 Sec 2 Salt River Meadow  
 to North, on random line  
 between sec 1 & 6.

and 12° 58' East.

100.00 Surveyed 1500 wide runs S. E.

40.00 Set post for temporary 1/4 sec. cor.

80.15 Intersect N. Boundary 1200 W.  
 of cor. to townships 17 and 18  
 S. ranges 11 and 12 E., from  
 which cor. down  
 S. 85° W.

on true line between sec 1 & 6.

and 12° 58' East.

40.15 Set post in mound of earth  
 with pins as per instructions  
 for 1/4 sec. cor. No trees near

80.15 The cor. to sec 1, 6, 7 and 12.  
 Land calling - Soil good for grass.  
 No timber.

December 19, 1872

## General Description

The S. Boundary of the township passes over rolling and in places broken ground, mostly good for pasturage.

The W. boundary passes over much the same kind of a surface; the grazing however is better, especially in the northern part of the line where it is excellent.

There is no timber of any consequence along the boundaries of this township.

Theo. F. White

U.S. Dep. Surveyor

S. Boundary of Township 18 Range 13 E.  
 Line of Salt River Meridian  
 No East.

on line between sec 6 & 31

or 12° 58' East

(as per transit observations of Polaris)

14.00 Dry creek 10 lbs and 1 mm S of E.

37.50 do 40 " " " S of E.

And allowing 89 lbs as the  
 calculated convergence of  
 meridians - at

39.11 Set post in mound of earth  
 with pits as per instructions  
 for 4 sec. cor. No trees near.

49.11 Set post in mound of earth  
 with pits as per instructions  
 for the cor. to sec 5, 6, 31

and 32. No trees near.

Land calling. Soil 2<sup>d</sup> rate.  
 November.

S. Boundary of Township 18 S. Range 13 E.

Sec 2 Salt River Meridian  
Co East

on true line between sec 5 & 32  
var 12° 58' East

40.00 Set post in mound of earth  
with pits as per instructions  
for 1/4 sec. cor. from which  
A Mesquite 4 in. dia. bears N. 85 1/2° W. 31 kts. dist.  
No other trees near

80.00 Set post in mound of earth  
with pits as per instructions  
for the cor. to sec 4, 5, 32  
and 33. No trees near.

Land rolling,  
Soil 2<sup>o</sup> rate,  
Scattering trees.

S. Boundary of Township 18 S. Range 13 E.

Ed. 7 Salt River Meridian

No East on true line between  
secs 4 and 33

or  $12^{\circ} 58'$  East.

40.00 Set post in ground of earth  
with pits as per instructions  
for 4 sec. cor. No trees near.

80.00 Set post in ground of earth  
with pits as per instructions  
for the cor. to secs 3. 4.  
33 and 34.

No trees near.  
Land rolling.  
Soil 2<sup>nd</sup> rate.  
No timber.

S. Boundary Township 18 Range 13 E.

Eda's Salt River Meander  
No East-trend line between

secs 3 and 34

var.  $12^{\circ} 58'$  East

20.00 Road from Tucson to Tubac and  
Sonora bas N. and S.

39.00 Santa Cruz river, 3 chs wide,  
runs N.

40.00 Cor. comes in bed of river; I therefore  
set post in mound of earth with  
pits as per instructions, 2.50 chs W.  
of this point, for witness  $\frac{1}{4}$  sec.  
cor. - on bank of river.  
Notes near.

80.00 Set post in mound of earth with  
pits as per instructions for the  
cor. to secs. 2, 3-33 and 34  
Notes near.

Land level. Soil mostly  
rich bottom. Some scattering  
Cottonwood & Mesquite trees.

Boundary of Township 18 S. Range 13 E.  
 1/4 Sec 3 Salt River Meridian  
 Co. East on true line between  
 secs 2 & 35.

or  $12^{\circ} 58'$  East.

23.00 Driven 10 hrs and runs N.W.

27.00 do 15 " " - N.W.

40.00 Set post in ground of each  
 with pins as per instructions  
 for 1/4 sec. cor.

No trees near.

80.00 Set post in ground of each  
 with pins as per instructions  
 for the cor. to secs 1, 2, 35  
 and 36. from which.

A Mesquite 8 in dia.  $S 62 \frac{3}{4}^{\circ} E. 73$  hrs dist.

No other trees near

Land lead, then rising on mesa.

Soil 1<sup>st</sup> and 2<sup>nd</sup> rate.

Scattering trees.



S. Boundary of township 18 S. range 13 E.  
 Tila & Salt River Meridian  
 This East on true line between  
 sec 1 and 36.

on  $12^{\circ}58'$  East

40.00 Set post in mound of sand  
 with pit as per instructions  
 for 4 sec. cor.

No trees near.

80.00 Set post in mound of  
 earth with pit as per in-  
 structions for the cor. to town-  
 ships 18 and 19 S. ranges  
 13 and 14 E.

No trees near.

Land rolling and smooth  
 Soil good for grass.

No timber.

20  
E. Boundary of townships 18 S. range 13 E.

Line to Salt River Meridian  
to From the cor. to townships 18  
and 19 S. ranges 13 & 14 E. 1/4 mile  
North between secs 31 & 36.  
var  $12^{\circ}56'$  East.

(As per fore & back sight on S. boundary)

40.00 Set post in mound of earth  
with pins as per instructions for  
1/4 sec. cor. No trees near.

80.00 Set post in mound of earth  
with pins as per instructions for  
the cor. to secs 25, 30, 31 and  
36. from which

A Mesquite 10 in dia. bears S.  $8^{\circ}$  E. 62 ls. dist.

do 9 " " S.  $14^{\circ}$  W. 42 " "

No other trees near.

Cor. alongside of dry wash 15  
ls wide, runs N. W.

Land somewhat rolling.  
Soil st. rate for grass.  
No timber.

E. Boundary of Township 18 S. Range 13 E.

Sec 2 Salt River Meridian

Sec North between secs 25 & 30

on a  $12^{\circ}56'$  East

40.00 Set post in mound of earth  
with pits as per instructions  
for sec. cor. No trees near.

66.00 Dry creek 11 lbs wide runs W.

80.00 Set post in mound of earth  
with pits as per instructions  
for the cor. to secs

19, 24, 25 and 30.

No trees near.

Land calling.

Soil good for grass.

No timber.

22  
 E. Boundary of Township 18 Range 13 E.  
 1/4 Salt River Meander  
 to North

between secs 19 & 24  
 or 12° 56' East

40.00 Set post in mound of earth  
 with pits as per instructions  
 for 1/4 sec. cor. No trees near.

80.00 Set post in mound of stones  
 as per instructions for the  
 cor. to secs 13, 18, 19 and  
 24. No trees near.

Land calling. Soil 2<sup>nd</sup> rate  
 No timber

Boundary of Township 18 S. Range 136 E.  
 Tla & Salt River Meridian  
 to North

between sec 13 & 18

and 12° 36' East.

19.00 Dry creek 10 ft wide runs W.

28.20 do 12 " " " W.

40.00 Set post in mound of earth  
 with pits as per instructions  
 for 4 sec cor. No trees near.

49.80 Dry creek 10 ft wide runs W.

60.00 Second bluff bank has E. & W.

80.00 Set post in mound of earth  
 with pits as per instructions  
 for the cor. to sec 7, 12, 13  
 and 18, from which.

A Pale Verde 2 1/2 in dia. has. to 33° W. 67 lbs dist.

No other trees near.

Large rolling Soil 2 rods.

Scattering trees.

Set 3rd Salt River Meridian  
to North between secs 7 & 12  
and 12' 56' East.

5.50 Dry creek 12' wide runs W.

40.00 Set post in mound of stones  
as per instructions for 4 sec  
cor. No trees near.

50.50 Second Mer. has E. of N.  
and W. of S.

72.00 Dry creek 10' wide runs W.

73.50 Old road has E. and W.

80.00 Set post in mound of earth  
with pits as per instructions  
for the cor. to secs 1, 6, 7 and  
12. from which

A Mesquite 6 in dia has S. 32 1/2° W. 84' distant

No other trees near  
Land rolling. Soil 2<sup>nd</sup> and  
1<sup>st</sup> rate. Scattering Mes-  
quite trees.

E. Boundary of Township 18 Range 13 E.

40.00 E. & S. Salt River Meridian  
to North on random line between  
secs 1 & 6.

var  $12^{\circ} 56'$  East.

40.00 Set post for temporary  $\frac{1}{4}$  sec. cor.

56.00 Deep gully 150 wide runs N.W.

70.00 Dry gully 100 wide runs W.

80.00 Entered N. boundary at the cor.

to townships 17 and 18 S. ranges  
13 and 14 E. from which cor. drawn  
South on random line bet. secs 1 & 6.

var  $12^{\circ} 56'$  East.

40.00 Set post in mound of earth  
with pits as per instructions  
for  $\frac{1}{4}$  sec. cor. No trees near.

80.00 The cor. to secs 1, 6, 7 and  
12.

land level. Soil strata.

No timber.

December 21, 1872

## General Description

The S. boundary of this township passes over mostly a rolling surface, except on the S. boundary of secs. 34 and 35, where it crosses the Santa Cruz River bottom. There is good grazing along the line. No timber of any consequence.

About a mile S. of where this line crosses the Santa Cruz river, the latter is a large, ever running stream of water, but soon is in the sand in a short distance.

Water can be obtained by digging anywhere along the bottom.

The E. line of the township is mostly over rolling mesa, and good for grass. No timber.

Thos. F. White  
U. S. Dep. Surveyor



S. Boundary of Township 18 S. Range 14 E.

Go to Salt River Meridian  
 No East. on true line between  
 sec 5 & 32

and 12' 50' East

40.00 Set post in mound of earth  
 with pits as per instructions  
 for 4 sec. cor. No trees near.

80.00 Set post in mound of earth  
 with pits as per instructions  
 for the cor. to sec 4, 5, 32,  
 and 33, from which

A Meridian 3 in dia. has N. 76° E. 90 located  
 No other trees near.

Land smooth and slightly  
 ascending E. and S.

Soil good for grass.

No timber.

S. Boundary of Township 18 S. Range 14 E.

Side of Salt River Meander  
to East on true line between  
see 4 & 33.

var  $12^{\circ} 50'$  East.

40.00 Driven 2 poles wide runs N of W.

40.00 Set post in mound of earth  
with pits as per instructions  
for 1/4 sec. cor.

Notice near.

80.00 Set post in mound of earth  
with pits as per instructions  
for the cor. to see 3, 4,  
33 and 34.

Notice near.

Land nearly level.

Soil good for grass.

No timber.

S. Boundary of Township 18 S. Range 14 E.

Ch. 3  
Gila Salt River Meridian  
Ch. East on true line between  
secs 3 and 34.  
bear 12° 50' East.

40.00 Set post in mound of earth  
with pits as per instructions  
for 4 sec. cor. No trees near.

73.50 Old road to Santa Rita Saw Mill

77.00 Dry creek 20 ft wide runs N. of W.

80.00 Set post in mound of earth with  
pits as per instructions for the cor.  
to secs 2, 3, 34 and 35.

No trees near.

Santa Rita Peak has from this  
cor. S. 17° 40' E. and is by calcu-  
lation 8 miles and 34 chs. distant  
and 5912 feet high, above the  
plane at its base, where this cor.  
is situated.

Land nearly level. Soil good  
No timber.

S. Boundary of Township 18 S. Range 14 E.

John & Salt Cross Meridian

Ch. East on true line between

secs 2 & 35

was  $12^{\circ}58'$  East

8.00 Agree on 40' wide run N. of W.

40.00 Set post in mound of earth  
with pits as per instructions for  
4 sec. cor.

No trees near.

80.00 Set post in mound of earth  
with pits as per instructions  
for the cor. to secs. 1, 2, 35  
and 36.

No trees near.

Land nearly level.

Soil 1<sup>st</sup> rate for grass.

No timber.

S. Boundary of Township 18 S. Range 14 E.

Go to Salt River Meridian  
 to East on true line between  
 sec 1 and 36.

at  $12^{\circ}50'$  East

40.00 Set post in mound of earth  
 with pits as per instructions  
 for 4 sec. cor.

No trees near.

80.00 Set post in mound of earth  
 with pits as per instructions  
 for the cor. to townships 18  
 and 19 S. ranges T4 and  
 15 E.

No trees near.

Land laid.

Soil 1st rate for grass.

No timber.

E. Boundary of Township 18 Range 14 E.

Eda<sup>4</sup>, Salt River Meridian  
 To From the cor. to townships 18<sup>2</sup>, 19

Ranges 14 and 15 E. Darrow

North between secs 31<sup>4</sup> & 36

or 13° East

(As per fore & back sights on S. boundary)

40.00 Set post in mound of earth  
 with pits as per instructions for  
 14 sec cor. No trees near.

67.00 Dry creek 20 lbs wide runs N. of W.

80.00 Set post in mound of earth  
 with pits as per instructions  
 for the cor. to secs 25, 30,

31 and 36. No trees near.

Land slightly descending N.W.

Soil rate for grass.

November.

E. Boundary of Township 18 S. range 14 E.

1/4 Sec 2, Salt River Meridian  
to North

between sees 25 & 30.

on a  $13^{\circ}$  East.

40.00 Set post in mound of earth  
with pits as per instructions  
for 1/4 sec. cor.

No trees near.

80.00 Set post in mound of earth  
with pits as per instructions  
for the cor. to sees 19, 24  
25 and 30.

No trees near.

Land descending a little N.W.

Soil good for grass.

No timber.

E. Boundary of Township 18 S. range 111 E.

Sec 4, Salt River Meridian

Line North

between sec 19 & 24

at 13° East

40.00 Set post in mound of earth  
with pit as per instruction  
for 1/4 sec. cor. No trees near.

80.00 Set post in mound of earth  
with pit as per instruction  
for the cor to sec 13, 18, 19  
and 24

No trees near.

Land smooth - slightly  
descending N. W.

Soil good for grass.

No timber.



E. Boundary of Township 18 Range 14 E.  
 1/4 Sec 3 S. 1/4 Sec 12 E. Meridian  
 In North.

between secs 13 and 18  
 on 13° East.

40.00 Set post in mound of earth  
 with pits as per instructions  
 for 1/4 sec. cor.

No trees near. X

80.00 Set post in mound of earth  
 with pits as per instructions  
 for the cor. to secs 7, 12, 13  
 and 18

No trees near.

Land nearly level.

Soil 1st rate for grass.

No timber.

## General Description

The S. boundary of township  
18 S. range 14 E. passes over  
rolling and then nearly level  
land.

The E. boundary line is nearly  
level or slightly descending  
N. and W.

There is fine grazing along  
the whole extent of these  
lines, but little or no  
timber.

Thos. F. White  
U. S. Dep. Surveyor

U. S. Surveyor General's Office  
Meson, Arizona July. 20. 1873

The foregoing field notes of  
the surveys of the Exterior line  
of townships 13 S. ranges 12,  
13 and 14 E, of the Gila and  
Salt River Base and Me-  
ridian in the Territory of  
Arizona, executed by Theo.

P. White, U. S. Dep. Surveyor  
under his contract of October  
1st. 1872, having been crit-  
ically examined, the neces-  
sary corrections and explana-  
tions made, the said field  
notes and the surveys they  
describe are hereby approved.

John Mason  
Surveyor General.

## List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the Exterior Lines of townships 18 S. ranges 12, 13 and 14 E. of the Gila & Salt River Base and Meridian lines

showing the respective capacities in which they acted.

L. G. Reynolds  
John Robbins  
R. A. Vasquez  
W. W. Davis

Compassman.

Chainman.

Chainman.

Axeman.

Flagman.



Final Oaths of Assistants.

We hereby certify that we assisted Theodore H. White U. S. Deputy Surveyor, in surveying the exterior lines of townships 18 S. ranges 12. 13. & 14 E., of the Gila and Salt River Base and Meridian

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

L. G. Reynolds

John Robbins

W. W. Davis

R. A. Vasquez

Subscribed and sworn to before me this 31st day of December 1872

J. O. W. Coffey  
Notary Public

## Final Oath of Deputy Surveyor.

Theodore F. White, U.S.

Deputy Surveyor, do solemnly swear that, in pursuance  
 of a contract with John Wasson  
 United States Surveyor-General for Arizona, bearing date  
 the 14<sup>th</sup> day of October 1872, I have well, faithfully  
 and truly, in my own proper person, and in strict con-  
 formity with the instructions furnished by the Surveyor-  
 General, the Surveying Manual, and the laws of the  
 United States, surveyed all those parts or portions of  
 the Extension lines of townships  
 18<sup>th</sup>, 19<sup>th</sup>, 20<sup>th</sup>, 21<sup>st</sup>, 22<sup>nd</sup>, 23<sup>rd</sup>, 24<sup>th</sup> and 25<sup>th</sup> of  
 the Gila & Salt River Base and  
 Meridian



as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do solemnly swear that all the corners of said surveys been established and perpetuated in strict accordance the Surveying Manual and printed instructions, and the foregoing are the true and original Field Notes of Survey.

Theodore J. White

U. S. Deputy Sur

v  
th Subscribed and sworn to before me, this 21  
day of December 1872



A. C. M<sup>rs</sup> Caffery  
Notary Public

li