

RESURVEY — OF —
NORTH & EAST
BOUNDARIES

T18 S. R20 E

CONTRACT-65

PHILIP CONTZEN
U. S. D. SURVEYOR

1533


1533

4-671


BOOK 1533

FIELD NOTES
GENERAL LAND OFFICE.

Index



T 18 S R 20 E.
 North Bdry .6
 East " .21



Recovery of the N bdy of Sp 18 S
Chains

In order to test the measurements and alignment and condition of corners of the north boundary of Sp 18 S, R 20 E, I begin at the corner of Sp 17 and 18 S, R 19 and 20 E, as heretofore described.

February 25, 1901. At 8^h 10^m a.m., l.m.t., I set off $31^{\circ}54'$ on the lat arc, $9^{\circ}10'$ S on the decl arc, and determine a true meridian with the solar at the above angle.

Then I run east on a random line on the north boundary of the Sp, finding faint traces of corners along the line, and at 478.95 chs, I find remains of old Sp cor which

Range 20 E - Continued

Chain

is a decayed stake lying on the ground with marks obliterated. To reestablish cor in the original place as follows:

Set a granite stone $18 \times 6 \times 6$ ins, 12 ins in the ground, for cor of Sps 17 and 18 S, Rs 20 and 21 E, marked with 6 notches on each edge, from which a mesquite 3 ins diam, bears N $42 \frac{1}{2}^{\circ}$ W, 119 lks dist, marked S 17 S, R 20 E, S 36 B. T. dug pits $30 \times 24 \times 12$ ins on each line, N, E and W, 4 ft, and S of stone 8 ft dist, and raised a mound of earth 5 ft base, 2 $\frac{1}{2}$ ft high, S of cor.

Having found that most of the corners of this line are obliterated and gone, and the

Recovery of the N. Ely of Apr 18, S
Chains

measurement bet sees 1 and 36
out of limits, I therefore find
it necessary for the proper proce-
edure of my survey to recover
this line. - February 26, 1901,
Went on a true line bet sees
1 and 36.

Over level land

- 3.44 Arizona & S. E. R. R. bears N W
and S. E.
- 3.94 Peligraph line, bears N W
and S. E.
- 4.40 Wash. 20 lks wide, course northerly
- 7.75 Road, bears N and S.
- 11.55 Wash 10 lks wide, course northerly
- 16.00 Caris house, bears 10 lks S
- 19.75 Wash 10 lks wide, course
northerly, bear undergrowth
- 25.50 Road, bears N and S

Ranga 20 E - Continued

Chains
28.50

41.40

Find faint evidence of old corner.
Reestablish same in original
place as follows:

Set a granite rock $18 \times 12 \times 7$
ins, 12 ins in the ground for $\frac{1}{4}$
sec cor, marked with 36 on N
and 1 on S face, from which
a mesquite 4 ins diam, bears
N $56^{\circ} 4'$ E, 238 lbs dist, marked
 $\frac{1}{4}$ S 36, B. N, dug pits $18 \times 18 \times 12$ ins
E and W of stone 3 ft dist, and
raised a mound of earth $3 \frac{1}{2}$ ft
base, $1 \frac{1}{2}$ ft high, N of cor.

57.00

Saylor's house, bears 15 chs S

63.00

Reservoir, bears 6 chs S

81.40

Part of old stake remaining,
with marks obliterated; Destroy
same and reestablish corner in

Resurvey of the N bdy of Sp. 18, 19
Chains

original place as follows:

Set a granite stone $18 \times 8 \times 6$
ins, 12 ins in the ground for
the cor of secs 1, 2, 35 and 36,
marked with 1 notch on E and
5 notches on W edges, from which
a teetox 3 ins diam, bears S $29\frac{1}{2}^{\circ}$ E,
262 lks dist, marked S 18 S, B
20 E, S 1 B. T., dug pits $18 \times 18 \times 12$
ins in each sec $5\frac{1}{2}$ ft dist from
stones and raised a mound of
earth 4 ft base, 2 ft high, W
of cor

Land, rolling and level

Soil, sandy loam, 1st and 2nd
rate.

No timber, undergrowth mes-
quite.

Land covered with dense m-

Range 20 E - Continued
 chains growth, 19.75 chs

Rest on a true line bet sec 2
 and 35.

Over rolling and level land

13.60 Road, bears N W and S. E.

23.50 Cabin, (G. S. Roberts) bears 10
 chs S.

25.30 Road, bears S W and N E.

26.00 Wash 10 chs wide, course N east to

40.15 Find old bearing tree stump
 and reestablish cor in original
 place, as follows:

Set a granite stone 18 x 8 x 8 ins,
 12 ins into ground, for $\frac{1}{4}$ sec cor
 marked $\frac{1}{4}$ 35 on N and 2 on S
 faces, from which a scrub
 mesquite 3 ins diam, bears S $5\frac{1}{2}$ E,
 44 chs dist, marked $\frac{1}{4}$ S, B. T.

Resurvey of the N Edy of Sp 18, 28
chains

A scrub misquitté mis chain
bears $N 63^{\circ} W$, 197 lks dist, marked
 $\frac{1}{4}$ S 35, B. 77.

40.50

Wash 10 lks wide, course N easterly

55.00

Wash 5 lks wide, course N easterly

62.00

Wash 10 lks wide, course N easterly

74.00

Wash 40 lks wide, course N easterly

79.94

Position of old cor determined by old
bearing tree stumps. To reestablish
cor in original place by setting a
granite stone 18x6x5 ins, 12 ins in
the ground, for cor of sees 2, 3,
34 and 35, marked with 2 notches
on E and 4 notches on W edges;
dug pits 18x18x12 in each, see
5 $\frac{1}{2}$ ft dist, and raised a mound
of earth 4 ft base, 2 ft high,
W of cor.

Land, rolling and level

Range 20 E - Continued

Chains

Soil, gravelly; 2^d rateTimber, a few scattering mesquite
undergrowth, mesquite.Went on a true line bet sees
3 and 34Over level, rolling ^{and} mountainous
land

Ascending

2.20 Top of ridge, bears N W and S E,
descend

5.00 Foot of ridge and enter gulch

8.60 Leave gulch, course N easterly

10.60 Top

26.00 Descend and cross small spur,
bears N W, and S E

31.00 Descend steeply

33.40 Wash 20 lbs wide, course N easterly
ascend

Resurvey of the N. by of Sp 18, S

Chains

39.96

The remains of old corner is a decayed stake lying on the ground with marks obliterated. I reestablished in original position as follows:

Set a granite stone $18 \times 10 \times 8$ ins 12 ins in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ 34 on N and 3 on S faces, from which a mesquite 6 ins diam, bears $S 78^\circ E$, 184 lbs dist, marked $\frac{1}{4}$ S ³ 24, B. T.; no other trees within limit, and raise a mound of stone 2 ft base, $1\frac{1}{2}$ ft high, N of cor. Pits impracticable.

47.00

Top of ascent and into level and rolling mesa.

72.30

Wash 10 lbs. wide, course N easterly

79.00

Find no indications of old cor. Set a granite stone $18 \times 8 \times 8$ ins, 12 ins in the ground for witness

Range 20 E - continued

Charris

Row to cor of secs 3, 4, 33 and 34,
marked W.C., with 3 notches on
E and 3 notches on W edge,
from which a mesquite 6 in
diam, bears $\nearrow 80^\circ$ E, 146 lbs dist,
marked, ^{W.C.} S 17 S, R 20 E, S 34, B. 7.
dug pits 18x18x12 ins in sec
3, 4 and 33, 5 $\frac{1}{2}$ ft dist from stone
and raised a mound of earth 4
ft base, 2 ft high, W of cor.

79.30

Enter wash, course $\nearrow 80^\circ$ E

8000

The point for sec cor falls
in wash.Band, level, rolling and mount-
ainous.Soil, gravelly; 2^d and 3^d natv
timber, a few scattering mesquites
Mountainous land, 47.00 Chas.

Resurvey of the N. Ely of Twp 18 S
Chairs

- Rest on a true line bet sees 4
and 33, from east point in wash
over level and rolling land
- .05 Grave wash, course N 80° E
- 22.00 Wash 20 lbs wide, course N easterly
- 27.00 Wash 100 lbs wide, course N easterly
- 39.96 Find faint evidence of old cor.

Set a granite stone 18x8x6 ins, 12
ins in the ground, for $\frac{1}{4}$ sec cor,
marked # 33 on N and 4 on S
face, dug pits 18x18x12 ins, E
and W of stone, 3 ft dist, and
raise a mound of earth $3\frac{1}{2}$ ft
base, $1\frac{1}{2}$ ft high, N of cor.

79.98

Find faint traces of old sec
cor. Set a granite stone 18x8x6
ins, 12 ins in the ground for cor
of sees 4, 5, 32 and 33, marked with
4 notches on E and 2 notches

Range 20 E - continued

Chain

on W edges, from which a mas-
 quite 3 ins diam, bears $N 56 \frac{1}{2}^{\circ}$
 E, 9 lks dist, marked ~~S~~^N S, 16 20
 E, S 33, B. M., dig pits 18 x 18 x 12
 ins in secs 4, 5 and 32, 5 $\frac{1}{2}$ ft dist,
 from stone and raise a mound
 of earth 4 ft base, 2 ft high, W
 of cor.

Land level and rolling
 Soil gravelly, 2^d and 3^d rate
 No timber.

West on a true line bet secs 5-
 and 32

Over level and gently rolling land.

2.80 Wash 10 lks wide, course S. easterly

10.40 Across wash, course N easterly,
 and enter dense tsetos undergrowth

4.00 End faint evidence of old fence

Resurvey of the N bdy of Sh 18, S.
Chamist

- 61.00 cor. Set a granite stone 18x8x8 ins
12 ins in the ground for $\frac{1}{4}$ sec
cor. marked 432 on N and 5 on
S faces; dug pits 18x18x12 ins,
E and W of stone, 3 ft dist, and
raised a mound of earth 3 $\frac{1}{2}$
ft base, 1 $\frac{1}{2}$ ft high, N of cor.
- 65.50 Road, bars N E and S. W.
- 79.00 Wash 100 lbs wide, course N easting
- 80.00 Set a granite stone 18x8x8 ins,
12 ins in the ground for cor of ^{W.C.}
secs 5, 6, 31 and 32, marked with ^{W.C.}
5 notches on E and 1 notch on
W edge; dug pits 18x18x12 ins
in each sec, 5 $\frac{1}{2}$ ft dist, and
raised a mound of earth 4
ft base, 2 ft high, W of cor
- Cor point falls in wash; no
indications of old sec cor

Bangs 20 E - Continued

Chain

Land level and gently rolling
Soil, gravelly; 2 rate
No timber.

Band covered with dense un-
dergrowth 69.60 chs

West on a true line bet sees 6
and 31

Over level land

Through dense tsetse

.30 Gravel wash

10.50 Wash 30 chs wide, course N easterly

20.00 Enter rolling land

23.50 Top of ridge, bears N E and S W

27.50 Wash 10 chs wide, course N easterly
and bears dense tsetse

32.00 Top of ridge, bears N E and S W

39.00 Wash 10 chs wide, course N easterly

39.98 Find old stave lying on the ground

Resurvey of the N. E. of Tp. 18 S.
chains with marks obliterated. Preestablished
cor in original place as follows.

Set a granite stone 18 x 8 x 6 ins.
12 ins in the ground for $\frac{1}{4}$ sec
cor, marked $\frac{1}{4}$ on N and 6
on S faces, and raise a mound
of stone 2 ft base, 1 $\frac{1}{2}$ ft high,
N of cor. Pits impracticable

58.00

Wash 100 lbs wide, corners N east only

77.63

The cor of Tps 17 and 18 S, R. 19
and 20 E, as heretofore described
Land; level

Soil, gravelly, 2^d and 3^d rate
No timber

Land covered with dense under-
growth, 27.50 lbs

February 26, 1901

Range 20 E - Concluded

Chains

Philip Costzen
U. S. Deputy Surveyor

Perseway of the E. ldy of Sps 18 S.

Chains

February 27, 1901. I commenced at the cor of Sps 18 and 19 S, 16s 20 and 21 E, as heretofore described.

At 8^h 30^m a. m., line to P. set off 31° 49' on the lat arc, 8° 26' on the decl arc, and determine a true meridian with the solar at the above cor.

Thence I run north on a random line.

- | | |
|-------------------|--|
| 40.02 | Paint evidence of old corner |
| 80.05 | Paint evidence of old corner |
| 119.19 | Remains of old cor stake, bears 45 lks E. |
| 159.19 | Old stake, bears 91 lks E. |
| 319.19 | Mound of stone and decayed post, bear 91 lks E |
| 368.52 | Mound of stone, bears 136 lks E. |
| 368.52 | Faint trace of red See. cor 136 lks E. |
| 398.22 | " " " " |
| 438.22 | " " " " |
| 480.13 | The cor of Sps 17 and 18 S, 16s 20 |

Range 20 - E. Continued

Chains

and as E, as heretofore described,
bars 136¹/₂ dist. Feb. 27, 1901.

Shiner Section From Sp.
corner

South on a true line bet sees
1 and 6.

Over level land

- 3.52 Arizona & S. E. R. R. bars S. E. $\frac{1}{2}$ N. W.
- 3.94 Paleograph line, bars S. E. $\frac{1}{2}$ N. W.
- 4.90 Wash, 10 lks wide, course easterly
- 6.20 Road bars E. and W, to St
Davids
- 9.80 Road, bars S. E. and N. W.
- 12.10 Road, bars E and W.
- 4.00 Wash 150 lks wide, course N easterly
- 41.91 Set a granite stone 18x8x8 ins, 12
ins in the ground for $\frac{1}{4}$ see cor
marked $\frac{1}{4}$ on E face from
which a mesquite 7 ins diam,
bars N 41° E, 199 lks dist, marked

Resurvey of the E bdy of M 18 S

Chance

$\frac{1}{4}$ S 6, B. 7; dug pits 18x18x12 ins
N and S of stone, 3 ft. dist, and
raised a mound of earth $3\frac{1}{2}$ ft
base, $1\frac{1}{2}$ ft high E of cor.

Old cor reestablished by position
of stumps of bracing trees

44.00

Saylor's house, bears 100 lks W

71.00

Wash 10 lks wide, course N easterly

74.00

Old road, bears N E and S W

75.40

Wash 20 lks wide, course N easterly

81.91

Position of old cor determined by old
stumps and old bracing trees

Set a limestone 18x12x8 ins;
12 ins in the ground, for
cor of sec 1 and 12, marked

with 1 notch on N and 5
notches on S edge, and raise
a mound of stone 2 ft base, $1\frac{1}{2}$
ft high E of cor. Pits im-

Range 20 S - Continued

Chain

Inaccessible.

Level, level.

Soil, gravelly; 2^d rate

Timber, a few mesquite; undergrowth, grasswood and scattering mesquite.

South on a true line bet secs
7 and 12.

Over level and mountainous land

7.50

Top of ridge, bars N W and S E;
descend

8.50

Foot of mountain; descend

9.20

Wash 5 lbs wide, course N easterly

10.00

Ascend

19.00

Top of ridge, bars N E and S W
descend E slope and cross low
spur

29.00

Foot

Resurvey of the E. Edj of Sp. 18 S

Chains 31.00	Wash 15 lks wide, course N easterly
34.00	Ascend
37.00	Top of ridge, bears N W and S E, descend
38.40	Wash 10 lks wide, course N easterly
39.70	Find remains of old stone mound. Set a quartz stone 18 x 16 x 10 ins, 12 ins in the ground, for $\frac{1}{4}$ sec cov. marked $\frac{1}{4}$ y on E face, and raise a mound of stone 2 ft base, 1 $\frac{1}{2}$ ft high E of cov. Set in- inaccessible.
	Bearing S 0° 39' W
47.00	Top of ridge, descend
51.20	Top of spur from above ridge
54.00	Wash 10 lks wide, course S easterly
57.00	Top of ridge, bears N W and S E, descend
60.00	Foot, gulch 10 lks wide, course

Range 20 E - continued

Chairs

Easterly; ascend

61.71

Top of spur, bears N W and S E,
descend

63.50

Gulch 5 lbs wide, course, Easterly,
ascend

67.15

Top of ridge, bears E and W,
descend

73.00

Enter San Pedro valley

79.03

Find remains of old mound
and stake. Reestablish cor in
original place as follows:

Set a granite stone 18x10x10 ins,
12 ins in the ground, for cor of
secs 4 and 18, marked with 2
notches on N and 4 notches on S
edges, and raise a mound of stone
2 ft base, 1 1/2 ft high, E of cor.

Pits impracticable

Land, level and mountainous

Resurvey of the E. Ely of N^o 18 S
 Charis

Soil, gravelly; 2^d and 3^d rates
 No timber; undergrowth, greasewood
 and scotilla.

Mountainous land, 73.00 chs

South on a true line bet secs 13
 and 18.

Over level land

1.00 Point on W end of small ridge,
 extends about 6 chs E.

22.00 House, bears 15 chs E

34.94 Wire fence, bears E and W

40.00 No indications of old corner.

Set a granite stone 18x10x6 ins, 12 ins
 in the ground, for $\frac{1}{4}$ sec cor, marked
 $\frac{1}{4}$ 18 on E face, dug pits 18x18x12
 ins N and S of stone, and raised
 a mound of earth $3\frac{1}{2}$ ft base, $1\frac{1}{2}$
 ft high, E of cor.

Range 20 E - Continued

Chassis

52.20

Wire fence, bears E and W

59.35

Road bears E and W

62.50

House, bears 100 lbs W

63.00

House, bears 100 lbs E

71.50

Wash 5 lbs wide, course, easterly

76.30

Wash 15 lbs wide, course easterly

78.64

Wire fence, bears E and W

80.00

Find no indications of old cov

Set a limestone 18x12x10 ins,
 12 ins in the ground, for cov of
 sees 18 and 19, marked with 3
 notches on N and 3 notches on
 S edges, dug pits 24x24x12 ins in
 each see, 6 ft dist, and raised a
 mound of earth 4 ft base, 2 ft
 high, E of cov

Land, level

Soil, gravelly; 2 and 3 rats

November

Resurvey of the E bdy of M^h 18 S
Chain

South on a true line bet sees
19 and 24

Over level land

- 8.00 Frame house, bears 150 lns E
- 23.00 Artesian well, bears 30 lns E,
- 32.15 Wash 50 ~~lks~~ wide, course easterly,
banks 10 ft high.
- 36.60 Old road, bears N W and S E.
- 40.00 Find no indications of old cor.
Set a granite stone 18 x 12 x 6 ins, 12
ins in the ground, for $\frac{1}{4}$ sec cor
marked # 69 on E face; dug pits
18 x 18 x 12 ins N and S of stone and
raised a mound of earth $3\frac{1}{2}$ ft
base, $1\frac{1}{2}$ ft high, E. of cor.
- 80.00 Find remains of old stake with
marks obliterated. Destroy same
and reestablish cor in original
place as follows:

Range 20 E - Continued

Chains

Set a limestone $18 \times 10 \times 6$ ins, 12 ins
 in the ground face of secs 19
 and 30, marked with 4 notches
 on N and 2 notches on S faces
 dig pits $24 \times 24 \times 12$ ^{ins} in each sec
 8 ft dist, and raise a mound of
~~stone~~ ^{earth} 4 ft ~~base~~, 2 ft high, E
 of cor.

Land, level;

Soil, gravelly; 2^d and 3^d rats

No timber.

S⁰ 39' W, on a true line bet
 secs 25 and 30

Over level and mountainous land

27.50

Road, bears N W and S. E.

29.00

Spring, leave valley and enter
 dense grasswood

31.70

Top of ridge, bears E and W,

Resurvey of the E. Cdy of Sp 18 S
Chains

- Ascent
- 33.00 Foot
- 40.00 Find remains of old cor stake
Set a conglomerate stone 18 x 10 x 10
ins, 12 ins in the ground for $\frac{1}{4}$
sec cor, marked $\frac{1}{4}$ 30 on E face
and raise a mound of stone 2
ft base, 1 1/2 ft high, E of cor.
It's impracticable. Ascent
- 42.50 Top of ridge, bars E and W.
Ascent
- 46.00 Foot of ascent
- 51.20 Ascent
- 56.00 Top of ridge, bars E and W
- 57.80 Wash to the north, course easterly;
ascent
- 62.00 Top of ridge, bars E and W,
Ascent
- 64.00 Foot of ascent

Range 20 E - Continued

Chain

70.00

Ascend

73.00

Top of ridge, bears E and W;
descend

75.60

Foot and entire flat

79.14

Set a limestone $18 \times 12 \times 4$ ins
 12 ins in the ground, for cor of
 secs 25, 30, 31 and 36, marked with
 5 notches on N end, 1 notch on S
 edges; dug pits $18 \times 18 \times 12$ ins in
 each sec $5\frac{1}{2}$ ft dist, and raised
 a mound of earth 4 ft base, $1\frac{1}{2}$
 ft high, W of cor, from which
 a misquite 4 ins diam, bears S
 $38\frac{1}{2}^{\circ}$ E, 412 lbs dist, marked N
 18 S, R 21 E, S 31, B. 7.

Land, level and mountainous
 Soil, gravelly; 2^d and 3^d rate
 No timber; undergrowth, grasswood
 Mountainous land, 50.14 chs

Resurvey of the E bdy of Sp 18 S
 Chavis

- South on a true line bet secs
 31 and 36
- Over level and mountainous land
 through dense grasswood
- 6.50 Leave valley; ascend
- 9.00 Top of ridge, bars E and W. ^{descend}
- 11.50 Foot and enter valley
- 16.00 Leave valley
- 36.50 Top of ridge, bars E and W.
 descend
- 40.03 Find faint evidence of old cor. E.
 Set a limestone 18 x 8 x 8 ins, 12 ins
 in the ground, for $\frac{1}{4}$ sec cor-
 marked $\frac{1}{4}$ 31 on E and 36 on W
 faces, and raise a mound of
 stone 2 ft high, S W of cor. Pile
 impractical.
- 50.00 Foot of descent
- 51.00 Wash 10 lbs wide, course easterly

Range 20 E - Continued

- Chain
56.00 Ascend
- 63.00 Top of ridge, bears E and W.
descend
- 69.00 Foot
- 70.70 Ascend
- 72.00 Top of ridge, bears E and W;
descend
- 74.00 Foot
- 75.00 Ascend
- 80.05 The cor of Nos 18 and 19 S, Nos
20 and 21 E, as heretofore described
Land, level and mountainous
Soil, gravelly; 3 Drains
No timber; undergrowth, tree
greasewood, mesquite and
sotillo.
Mountainous land or land
covered with dense under-
growth 80.05 - @he

February 28, 1901

Resurvey of the E. bdy of N. 15 S. R. 20 E. - concluded

Philip's Co.
W. S. Deputy Surveyor
//

BOOK 1533 35
List of Names.

A List of the Names of the Individuals
employed by *Philip Conzen*
U. S. Deputy Surveyor, to assist in running, meas-
uring and marking the lines and corners described
in the foregoing Field Notes of the survey of the
East boundary of T. 17 S. R. 11 E. and
North and East boundaries
of T. 18 S. R. 20 E.

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, showing the respective
capacities in which they acted.

G. A. Hawley Chairman.

B. F. DeChastain Chairman.

..... Chairman.

..... Chairman.

John M. Frayer Axeman.

..... Axeman.

Chas. Pogue Flagman.

We hereby certify that we assisted *Philip*
Contzen..... U. S. Deputy Surveyor, in
re surveying all those parts or portions of the.....
East boundary of T. 17 S.
R. 11 E and North and
East boundaries of
T. 18 S. R. 20 E

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, as are represented in the
foregoing field notes as having been surveyed by him
and under his direction; and that said Survey has
been in all respects, to the best of our knowledge
and belief, well and faithfully surveyed, and the
corner monuments established according to the
instructions furnished by the United States Surveyor
General for Arizona.

- H* *W. A. Hawley*..... Chainman.
- S. C.* *B. F. DeChastain*..... Chainman.
- Chainman.
- Chainman.
- Solun M. Fugate*..... Axeman.
- Axeman.
- Chas Poque*..... Flagman.

Sworn to and subscribed before me, this *28th*
day of *February*, 189*0*

Philip Contzen
Notary Public.
U. S. Deputy Surveyor
[SEAL.]
No notary available

Final Oath of U. S. Deputy Surveyor.

I, Philip Conzen

U. S. Deputy Surveyor, do solemnly swear that in
 pursuance of a contract received from George A. Johnson,
 United States Surveyor-General for Ari-
 zona, bearing date of the 22nd day of

May 1892, I have well, faith-
 fully, and truly, in my own proper person, and in
 strict conformity with the instructions furnished by
 the United States Surveyor-General for Arizona,
 the Manual of Surveying Instructions, and the
 laws of the United States, ^{and} surveyed all those parts

or portions of the East boundary
of T. 17 S. R. 11 E and
North and East boundaries
of T. 18 S. R. 20 E

of the Gila and Salt River Base and Meridian, in
 the Territory of Arizona, as are represented in the
 foregoing Field Notes as having been surveyed by
 me and under my direction; and I do further
 solemnly swear that all the corners of said surveys
 have been established and perpetuated in strict
 accordance with the Manual of printed instructions,
 the special instructions of the United States Sur-
 veyor-General for Arizona, and in the specific

78

manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

Philip Conzen
U. S. Deputy Surveyor.

Sworn to and subscribed before me this *3rd*

day of *August 1851*

George Christ

BOOK 1533