

*Revised  
Dated*

**VOL. I**

**1608**

*East. Boundary*

*T. 7. S. R. 8. E.*

**BOOK 1608**

**1608**

*1608*

4-671

**FIELD NOTES**

**GENERAL LAND OFFICE.**

*Exteriors*

*South and East*

*Boundaries*

*T. 6. S. R. 8. E.*

Albert J. Colton

Contract No. 11.

*Approved by Com.  
S. L. D. April 24, 1890.*

Preliminary Oaths of Assistants.

We Anthony Dean and Lewis G. Vinger do sol-  
 ly swear that we will well and faithfully execute  
 duties of Chain Carriers; that we will level the  
 in over even and uneven ground, and plumb the tally  
 , either by sticking or dropping the same; that we  
 l report the true distance to all notable objects,  
 the true length of all lines that we assist in  
 suring, to the best of our skill and ability and  
 accordance with instructions given us in the sur-  
 of the East boundary of Twp. 7 S R 8 E and the  
 th and East boundaries of Twp. 6 S R 8 East of the  
 ncipal base and meridian in the Territory of Ari-  
 a.

*Anthony Dean*

Chainman.


*Lewis G. Vinger*

Chainman.

Subscribed and sworn before me, this 15<sup>th</sup>  
of August 1889.

*J. P. Welles*

Notary Public.



BOOK 1608

We Louis Kliene and M. M. Rice do swear that we will well and truly perform of Flagnan and Ax-man in the establishment and other duties according to instruction and to the best of our skill and ability, convey of the east boundary of Twp. 7 S R 8 South and East boundaries of Twp. 6 S R 8 East principal base and meridian in the Territory of zona.

*Louis Kliene*

*M. M. Rice*

Subscribed and sworn to before me the day of August 1889.

*J. P. Wells*  
Notary Public



Harbor duties  
of  
Assistants

- Albert G. Coltau Comptroller
- Anthony Deane Chairman
- Lewis G. Veiger — " —
- Louis Klum Flugman
- W. M. Rice Axeman

BOOK 1608

Prelimi  
 We Ant  
 y swear tha  
 duties of C  
 n over even  
 either by  
 report the  
 the true le  
 uring, to th  
 ccordance w  
 of the East  
 n and East  
 cipal base

*See  
 Lec*

Subscri  
 of August



1608

1608

BOOK 1608

10

Field Notes of the Survey  
of the East Boundary of  
Township 7. South  
and the South and East  
Boundaries of Township  
6 South, Range 8, East  
Principal Base and  
Meridian of the  
Territory of Arizona  
as Surveyed by  
A. T. Galton  
U. S. Deputy Surveyor  
Under his Contract, No. 11  
Dated June 8<sup>th</sup> 1889

Survey Commenced Aug. 21<sup>st</sup> 1889  
Survey Completed Sept. 1<sup>st</sup> 1889

Dudley

BOOK 1608

T. G. S. R. S. E.

L 31	32	33	34	35	36
24	28	29	31	32	34

Santo Body

T. G. S. R. S. E.

12  
 12  
 20  
 22  
 13  
 18  
 24  
 16  
 25  
 15  
 34  
 13

Santo Body.

11  
 12  
 9  
 13  
 24  
 25  
 4  
 36  
 3

Santo Body

On the night of Aug 20<sup>th</sup> 1859 I took an observation on the Star Palace in accordance with instructions contained in Manual of Surveys and show pickets on the line thus established.

Survey commenced Aug. 21<sup>st</sup> 1859  
With Youngs Improved Mountain  
Salar Transit.

Before commencing this survey  
I test my Transit on the line established  
last night and find it correct.

Ehs Eastern boundary of T. 7. S  
 R. 8. E.  
~~Survey commenced  
 Aug. 21<sup>st</sup> 1889  
 With Yauungs Improved  
 Mountain Salar Transit~~

---

Commence at the cor  
 T. 7 + 8. S. R. 8 + 9. E  
 Which is a mesquite post  
 4 in. diam. Marked  
 T. 7. S. - 31 on N. E  
 R. 9. E. - 4. on S. E  
 T. 8. S. - 1 on S. W  
 R. 8. E. - 36. on N. W faces,  
 with 6 notches on each edge.  
 pits 24 X 18 X 12<sup>ins</sup> lengthwise  
 31. S. E. + W. of post. 6 ft dist.  
 and mound of earth  
 around post.



Chs Thence I run north between  
Secs 31 and 36,  
over level ground  
Va. 13° 5' 4" E

40.00 Set a charred Mesquite post  
3 ft long, 3 in sq. 12 in. in  
ground. Marked  $\frac{1}{4}$  S. on  
west face. dug pits  
18 X 18 X 12 <sup>ins</sup>. n. + S. of post  
5  $\frac{1}{2}$  ft dist. and raised  
mound of earth 1  $\frac{1}{2}$  ft high  
4  $\frac{1}{2}$  ft base around post.

62.00 Cross road from Florence  
to Redco. Bear N.E. + S.W.

80.00 Set a charred Mesquite  
post 4 ft long 4 in sq.  
12 in. in ground far cor  
to Secs. 25. 30. 31 + 36.  
Marked

Cks T. 7. S. S. 30. on N.E  
 R. 9. E. S. 31, on S.E  
 8 36 on S.W  
 R. 8. E. S. 25 on N.W faces  
 with 1 notch on S.  
 and 5 notches on N. edges.  
 dug pits 18x18x12 in <sup>in</sup> each  
 sec. <sup>5 1/2 ft. dist</sup> and raised mound  
 of earth 2 ft high 4 1/2 ft  
 base around post.  
 Soil 2<sup>nd</sup> rate. Sagebrush

North between Sics. 25-430  
 over level ground

39.00 Cross Road. bears <sup>13.57. E</sup> N. 5. E S. 5. W

40.00 set a charred Mesquite post  
 3 ft long 3 in sq. 12 in. in  
 ground. marked 1/4 S on  
 W. face.

Cels dug pits  $18 \times 18 \times 12$  <sup>ins</sup> N. + S  
 of post  $5\frac{1}{2}$  ft dist.  
 and raised mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
 post.

45.00 cross road bears N. 5° W. S. 5° E

80.00 Set a charred Mesquite  
 post 4 ft long 4 in sq  
 12 in in ground far cor  
 to Secs. 25-30-19 + 24

Marked. T. 7. S. S. 19. on N. E

R. 9. E. S. 30 on S. S.

S. 25 on S. W

R. 8. E. S. 24 on N. W

faces, with 2 notches on  
 S. and 4 notches on N. edges  
 dug pits  $18 \times 18 \times 12$  in <sup>in</sup> each  
 sec.  $5\frac{1}{2}$  ft dist. raised mound  
 2 ft high  $4\frac{1}{2}$  ft base around post  
 Set 2<sup>nd</sup> Not Sagebrush

6/10 North between secs. 19. + 24  
 Va. 13. 5-7. E

Over Ralling Ground

40.00 Set a charred Mesquite post  
 3 ft long 3 in. sq. 12 in in ground  
 Marked  $\frac{1}{4}$  S on W. face, deep  
 pit 18 x 18 x 12 <sup>in</sup> N. + S. of post  
 $5\frac{1}{2}$  ft dist. and raised mound  
 of earth  $1\frac{1}{2}$  ft high,  $3\frac{1}{2}$  ft base  
 around post

80.00 Set a charred Mesquite  
 post 4 ft long 4 in sq.  
 12 in, in ground far cor  
 to Secs. 18-19, 24-13. Marked  
 T. 7. S. 18 on N. E  
 R. 9. E. S. 19. on S. E  
 S. 24 on S. W  
 R. 8 E. S. 13 on N. W faces

Leks With 3 matkos on N. & S. edges.  
 dug pits 18x18x12 in each Sec  
 5 1/2 ft dist. and raised mound  
 of earth 2 ft high 4 1/2 ft base  
 around fast  
 Sailed 2<sup>nd</sup> Nat  
 scattering Mesquite and Sage.

---

North between Secs. 13 and 18  
 Va. 13. 57. E.

Over ralling ground  
 40.00 set a charred Mesquite post  
 3 ft long 3 in. sq. 12 in. in  
 ground marked 1/4 S. on  
 W. face, dug pits 18x18x12  
 N. & S. of post 5 1/2 ft dist.  
 and raised mound of earth  
 1 1/2 ft high 3 1/2 ft base around  
 fast.

Ch.

80.00 Set a charred Mesquite post  
4 ft long 4 in, sq. 12 in in  
ground for ev. to see.

7. 18-13. 12. Marked

P. 7 S. S. 7 on N. E

P. 9 E. S. 18 on S. E

S. 13 on S. W

P. 8 E. S. 12 on N. W faces  
with 4 notches on S and  
2 notches on N. edges

Dug pits 18 x 18 x 12 in <sup>in</sup> each  
<sub>5 1/2 ft. dist.</sub>

See <sub>1</sub> Raised mound of earth

2 ft high 4 1/2 ft base around  
post.

Sail. 2<sup>nd</sup> rate

Sage brush & Mesquite

~~~~~

6m North between Secs. 7+12

Pa. 13.5-7. E.

over rolling ground

40.00 Set a charred Mesquite post  
3 ft long 3 in sq. 12 in. in  
ground. Marked  $\frac{1}{4}$  S on  
W. face. dug pits 15x15x12 in  
N. + S. of post  $5\frac{1}{2}$  ft dist  
and raised mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

80.00 Set a charred Mesquite  
post 4 ft long 4 in sq  
12 in in ground for cor  
to Secs. 6-7-12-1

Marked, T, 7. S. S. G. on N.E.

R. 9. E. S. 7. on S.E.

S. 12 on S.W.

R. 8. E. S. 1 on N.W. faces

Ch. With 1 notch on n. and  
 5 notches on s. edges.  
 dug pits,  $18 \times 18 \times 12$  in <sup>in</sup> each  
 sec.  $5\frac{1}{2}$  ft dist, and  
 raised mound of earth  
 2 ft high  $4\frac{1}{2}$  ft base  
 around fast

Soil 3<sup>rd</sup> rate Sagebrush  
 and scattering Mesquite

North between Secs. 1 & 4  
 T<sub>1</sub>A. 1357. E.

over low level ground  
 40.00 set Mesquite post 3 ft  
 long 3 in sq. with marked  
 stone 12 in in ground  
 marked  $\frac{1}{4}$  S. on W. face  
 dug pits  $18 \times 18 \times 12$  in  
 n. & s. of Post



ch. 5-1/2 ft dist. and raised  
 mound of earth 1 1/2 ft high  
 3 1/2 ft base around post.  
 Reprisite Ranch house and  
 Windmill about 10 ch. E.

5-7.50 cross dry wash 15-20 ft wide  
 2 ft deep. Bars E. + W

80.00 set a charred Mesquite post  
 4 1/2 ft long 4<sup>in</sup> dia. 12<sup>in</sup> in  
 ground for ear to P.  
 6 and 7. S. R. 8 and 9. E.  
 Marked.

P. 6. S. S. 31. on N. E

R. 9. E. S. 6. on. S. E

P. 7. S. S. 1 on. S. W

P. 8 E. S. 36 on. N. W faces

with 6 notches on each edge

lbs. dug pits, 24 X 18 X 12, ins.  
 lengthwise N. S. E. + W  
 of post 6 ft dist  
 and raised mound of  
 earth 2 1/2 ft high 5 ft base  
 around post.

Soil 1st rate

dense growth of Mesquite  
 Aug. 21<sup>st</sup> / 89

From the Corner to Townships  
 6 and of South, Ranges  
 8 and 9 East, previously  
 established by me  
 I run

- 6h North between Secs. 31 + 36  
 Va. 13.57. E  
 Over uneven ground  
 40.00 set a charred Mesquite  
 post 3 ft long 3<sup>in</sup> sq -  
 12<sup>in</sup> in ground. Marked  
 1/4 S. on W. side  
 dug pit 18x18x12<sup>in</sup> N + S  
 of post 5 1/2 ft dia.  
 and raised mound of earth  
 1 1/2 ft high 3 1/2 ft base  
 around post  
 80.00 set charred Mesquite Stake  
 4<sup>in</sup> sq. 4 ft long 12<sup>in</sup> in  
 ground for cor. to  
 Secs. 30-31-34 + 25 -  
 Marked.  
 T. 4. S. S. 30 on N. E  
 R. 9 E. S. 31 on S. E

Lch. S. 36 on. S. W  
 R. & E. S. 25 on. N. W. faces  
 With 5 matches on N  
 end 1 match on S. edges  
 dug pits  $18 \times 18 \times 12$ <sup>in</sup>  
 in each sec.  $5\frac{1}{2}$  ft dist  
 and raised mound of  
 earth 2 ft high  $4\frac{1}{2}$  ft base  
 around post  
 1<sup>st</sup>  $\frac{1}{2}$  mile 2<sup>nd</sup> rate  
 2<sup>nd</sup>  $\frac{1}{2}$  mile 3<sup>rd</sup> rate  
 Sagebrush and scattered Mesquites

---

Chs. North between Secs 25-+30  
 Va. 13.57' E.

Over level ground

40.00 Set a charred Mesquite post  
 3 ft long 3<sup>in</sup> Sq. 12<sup>in</sup> in ground  
 Marked  $\frac{1}{4}$  S. on W. Side

dug pits 18 X 18 X 12 in N. & S  
 of post 5 $\frac{1}{2}$  ft dist. and raised  
 mound of earth 1 $\frac{1}{2}$  ft high  
 3 $\frac{1}{2}$  ft base around post

80.00 Set Charred Mesquite post  
 4 ft long 4<sup>in</sup> Sq. 12<sup>in</sup> in  
 ground. ~~Not~~ ~~part~~ Secs  
 19-30. 25-224, Marked  
 T. 6. S. S. 19 on N. E  
 R. 9. E. S. 30 on S. E  
 S. 25 on S. W-

R. 8 E. S. 24 on N. W- face,

Ch With 4 notches on N.  
and 2 notches on S. edges.  
dug pits 18X18X12 in <sup>in</sup> each  
side, 5½ ft dist. and raised  
mound of earth 2 ft high  
4½ ft base around post  
Soil 3<sup>rd</sup> rate Sagebrush  
and greasewood

---

<sup>Sec.</sup>  
North between 19 & 24  
Ta. 13, 57, 6<sup>1</sup>

Over uneven ground  
13.00 Florence Canal, 1.40 ch. W  
General bearing N. running  
South

40.00 Set Charred Mesquite post  
3 ft long, 3 in sq, 12 in in  
ground, marked ¼ & 8  
on W. side.

Chs dug pits  $18 \times 18 \times 12$  in  $5\frac{1}{2}$  ft  
 dist. N. + S of fast  
 and raised mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base around fast.

80.00 set cleared mesquite fast  
 4 ft long  $4$  in sq.  $12$  in in  
 ground. for car to Secs  
 18-19-24 + 13. Marked  
 T. 6 S. S. 18 on N. E  
 R. 9 E. S. 19. on S. E  
 S. 24 on S. W.  
 R. 8 E. S. 13 on N. W  
 with 3 notches on N  
 & 3 notches on S. edges.  
 dug pits  $18 \times 18 \times 12$  in  
 in each sec.  $5\frac{1}{2}$  ft dist  
 and raised mound of  
 earth 2 ft high —

66s 5- $\frac{1}{2}$  ft base around  
post.

Sail 2<sup>nd</sup> rate grass and  
and Sagebrush

---

North between Sees. 13 & 18  
ra. 13.5-7 E

over level ground

40.00 Set Charred Mesquite

post. 3 ft long 3<sup>in</sup> sq-

12<sup>in</sup> in ground marked

$\frac{1}{4}$  S on W. face. dug

pit 18 X 18 X 12 ft. + S of

post. 5- $\frac{1}{2}$  ft dist. raised

mound of earth 1- $\frac{1}{2}$  ft high

3- $\frac{1}{4}$  ft base around post

60.00 Cross Florence Canal

25 ft wide on bottom

43 ft wide on top, 4- $\frac{1}{2}$  ft deep



Chs Cause at this point  
S.  $30^{\circ}$  W.

80.00 set a Choned Mesquite post  
4 ft long.  $4\frac{1}{2}$  in sq.  $12\frac{1}{2}$  in ground  
for cor to Sec. 7-18. 13-12  
marked. T. 6 S. S. 7. on N.E.  
R. 9 E. S. 18. on S.E.  
S. 13. on S.W.

R. 8 E. S. 12 on N.W. faces

2 notches on n. end

4 notches on S. edges.

dug pits  $18 \times 18 \times 12\frac{1}{2}$  in each  
Sec.  $5\frac{1}{2}$  ft dist and raised  
mound of earth 2 ft high  
 $5\frac{1}{2}$  ft base around post  
Sail 2<sup>nd</sup> rate

Chs North between Secs. 7 & 12  
T<sub>4</sub> N. 13.57 E.

over level ground

2.00 cross cleared line for  
Lateral from Florence  
canal running west.

40.00 Set staked mesquite post  
3 ft long 3<sup>in</sup> sq. 12<sup>in</sup> in ground  
Marked '4 S. on W. face.  
dug pits 18 x 18 x 12<sup>in</sup> N. & S of  
post 5-1/2 ft dist. raised  
mound of earth 1 1/2 ft high  
3 1/2 ft base around post

80.00 Set staked mesquite post  
4 ft long 4<sup>in</sup> sq. 12<sup>in</sup> in  
ground for cor to Secs.

6-7-12 & 1

Marked

16. T. 6. S. 8. 6 on N. E  
 R. 9. E. S. 7 on S. E  
 S. 12 on S. W  
 R. 8 E. S. 1 on N. W faces  
 with 1 notch on N  
 and 5 notches on S. edges.  
 dig pits 18X18X12. in <sup>in</sup> each  
 dir. 5-1/2 ft dist and raised  
 mound of earth 2 ft high  
 5-1/2 ft base around fast  
 Land level 2<sup>nd</sup> rate

---

- lbs North between secs. 1 & 6  
 Td. 13.5 & E.  
 over level land
- 2.00 cross cleared line for  
 lateral from Clarence land  
 running W.
- 40.00 Set a staked mesquite post  
 3 ft long, 3<sup>in</sup> sq. 12<sup>in</sup> in ground  
 marked  $\frac{1}{4}$  S. on W side.  
 dug pits 18 X 18 X 12<sup>in</sup> N. & S  
 of post 5 $\frac{1}{2}$  ft dist. raised  
 mound  $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft.  
 base around post
- 5-6.00 cross road from Quinns  
 Ranch, near E & W  
 Quinns Ranch about  $\frac{1}{2}$  mile  
 East

Cb

19.60 Intersect 1<sup>st</sup> Standard, S2.20 Ch. E of  $\frac{1}{4}$  post of Sec 31.

T. 5. S. R. 9. E.

Set charred Mesquite post  
4  $\frac{1}{2}$  ft long 4  $\frac{1}{2}$  in sq. 12  $\frac{1}{2}$  in  
ground. for closing cor  
to Tps. 6. S. R. 9. E.

Marked. C. C. T. 5 S. on. S

R. 9. E. S. 6. on. E

R. 8. E. S. 1. on. W. faces

With 6 matches on S. E. + W

faces. dug pits 24 X 18 X 12  $\frac{1}{2}$ 

crosswise on each line

S. E. + W of post 6 ft dist.

and raised a mound of  
earth 2  $\frac{1}{2}$  ft high 5 ft base  
around post.Said 1<sup>st</sup> rat Aug 22<sup>nd</sup> 1884

Feb. From the car to Tp. 687 S  
 R's 8. + 9 E. Recently established by me  
 which is a Mesquite post  
 4 1/2 ft long 4 <sup>in</sup> dia. 12 <sup>in</sup> in the  
 ground.

Marked

T. 6 S. S. 31. on. N. E

R. 9 E. S. 6. on. S. E

T. 7 S. S. 1 on. S. W

R. 8 E. S. 36. on N. W face

with a notch on each edge  
 with pits 24 x 18 x 12 <sup>in</sup> lengthwise

on each line N. S. E. + W  
 of post. 4 ft dist.

and mound of earth  
 2 1/2 ft high, 5 ft base  
 around post.

Hence I run West on Randolines  
Va. 13.57. E.

Setting temporary  $\frac{1}{2}$  mile  
and mile posts at each  
40 and 80 chains, and  
at 482 chs and 40 lks was  
1 ch. and 44 lks North of  
Tps. 6 & 7. S. R's. 7 & 8 E.

---

From the car to Tps. 6 and 7. S.  
R's 7 and 8 E. which is a  
past 4 in Sq. Marked -  
T. 6 S. 31 on. N. E.  
R. 8 E. 6 on. S. E.  
T. 7 S. 1 on. S. W.  
R. 7 S. 36 on. N. W. faces  
with 6 notches on each edge  
and pits N. S. E. + W. 6 ft dist  
and mound of earth around post

Chs L run.

N.  $89^{\circ}47'$  E. on a true line

N.  $13^{\circ}57'$  E

42.40 Set a charred mesquite post  
3 ft long 3 in sq. 12<sup>in</sup> in  
to ground. Marked  $\frac{1}{4}$  S on  
N. face. dug pits 18x18x12<sup>in</sup> ms  
5 $\frac{1}{2}$  ft dist E. + W of post  
and raised mound of  
earth 1 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft  
base around post.  
House, canal and wind-  
mill of Mr. John Lass, is  
15 Ch. North.

44.00 cross old Sacaton road  
N.  $30^{\circ}$  W. S.  $30^{\circ}$  E.

82.40 Set a charred mesquite post  
4 ft long 4<sup>in</sup> sq. 12<sup>in</sup> in  
ground —



lb  
 Marked T. 6 S. S. 32 of N. E  
 R. 8 E. S. 5 on S. E  
 T. 7 S. S. 6 on S. W  
 S. 31 on N. W. faces  
 With 5 matches on E and  
 1 match on W. edges  
 and dug pits  $18 \times 18 \times 12$  inches  
 in each sec.  $5\frac{1}{2}$  ft dist  
 and raised mound of  
 earth 2 ft high around  
 each  
 Sand level. 1st class  
 Mesquite and Sagebrush  
 Aug. 23 1889

---

Loco N. 89° 47 E. between Secs. 32 & 35  
 Va. 1357 E

over level ground

40.00 Set cleared Mesquite  
 post 3 ft long 3 in sq. 12 ins  
 in the ground. Marked  
 1/4 S on N. face, and  
 dug pits 18 x 18 x 12 ins E & W  
 of post 1/2 ft dist, and  
 raised mound of earth  
 1 1/2 ft high 3 1/2 ft base  
 around post

80.00 Set a cleared Mesquite  
 post 4 ft long 4 in sq  
 12 ins in ground. Marked  
 T. 6 S. S. 33 on N. E  
 P. 8. E. S. 4 on S. E  
 T. 7. S. S. 32 on S. W  
 S. 5 on N. W. faces

40. With 4 notches on E  
 and 2 notches on W. edges,  
 dug pits 18x18x12 ins  
 in caoz see, 5 1/2 ft dist  
 and raised mound of  
 earth 2 ft high, 5 1/2 ft  
 base around post  
 Soil 2<sup>nd</sup> rate, greewood

---

N. 89.47' E between Secs. 33 & 4  
 T. 13. S. 7. E

over level ground

40.000 set a charred mesquite  
 post 3 ft long, 3 ins sq.  
 12 ins in ground. Marked  
 the N. face, and  
 dug pits 18x18x12 ins  
 E & W of post 5 1/2 ft dist.  
 and raised mound of earth

66 1 1/2 ft high 3 1/2 ft base  
around fast

80.00 Set a charred Mesquite  
fast 4 ft long 4 in sq  
12 in in ground. for Cal  
to Secs. 33-34-3+4

marked P. 6. S. S. 34 on N. E

R. 8 E. S. 3 on S. E

P. 7. S. S. 33 on W. W

S. 4 on N. W. face

With 3 notches on E + W edges,

dug pits 18 X 18 X 12 in in  
each sec, 5 1/2 ft dist. and

raised mound of earth  
2 ft high 5 ft base around  
fast

Said 2<sup>nd</sup> rate. grasswood

Feb R. 8947 E. between Secs. 34 & 35  
 on level land  
 $\text{va. } 13^{\circ} 57' \text{ E.}$

4000 Set cleared Mesquite post  
<sup>12 ins in ground</sup>  
 3 ft long 3 ins sq. marked  
 1/4 S. on N. face. dug pits  
 18 x 18 x 12 ins E + W of post  
 5 1/2 ft dist. and raised  
 mound of earth 1 1/2 ft high  
 3 1/2 ft base around post

8000 Set a cleared mesquite  
 post 4 ft long 4 ins sq  
 12 ins in the ground

per en. to Secs. 34-35-2+3.  
 marked T. 6. S. S. 35 on N.E.

R. 8 E. S. 2 on N. E

T. 7. S. S. 3 on S. W

S. 34 on N. W. faces  
 with 2 notches on E end  
 4 notches on W edges

lets dug pits 18X18X12 in in  
each sec. 5-1/2 ft dist, and  
raised mound of earth  
2 ft high 5 ft base around  
post.

Said 2<sup>nd</sup> rts, gruswood

N. 89.47. E between Secs 35 & 2  
Va. 13.57 E

over level ground covered  
with dense growth of  
mesquite.

10.00 Cross road, bears N.E. & S.W

40.00 Sit a charred mesquite

post 3 ft long 3 in dia

Marked 1/4 S. on N. face.

dug pits 18X18X12 in

E & W of post 5-1/2 ft dist.

and raised mound

lots of earth  $4\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around fact.

- S. Western boundary of  
 cleared line for the Florence  
 Canal Co. Reservoir level  
 68 lts South.

- State marked Sta. 212 -  
 80.00 set a cleared mesquite post  
 4 ft long 4 ins sq. 12 ins.  
 in ground for cor. to  
 Sec. 35-34. 1+2.

Marked, T. 4 S. S. 34 on N. E

R. 8 E. S. 1 on S. E

T. 7 S. S. 2 on S. W

S. 35 on N. W. face

with 1 notch on E end

5 notches on W. edges

dug pits  $18 \times 18 \times 12$  ins

in sec 2 see.

66 5 $\frac{1}{2}$  ft dist and raised  
mound of earth 2 ft high  
5 ft base around fast  
And 2<sup>nd</sup> rat

---

N. 89, 47. E. between Secs. 36 & 1  
Va. 13, 57, E

over level ground covered  
with dense growth of  
mesquite

S. on Cross Wash, bears  
N. 45° W S. 45° E

40.<sup>00</sup> Set a charred mesquite  
post 3 ft long 3 ins sq  
<sup>1 $\frac{1}{2}$  ins in ground</sup>  
marked  $\frac{1}{4}$  S. on N. face.  
dug pits 18 x 18 x 12 ins  
E & W of post 5 $\frac{1}{2}$  ft dist.  
and raised mound of  
earth 1 $\frac{1}{2}$  ft high around  
fast.



lb.  
80.00 on to Ps. 6 and 7. &  
Ps 8 and 9 &  
Said. 1<sup>st</sup> rate dense,  
growth mesquite  
Aug. 24<sup>th</sup> 1880

---

Albert T. Carlton  
U. S. Geol. - Surv. &

U. S. Surveyor-General's Office,

TUCSON, A. T., Nov<sup>r</sup> 25<sup>th</sup> 1889

The foregoing Field Notes of the Surveys of  
The South and East  
Boundaries

S. G. S. R. 8 E. & E. Boundary  
S. 7 S. R. 8 E. Gila and Salt River Meridian  
in Arizona executed by

A. J. Colton

U. S. Deputy Surveyor, under his contract dated

June 8<sup>th</sup> 1889

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Rayala Johnson

U. S. Surveyor-General  
for the Territory of Arizona.

List of Names.

List of the Names of Individuals employed by  
A. S. Colton U. S. deputy

surveyor, to assist in running, measuring, or marking the lines  
and corners described in the foregoing Field Notes of the survey  
of ~~the east~~ <sup>of the east</sup> boundary of  
of ~~S.W.P.~~ <sup>S. R. & E</sup> and  
the South and East Boundaries  
of ~~S. R. & E.~~ <sup>S. R. & E.</sup> of the  
principal base and Meridian  
in the Territory of Oregon

Showing the respective capacities in which they acted.

Anthony Dean Chairman.

Lewis H. Virgin Chairman.

M. W. Rice Axeman.

Louis R. Hine Flagman.

annual, printed  
United States Su.



39

BOOK 1608

# Final Oath of Assistants.

We hereby certify that we assisted *Albert J. Colton*  
*Colton* U. S. Deputy Surveyor, in surveying  
 East Boundary of *Trp. 7. S. R. 8 E*  
 all those parts or portions of *Trp. 7. S. R. 8 E*  
 and the South and East Boundaries  
 of *T. 6. S. R. 8 E.* of the  
 principal base and *Meridian*  
 of *Arizona*

as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the corner monuments established according to the instructions furnished by the United States Surveyor-General for Arizona.

*Albur Brown* Chainman.  
*Lewis Hunter* Chainman.  
*W. McKick* Axeman.  
*Louis Klein* Flagman.

*[Signature]* subscribed before me, this *5<sup>th</sup>* day of  
*1889*



## Final Oath of Deputy Surveyor.

I, A. J. Cotton

U. S. Deputy Surveyor, do solemnly swear that in pursuance of instructions received from Royal A. Johnson ~~John~~ ~~Basson~~, United States Surveyor-General for Arizona, bearing date the 22

day of July 1887, I have well, faithfully

and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Surveying Manual, and the laws of the United States, surveyed all those parts or portions of the

West boundary of the  
Tr. of S. R. & C. and  
the South and East bound-  
aries of S. 6 of R. 8 E. of the  
principal base Meridian in the  
Territory of Arizona

as are represented


in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific manner described in the

BOOK 1608

[4-590.]

BOOK 1608

Township No. 7 S Range No. 8 E Mer.



Scale 80 chains to an inch

WASHINGTON, D. C.