

1623

1623

BOOK 1623

4-671

FIELD NOTES

GENERAL LAND OFFICE.

Re Establishment
of the South Boundary
of T^p: 7. S. R. 14. West.

Arizona

By Lewis Wolfley Dep. Sur.
 under Contract

Dated January 16. 1893.

Survey commenced April 29. 93

Survey completed April 27. 93.

Flor Index Ser
Book # 1622

BOOK 1623			
S.P. 1421			
31	32	33	34
67	65	63	61

Retrace and Re-establish
South Cdy. T₇ R 14 W₁₂

Remains on N. face, dug pits 18x18x12
E. & W. of post 5 1/2 ft. deep. And
raised a mound of earth
1 1/2 ft. high 3 1/2 ft. base around
post

80.00 I find faint traces of the
old cor. to Secs. 34 and 35. on
line I therefore re-establish
the cor. by setting a post
4 ft. long 4 in. square with
marked stone 12 in. in the
ground for cor. to Secs. 34 & 35
marked

T₇ R 14 W₁₂ on N.

D 35. on E. end

D 34. on W. faces with 2
notches on E. and 4 notches
on W. faces, dug pits 18x18x12
in. N. E. & W. of post. 5 1/2 ft. deep.

Retrace and Re-establish South City

Charris and raised a mound
 of earth 2 ft. high $4\frac{1}{2}$ ft.
 base around post
 Land level mesa
 Soil $1\frac{1}{4}$ rate
 Scattering Mesquite +
 grasswood brush

$S 89^{\circ} 30' W.$ on S. body of Sec. 34
 $Va 18^{\circ} 45' E.$

40.00 No signs of old $\frac{1}{4}$ Sec. cor
 I re-establish the cor. by
 setting a post 3 ft. long
 3 ins. square with marked
 stone 12 ins. in the ground
 for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$
 R on N. face dug pits 18×15
 $\times 12$ ins. E. & W. of post $5\frac{1}{2}$ ft

The 7 South Range 14 West
 Sec. 33. dist. and raised a mound
 of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.

Base around post

80.00 I find faint traces of the
 old cor. to Sec. 33 and 34
 on line I therefore re-estab-
 lish the cor. by setting a
 post 4 ft long 4 ins. square
 with marked stone 12 ins
 in the ground for cor. to
 Sec. 33 and 34 marked

T 7. S. R 14. W. on N

S 34. on E. End

S 33. on W. faces with
 3 notches on E + W. faces
 dug pits $15 \times 15 \times 12$ ins.

N.E. + W. of post $5\frac{1}{2}$ ft. dist.

and raised a mound
 of earth 2 ft. high $4\frac{1}{2}$ ft. base

163

BOOK 1623

Retrace and Re-establish South Bdy

Charris

around post

Land level mesa

Soil 1st/₄ rateScattering Mesquite + grass-
wood brushS 89° 58' W. on S. bdy. of
Sec 33.

N 91° 45' E

Over surface gravel

4.40.00

No signs of old 1/4 Sec. cor

Re-establish the cor. by

setting a post 3 ft. long

3 in. square with

marked stone 12 in. in

the ground for 1/4 Sec.

cor. marked 1/4 S. on N

face, dug pits 18 x 18 x 12

Tp 7 South Range. 14 West.

Chambers E. & W. of frost 5 1/2 ft. dist.
and raised a mound of
each 1 1/2 ft high 3 1/2 ft. base
around frost

60.00 Lean gravel

66.00 Mohawk road bet. N.W. & S.E.

50.^{77.60} I find faint traces of old
cor. to Secs 32 and 33 on line
and of a beeping tree rotten made of
I therefor re-establish the
cor. by setting a post 4 ft.
long 4 ins. square with
marked stone 12 ins. in the
ground for cor. to Secs. 32 & 33
marked

T 7. S. R 14 W. on N

S 33. on E. end

S 32. on W. faces with 4
notches on E. and 2 notches
on W. faces. dug pits 18x18x12

Retrace and Re-establish South Body

Charris vis. N. E. W. of post 5 1/2 ft.
 dist. and raised a mound
 of each 2 ft. high 3 1/2 ft.
 base around post
 Land level mesa
 Soil 1st rate
 Scatterling Mesquite +
 Sage Brush

189° 50' N. on d. bdy. of
 Sec 32

Va 13° 45' E

In Dense Mesquite brush
 40.00 I find faint traces of
 the old 1/4 Sec. cor. on this
 I re-establish the cor. by
 setting a post 3 ft. long
 3 ind. square with marked

Tr. 7 South Range 14 West

Quaristone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4 D
on N. face, dug pits 18x18x12
ins. E. & W. of post 5 1/2 ft. dist
and raised a mound of
earth 1 1/2 ft. high 5 1/2 ft. base
around post

49.00 Leave Mesquite brush and
enter breaks of mesa

64.00 Enter Road coming from S. E.

67.50 Leave Road cor. T. W.

^{78.00} 80.00 I find old post. no mound
or pits of old cor. to Sec
31 and 32 on line I therefore
re-establish the cor. by setting
a post 4 ft. long 4 ins. \square
square with marked stone
12 ins. in the ground for cor
to Sec. 31 + 32. marked

Retrace and Re-establish South bay.

C. Okamis T. J. R. 14. W. on N
 S 32. on E. End
 S 31. on W. faces with 5
 notches on E. and 1
 notch on W. faces, dug
 pits 18 x 18 x 12 ins. N.E. +
 W. of post 5 1/2 ft dist. and
 raised a mound of
 earth 2 ft. high 4 1/2 ft.
 base around post
 Low level mesa
 Soil 2nd rate
 Dense Mesquite brush 49. obs

I tested my solar by the
 sun at noon and found
 the latitude to be. $32^{\circ}45'$
 See Page 1

Tr. 7 South Range 14 West

Start S $89^{\circ} 50' W$. on S. bdy. of Sec. 31
 Va $13^{\circ} 45' E$.

Corr mesa breaks to Gila
 River just to North

39.50 Wash 50 ft. wide course N

40.00 No signs of old $1/4$ Sec. cor

I re-establish the cor. by
 setting a post 3 ft. long 3 ins
 square with marked stone
 12 ins. in the ground for $1/4$
 sec cor. marked $1/4$ N. on N. face
 dug pits $18 \times 18 \times 12$ ins. E +
 W. of post $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
 around post.

77.97

78.50 I find traces of old cor
 to Trs. 7 + 8. S. Rs. 14 + 15. W
 on line I then re-establish

Retrace and Re-establish South line

Clearing
 lish the cor. by setting
 a post $1\frac{1}{2}$ ft. long 4
 ins. square with marked
 stone 12 ins. in the ground
 for cor. to Tps. 7. S. D. R.
 14 and 15. W. marked

T 7. S. D. 31. on N. E.

R. 14 W. S. 6. on S. E.

T 8. S. D. 1. on S. W. end

R. 15. W. S. 36. on N. W. face
 with 6 notches on N. E. S. W.
 faces dug pits $24 \times 18 \times 12$
 ins. crosswise on each
 line N. E. & S. W. of post
 6 ft. dist. and raised a
 mound of earth $2\frac{1}{2}$ ft.
 high 5 ft. base around
 post.

Land level and broken

The 7 South Range 14 WSW
Acres Soil 2nd rate + Worthless
Scattering Mesquite brush
April 29th / 93

Lewis Wolfley
U. S. Deputy Surveyor

U. S. Surveyor-General's Office,

TUCSON, A. T., Dec: 1 1893

The foregoing Field Notes of the Surveys of
Re-establishment of West
& North bdy of Tp. 7 S R. 11 W.
and S. bdys of Tp 7 S Rs
12, 13 & 14 W Gila and Salt River Meridian
in Arizona — executed by
Lewis Wolfley-

U. S. Deputy Surveyor, under his contract dated
January 16, 1893.
having been critically examined, the necessary correc-
tions and explanations made, the said Field Notes and
the surveys they describe are hereby approved.

U. S. Surveyor-General
for the Territory of Arizona.