

Recd. Jan 6th 1893

Collected
Compounded
Platted

Sent to G. L. O. 3-4-93

1629

Approved April 27-1890

BOOK 1629

4-671

1629

FIELD NOTES

GENERAL LAND OFFICE.

of a Portion
1st STANDARD

PARALLEL SOUTH

thro Rgs. 6-7-8 ^{and} 9 West.
by LEWIS. WOLLEY

UNDER CONTRACT NO. 22

Dated May 26-1892

Survey Commenced Oct 3-92

" Completed Oct 7-1892

Preliminary Oaths of Assistants.

We, *H. H. Wolfley*

and *E. C. Smith*

do solemnly swear that we will well and faithfully execute the duties of Chain Carriers; that we will level the chain upon even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the ^a portion of the 1st Stand. Pal. and a portion of the 2nd Guide Meridian, + Extensions and Subdivision lines in Tps. 6, 7, 8, West. and Tps. 7, 8 + 9. west of the Gila and Salt River Base and Meridian in the Territory of Arizona.

S. S. Witt Chainman.

Adam Glien Chainman.

H. H. Wolfley Chainman.

E. C. Smith Chainman.

Subscribed and sworn before me, this *3rd*

day of *October* 189 *2*

Franz D. Weleauer

Pu

[SEAL.]

BOOK 1629

We, B. F. Bailey, S. N. Witt, D. Madigan

Saml Beighler + Adam Shien

do solemnly swear that we will well and truly perform the duties of Chamman, Marker,

Flagman, Assman, in the establishment of corners and other duties,

according to instructions given us, and to the best of our skill and ability, in the survey of ⁹the portion

of the 1st Stand. Cor. South and a portion of the 2nd Guide Meridian + Extension + Subdivision lines in Tps. 6. 7. 8. + 9 West and Tps. 7. 8. + 9 West

of the Gila and Salt River Base and Meridian, in the Territory of Arizona.

B. F. Bailey

S. N. Witt

D. Madigan

Saml Beighler

Adam Shien

Subscribed and sworn to before me this

day of

October

189 2

Frank W. Welton

Notary Public.

Field Notes

BOOK 1629

of the
Survey of the Lines of 1st
Standard Parallel South
of the

Gila and Salt River
Base and Meridian
Territory of Arizona
as surveyed by

Lewis Wolfley

U. S. Deputy Surveyor
under his contract No 22

Dated May 26-1892

Survey commenced Oct 3-1892

Completed Oct 7-1892

The S. A. R. 7. W.

32 33 34 35 36
25 / 23 / 20 / 18 / 16

The S. A. R. 6. W.

37 38 39 40 41
6 / 5 / 10 / 11 / 13

BOOK 1629

Index

The S. A. R. 9. W.

31 32 33 34 35 36
61 / 59 / 56 / 53 / 51 / 47

The S. A. R. 8. W.

37 38 39 40 41 42
44 / 42 / 39 / 37 / 34 / 32

BOOK 1629

BOOK 1629

Retrace and Re-establishing. 1 Stand, - Par. South

Chanis Survey commenced Oct 3
1892. with a Young and
Sons light Mountain
Transit -

at the Standard Cor. to
Secs 35 and 36, Tⁿ. 5 S. R 5 W
latitude $32^{\circ} 56' N$. long 112°
 $41' W$ I observe Polaris
at 6 o'clock and 33 minutes
the local mean time for
Eastern elongation computed
from table on Page 68
of printed instructions, and
mark the point under
the instrument. I drive
a picket $2\frac{1}{2}$ Chanis. N
on the true meridian, de-
termined by laying off the
Azimuth of Polaris.

Retrace and Re-establishing 1st Stand.

Chains 1^o 30' to the west, as
given on page 70 printed
instructions and at
6³⁰ a. m. Oct 4th 1892
I take the magnetic
bearing of the line
as established and
find it to be $13^{\circ} 18' E$.
I trace the Standard
to the closing cor. to
T^p. 6. S. R. 6. W. which
is a post firmly set
and properly marked
as described in the
field notes furnished
by the Surveyor General
my course being
 $S. 89^{\circ} 39' W.$ and find
the line well established

Par. 1. Through R. 6. West.

Chains From the closing cor. to
Tps. 6. S. R. 6. W. I continue
S. $89^{\circ} 39' W.$ on a random
line

79. 13° 15' E

and at 11.38 chs. I find
The Standard Cor. to ^{Tps. 5. S.} Rs. 5 + 6th ed
which is a post firmly
set and properly marked
as described in the field
Notes furnished by the
Surveyor General. I find
no other signs and at
5 miles 78 chs. ^{14 chs.} I establish
Temporary Closing Cor. to
Tps. 6. S. R. 6 + 7 West at
6. miles 11 chs. 48 chs. I find
signs of old Standard Cor
to Tps. 5. S. R. 6 + 7 W

Retrace and Re-establishing 1st

chains

S.H. L.K. S. I then run
 $N 89^{\circ} 33' E$. on a true line
 on South boundary of
 Sec. 31.

$S 9. 13^{\circ} 18' E$

13.35 Set a frost 4 ft. long
 4 ins. square with
 marked stone 12 ins.
 in the ground closing
 cor. to T. b. L. Rs. 6 + 7. Or
 marked

b. b. T. b. S. on S.

R 6. W. S. 6. on E.

R 7. W. S. 1 on W. faces with
 6. notches on S. E. & W. faces
 dug pits $24 \times 18 \times 12$
 ins. crosswise on each
 line S. E. & W. of frost 6
 ft. dist and raised a

Stand Par. South through R. 6. West

cham's mound of earth $2\frac{1}{2}$ ft.
high 5 ft base around
post

40.10 Set a post 3 ft. long 3
ins square with marked
stone 12 ins. in the ground
for $\frac{1}{4}$. Standard Lev. Cor
marked $\frac{1}{4}$. S. E. on N. face
dug pits $18 \times 18 \times 12$ ins.
E. side of post $5\frac{1}{2}$ ft
dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$
ft. base around post

80.10 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for Standard Lev. to Secs
31 and 32. marked
S. E. T. 5. S. R. 6. W. on N

Retrace and Re-establishing 1st

Chains S. 32. on E. End
 S 31. on W. faces with
 5 notches on E. End 1
 notch on W. faces dug
 pits 18x18x12 ins.
 18x18x12 ins. N. E + W
 of post 5 1/2 ft. dist
 and raised a mound
 of earth 2 ft. high 4 1/4
 ft. base around post
 Land level
 Soil 1st rate

N 79° 33' E. on S. bay
 of Sec 32.

Va. 13° 18' E

40.00 Set a post 3 ft. long
 3 ins. square with

Stand Par. South. Through P. 6. W

chairs marked Stone 12 ins. in.

The ground for 1/4 Sec.

Stand Cor, marked S. 6. 1/4

S. on N. face, dug pits 18x18
x12 ins. E. End W. of post 5 1/2

ft. dist. End raised a
mound of earth 1 1/2 ft. high

3 1/2 ft. base around post

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for Standard Cor. to Secs
32 and 33, marked.

S. 6. T. S. P. R. 6. W. on N.

S 33. on E. End

S 32. on W. faces with 4

notches on E. End 2 notches

on W. faces, dug pits 18x18

x12 ins. N. E. + W. of post 5 1/2

Retrace ^{End} Re-establishing 1st Stand

Chains 1/2 dist. End raised a mound of earth 2 ft. high 4 1/2 ft. base around post

Land level

Soil 1st rate

$789^{\circ} 33' E$. on South Bdy. of Sec. 33.

$59. 13^{\circ} 18' E$.

40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for standard 1/4 Sec. cor. marked S.E. 1/4 S. on N. face aug pits 18x18x12 ins. E. of and W. of post 5 1/2 ft.

Far South through R. 6. W
chain's dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft
base around post

80.00 Set a post 4 ft. long 4
ins. square with marked
stone, 2 ins. in the ground
for standard cor. to Secs
33 and 34. marked

S. E. T. S. R. 6. W. on N.

S. 34. on E. end

A 33. on W. faces with 3
notches on E. end W. faces
dug pits $15 \times 18 \times 12$ ins. N. E.
end W. of post $5\frac{1}{2}$ ft. dist.

and raised a mound
of earth 2 ft. high $4\frac{1}{2}$ ft
base around post

Land level

Soil $1\frac{1}{4}$ rate

- Retrace and re-establishing 1st

chains N 89° 33' E. on South
Bdy. of Sec 34.

7a 13° 18' E.

40.00 Set a post 3 ft. long
3 ins. square with
marked stone 12 ins.
in the ground for stand
1/4 Sec. Cor. marked S.B.
1/4 S. on N. face dug
pits 15 x 15 x 12 ins.
E. end W. of post 5 1/2 ft.
dist. and raised a
mound of earth 1 1/2
ft. high 3 1/2 ft. base
around post.

50.00 Set a post 4 ft. long
4 ins. square with
marked stone 12 ins.
in the ground for

Stand Par. South, through R. 6. W.
 basis Standard Cor. to Secs 34 & 35 E
 marked

S. 6. T. 5. S. R. 6. W. on N.

S. 35. on E. end

S. 34. on W. faces, with 2
 notches on E. end 4 notches

on W. faces, dug pits 18x18
 x 12 ins. N. E. & W. of post 5th

St. dist. and raised a
 mound of earth 2 ft.

high 4 1/2 ft. base around
 post

Land level

Coil 1 st/₁₁ rate

N 89° 33' E. on South Bdy.
 of Sec. 35

Va. 13° 18' E.

Retrace and Re-establishing 1st Stand

Chamis

40.00 Set a post 3 ft. long
3 ins. square with
marked stone 12 ins. in
the ground for Standard.
1/4 Dec. on marked S. E.
1/4 S. on N. face, dug pits
18 x 18 x 12 ins. E. and W. of
post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2
ft. high 3 1/2 ft. base
around post

80.00 Set a post 4 ft. long
4 ins. square with marked
stone 12 ins. in the ground
for Standard end to
Decs 35 and 36. marked
S. E. T. S. S. R. 6. W. on N.
S. 36. on E. End
S 35. on W. faces, with 1

Par. South through R. 6. West

chain notch on E. End 5 notches
on W. faces, deep pits 18x18
x12 ins. N.E. End W. of post
5 1/2 ft. dist. and raised a
mound of earth 2 1/2 ft.
high 4 1/2 ft. base around post
Land level
Soil 1st rate

N 89° 33' E. on South Bdy of
Sec. 36.

T 9, 13° 18' E.

40.00 Set a post 3 ft. long 5 ins.
square with marked stone
12 ins. in the ground for
Standard 14. Sec. Cor. Marked
P. 6. 14. C. on N. face, deep pits
18x18x12 ins. E End W. of post

Retrace + Re-locate 1st Stand, Par. J. through R. 6 W.

Chamis 5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft.
high 3 1/2 ft. base around ^{feet}
80.00 Standard Cor. to T. 5 S.
R. 5 and 6 W. established by
Deputy Drummond
Land slightly rolling
Soil 1st to 2nd rate

N 89° 33' E. on South Body
of Sec. 31.

0

To 13° 18' E.

5.88 Wash 100 lbs. wide
course North

11.38 Closing cor. to T. 6 S. R. 5
and 6 W. the place of
beginning
Land rolling, soil 3rd rate

X
 Retrace + Re-estab. 1st Stand Cor. S. through R 7. W

Chamie I return to the Stand and
 Cor. to Tpt. S. S. Rs. 6 + 7. W.

And rebuild Cor. I set

a frost $4\frac{1}{2}$ ft. long 4 ins.

square with marked stone
 12 ins. in the ground for
 Standard Cor. to Tpt. W. S.

Rs. 6 + 7. W. marked

O. C. S. S. on N.

R 6. W. S. 31 on E. End

R 7. W. S. 36 on N. faces with 6
 notches on N. E. End W. faces
 dug pits 24 x 18 x 12 ins.

crosswise on each line N. E
 + W. of frost 6 ft. dist. And

raised a mound of earth
 2 $\frac{1}{2}$ ft. high 5 ft. base around
 frost.

Thence I run

Retrace and Re-establish, 1st Stand

Chains S. 89° 39' W. on a random
line on S. Bdy. of Sec. 36
779 13° 18' E

40.00 I find ^{faint traces} the old S.C. 114 S.
54. E.S.S. I therefore re-estab-
lish the cor.

Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
^{Standard}
for ¹¹⁴ S.C. cor. marked
S.C. 114 S. on N. face deep
cuts 18 x 18 x 12 ins E & W
of post 5 1/2 ft. dist. and
raised a mound of
earth 1 1/2 ft. high 3 1/2 ft.
base around post
Thence I continue S. 89° 39' W
on a random line.

80.00 I find ^{faint traces} the old Stand Cor. to

Par. South through R. 7W

chain Sec. 35 & 36 70. lks. South. I
therefore re-establish the Cor
Set a post 4 ft. long
4 in. square with
marked stone 1/2 in. in
the ground for standard
cor to Secs 35 & 36.

marked

S. E. T. 5 S. R. 7 W. on N
S. 36. on E. and

S. 35 on W. faces

with 1 notch on E. and

5 notches on W. faces.

dig pits 18x18x1/2 in

N. E. and W. of post

5 1/2 ft. dist. each

raised a mound of
earth 2 ft. high 4 1/2 ft.
base around post.

Retrace and Re-establish $1\frac{1}{4}$ Stand

chains Land Survey Mesa
Soil $1\frac{1}{4}$ plate
Took latitude at noon on Oct 4-1892

Thence I continue
S. $89^{\circ}39'W.$ on a
random line on S.
bdy. of Sec. 35.
Va. $13^{\circ}18'E.$

40.00 I find faint traces
of the old standard
 $1\frac{1}{4}$ Sec. cor. 36 lks.
S. therefore I re-
establish corner.
Set a post 8 ft.
long 3 ins. square
with marked
stone 2 ins. in
the ground for

Cor. South through R. 7. W

chains Standard $\frac{1}{4}$ Sec. cor.
marked S. E. $\frac{1}{4}$ S. on
N. face dug pits
18 X 18 X 12 in E. & W. of
post $5\frac{1}{2}$ ft. dist
and raised a
mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around post.

St. 50 I find faint traces
of the old Standard
cor. to Secs. 34 & 35
at 57 lks. S.

Therefore I re-estab-
lish a cor.

Set a post 4 ft. long
4 ins. square with
marked stone 17
ins. in the ground

Retrace and Re-establish 1st/₄ Standard

chain for Standard lev. to
Secs 34 + 35, marked
S. 6. T. 5 S. R. 7 W on N
S 35. on E End

S 34 on W. face with 2
notches on E. End 4 notches
on W. faces, dug pits 18
x 18 x 12 ins. N.E. End W
of post 5 1/2 ft. dish End
& mound of earth 2
ft. high 4 1/2 ft. base ^{around post}

Land level mesa

Soil 1st/₄ rate

Thence I continue

S 89° 39' W. on a random
line on S. Bdy of Sec 34

Va 13° 0' 18" E.

40.00 I find faint traces

Cor South through R. 7. W

chain of old Standard 114 Sec. cor
1/2 chain South. I therefore
re-establish the cor.

Set a post 3 ft. long
3 ins. square with
marked stone 12 ins.

in the ground for
Standard 114. Sec. cor

marked S. C. 114. S. on N

face. dug pits 18x18x12
ins. E and W. of post

5 1/2 ft. dist. and raised
a mound of earth 1 1/2
ft. high 3 1/2 ft. base
around post

Thence I continue

S 89° 39' W. on a random
line

80.25 I find faint traces of

Retrace and Re-establish 1st/₂

chain old Standard Cor. to
 Secs 33 and 34. 95
 lks. South therefore
 I reestablish the cor
 Set a frost 7 ft. long
 4 ins. square with
 marked stone 12
 ins. in the ground
 for Standard Cor. to
 Secs 33 and 34 marked
 S. 6. T. 5. R. 7 W. on N.

S 34. on E and

S 33. on W faces with
 3 notches on E and W
 faces, dug pits 18x18
 x 12 ins. N. E + W. of frost
 5 1/2 ft. dist. and raised
 a mound of earth
 2 ft. high 4 1/2 ft. base

Stand Cor. South through R 7th W

chain around post

Land level mesa

Soil 1st/_n rate

Thence I continue

S 89° 39' W. on a random
line bet. South Bdy of
Sec. 33

Ta. 12° 57' E.

40.00 I find faint traces of
the old Standard 1/4 Sec. cor.
90 Ets. South I therefore
re-establish the cor.
Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for Standard 1/4 Sec. cor.
marked S. E. 1/4 S. W. N. faces

Retrace and Re-establish 1st Standard

chains dug pits 18x18x12 ins. E.

and W. of post $5\frac{1}{2}$ ft. dist.

and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$

ft. base around post

Thence I continue

$89^{\circ} 39' W.$ on a random
line

80.25 I find old traces of
the Standard Cor. to Secs
32 and 33. 120 lks South
Therefore I re-establish
the cor.

Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the
ground for Standard
Cor. to Secs 32 and 33
marked

Par-South through R. 7. W

chain S. 6. T. 5. S. R. 7. W. on N . . .

D33. on E. End

D32. on W. faces, with 4
notches on E. End 2 notches
on W. faces. deep pits 18x18
x12 ins. N. E. W of post $5\frac{1}{2}$
ft. dist. End raised a
mound of earth 2 ft
high $4\frac{1}{2}$ ft. base around ^{post}
Land level mesa
Soil $1\frac{1}{4}$ rate

Thence I continue

$S 89^{\circ} 39' W$. on a random
line on S. Bdy. of Sec 32
 $S 112^{\circ} 57' E$.

16.95 Wash 50 fks. wide course N.E

40.25 I find faint traces of The

Retrace and Re-establish $1 \frac{34}{4}$

Change old Stand and $1/4$ Sec. cor.

225 chs. South therefore
I re-establish the cor

Set a post 3 ft. long
ins. square with marked
stone 12 ins. in the ground
for Stand and $1/4$ Sec. cor
marked S. E. $1/4$ P. on N

face, deep pits $18 \times 18 \times$
 $1/2$ ins. E and W. of post $5 \frac{1}{2}$
ft. dist. and raised a
mound of earth $1 \frac{1}{2}$ ft
high $3 \frac{1}{2}$ ft. base around post
Thence I continue

$189^{\circ} 39' W.$ on a random
line

80.50 I find faint traces of
the old Stand and bet
to Secs 31 and 32, 275 chs

Stand Par South through R 7. W
 chain South therefore I re-establish
 the cor

Set a post 4 ft. long 4 ins.
 square with marked
 stone 12 ins. in the ground
 for standard lev. to Secs
 01 End 02 marked

S. 6. T. S. R 7. W. on N
 02. on E. End

01 on W. face with 5
 notches on E. End 1 notch
 on W. face, dug pits 18 x
 18 x 12 ins. N.E. End W. of
 post 5 1/2 ft. dist. End raised
 a mound of earth 2 ft
 high 4 1/2 ft. base around
 post

Land level

Soil 1 1/4 End 3 1/4 rate

Retrace and Re-establish 1st Stand

thence I continue

$S 89^{\circ} 39' W.$ on a random
line on S. Bdy of Sec. 31.

$TA 12^{\circ} 57' E$

40.10 I find faint traces
of old Standard $\frac{1}{4}$ Sec. cor
1325 E.K.S. South. I therefore
re-establish the cor

set a post 3 ft. long 3 ins.
square with marked stone
12 ins. in the ground for
Standard $\frac{1}{4}$ Sec. cor. marked
S. 6 $\frac{1}{4}$ S. on N. face, dug
pits 18 x 18 x 12 ins. E & W
of post $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high $5\frac{1}{2}$ ft. base
around post

and continue S. $89^{\circ} 39' W.$

Par. South through Range 7 W

chains on a random line

45.75 Wash 15 lks wide course N.E.
and ascend rapidly

63 56 I establish a closing cor
to Tps. 6. S. Rs. 7 & 8 W. at
a point 16.84 chs N 88° 56' E.
from the standard cor. to
Tps. 5 S. Rs. 7 & 8 W. at
which point I set
a post 4 ft. long 4 ins.
square with marked stone
12 ins. in the ground for
closing cor. to Tps. 6. South
Rs. 7 & 8 west, marked
C. C. T. 6. S. on S.

R. 7. W. ... S. 6 on E

R 8 W. S 1. on W. faces with 6
notches on S, E and W faces

Retrace and Re-establish 1st

Chain

And
raised a mound of
Stone 2 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft
base around frost
And continue

S 89° 39' W. on a random
line.

66.20 Top of bluff brs n + s.
And descend

76.00 Wash course S. E. and ^{ascend}

80.40 I find faint traces of
the old standard line
to Twp 5. S. R. 7 + 8.

375. lks. South I therefore
re-establish the line.

Set a frost 4 $\frac{1}{2}$ ft. long
4 ins. square with
marked stone 12 ins.

Stand Por. South through R 7. W

chairs in the ground for standard
 loc. to T_h. S. P. R_s 7 + 8 W.

marked

S. 6. 5 S. on N

R 7 W. S. 31 on E. end

R 8 W. S. 36 on W. faces with 6
 notches on N. E + W. faces,
 and raised a mound of
 stone 2 ft. high 4 ft.
 base around post

note

For true courses see Tabular
 Statement pages 65 to 72

Land 36,40 chs mountainous

Land 43,60 " mostly level

Soil 4th rate

Scattering Pale Verde

Retrace & Reestablish 1st Stand

chains From The Standard Cor
to The S. E. Co. 7 + 8. W

This being White's Contract. I run
West on a random line
on S. Bdy of Sec. 36
T₁ 12° 15' E

26.20 Main Ridge Painted Rock
Range bet. N + S. about 350
ft. high + descend rapidly

38.24 Wash 40 Lks, wide course N.W

40.00 I find old traces of old
Standard 14 Sec. Cor. on
line. I therefore re-establish
the Cor.

Set a post 0 ft. long 3
ins. square with raised
stone 12 ins. in the ground
for Standard 14 Sec. Cor
marked S. E. 14. S. on N.

Par. 1. Through R. S. W

Chain face, and raised a mound of stone $1\frac{1}{2}$ ft. high 2 ft. base around post.

I also find

a Palo Verde 4 ins. diam
brs S 5° E. 116. lks. dist.

marked S. C. 14. S. B. T.

a Palo Verde 3 ins. diam
brs S 50 11° E. 172. lks. dist

marked ^{S. C.} 14. S. B. T.

Descend gradually

58.00 Foot End ascend gradually

80.00 I find faint traces of old
Standard cor. to Secs 55 & 56
on line I therefore re-establish
the cor

Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground

Retrace + Reestablish 1st Stand.

Clear for Stand. lev. to Secs 35 + 36
marked

S. 6. T. 5. S. R. 8. W. on N

S 36. on E. End

S 35. on W. faces with 1
notch on E. End 5 notches
on W. faces, and raised
a mound of stone $1\frac{1}{2}$
ft. high 2 ft. base around ^{foot}
Land mountain ^{End}
rolling, soil worthless

Thence I continue
west on a random
line on S. Side of Sec 35
Va $12^{\circ} 15' E$.

23.00 Wash 50 yds wide course N.E

40.20 I find faint traces of

Cor. South through R. J. W

chain old Standard 14. Sec. cor
 10 lks. N. I therefore re-
 establish the cor
 Set a post 3 ft. long 3 ins.
 square with marked
 stone 12 ins. in the ground
 for ^{Standard} 14 Sec. cor. marked
 S. C. 14. S. on N. face, dug
 pits 15 x 18 x 12 ins. E & W
 W. of post 5 1/2 ft. dist
 and raised a mound of earth
 1 1/2 ft. high 3 1/2 ft. base around ^{post}
 I also find
 a Palo Verde 3 ins. diam
 br. S 49° W. 123 lks. dist
 marked S. C. 14. S. B. T
 a Palo Verde 10 ins. diam
 br. N 1/2° E. 183 lks. dist
 marked S. C. 14. S. B. T

Retrace + Reestablish 1st Stand

Chassis I continue west on a
random line

44.10 Wash 10 lks. wide course N.W

71.30 " 15 " " "

80.20 I find faint traces of
old stand cor. to Secs

34 and 35 20 lks. North

I therefore reestablish the ^{cor}

Set a post 4 ft. long

4 ins. square with marked

stone 12 ins. in the ground

for stand. cor. to Secs

34 and 35. marked

P. 6. T. 5 N. R. 8 W. on N

P. 35. on E. and

P. 34. on W. faces with 2

notches on E and 4 notches

on W. faces, dug pits 18x18

12 ins. N. E and W. of post

Pr. South through R. S. W.

Charris 5½ ft. dist. and raised
a mound of earth 2 ft
high 4½ ft. base around
I also find a
a Pale Verde 4 ins. diam
brs S. 60° W. 150 lks. dist
marked: T. S. N. R. S. W. S. C
S 34. ^{and} 35 B. T.

Land slightly rolling
Soil malpais

I continue west on a
random line on S. Bdy
of Sec 34.
Tn. 12° 15' E.

2.8.00 Wash 10 lks. wide corner
40.00 I find faint traces of
old Standard ¼ Sec. Cor

Retrace & Reestablish 1st Stand

chain 5 lks N. I therefore re-establish
the cor.

Set a post 3 ft. long 3 in
square with marked stone
12 in. in the ground for
standard 1/4 Sec. cor marked
D. B. 1/4. S. on N. face, and raised
a mound of stone 1 1/2 ft. high
2 ft. base around post
I also find a

Pale Verde 8 in. diam cor
N 10° W. 129 lks. dist. marked
D. B. 1/4. D. B. T

a Pale Verde 6 in. diam.
cor N 32° 1/2° W. 191 lks. dist
marked D. B. 1/4 D. B. T

I continue west on a
random line

80.10 I find faint traces of the

Par. South through R. & W

~~chain~~ old stand. lev. to Secs

33 and 34. 10 lks. S. I

therefor reestablish the cor
Set a post 4 ft. long 4 ins.

square with marked
stone 12 ins. in the ground

for stand lev. to Secs
33 and 34. marked

S. 6. T. 5. S. R & W. on N

S 34. on E. end

on W. faces, with 3 notches
on E end W. faces and

raised a mound of stone

14 1/2 ft. high 2 ft. base around

post. I also find a

Palo Verde 10 ins. diam base

S 6° E. 10 8 lks. dish marked...

T. 5. S. R. & W. ^{S.C.} 33. r. 34. B. 7

a Palo Verde 12 ins. diam

base N 57° W 144 lks. dish

Retrace + Reestablish $1\frac{1}{2}$ Stand.

chain marked ^{S. 6} T. S. R. & W. $\frac{1}{2}$ 33 B. T

a mesquite 6 ins. diam. brs

N 67° E. 36. lks. dist. marked ^{S. 6} 33

T. S. R. & W. $\frac{1}{2}$ 34 B. T

a mesquite 8 ins. diam.

brs N $2\frac{1}{2}^{\circ}$ E. 94. lks. dist.

marked ^{S. 6} T. S. R. & W. $\frac{1}{2}$ 34 B. T

considerable surface alfalfa

Soil good

Took latitude at noon
Oct 5.

I continue west on a
random line on S. Bdy
of Sec 33

N $912^{\circ} 15' E$

2.50 Wash 20 lks. wide course N

Par. South through R & W

chanis

40.15 I find faint traces of old
Standard 14. Sec. cor. 16 E. S. 12
I therefore re-establish the
cor.

Set a post 3 ft. long 3 in.
square with marked
stone 12 in. in the ground
for ^{Standard} 14 Sec. cor. marked S. B.
14. S. on N. face, and raised
a mound of stone 1 1/2 ft
high 2 ft. base, around
post. I also find

a Palo Verde 4 in. diam
brs. S. 65° E. 169 E. S. dist
marked S. B. 14. S. B. T
I continue west on a
random line

80.05 I find faint traces of old

Retrace and Reestablish $\frac{1}{4}$ Stand.

chain Standard Cor. to Secs 32 & 33
10 sec's. South I therefore re-
establish the Cor.

Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for Standard Cor. to Secs
32 and 33. marked

S. 6. T. 5. S. R. 5 W. on N

O 33. on E. and

O 32. on W. faces, with 4
notches on E. and 2 notches
on W. faces, and raised
a mound of stone $1\frac{1}{2}$ ft.
high 2 ft. base around post
Land slightly rolling
Surface well fair

Par. South through R 5 W

Cham's Perpetual West random
line on S. Bdy of Sec. 32
Va 120/15'E.

40.20 I find faint traces of old
Standard 1/4 Sec cor. 21. lks
North. I therefore reestablish
the cor.

Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for Standard 1/4 Sec cor
marked S. B. 1/4 S. on N. face
and raised a mound of
stone 1 1/2 ft. high 2 ft. base
around post. I also find
a pale verde 7 ins. diam
on S. W. 100 lks. dist
marked S. B. 1/4 S. O. B. T
a pale verde 5 ins. diam on

Retrace End Reestablish 1st/₇ Stand

charis S 60° E. 39 chs. dist. marked
S. B. 114 S. B. T.

Continue work on
a random line

50.20 I find faint traces of old
Standard Cor. to Secs 31+32
60 chs. North I therefore
re-establish the Cor.

Set a post 4 ft. long 4 ins.
square with marked
stone 12 ins. in the ground
for Stand. Cor. to Secs 31+32
marked

S. B. T. S. R & W. on N

S 32 on E. End

S 31 on W. faces with 5
notches on E. End 1 notch
on W. edges, and raised
a mound of stone 1 1/2 ft.

Cor. South through Range SW
chain high 2 ft. base around
post

Land slightly rolling
Surface well flat

I continue west on a
random line on N. Bdy
of Sec. 31.

79. 12° 15' E.

40.15 I find faint traces of old
Stand 14. Sec. cor 10 S. 1/4. 21
I therefore re-establish the ^{Com}
Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for Stand. 14. Sec. cor marked
P.C. 14. S. on N. face, and
raised a mound of stone

Retrace + Reestablish 1st Stand

- chamiz 1 1/2 ft. high 2 ft. base around
frost. Continue west on a random line
- 60.80 Set a frost 4 ft. long
4 ins. square with
marked stone 12 ins. in
the ground for closing
cor. to Tps. 6. N. R. 8 + 9. W
at 29.50 chs. S 89.47' W.
from the Standard Cor. to
Tps. 5. S. R. 7 + 9. W. marked
C. C. T. 6. S. on S.
R 8. W. S. 6. on E.
R 9. W. S. 1. on W faces with 6
notches on S. E. End W
faces, and raised a mound
of stone 1 1/2 ft. high 2 ft. base
around frost, and continue west ^{on a random}
- 9030 I find faint traces of old
Stand. cor. to Tps. 5. S.

Par. South through R. 8 W

dim R. 8 & 9, W. 162 Pks. North

I therefore re-establish
the cor.

Set a post $4\frac{1}{2}$ ft. long 4 ins.

square with marked stone
12 ins. in the ground for stand

cor. to T. S. R. 8 & 9 W
marked

S. 6. T. S. on N

R. 8 W. S. 31. on E

R. 9 W. S. 36 on W. faces with 6

notches on N. E & W. faces, deep

cuts $24 \times 18 \times 12$ ins. crosswise

on each line N. E. & W. of post

$6\frac{1}{2}$ ft. dist. and raised a

mound of earth $2\frac{1}{2}$ ft. high

5 ft. base around post I also

find

a mesquite 5 ins. diam. on

Retrace and Reestablish. 1st Stand

Chain is
 brs S. $32^{\circ} 1/2^{\circ}$ E. 71 eka dist
 marked ^{S.C.} T. 5. S. Qs. 8 & 9 W.
 B. T.

Land slightly rolling
 Soil 2nd rate

For true courses see tabular
 statement Pages 65, to 72
 657

From the standard cor.
 to Qs. 5 S. Q. S. 8 & 9 W.
 I mean

N. $59^{\circ} 30'$ W. on a ran-
 dom line on S. side.

of Sec. 36.

40.10 I find faint traces of
 the old standard $1/4$
 Sec. cor. on line

Par. South through R 9. W

hence I therefore reestablish
the cor.

Set a post 3 ft. long
3 in. square with
marked stone 12 in
in the ground for
Standard $\frac{1}{4}$ Sec. cor.
marked S. C. $\frac{1}{4}$ S. on
N. face and raised
a mound of stone
 $\frac{1}{2}$ ft. high 2 ft. base
around post.

I continue

N. $89^{\circ} 30'$ W. on a
random line

80.30

I find faint traces
of the old Standard
Cor. to Sec. 25 + 26
149. N. S. N.

Retrace and Reestablish 1st Stand

claims I therefore reestablish the cor.

Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for standard cor. to Secs. 35 + 36

marked

S. C. T. P. 50. Q. 9 N. 1/4. Sec. 36 on E. and Sec. 35 on W. faces.

with 1 notch on E. and 5 notches on W. faces dug pits 18x18x12 ins N. E. + W. of post 5 1/2 ft. dist. and marked a mound

Cor. South through Range 9. West
 Chain of earth 2 ft. high
 4 1/2 ft. base around
 post.

I also find a pale
 varved 8 ins. diam
 base. S. 33° E. 178

lks. dist marked
 T. 5 S. R. 9 W. S. C. S.
 35 + 36 B. T.

A pale-vein 10 ins.

in diam. base.

N. 89° W. 71 lks. dist.

marked

T. 5 S. R. 9 W. Sec. 35

B. T.

Land slightly rolling
 Soil good rate

Retrace and Reestablish 1st Stand

Chain I continue

N. $89^{\circ}30'$ W. on a
random line on
S. Ely. of Sec. 35.

Pa. $12^{\circ}24'$ E.

40.25 I find faint traces
of the old standard
 $\frac{1}{4}$ Sec. cor. 257 lks.

N. I therefore re-
establish a corner
set a post 8 ft.

long 3 ins. square
with marked

stone 12 ins. in

the ground for
standard $\frac{1}{4}$ Sec.

cor. marked

S. E. $\frac{1}{4}$ S. on N. face
and revised a

Pat. South through Range 9. W

shinis ground of stone
 1 1/2 ft. High 2 ft.
 take around post
 I continue

N 89° 30' W on a random
 line.

80.80 I find faint traces of
 the old stand cor. to
 Secs 34 and 35. 264. E. & N.
 I therefore re-established the cor.
 set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. in the ground
 for standard cor. to Secs
 34 and 35. marked S. E.

T. S. S. R. 9. W. on N

S. S. on E. and

S. 34. on W. faces, with 2
 notches on E. and 4 notches

Retrace and Reestablish $1\frac{1}{2}$ Stand

Chamis on W. faces, and raised
a mound of stone $1\frac{1}{2}$ ft.
high, 2 ft. base around ^{post}

I also find
a Palo Verde 4 ins. diam
brs $N 85^{\circ} \frac{1}{2} W$. 130 lks. dist
marked T.V. P. R. 9. W.
S. C. S. 34. B. T.

a Palo Verde 6 ins. diam
brs. $N 65^{\circ} W$. 25.9 lks. dist
marked T.V. P. R. 9. W
S. C. S. 34. B. T.

Land slightly rolling
Soil 2 $\frac{1}{2}$ in. rate

I continue
at $N. 89^{\circ} 30' W$. on a random
line on S. Bdy. of Sec. 34

Par. South through Range 9 West

Ta. $12^{\circ} 27' E$

Chain

40.25

I find faint traces of the old stand 1/4 Sec. cor 280 cks. N. I therefore re-establish the cor. Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for Standard 1/4 Sec. cor marked S. E. 1/4 S. on N face. dug pits 18x18x12 ins. 2nd and W. of post 5th ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft. base around ^{Post} I also find a Pale Verde 4 ins. diam. br. N. $20\frac{1}{2}^{\circ} E$. 128. cks. dist marked S. E. 1/4 S. D. T

Retrace and Reestablish 1st Stand.

Charris a Palo Verde 4 ins. diam
 bears N65° W. 209. lks. dist.
 marked. S. B. 14. O. B. 5
 I continue
 N89° 30' W. on a random
 line.

80.25 I find faint traces of
 the old Stand Cor. to Secs
 33 and 34, 320. lks. N. I
 therefore reestablish the Cor.
 Set a post 4 ft. long 4
 ins. square with reworked
 stone 12 ins. in the ground
 for Stand Cor. to Secs
 33 and 34 - marked
 S. B. 9. 5. S. R 9. W. on N
 S. 34. on E End
 S 33. on W faces with 3
 notches on E End W. faces,
 dug pits 18x18x12 ins. N. E. & W. of post

Cor. South through Range 9 W

5 1/2 ft. dist.

and raised a mound of earth 2 ft. high 4 1/2 ft. base around post

Land slightly rolling

Soil good rate

Scattering Palo verde trees

I continue

289° 38' W. on a random line on S. Bdy. of Sec. 33
 Val 12° 27' E.

0.25 I find faint traces of the old stand 14. Sec. 33
 E. & N. I therefore reestablish the cor

Set a post 3 ft. long 3 ins square with marked stone 12 ins. in the ground

57

Retrace and Reestablish 1st Stand

Change for Stand 44. Sec. cor. marked
 O.B. 14. P. on N. face, dug
 pits 10x15x12 ins. E. stand
 W. of post 5 1/2 ft. dist. and
 raised a mound of
 earth 1 1/2 ft. high 3 1/2 ft.
 base around post. Also find
 a Palo Verde 9 ins. diam.
 brs S. 20° E. 246. lks. dist.
 marked O.B. 14. P. B.T.

I continue

N 89° 30' W. on a random line

80.35 I find faint traces of
 the old stand. cor. to
 Secs 32 and 33, 380 lks N.
 I therefore reestablish
 the cor.

Set a post 4 ft. long 4
 ins. square with marked

Par. South, through Range 9th West

chain stone 12 ins. in the ground
for stand. lev. to Secs 32+33
marked

S. 6. T. 5. S. R. 9. W. on N

S. 33. on E. End

S. 32. on W. faces with 4
notches on E. End 2 notches
on W. faces, dug pits 18x18x
12 ins. N. E. End W. of post 5 1/2
ft. dist. and raised a mound
of earth 2 ft. high 4 1/2 ft. base
around post. I also find
a Palo Verde 10 ins. diam
bss N. 53° E. 162. lks. marked

T. 5. S. R. 9. W. S. 6. S. 33 P. 9

Land level

Oil 1/4 rate

Scattering Palo Verde trees

Took latitude at noon Oct. 6-1892

Retrace and Reestablish ^{1st}/₂ Stand.

Thence I continue

N $89^{\circ}30'W$. on a random
line on South Bdy. of Sec. 32
Vd. 12⁰ 36^E

40.25 I find traces of The old
Stand, $\frac{1}{4}$ Sec. Cor. 390.

1/4th North. I therefore
re-establish the cor.

Set a post 3 ft. long
ins. square with marked
stone 12 ins. in the ground
for Stand $\frac{1}{4}$ Sec. Cor
marked S. C. $\frac{1}{4}$ on N

face, dug pits $15 \times 15 \times 12$
ins. E. and W. of post $5\frac{1}{2}$
ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft
high $5\frac{1}{2}$ ft base around post
I also find.

Par. South Through Range 9. West

chain a Palo Verde 4 mis. diam
 by N. $87^{\circ} E$. 207 lks. dist.
 marked S. C. 14. S. B. T

Sentinel

N $89^{\circ} 30' W$. on a random line

80.35 I find faint traces of old
 stand. Cor. to 31 and 32 400
 lks. North I therefore re-
 establish the Cor.

Set a post 4 ft. long 4 ins.
 square with marked
 stone 12 ins. in the ground
 for stand. Cor. to Secs 31 + 32
 marked

S. C. T. 5. S. R. 9. W. on N.

S. 32. on E end

S. 31. on W. face with 5
 notches on E. and 1 notch
 on W. face, dug pits

Retrace ^{and} Reestablish 1^{st} Stand.

Run 180/180 12 ins. N. E. + W. of
post $5\frac{1}{2}$ ft. dist. and
raised a mound of
earth 2 ft. high $4\frac{1}{2}$ ft
base around post
Land slightly rolling
Soil 2nd rate

Continue

N $89^{\circ} 30' W.$ on a random
line on S. Bdy. of Sec. 31
Ra $12^{\circ} 27' E.$

40.35 I find faint traces of
the old stand. $1/4$ set cor
435 lks. N. I therefore
Re-establish the cor
Set a post 5 ft. long
ins. square with marked

Par. South Through Range 9. West

charis Stone 12 ins. in the ground
for stand. 14. Sec. cor. marked
A. B. 14. S. on N. face, dug
pits 15x15x12 ins. E. & W
of post $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post

I continue

$N 89^{\circ} 30' W.$ on a random
line

56.55 - Set a post $4\frac{1}{2}$ ft. long 4
ins. square with marked
stone 12 ins. in the ground
for closing cor. to ~~Spec 6 S.~~
Rs. 9 and 10. W. at $44\frac{1}{2}$ ^{of random line} $N 23.5^{\circ} W.$
 $S 88^{\circ} 13' E.$ from the standard
cor. to ~~Spec 5. S.~~ Rs. 9 & 10 W
marked

Retrace + Reestablish 1st Stand

Chains C. C. T. 6. S. on S

R. 9. W. S 6. on E. End

R. 10. W. S 1. on W. faces with
6 notches on S. E. End W. face

dug pits 24x18x12 ins

crosswise on each line

S. E. End W. of post 6 ft.

dist. And raised a mound
of earth 2 1/2 ft. high 5 ft.

base around post ^{Original}
_{or barely discernible}
And continue

N 89° 30' W. on a random line

80.35 I find old traces of old
stand lev. to Sta. 5. S

R. 9th and 10 W. 455. Lks. N.

I therefore re-establish
the lev.

Set a post 4 1/2 ft. long
4 in. square with

Par. South Through R. 9, W.

Chain Marked Stone 12 ins. in the
ground for Stand. Corr. to
Th. S. R. 9 + 10 W. Marked
S. C. T. S. A. on N

R 9. W. S. S 31. on E.

R 10. W. S 36. on W faces with
6 notches on N. E. & W. faces
dug pits $24 \times 18 \times 12$ ins. cross-
wise on each line N. E. & W
of post 6 ft. dist. and raised a
mound of earth $2 \frac{1}{2}$ ft. high
5 ft. base around post. I also find
Palo Verde 6 ins. diam brs
N 66° E. 245 lks. dist. marked
T. S. A. R 9 W. S. C. S 31. B. T

Land measure

Oil 2nd rate

For true courses see Tabular
Statement Pages 65: 66, 67, 68, 69, 70
71 ^{to} 72

Tabular Statement

Through Range 6 West
S. 1/2 Sec. 36. S. 89° 33' W. 40 Ch

" " " " " " " "

" " " 35 " " " "

" " " " " " " "

" " " 34 " " " "

" " " " " " " "

" " " 33 " " " "

" " " " " " " "

" " " 32 " " " "

" " " " " " " "

" " " 31 " " " "

" " " " " " " 40.10

Fabular Statements

Through Range & 6. Wash

14. Sec. Cor, Departure 32 links

Sec. Cor. " " 32 "

14. Sec. Cor. " " 32 "

Sec. Cor. " " 32 "

14 Sec. Cor " " 32 "

Sec. Cor. " " 32 "

14 Sec. Cor " " 32 "

Sec. Cor " " 32 "

14 Sec. Cor " " 32 "

Sec Cor " " 32 "

14 Sec. Cor. " " 32 "

Sec. Cor. " " 32 "

Total Departure for Tr 38 4

Tabular Statement

Through Range 7 west

S. Bdy. Sec 36.		S 88° 53' W.	40	
"	"	"	"	S 89° 26' W "
"	"	"	35	N 89° 51' W "
"	"	"	"	S 89° 21' W 40.50
"	"	"	34	S 89° 02' W 40.50
"	"	"	"	S 89° 43' W 40.25
"	"	"	33	S 89° 43' W. 40.
"	"	"	"	S 89° 13' W 40.25
"	"	"	32	S 88° 08' W 40.25
"	"	"	"	S 88° 56' W 40.25
"	"	"	31	S 88° 56' W 40.10
"	"	"	"	S 88° 56' W <u>40.40</u>
				6 miles

Tabular Statement

Through Range 7. West.

hs.	1/4 Sec. cor	S	Departures
			79.212
"	Sec cor	S	40 "
"	1/4 Sec. cor	N	10 "
"	Sec. cor	S.	45 "
"	1/4. Sec. cor	S	67 "
"	Sec. cor	S	20 "
"	1/4 Sec. cor	S	20 "
"	Sec. cor	S	55 "
"	1/4 Sec. cor.	S	130 "
"	Sec. cor	S.	75 "
"	1/4. Sec. cor	S.	75 "
"	Sec. cor	S	75 "
			<hr/> 6,81
2 chs	South		
	North		<hr/> 10
Net.	South		6,71
	Average course	S	89° 12' W

Tabular Statement

				Through Range 8 West	
S. Body	Sec 36.	West	40		
"	"	"	"	"	"
"	"	"	35	N 89° 51' W	40.20
"	"	"	"	N 89° 51' W	40
"	"	"	34	N 89° 47' W	40
"	"	"	"	N 89° 47' W	40.10
"	"	"	33	West	40.15
"	"	"	"	West	39.90
"	"	"	32	N 89° 33' W	40.20
"	"	"	"	N 89° 35' W	40
"	"	"	31	N 89° 19' W	40.15
"	"	"	"	N 89° 42' W	50.15

Tabular Statement

Through Range 8 weeks		Departures
chs. 14.	Sec. cor.	
"	Sec. cor	
"	14 sec. err	N 10 " 1/2
"	Sec. cor	" 10 "
"	14 Sec. err	S 15 "
"	Sec. cor	" 15 "
"	14 Sec. cor	
"	Sec. cor	
"	14 Sec. err	N 31 "
"	Sec. cor	N 29 "
"	14 Sec. err	N 45 "
"	Sec. cor	<u>N 15 "</u>
Total N.		143
" S.		<u>30</u>
Net North		113
Average Course		N 89° 52' W

71
 Tabular Statement

Through Range 9 West				
S. Bay.	Sec. 56			N 89° 30' W
"	"	"	"	N 87° 22' W
"	"	"	35	N 87° 58' W
"	"	"	"	N 89° 24' W
"	"	"	34	N 89° 16' W
"	"	"	"	N 88° 56' W
"	"	"	33	N 89° 04' W
"	"	"	"	N 89° 04' W
"	"	"	32	N 89° 21' W
"	"	"	"	N 89° 21' W
"	"	"	31	N 89° 00' W
"	"	"	"	N 89° 15' W

Tabular Statement

		Through Range 9 West	
		Departures	
40.10	chs 1/4 Sec. cor	N	352.12
40.20	" Sec. cor	"	183 "
40.25	" 1/4 Sec cor	"	140 "
40.55	" Sec. cor	"	42 "
40.25	" 1/4 Sec cor	"	57 "
40.00	" Sec. cor	"	75 "
40.25	" 1/4 Sec cor	"	65 "
40.10	" Sec. cor	"	65 "
40.25	" 1/4 Sec. cor	"	45 "
40.10	" Sec. cor	"	45 "
40.35	" 1/4 Sec. cor	"	70 "
40	" Sec. cor.	"	55 "
Total North			871

Average course N 88° 58' W

Oct. 7th 1892

Lewis Wolfley

U. S. Deputy Surveyor

U. S. Surveyor-General's Office,

TUCSON, A. T., *March 4* 188*3*

The foregoing Field Notes of the Surveys of
 a portion of 1st/₄ Stand. Cor.
 South through Ranges 6, 7, 8, 9

W.

of the Gila and Salt River Meridian
 in Territory of Ariz. executed by
 Lewis Wolfley

U. S. Deputy Surveyor, under his contract dated

May 26th 1892

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Raphael Johnson

U. S. Surveyor-General
 for the Territory of Arizona.