

A
BOOK 1634

BOOK 1634

D. & S. R. 1 1/2

S. & S. R. 1 1/2

D. & S. R. 1 1/2

D. & S. R. 1 1/2

245 719

205 630

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
| 52 | 51 | 50 | 49 | 48 | 47 | 46 | 45 | 44 | 43 | 42 | 41 | 40 | 39 | 38 | 37 | 36 | 35 | 34 | 33 | 32 | 31 | 30 | 29 | 28 | 27 | 26 | 25 | 24 | 23 |
| 44 | 6 | 5 | 4 | 3 | 2 | 1 | 2 | 9 | 6 | 5 | 4 | 3 | 2 | 1 | 9 | 6 | 5 | 4 | 3 | 2 | 1 | 9 | 6 | 5 | 4 | 3 | 2 | 1 | 89 |
| 48 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | 4 | 2 | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

D. & S. R. 1 1/2

S. & S. R. 1 1/2

D. & S. R. 1 1/2

D. & S. R. 1 1/2

242 619

241 619

243 19

249 2

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|----|----|----|----|
| 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
| 122 | 121 | 120 | 119 | 118 | 117 | 116 | 115 | 114 | 113 | 112 | 111 | 110 | 109 | 108 | 107 | 106 | 105 | 104 | 103 | 102 | 101 | 100 | 99 | 98 | 97 | 96 | 95 | 94 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

D. & S. R. 1 1/2

S. & S. R. 1 1/2

D. & S. R. 1 1/2

D. & S. R. 1 1/2

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
| 88 | 87 | 86 | 85 | 84 | 83 | 82 | 81 | 80 | 79 | 78 | 77 | 76 | 75 | 74 | 73 | 72 | 71 | 70 | 69 | 68 | 67 | 66 | 65 | 64 | 63 | 62 | 61 | 60 | |
| 6 | 5 | 4 | 3 | 2 | 1 | 6 | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

step

S. & S.

5

Preliminary Oaths of Assistants.

I, _____ do solemnly
swear that I will well and truly perform the duties of Compassman,
according to instructions given me, and to the best of my skill and
ability.

Subscribed and sworn to before me, this

day of

18

U. S. Deputy Surveyor.

We, John B. Cox & John Stamps and

do solemnly swear that we will faithfully execute the duties of Chain
Carriers; that we will level the chain upon uneven ground, and plun

B

the tally pins, whether by sticking or drooping the same; that we will report the true distance to all notable objects, and the true length of all lines; that we will assist in measuring, to the best of our skill and ability.

John B. Cox
John Sturper
Fred. Grobe

Subscribed and sworn to before me, this 15th day of February 1871

~~A. M. ...~~

~~U. S. Deputy Surveyor~~

J. C. Mc Caffry
Notary Public

day

28.

5

10

BOOK 1634

I, Fred Grohe & Joseph Baker
do solemnly swear that I will well and truly perform the duties of
Flagmen & Assessor
according to instructions given me, and to the best of my skill and
ability.


Fred Grohe
Joseph Baker

Subscribed and sworn to before me, this 15th day of
February 1871

~~S. M. ...~~

~~U. S. Deputy Surveyor.~~

J. C. Mc Caffry
Notary Public



East Bound. Twp. 5 S. R. 5 W.

10

Files of Salt River Murdick.

Chains Begin on the 1st Standard ^(Parallel) South
at the Corner to Twp. 5 S. Range
4 & 5 West, and run
North, between Secs. 31 & 36.

Var. $13^{\circ} 45'$ East.

By fine and back sight on the Standard.

40.00 Set a $\frac{1}{4}$ Sec. Corner post in a
mound & pits as per instructions
No trees near

50.00 a road East of line bnd. N.E. & S.E.

80.00 Set a post in a mound &
pits as per instructions
for Corner to Secs. 30, 31, 25
and 36.

No trees near
Sand Devil

Soil 1st rate

Sandy loam

no timber

East Bound, Sp. 5 S. R. 5 W.

Gila & Salt River ⁹Mundium

Chain North, bet. sees 25 & 30.

Var. $13^{\circ} 45'$ East.

15.00 Road E. & W.

40.00 Set a post in a mound
& pits for $\frac{1}{4}$ sec. Corner
as per instructions.

No trees near.

80.00 Set a post in a mound
with pits as per
instructions for the
Corner to sees. 24, 25, 19
and 30.

No trees near

Sand level
Soil ^{at} rate
No timber

East. Bound. of Sp. 5 S. R. 5 W.

Silva & salt near Nevada

Chang North, bet. sees. 19 & 24.

Var. $13^{\circ}45'$ East.

40.00 set a 14 sec. corner post
in a mound and pits
as per instructions

@ Pala Verde 14 in. diam., bvs S. 11° W.

21 links distant.

No other trees near.

80.00 set a post in a mound
with pits as per in-
structions for corner
to sees. 18, 19, 13 & 24.

No trees near

Sand level, soil at
rate sandy loam
no timber

4 East Bound. Sp. 5 S. Range 5 W.

Gila & Salt River. Merdum

- Chaus North, let sec. 13 & 18.
var. $13^{\circ}45'$ East.
- 20.50 Road to Yuma. bro E & W.
- 36.40 do " do " E & W.
- 40.00 set a 74 sec. corner post
in a mound and pits
as per instructions
- 8
73.50 No trees near
Left bank of Gila & set
a Merdum post as per
instructions. runs West
- 76.00 Right bank of Gila River
Crossed an line & set a
post as per instructions
- 80.00 Set a post in mound &
pits as per instructions.
No trees near.
- Sand South of River high water
North of River subject to
overflow, scattering
trees. Salt 1st rate.

East Bound, Sp. 5 S. N. 5 E.

Gilew & Salt Man Meridian

chs. North lat. Secs. 7 & 12.

Var. $13^{\circ}45'$ East

10.00 Leave low land & begin to ascend hill

40.00 Set a $\frac{1}{4}$ sec. corner post in a mound of stone as per instructions.

No trees near.

From this point the line becomes impracticable on account of abrupt rocky mountain soil

Var from this point East, through Sec. 7 on meridian

Var. $13^{\circ}45'$ East

40.00 Made a stone mound in the center of Sec. 7, from which I ran

North, ~~across~~ Sec. line in Sec. 7.

Var. $13^{\circ}45'$ East

40.00 Set a temporary $\frac{1}{4}$ sec

Corner post, ~~between secs.~~
 6 & 7, from which I
 ran thence;

East, between secs. 6 & 7.
 Var. $13^{\circ}45'$ East.

40.00 Set a temporary post
 for Cor. to secs. 5, 6, 7 & 8
 from which I ran

North an random line between
 sects. 5 & 6 -

Var $13^{\circ}45'$ East.

40.00 Set a post for temporary
 $\frac{1}{4}$ sec. corner -

80.00 Set a post for temporary
 corner to secs. 5, 6, 31032

(Continued on next page)

Nov. 23rd 1871.

North boundary of T. 5 S. R. 4 W

Silva & Salt River Narrows

From which post I ran

East on Random line along the
North line of Secs. 5, 4, 3

Var. $13^{\circ}45'$ East
2 and 1, and at 4 miles
& 79.50 ^{Chains} intersect the N. &
South line at the

Corner to Tps. 4 & 5 S. of
Ranges 3 & 4 West, from

Chain which cornered over Stone

West on true line, but Secs. 1 & 36.

Var. $13^{\circ}45'$ East.

40.00 Set a $\frac{1}{4}$ sec. corner post in a
mound & pits as per instructions

No trees near

80.00 Set a post in mound & pits
as per instructions for corner
to Secs. 1, $\frac{2}{6}$, $\frac{5}{4}$ & 36.

No trees near

Land level - soil 2nd
rate, a few scattered trees

North Bound, G. 5 S. R. 4 W.

Gila & salt River Murders

Chaus, West, lot, Secs. 2 & 35.

Var. 13° 45' East.

40.00 Set a 1/4 sec. Corner post
in a Mound & pits as
per instructions.

No trees near

80.00 Set a post in a Mound
with pits as per
instructions for Corner
to Secs. 2, 3, 34 & 35

No trees near

Level level

Soil 1st rate

Randy loam

Down scattering trees

North Bound. of S. 5 S. R. 4 West,
of Giles & Salt River Nundian

chains West. between secs. 3 & 34.
VAN. $13^{\circ}45'$ East

40.00 set a $\frac{1}{4}$ sec. Corner post
in a mound with
pits as per instructions
An Iron-wood 10 in diam br. N. 6° E
112 lks. distant.

No other trees near

80.00 set a post in a mound
with pits as per in-
structions for corner
to secs. 3, 4, 33 & 34.

No trees near.

Sand level. Soil, at
rate sandy loam
Some scattering trees

N. Boundary of G. 5 S. R. 4 W.

Gile & Salt River Mound

Staus West, Sect. sections 4 & 33

Var. $13^{\circ}45'$ East.

40.00 set a $\frac{1}{4}$ sec. Corn post
in a mound & pits as
per instructions.

No trees near

68.75 Road bears N. & S.

80.00 set a post in a mound &
pits, as per instructions
for Corn to Acad 4.5,

32 & 33. No trees near

Sand level, Soil 1st rate
rich sandy loam

Some scattered Mesquit.

Note. The Slope from the
high lands to the river
bottom is so gradual that
it is impossible to tell
where the bottom lands
begin —————

N. Band. of Sp. 5 S. Page 4 W.

Gilev & Satt River Meridian

hs. West. lat, sec. 5 & 32.

Var. $13^{\circ}45'$ East.

- 4.00 Old ditch runs South,
 4.50. Descend bank & enter low
 bottom subject to overflow
 & bro. N. & S.
- 33.00 Left bank of Gilev River
 bears South, & set a
 Meridian post as per
 instructions, Cross on
 line — water has a level
 current over a smooth
 sandy bed —
- 35.50 Right bank of River & set a
 post as per instructions.
- 40.00 set a $\frac{1}{4}$ sec. corner post
 in a mound & pits as
 per instructions.
- No trees near
- 43.00 Base of Rocky hill
 & begin to ascend

Ni. Baird. T. 5 S. R. 4 West

Gila & Salt River Run
 (Kans)

Continued

79.50. The temporary post
 set by myself for
 closing corner

80.00 set a stone 18x14x10
 inches in a stone

measured for corner

to Secs. 5, 6, 31 & 32

and no trees near

at this point the mountain
 becomes so abrupt
 that the line is imprac-
 ticable, so I could
 run no farther

Said mostly
 of 1st rate quality
 cotton wood and
 the river & mesquit
 and other portions of
 the land.

Sp. S. R. 4 W
 Sila & Salt Run Mound

General description
 The lands in
 this Township are
 of a superior
 quality and can
 be irrigated by a
 system of ditches
 which will probably
 soon be constructed
 and then the lands
 will be valuable
 for agricultural
 purposes as well
 as pasture —

There is also
 an abundance of Mesquit
 and Iron wood for fuel
 & fence post. As the
 Mesquit is of the locust
 family it is very durable.
 Febr. 27th 1871

Field Notes of
Range line; Between
Townships 5 South
of
Ranges No. 5 & 6 West
of
Gila & Salt River
Murdan
and
Base lines.

Between Tps. 5 S. Ranges 5 + 6 West
of

Silver & Salt River Mendocino

Chain From the Corner to sees,
31. + 36, on the 1st Standard
Parallel South from
North, between sees, 31 + 36.

Var. 13° 48' East

(as per Standard Parallel).

40.00 Set a 1/4 sec. Corner post
in a mound & pits as
per instructions.

No trees near

~~at the corner between sees 31 + 36~~

80.00 Set a post in a mound
with pits as per in-
structions for corner
to sees 25, 36, 30 + 31.

No trees near.

Sand level, Soil 1st &

2nd rate

No trees

Between Eps. 5 S. R's. 5 & 6 W.
 of
 Gilco & Salt River Meridian

chs. North, between Secs. 25 & 30
 Var. $13^{\circ} 48'$ East

40.00 set a $\frac{1}{4}$ sec. Corner post
 in a mound with pits
 as per instructions

No trees near

72.20 old road Bns. E. & W.

80.00 set a post in a mound
 with pits as per
 instructions for

Corner to Secs. 24, 25
 19, & 30.

No trees near

Sand level, soil 2nd rate
 sand & dry.

No timber —

- Between, Tps. 5 S., Ranges 3 & 6, W. 1st
 of
 Gila & Salt River Meridian
 Chain North, between sees. 19 & 24.
 var. $13^{\circ}48'$ East
 40.00 Set a $\frac{1}{4}$ sec. corner post in
 a mound & pits as
 per instructions
 No trees near —
 80.00 Set a post in a mound
 with pits as per in-
 structions for corner
 to sees. 18, 19, 13 & 24.
 No trees near

Sand level, soil 1st,
 and 2nd rate, sandy
 loam,
 No trees —

17
Between Gps. 5 S. R's. 5 & 6 west
of
Gila & Salt River Meridian

Sho. North, between Secs. 13 & 18.

600. 1348' East,

40.00 Set a 1/4 sec. corner post-
in a mound with
pits as per instructions
no trees near

80.00 Set a post in a mound
with pits as per
instructions for corner
to Secs 12, 13, 7 & 18.
No trees near

Sand Level, soil 1st
rate sandy loam
Scattering mesquit,
trunk —

Bet. Cps. 5 & 8. Ranges, 5 & 6. W.
 of
 Gile & Salt Run Meridian

40.00 set a ~~tree~~ sec. 7 & 12
 Var. 15° 48' East.

40.00 set a $\frac{1}{4}$ sec. corner post
 in a mound with pits
 as per instructions
 for trees near

60.80 Road to Yuma, Bns.
 East & West.

80.00 set a post in a mound
 with pits as per
 instructions for corner
 to sec. 1, 6, 7 & 12.

No trees near

Level soil, 1st.
 Vate sandy loam
 Scattering Mesquit
 timber

Feb 24th 1874

Bet. Sps. 5 & S. Rauges 3 & 6. W

of
Sila & Salt River Meander

char. North, between secs. 1 & 6.

var $13^{\circ}48'$ East

14.90. Left bank of Sila River

& set a meander post
as per instructions

Cross on line, water 14
inches deep & flows lively

19.00 ^{right} ~~right~~ smooth sandy bed,

40.00 set $\frac{1}{4}$ sec. corner post in

a mound with pits
as per instructions

no trees near

80.00 set a post in a mound

with pits as per instructions
for corner to secs. 1, 6, 31

and 36. No trees near

Sand level, & 1st rate

on S. side of River, &
subject to overflow on

north side, some
scattered Cotton wood trees,

N. Boundary of T. 5 S. R. 5 W.
of
Gila & Salt River Meridian

chain Begin at the N. W. Corner
to Township 5 S. Range 5 W
and run along the North
Boundary of T. 5 S. R. 5 W.
the line will strike a high
and impassible rocky
mountain in less than
six miles. I therefore run
East on true line between Secs. 6 & 31
Var. $13^{\circ}45'$ East
(as per transit observation of
Polaris) (Convergence, 43 links)

79.57. Set a post in a mound &
pits as per instructions
for T. 5 S. R. 5 W. No trees near

79.57. Set a post in a mound &
pits as per instructions per
Corner to Secs. 3, 6, 31 & 32
Sand, high gravelly table lands
No timber,
No trees near

North Boundary of G. 5 S. R. 5 W
 of

File & Salt River Meridian

Chs. East, on true line bet. Secs. 32 & 33
 Var. $13^{\circ}45'$ East.

Ascending along S. W. Slope
 40.00 Set a 1/4 sec. Corner post
 in a stone mound &
 pits as per instructions
 No trees near

80.00 Set a stone 15 x 10 x 8 in
 in stone mound
 and marked as per
 instructions for the
 Corner to Secs 4.5
 32 & 33. No trees near

Sand Sloping S. W. and
 stoney.

Soil poor & Dry
 No timber

North Bound. S. 5 S. R. 5 W.
 of
 Giles & Salt River Meridian

Chs. East, on true line, cut sec. 4 & 3
 var. 13° 45' East.

40.00 Set a post in a stone
 mound for 14 sec. corner
 as per instructions

No trees near
 ascent becomes more
 abrupt & rocky

80.00 Set a stone 16 x 12 x 10
 in. in a stone mound
 and marked in
 accordance with in-
 structions

No trees near
 land stop & very
 rocky, & worthless
 and in less than one
 half mile East from
 this line the mountains
 becomes so abrupt &

Description

rough that this line
 can not be extended
 farther East.

For Closure of
 these lines. see sub-
 division of Tp. 5 S. R. 5 W.

The Gila River runs
 through this Township
 from East to West
 and the greater portion
 of the lands are of
 a superior quality,
 and most of them
 can be irrigated by
 the water from the
 River. Also abundance
 of Mesquit & Cotton wood
 for fuel & some other
 purposes.

Febr. 28th 1871

Field notes of
the Range line
between Townships
5 S. Range 6 & 7 West
of Gila & Salt River
Meridian —

Bet. Tps. 5 S. Range 6 & 7 W.

Gila & Salt River Meridians

2. (hd) From the S. W. Corner
to Township 5 S. Range 6
West. From
North. between Secs. 31 & 36.
Var. $13^{\circ}47'$ East
(As per transit observ. of Polaris).
40.00 Set a $\frac{1}{4}$ ac. Corner post
in a mound with pits
as per instructions
No trees near
80.00 Set a post in a mound
with pits as per in-
structions for corner
to Secs. 25, 36, 30 & 31.
No trees near
Sand Soil
Soil 2nd rate
sandy loam
plenty of grass.
No timber

Bet. Tps. 5 & 8, Rs. 6 & 7, West

Great Salt River Meridian

Ch. North, lat. Secs. 25 & 30.

Var. $13^{\circ}47'$ East

40.00 Set a $\frac{1}{4}$ sec corner
post in a mound &
pits as per instructions

No trees near

80.00 Set a post in a mound
with pits as per
instructions for corner
to Secs. 24, 25, 19 & 30

No trees near

Sand level, soil
2nd rate. Sandy
loam

No timber

Between Eps. 5 S. R. 6 & 7 W

Filed & set near N. corner

3. Ch. North, between Secs. 19 & 24
 Var. $13^{\circ}47'$ East.

40.00 Set a $\frac{1}{4}$ sec. corner post
 in a mound with pits
 as per instructions
 No trees near

80.00 Set a post in a mound
 with pits as per
 instructions for the
 corner to Secs 13.24
 18 & 19.

No trees near

Sand Soil

Soil 3rd rate
 on line being a kind of
 red clay mixed N. & S.
 No timber —

Bet. Cps. 5 S. R's. 6 & 7 W.

Glea and Salt River Meridian

Chains North, bet. Secs. 15 & 18,

Var. $13^{\circ}47'$ East.

40.00 at a $\frac{1}{4}$ section post in a mound with pits as per instructions for

No trees near

80.00 at a post in a mound with pits as per instructions for the corner to Secs.

12, 13, 7 & 18-

No trees near

Sand level soil 2nd rate - No trees

Bet. Tps. 5 S. R's. 6 & 7 W.

Gileo & Salt River Meridian

chs. North, between Secs. 7 & 12.

Var. $13^{\circ} 47'$ East.

40.00 Set a $\frac{1}{4}$ sec. corner post
in mound with pits
as per instructions

No trees near

80.00 Set a post in a mound
with pits as per in-
structions for the
corner to Secs. 1, 6, 7 &
12. No trees near

Sand level, soil 1st rate
sandy loam
No timber -

Ret. Gps. 5 S. R's. 6 & 7 West
 of
 Lila & Salt River Meridian

Chs. North, Act, Secs. 1 & 6.

var. $13^{\circ}47'$ East

18.00 old hay road S. E. & N. W

40.00 Set a 74 sec. corner post
 in a mound with pits
 as per instructions,

no trees near

64.00 Entire Bottom lands

Bns. E. & W.

80.00 Set a post in a mound
 with pits as per
 instructions for

Corner to Secs. 1, 6.

31 & 36.

A Mesquit 12 in. dbh. S. $70\frac{1}{2}^{\circ}$ W. 77 lks dist

" " 8 in dbh. Bns. S. $16\frac{1}{2}^{\circ}$ E. 103 " "

Sand level

Soil 1st rate

Scattered mesquit & hater

Field Notes
of
The survey of the
North Boundary
of
Township 5 South
and of
Range No. 6 West
of
Gila & Salt River
Meridian
and
Base line—

N. Boundary Sp. 5 S. R. 6 W.
 7/2
 Line & Satt Run Meridian

Shows
 Throw the Corner to
 Townships 4 & 5 South
 of Range 6 & 7 West
 of Run
 East, on a random line
 between Sp. 4 & 5 S. R. 6 W
 ran. 13° 48', East
 (as per West boundary).
 at 40 & 80 chains set
 half mile & mile posts
 per temporary 1/4 and
 Section Corners, and
 at 5 miles & $79\frac{60}{100}$ chains
 intersect the N. & S.
 Changes line 108 links
 North of the Mile Corner
 to Township 5 S, of
 Range 6 West, from
 which Corner I
 ran

N. Bound 8. Sp. 5 S. R. 6 W

Gilew & salt River Meridian

Chs. ~~N. 89° 52'~~ W. true line bet sec. 1 & 36.
 var. 13° 48' East.

15.00 Enter low battery subject
 to over flow br. N. W. & S. E.

40.00 set a 1/4 sec. Corn post
 in a mound & pits as
 per instructions.

No trees near.

62.00 The Right bank of Gilew
 River, bears N. W. &

set a post as per instructions
 from which post 1.

Set a flag on left
 bank of River. & then
 run

South, an off-set, 5 Chms.

Cross River & set a post, then

N. 89° 52' W. Counting the
 distance run

80.00, To a point due South
 of the Corn to Secs.

1, 2, 35 + 36, which Corner
point falls in the middle
of the Run, I could
not establish the
Corner, I therefore

set Witness Corner as per instructions
5 chains S. of corner, + then

N. $89^{\circ}52'$ W., and at

16.80. To a point due South of

my flag on the left
bank of the Run, being

at a Cotton wood tree 10 in
diameter, which I marked
as per instructions for

Meander Corner, and
from which I then run

N. $89^{\circ}52'$ W., between Secs. 2 + 35

var. $13^{\circ}48'$ East

County, the 16.80 chains, at

40.00 set a 1/4 Sec. Corner post
in mound + pits as per
instructions, no trees near

N. Bound. E. 5 S. R. 6 W
 or
 Lila & Salt Run Mend.

(Between Secs. 2 & 33 (Continue))

80.00 Set a post in a mound
 with pits as per
 instructions for
 corner to Secs. 2, 3, 34
 & 35.

A Mesquit 6 in diameter bears.

N. 27° E. 11 lvs distant.

No other trees near
 Sand level, soil
 1st rate on S. side
 of Run, on N. side
 sandy & subject to
 overflows.

N. Base. G. 5 S. R. 6 W

Silco & Salt River Mound

Chains N. $89^{\circ}52'$ W, cut, Secs. 37 & 34,

Var. $13^{\circ}48'$ East.

40.00 set a 1/4 sec. Corn post
in a mound & pits as
per instructions

A Mesquit, 30 in diam. brs N. 85° W, 200
links distant, No other trees

61.00 Road to Green Cross N. W.

80.00 set a post in a mound
with pits as per in-
structions for Corn
to Secs. 3, 4, 33 & 34
No trees seen

Sand level, soil 1st
rate sandy loam
scattered, mesquit
trees

N. Boundary of Op. 5 S. R. 1 W.
of
Giles & Salt Run Menden

Obs. N. 89° 52' W. an tree line between
sections 4 & 33
var. 13° 48' East.

40.00 Set a post in a mound
with pits as per
instructions for
No trees near

80.00 Set a post in a mound
with pits as per
instructions for Corn
to Seed. 4, 5, 32 & 33
from which a

Mesquit 8 in diam. Bus East 46 W 22 det.
" 10 " " " S. 15° W. 22 " "

No other trees near
Sand level
Soil 1st rate high
bottom land
Scattered Mesquit.

- N. Bound. S. 5 S. R. C. W.

Gila & Salt River Menden

Obs. N. $89^{\circ}52'$ W. Cut, Secs. 5 & 32

var. $13^{\circ}48'$ East

40.00 set $1/4$ Sec. Corn post
in a mound & pits
as per instructions

No trees near

45.25 old road Crs. ~~2~~ & ~~3~~

80.00 set a post in a mound
with pits as per
instructions per Corn
to Secs. 5, 6, 31 & 32
from which a

Mesquit 10 in dia Crs. S. $88^{\circ}2'$ W
130 links distant

No other trees near

Sand level

Soil 1st rate

Sand loam

S & many Mesquit
trees —

N. Bound. E. S. R. & W.

Gila & Salt River Mer.

chs. N. 89° 52' W. Cut new Secs. 6 & 31.
Oav. 13° 48' E

40.00 Set a 1/4 Sec. Corner
post in a mound
& pts as per instru-
ments

A Mesquit 6 in diam. Bns. S. 37° W. 32
links dist.

No other trees near
79.60 The Corner to Secs
1, 6, 31 & 36 —

Sand Level
Soil 1st rate
Sand loam Run
bottom Not subject
to inundation
Scattered mesquit
trees —

March 1st 1871.

Field Notes
of
The West Boundary
of
Township No. 5 S.
of
Range No. 7 West
of
The Gila & Salt River
Base & meridian

West Bound. of T. 5 S. R. 7 W
 Gile & Salt Run Meridian

Chas The West Boundary of
 this Township is in-
 practicable an account
 of high rocks & pre-
 cipitous mountains.
 I therefore begin on
 the South boundary
 at the corner to secs.

31. & 32, & run from there
 North, bet secs. 31 & 32

Var. $13^{\circ} 47'$ East

(as per Standard line)

34.40 Dry ravine runs East

40.00 bet $\frac{1}{4}$ sec. Corner post in
 a mound & pits as

per instructions Notes here

69.00 Dry ravine runs East

80.00 bet a post in a mound & pits
 as per instructions for
 corner to secs. 29, 30, 31
 & 32. No trees near

N. Cond. G. 5 S. R. 7 W
Sila & Salt River Mounds

Kens. Sand sloping to the East
Soil are here poor -
No timber -

North lot, Sections 29 & 30
T. 13° 4', East

15.00 Dry ravine runs East
37.00 " " " "
40.00 Set a 1/4 Sec. Corn post
in a mound & pits as
per instructions No trees here
43.70 Dry ravine runs East
56.10 " " " "
80.00 Set a post in a mound
& pits as per instructions
for corner to Secs. 19
20, 29 & 30. No trees here
Sand ascending Northward
& Stony, Soil poor
No timber -

N. bound of G. S. R. & W.
 River & Salt River Mendocino

Obs. North lat. Secs. 19 & 20

Var. $13^{\circ}47'$ East

- 10.00 begin steep ascent Set
- 27.00 top of hill brs. N.E. & S.W. 300
- 40.00 Set a $\frac{1}{4}$ sec. Corner post
 in stone mound as
 per instructions, on N.W.
 slope of hill. No trees near
- 49.00 begin to descend
- 70.00 Bottom of descent & begin to ascend
- 80.00 Set a stone $20 \times 16 \times 8$ in
 in a stone mound &
 marked as per in -
 structions for the Corner
 to Secs. 17, 18, 19 & 20.
 on apex of rocky peak
 50 feet high -
 Sand brake & stones
 No trees,
 Soil poor,

W. Band. T. 5 S. R. 7 West

Gila & Salt River Meridian

chs. North, bet. Secs. 17 & 18,

var. 13° 47' East

15.00 foot of Knoll - 1 level

40.00 Set a post in a mound & pits as
per instructions,

No trees near

43.30 Dry Creek 10 lbs wide br. W.

80.00 Set a post in a mound
with pits as per
instructions for
Corner to Secs. 7, 8,
17 & 18. No trees near.

Sand on low level

Soil 2nd rate No timber
& mountains E. & West
of line

N. Bound. T. 5 S. R. 7 W.
Gila & Salt River Mund.

Stns. North, between secs. 7 & 8,
Cor. 13° 47' East

61.60 Dry Creek 10 lks. N.W. West.

20.00 begin steep ascent,

40.00 set a $\frac{1}{4}$ sec. corner post
in a stone mound
as per instructions

no trees near

57.90 Summit of hill bro. E & W
and about 300 feet high
& begin to descend

80.00

Set a stone 18x10x8 in.
in a stone mound &
marked as per in-
structions per corner
to secs. 5, 6, 7 & 8.

no trees near

Sand rough &
stone, no timber

N. Band, S. 5 S. R. } west
 Side of Salt River Nevada

Chs. From the corner to
 Secs. 5, 6, 7 & 8 & run
 West, between Secs. 6 & 7.
 av. $13^{\circ}47' E$

20.00 along N. E. slope of
 steep rocky mountain
 & the line becomes
^{impracticable}
~~impracticable~~ & then
 run from here
 North, in Sec. 6.

av. $13^{\circ}47' E$
 20.00 to a point in sec. 7
 from which I run
 West, in Sec. 6.

20.00 to a point in Sec. 6
 from which I run
 North an $\frac{1}{4}$ sec line

20.00 to Centre of sec. 6
 from which point
 I run
 West, along $\frac{1}{4}$ sec line

N. Bound. Sp. 58, N. 32

Sila & Salt Run Mend

20.00 To a point in Sec. 6,
from which point
I run

North, in Sec. 6.

20.00 Chains to a point from
which I run

West

19.57. (Allowing 43 links for
convergence) to a
point on the west
boundary line from
which I run

North along the N. line
of Sec. 6. & at

11.00 chains the Road to
Getzumar bro E. & W

12.50 Dry creek 30 lks well
runs West

20.00 Set a post in
a stone mound of

feet high as per instru-
-ctions per the Corner
to Secs. 1, 6, 31 & 36,
no trees near

Land Broken and
worthless

No trunks near
line —

Field Notes of the
Survey of
The North Boundary
of
Twp. 5 S., Range 7 W
of
Gila & Salt River
Basin & Meridian

N. Bound. G. 5 S. R. 7 West
 Gile & Salt River meridians

4.90 ho. Throw the N. W. Corner to Sp.
 5 S. Range 7 west & run
 East, on a random line along
 the north line of Secs. 6, 5, 4, 3, 2 & 1.
 Var. $13^{\circ}48'$ East.

(As per transit, fore & back sight on
 West line —)

Set temporary $\frac{1}{4}$ and sec.
 corner post at 40, and 80
 chains, and at ~~5~~ Miles
 78.96 chains intersect
 the N. & S. line, 142 links
 South of the N. E. Corner to Sp.
 5 S. R. 7 W. from which
 corner I then run

S. $89^{\circ}50'$ N. on a true line between
 sections 1 & 30.

Var. $13^{\circ}48'$ East

32.20 Dry Creek 10 links wide
 runs North

N. Bandoz, T. 5 S. R. 7 West

Gila & Salt River Indian

(Continued)

32.50 Road to Arizona Appurtenances
Cross N. & S.

40.00 Set a 1/4 sec. corner post
in a mound & pits as
per instructions

No trees near

80.00 Set a post in a mound
& pits as per instructions
for corner to secs. 1, 2
35 & 32.

A Mesquit Indian Bros. N. 52 E. 98 1/2 S. 1/2
No other trees near

Sand level, soil 1st rate
& scattering Mesquit.

N. Bounded. S. 5 S. R. 7 West.
 of
 Gila & Salt River Meridian

^{589³⁰}
 1/2 Sec. West. lot. sections 2 & 35
 TAN. 13° 48' E

40.00 Set a 14 Sec. Corner post
 in a mound & pits as
 per instructions.

A Mesquit 30 in. dia. brs. N. 88° W. 143' lks. dist.
 No other tree near

48.00 Road to Yuma Bros. S. W. & N. E.

80.00 Set a post in a mound &
 pits as per instructions
 for the corner to Secs.
 2, 3, 34 & 35

Mesquit 10 in. diam. brs. N. 61° W. 47' lks.
 distant. No other trees near

Land Level, soil 1st rate
 and scattering Mesquit
 timber —

N. Bound. T. 5 S. R. 7 west,

Line & Lat New Meridian

^{589.50'}
 40.00 West between sec. 3 & 34,
 Var. $15^{\circ} 48'$ East.

40.00 Set a $\frac{1}{4}$ sec. Corner post
 in mound & pits as
 per instructions.

No trees near

66.20 Dry Creek 25 lks. wide
 runs North

80.00 Set a post in a mound
 with pits as per in-
 structions for Corner
 to sec. 3, 4, 33 & 34.

No trees near

Land level. Soil 1st rate
 some scattering
Mesquit timber

N. Bound. T. & S. Range 7 W.

Gila & Salt River Meadows

589°50'

Chs. West. between Secs. 4 & 33.

Var. 13°48' East.

4 11.00 Base of steep bluff, N.W.

14.00 Top of same 75 feet high
and then ascend hill

C 40.00 Set a 1/4 sec. corner post
in ground with pits
as per instructions

No trees near

63.00 Summit of hill, bears
N. W. & S. E. (to descend)

80.00 Set a stone 16 x 10 x 8 in
and marked as per
instructions for the
corner to Secs. 4, 5, 32
& 33. No trees near

Sand broken and
soil worthless —
No timber on line

N. Bound. E. 5 S. R. 7 W.

Sila + satl Kien Meridian

^{\$89.50}
Obs. West, between Secs. 5 + 32.

Var. $13^{\circ}48'$ East.

40.00 Set a 74 sec. corner post
in a mound with pits
as per instructions
No trees near

46.50 Dry Ravine runs South

80.00 Set a post in a mound
with pits as per instructions
for the corner to Secs.
5, 6, 31 + 32
No trees near

Sand broken, soil poor
a few scattered
- trees -

N. Bound. E. 58. R. 7 W.

Lila & Salt River Mendocino

⁵⁸⁹³⁰
Chs. West, between Secs. 6 & 31
Var. $13^{\circ}48'$ East

- 8.20 Dry ravine runs South
 19.30 " " " "
 20.00 Steep ascent of Knoll
 36.00 Apex of same
 40.00 Set 14 Sec. Corner post
 in a mound & pits
 as per instructions
 No trees near
 41.00 Ravine runs South
 45.30 Apex of round Knoll
 50.20 Base of same
 57.10 Begin ascent of Knoll
 63.00 Apex of same
 71.50 Base of same
 78.96 The corner to sec. 1, 6, 31 & 36
 Sand broken and
 soil worthless.
 No trees near
 line

Sp. 5. S. R. 7 West

Gila & Salt River Meridian

sho.

Description.

About two thirds of this Township contains lands of superior soil & by the aid of irrigation would be valuable for agricultural purposes. Several varieties of grasses grow in abundance in all parts of the level portions of it. Timber scarce.

March 2nd 1871.

Field Notes of the
Survey of the
East Boundary of
Township 4 S. Range 7 W.
Gila & Salt River
Meridian

E. Bound. of 4 S. Range 7 West

Sila & Salt River Meridian

From the N. E. Corner
of T. 5 S. R. 7 West
Draw thence

North, between Secs. 31 & 36.

Val. $13^{\circ}48'$ East

(as per transit obsn. of Polaris).

40.00 Set a 1/4 sec. corner post in
a mesquit pits as per
instructions.

a Mesquit 10 in Pers S. $16\frac{1}{4}^{\circ}$ W. 74 lks. dist.

no other trees near

48.00 Road to road to Guzman bus
S. W. & East

Kenyon Station 5 Chaus West
from here.

54.00 enters low bottom lands
subject to overflow.

64.50 Sila River. br. S. 49° W.

A set a meander

post as per instructions
water not too deep to cross

East bend, S. 4 S. R. 7 West.

Sila & Salt Run Mound

ls. (Continued)

on line & flows level

1.00 The right bank of Run very low & sandy.

2.00 ^{Set a post for Meander Co. as per instructions} ~~Set a post in a mound with pits~~ ^{as per instructions} in a mound ^{with pits} as per instructions

3.00 Set a post in a mound with pits as per instructions for Corin to Secs. 25, 36, 30 & 31.

No trees near

Sand level, soil good on S. side and nothing but a bed of river sand on North side - subject to overflow at every freshet -

No trees on line.

Sp. 4 S. Range 7 West

BOOK 1634

Sila & Salt River Neudum

Chs. North lat. secs. 25 & 30

lon. $13^{\circ}48' E$

20.00 Stream overflowed sandy
level & cuts high gravelly
land —

40.00 Set a $\frac{1}{4}$ sec. corner post
in a mound & pits as
per instructions —

No trees near

Ascending & becoming steeper

80.00 Set a post in a mound
with pits as per
instructions for corner
to secs. 24, 25, 19 & 30

No trees near

Land has a S. slope

Soil worthless

No trees —

Earline Sp. 4 S. R. 3 W.

Silo & Salt River Meridian

hs. North between Secs. 24 & 19.

Var. $13^{\circ}48'$ East

40.00 Set a $\frac{1}{2}$ in iron corner in
a stone mound & pts
as per instructions

No trees near

80.00 Set a stone $18 \times 10 \times 10$

in, and marked as
per instructions for
the corner to Secs.

18, 19, 13 & 24. No trees

near, and from here
in less than ^{half} one mile

the line becomes
impracticable on account
of high steep rocky
mountain —

Land broken &
worthless —

No land of value north
of the river in this County

Sp. 46. R. 7 West of
Gila & Salt River New

Remains.

The West and North
Boundaries of this
Township can not
be established
on account of high
rocky mountains
and there is no
land in it north of
the Gila River that
is suitable for grazing
or agricultural
purposes.

There are a
few sections of good
land in the S. E.
Corner & South
of the River.

A. M. S. M.

March 3rd 1871.

Substituted for the 1st Standard &
in Ranges 1 E. 1, 2 & 3 W. E. A —

From the $\frac{1}{4}$ Section Corner
on the West boundary line
of section 18, in Township
No. 4 South of Range No. 2 East
of Gile & Salt River Meridian
and Base line, I ran South
on a blank line, to the S. W.
Corner of the aforesaid
Township and find the
Variation $13^{\circ} 45'$ East.
and at this point I ascertained
that owing to a range of
high, rocky and impassable
mountains running N. W for
some distance, the North
that the 1st Standard
Parallel South is im-
practicable. In order to
establish and extend this
said Standard Parallel

Copied

Sp. 445 S. Range 2 East
Gila & Salt River Meridian

Stations West of the Gila Bend
mountains, I begin at
the S. W. Corner to Sawuskip
No. 4 South of Range 2 East
of the Gila & Salt River
Base & Meridian. A run

West, on South line of Section 36
of Sp. 445, ^{to East} ~~to East~~
Declination $13^{\circ} 45' E$

(By transit observation of Polaris)

40.00 Set a 4 sec. corner post in
a mound and pits as
per instructions

No trees near

80.00 Set a post in a mound &
pits as per instructions
for Corner to sections

16, 35 & 36. No trees near

Sand Sevil

Soil dry & sandy

No timber, Mesquit Brush

Between Ops. 4 & 5 S. Range 1 East
Gila & Salt River Meridian

Chains West, between Secs. 2 & 35
Cor. $13^{\circ}45'$ East.

40.00 Set a $\frac{1}{4}$ sec. corner post in
a mound with pits
as per instructions

No trees near

80.00 Set a post in a mound
and pits as per instructions
for corner to secs. 2, 3,

34 & 35

No trees near

Sand level

Soil rich, but
dry - some grass and
mesquit brush -
Soil level extends about
4 miles south

Bet. Qrs. 4 & 5 S. of Range 1 East.
Great Salt River Meridian

- Chaus Nest, between Secs. 3 & 34.
Cav. $13^{\circ}45'$ East.
40.00 Set a $\frac{1}{4}$ sec. corner post in
a mound & pits as
per instructions
No trees near
- 80.00 Set a post in a mound
and pits as per instruc-
tions per corner to sec
3, 4, 33 & 34.
No trees near
- Sand Level
Soil good but
dry.
No timber
Mesquit brush & grass

Between Tps. 4 & 5 S. Range 1 East

Gila & Salt River Meridian

Chain West, between sections 4 & 33,

Cor. 13° 45' East,

40.00 set a 1/4 section corner post

in a mound + pits as

per instructions

No trees near

80.00 set a post in a mound

and pits as per in-

structions for corner

to Secs 4, 5, 33 & 33.

No trees near

Sand level

Soil 2nd rate sandy

loam

No timber

mesquit brush & grass

Between Gps. 4 & 5 S. Range 1 East
 Gilead & Salt River Meridian

Chasing West, between Secs. 5 & 32.
 Var. $13^{\circ} 45'$ East.

40.00 Set a $\frac{1}{4}$ sec. corner post
 in a mound & pits as
 per instructions

No trees near

80.00 Set a post in a mound
 and pits as per in-
 structions for corner
 to Secs 5, 6, 31 & 32

No trees near

Sand Sevil

Soil 2nd rate sandy
 loam.

No timber some grass

Bet. Tps 4 & 5 S. Range 1 East

Sila & Satt River Mundian

Cha. West, between Sections 6 & 31
Variation $13^{\circ}45'$ East.

40.00 Set a 1/4 sec. corner post in
a mound and pits as
per instructions

No trees near

79.57 Set a post in a mound &
pits as per instructions
for the corner to Township
4 and 5 South of Range
1 East & 1 West.

No trees near.

(The convergence on the Base
line South to the 1st Standard

+ Parallel is 215 links in
6 miles E & W.)

Sand Soil

Soil 2nd rate

No timber some brush
& grass.

Between Spd 4 + 5 S. Range 1 West.

Gila + Salt River Meridian

Chain West, between Secs 1 + 36.

Variation $13^{\circ}45'$ East.

40.00 Set a $\frac{1}{4}$ sec. corner post
in a mound and pits
as per instructions

No trees near

80.00 Set a post in a mound
and pits as per in-
structions per corner
to sections 1, 2, 35 + 36.

No trees near.

Sand level

Soil 2nd rate

Sandy loam

No timber - some
mesquit brush +
grass

Bet. Cps. 4 & 5 S. Range 1 West.

Gila & Salt River Meridian

Chain West, between Secs. 2 & 35.

Var. $13^{\circ} 48'$ East.

40.00 Set a 1/4 sec. corner post
in a mound with pits
as per instructions

No trees near

80.00 Set a post in a mound
and pits as per in-
structions per corner
to sections 2, 3, 34 & 35.

No trees near
Sand Level

Soil 2nd rate

No timber.

Spd. 4 + 5 S. Range 1 West
 Silva & Salt River Mendocino

Chain West, between Secs. 3 + 34

Orientation $13^{\circ}45'$ East

40.00 Set a 1/4 section post in
 a mound and pits
 as per instructions

No trees near
 and here the land begins
 to gradually ascend toward
 the mountains to the West.

80.00 Set a post in a mound
 and pits as per in-
 structions, per corner
 to sections 3, 4, 33 + 34

No trees near
 Sand level
 Soil 3rd rate
 Sandy & dry
 No timber on line

Between Sps. 4 & 5 S. Range 1 West

Gila + salt River Mendocino

Chains West, let seed 4 & 33.

Var. 13°45' East.

4000 set a 1/4 section Corner post
in a Mound and pits
as per instructions

No trees near

8000 set a post in a Mound
with pits as per in-
structions per Corner
to sections, 4, 5, 32 & 33

No trees near

Sand levee

Soil 2nd rate dry
and sandy —
No tubers —

Between Eps. 4 + 5 S. Range 1 West
Gila + Salt River Muridian

- Chd. West, between Secs 5 + 32
Cor. $13^{\circ} 45'$ East.
- 40.00 Set a 1/4 section corner post
in a mound and pits
as per instructions
No trees near
- 80.00 Set a post in a mound
with pits as per in-
structions for corner
to sections, 5, 6, 31 + 32
No trees near

Sand level ascending to
the West —
Soil poor + becoming
sandy + gravelly
No timber —

^{17th}
Between Secs. 4 + 5 S. Range 1 West.

Gile & Salt River Meridian

Chain West, between Secs. 6 + 31.

Var. $13^{\circ}45'$ East

40.00 Set a 1/4 section Corner

poat in a mound &
pits as per ins. & sketches

No trees near

79.57 Set a poat in a mound

with pits as per ins. -

structures for corner
to sections 1, 6, 31 + 36.

No trees near.

Same poor, & rising faster

No trees

and in less than one

mile west this line becoming

impracticable an account

of steep rocky mountain

I show ran as shown by

the following notes

Feb 20th 1871.

Between Eps. 4 S. Ranges 1 + 2 West
 Giles + Salt River Meridian

Chd. North, between Secs. 31 + 36.

Long. $13^{\circ} 48'$ East

(as per transit obsr. of Polaris).

40.00 Set a 1/4 sec. corner post
 in a mound + pits as
 per instructions

No trees near

52.00 Dry Creek 50 lbs wide runs N. E.

80.00 Set a post in a mound +
 pits as per instructions
 for corner to sections

25.36. 30 + 31

No trees near

Sand sloping East

Soil sandy + gravelly

No timber on line

Some Paloverde trees on
 Creek.

Pub. Gps. 4 S. of Ranges 1 & 2 West
of Gila & Salt River Meridian
Chaus. North, between sections 25 & 30.

Var. $13^{\circ}48'$ East.

40.00 Set a $\frac{1}{4}$ section corner post in
a mound & pits as per in-
structions.

No trees near

79.50 Dry Creek 10 lks. wild runs N. E.

80.00 Set a post in a mound &
pits as per instructions
for corner to sections 24,
25, 19 & 30.

A Mesquit 10 in, diam, Brs. S. 8° E. 58 lks. dist.

" Paloverde 12 in " " S. 40° E. 200 " "

No other trees near

Sand sloping East

Soil 3rd rate sandy

Scattered trees -

Sp. 4 S. Range 2 West of
Gilew & Salt River Meridian

Chains Throw the Corn to Sections 24 &
25 on the East line of Sp. 4 S.
Range 2 West. in order to
extend a line through the
pass in the Mountain Range
West, between sections 24 & 25.
Var. $13^{\circ}48'$ East.

37.00 Road to Lynnes. Crs. S. W & N. E.

40.00 Set a $\frac{1}{4}$ section Corn peak in
a mound & pits as per
instructions. No trees near

80.00 Set a post in a mound &
pits as per instructions
for Corn to seed 23. 24

25 & 26. No trees near
Sand ascending to west
Soil poor & sandy
No timber

Sp. 4 S. Range 2 West of
Giles & Salt River Meridian

Chains West, between sections 23 & 26.

Var. $13^{\circ} 48'$ ^{East} West.

40.00 Set a $\frac{1}{4}$ section corner post
in a mound & pits as per
instructions. No trees near

80.00 Set a post in a mound &
pits as per instructions
for corner to secs. 22, 23,
26 & 27.

No trees near

Sand as usual

Soil poor

No timber —

Township 4 South Range 2 West

5th & 6th River Meridian

Chain West, bet wew sections 22 & 27.

Var. $15^{\circ}48'$ East

40.00 set a $\frac{1}{4}$ section corner post
in mound & pits as
per instructions

No trees near

80.00 set a post in a mound
& pits as per instructions

for corner to sections 21

22, 27 & 28—

No trees near

Sand ascending &
stone

No timber

Soil worthless.

Township 4 S. Range 2 West of
Gila & Salt River Meridian

Chain West, between Secs. 21 & 28
var. $13^{\circ}48'$ East.

40.00 set a $\frac{1}{4}$ section corner post
in a stone mound as
per instructions.

No trees near and
here the base of the mountain
becomes so steep a short
distance west, that the
line becomes impracticable.

So I ran from here
South, through section 28-

var. $13^{\circ}48'$ East

along N. E. slope of hill at

50.00 Summit of hill 300 feet high

67.00 bottom of descent and road

to Lumber, Cns. E & W

80.00 set $\frac{1}{4}$ section post ^{cut 400 28 & 33} in a
stone mound as per instructions

No trees near
Sand broken & worthless

Sp. 4 S. Range 2 West
 Gila & Salt River Mendocino

Cha. West, from 1/4 Sec. post bet. Secs. 28 & 33.
 Var. $13^{\circ}48'$ East,

Counting the distance East
 of the 1/4 Sec. Corner 40. Chaus
 at

- 45.00 Swinging rocks in pass
 70.00 Road to Gumar bro. S. W. & N. E.
 80.00 Set a post in a stone
 mound & pits as per
 instructions per corner
 to sections 28, 29, 32 & 33.

No trees near
 Sand in a deep Cañon
 or pass of the Gila
 Bend Mountain —
 Soil worthless

Sp. 4 S. Range 2 West of
Gila & Salt River Meridian

Chs. Cross the Corral to secs. 28,
29, 32 & 33. A run

South between secs. 32 & 33.

variation $13^{\circ}48'$ East.

10.00 Road to Guman bro West,

10.50 Dry Creek 10 lbs wide runs West

20.00 Run becomes impracticable
an account of steep mountain
made a stone mound &
ran from here

West in section 32

var. $13^{\circ}48'$ East

31.40 Road to Guman Bro. S. W

40.00 Run again becomes impracticable
an account of steep mountain

So I ran from here
South in sec. 32.

var. $13^{\circ}48'$ East

9.00 Road to Guman bro. S. W,

20.00 Run becomes impracticable

Apr. 4 S. Range 2 West
 Silo & Salt River Meridian

Ch. So I ran from this point
 West, through Sec. 32.

Var. $13^{\circ}48'$ East

40.00 & Cross road where I set
 a $\frac{1}{4}$ sec. corner post in
 a mound of stone between
 Secs. 31 & 32 as per
 instructions.

No trees near

and from which corner
 I ran

South lat. sections 31 & 32

Var. $13^{\circ}48'$ East

Counting the 40 chains

North of the $\frac{1}{4}$ sec. corner at

59.00 Road & Creek on S. W.

80.00 Set a post in a mound
 and pits as per instructions
 for corner to Secs. 31, 32 & 33.

No trees near

land worthless & rough

Sp. 4 S. Range 2 West
 filed & sett Run Meridian

Ch. West, lot Secs. 6 & 31

Var $15^{\circ}48'$ East,

19.25 Creek 10 lks. wide runs S. W.

28.00 Road to Lyman bro. S. W.

40.00 Set a $\frac{1}{4}$ Sec. Corner post
 in mound & pits as per
 instructions, No trees near

59.00 A round rocky peak 5 chains
 S. W. from Corner covers 20 acres

59.00 Dry Creek bears S. W.

79.57. Set a post in a mound
 & pits as per instructions
 for Corner to Secs. 1, 6, 31

& 36. No trees near
 Sand Broken & soil poor
 & stoney
 No timber

Sp. 4 S. R. 2 West of
Sila & Salt Run Mendocino

This Township has
no agricultural lands
and is mostly on the
Mountain.

The Mountain is
composed of lava &
rock of volcanic
origin, and is so
precipitous that it
is impassable to man
& beast, save through
the pass, which
affords an easy road-
way through the mountain
and could be easily
passed here by a
Rail Road —

Feb. 21st 1871.

Between Gps. 4 & 5 S. Range 3 West.

Sida & Salt Run Meridian

Obs. West, between Secs 1 & 36.

Var $13^{\circ}42'$ East

(by transit obs. of Polaris)

40.00 Set a $\frac{1}{4}$ sec. corner post in
a mound & pits as per
instructions

No trees near

53.00 Dry Creek $\frac{1}{5}$ m. wide runs S.W.

65.00 " " 10 " " "

65.50 Begin steep ascent ~~to~~ N. & S.

70.00 Top of hill & begin descent

80.00 Level land & set a post
in a mound & pits as
per instructions for corner
to Secs. 1, 2, 35 & 36.

No trees near

Land rough

Soil poor

No timber

But. Spo. 4 + 5 S. of Range 3 West
 Gila & Salt River Meridian

Chais West, but Secs 2 + 35

Cor. $13^{\circ}42'$ East

15:00 Begin steep rocky ascent
 27:00 top of draw & descend
 30:00 Bottom of draw
 40:00 set a 1/4 sec. corner post
 in mound with pits as
 per ins. instructions

No ~~at~~ trees near but a

Pala verde 10 in bro South 28 mls dist

a Rocky Knoll 200 mls North

68:00 Dry Creek 10 mls. wide Bro S.

73:00 " " 10 " " "

80:00 set a post in a mound
 with pits as per ins. instructions
 for corner to sec. 2, 3.

34 + 35 — no trees near
 Sand broken
 Soil poor
 No timber

But. Ups. 4 + 5 S. Range 3 West,
 file & Salt River Meridian

Cha. West; but sees. 3 + 34
 var. $13^{\circ}42'$ East.

25.00 Apex of Rocky peak 50 ft high

40.00 set a 1/4 sec corner post
 in a mound with pits
 as per instructions
 no trees near

50.00 a Rocky Knoll N of line

80.00 set a post in a mound
 with pits as per in-
 structions per Cor. to
 sees 3.4, 33 + 34
 no trees near

Sand braker

Soil poor

no timber

Soar grass

B.T. Tps. 4 + 5 S. Range 3 West.

Gila & Salt River Meridian

Chs. West, lot sections 4 + 33 -

var. $13^{\circ}42'$ East.

40.00 set a $\frac{1}{4}$ sec. corner post in
a mound and pits as
per instructions

No trees near

80.00 set a post in a mound
with pits as per in-
structions for corner
to sec. 4, 5, 32 + 33

No trees near

Sand rough
Soil 3rd rate
No timber —

But. Cps. 4 & 5 S. Range 3 West
Gila & Salt River Meridians

Chs. West, lot. Secs. 5 and 32

var. $13^{\circ}42'$ East.

10.00 Round Knoll to the W. of line

40.00 Set a 14 sec corner post
in a mound & pits as
per instructions

No trees near

80.00 Set a post in a mound
with pits as per in-
structions per corner
to sections 5, 6, 31 & 32

No trees near

Sand level

Soil 2nd rate

No timber

Some grass

Between Tps. 4 & 5 S. Range 3 West.

Sila & Salt River Meridian

Chs. West between Secs. 6 & 31.

Cor. $13^{\circ}42'$ East

40.00 Set a $\frac{1}{4}$ sec. corner post

in a mound and

pits as per instructions

No trees near

1904: Set a post in a mound

and pits as per

instructions for the

Corner to sections 1, 6,

31 & 36.

No trees near

Sand level.

Soil 1st rate but

No water and

No timber

Good grass land,

But. Gps. 3 S. Ranges 3 & 4 W.

Silica & Salt Run Mordant

Ch. South, between Secs. 1 & 6.

Var. $13^{\circ}42'$ East.

40.00 Set a 1/4 section corner post
in mound & pits as
per instructions.

No trees near

80.00 Set a post in a mound
and pits as per in-
structions. Per corner
to sec. 6, 7, 1 & 12.

No trees near

Sand level

Soil 1st & 2nd rates

Sandy loam

No timber

Brit. Cps. 5 & 8, Ranges 3 & 4 West.

Gila & Salt Run Mound

Chains South, between lines 7 & 12

Dir. $15^{\circ} 42'$ East

40.00 set a 14 sec. corner post
in a mound and
pits as per instructions

No trees near

59.50 Reced to corner No. S. W.

80.00 set a post in a mound
and pits as per instr

directions for corner to
lines 12, 13, 7 & 18

No trees near

Sand level

Soil 2nd rate

Scattering Palo verde
trees

Bit. Gps. 5 S. Ranges 3 & 4 West
filed & Salt Run Nevada

Chs. South, between Secs. 13 & 18

or, $13^{\circ}42'$ East,

40.00 set a 1/4 Sec. corner post
in a mound & pits
as per instructions

No trees near

80.00 set a post in a mound
with pits as per
instructions for
corner to Secs 13, 24
18 & 19.

No trees near

Sand hill
Soil 2nd rate
Lower section of this

92

West
 Bet. Tps. 5 S. Range 3 & 4 East

Sila & Salt River Mound

(hs) South lot in sec 19 & 24

Var. 13° 42' East

40.00 set a 14 sections Corn plot
 in mound & pits as
 per instructions

No trees seen

80.00 set a post in a
 mound and pits as
 per instructions

per corner to

secs 24, 25, 19 & 30.

No trees seen

Sand level

Soil 2nd rate

Some scattering Palaunder
 & Musquit

Put. Sp. 5 S. Ranges 3 & 4 W,
 Silo & Salt Run Meadows

Chd) South between secs. 25 & 30
 Van 1842 East

40.00 Set a 1/4 section corner
 post in a mound and
 pits as per instructions
 No trees near

49.30 Dry Creek 20 lbs well worn West,

50.00 Set a post in a mound
 and pits as per
 instructions for
 corner to secs. 30, 31

25 & 36

No trees near

Sand level
 Soil 2nd rate
 scattering trees
 Some grass

94
 Plat Cps. 5 S. Range. 304 West

Gila & Salt River Meridian

Cks. South between Secs. 31 & 36,
 Cor. 13°42' East

40.00 Det. 1/4 sec corn post
 in mound & pits as
 per instructions

No trees near

80.00 Det. a post in a mound
 with pits as per
 instructions per
 corner to sections

~~Sec. 31 & 36~~

(No trees near)

Sand hill
 Soil 2nd rate
 Dry sandy loam
 Some scattering brush

Description —

The lands on the fore-
going described lines
in Range 1 E. & 1 W.
is termed the Silver
Bend desert, owing
to the absence of water
in that region. If
by artesian wells a
good supply of water
could be obtained the
lands would be 1st
Class Agricultural lands
and would be desirable
for that purpose as the
soil is good, and some
portions now produce
fine grasses in abundance
Timber is scarce
In Range 2 West, the
lands are worthless

Cut in Range 3 West
there is good soil &
in Range 4 West as
far south as the
1st Standard Parallel
The soil is excellent
and the Tps. 4, 3 & 2 S.
of Range 4 W. lie on
the Sila Run and
have much desirable
lands) I should be
surprised at once
as settlers are now
preparing to construct
a large irrigation
ditch on those lands.

Feb. 22nd 1871.

J. M. Lawrence

South Boundary of Twp. 5 S. Range 4

of Gila & Salt River Meridian

Chains From the Corner to Townships
5 South of Range 3 & 4 West
I run

West. on South line of sec. 36.

Townships 5 S. R. 4 West

Var. $13^{\circ}42'$ East

(as per observation with transit of
Polaris).

40.00 Set @ $\frac{1}{4}$ Sec. Corner post is
a mound & pits as per
instructions. No trees near

80.00 Set a post in a mound
and pits as per instructions
for corner to secs. 35 & 36
No trees near

Sand level soil 2nd rate
Some scattering trees
No water

South Bound. Sp. 5 S. Range 4 West

Gila & Salt River Meridian

Law West, on S. line of Sec. 35.

Cor. 15° 42' East.

40.00 Set a 1/4 ac. Corner post in
a mound & pits as per
instructions

52.50 Dry Creek 20 lbs wide bro. N. E.

80.00 Set a post in mound
& pits as per instructions
for corner to Secs. 34 & 35
No trees near

Sand level. Soil 2nd
rate sandy loam
good grass -
No timber

South boundary of Ep. 5 S. R. 4 W.
 Gila & Salt River Meridian

Chains West, ~~on~~ South line Sec. 34.
 Var. $13^{\circ}42'$ East.

40.00 Set a $\frac{1}{4}$ sec. corner post
 in a mound & pits
 as per instructions.

No trees near

47.60 Hay Road hrs. N.E. & S.W.

80.00 Set a post in a mound
 and pits as per in-
 structions for corner
 to sec 33 & 34.

No trees near

Sand level. Soil
 2nd rate sandy loam

No timber —

Good grass

South Boundary of G. S. R. 4 W

Sitka + Salt River Nevada

Chs. West, on S. line Section 33.

Var. $13^{\circ} 42'$ East.

40.00 Set a $\frac{1}{4}$ sec. corner post
in mound with pits
as per instructions
No trees near

80.00 Set a post in a mound
with pits as per
instructions for the corner
to sections 32 + 33 -
No trees near

Level land; soil 2nd rate
sandy loam
No timber.
Good grazing land.

South, boundary of T. 5 S. Range 4 N

Gila & Salt River Meridian

Chains West, on S. line of Sec. 32.

Var. $13^{\circ}42'$ East.

40.00 set a $\frac{1}{4}$ sec. corner post
in a mound & pits as
per instructions

No trees near

56.60 Road Cns. N. & S

80.00 set a post in a mound
& pits as per instructions
for corner to Secs. 31 & 32.

Sand level, soil 2nd rate
sandy loam

No timber, no
water; grass plenty

South Bound $\frac{1}{2}$ S. R. 4 West.
of line of Salt River Meridian

Chains West, on South line of Sec. 31.
Var. $13^{\circ}42'$ East.

40.00 Set a $\frac{1}{4}$ sec. Corner post
in a mound & pits as
per instructions

No trees near

77.40 Road Cns. N. & S.

80.00 Set a post in a mound
and pits as per instructions
for corner to Secs. 34 & 36

No trees near

Sand level

Said 2nd rate.

No timber —

Febr. 23rd 1851.

South Bound, Sp. 5 S. Range 5 N.

Gila & Salt River Meridian

Chains West, on south line sec. 36,

var. $13^{\circ}45'$ East

(as per transit obsv. of Polaris).

40.00 Set a $\frac{1}{4}$ sec. corner post
in a mound & pits
as per instructions
No trees near —

42.40 Road bns. N. & S.

78.50 Dry Creek 50 lks. runs N.

80.00 Set a post in a mound
and pits as per instructions
for corner to secs. 35 & 36

A Palo Verde 10 in diam. Bns. N. 73° E. 42
links distant,

No other trees near

Sand hills, Soil 2nd rate
sandy loam
Scattering trees on creek

South Bound. Tp. 5 S. Range 5 W.
of Gila & Salt River Meridian

Chain West, on S. line of Sec. 35 —

Var. $13^{\circ}45'$ East.

32.00 Road to Arizonas Cypress near
Beavers N. & S.

40.00 Set a $\frac{1}{4}$ Sec. Corner post in
a mound & pits as per
instructions. No trees near

80.00 Set a post in a mound
& pits as per instructions
for corner to Secs. 34 & 35 —
No trees near

Sand level, Soil 2nd rate
No timber —

South Bound. T. 5 S. R. 5 W.

Line of Salt Run Meridian

Chains West on S. line of sec. 34.

var $13^{\circ}45'$ East.

16.00 Dry Creek 40 lbs. wide and ~~1/2~~

40.00 Set a post in a mound &
pits for $1/4$ sec. corner as
per instructions

No trees near

80.00 Set a post in a mound
and pits as per instructions
for corner to sections

33 & 34.

No trees near

Sand level

Soil 2nd rate

Sandy loam

No timber

South Bound. T. 5 S. R. 5 West
of Giles & Salt River Meridian

Chd. West on S. line of Sec. 33.

Var. $13^{\circ}45'$ East.

- 13.05 Dry Creek 20 lbs wide runs N—
29.00 old road runs N. H. S.
40.00 Set $\frac{1}{4}$ sec. corner post in
a mound and pits as
per instructions No trees near
780.00 set a post in a mound &
pits as per instructions
for corner to sec. 32 & 33.

No trees near
Sand level soil 2nd rate
no timber —

S. Bound Op. 5 S. R. 5 West.

Gila & Salt River Meridian

Chs. West, on S. line of sec. 32

UAV. 15°45' East,

40.00 Set a $\frac{1}{4}$ sec. corner post
in a mound & pits as
per instructions

No trees near

58.10 Dry Creek 10th. Mus R.

80.00 Set a post in a mound
with pits as per in-
structions for corner to
secs. 31 & 32.

No trees near

Sand hill; soil 2nd
rate sandy loam;

No timber;

plenty of grass;

South bound. T. 5 S. R. 5 West.

Line of Salt River Meridian

Chas. West, on S. line of Sec. 31.

Var. $13^{\circ}45'$ East.
40.00 Set a $\frac{1}{4}$ Sec. Corner post
in a mound & pits as
per instructions

No trees near

75.00 Dry Creek, 5 lks wide br. R.

80.00 Set a post in a mound
and pits as per instructions
-trous for corner to Secs
31 & 36.

No trees near

Sand lined, Soil 2nd
rate, Sandy loam
No timber —

February 24th 1871.

General Description
The lands over which
the foregoing described
12 miles passes is
of uniform character
dry sandy loam, and
level. The water
from the Gila River
can be led in ditches
to the greater portion
of them, and by the
aid of irrigation,
could be made very
productive.

The summer rains
usually cause a
fine growth of various
grasses of superior
nutritious qualities.

South Boundary T. 5 S. Range 6 West

Line of Salt River Meridian

Chain West, on South line of sec. 36.

Var. $13^{\circ}48'$ East

(as per transit observation of
Polaris) —

40.00 Set $\frac{1}{4}$ sec. corner post in
a mound & pits as per
instructions. No trees near

80.00 Set a post in a mound
and pits as per instructions
for corner to secs. 35 & 36.

No trees near

Sand level, soil 1st rate
cut dry —

No timber — Good grass

South Boundary T. 5 S. R. 6 West

Gila & Salt River Meridian

Chain West, on S. line of Sec. 35
 Var. $13^{\circ}48'$ East.

40.00 Set a $\frac{1}{4}$ sec. corner post
 in a mound with pits
 as per instructions
 No trees near

80.00 Set a post in a mound
 with pits as per
 instructions for corner
 to Secs. 34 and 35.
 No trees near

Sand level, Soil 1st rate
 No timber —

South Boundary of C. S. R. C. W.
 Giles & Salt River Meridian

Chas West, on S. line section 34,
 Var. $13^{\circ}48'$ East,

40.00 Set a 7/4 Sec. Corner post
 in a mound with pits
 as per instructions

No trees near

80.00 Set a post in mound
 with pits, as per
 instructions for the
 Corner to sections
 33 & 34.

Sand level

Soil 1st rate

Sandy loam

No trees

Good grazing land

South Boundary line of G. S. S. N.

C. W. Giles & Salt Run Meridian

Chains West, on S. line of Sec. 33.

Var. $13^{\circ}48'$ East.

40.00 Set a post in a mound
and pits as per instructions

No trees near

80.00 Set a post in a mound
with pits as per in-
structions for corner
to sections 32 & 33.

No trees near

Sand Level, soil 1st.

rate sandy loam

no timber, good
grazing lands).

South Bound. T. 5 S., Range 6 West.

of Giles & Salt River Meridian

Chain West, on S. line of Sec. 32
 bearing, $13^{\circ}48'$ East.

40.00 Set a $\frac{1}{4}$ Sec. Corner post
 in a mound, & pits as
 per instructions.

No trees near

80.00 Set a post in a mound
 with pits as per in-
 structions for the
 Corner to Secs. 31 & 32

No trees near

Level Level, Soil 1st Rate
 Sandy loam
 No timber

South Boundary of G. S. R. G. W.

Silo & Salt River Mound

Chains West, on S. line of Section 31.

Var. $13^{\circ}48'$ East.

40.00 Set a $\frac{1}{4}$ sec. corner post
in a mound and
pits as per instructions
No trees near —

71.40 Road runs S. E.

80.00 Set a post in a mound
with pits as per instructions
for corner to Secs
31. & 36.

No trees near

Castle Doan Post bears S. 26° E. —

Sand Soil, soil 1st
rate sandy loam
No trees —

Febr. 25th 1871.

General Description

The foregoing described
Six miles of line
passes over a smooth
level plain, covered
with grass & a few
small brush and
there is not a break
or inequality in the
surface, & if water
is ever led onto this
plain from the Gila
river, it will be
made fine agricultural
land. For grazing
purposes it is of
some value now
and much hay is
annually gathered here
by the Station Keepers

South Bound. S. 5 S. R. 7 West.

Gila & Salt River Meridian

chain West on S. line of sec. 36.

CVN. $13^{\circ}47'$ East

(as per fore & back sight.)

40.00 Set 1/4 sec. corner post in
a mound & pits as
per instructions

No trees near

50.30 Road to Arizona Copper
mine hrs. S. & N

80.00 Set a post in a mound
& pits as per instructions
for corner to secs. 35 & 36.

No trees near

Sand hill, soil 1st
rate sandy loam
no timber — good
grass —

South Bound. G. 5 S. Range 7 West.

Lila & Salt River Meridian

Chas. West, on S. line of Sec. 35.

Var. $13^{\circ} 47'$ East,

40.00 Set a post in a mound
with pits as per instructions
No trees near

80.00 Set a post in a mound
with pits as per
instructions for Cor-
ner to Secs. 34 & 35.
No trees near

Sand-levil, Soil 1st
rate, no timber

South Bound. G. 5 S. R. 7 W.

Sila & Salt River Meridian

Chains West, on S. line of sec. 34,

var. $13^{\circ}47'$ East.

40.00 Set a post in a mound
and pits as per in-
structions ~~from~~ trees near.

80.00 Set a post in a mound
& pits as per instructions
for corner to Secs. 33 &
34. No trees near

Sand level, Soil 1st
rate for grass
no timber —

South Bound. T. 5 S. Range 7 W.

Sila & Salt River Meridian

Chain West, an South line of sec. 33.

Var. $13^{\circ} 47'$ East.

40.00 Set a $\frac{1}{4}$ sec. Corner post
in a mound with
pits as per instructions
No trees near

80.00 Set a post in a mound
with pits as per in-
structions for corner
to secs. 32 & 33.

No trees near

Sand level, soil 1st
rate grass land
No trees

South Bound. T. 5 S. Range 7 W.

Gila & Salt River Meridian

Chains West, on S. line of sec. 32.

Var. $13^{\circ} 47'$ East

40.00 Set a 14 sec. corner post
in a mound & pits
as per instructions

No trees near

43.00 Sand becomes gravelly
from the wash from
the mountain to the west.

80.00 Set a post in a mound
with pits as per in-
structions for the corner
to Secs. 31 & 32.

No trees near

Sand 1st & 3rd rate &
rising to the west

No timber.

South band. T. 5 S. R. 7 West.

Gila & Salt River Meridian

Chain West, an S. line of sec. 31.

var. $13^{\circ}47'$ East.

40.00 Set a $\frac{1}{4}$ sec. corner post
in a mound with pits
as per instructions

No trees near

50.00 Ascent becomes steeper

63.00 Rock bluff at base of
low point 20 feet high

64.00 Top of point of hill bro N & S.
& begin to descend

73.20 Dry Creek 10 lbs. runs S. E
and then ascending ground

80.00 Set a post in a stone
mound 5 feet high, as
per instructions per corner
to section 31 & 36. at the
base of Mountain bro N. W. &
S. E. Land rough
& rocky, & of no value
The rocks are volcanic forma-
tion

General Description

This line for the first four miles passes over nice level land and good soil - the last two miles the land is worthless, rocky & barren -

The west end of the line terminates in a narrow pass in the mountain extending N. W. & S. E. and the corner of Secs. 31 & 36. is near the base of a high black precipitous rocky mountain, over which it will be very difficult to extend the line to the west -

Febr. 25th 1871.

Final Oath of Deputy Surveyor.

I, Solomon W. Hornum
 Deputy-Surveyor, do solemnly swear that, in pursuance
 with a contract with John Mason
 United States Surveyor General for California and Nevada,
 bearing date the 13th day of February A.D. 1871, I have
 well, faithfully and truly, in my own proper person, and
 in strict conformity with the instructions furnished by the
 Surveyor General, the Surveying Manual, and the laws of
 the United States, surveyed all those parts or portions of
 the Exterior Boundary lines in
 Tps. 4 S. of Ranges 1 E. 1, 2, 3 &
 7 W. and Tps. 5 S. R. 4, 5, 6, & 7
 West, also the first Standard
 Parallel South in Ranges 4 E.
 6 & 7 West of the said
 River Meridian -

as are represented in the foregoing Field Notes as having been

125

BOOK 1634


Exterior &
1st standard cross

surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

Solomon W. Howard
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 28th
day of March 1871

J. C. McCarry
Notary Public



Final & Preliminary for the 26
Extension lines — BOOK 1634
List of Names.

A List of the Names of the individuals employed to assist
in running, measuring, or marking the lines and corners
described in the foregoing Field Notes of S. Bouevarreux
of Sp. 4 D. R. 1 East & 1 W. a line through
Sp. 4 D. R. 2 W. Th. N. & W. lines of Sp. 5 S.
R. 3 W. the 1st. Standard Parallel in ^{5 S. Range} R. 4.
4. 5, 6 & 7 West. & Extension lines of Sp. 4. 5
6. & 7. W. & Sp. 4 S. R. 7 W. Gila & Salt River
~~measured~~
showing the respective capacities in which they acted.

| | |
|---------------|-------------|
| | Compassman. |
| John B. Cox | Chainman. |
| John Steuffer | Chainman. |
| Joseph Bonn | Aceman. |
| David Grobe | Flagman |



Final Oaths of Assistants.

We hereby certify that we assisted Solomon W. Gorman Deputy Surveyor, in surveying the Exterior Boundary lines of Tps. 4 & 5 South in Ranges 1 & 2, 3, 4 & 5 West, and of Tps. 5 & 6 Ranges 4, 5, 6 & 7 West, also 1st Standard Range S, in Ranges 4, 5, 6 & 7 West of Gila and Salt River meridians, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Subscribed and sworn before me } John B. Cox.
 this 28th day of } John Hughes
 March 1871 } Fred. Grohe
 } Joseph Baker
 J. P. Mc Caffry
 Notary Public



Surveyor General's Office,
Tucson, Arizona, May 1, 1871

I certify the foregoing Field Notes of the Survey of the First Standard South and Lines auxiliary thereto as therein described, and the Exterior lines of Townships 5 South, in Ranges 4, 5, 6 & 7 West, and of Township 4 South in Range 7 West, executed by Solomon W. Foreman, under his contract of the 3rd day of February A.D. 1871, having been critically examined, the necessary corrections and explanations made, the said Field Notes, and the Surveys they describe, are hereby approved.

John Basson
U.S. Surveyor General
For Arizona Terr.