

P. 1

See Index

1635

BOOK 1635

1635

Exterior Boundaries

of

Township No. 2 S. Range No. 5 N.

and

Twp. Nos. 3 & 4 S. Range No. 4 N.

T. 2 S; R. 5 W

tract

1635

Aug

Samuel H. Foreman

Deputy Surveyor

16 March 71

March 16, 1871.

1635

1A

BOOK 1635

Field Notes  
of  
The Survey of the  
Exterior Boundaries  
of  
Townships 3 and 4 South  
of  
Range No 4 West -  
and of  
Fractional Township 2 South  
of  
Range No. 5 West  
of  
Tila & Satt Kinn Meridian  
and March 31<sup>st</sup> 1871.  
Completed April 6<sup>th</sup> 1871.

v  
8  
16  
25  
31  
38  
46  
49

BOOK 1635

Index. — H —

East Body T4S, R4W

West " T4S, R4W

North " T4S, R4W

East " T3S R4W

West " T3S R4W

North " T3S R4W

East " T2S R5W

South " T2S R5W

Com

# India

BOOK 1635

		<del>15</del> 6							
		<del>12</del> 7							
		D. S. R. 5 13 18			D. S. R. 4 11				
		24 19							
		25 4 7 30							
		36 4 6 31	32	33	34	35	36		
		47 44	43	42	41	40	39		
		1 5 7 6	5	4	3	2	1 30		
		12 3 5 7						12 2 9	
		D. S. R. 5 13 3 4 18			D. S. R. 4 11			13 2 8	
		24 3 14						24 2 7	
		25 3 2 30						25 2 6	
		36 3 1 31	32	33	34	35	36	2 5	
		22 2 1 20			19 18		16		
		1 14 6	5	4	3	2	1 6		
		12 1 3 7 8							
		12						12 5	
		D. S. R. 5 13 17			D. S. R. 4 11			13 4	
		18 11 15							
		19 10 20						24 3	
		30 9 29						25 2	
		31 8 32						36 1	

7

BOOK 1635

ly-

13

BOOK 1635

Preliminary Oaths of Assistants.

I, \_\_\_\_\_ do solemnly  
swear that I will well and truly perform the duties of  
Compassman, according to instructions given me, and to  
the best of my skill and ability.

Subscribed and sworn to before me, this \_\_\_\_\_ day of  
187

U. S. Deputy Surveyor.

—♦♦—

We, *John Staupser* and  
*Benjamin S. Brady*  
do solemnly swear that we will faithfully execute the duties  
of Chain Carriers; that we will level the chain upon uneven

ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines, that we will assist in measuring, to the best of our skill and ability.

John Stamper  
B. D. Breidy

Subscribed and sworn to before me, this 28<sup>th</sup> day of  
March 1871.

J. P. Mc Caffrey  
~~U. S. Deputy Surveyor.~~  
Notary Public




We, Fred. Grohe and Jos. Fennel  
 do solemnly swear that ~~we~~ we will well and truly perform the  
 duties of Flagman & Axemen  
 according to instructions given ~~us~~, and to the best of ~~our~~  
 skill and ability.

Fred Grohe  
 Jos. Fennel

Subscribed and sworn the before me, this 28<sup>th</sup>  
 day of March 1871

J. C. Mc<sup>rs</sup> Caffry  
~~U. S. Deputy Surveyor.~~  
 Notary Public



East. Boundary of P. 4 S. R. 4 N. of  
Gila + Salt River Meridian

Begin at the Corner to  
Townships 4 & 5 South, of  
Range 3 and 4 West. I run  
6 North, on East line of Section 36,  
Var.  $13^{\circ}43'$  East

(as per transit observation of Polaris).

40.00 Set a  $\frac{1}{4}$  section Corner post in  
a mound with pits as per  
instructions.

No trees near.

80.00 Set a post in a mound and  
pits as per instructions  
for the Corner to sec's. 25,  
36, 30 + 31.

No trees near

Land level, Soil 2<sup>nd</sup> rate  
sandy loam

No timber,



East Boundary of T. 4 S. R. 4 W.  
Gila & Salt River Meridian.

Chs. North, on East line of Sec. 25,  
Va.  $13^{\circ}43'$  East.

14.00 Dry Creek 10 lumps wide runs West  
40.00 Set a 14 Sec. Corner post in a  
mound and pits as per  
instructions.

No trees near.

80.00 Set a post in a mound &  
pits as per instructions  
for the Corner to Secs. 24,  
25, 19 & 30 —

No trees near

Sand level. Sandy loam  
Soil. 2<sup>nd</sup> rate  
No timber —

East Boundary of S. 4 S. R. 4<sup>th</sup> W.

Gila & Salt River Meridian

On North, between Secs. 24 and 19.

On.  $13^{\circ}43'$  East.

40.00 Set a 14 section corner post  
in a mound with pits  
as per instructions.

On Iron-wood 4 in. diam. brs. N.  $27\frac{3}{4}^{\circ}$  W, 145<sup>ft</sup>  
distant. No other tree near.

62.20 Dry Creek 10 fks. wide runs West.

80.00 Set a post in a mound  
with pits as per instructions  
for the corner to Sections  
13, 24, 18 and 19.

No trees near

Sand sloping gully  
to the west

Soil 2<sup>nd</sup> rate sandy  
loam

No timber —

East. Boundary of S. 4 S. R. 4 W.  
Gila & Salt River Meridian

Chs. North. between Secs. 13 & 18.

Ca.  $13^{\circ}43'$  East.

40.00 Set a 1/4 Sec. Corner post in  
a mound and pits as  
per instructions.

No trees near

80.00 Set a post in a mound  
and pits as per instructions  
for the Corner to Secs.  
12, 13, 7 and 18.

No trees near

Land gently rising to the  
N. E. - Sandy loam  
Soil, 2<sup>nd</sup> rate -  
No timber -

East Boundary of T. 4 S. R. 4 W.  
Gila and Salt River Meridian

Chk. North. Between Sections 12 & 7.  
Va.  $13^{\circ}43'$  East.

40.00 Set a  $\frac{1}{4}$  sec. corner post in  
a mound and pits as  
per instructions

A Palo Verde 3 inches diam tree,  $S 71^{\circ}$   
230 links distant. No other trees

80.00 Set a post in a mound and  
pits as per instructions for  
the corner to sections 1, 12  
& 7.

No trees near

Sand Soil Sandy loam  
Soil 2<sup>nd</sup> rate  
No timber

East Boundary of T. 4 S. R. 4 W.  
Gila <sup>Co</sup> Salt River Meridian

Chs. North, between Secs. 1 <sup>and</sup> 6.

W.  $13^{\circ}43'$  East.

40.00 Set a 1/4 sec. Corner post in  
a mound and pits as  
per instructions.

No trees near.

80.00 Set a post in a mound  
and pits as per instructions  
for the Corner to sections  
1, 6, 31 and 36.

No trees near.

Sand Soil. Sandy loam  
Soil 2<sup>nd</sup> rate  
No timber —

March 31<sup>st</sup> 1871

Field Notes of the  
West Boundary  
of  
Township 4 South  
Range 4 West of  
Gila and Salt River  
Meridian

West Boundary of T. 4 S. R. 4 N.  
Gila & Salt River Meridian.

Obs. The West boundary of this Township is impracticable on account of a high, steep rocky mountain. I therefore begin on the South boundary of the Township, at the Corner to Secs 31, 32, 5 & 6, and run thence North, between Secs. 31 and 32,  $100. 13^{\circ} 43'$  East.

(as per South boundary —)

Along the East Slope of Mountain  
40.00 Set a  $\frac{1}{4}$  Sec. Corner Stone  $16 \times 12 \times 6$  in in a Stone Mound as per instructions. Notes New  
80.00 Set a Stone  $20 \times 10 \times 10$  in in Stone mound as per instructions for the Corner to Secs. 29, 30, 31 & 32

No trees near

Sand Rocky E. Slope of Mountain. No soil. No timber —

West Boundary T. 4 S. R. 4 West.  
Gila and Salt River Meridian

Ch. North, between sections 29 & 30.

W.  $13^{\circ}43'$  East.

40.00 Set a  $\frac{1}{4}$  sec. corner stone  
15 x 10 x 7 inches, in a stone  
marked as per instructions  
No trees near —

80.00 Set a stone 18 x 10 x 8 in in  
a stone marked and  
marked as per instructions  
for the corner to sections  
19, 20, 29 and 30 —

No trees near —

Sand rough rocky East  
hill sides.

Soil unfit for  
cultivation.

No timber —



West Boundary of Town. 4 S. R. 4 W.  
Cala and Salt River Meridian

Sec. North, Between Secs. 19 & 20.

Var.  $13^{\circ}45'$  East.

- 11.00 Begin ascent of S. E. Slope  
 40.00 Set a 1/4 Sec. Corner Stone  $16 \times 9 \times 5$  inches in Stone mound as per instructions  
 No trees near  
 80.00 Set a Stone  $20 \times 14 \times 8$  in in a Stone mound and marked as per instructions for the Corner to Sections 17, 18, 19 + 20.  
 No trees near

Sand Stony Steep E. + S. E. Slope of mountain run -  
 put per Cut location -  
 No trees here.

West Boundary of T. 4 S. R. 4 West  
Gila Ed Salt River Meridian

Sec. North, between Secs. 17<sup>th</sup> & 18<sup>th</sup>.

Var.  $13^{\circ}43'$  East -

9.00 Summit of sharp point bro.

E. & W. & begin to descend

40.00 Set a  $\frac{1}{4}$  sec. corner stone 18

$\times 10 \times 6$  in in stone mound

as per instructions

No trees near -

80.00 Bottom of descent & set a post

in mound & pits as per

instructions for E. to Secs

7, 8, 17 & 18 - No trees near

Sand rough steep and  
rocky slope of mountain  
unfit for cultivation  
No timber -

West Boundary of T. 4 S. R. 4 W.  
Gila and Salt River Meridian

Chs. From the Corner to sections  
7, 8, 17 and 18 I run  
West, on true line beto Secs. 7 + 18.  
wa.  $13^{\circ}43'$  East  
Ascending steep N. E. Slope  
40.00 set a  $\frac{1}{4}$  sec. Corner stone  
18 x 12 x 4 in. in stone mound  
as per instructions No trees near  
(Show allowing 70 links per Core course.)  
79.30 Set a stone 20 x 14 x 10 in  
in a stone mound and  
marked as per instructions  
for the corner to sections  
7, 18, 12 + 13, on the West  
Township Boundary  
No trees near  
Sand rough steep stoney  
N. E. Slope of mountain  
unfit for cultivation  
No timber —

1  
West Boundary of T. 4 S. R. 4 W.  
Gila & Salt River Meridian

Chs North, between Sections 7<sup>and</sup> 12  
va.  $13^{\circ}43'$  East.

Along steep N. E. slope of Mt.  
40.00 Set a  $\frac{1}{4}$  sec. Corner stone  $18 \times$   
 $10 \times 6$  in, in a stone mound  
as per instructions —

No trees near —

80.00 Set a stone  $20 \times 12 \times 10$  in,  
in a stone mound and  
marked as per instructions  
for the corner to sections  
6, 7, 1<sup>and</sup> 12.

No trees near.

Sand, steep rocky N. E.  
slope of mountain, un-  
fit for cultivation —  
No timber —

West Boundary of W. 48. R. 4 West  
Gila Ed Salt River Meridian

Chs. North, between Secs. 1 Ed 6.

Var.  $13^{\circ}43'$  East.

40.00 Set a  $\frac{1}{4}$  sec. Corner post  
in a mound <sup>(of stone)</sup> and marked  
as per instructions.

No trees near

80.00 Set a stone  $24 \times 12 \times 10$  in  
in a stone mound and  
marked as per instructions  
for the corner to sections  
1. 6. 31 Ed 36. at foot of hill.

No trees near

Sand steep East slope  
of rocky mountain  
unfit for cultivation  
No timber

April 1<sup>st</sup> 1851.

Field Notes  
— of —  
The Survey of the  
North Boundary  
— of —  
Township 4 South  
— of —  
Range 4 West  
Gila and Salt River  
Meridian

Township 4 S. Range 4 W.  
 Gila & Salt River Meridian

Begin at the N. W. Corner  
 of the Township and  
 Run thence  
 East, on a random line  
 along the north boundary  
 of Sections, 6, 5, 4, 3, 2,  
 and 1 — & set  $\frac{1}{2}$  mile & mile  
 from survey north of 40 and 80 chains  
 Van. 73° 45' East.

(as per transit observations  
 of Polaris). —  
 at 5 miles and 78.85  
 chains to a point on  
 the Eastern boundary  
 54 links South from  
 the N. E. Corner of the  
 township, and  
 from which Township  
 Corner D run

North Boundary T. 4 S. R. 4 W.

Gila & Salt River Meridian

Chs 887 <sup>56</sup> ~~56~~ Few trees on the  
North line of Sec. No. 1.

Co. 13° 45' East.

40.00 Set a  $\frac{1}{4}$  sec. corner post  
in mound and pits  
as per instructions.

No trees near.

80.00 Set a post in a mound  
and pits as per instruc-  
tions, for the corner  
to sections 1, 2, 35 & 36

No trees near

Sand level, sandy  
loam

Soil 2<sup>nd</sup> rate

No timber —



North Boundary S. 4 S. R 4 W.  
 Gila & Salt River Meridian

Obs. S.  $89^{\circ}56'$  W. between Secs 2 & 35.  
 W.  $13^{\circ}45'$  East

40.00 Set a  $\frac{1}{4}$  sec. corner post in a  
 mound and pits as  
 per instructions.

No trees near

80.00 Set a post in a mound  
 and pits as per instruc-  
 -tions for the corner to  
 Sections 2, 3, 34 & 35

Grow wood 5 in. diam. br. N.  $80^{\circ}$  W.  
 327 lvs distant.

No other trees near

Sand level. Sandy loam  
 Soil 2<sup>nd</sup> rate  
 No timber.

North Boundary G. 4 S. R. 4 West

Gila and Salt River Meridian

No. S.  $89^{\circ}56'N$ , between Secs. 3 & 34.

va.  $13^{\circ}45'$  East.

40.00. Set a  $\frac{1}{4}$  section corner post  
in a mound and pits  
as per instructions

No trees near

80.00 Set a post in a mound  
and pits as per in-  
structions, for the corner  
to sections 3, 4, 33 & 34.

An Iron Wood 12 in, diam Beans  
N.  $50^{\circ}E$ . 120 links distant.

No other trees near.

Sand, level sandy loam  
Soil 2<sup>nd</sup> rate

No trees

North Boundary S. 4 S. R. 4 W.  
Gila Ed Salt River Mendocino

Obs. S.  $89^{\circ}56'N$ . between Secs. 4 & 33.  
va.  $13^{\circ}45'$  East

13.00 Dry Creek 10 links wide runs S. W.

40.00 Set a 14 sec. corner post in  
a mound & pits as per  
instructions

A Mesquite 3 in. diam. Brs. N.  $5^{\circ}W$   
85 links dist. No other trees

80.00 Set a post in a mound  
and pits as per instructions  
for the corner to sections  
4, 5, 32 and 33.

A Mesquite, 20 in diam Brs. N.  $79^{\circ}W$ . 50 links  
do 10 in " " N.  $82^{\circ}E$ . 105 links  
No other trees near

Sand level. Sandy loam  
Soil 1st rate  
Scattered Mesquite  
trees

North Boundary of T. 4 S. R. 4 W.

Gila & Salt River Meridian

Chs. S. 89° 56' N. between Secs. 5 and 32  
 Va. 13° 45' East.

12.80. Road runs N. & S.

40.00 Set a 1/4 section corner post in a mound & pits as per instructions  
 No trees near

52.50 Intersect the left bank of Gila River, Secs. South - Bluff bank 15 feet high, and set a meander post in mound & pits as per instructions, No trees near

54.80 Sand bed, (Crossed on line)

69.00 West channel runs South  
 Cross on line -

71.00 Right Bank 20 feet high, runs South, & set a post in mound & pits as per instructions  
 No trees near -

80.00 Set a post in mound & pits as per instructions for the

North Boundary of C. 4 S. R. 4 W.  
Gila & Salt River Meridian

Chs Corner to sec. 5, 6, 31 & 32,

No trees near  
Sand level, soil 1<sup>st</sup> rate  
Scattering Mesquites on  
East side of River

S.  $89^{\circ}56'$  N. between Secs. 6 & 31.

W.  $13^{\circ}45'$  East.

19.00 Begin to ascend Mountain  
40.00 Set the Sec. Corner Stone 18 x  
10 x 6 in. in Stone mound  
as per instructions

No trees near

78.85. The Corner to Townships  
3 & 4 S. Range 4 & 5 West,  
of Gila & Salt River  
Meridian

Sand steep East slope  
and rocky / poor soil  
No trees

April 3<sup>rd</sup> 1891

Township. 4 S. Range 4 West  
 Tila <sup>Co</sup> East River Meridian

### General Description

A large portion of the  
 lands in this Township  
 are of Superior quality  
 for agricultural purposes

There is an abun-  
 dance of scattering timber  
 to supply an agricul-  
 tural community with  
 fuel, and <sup>for</sup> many other  
 purposes —

The Tila River flows  
 along the East base of a  
 high rocky mountain  
 & has a wide sandy bed  
 current smooth and  
 level, having a fall of  
 six feet to the mile

J. M. Morrison  
 U. S. Dept. Surveyor —

BOOK 1635

Field Notes  
- of -  
The survey of the  
Extrem Boundaries  
of  
Township No. 3 South  
- of -  
Range No. 4 West  
of  
Gila Co. Salt River Meridian

East Boundary of T. 3 S. R. 4 W  
Gila & Salt River Meridian

chs. Begin at the Corner to  
Townships 3 and 4 South  
of Ranges 3 and 4 West—  
and run

North, between Sections 36 & 31  
to.  $13^{\circ}45'$  East

(as per transit observation  
of Polaris) —

40.00 Set a 4th Sec Corner post in  
a mound & pits as per  
instructions. No trees near.

80.00 Set a post in a mound  
and pits as per instructions  
for the Corner to Secs. 25  
36, 30 & 31.

No trees near  
Sand level sandy  
loam. Soil 2<sup>nd</sup> rate  
No timber —



East Boundary of T. 3 S. Range 4 W.

Gile and Salt River Meridian

Chs. North, between Sections 25 & 30.

Ca.  $13^{\circ}45'$  East

40.00 Set a  $\frac{1}{4}$  Sec. Corner post in  
a mound and pits as  
per instructions

No trees near.

80.00 Set a post in a mound  
and pits as per instructions  
for the corner to Secs. 24,  
25, 19 and 30.

No trees near

Land level sandy loam  
Soil 2<sup>nd</sup> rate, fit  
for grazing and  
No timber —

East Boundary G, 3 S, R, 4 W.  
 Gila Ed Salt River Meridian

Chs. North, between Secs 24 & 19.

Co.  $13^{\circ}45'$  East.

40.00 Set a  $\frac{1}{4}$  sec. corner post in  
 a mound and pits as  
 per instructions

No trees near

80.00 Set a post in a mound  
 and pits as per in-  
 structions for the  
 corner to sections

13, 24, 18 and 19.

No trees near

Land gently ascending to  
 the north

Soil 2<sup>nd</sup> rate

No timber

East Boundary of T. 3 S., R. 4 W  
 Gila & Salt River Meridian

Chs. North, between Sections 13 and 18.

00, 13°45' East.

40.00 Set a 1/4 section corner post in  
 a mound and pits as per  
 instructions. No trees near

80.00 Set a post in a mound  
 and pits as per instructions  
 for the corner to sections  
 12, 13, 7 and 18.

No trees near

Sand gently sloping to  
 the S. W. Sandy loam  
 Soil 2<sup>nd</sup> rate —  
 No timber —

East Boundary of T. 3 S, R. 4 W,  
Gila & Salt River Meridian

Chd North, between Secs. 7 & 12

ca.  $13^{\circ}45'$  East.

40.00 Set a 14 in. Corner post  
in a mound and pits  
as per instructions

No trees near

80.00 Set a post in mound  
with pits as per in-  
structions for the  
corner to sections

1. 12. 6 Ed 7.

No trees near

Round Rocky Knoll bears N.  $43^{\circ}$   
W. 40 chains distant.

Sand level. Sandy loam  
Soil 2<sup>nd</sup> rate

No timber

East Boundary of G, E S. R. 4 W.  
 Gilex and Salt River Nevada

chs North, between Sections 1 & 6.

va.  $13^{\circ}45'$  East,

40.00 Set a 74 sec. corner post in  
 a mound and pits as  
 per instructions

No trees near

80.00 Set a post in a mound  
 with pits as per in-  
 structions. for the corner  
 to sections 1, 6, 31 and 36.

No trees near

Rocky Knoll, bears S.  $38\frac{1}{2}^{\circ}$  W  
 about 40 chs. distant, and  
 covers about  $\frac{3}{4}$  of sec.

No. 1. & is about 200 feet  
 high

Sand hill. Sandy loam  
 soil 2<sup>nd</sup> rate  
 No timber

West Boundary of  
 Township 38, Range 4W.  
 Giles & Satt Run Roads

chs. Begin at the corner to  
 Townships 3 & 4 South  
 of Ranges 4 and 5 West  
 and Row

North, between sec. 31 & 36  
 or.  $13^{\circ}45'$  East

(as per South boundary),

40.00 Set a 1/4 sec. corner stone  $18 \times 12 \times 6$   
 in. in a stone mound as  
 per instructions.

No trees near

80.00 Set a stone  $16 \times 10 \times 8$  in. in  
 stone mound as per in-  
 structions for the corner  
 to sections 30, 31, 25 & 36.

No trees near

Sand. Stony east slope  
 of hill. Not fit  
 for cultivation

No trees —

West Boundary of T. 3 S. Range 4 W.

Gila & Salt River Meridian

Ch. North, between Secs. 25 & 30.

Co.  $13^{\circ}45'$  East.

40.00 Set a  $\frac{1}{4}$  sec. corner post in  
a stone mound & pits as  
per instructions—

No trees near

80.00 Set a post in mound and  
pits as per instructions  
for the corner to sections  
19, 30, 24 & 25—

No trees near

Sand Stony East Slope  
of mountain— unfit  
for cultivation  
No timber—

West Boundary of T. 3 S. R. 4 W.  
Gila & Salt River Meridian

Chd North, between Secs. 19 & 24.

Ua.  $13^{\circ}45'$  East.

40.00 Set a  $\frac{1}{4}$  sec. corner post  
in a mound and pits as  
per instructions.

No trees near.

80.00 Set a post in a mound  
and pits as per instructions  
for the corner to sections  
18, 19, 13 & 24.

No trees near

Sand East slope of mountain  
near the base of same  
Soil gravelly & dry.  
No timber —



West boundary of S. B. S. R. 4 W.  
 Gila and Salt River Meridian

Chs. North, between Secs. 18 & 13.

Var.  $13^{\circ}45'$  East

40.00 Set a  $\frac{1}{4}$  sec. corner post in mound & pits as per instructions. No trees near

71.50 Level land bears N.W. & S.E.

80.00 Set a post in mound and pits as per instructions for the corner to sections 7, 18, 12 & 13.

No trees near

Sand on line sloping East  
 Soil, gravelly and  
 not good for cultivation  
 No trees on line

West. Boundary of T. 3 S. Range 4 W.  
Gila & Salt River Meridian

Chs. North, between Sec. 7 and 12

W.  $13^{\circ}45'$  East.

5.00 Intersect the right bank of the  
Gila River, runs S. E. - bluff  
bank 20 feet high and set  
a meander post in a mound  
& pit as per instructions  
No trees near

8.30 Dry sand bed.

17.00 Middle Channel, 2 channels  
wide runs S. E.

37.00 North Channel, runs S. E.

40.60 The left bank of Gila  
runs runs S. E. - A Cotton-  
wood 6 in diameter and  
marked for Witness You  
see. Corner, also for  
meander corner -  
Bank sloping.

53.00 Into high lands, 25 feet

T. 3 S. Range 4 W.

Gila & Salt River Meadows

Sh above water —

69.50 Road runs N.W. & S.E. —

80.00 Set a post in a mound  
and pits as per instructions  
for the corner to sections  
6, 7, 1 & 12.

No trees near  
Sand level, saddle  
Loam North of River  
First half, dug bed  
of river —  
No timber —

West. boundary of T. 3 S. R. 4 West  
Gila & Salt River Meridian

Sec. North, between Secs. 1 & 6,  
Va.  $13^{\circ}45'$  East.

40.00 Set a 4" sec. Corner post in  
a mound and pits as  
per instructions

A Mesquite 24 in diam Br. S.  $10^{\circ}$  E. 66 lks dist

" do 10 " " " S.  $23^{\circ}$  W. 33 " "

80.00 Set a post in a mound and  
pits as per instructions for  
the corner to sections 1, 6,

31 & 36

A Mesquite 20 in diameter bears N.  $7^{\circ}$  E

194 lks dist. No other trees here

Sand loam sandy loam  
Soil 1<sup>st</sup> rate  
Scattering Mesquite timber

April 4<sup>th</sup> 1831.

North Boundary of

Township 3 S. Range 4 West,

Giles and Salt River Meridian

Chs. Begin at the N. W. Corner  
of the Township, and run  
along the North Boundary  
of sections 6, 5, 4, 3, 2 + 1.  
East on a random line  
W.  $13^{\circ}48'$  East

(as per transit observation  
of Polaris)

At 3 miles 78.70 chains  
Intersect the East Com-  
mon line 84 links South  
from the N. E. Corner  
of the Township -  
having set temporary  
half mile and mile posts  
at 40 and 80 chains  
The course that will  
run this line is therefore  
S.  $89^{\circ}54'$  W. —

North boundary of T. 3 S. R. 4 W.  
 file & set Run Meridian.

Chs. From the Corner to Townships.

2 and 3 S. of Range 4 and 3  
 West, I run

S.  $89^{\circ}54'$  <sup>(on true line)</sup> W. between Secs. 1 and 36.  
 Va.  $13^{\circ}48'$  East

40.00 Set a 1/4 sec. corner post in a  
 mound & pits as per instructions  
 No trees near

80.00 Set a post in a mound &  
 pits as per instructions  
 for the corner to sections  
 1, 2, 35 and 36.

No trees near

Sand level. Sandy loam  
 Soil 2<sup>nd</sup> rate  
 No timber

North Boundary of G. 3 S. R. 4 W.  
Gila & Salt River Meridian

Chs. S 89° 54' W. on true line bet. Secs. 2 & 35.

On. 13° 48' East —

40.00 Set a  $\frac{1}{4}$  Sec. Corner post in  
around and pits as per  
instructions

No trees near —

80.00 Set a post in a mound  
and pits as per instru-  
tions for the corner to  
Sections 2, 3, 34 & 35

No trees near —

Level Sandy loam  
Soil 2<sup>nd</sup> rate

No timber

North Boundary of G. 3 S. Range 4 W.  
 Gila and Salt River Meridian

As. S. 89° 54' N. on true line bet Secs. 3 & 34

Co. 13° 48' East

40.00 Set a 1/4 sec. corner post  
 in a mound and pits  
 as per instructions

No trees near

80.00 Set a post in a mound  
 and pits as per in-  
 structions for the corner  
 to Sections 3, 4, 33 & 34

No trees near

Level level sandy loam  
 soil 2<sup>nd</sup> rated  
 No timber



North Boundary of T. 3 S. Range 4 W.  
Gila & Salt River Meridian

Chs. S.  $89^{\circ}54'$  N. out town line lot, sec. 4 & 33.

Or.  $13^{\circ}48'$  East —

40.00 Set a 1/4 section corner post  
in a mound and pits  
as per instructions —

No trees near —

80.00 Set a post in a mound  
and pits as per instruc-  
tions for the corner to  
Sections 4, 5, 32 & 33 —

No trees near

Sand level Sandy loam  
Soil 1<sup>st</sup> rate  
No timber

North Boundary of T. 3 S. R. 4 W.  
Gila & Salt River Meridian

Obs. S.  $89^{\circ}54'$  W. on true line bet. sec. 5 & 32

Pa.  $13^{\circ}48'$  East.

22.50 Dry Creek 20 links wide runs S. W.

40.00 Set a 74. Dec. corner post in  
a mound and pits as  
per instructions

No trees near

80.00 Set a post in a mound  
and pits as per instructions  
for the corner to sections  
51 & 31 and 32 —

A Mesquite 12 in diam. bears N.  $89^{\circ}$  W  
495 links dist —

No other trees near

Sand level sandy loam  
Soil 1st rate

No marker

North Boundary of G. 38, R. 4 N.  
 filed & Sett Run Meridian

As S.  $89^{\circ}54'$  N. between Secs. 6 & 31.

W.  $13^{\circ}48'$  East

40.00 Set a 14 section corner

post in a mound and  
 pits as per instructions

No trees near —

78.70 The Corner to sections

1. 6. 31 and 36 —

No trees near

Sand level Sandy loam

Soil 1<sup>st</sup> rate —

Scattering Mesquite

timber —

April 5<sup>th</sup> 1871

45

Township 3 S. Range 4 West of  
Gila Ed Salt River Meridian

Chas

### General Description

All the lands East of  
the Gila river are  
of good quality and  
contain sufficient timber  
to supply the wants of  
an agricultural Com-  
munity —

The Gila River has  
a smooth lively current  
and at low water has  
about 150,000 inches of  
water all of which can  
be diverted to the  
use of irrigation —

J. M. Foreman  
U. S. Dept. Agr. —

1. Exterior of.  
Township 2 S. Range 5 West of  
Gila & Salt River Meridian

- Sec. — East Boundary —  
Begin at the corner to Townships  
2 and 3 S., of Ranges 4 & 5 W.  
and run thence  
North, between secs. 36 & 31.  
or,  $13^{\circ}48'$  East.  
(as per transit observations of  
Polaris) —
- 40.00 Set a  $\frac{1}{4}$  sec. corner post in a  
mound and pits as per in-  
structions
- a Palo Verde 24 in diam. Brs. N.  $86^{\circ}$  W. 210 lbs dist.  
No other tree near
- 40.30 Dry Creek 10 lbs. wide runs S. W
- 80.00 Set a post in a mound and  
pits as per instructions for  
the corner to secs. 25, 36, 30 & 31.  
No trees near  
Sand level. Soil 1<sup>st</sup> rate  
Scattering rubber —

East Boundary of T. 2 S. R. 5 W.  
Gila & Salt River Meridian

Ch. North, between Secs. 25 & 30.

On  $13^{\circ} 48'$  East.

40.00 Set a  $\frac{1}{4}$  sec. corner post in a mound and pits as per instructions.

No trees near

80.00 Set a post in a mound and pits as per instructions for the corner to Secs. 24, 25, 19 & 30.

No trees near

Sand with ascending to the north

Soil 1<sup>st</sup> and 2<sup>nd</sup> rate

No timber

East Boundary of G. R. S. R. 5 m.

Gila & Salt Run Mound

Chs. North, between sections 24 & 19.

Or.  $13^{\circ}48'$  East

9.00 Begin steep ascent

40.00 Set a  $\frac{1}{4}$  sec. corner stone in  
 a stone mound as per  
 instructions, on steep  
 south slope of mountain  
 No trees near

And here the ascent of  
 the mountain is so steep  
 that this line can not  
 be extended any farther  
 to the north

## South Boundary.

Township 2 S. Range 5 West

T14E. Ea Salt River Meridian

Chs. From the Corner to Township  
2 and 3 South of Ranges 4 & 5 W.  
I run thence —

West, on true line bet. Secs. 1 &amp; 36.

Dev.  $13^{\circ}48'$  East

(as per East boundary) —

40.00 Set a  $\frac{1}{4}$  Sec. Corner post in a  
mound & pits as per instructions

@ Mesquite 10 in diam. Cors. N.  $88^{\circ}$  W. 53 links dist.

No other trees near

64.00 Road bears N. W. and S. E.

71.00 Enter low bottom land bet. S. & N. W.

80.00 Set a post in mound & pits

@ Cotton wood 14 in diam. brs. S.  $38^{\circ}$  E. 90 links dist.

" do " 10 " " " N.  $72^{\circ}$  E. 60 links "

do 10 " " " N.  $72^{\circ}$  W. 162 " "

do 6 " " " N.  $30^{\circ}$  W. 130 " "

Sand level, soil 1st nat.

@ Cotton wood on river



S. Boundary of G. I. S. R. 5 W

Gila & Salt River Meridian

Ch. West, on true line bet. secs. 35 & 2.

va.  $13^{\circ}48'$  East

23.00 left bank of Gila River and  
set a meander post in mound  
and pit as per instructions

28.00 Dry sand bed (near river S. E.)

40.00 set a  $\frac{1}{4}$  sec. corner post in a  
mound & pits as per instructions

No trees near

58.30 The West channel of River

2 chains wide runs S. E.

65.00 The right bank of Gila River  
20 feet high & set a meander  
post in mound & pit as per  
instructions

80.00 Set a post in a mound and  
pits as per instructions for the  
corner to secs. 34, 35, 2 & 3.

No trees near

Sand hard soil 2<sup>nd</sup> rate

South Boundary of T. 2 S. R. 5 W.

Gila & Salt River Meridian

Chas West, on a true line bet. Secs. 34 & 35.

Var.  $13^{\circ}48'$  East —

7.00 Begin step ascent of Rocky Mountain —

40.00 Set a  $\frac{1}{4}$  sec. Corner Stone  $14 \times 10 \times 10$  in, in a stone mound and pits as per instructions

80.00 Set a stone  $16 \times 10 \times 6$  in in a stone mound as per instructions for the Corner to sections 33, 34, 35 & 4.

No trees near —

From here the mountain becomes so abrupt that this line is impracticable to the west of this point

Sand a steep East slope

No soil —

No timber —

General description—  
A portion of the lands  
in sections 25, 26, 27,  
35 and 36 are of good  
quality— the rest of  
the township is covered  
by high steep rocky  
Mountains— and  
can not be surveyed

S. J. Foreman  
Dist. Asst. Surveyor

April 6<sup>th</sup> 1891

## List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of *The Exterior Boundaries of* T. 3 & 4 S. of R. 4 West of E. 2 S. of R. 5 W. of Gila & Salt River Base Meridian Lines showing the respective capacities in which they acted.

John Stauffer. ~~Compassman~~

Chainman.

R. V. Brady

Chainman.

Fred Grobe

Axeman.

Chas. Fennell

Flagman



## Final Oaths of Assistants.

hereby certify that we assisted Solomon  
Foreman Deputy Surveyor, in surveying  
the Exterior Boundaries in  
Townships 3 & 4 S. Range 4 West  
of Township 2 S. of Range 5 W.  
of Great Salt River Base  
and Meridian lines.

and that said Survey has been in all respects, to the  
best of our knowledge and belief, well and faithfully sur-  
veyed, and the boundary monuments planted according to  
the instructions furnished by the Surveyor-General.

John Stampfer  
B. D. Brady  
Fred Grohe  
Jos. Fenner,

Subscribed and sworn to  
before me this 1<sup>st</sup> day of  
May A. D. 1871.

J. C. Mc Caffry  
Notary Public

Final Oath of Deputy Surveyor.

I, Solomon W. Foreman  
 Deputy Surveyor, do solemnly swear that, in pursuance  
 with a contract with John Wasson  
 United States Surveyor-General for Arizona, bearing date  
 the 16<sup>th</sup> day of Mich. 1871, I have well, faithfully  
 and truly, in my own proper person, and in strict con-  
 formity with the instructions furnished by the Surveyor-  
 General, the Surveying Manual, and the laws of the  
 United States, surveyed all those parts or portions of  
 the Exterior Boundaries of  
 Townships, 3 and 4 South  
 Range 4 West, and of Town  
 No. 2 S. of Range 5 West  
 Gila & Salt River Meridians  
 and Base lines

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

Solomon W. Foreman

U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 1<sup>st</sup>  
day of May 1871.

J. P. Mc Caffry  
Notary Public



U. S. Surveyor General's Office.

Tucson - Arizona, May 18. 1871

The foregoing Field Notes of the  
 Exterior Boundaries of Town-  
 ships No. Two (2) South in Range  
 No. Five (5) West, and of Three and  
 Four (3+4) South, in Range No.  
 Four (4) West, <sup>of the Gila and Salt River meridians and Baselines</sup> executed by Solo-  
 mon W. Foreman, Dep. Surveyor,  
 under his contract of the 16th day  
 of March A. D. 1871, in the month  
 of April 1871, having been critically  
 examined, the necessary corrections  
 and explanations made, the said  
 field notes, and the surveys they  
 describe, are hereby approved.

John Mason

U. S. Surveyor General

For Arizona.