

This Book is the whole contract of May 27th

See Index

Deputy Surveyor.

T.

R.

Meridian.

1650

BOOK 1650

1650

Field Notes

OF

Section Boundary lines of

the Township of 5. 4 + 5 W. 5 + 6 N. 4 W. 6 + 7 N. 4 W. 7 N. 4 + 5 W.
7 + 8 N. 5 W. Range 4 Sec. lines of 7 6 6 N. 4 W.

Gila and Salt River Meridian, California, Arizona

BY

J. W. Foreman Deputy Surveyor,

under his Contract of May 27th 1871

Survey commenced July 17th 1871

Survey completed July 21st 1871

1650

Platted,

Copied for Washington,

Transcript sent to Commissioner,

Preliminary Oaths of Assistants.

I, _____ do solemnly swear that I will well and truly perform the duties of Compassman, according to instructions given me, and to the best of my skill and ability.

Subscribed and sworn to before me, this _____ day of
187

U. S. Deputy Surveyor.

We, Joseph Fenuel and
J. S. Harris.

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven

ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines, that we will assist in measuring, to the best of our skill and ability.

Joseph Pennel
J. L. Harris

Subscribed and sworn to before me, this 10 day of
June 1871.

J. O. Mc Caffry
~~U. S. Notary Public~~
Notary Public



I, Geo. W. Carr & J. James Dale
do solemnly swear that I will well and truly perform the
duties of Aceman & Flagman
according to instructions given me, and to the best of my
skill and ability.

George W. Carr.

James Dale

Subscribed and sworn the be before me, this 10th
day of June 1871.

J. G. M^o Caffrey
~~H. J. Deputy Sheriff~~
Notary Public



1650

19

Index

BOOK 1650

Set- T 5 N; R. 4+5 W

" - " 5+6 N " 4 "

Trough T 6 N R 4 W

" " 1+7 N " 4 "

32 31 30 29 28 26

6 5 4 3 2 1 2 5 6

12 2 4 7

D. 7 N, R. 5 W

13 2 3 18

D. 7 N, R. 4 W

2 4 2 19

2 5 2 30

BOOK 1650

30 20 31 32 33

19 18 19

6 5 4 16 3

9 15 10

D. 6 N, R. 5 W

D. 6 N, R. 4 W

16 14 15

21 13 22

28 12 27

31 32 33 11 34

8 9 10

1 6 6 5 4

1 2 5 7

D. 5 N, R. 5 W

13 9 18

D. 5 N, R. 4 W

2 4 3 19

2 5 2 30

3 6 1 31

1
8
17
20
26
Prescott

audad
h
ch
the
se

Field Notes of the
Survey of the line substituted
for the Gila and Salt River
Meridian for the purpose of
extending the surveys to the
vicinity of the town of Prescott
and north of that place.

Beginning on the first Standard
North and running north
between Townships 5 North
of Ranges 4 and 5 West of the
Gila and Salt River Base
and Meridian Lines. —

(Copied)

17

On account of deep and precipitous Cañons, high rocky and impassable mountains, destitute of soil and water, I find it impossible to extend the Gila and Salt River Meridian between the 1st and 2^d Standard lines North, I therefore begin on the first Standard North at the corner to Township No. 5 North of Range Nos. 4 and 5 West of Gila and Salt River Base and Meridian Lines and run North as shown by the following notes —

Between Tps. 5th St. Rgd 4th and 5th W.

Gila and Salt River Meridian

Chs. North, between sections 31st and 36th

var. $14^{\circ} 10'$ East

(as per transit observation of Polaris).

Passing over level table lands.

40.00 Set $\frac{1}{4}$ section corner post, in a mound and pits as per instructions.

No trees near.

80.00 Set a post in a mound, and pits as per instructions.

No trees near.

Land level

Soil sandy and dry.

No timber and no water.

Between Tps. 5 N. Rs. 4 and 5 West.

Gila and Salt River Meridian

Chs. North, between sections 25 and 30.

-var. $14^{\circ} 10'$ East.

40.00 Set a $\frac{1}{4}$ section corner post
in mound and pits as per
instructions.

No trees near.

80.00 Set a post in mound and pits
as per instructions, for corner
to sections 34, 25, 19 and 30.

Land level

Soil 2^d rate, dry
and sandy.

No timber. —

Between Tps. 5 N. R. 4th and 5 West.

Gila and Salt River Meridian

Chs. North, between sections 19th and 24th.

- var. $14^{\circ} 10'$ East.

40.00 Set a $\frac{1}{4}$ section corner post
in a mound and pits as per
instructions.

No trees near.

80.00 Set a post in a mound and
pits as per instructions. for the
corner to sections 18, 19, 13th and 24th.

Land level.

Soil 2nd rate, dry
and sandy -
No timber.

Between Townships 5 N. R. 4^{and} 5 West.

Gila and Salt River Meridian

Chs. North, between sections 13 and 18.

- var. $14^{\circ} 10'$ East.

40.00 Set a $\frac{1}{4}$ section corner post in a mound and pits as per instructions.

No trees near. —

80.00 Set a post in a mound and pits as per instructions for the corner to sections 7, 18, 12 and 13.

No trees near.

Land ascending to the north
Soil dry and sandy.

No timber. —

Peterson Tps. 5 North. Ranges 4th and 5 West.

Gila and Salt River Meridian

Ch. North between sections 7th and 12.

-var. $14^{\circ} 10'$ East.

40.00 Set a $\frac{1}{4}$ section corner post in a mound and pits as per instructions.

No trees near.

80.00 Set a post in a mound and pits as per instructions, for the corner to sections 6, 7, 1, and 12.

Land ascending to the North.
Soil dry sandy and gravelly.
No timber. —

Peterson Tps. 5 North, Range 4th West
 Gila and Salt River Meridian

Ch. North between sections 1 and 6.

var. $14^{\circ} 10'$ East.

40.00 Set a $\frac{1}{4}$ section corner post
 in a mound and sets as per
 instructions.

No trees near.

43.00 Begin steep ascent of the South
 slope of the Vulture mountain.

80.00 Set a stone $16 \times 10 \times 6$ inches, in
 stone mound as per instructions
 for the corner to sections 1, 6, 31
 and 36.

No trees near.

Land, last half mile, steep
 rocky south slope.

Soil poor and no timber.

The Hassayampa river passes
 through a narrow canon in
 township 6 North, Range 4 West,
 between the Vulture and

Neckenburg Mountains, the sides of which are cut up with deep and impassable cañons and high rocky precipices.

I must therefore run east, on the north boundary of Township 5 North, Range 4 West, - in order to follow up the Nassayampa River being the only practicable route on which a line can be extended to the North side of the above named mountains. —

I therefore run as follows. —

Between Tps. 5th and 6. North Range 4 West

Gila and Salt River Meridian

Chs East, between sections 6 and 31.

-var $14^{\circ} 10'$ East.

(as per Range Line North and South)

40.00 Set a $1/4$ section corner stone
16 x 8 x 6 inches, as per instructions.

No trees near.

53.20 Deep gulch runs south.

80.00 Set a stone 16 x 10 x 8 inches in
a stone mound as per instructions
for the corner to sections 5, 6, 31,
and 33.

No trees near.

Land rough, steep, south
slope and rocky.

No Soil.

No timber.

Between Secs. 5 and 6 North Range 4 West.

Gila and Salt River Meridians.

Sec. East. between sections 5 and 32.
var 14° 10' East.

40.00 Set a stone 17 x 8 x 4 inches and
marked as per instructions for the
1/4 section corner.

No trees near.

49.50 Deep ravine runs south

66.70 do. do. do.

80.00 Set a stone 18 x 10 x 7 inches
for the corner to sections 4, 5,
32 and 33, as per instructions

No trees near.

Land broken, rocky and
steep, south slope.

No soil, no timber. —

Between Tps. 5th and 6. North Range 4 West
Gila and Salt River Meridian

Chs East. between sections 14 and 33.

-var. 14° 10' East.

40.00 Set a $\frac{1}{4}$ section corner post
in a stone mound as per instruc-
tions.

No trees near.

41.00 Top of rock bluff 50 feet high.

42.00 Kaasayampa river, 2 chains
wide, (dry bed,) runs south.

80.00 Set a post in a mound with
pits as per instructions for the
corner to sections 3, 4, 33 and 34.

No trees near.

Land rough and stony.

Soil poor and no timber.

In order to extend a line north of the
Culture and Hickenburg mountains it
is only practicable to reach that point

July 17th 1871

Township 6 North Range 4 West

Gila and Salt River Meridian

by running in the cañon formed by the Kassayampa River, which runs between the vulture and the Nixenburg Ranges,

I therefore run:—

North, between sections 33 and 34
—var. $14^{\circ} 10'$ East.

(as per east and west line)

40.00 Set $\frac{1}{4}$ section corner post in mound and pits as per instructions.

No trees near.

73.00 Kassayampa rivir, 2 chains wide; runs south west.

80.00 Set a stone $18 \times 10 \times 6$ inches as per instructions for the corner to sections 27, 28, 33, and 34.

No trees near

Land level, soil 1^{st} $\frac{1}{2}$ 5^{th} rate.

No timber and no water.

Township 6. North Range 4 West.

Gila and Salt River Meridian

Chs. North, between sections 27 and 28.

var $14^{\circ} 10'$ east.

10.00 Begin ascent of high point.

40.00 Set $\frac{1}{4}$ section corner stone,
16 x 10 x 8 inches as per instructions.

No trees near.

43.00 Top of hill bears north east, 300
feet high.

80.00 Set a stone 18 x 10 x 6 inches, as
per instructions for the corner to
sections 21, 22, 27 and 28.

No trees near.

Land rough and stony.

No soil, no water and no
timber.

Indications of Quartz.

Township 6 North Range 4 West.
Gila and Salt River Meridian

Chs. North, between sections 21 and 22.

var. $13^{\circ} 50'$ East.

(By transit observation of Polaris)

40.00 Set $\frac{1}{4}$ section corner stone 16×10
 $\times 4$ inches in stone mound and
pits as per instructions.

No trees near.

45.00 Deep canon runs east

47.40 do. do. do.

57.60 do. do. do.

80.00 Set a stone $18 \times 8 \times 6$ inches as per
instructions for the corner to section
15, 16, 21 and 22.

No trees near.

Corner at base of hill.

Land broken and rocky.
very little soil; no timber.

On the side of mountains are
many quartz ledges, but not
known to have any value.

Township 6 North, Range 4 West.

Gila and Salt River Meridian

- Chs. North, between sections 15 and 16.
var $13^{\circ} 50'$ East.
- 1.00 Hasajampa river bed, 10 chains
wide and runs south east.
- 40.00 Set a $\frac{1}{4}$ section corner post in a
mound and pits as per instructions.
No trees near.
- 70.00 Road 50 links east of line and
bear north and south east.
- 80.00 Set a stone $18 \times 12 \times 10$ inches, as
per instructions, for the corner to
sections 9, 10, 15 and 16.
No trees near.
- Land level.
Soil 1st and 2^d rate.
No timber and no water.

Township 6, North Range 4 West.

Gda and Salt River Meridian.

Chs. North, between sections 9 and 10,
var. $13^{\circ} 50'$ East.

3.50 Massayampa river runs south
west, and 150 links wide.

10.00 Begin to ascend hill.

15.10 Top of same, bears east and west
150 feet.

31.00 Intersect level land at base of
hill, bears south east ^{2d} north west.

40.00 Set a stone $18 \times 10 \times 10$, as per
instructions, for $\frac{1}{4}$ section corner.

No trees near.

House 10 chains east.

56.00 Steep hill east and west.

65.00 Top of same 175 feet high.

80.00 Set a stone $18 \times 10 \times 6$ inches, as
per instructions for the corner to sections

3, 4, 9 and 10; No trees near.

Land part level and part broken;
soil 1st and 2^d rate; No timber.

Township 6. North Range 14 West.

Gila and Salt River Meridian

Chs. North, between sections 3 and 4.

var. $13^{\circ} 50'$ East.

33.00 Base of hill and intersect bottom land.

40.00 Set a $1/4$ section corner post, in
a mound and pits as per instructions.
No trees near.

46.00 Hesperianpa river, 2 chains wide,
south east.

64.00 Road bears south east and north west.

73.00 do. do. do. do.

77.00 Dry creek 20 links runs west.

80.00 Set a stone $20 \times 12 \times 12$ inches
as per instructions, for the corner
to sections 3, 4, 33 and 34.

A Mesquite, 8 inches bears south, $39'$
west, 42 links distant. No other trees
near. Land level and broken.

Soil 1st and 2^d rate. No timber.

Some scattering Cotton wood in
creek.

Between Townships 6th and 7th North Range 4 West.

Gila and Salt River Meridian

No West, between sections 4th and 33.

var. 13° 50' east.

(as per north and south line as run by me)

12.00 Hassayampa river, 100 links wide runs south.

37.00 Steep rocky bluff north and south.

40.00 Set a $\frac{1}{4}$ section corner stone 14 x 10 x 8 inches as per instructions.

No trees near.

48.00 Begin ascent of mountain.

80.00 Set a stone 18 x 10 x 8 inches as per instructions, for the corner to sections

32, 33, 4th and 5. No trees near.

Land broken and stony.

Soil poor: No timber.

July 18th 1891.

Between Townships 6th & 7. North, Range 4 West

Gila and Salt River Meridian

Ch. West, between sections 5th and 32),
var $13^{\circ} 50'$ East.

40.00 Set a $\frac{1}{4}$ section corner post in mound
of stone as per instructions.

No trees near.

80.00 Set a stone $18 \times 10 \times 4$ inches as
per instructions, for the corner to
sections 31, 32, 5th and 6.

No trees near.

Land according to the west and
stony.

Soil good for grass.

No timber.

Stucco Townships 6^{and} 7 North, Range 4 West
 Gila and Salt River Meridian

Chs. West, between sections 6^{and} 31.

-var. 13° 50' east

40.00 Set a 1/4 sec. corner stone 14 x 10
 x 10 inches as per instructions.

No trees near.

63.00 Ascent becomes very steep and
 difficult.

80.00 Set a stone 18 x 10 x 6 inches
 as per instructions, for corner
 to sections 1, 6, 31^{and} 36.

No trees near.

Land very broken, steep and
 rocky.

Soil worthless.

No timber.

Between Townships 7 North, Ranges 4^{and} 5 West.

Gila and Salt River Meridian

Chs North, between sections 31 and 36.
 var. $13^{\circ} 41'$ east.

(By transit observation of Polaris)

Along the north east slope of
 steep, rocky mountain. —

40.00 Set a $\frac{1}{4}$ section corner stone
 18 x 10 x 6 inches in a stone mound.

No trees near.

80.00 Set a stone 16 x 8 x 8 inches in a
 stone mound, as per instructions,
 for the corner to sections 35, 36,
 30 and 31.

Land steep, north east slope,
 and rocky.

No soil and no timber.

July 19th 1871.

Between Townships 7 North, Ranges 4th & 5th West

Gila and Salt River Meridian

Chs. North, between sections 30 and 25.
var. $13^{\circ} 41'$ East.

37.00 Deep Canon runs east.

40.00 Set a $\frac{1}{4}$ section corner stone
 $16 \times 8 \times 6$ inches in a stone mound.
No trees near.

80.00 Set a stone $20 \times 10 \times 8$ inches in
a stone mound, as per instructions
for the corner to sections 24,
25, 19 and 30.

No trees near.

Land rough and stony.

East slope of mountain.

No soil; no timber.

Peterson Townships 7 Twp. Ranges 4^{and} 5 West
 Gds and Salt River Meridians.

On Twp. between sections 19^{and} 24.
 or $13^{\circ} 41'$ East

40.00 Set a $\frac{1}{4}$ section corner stone
 16 x 10 x 8 inches in a stone mound
 as per instructions,
 No trees near.

63.50 Deep ravine runs east.

80.00 Set a stone 18 x 10 x 6 inches in a
 stone mound as per instructions.
 for the corner to sections 18, 19,
 13^{and} 24.

No trees near.

A house and good cultivated
 ranch about one mile east of
 line on the Haesayampa River.

Land on line broken and
 rocky.

No soil and no timber.

Peterson Townships 7 North, Ranges 4th and 5 West.
Gila and Salt River Meridian.

Sec 7 North, between sections 13th and 18.
var. 13° 41' East.

31.75 Dry ravine runs east.

40.00 Set 1/4 section corner stone,
16 x 10 x 8 inches, in a stone mound
as per instructions, at the base of
mountain. No trees near.

78.80 Ravine runs east.

80.00 Set a stone 16 x 12 x 6 inches in
a stone mound as per instructions,
for the corner to sections, 7, 18,
13th and 13.

A Mesquite, 6 inches diameter, bears
North, 106 links distant.

No other trees near
Land broken, north east slope
stony and poor soil:

No timber.

Between Townships of North, Ranges 4th and 5 West.
Gila and Salt River Meridian

- Sec. North, between sections 7 and 13,
var $13^{\circ} 41'$ East.
- 4.00 Road north west and south east.
- 6.50 Enter level bottom land in cultivation.
- 20.00 Hassayampa river (dry) 5 chains wide
runs south east.
- 40.00 Set a $\frac{1}{4}$ section corner post in a
mound and pits, as per instructions.
No trees near.
- 44.00 Road to Tucson bears north and south.
- 47.00 Leave bottom and begin steep ascent.
- 50.00 Top of ascent, bears east and west, 100 feet high.
- 60.00 Ravine runs south west.
- 68.00 Top of hill, 200 feet high. East and west.
- 80.00 Set a stone $18 \times 10 \times 7$ inches, as per
instructions, for corner to sections
1, 12, 6th and 7. No trees near.
Land level and hilly.
Soil 1st and 3rd rate.
No timber.

Between Townships of North Range 4th & 5th West
 Gila and Salt River Meridian

Chs. North, between sections 1 and 6.

Var. $13^{\circ} 41'$ East.

- 7.00 Deep cañon runs south west.
 29.00 Top of steep hill, 400 feet high
 and bears north east and south west.
 40.00 Set a $\frac{1}{4}$ section corner stone in stone
 mound, as per instructions.

No trees near.

- 52.00 Deep cañon bears south west.
 77.00 Top of high hill, 500 feet high
 bears south west and north east.
 80.00 Set a stone $18 \times 10 \times 6$ inches in stone
 mound, as per instructions, for the
 corner to sections 1, 6, 31 and 36.

No trees near. Land broken;
 Soil poor; No timber —

A few miles north of this
 point the Hassayampa river comes
 from the north east, through
 an impassable cañon, so that

Remarks Continued.

I am compelled to run west from this corner before I can run farther north.

To the west from here there is a level plain as far as the eye can reach, with high rocky mountains on the north, east and south.

South from here the Hascayampa river passes through a narrow canon between the Nixentung and the Vulture ranges of mountains, through which I was compelled to run the line, being the only route practicable.

Between Townships 7th and 8th North, Range 5th West
Gila and Salt River Meridian

Go From the corner to townships
of 7th and 8th north, of ranges 4th and 5th
west.

I run.

West, between sections 1 and 36.

-var. 13° 41' East

(as per north and south line)

34.00 Bottom land and level, north and south

40.00 Set a 1st section corner post, in
a mound and pits, as per
instructions. No trees near.

61.00 Cassayampa river, five chains
wide, runs south.

80.00 Set a stone 16 x 10 x 8 inches
in a mound and pits as
per instructions, for the corner
to sections 1, 2, 35th and 36.

No trees near.

Land first half mile, hilly; then level
rich bottom. Soil first and third rates

No Timber.

Peterson Townships 7^{and} 8 North; Range 3 West.
 Gila and Salt River Meridians

The town of Wickenburg is about one mile south, 30° east from this corner, and the Vulture Quartz mill bears south 10° east, 38 chains distant.

This is a forty stamp mill and about 80 tons of ore per day are reduced.

The Vulture mine is eighteen miles from here in a south west direction, in the Vulture mountains.

The Vulture and Wickenburg mountains contain many fine ledges of argentiferous quartz, and will sustain a numerous mining population at no distant day.

July 20

July 20th 1891.

Peterson Township of ^{and} 8th North Range 5 West.

Gila ^{and} Salt River Meridian

No. West, between sections 2^d and 35^d.

var. $13^{\circ} 45'$ East

(as per transit observations of Polaris)

- 7.00 Adobe house on line
- 14.00 Road bears north and south, and ascends
- 30.00 Top of bluff, 50 feet high, bears north ^{and} south
- 40.00 Set a 14 section corner post in a mound
and pile, as per instructions.
No trees near.
- 40.50 Deep ravine runs south.
- 50.00 Ravine runs south.
- 66.00 Top of table lands.
- 80.00 Set a stone $14 \times 10 \times 8$ inches in a
stone mound, as per instructions
for the corner to sections 2, 3,
34^d and 35^d. No trees near.
Land rolling.
Soil 1st ^{and} 2^d rate
No timber.

Between Townships 7th & 8th North, Range 5 West.
 Pile and Salt River Meridian

On West. between sections 3 and 34.

var. $13^{\circ} 45'$ East.

40.00 Set a post in a mound and pile
 as per instructions.

No trees near.

80.00 Set a post in a mound and Pile
 as per instructions, for the corner
 to sections 3, 4, 33, and 34.

No trees near.

Land level and dry.

Soil thin rats; sandy
 No timber.

Between townships 4th & 8th North, Range 5 West.

31st & Salt River Meridian

No. West. between sections 4th and 33.

Var $13^{\circ} 45'$ East

40.00 Set a $\frac{1}{4}$ section corner post in
a mound and pits as per
instructions.

No trees near

80.00 Set a post in a mound and pits,
as per instructions, for the corner
to sections 4, 5, 32nd and 33.

No trees near.

Land a little rolling.

Soil 2nd rate.

No timber.

Between Townships 7 and 8 North, Range 5 West,
Gila and Salt River Meridian

No Met. between sections 3 and 32.

var. $13^{\circ} 45'$ East

27.00 Dry creek, two links wide, runs south.

40.00 Set a $\frac{1}{4}$ section post in a mound
and pits, as per instructions.

No trees near.

80.00 Set a post in a mound and
pits as per instructions, for the
corner to sections 5, 6, 31 and 32.

No trees near

Land rolling

Soil 5^o rate

No timber.

Between Townships 7^{and} 8 North, Range 3 West
 4th and Salt River Meridian

No West, between sections 6 and 31.

Var $13^{\circ} 45'$ East.

40.00 Set a $\frac{1}{4}$ section corner post in a
 mound and pits, as per instructions,
 No trees near.

80.00 Set a post in a mound and
 pits as per instructions. for the
 corner to sections 1, 6, 31, and 36.
 No trees near

Land rolling
 Soil 2^d rate
 No timber

July 21st 1871.

General Description

BOOK 1650

The town of Micklburg is situated on the north $\frac{1}{2}$ of section 12, in township 7, North Range 5 West, and is a thriving village of about 500 inhabitants.

It derives most of its support from the Nutter Mill and Mining Company, but has also considerable trade with numerous mining camps in various localities in the neighboring mountains.

There is considerable agricultural land in this township and should be subdivided.

S. J. Moreman
U. S. Dept. Surveyor

List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of *The Survey of a line Substituted for the Gila & Salt River Meridian*

showing the respective capacities in which they acted.

Joseph Bennett	Compassman.
S. L. Harris	Chainman.
Geo. Leary	Arxeman.
James Daly	Flagman

h
n

Final Oaths of Assistants.

We hereby certify that we assisted Solomon W. Foreman Deputy Surveyor, in surveying the Range line bet. Tps. 5 N. Ranges 4 & 5 W. Part of N. boundary of Sp. & N. Range 4 W. a sec. line through Sp. 6 N. " 4 W Part of South. & all of N. boundary of Sp. 7 N. 4 W. & the S & W. line of Sp. 7 N. R. 6 & 7 W. & Salt River near the
 and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Caspar Freund
 J. L. Keen
 George W. Carr
 James Daly

Subscribed and sworn to
 before me this 24 day
 of July 1871.
 E. Rowells Clerk of
 Court 3^d Dist Ariz

Final Oath of Deputy Surveyor.

I, Solomon W. Foreman

Deputy Surveyor, do solemnly swear that, in pursuance

with a contract with John Wasson

United States Surveyor-General for Arizona, bearing date

the day of _____, I have well, faithfully

and truly, in my own proper person, and in strict con-

formity with the instructions furnished by the Surveyor-

General, the Surveying Manual, and the laws of the

United States, surveyed all those parts or portions of the

Range line bet. Tps. 5 N. R. 4 & 5 W.

part of South boundary & a section line

through Sp. 6 N. R. 4 W. & part of

S. boundary & the West boundary of Sp. 7.

N. R. 4 W, and the East and The

North boundary of Sp. 7 North, Range

5 W of Gila & Salt River

Meridian

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

Solomon W. Foreman
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 23^d
day of July 1871
Edwards
Clk Dist Court
3^d Dist Arizona

Surveyor General's Office
Tucson Ariz.

BOOK 1650

Aug 15th 1871.

The foregoing field notes of the Surveys of the Exterior lines of Townships 5 N. Ranges 4 & 5 W. 5 & 6 N. Range 4 W. 6 & 7 N. Range 4 W. 7 N. Range 4 & 5 W. 7 & 8 N. Range 5 W. and the Subdivision lines in Township 6 N. Range 4 W. Gila and Salt River Meridian and Base line, in the Territory of Arizona, executed by Solomon W. Foreman Deputy Surveyor, under his contract dated May 27 1871, having been critically examined, the necessary corrections and explanations made, the said field notes and the Surveys they describe are hereby approved,

John Bassett
Adj. Surveyor General
for Arizona.