

See Index

Deputy Surveyor.

F.

R.

No 1659

Meridian.

1659

BOOK 1659

# Field Notes

OF

The Exterior lines of Townships 13N. Range  
 2 W. (including 6 miles of 3<sup>d</sup> Standard) 13N.  
 Rgs 4 W. 10<sup>th</sup> 11N. R. 3W. - Section  
 lines in Townships 10<sup>th</sup> 11N. Range 3W.  
 and Bradsham meridian line on sec. lines in  
 Tps 10N. Ranges 1<sup>st</sup> 2W., Gila and Salt  
 River Meridian Arizona. By O. H. L. Case  
 under his contract of July 17<sup>th</sup> 1871  
 Survey commenced Sept 20 " "  
 " Completed Oct 21 " "

Platted,

1659

Copied for Washington,

Transcript sent to Commissioner,

Jan'y 24<sup>th</sup> 1872



Index BOOK 1659  
1659

T. 10 N; R. 3 W, bet. secs. - 24 + 25 - 48

23 + 24 - 14 + 23 - 15 + 22 - 9 + 16,

T. 10 N; R. 2 W, bet. secs. - 19 + 30 - 56

21 + 28 - 22 + 27 - 24 + 25,

T. 10 N; R. 1 W - bet. secs. 19 + 30 - 20 + 29

21 + 28 - 22 + 27 - 23 + 26 - 24 + 25. 61

South Bdy. T-13 N; R 2 W 8

Bet. T 13 N; R's 1 + 2 W 2

" " 13 " " 2 + 3 " 14

" " 12 " " 3 + 4 " 21

" " 11 + 12 " " 3 " 26

" " 11 " " 2 + 3 " 30

" " 10 + 11 " " 3 " 34

" " 11 " " 3 + 4 " 40

" " 10 " " 2 + 3 " 44

Between Ranges 1 + 2 West Tp 13  
 etc, Gila and Salt-River Meridian

3. Begin at the established  
 corner to Townships 13 + 14  
 North in Ranges 1 + 2 West,  
 The corner a Post in a mound  
 with pile Sept 25-1871

Thence South between  
 ranges 1 + 2 West - Tp. 13 N.  
 Gila + S.R. Meridian.

South along the East-Boun-  
 dary of Sec. 1

wa  $13^{\circ}47'$  as per obser-  
 vation of "Polaris"

4000 Set a Stone 16' X 10' X 10' in a mound  
 of stone 3ft high for the corner  
 to 1/4 Sec. No trees near.

Short-oak brush.

6000 Deep ravine bears N.E.

8000 Set a stone 12' X 10' X 10' in a mound  
 as per instructions for cor to  
 Sec 1, 6, 7, + 12

Between Ranges 1 + 2 West Tp.  
13 North Osila and Salt-River Meridians

No trees near.

Land broken, Soil  
mineral, Gold.

South between Secs 7 + 12

va.  $13^{\circ} 47'$  East

10,000 Summit of hill bears  
Bears A.E.

40,000 Set a post in mound with  
pits for  $\frac{1}{4}$  Sec. cor as per  
instructions. High mountain  
range about 20 chains  
west with some timber;  
pine, and oak.

80,000 Set a stone  $20 \times 10 \times 8$  in  
a mound of Stone for cor  
to Secs 7, 12, 13 + 18.

No trees near.

Land rolling contains

Between Ranges 1 & 2 West-  
 Tp. 13 North Silva and Salt River Indian

mineral. Gold

South between Sec

13 & 18

Pa.  $13^{\circ} 47'$  East-

40.00 Set a Stone  $12 \times 8 \times 8$  for  
 the cor. to  $\frac{1}{4}$  Sec. as  
 per instructions

No trees near

63.00 Entered thick oak brush  
 bears N.E. and S.W.

80.00 Set a Stone  $24 \times 16 \times 10$   
 for the cor to Secs 13, 18,  
 19, & 24 No trees near

Land rolling Soil  
 mineral

No timber

South between Sec

19 & 24.

Between Ranges 1 and 2 West-T. 13N

Cleed and Salt River Junction

va.  $13^{\circ} 47'$  East-

40.00 Set a <sup>stone</sup>  $10 \times 10 \times 8$  in mound  
of Stone 3ft high for the  
corner to  $\frac{1}{4}$  Sec. as per in-  
structions

55.00 Contined mouth of ravine  
bears N. & S.

80.00 Set a Stone in a mound  
of Stone for the cor of  
Sec- 19, 24, 25 & 30 from  
which.

a W. oak 4 in. dia bears  
 $S 48^{\circ}$  West - 75 lks. a W. oak  
10 in. dia.  $S 46\frac{1}{2}^{\circ}$  E 27 lks  
No others near.

Land somewhat broken  
Soil mineral. Gold  
Covered with short brush.

Between Ranges 1<sup>st</sup> and 2<sup>nd</sup> West T. 11  
 Gila and Salt River Meridians

- ✓ South between Sec<sup>s</sup> 25 & 30
- 1900 Trail from Lynx creek to  
 Prescott. bears West
- 40.00 Marked a W oak 6 in dia  
 for the cor to  $\frac{1}{4}$  Sec.  
 from which a White oak  
 bears West 33 links
- 60.00 Quarry Lode and Shaft -  
 100 links East of line
- 80.00 Set a Stone 16 X 10 X 10 in  
 a mound of Stone for the  
 cor of Sec<sup>s</sup> 25 30 31 & 36  
 from which a W oak 10 bears  
 S 10 E 13 links  
 a W oak 10 bears S 5 W 38 links
- Land rolling Scattering  
 Timber of Pine oak and cedar.

South between Sec<sup>s</sup> 36 and



Between Ranges 1<sup>st</sup> & 2<sup>nd</sup> W. at T. 13. N.  
 Gila and Salt River Meridian

7a. 13° 47' East

- 20.00 Commenced ascent of rocky range 150 feet high bears NE + SW.
- 40.00 Marked a pine tree 18 in dia. for the cor of 1/4 Sec. as per instructions. The pine stands on summit of ridge
- 6300 Foot of ridge on South side and entered pine grove
- 8000 Marked a white-oak 6 in dia for the cor. of Sect 31 + 36 on B Standard line with

Land broken Soil mineral  
 Gold bearing ledges.  
 Timber pine oak and  
 fir

South Boundary of Twp 13 N. Range

2 West - Gila and Salt River Meridians

West - between Secs 36 + 1  
Va 130 47' East -

40.00 Set a stone 16 x 10 x 3 in  
a mound of stone for the  
cor to 1/4 Sec<sup>s</sup> from which  
a white oak 8 in bears  
S 87° E 15 lks  
a white oak 6 in bears South 10  
lks

80.00 Set a stone 16 x 12 x 6 in  
a mound of stone for the  
Standard cor. of Sec<sup>s</sup> 35 + 36  
from which  
A pin oak 8 in bears N 45° W, 37 lks  
" " " 8 " " S 52° W 32 "  
No other trees

near.

Land rolling Timber pine  
oak and fir  
Soil mineral

South Boundary - west - Top

13 North Gila and Salt River meridians

West between Secs 33 + 2

Va 13° 47' East -

4000 Marked a pine oak 6 in dia for the cor to 1/4 Sec. as per instructions in the near

7350 Road from Noyes and Curtiss quarry mill to Prescott N.W. and South.

8000 Set a stone 16 x 6 x 6 from the S. cor to Secs 34 + 35 from which

A pine 20 in dia bears S 50 1/2 W 38 lbs

pine oak 16 " " " N 37 W. 41 "

a pine 20 " " " S 35 1/2 E 52 "

Land rolling Soil mineral decomposed granite and mold

West between Secs 34 + 3

Va 13° 47' East -

South Boundary Tps. 13 N. R. 2 West-  
Gela and Salt-River Territorial

1000 Set a Stone 18x12x6 for cor  
to 1/4 Sec. from which a pine  
18 in bears N 22° W 30 links

A pine 16 in dia. bears S 44° W 20 links

8000 Marked a granite boulder  
4 ft - x 4 ft - x 9 ft - for the Standard  
Corner, to Sec 33 + 34

from which a  
Pine oak 8 in dia. bears N 52° W 17 links  
No other trees near.

Land rolling Soil mineral (Gold)  
decomposed granite and mold

West between Secs 33 + 4

via 13° 47' East -

3800 Steep bluff 100 feet high  
over looking Messayamja creek  
bears NE + SW.

South Boundary To 13 North  
 R. 2. W. 6th and Salt River Meridian

4000 Marked a pine 14 in for  
 the cor to 1/4 Sec. The pine stands  
 on rocky bluff, 30 feet above bed  
 of Hassayampa creek on left-  
 bank. Line follows down the  
 bed of Hassayampa creek  
 12.00 chains West, 75-6-100  
 links wide

4300 Enter bed of creek again bears  
 West

3100 Leave bed of creek bears N.W.  
 and entered foot of Sierra Prieta  
 mountains bears S.E. & N.W.

8000 Set a Stone 18 x 8 x 8 in a mound  
 of Stone for the Standard cor.  
 to Sec 32 & 33 from which  
 a pine 20 in dia, bears N 45° W 14 1/2  
 " " 12 " " " N 54° E 12 "  
 " " 18 " " " S 22 1/2° E 16 "  
 Land rolling Timber

South Boundary of Twp. 13 North  
R. 2 W. 4 E. and Salt River Meridian

juice oak and some ash on  
bed of creek Soil mineral  
Placer gold.

- 1000 West between Secs 32 & 35  
Twp. 13<sup>44</sup> East  
Hafsayampa creek running  
west 100 links wide line runs  
along left-bank.
- 3800 Left creek bears N.W.
- 4000 Set a stone 12x12x10 in a mound  
of stone for the corner to 1/4 Sec  
N.W. 1/4 near.
- 8000 Set a post in mound with  
pits on south west slope of  
hill for the Standard cor.  
of Sec 31 & 32.
- Land rolling Soil  
mineral Placer Gold.
- Not much timber on west  
end of line

South Boundary of Twp. 13 North  
R 2 West-Gila and Salt River Meridian

- 300 West between Secs 31 & 6  
crossed <sup>Par. 13<sup>47</sup> East.</sup> Massa yampa creek  
100 links wide bears South.
- 900 commenced ascent of  
hill 250 feet high whose  
summit is about 8 chains  
North of line
- 1200 Summit of ridge bears East and  
west
- 3000 Ravine bears S.E.
- 4000 Set a stone 16 x 12 x 8 for 1/4  
Sec cor. in a mound of stone  
3ft high as per instructions  
No trees near.
- 8000 Set a stone 20 x 12 x 10 in mound  
of stone 3ft high for the Standard  
Cor to Sec 31 & 36. and Twp corner  
No trees. No timber along line  
Short oak brush.

September 25, 1871

Between Ranges 2 and 3 N. Tp 13 N.  
Gila and Salt River Meridian.

North between Sec<sup>s</sup> 31 & 36

va.  $13^{\circ} 47'$  East

4,000 commenced ascent of hill  
the foot of Aztec range of  
mountains. Eastern slope

40,000 Set a stone  $20 \times 16 \times 10$  in a  
mound of stone 3ft high for  
the cor to  $\frac{1}{4}$  Sec<sup>s</sup>

No trees near

8000 Set a stone  $16 \times 10 \times 8$  in a  
mound of stone 3ft high  
for the corner of Sec<sup>s</sup> 25 30  
31 & 36 as per instructions No trees  
near. Three cedars 10 or 15  
chains west of line

Land rolling Soil mineral  
No timber

North. between Sec<sup>s</sup> 30 & 25

va.  $13^{\circ} 47'$  East



Between Ranges 2<sup>nd</sup> & 4<sup>th</sup> Tp. 13 N.  
Gila and Salt River (Merriéw)

- 4000 Set a stone 16x10x10 in a  
ravine bearing East - for the cor  
to 1/4 Section No trees near
- 6300 Quartz ledge bears N.E.
- 8000 Set a Stone 12x10x10 a  
white quartz in a mound  
of stone as per instructions  
for the cor to Sect 19, 24, 25, & 30  
Land broken and hilly  
Soil mineral No timber along  
line. Short oak brush

North between Sect 19 & 24

va. 130° 47' East -

- 3000 Entered few scattering pines  
and cedars
- 4000 Set a post in mound with  
pits for 1/4 Sec cor No trees  
near.
- 4500 Indian Creek runs S.E. 25-lks

Between Ranges 2<sup>nd</sup> & 3<sup>rd</sup> W. Tp. 13 N.

Gila and Salt-River Meridian

wide There is some growth  
of Aspen and W. ash growing  
along the banks

8000 Set a stone 36 X 28 X 18 for  
the cor of Sect 13, 18, 19, & 24  
on west-slope of hill

Land rolling soil mineral  
Timber Scattered pines cedars  
and oak.

North between Secs 13<sup>th</sup> & 18<sup>th</sup>  
Va 13° 47' East

2300 Summit of range of mountains  
bearing East-<sup>3/4</sup> West.

4000 Set a stone 12 X 10 X 6 for  
1/4 Sec cor from which  
A pin 16 in dia. bears N. 48° W, 20  
" " " " " " S 14° W, 40

8000 Set a stone 18 X 10 X 8 for the  
cor of Secs, 7, 12, 13, 18 given which

Between Ranges 2<sup>d</sup> & 3<sup>d</sup> W. Tp. 131<sup>6</sup>  
 Gila and Salt River Meridian

a pine 36 in dia. bears S 74 1/2° E, 73. 1/2

" " 18 " " " N. 42 1/2° W. 50 "

No other trees near.

Land rolling and hilly Soil  
 mineral Timber Pine oak  
 &c.

North between Sec. 7 & 13  
 Va. 13° 47' East

2000 Heavy pine timber on East  
 slope of hill

4000 Set a stone 16 x 12 x 8 for the  
 cor to 1/4 Sec from which  
 a Jack oak 10 in dia bears S 84° E, 28 1/2  
 " " " 8 " " " S 12° E 25 "

6500 Leave pine timber bears East-  
 and west-

7000 Cañon runs East- 50 feet-  
 deep. 4 chains wide Good  
 running water.

Between Ranges 2<sup>nd</sup> & 3 west - Twp 13 N.

Sida and Salt-River Meridian

3000 Marked a granite-boulder  
6 ft x 4 ft x 4 ft for the cor  
to Sect 1, 6, 7, & 12 from which  
a Jack Oak 8 in bears N 27 1/2 E 83 lb  
" Cedar 15" " S 70 E 66, "  
Land rolling Timber pine  
and oak. Soil mineral

North between Sec. 6 & 1

va. 130 47' East -

500 Entered brushy land bears  
E. + W.

4000 Set a Stone 20 x 10 x 8 in a mound  
of stone 3 ft high for the cor to  
1/4 Sec. 1

79.80 Intersected Township line  
between Tps. 13 + 14 North at  
a point 20 links East of  
the cor to Tps 13 + 14 N. R. 2 + 3  
west from which point run

Between Ranges 2 & 3 west - Twp. 13 N.  
Gila and Salt River Meridian

S  $0^{\circ} 9'$  E to the cor to Sec  
1, 6, 7, & 12 W.  $13^{\circ} 47'$  East -

3980 Set a stone  $20 \times 10 \times 8$  in a corner  
of stone 3 ft high for  $\frac{1}{4}$  Sec cor

No pins near

79.80 The corner of Sec 1, 6, 7, & 12

Land rolling soil mineral  
No timber Short thick  
bush.

Sept - 26<sup>th</sup> 1871.

### General Description

This Township contains a  
large quantity of Lumber  
land. Not much farming  
but splendid grazing  
land. The timber consists  
of various kinds such as:  
Pine, Oak, Fir, Black Alder,  
and Aspen. There are several

Mineral lodes in different  
localities in the Hudsonup  
and also Placer. Gold mines

Between Ranges 3<sup>rd</sup> and 4 West - T. 12 N.  
Gila and Salt-River Meridian

Begin at a stone the established  
Corner to Townships 13 North  
Range, 3<sup>rd</sup> and 4 West, on the 3<sup>d</sup>  
Standard Parallel North, of  
the Gila and Salt River Base  
Line, East on Standard line

Pa.  $13^{\circ}45'$  East -

at 5.88 chains I established  
the closing corner to Townships  
13 North Range, 3<sup>rd</sup> and 4 West -  
from which corner I run  
South on Range line between  
Sec<sup>s</sup> 1 and 6.

Pa  $13^{\circ}45'$  East - as per observation

ch. of Polaris.

4000

Set a stone  $14 \times 12 \times 4$  for  $\frac{1}{4}$   
Sec cor. in a mound of Earth  
with pits to true

8000

Set a stone  $16 \times 12 \times 6$  in a mound of  
earth with pits for the corners.

Between Ranges 3<sup>rd</sup> & 4<sup>th</sup> West T. 12. N  
Gila and Salt River Meridian

to Secs 16 7<sup>th</sup> & 12.

No trees near.

Land gently rolling good grazing  
grapes. Bear grass and gramma.  
No timber Soil 2<sup>d</sup> rate

40.00 South between Secs 7<sup>th</sup> & 12  
Set a stone <sup>14<sup>th</sup> May 1845 E.</sup> 14 x 12 x 10 for 1/4  
Sec cor. in a mound with pits

No trees near.

80.00 Set a stone 16 x 12 x 8 in a  
mound of earth with pits as  
per instructions for the corner  
to Secs 7, 12, 13, & 18

No trees near. Land rolling

Soil 2<sup>d</sup> rate - good grazing  
No timber

South between Secs 13<sup>th</sup> & 18

to Va 13° 45 East -



Between Ranges 3<sup>rd</sup> and 4<sup>th</sup> West T. 12 N.

Gela and Salt River Meridian

- 39.40 Road from Walnut Grove to  
Skull Valley. bears N. N. <sup>and</sup> S. E.
- 40.00 Set a stone 15 x 10 x 8 for  $\frac{1}{4}$  Sec  
Cor. in a mound with pits  
as per instructions
- 63.00 Commenced ascent of Mountain  
250 feet high
- 75.00 Summit
- 80.00 Set a <sup>stone</sup> 18 x 14 x 6 in a mound  
of stone 3ft high for the corner  
to Secs. 13, 18, 19, and 24. on  
South Slope of Mountain No trees  
Land level on north  $\frac{3}{4}$   
of mill; on south rolling and hilly  
Soil 1<sup>st</sup> and 3<sup>d</sup> rate No timber

---

South between Secs 19<sup>th</sup> and 24

on 13<sup>th</sup> 4<sup>th</sup> East

11.00 Foot of mountain on south side

Between Ranges 3<sup>rd</sup> and 4<sup>th</sup> West T. 12<sup>N.</sup>  
 Chelev and Salt-River Meridian

- 17.00 Entered rolling hilly land,  
 bears E + N.
- 44.00 Set a stone 18x6x10 in mound  
 of stone 3ft high for  $\frac{1}{4}$  Sec cor.  
 no trees
- 80.00 Set a stone 16x12x10 in a mound  
 of earth with pits as per instructions  
 for the corner of Sec<sup>s</sup> 19 24 25<sup>th</sup>  
 30 no trees near.

Land rolling and hilly, good  
 grazing Soil contains mineral

South between Sec<sup>s</sup> 25<sup>th</sup> and

30

Var. 1345E.

- 40.00 Set a stone in mound of earth with  
 pits a piece of white quartz 16x10x8  
 for the corner to  $\frac{1}{4}$  Sec<sup>s</sup>.
- 80.00 Set a stone 20x10x10 in a  
 mound of stone 3ft high for  
 the corner of Sec<sup>s</sup> 25 30 31 and 36

Between Ranges 3<sup>rd</sup> and 4<sup>th</sup> West - 1, 12,  
 11 and Salt River Meridian

Land rolling and hilly Soil  
 mineral. Good grazing,  
 Gramma grass mostly. No timber

South between Sec<sup>s</sup> 31<sup>st</sup> and 36

4000

Set a stone 14x10x8 in a mound  
 of stone for 1/4 Sec cor as per instructions

8000

Set a Stone 16x14x8 in a mound  
 with pits as per instructions for  
 the corner to Sec<sup>s</sup> 1, 6, 31, and 36  
 and also for the corner to Township  
 11 and 12 North Ranges 3<sup>rd</sup> and 4<sup>th</sup>  
 West.

Land rolling Soil  
 mineral good grazing No timber

Between Townships 11 and 12, North Range 34

Gilew and Salt-River Meridian

East between Sec<sup>s</sup> 6 and 31

va 13° 45' East

38.53

Set a stone 16x10x8 in a mound of stone 3ft high for  $\frac{1}{4}$  Sec cor. as per convergency for Township 11 North Range 34 West - No trees near.

78.53

Set a stone 16x16x12 in a mound of stone 3ft high for the cor. of Sec<sup>s</sup> 5, 6, 31, and 32. No trees near. Soil mineral  
Brush along most of line  
Land rolling and hilly No timber

East between Sec<sup>s</sup> 32 and 5-

va 13° 45' East

40.00

Set a stone 10x8x8 in a mound of stone 3ft high for  $\frac{1}{4}$  Sec cor. No trees

78.00

Road from Walnut-Grove to Skull Valley from N.W.

80.00

Set a stone 18x10x4 a plate

Between Townships 11 and 12 N. Range 3 W.  
Gila and Salt River Meridian

Set a mound of stone 3 ft high for the corner to Sec 4, 5, 32 and 33. No trees

Land rolling and hilly Soil  
mineral good grazing No timber

East between Sec 33 and 4

29.50

Cottonwood Spring <sup>Mar. 1875 E.</sup> creek 15 links  
wide runs S. E.

40.00

Set a stone 12 x 10 x 8 for 1/4 Sec cor  
in a mound of stone 3 ft high No trees

58.00

Flume built across the Hassayampa  
creek, about 5 chains South of  
line Hassayampa creek runs N.  
and S. W.

68.50

Irrigation ditch bears S. W.

69.50

Hassayampa creek runs South thru  
S. W. through a cañon the sides  
of which are 75 feet high

80.00

Set a stone 16 x 14 x 8 in a mound

Between Township 11 and 12 North Range 3<sup>rd</sup> W.

Gila and Salt River Meridian

of stone 3ft-high on East-side  
of cañon of the Hassayampa  
for the Cor to Sec<sup>s</sup> 3, 4, 33, and 34  
Land broken and hilly Soil mineral  
No timber.

East-between Sect<sup>s</sup> 34 and 3  
Va.  $13^{\circ} 45'$  East  
4000 Set a stone 16x10x8 in a mound  
of stone 3ft-high for  $\frac{1}{4}$  Sec cor.  
No trees near.

8000 Set a stone 16x10x10 in a mound  
of stone 3ft-high for the corner to  
Sect<sup>s</sup> 2, 3, 34, and 35-  
Land rolling Soil mineral  
No timber.

East-between Sect<sup>s</sup> 35 and 2  
Va  $13^{\circ} 45'$  East  
4000 Set a stone 12x10x10 in a mound  
of stone 3ft-high for  $\frac{1}{4}$  Sec. cor.

Between Townships 11 and 12 N. 64  
 Galia and Salt-River Meridian

8000 Set a stone 16x10x8 in a mound  
 of earth with pits for the corners  
 to Sec 1, 2, 35, and 36  
 Land rolling Soil mineral  
 No timber Short brush.

East between Sec 1 and 36  
 N 13° 45' East

4000 Set a Stone 16x10x8 in a mound  
 with pits for 1/4 Sec cor. No trees

8000 Set a stone 20x18x8 in a  
 mound with pits as per instructions  
 for the corner to Sec 1 6 31 and 36  
 Land rolling Soil mineral No  
 timber. Short brush along line.

Oct- 6<sup>th</sup> 1871

Between Range 2 and 3 West-  
Township 11 North. Gela and Salt River Meridian

South between Sec. 1 & 6.

Wa.  $13^{\circ}45'$  East -

- 4000 Set a stone  $14 \times 14 \times 12$  in a mound of stone for  $\frac{1}{4}$  Sec cor. No trees
- 8000 Set a stone  $16 \times 12 \times 4$  in a mound of stone 3ft high for the corner of Sec 1, 6, 7, and 12
- Land rolling Soil mineral  
No timber

S

South between Sec 7 and 12

Wa.  $13^{\circ}45'$  East -

- 500 Entered Volcanic scoriae bears NE. and S.W.
- 4000 Set a stone  $12 \times 10 \times 8$  in a mound of stone as per instructions for  $\frac{1}{4}$  Sec cor.
- 8000 Set a stone  $16 \times 16 \times 4$  in a mound of volcanic scoriae 3ft high



Between Ranges 2 and 3 West - Twp. 11 North  
 Gila and Salt River Meridian

for the corner to Secs - 7, 12, 13, <sup>9d</sup>18  
 Land broken and hilly  
 Soil Volcanic No timber

South between Secs - 13<sup>9d</sup>  
 18.

Va  $13^{\circ} 45' E$ .

4000 Set a stone 16 X 10 X 10 in a mound  
 of volcanic scoriae for the cor. to  
 1/4 Sec. No trees

8000 Set a stone 16 X 10 X 10 in a mound  
 of volcanic scoriae 8 ft high  
 for the corner to Secs - 13, 18, 19, <sup>9d</sup>24  
 No trees near.

Land hilly soil volcanic  
 No timber

South between Secs 19<sup>9d</sup> 24

Va  $13^{\circ} 45' East$ .

1700 Commenced ascent of hill 200

Between Ranges 2<sup>nd</sup> & 3<sup>rd</sup> T<sub>1</sub> Sp 11 N.  
Gila and Salt-River Meridian

high gradual slope.

4000 Set a stone 16x14x8 in mound  
of stone 3ft-high

4400 Summit of hill bears E and N.E.

6900 Foot of hill on South of mountain  
and entire valley called Pole.  
Camp valley bears N.E.

8000 Set a stone 24x10x8 in a mound  
of stone as per instructions for  
the cor. to Sec. 19, 24, 25 and 30.

No trees. Land broken and rolling  
on south-end of line. No better Soil than

South between Sec. 25<sup>th</sup> & 30<sup>th</sup>

1950 <sup>W. 30° 45' East</sup>  
East-branch of Haseayampa creek  
Cañon 4 chains wide 30 feet deep  
runs S.W.

3600 Aztec Fort (ruins) on summit of  
hill three chains west - 70 feet  
above bed of Haseayampa

Between Ranges 2<sup>nd</sup> & West - Twp. 11 N.  
Gila and Salt River Meridian

- 4000 Set a stone 18 X 16 X 4 for the  
cor to 1/4 Sec. in a mound of  
Stone on Southern wall of angle  
post.
- 8000 Set a stone 16 X 10 X 8 in a mound  
with pits for the - cor to Sec- 25,  
30, 31, 4<sup>th</sup> 36

Land broken on North and  
rolling south. Soil mineral  
No timber

South between Sec- 31<sup>st</sup> 186

- 4000 Set a stone 12 X 10 X 8 in a mound  
with pits for the - cor to 1/4 Sec  
No trees near.
- 8000 Set a post in a mound with pits  
as per instructions for the corner  
to Sec- 16, 31, & 36. No trees  
Land Level Soil 2<sup>d</sup> rate  
good grazing land.

Between Townships 10<sup>th</sup> & 11 North Range 3<sup>rd</sup> W.

Gila and Salt-River Meridian

Va. 13° 45' East-

West between Sect 1, 2<sup>d</sup> 36,

4000 Set a post in a mound with pits  
for 1/4 Sec cor. No trees near

7000 Entered little Valley bears SW.

7600 Left Valley: and crossed dry creek 10-  
links wide

8000 Set a stone 16x12x4 in a mound  
with pits for the corner to Sect  
1, 2, 35, & 36

Land gently rolling.  
Soil mineral Splendid grass  
land.

W.

West between Sect- 2<sup>d</sup> 135-

Va 13° 45' East-

2700 East Branch of Cassayampa creek  
300 links wide runs S.E.

4000 Set a stone 12x10x8 in a mound  
of earth with pits for 1/4 Sec cor  
No trees near.

Between Townships 10<sup>th</sup> & 11<sup>th</sup> North R. 3<sup>rd</sup> W.  
Giles and Salt River Meridian

- 48.00 House 3 chains North of line  
52.50 Road from Lower Horsecamp to  
Skull valley NW, SE.  
59.00 Entered bottom land of the Horsecamp  
bars N, & S.  
68.00 Dry wash of the Horsecamp creek,  
90.00 Opposite bank, bears SE,  
Creek runs S.E.  
70.50 Entered George Packard's field  
bears SE and N  
80.00 Set a Stone 12x10x8 in a mound  
with pile as per instruction for  
the corner to Secs 2, 3, 34, and 35  
Land mostly level Soil  
1<sup>st</sup> rate No timber

West-between Sec 34<sup>th</sup> & 3,  
va 13°45' East

- 2.50 Left-bottom land and entered  
Mason bears NW and SE

Between Township 10<sup>th</sup> & 11<sup>th</sup> N Range 3<sup>rd</sup> W.

Culew and Salt-River Meridian

- |       |  |
|-------|--|
| 11.00 | Entered oak brush bears NW and SE  |
| 16.00 | Left brush and entered rolling land.   |
| 25.00 | Arasta Creek runs S.E. 30 links wide   |
| 40.00 | Set a stone 24 x 20 x 10 in a mound with pits for 1/4 Sec cor. No trees near.  |
| 50.00 | Set Stone 12 x 12 x 10 in mound of stone 3ft high for cor to Sec 3, 4, 33, & 34 NW trees<br>Land mostly rolling<br>Soil 2 rate (Mineral) |

West-between Sec 33<sup>rd</sup> & 4

via 13<sup>th</sup> & 5 East

- |       |   |
|-------|---|
| 30.00 | Entered mesa land sloping SW, bears NW, and SE.                       |
| 40.00 | Set a stone 20 x 15 x 5 for 1/4 Sec cor. in a mound of stone 3ft high |

Between Townships 10<sup>th</sup> and 11<sup>th</sup> N. Range 3<sup>rd</sup> W.

Gila and Salt River Territorial

80.00 Set a Stone 12 x 10 x 8 in a mound  
of Stone 3 ft high for the corner  
of Sec<sup>s</sup> 32 33 4<sup>th</sup> and 5.

Land broken and hilly  
Soil mineral No timber

Oct-7<sup>th</sup> 1877

West between Sec<sup>s</sup> 32 & 5

or 130° 45' East

38.00 Cropped Cottonwood creek 25 links  
wide runs S.E.

40.00 Set a stone 16 x 12 x 8 on right-  
bank of of first-bench above  
bottom of creek.

50.00 Round mountain on ~~North~~ North of line  
300 feet high Line runs over  
South Slope.

80.00 Set a stone 16 x 12 x 10 in mound  
of Stone 3 ft high for the corner  
W Sec<sup>s</sup> 31, 32, 5, & 6.

Land much broken Soil

Mineral.

I found that I could not extend the Township line any farther on account of the Weaver Mountains, a high inaccessible range therefore I run North between Sect 31<sup>rd</sup> & 32.

on 130 45' East

ch

- 40.00 Set a stone 12 x 12 x 4 in a mound of stone 3ft high
- 50.00 Commenced ascent of rocky hill bearing E and west
- 60.00 Summit of hill
- 
- 20.00 Set a stone 16 x 8 x 8 in a mound of stone 3ft high for the corner to Sect 29, 30, 31, 32  
Land broken and hilly Soil mineral



North between Sec 29<sup>th</sup> & 30

Va 18° 45' East.

Commenced ascent of hill  
at post cor. 200 feet high

40.00 Set Stone 16 X 16 X 12 in mound  
of stone for 1/4 Sec cor. as per  
instructions No trees near.

50.00 Arroyo running East - 25 links  
wide.

80.00 Set a stone 18 X 14 X 4 in  
mound of stone 3ft high for  
cor to Sect 19 20 29 and 30  
No trees near, nor any where.  
Land rough and broken Soil  
mineral No timber

West between Sec 19<sup>th</sup> & 20

Va 13° 45' East -

40.00 Set a stone 13 X 10 X 8 in mound  
of stone 3ft high for the cor to

Between Ranges, 3<sup>rd</sup> and 4<sup>th</sup> West T. 11, N.  
 Giles and Salt-River Meridians

$\frac{1}{4}$  Sec<sup>r</sup> No trees

79.04 Set a Stone 20x12x8 in a  
 mound of Stone 3ft high for  
 the corner. 19 24 25 and 30  
 No trees near.

North between Sec<sup>r</sup> 19<sup>and</sup> 24

va. 13° 45' East

20.00 Set a post. in a mound of  
 Stone 3ft high for  $\frac{1}{4}$  Sec<sup>r</sup> cor

80.00 Set a stone 20x12x10 in a  
 mound of stone 3ft high for the  
 corner to Sec<sup>r</sup> 13, 18, 19, <sup>and</sup> 24.

Land very broken and  
 hilly. Soil mineral. No timber  
 but short-cut brush.

North between Sec<sup>r</sup> 13<sup>and</sup> 18

va. 13° 45'

36.50 Arasta creek, runs S.E. 20

Between Ranges 3<sup>rd</sup> & 4<sup>th</sup> T. 11, N.

Gila and Salt-River Meridian

looks wide Trail along creek.  
40.00 Set a stone 20 x 10 x 10 in a mound of stone 3ft high for  $\frac{1}{4}$  Sec. cor.

80.00 Set a stone 18 x 14 x 14 in a mound of Stone 3ft high for cor to Sect<sup>s</sup> 7, 12, 13, 18.

Land much broken  
Soil mineral No timber

North between Sect<sup>s</sup> 7 & 12

12.00 Entire Slate Belt - bears NE

40.00 Set a stone 24 x 18 x 4 in a mound of stone 3ft high for  $\frac{1}{4}$  Sec. cor.

80.00 Set a stone 16 x 10 x 8 in a mound of stone for the corner to Sect<sup>s</sup> 1, 6, 7, 12. No trees

Land rolling Soil mineral. Several ledges of

Between Ranges 3<sup>rd</sup> & West T. 11, N.  
 Clear and Salt River Meridian

Gold bearing rock West of  
 this point - Walnut Grove Mining  
 District

North between Sec 1, 4, & 6

4000

Set a stone 18x10x4 in  
 a mound of stone 3ft high

50, 20

Intersected North boundary  
 of Township at post-corner  
 to Sec 1, 6, 31, and 36

Land broken Soil Mineral  
 Formation Granite and Tulose  
 Slate. Oct-9<sup>th</sup> 1871

## General Description

Township 11 N. Range 3 West  
contains a large quantity of farming  
land of a general average.

There are several fine farms  
along the Cassazumpa creek.  
The uplands are generally rolling  
and covered with a fine growth  
of grass. Timber is not very  
plenty. The western part of  
Township is somewhat broken  
and contains mineral.

Orl Lease

Deputy Surveyor.

Between Ranges 2<sup>nd</sup> & 3<sup>rd</sup> W.  
T. 10 N. Gila and Salt River Meridian

Field Notes of the East  
South and West. Exterior  
boundary lines of Tps. 10 N.  
Range, 3 West.

Begin at the established  
corner to Tps. 10 and 11 N.

between Ranges 2<sup>nd</sup> and 3<sup>rd</sup> W.

A post in a mound with pits

Thence run South between

Secs 1 and 6

Pa.  $13^{\circ} 45' E$ , per  
observation of Plaris

40.00 Set a stone 16 x 12 x 6 in a mound  
of stone for  $\frac{1}{4}$  Sec cor. No trees.

20.00 Set a stone 20 x 16 x 6 in a  
mound of stone 3 ft high for the  
cor to Secs 1, 6, 7, and 12. No trees

Land mostly level  
Soil 1<sup>st</sup> rate No timber

Between Ranges 2<sup>nd</sup> & N. T. 10 N.  
Gila and Salt River Meridian

South between Sec<sup>s</sup> 7<sup>th</sup> & 12

12

Wa. 13° 45' East

- 200 Crossed Blind Indian creek  
bears S.W. 100 links wide
- 4000 Set a stone 20x10x6 in a  
mound of stone 3ft-high for  
1/4 Sec Cor.
- 6000 Exterior rolling land bears  
N.E. and S.W.
- 8000 Set a Stone 18x10x10 in a  
mound of earth with pits. Native  
Land mostly rolling Soil 2<sup>nd</sup> rate

South between Sec<sup>s</sup> 13<sup>th</sup> & 18

- 500 Cañon bears West - 50 feet deep  
200 links wide Head of Cañon  
600 link East -
- 1950 Cañon bears N.W. 2<sup>nd</sup> & S.E. - 150 links

Between Ranges 2<sup>nd</sup> & 3<sup>rd</sup> W. T. 10 N.  
Gila and Salt River Quadrants

- wide 50 feet deep.
- 3600 Commenced ascent of hill  
bear E and W, 200 feet high
- 4000 Set a stone 18 x 10 x 10 in around  
of stone 3 ft high for 7<sup>th</sup> Sec cor.
- 5700 Arroyo runs SW, 20 links wide  
and opposite of hill
- 8000 Set a stone 20 x 16 x 4 in a  
around of stone 3 ft high for  
the cor to Sec<sup>s</sup> 13, 18, 19, and 24  
Land rolling soil 2<sup>d</sup> sale  
No timber, good grazing.

South between Sec<sup>s</sup>  
24 and 19,

Var. 13° 45' East

- 1600 Arroyo Creek runs SW, 100  
links wide
- 2500 Entered mesa land, bears SW  
and NE,



Between Ranges 2<sup>nd</sup> and 3<sup>rd</sup> W. T 10 N.  
 Geles and Salt-River Meridian

- 4000 Set a stone 10x10x10 in a mound  
 with pits & trees
- 5000 Set a stone 20x6x6 in a mound  
 of stone 3ft high for the cor to  
 Sect 19, 27, 28, and 30 (Road from Bradsh  
 runs along by this corner) bear N. 45° E.  
 Land mostly level Soil 1<sup>st</sup>  
 and 2<sup>nd</sup> rate. No timber  
 Good grazing.

South between 25<sup>th</sup> and 30

Va. 13° 45' East

- 6500 Ash creek runs N W, 50 links  
 wide
- 700 Steep rocky range of the Weaver  
 mountains bear E and W inaccessible  
 therefore I could not run this  
 line farther South.

Between Sec<sup>s</sup> 24 and 25, T. 10 N.

Range, 3<sup>d</sup> W. Chula and Salt River Mountain

From the corner to Sec<sup>s</sup>  
24 25 19 and 30 Down  
West between Sec<sup>s</sup> 24 and  
25.

- L VA. 13° 45 East -
- 4,500 Ash creek runs NW, 50 links  
wide
- 500 Entered west north west  
slope of Beaver mountains
- 40,00 Set a stone 16 x 10 x 6 in a  
mound of stone 3ft high
- 4,500 Ash creek runs S, W, 50 links  
wide
- 500 Set a stone 20 x 10 x 10 in a  
mound of stone 3ft high for the  
cor to Sec<sup>s</sup> 23 24 25 and 26  
Land very broken soil  
along line worth less

North between Sec<sup>s</sup> 23 and 24

Between Sec<sup>s</sup> 23<sup>rd</sup> & 24<sup>th</sup> T. 10 N. R. 3 W.

Gelev and Salt River Men's claim

Va. 13° 45' East.

Cañon of the Hoassagampa runs about 5 chains west-bears N and S, 200 feet deep 10 chains wide.

4,000 Set a stone 20 x 10 x 10 for 1/4

7,500 See cor. on level mesa, 100 paces

5,000 Mymie creek runs SW. 100 links wide

Set a stone 20 x 10 x 8 in a mound of stone 3 ft high for the cor. to Sec<sup>s</sup> 13, 14, 23<sup>rd</sup> & 24<sup>th</sup> on hill over looking bottom of Hoassa gampa. creek, No trees

Land mostly broken

Soil poor. Oct-16<sup>th</sup> 1871

West-between Sec<sup>s</sup> 14<sup>th</sup> & 23

Va. 13° 45' East-

3,000 Leave mesa land enter bottom land bears N W, and S E,

10,000 Enter field bears N + S,

Between Sect 14 and 23 Tps. 10 N.

Range, 3 N. Gela and Salt River Meridian

- 2000 Leave field bears N, and S,  
 2400 East-bank of Hoassayamp creek  
 bears N & S. creek runs South  
 3000 Opposite-bank bears N, & S,  
 3800 Cañon of the Hoassayamp  
 commences about 16 chains  
 S.E. A House 10 chains  
 North
- 3900 Trail N & S.  
 4400 Set a stone 16 x 10 x 10 in  
 a mound of stone 3ft-high for  
 1/4 Sec cor on a point of hill  
 bearing South No trees  
 8000 Set a stone 16 x 12 x 6 in a  
 mound of stone 3ft-high for  
 the cor to Sect 14 15-22 and  
 23.

Land rolling and level  
 Soil 1<sup>st</sup> and 2<sup>d</sup> rate No timber

Between Sec 15 and 22 T. 10 N. R. 27 W

Gila and Salt River Meridian

- West between Sec 15 and 22
- 4000 Set a stone 30 x 20 x 10 in a mound of stone 3ft high for  $\frac{1}{4}$  Sec cor.
- 2000 Set a stone 20 x 10 x 8 in a mound of stone 3ft high for the cor to Sec 15-16 E 1<sup>st</sup> and 22<sup>nd</sup>
- Land broken and hilly soil 2<sup>nd</sup> rate. No timber

North between Sec 15 and 16

N 130 45 East

- 2300 Cañon 100 bukes wide - East - N.E
- 4000 Set a stone 10 x 10 x 10 in a mound of stone 3ft high for  $\frac{1}{4}$  Sec cor
- No trees
- 5000 Set <sup>a stone</sup> 12 x 10 x 10 in a mound of stone 3ft high for the cor to Sec 9, 10, 15, and 16
- Sand rolling and hilly Soil 2<sup>nd</sup> rate

Between Sec 9 and 16, Twp. 10 N  
R. 3 W. Chula and Salt River Meridian

No timber

West-between Sec 9 and 16

Via 13° 45' East

4000 Set a stone 12 x 10 x 8 in mound  
of stone 3 ft high for  $\frac{1}{4}$  Sec cor  
Line runs on N side of hill

8400 Set a stone 20 x 12 x 8 in  
a mound of stone 3 ft high  
Black volcanic rocks on  
N.E. Land broken and  
shilly soil 2<sup>d</sup> rate No water  
good grazing

North-between Sec 9 and 16

Via 13° 45' East

1900 Cañon bear C. & W. 130 links  
with good water in little  
spring brush

4000 Set a stone 16 x 14 x 10 for  $\frac{1}{4}$

See cor.

4800 Cottonwood creek 25-links wide  
dry bed found water in tanks  
Creek runs E.

8000 Set a stone 20 X 12 X 4 in mound  
of stone 3 ft high for the cor  
W Sec<sup>s</sup> 4, 5, 8, and 9

Land broken and hilly  
soil poor. No timber

North on random line  
between Sec<sup>s</sup> 4 and 5 -

va. 13° 45' East -

1100 Dry creek runs S of East -  
30 links wide

1300 Rolling land

4000 Set temporary 1/4 Sec cor.

8020 Subtracted North boundary  
of Lp. 43 links East of post -

Cor to Sec<sup>s</sup> 4, 5, 32, and 33  
 from which cor I run  
 S 0°-18' E on true line  
 between Sec<sup>s</sup> 4 and 5  
 wa 13° 45' East.

4020 Set Stone 16 x 8 x 8 in a mound  
 of stone 3 ft high for 4<sup>th</sup> Sec  
 cor.

8020 The corner to Sec<sup>s</sup> 4, 5, 8, 9, 19.  
 Land rolling and hilly.  
 Soil poor. Oct-17<sup>th</sup> 1871

General Description  
 The South and Western  
 portions of this Township  
 are covered with the Weaver  
 Mountains a high inaccessible  
 range destitute of timber  
 and not known to contain mineral,  
 unfit for cultivation and but partially



explored

North-East portion of Township  
contains some fine farms under  
cultivation.

O. H. Case

Deputy Surveyor

1871

17

Field Notes of the  
 Traverse Line to Bradshaw

On account of high inaccessible  
 mountains and the scarcity of  
 water along Township limits between  
 Twp. 10 and 11 N. and Twp. 9 and 10 N.  
 Range 1 and 2 West I could not  
 follow a line to Bradshaw and  
 substitute the Principal Meridian  
<sup>on the opposite side of line</sup>  
 thence ~~thence~~ East on true line  
 between Sec. 19 and 30 in Town-  
 ship 10 N Range 2 W. Gila and  
 Salt River Meridian as per the  
 following "Field note" Survey com-  
 menced Oct-19th-1871

East between Sec. 19 and 30.

va. 130 430' as per

Observation of "Polaris."

Begin at the Corner of Sec. 19 24 25 and  
 30.

Bradshaw line between Sec 19<sup>99</sup> & 20

Sp. 10 N. R. 2 W. Gela and Salt River Meridian

- 3900 Set a stone 14x12x12 in a mound of earth with pits as per instructions for 14 Sec cor.
- 7900 Set a stone 12x10x10 for the cor to Sec 19 20 29 30 in a mound with pits - Land level Soil 1st sale - No timber

East on true line between Sec 20 and 29

WA. 13° 43' East -

- 1200 Entered broken land Grant S.W.
- 1800 Arroyo runs S.W. 20 links wide
- 2000 Begin ascent of Mountain range 450 feet high
- 4000 Marked a stone 36x24x24 in. for 14 Sec cor. on South West of ridge 20 feet high No tree.
- 6000 Summit of rocky point 150 feet high and begin descent.

Boagshaw line between Sect- 21<sup>nd</sup> & 23

Sp. 10 N, R. 2 W. Creta and Salt River Mountain

3000 Set a stone 16x14x10 in a mound  
of stone 3ft high for cor to Sect- 20, 21,  
28<sup>th</sup> and 29, Land broken Salt  
decomposed granite W timber

East — between Sect- 21<sup>nd</sup> & 23  
20 130 43' East.

1000 commenced ascent of South slope  
of mountain bearing East N. 200 feet  
high

4000 Set a Stone 18x16x8 in a  
mound of stone 3ft high  
for 1/4 Sec cor on South slope  
of hill. Ash creek about  
6 chains South runs West,

6000 Begin descent of mountain East.

8000 Set a stone 20x20x14 in a mound  
of stone 3ft high for the cor to Sect  
21, 22, 27<sup>th</sup> and 28

Land broken and hilly Soil poor.

Bradshaw line between Sec<sup>s</sup> 22<sup>nd</sup> and 27

Tp. 10 N. Range 2 West, Gela and Salt Riv. Twp.

East between Sec<sup>s</sup> 22<sup>nd</sup> and 27

va. 13° 43' East.

20.00 Begin ascent of Mountain 500 feet  
high gentle slope

40.00 Set a stone 30x24x20 in a mound  
of stone 3ft high for 1/4 Sec cor.  
No trees.

80.00 Set a stone 16x14x12 in a mound  
of stone 3ft high for the cor. to  
Sec<sup>s</sup> 22 23 26 and 27

Land broken and mountainous  
No timber Soil decomposed granite

East between Sec<sup>s</sup> 23<sup>rd</sup> and 26

va. 13° 43' East.

28.00 Dry creek runs N.W. 20 links  
wide

30.00 Begin ascent of high rocky mountain  
350 ft high.

41.00 Set a stone 18x10x8 in a mound

Bradshaw line between Sec<sup>s</sup> 24 and 25

Sp. 10 N. R 2 W. Tila and Salt River Meridian

of stone 3ft-high for  $\frac{1}{4}$  Sec  
cor. No trees.

5000 Dry creek runs SW.

8000 Set a stone 24x20x4 in a mound  
of stone 3ft-high for cor to Sec<sup>s</sup>  
23 and 26 and 26 Land broken  
and unimproved No timber. Soil  
poor.

East between Sec<sup>s</sup> 24 and  
25

Pa. 13<sup>th</sup> 43' East,

4000 Set a stone 16x14x14 in a mound  
of stone 3ft-high for  $\frac{1}{4}$  Sec cor.

6200 Begin descent towards Minnie Flat,

8000 Set a stone 14x14x12 in a mound  
of stone for the cor to Sec<sup>s</sup> 24, 25,  
19 and 30 Land broken No timber

Bradshaw line between Sec 19 and 30

Tp. 10 N. Range 1 N., Gila and Salt River Meridian

East between Sec 19 and 30

Sta. 130 43' East.

2000 Round butt. 150 feet high 4 chains North.

2400 Entered Pine timber of Minnie Flat

3900 Set a stone 12 x 10 x 10 in a mound with pile for the corner to 1/4 Sec on west bank of Minnie Creek

4000 Minnie Creek runs North-50 links wide.

4200 Road to Minnie City bears N E

6900 Corral 100 ch North.

7700 Left timber of Minnie Flat, bears N and S. Entered rolling land

7800 Dry creek runs S. E. and S. W. 25 lks wide

7900 Road to Bradshaw bears N. E.

7910 Set a Stone 14 x 12 x 6 in a mound of stone 3 ft high for the corner to Sec 19, 20, 24 and 30



Bradshaw line between Sec. 20 & 29

Tp. 10 N. Range 1 W. Gela and Salt River Meridian

Land rolling Soil 1<sup>st</sup> and 4<sup>th</sup>  
rate - Lumber Pine, 1<sup>st</sup> rate  
Oak, 2 rate, About (2) wood  
Sections in Prairie Flat 2 miles  
long by  $\frac{1}{2}$  wide, Oct 20<sup>th</sup> 1871

East between Sec. 20 and 29

Pa. 13<sup>th</sup> 43' East.

- 11,000 Began ascent of Mountains East of Prairie  
Flat.
- 4000 Set a stone 15 x 12 x 6 in a mound  
of stone 3 ft high for  $\frac{1}{4}$  Sec cor. on  
A slope of mountain. Dense growth  
of Manzanita and Mesquite wood
- 7000 Divide between the waters of Humboldt  
Creek and Prairie Creek, bear NW  
SE.
- 8000 Marked a volcanic boulder, 30 x 20 x 20 in,  
for the corner to Sec. 20, 21, 28, and 29,  
and made a mound of stone upon it,



Bradshaw line between Sec- 22<sup>nd</sup> & 27

Sp. 10. N. P. 1. W. Gila 4<sup>th</sup> Sub. Pair Meridian

- 3000 High rocky mountain north- 20 chains  
to summit.
- 4400 Marked a granite boulder, 8 x 4 x 3 ft and  
built a mound of stone upon it  
for 1/4 Sec cor. N. W. W.
- 4700 Tiger Look. bears N. E. Bradshaw Shuff 100 links N.
- 4900 Trail bears N. E. S. W.
- 5100 Gulch, bears S. W. 50 links wide  
Defiance Look 100 ch north,  
Several houses built along gulch.
- 7300 Eclipse Trail bears S. E. N. W.  
Bradshaw town bears N. W. 20 chains
- 8000 Set a stone 18 x 10 x 8 in a mound  
of stone 3 ft high for the cor to Sec-  
22, 23, 26, <sup>2nd</sup> & 27

Land broken since mineral  
Some fine timber north of line in  
basin of Bradshaw Mts.

Bradshaw line between Secs 23<sup>rd</sup> and 26

Sp. 10 N. Range 1 W. Gela and Salt. Riv. N.

East between Secs 23<sup>rd</sup> and 26

va. 13<sup>th</sup> 43' East.

- 2000 Commence ascent of spur, bears ~~East~~ N. & W.  
Mount-Wagon about 8 chains South  
8500 feet above the sea
- 4000 Set a stone 16 x 10 x 8 in a corner of  
stone 3 ft high for the Sec cor. N. & W.
- 5000 Summit of spur and begin descent
- 6200 Deep ravine bears N. & S.
- 8000 Set a stone 18 x 10 x 8 in a corner of  
stone 3 ft high for the corner W Sec  
23, 24, 25 and 26
- Land broken and mountainous Sec  
Mineral. Gold and Silver.
- Some timber Pine and oaks in  
basin North.

East between Secs 24<sup>th</sup> and 25

va. 13<sup>th</sup> 43' East

- 4000 Set a stone 16 x 10 x 10 in a corner of

Bradshaw line between Sect 24 and 25-

Sp. 10 N. R. 1 W. Gila and Salt River Meridian

stone 3 ft high for  $\frac{1}{4}$  Sec cor.

5000

Intersected Gila and Salt River  
Meridian and set a stone  $24 \times 12 \times 4$   
in a mound 4 feet high built of  
stone, for the cor to Sect - 19, 24,  
25, and 30

Land broken Soil mineral  
No timber on hills. Oct- 21<sup>st</sup> 1871

General Description of  
Bradshaw line. The line runs over  
very rough and broken country destitute  
of timber throughout the greater part.  
Minnie Flat in Sect 19 and 30 of Sp.  
10 N. R. 1 W. has some fine timber land  
in extent about two sections. The basin  
of the Bradshaw M<sup>o</sup> also has some  
very fine timber consisting mostly  
of Pine. The line crosses the Tiger  
Creek in Sect 22 and 27 a large well

definite vein of silver ore.  
Silver Mountain is about 4 miles  
South and the Del. Pass Mt.  
3 miles North.

O. H. Case

Deputy Surveyor,

The calculation for convergency  
for Townships in Lat:  $34^{\circ}$ .

The length of a degree of Longitude  
in Lat:  $34^{\circ}$  North is taken at 57.61  
Statute miles. and, in Lat:  $35^{\circ}$  N, as  
56.93 miles. The convergency per  
square degree =  $\overline{.68.80} = 5440$  chains

The convergency per Range, ( $9\frac{1}{2}$  per  
degree of Longitude) equals  $9\frac{1}{2}$  of this,  
or, 5177 chains; and per Township ( $11\frac{1}{2}$   
per degree of Latitude) = the above divided  
by  $11\frac{1}{2}$ , is 50 links

(Please see)

Deputy Surveyor,  
Degrees of Longitude are to each other  
as the cosine of their Latitude

## List of Names.

A List of the Names of the individuals employed to assist  
 in running, measuring, or marking the lines and corners  
 described in the foregoing Field Notes of  
 the Brantshaw Traverse Line on  
 Section Line in Township 10 North-  
 Range 1 and 2 West - Tully and Salt  
 River Division

showing the respective capacities in which they acted.

	Compassman.
A M Lindsay	Chainman.
H W Schooler	Chainman.
J T Brichwood	Arxman.
John Riley	Arxman





Final Oaths of Assistants.

We hereby certify that we assisted *Omar H. Case*  
 Deputy Surveyor, in surveying  
 the Traverse line to Bradshaw  
 Mountain on section lines in Town-  
 ships N 10 North of Range No. 1 and 2  
 West: Gila and Salt River Meridian  
 Territory of Arizona

and that said Survey has been in all respects, to the  
 best of our knowledge and belief, well and faithfully sur-  
 veyed, and the boundary monuments planted according to  
 the instructions furnished by the Surveyor-General.

*A. M. Lindsay*  
*H. W. Schooler*  
*J. T. Brickwood*  
*John Riley*

Subscribed and sworn to before me  
 this 20th day of *Nov.* 1871.

*E. W. Wells*  
 Clerk Dist Court  
 3<sup>d</sup> dist A.T.

Final Oath of Deputy Surveyor.

I, Omar H. Lease

Deputy Surveyor, do solemnly swear that, in pursuance  
with a contract with John Wapson

United States Surveyor-General for Arizona, bearing date  
the 17 day of July 1871, I have well, faithfully  
and truly, in my own proper person, and in strict con-  
formity with the instructions furnished by the Surveyor-  
General, the Surveying Manual, and the laws of the  
United States, surveyed all those parts or portions of

The Bradshaw Traverse line on  
section lines in Township No 10 North  
Range 1 and 2 West, Coconino and  
Salt River Meridian



as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

McLasi  
 U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 20  
 day of Nov. 1871

Edw. Wells  
 Clerk Dist Court  
 3<sup>d</sup> Dist Ark.



Surveyor General's Office  
 Tucson Ariz.

January 29, 1873

The foregoing field Notes of the survey  
 of the Exterior lines of Townships 13 N.  
 Range 2 W. (including 6 miles  $\frac{3}{8}$  Standard)  
 12 N. Range 4 W. 11 N. Range 3 W.  
 and 10 N. Range 3 W. — Section lines  
 in Townships 10  $\frac{1}{2}$  11 N. Range 3 W.  
 and Bradshaw Traverseline on sec-  
 tion lines in Tps 10 N. Range 1  $\frac{1}{2}$  2 W.,  
 Gila & Salt River Base  $\frac{1}{2}$  Meridian line  
 in the Territory of Arizona, executed  
 by O. H. Case Cf. Deputy Surveyor under  
 his contract dated July 17<sup>th</sup> 1871, having  
 been critically examined, the ne-  
 cessary corrections and explanations  
 made, the said field Notes  
 and the surveys they describe  
 are hereby approved.

A. M. Wasson  
 Cf. Surveyor General  
 for Arizona