

FIELD NOTES

1 6 6 2.

Of the Exterior Lines of
Township 13 N., Range 5 W., and
7 N., Ranges 4 and 5 W., of the
Gila and Salt River Meridian,
Arizona Territory

By S. W. Foreman, Dep. Sur-
veyor under his contract of Octo-
ber 14, 1871.

Survey commenced Jan'y. 6, 1872
Survey completed Jan'y. 25, '72

1 6 6 2.

Transcript sent to Commission-
er, March 20, 1872.

BOOK 1662

| | | | | | |
|--------------|----|----------------|--------------|--------------|--------------|
| | | 8 | 7 | 6 | 5 |
| | | 4 | 3 | 2 | 1 |
| 4 | 18 | P. 177, P. 57A | | | |
| 3 | 19 | | | | |
| 2 | 30 | | | | |
| 1 | 31 | | | | |

| | | | | | | | | | | | | | | | | | |
|----|----|----------------|----|----|--|--|--|--|--|----------------|----|----|--|----|----|----|----|
| 9 | 6 | | | | | | | | | 26 | 27 | 28 | | | | | |
| | | | | | | | | | | 6 | 5 | 4 | | | | | |
| 10 | 7 | | | | | | | | | | | | | | | | |
| 11 | 18 | P. 177, P. 57A | | | | | | | | P. 177, P. 47A | | | | | 13 | 25 | |
| 12 | 19 | | | | | | | | | | | | | | 24 | 24 | |
| 13 | 30 | | | | | | | | | | | | | | 25 | 28 | |
| 14 | 31 | 32 | 33 | 34 | | | | | | | | | | 34 | 35 | 36 | 22 |
| | 15 | 16 | 17 | 18 | | | | | | | | | | 19 | 20 | 21 | |

1662

BOOK 1662

Field Notes
of the Exterior Lines of
Township 13 North of
Range 5 West.
Side of Salt River Meridian
Arizona Territory

1662

Preliminary Oaths of Assistants.

~~I, _____ do solemnly
swear that I will well and truly perform the duties of
Compassman, according to instructions given me, and to
the best of my skill and ability.~~

~~Subscribed and sworn to before me, this _____ day of
1877~~

~~U. S. Deputy Surveyor.~~

We, *Geo. Ellwood* and
Joseph Bruce —

do solemnly swear that we will faithfully execute the duties
of Chain Carriers; that we will level the chain upon uneven

ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines, that we will assist in measuring, to the best of our skill and ability.

Joseph Fernal
George Ellwood
Fred. Snider.

Subscribed and sworn to before me, this 9th day of
December 1871

U. S. Deputy Surveyor.

E. J. Wells
Clerk District
3^d District.

We Fred Sneider & James Baker
 do solemnly swear that I will well and truly perform the
 duties of Assessor & Taxgatherer
 according to instructions given me, and to the best of my
 skill and ability.

Fred. Sneider
 James Baker

Subscribed and sworn the to before me, this 9th
 day of December 1871

U. S. Deputy Surveyor.

C. W. Wells
 Clerk Dist Court
 2^d Dist Ark.



West boundary of Township 13N. Range 5N.
 6th & Salt River Meridian

- 10.00 Begin on the 3^d Standard Par-
 allel North at the Standard
 cor. to Townships 13N. of Ranges
 5th & 6th N and run thence
 North between secs 31st & 36th
 var. $13^{\circ}42'$ East
 (as per Standard line as run by myself)
- 10.00 Set a '4 sec. cor. stone $16 \times 10 \times 6$
 in. as per instructions.
 No trees near.
- 20.00 Set a stone $18 \times 10 \times 10$ in. as per
 instructions for the cor. to sections
 30, 31, 25th & 36.
 No trees near.
- Land broken and stony
 Soil poor.
 No timber.

West boundary of Township 13 North Range 5 N.

Gila & Salt River Meridian

To North

between sections 25th & 30

var. 13° 42' East

40.00 Set a $\frac{1}{4}$ sec. cor. stone 12 x
10 x 6 in. as per instructions
No trees near.

66.50 Deep gulch runs N. E.

80.00 Set a stone 12 x 12 x 12 in. as
per instructions for the cor. to
secs.

19. 30. 24th & 25th

No trees near.

Land broken and stony
Orid pass.

No timber.

West boundary of Township 13 N. Range 5 N.

Gila ^{and} Salt River Meridian

to North

between secs. 19 ^{and} 24.
var. 13° 42' East

40.00 Set a 1/4 sec. cor. stone 14 x
12 x 8 in. as per instructions
No trees near.

80.00 Set a stone 16 x 10 x 10 in. as
per instructions for the cor
to sections

18. 19. 13 ^{and} 24

No trees near.

Land broken hills

Soil poor ^{and} rocky

No timber.

West boundary of Township 13 N. Range 5 W.

Gila and Salt River Meridian

Go North between secs 13th & 18,
 cor. 13° 42' East
 40.00 Set a 4 sec. cor. stone 14 x 12 x
 12 in. as per instructions
 No trees near

80.00 Set a stone 12 x 10 x 10 in.
 as per instructions for the
 cor. to secs
 7. 18. 12th & 13.

No trees near.
 Sand broken hills.
 Soil poor. No timber.

And in less than half a mile North
 from this point the line becomes
 impracticable on account
 of a deep and precipitous
 Cañon, so I cannot extend
 this line any farther.

North Boundary of Township
13 North Range 5 West
Gila and Salt River Meridian

North boundary of Township 13 N. Range 5 N.
Gila & Salt River Meridian

As the N. W. corner of this Township cannot be established I begin at the cor. to Townships 13th & 14th N. of Ranges 4th & 5th W. and run thence West. on true line bet. secs 1st & 36 var. 14° East.

(as per transit observation of Polaris)

40.00 Set a 1/4 sec. cor. stone 14 x 10 x 5 in. as per instructions

No trees near.

38.00 Summit of mountain 500 ft. high bears N. W. ^{3/4} S. E.

80.00 Set a stone 18 x 10 x 6 in. as per instructions, for the cor. to sections 1, 2, 35th & 36.

No trees near.

Land broken and rocky.

Soil poor.

No timber.

6 North boundary of Township 13 N. Range 5 W.

Gila & Salt River Meridian

to West.

on true line bet. secs 2 ^{and} 35
var. 14° East

40.00 Set a 1st sec. cor. stone 15 x 10 x
6 in. as per instructions
No trees near.

80.00 Set a stone 14 x 10 x 10 in. as
per instructions for the cor.
to secs.

2. 3. 34 ^{and} 35

No trees near.

Land broken & mountainous
Coil pror.

No timber.

North boundary of Township 13 N. Range 5 W.

Gila and Salt River Meridian

Set West. corner line bet. secs 3¹/₂ & 34
var. 14° East

40.00 Set a 1/4 sec. cor. stone 16 x
10 x 8 in. as per instructions
No trees near.

80.00 Set a stone 18 x 10 x 6 in. as
per instructions for the
cor. to sections
3, 4, 33¹/₂ & 34.
No trees near.

Land broken & mountainous
Soil poor
No timber.

North boundary of Township 13 N. Range 5 W.

Gila ^{and} Salt River Meridian

This West. corner hatched sec. 4 ^{and} 33.
var. 14° East

40.00 Set a 1/4 sec. cor. stone 12 x 10 x
10 in. as per instructions

No trees near.

80.00 Set a stone 18 x 10 x 10 in. in
a stone mound, as per in-
structions for the cor. to sec.
4, 5, 32 ^{and} 33

No trees near

Sand broken, Soil poor. Not timber

And in less than 40 chains
N. from this point, the line
becomes impracticable and
cannot be extended any
farther in account of deep
impassable cañons.

S. W. Foreman
Jan 6th 1872 A. Dep. Sec

8

3 Contract

Deputy Surveyor.

T. _____ R. _____

Meridian.

~~BOOK~~ 1662

Field Notes

OF

the Exterior lines of
Townships 7 N. Range 4 & 5 West
Gila Salt River Meridian, California,

BY

S. N. Foreman Deputy Surveyor,

under his contract of _____ 18

Survey commenced _____

Survey completed _____



Platted, _____

Copied for Washington, _____

Transcript sent to Commissioner, _____

20 miles Transcribed

Field Notes
of the Exterior Boundaries
of Townships 7 North.
of Ranges 4th & 5 West.
Gila^{nm} Salt River Meridian
Arizona Territory

West Boundary of Township of
N. Range 3 N. Gila ^{and} Salt River Meridian

West Boundary of Township 7 N.
Range 5 W. Gila Co. Salt River Meridian

Begin at the corner to town-
ships 7th & 8 N. of Ranges 5th
& 6 West. and run thence
South between secs. 1st & 6.
var. $13^{\circ}38'$ East
(as per transit observation of Polaris)
40.00 Set a $\frac{1}{4}$ sec. cor. post in a
mound and pits as per in-
structions.

No trees near.
61.50 Dry creek 10 ft wide runs E.
80.00 Set a post in a mound and
pits as per instructions, for
the cor. to secs.
6. 7. 1st & 12

No trees near.
Land rolling.
Soil 2nd rate sandy loam.
Scattering mesquite brush

West boundary of Township 7 N. Range 5 N.
 6th Salt River Meridian

To South. bet. secs 7^{th} & 12^{th}
 var. $13^{\circ}58'$ Each

34.75 Old road bears N. E. $\frac{1}{2}$ S. W.

40.00 Set a $\frac{1}{4}$ section cor. post in a
 mound and pile as per in-
 structions.

80.00 Set a post in a mound and
 pile as per instructions for
 the cor. to sections
 7^{th} , 18^{th} , 12^{th} $^{\text{th}}$ 13^{th} .

No trees near.
 Land rolling
 Soil 2nd rate for grass
 No timber on line

West boundary of Township 7N. Range 5W.
 6th Salt River Meridian

To South between sec. 13^{and} 18.
 var. 13° 58' East
 27.50 Dry creek 5 buks wide runs N.E.
 40.00 Set a 1/4 sec. cor. post in a
 mound and pits as per instruc-
 tions
 No trees near.

80.00 Set a post in a mound and
 pits as per instructions
 for the cor. to secs
 18, 19, 13^{and} 24.
 No trees near.

Land rolling hills
 Soil 3' rate.
 Scattering Mesquite brush.

West boundary of Township 7 N. Range 57 W.

Gila & Salt River Meridian

Sec. 24 South, Tetonensis 19th 24
var. 13' 58" East

40.00 Set a 1/4 sec. cor. stone 14 x
10 x 6 in. as per instructions
No trees near

80.00 Set a stone 14 x 9 x 6 in.
as per instructions for the
cor. to sections
24, 25, 19th & 30.
No trees near.

Land rolling hills
Soil 3rd rate.
No timber.

West boundary of Township 7 N. Range 5 N.
 6th Salt River Meridian

The South between secs 25th & 30th
 var. 13° 58' East

23.75 Road bears N. E. $\frac{1}{4}$ S. W.

40.00 Set a $\frac{1}{4}$ section cor. post in
 a mound, and pits as per
 instructions

80.00 No trees near.
 Set a stone 18 x 10 x 6 in.
 as per instructions for the
 cor. to secs.

30.31. 25th & 36.

No trees near.

Sand rolling.

Soil 3rd rate.

Scattering brush and grass.

West boundary of Township 7 N. Range
5 N. Gila ^{and} Salt River Meridian

Set South. between secs 31 ^{and} 36
var. $13^{\circ}58'$ East

40.00 Set a $\frac{1}{4}$ sec. cor. post in a
mound and pits as per
instructions

No trees near.

80.00 Set a stone $16 \times 10 \times 6$ in. as
per instructions for the cor.
to sections

31. 36. 1 ^{and} 6.

No trees near.

Land rolling hills
Soil 3rd rate.

No timber.

South Boundary of Township
24 North of Range 5 West
64th ²³ Salt River Meridian

South Boundary of Township 41 N. Range 5 W.

Gila ⁴¹/₄ South River Meridian

Ch's As only a portion of this line
can be run I begin at the
S. W. cor. to section 31 and run
East. on true line bet. secs 31 ⁹/₆.
var. $13^{\circ} 58' E.$
(as per West. boundary)

40.00 Set a ¹/₄ sec. cor. stone $12 \times$
 10×8 in. as per instructions
No trees near.

80.00 Set a stone $16 \times 10 \times 6$ in as per
instructions for the cor. to secs
 $31, 32, 5$ ⁹/₆.
No trees, near.

Land rolling hills
Soil 3rd rate.
No timber.

South boundary of Township 24 N. Range 5 W.

Set a ⁴/₄ Salt & Rock Meridian

Rs East on a true line bet. sec. 32 ⁹/₄ 3
var. 13° 58' East

40.00 Set a ⁴/₄ sec. cor. post in a mound
and pits as per instructions
No trees near.

80.00 Set a stone 16 x 10 x 5 in. as
per instructions for the cor. to
sections

32. 33. 4 ⁹/₄ 5.

No trees near.

Land rolling hills

Soil 3rd rate.

No timber.

South boundary of Township 7N. Range 5W.
 6th Salt River Meridian

Set East on true line bet. secs 33⁴/₄ & 34.
 var. 13°58' East

40.00 Set a 1/4 sec. cor. post in a
 mound and pits as per in-
 structions
 No trees near.

80.00 Set a stone 16 x 8 x 6 in. as per
 instructions for the cor. to secs
 33⁴/₄ & 34, 3⁴/₄ & 4.
 No trees near.

Land rolling hill.
 Soil poor.
 No timber.

South boundary of Township 4^N. Range 5^W.

Go ^{1/4} Salt River Meridian

Go East, on true line bet. secs 34 & 35
var. 13° 38' East

40.00 Set a ^{1/4} sec. cor. post in a
ground and pits as per
instructions

No trees near.

43.00 Begin ascent of high rocky
mountain

80.00 Set a stone 16 x 10 x 8 in as per
instructions for the cor. to
sections

34.35.2 ^{1/4} 3

No trees near.

Land broken and rough
Soil poor. No timber.

And the mountain is too
precipitous to run this line
any farther East.

Route July 24th 1872

General Description

There is but little agricultural land in this Township but is well adapted to grazing purposes.

The town of Wickenburg is situated on the North half of section 12, and the Vulture Quartz mill is in section 1, on the right bank of the Neasayampa River.

D. W. Foreman
A. Deputy Surveyor

Part of the
South Boundary of Townships
24 North. Range 4 West
Gila ^{and} Salt River Meridian

South boundary of Township 7 N. Range 4 N.

6th Salt River Meridian

- 3rd Begin on the South boundary
at the cor. to secs. 33, 34, 3rd & 4th
and run
East on true line bet. secs 34th & 3rd
var. $13^{\circ}50'$ East
(as per S. line of section 33)
- 40.00 Set a $\frac{1}{4}$ sec. cor. stone $14 \times$
 10×6 in. as per instructions
No trees near.
- 45.00 Steep ascent bears S. E. $^{\text{nd}}$ N. N.
- 55.00 Top of same
- 80.00 Set a stone $16 \times 10 \times 8$ in. and
marked as per instructions
for the cor. to sections
34, 35, 2nd & 3.
- No trees near.
- Land steep N. slope of moun-
tain and rough.
- Soil 2nd rate for grass
No timber

South boundary of Township 7 N. Range 4 W.

Gila Salt River Meridian

Set East on true line bet. secs 35 & 36
var. 13° 50' East.

40.00 Set a 1/4 sec. cor. stone 14 x 12 x
5 in. as per instructions
No trees near.

50.00 Set a stone 12 x 12 x 6 in. as
per instructions for the
cor. to secs
35, 36, 1 & 2.
No trees near.

Land very broken
Soil 3rd rate
No timber.
Some grass.

South boundary of Township 4 N. Range 4 W.

6th & Salt River Meridian

Ch East. corner line bet. secs 36th & 1.
var. 13° 50' East

40.00 Set a 1/4 sec. cor. stone 14 x 10 x
6 in. as per instructions
No trees near.

80.00 Set a stone 18 x 10 x 10 in. as
per instructions for the cor.
to sections
36. 1. 6th & 31.

No trees near.

Land broken stony &
mountain slope.

Soil poor.

No timber.

East. Boundary of Townships
4 North. Range 4 West
Gila ^{and} Salt River Meridian

East boundary of Township 7 N. Range 4 N.
 Tda³ Salt River Meridian

Begin at the cor. to Town-
 ships 6th 7 N. of Ranges
 3rd 4 N. and run
 North between secs 31st & 36th
 var. 13' 50' East.

(as per South boundary)

40.00 Set a 1/4 sec. cor. stone 16 x
 10 x 8 in. as per instructions
 No trees near.

80.00 Set a stone 16 x 10 x 10 in.
 and marked as per instruc-
 tions, for the cor. to secs
 25, 36, 30th & 31.

No trees near.

Land broken & stony.

Soil poor.

No timber.

East boundary of Township 7 N. Range 4 N.

Gila Salt River Meridian

North, between secs 25th & 30.
var. 13° 58' East

- 1st 4.00 Deep gulch runs N.
- 40.00 Set a 1/4 sec. cor. stone 14 x 8
x 6 in. as per instructions
No trees near.
- 50.00 Set a stone 16 x 12 x 10 in. and
marked as per instructions
for the cor. to secs.
24. 25. 19th & 30
No trees near
Land broken and stony
Soil poor...
No timber.

East boundary of Township 7 N. Range 4 N.

Gila and Salt River Meridian

No. 11000.

between secs. 19th and 24.

var. 13° 50' East

- 21.50 Deep rocky Gulch runs N.
- 40.00 Set a 1/4 sec. cor. stone 14 x
10 x 8 in. as per instructions
No trees near.
- 80.00 Set a stone 16 x 10 x 6 in. as
per instructions for the cor.
to secs.
18. 19. 13th 24
No trees near.
- Land broken
Soil poor
No timber.

East boundary of Township 7 N. Range 4 N.
Gila Salt River Meridian

As North, between secs 13¹/₂ 18
var. 13° 50' East

40.00 Set a 1/4 sec. cor. stone 14 x
10 x 10 in. as per instructions
Notices near.

80.00 Set a stone 18 x 10 x 10 in. as
per instructions for the cor.
to secs.

12. 13. 14 18.

Notices near

Land very broken & stony
Soil poor. No timber

And from here North, the
mountain is so precipitous
that this line cannot
be extended any farther.

North Boundary of Township
of N. Range 4 West.
Gila and Salt River Meridian

North boundary of Township 7 N. Range 4 N.

Gila Salt River Meridian

No 3 Begin at the N. W. corner of
the Township and run
East on true line bet. secs 6 ¹/₄ 31
var. 13° 41' East
(as per East boundary line)

40.00 Set a ¹/₄ sec. cor. stone 12 x
10 x 8 in. as per instructions
No trees near.

72.00 Deep gulch runs S. W.

80.00 Set a stone 18 x 10 x 8 in. as
per instructions for the cor.
to secs

5. 6. 31 ¹/₄ 32.

No trees near

Land very broken and
stony. Soil poor.
No timber.

North Boundary of Township 4 N. Range 45 W.
Gila & Salt River Meridian

1st East, on true line bet. secs 5th & 32nd
var. 73° 41' East

33.75 Deep gulch runs S. W.

40.00 Set a stone 16 x 10 x 6 in. as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near

80.00 Set a stone 14 x 10 x 8 in. as per
instructions for the cor. to secs
4, 5, 32nd & 33.
No trees near.

Land broken

Soil poor

No timber.

North boundary of Township 7 N. Range 4 N.

Side of Salt River Meridian

To East. on true line bet. secs. 4th & 33.
var $13^{\circ}41'$ East

40.00 Set a 74 sec. cor. stone 14×12
 $\times 5$ in. as per instructions.
No trees near.

80.00 Set a stone $14 \times 10 \times 5$ in.
as per instructions for the
cor. to sections
3, 4, 33th & 34

No trees near.

Land broken. Soil poor
No timber.

And from this point East
the mountain is so abrupt
that this line cannot be
extended farther to the
East.

Date July 25 1872

General Description

The Kassanampa River passes through the S. W. part of this Township and there is some very good bottom land along the margin of it, and the adjacent foot hills produce good grass in abundance which renders this a good grazing country.

S. W. Foreman
Adj. Dep. Surveyor

Surveyor General's Office
Tucson, Ariz.

March, 20th 1872

The foregoing field notes of the survey of the Exterior lines of Townships 13 N. Range 5 W. and 7 N. Ranges 4 and 5 W. of the Gila and Salt River Base and Meridian lines in the Territory of Arizona, executed by S. H. Foreman U. S. Dep. Surveyor under his contract dated October 14th 1871, having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John W. Mason
U. S. Surveyor General.

List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of Extension boundary lines of Townships 13 T. R. 5 N., and 7 N. Rgs 4 & 5 W., G. & Salt River Base and Meridian lines

showing the respective capacities in which they acted.

| | |
|--------------|-------------|
| Geo. Ellwood | Compassman. |
| Joseph House | Chainman. |
| Fred Suida | Axeman. |
| James Baker | Relayman |



Final Oaths of Assistants.

We hereby certify that we assisted Solomon W.
~~Harman~~ Deputy Surveyor, in surveying
 the Eastern Boundary lines of Township
 13 N. R. 5 N. ^{4th} & N. Rps 4 & 5 W.
 Cita and Salt River Base and
 Meridian lines

and that said Survey has been in all respects, to the
 best of our knowledge and belief, well and faithfully sur-
 veyed, and the boundary monuments planted according to
 the instructions furnished by the Surveyor-General.

George E. Murd
 Fred. Snider
 Joseph Samuel
 James B. Baker

Subscribed & Sworn to before
 me this 21st day of February 1872
 Jno. C. Anderson
 Probate Judge
 Pinedale

Final Oath of Deputy Surveyor.

I, *Solomon W. Forman*
 Deputy Surveyor, do solemnly swear that, in pursuance
 with a contract with *John Wesson*
 United States Surveyor-General for Arizona, bearing date
 the 14th day of *October* 1871, I have well, faithfully
 and truly, in my own proper person, and in strict con-
 formity with the instructions furnished by the Surveyor-
 General, the Surveying Manual, and the laws of the
 United States, surveyed all those parts or portions of
 the Exterior Boundary lines of
 Townships 13 N. R. 5 N., and
 7 N. Rgs 4 & 5 N. Gila and
 Salt River Base and Meridian
 lines



as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

Salomon W. Hornum
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 2^{10th}
day of February 1872

Pro. Auditor

Probate Judge

Pinna

