

1664

See Index

Field Notes

OF THE SURVEY OF

BOOK 1664

1664

*Exterior Boundary
lines of Townships 13th.*

Range 3 E. & 1st N. R. 11th

1664

Gila and Salt River Base and Meridian

ARIZONA.

By *C. Burton Foster* D. S.

Under contract dated *Oct. 29* 1874.

Survey commenced *Dec. 11* 1874.

Survey completed *Dec. 31* 1874.

1664

1664

BOOK 1664

India

Ret. - T. 13 N. S.	R. 2 + 3 E.	Page 1
" - " " " "	" 3 + 4 "	7
" - " 13 + 14 "	" 3 "	13
" - " 14 "	" 4 + 5 W	20
" - " 14 + 15 "	" 4 " W	20

BOOK 1664

25	25	26	27		
246	5	4	3		
237					
2218	D. 4 N. R. 4 E.				
2119					
2130					
2031					

13	14	15	16	17	18
66	5	4	3	2	1 12
57					12 11
418	D. 13 N. R. 3 E.				13 10
319					24 9
220					25 8
121					36 7

PRELIMINARY OATHS OF ASSISTANTS.

WE, *George Carr*
 and *Richard Shreve*
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

George Carr
Richard Shreve

Sworn to and subscribed before me, this 16th
 day of November, 1874

E. W. Wells
 Clerk U. S. Dist Court
 3rd Dist of Arizona

~~100,~~ William H Foster

do solemnly swear that ~~we~~ I will well and truly perform the duties of Attorney

according to instructions given ~~us~~ ^{me} and to the best of ~~my~~ ^{my} skill and ability.

William H Foster

Sworn to and subscribed before me this 16th day of November 1874

E. W. Wells
Clerk U. S. Dist Court
3rd Dist of Arizona



274
274

Field Notes

of
The exterior Boundary Lines
of
Township 13 North Range 3 East
Gila and Salt River Meridian
Territory of Arizona
Surveyed by
C. Burton Foster
U.S. Dep Surveyor

Under his contract of
October 29th 1874

Survey commenced Dec 11th 1874
" completed " 16th 1874

Between Townships 13 N Ranges 2 & 3 E.

Gila and Salt River Meridian

chs

Begin at the established standard
cor to Townships 13 North between
Ranges 2 & 3 East the cor a
mound of earth with pits and
with marked and notched stake
in east pit thereof.

From which cor I run
North between Sec's 31 & 36

To $14^{\circ}25'$ East

as per Reuts Improved Solar
Compass

41.00 Remote from stone and timber
drive charred stake 12 in down
and build mound of earth 2 ft
high with pits $2 \times 1 \times 1$ ft
for $\frac{1}{4}$ Sec Cor. No trees near

80.00 Set a granite stone $16 \times 12 \times 6$ ins
 $\frac{2}{3}$ in the ground properly notched
and build a mound of stone 2 ft

Between Townships 13 N Ranges 2 & 3 E.

Gila and Salt River Meridian

chs

on N side for Cor to Sec's 25, 30,
31 & 36

No trees near

Land rolling Mesa

Soil 2nd & 3^d rate

Grasses abundant

No timber or undergrowth

North between Sec's 25 & 30

7a 14° 25' East

40.00

Remote from stone and timber
drive charred stake 12 in down
and build mound of earth 2 ft
high with pits 2x1x1 ft
for 1/4 sec cor. No trees near

80.00

Set a post marked and notched
4 ft long 3 in squared 1 ft in the
ground deposit marked stone
and build mound of earth 2 ft
high with pits 2x1x1 ft for

Between Townships 13 N Ranges 2 & 3 E

Gila and Salt River Meridian

Chs

Cor to Sec's 19 24 25 & 30.

No Trees near

Land gently rolling

Soil 2nd rate

No Timber

North between Sec's 19 & 24

Va $14^{\circ} 25'$ East

24.40 Ash creek 25 lks wide
flows S. E.

40.00 Set a post marked $\frac{1}{4}$ S 4 ft long
flattened 3 in wide 1 ft in the
ground deposit marked stone 12 in
down and build mound of earth
2 ft high with pits 2 x 1 x 1 ft
for $\frac{1}{4}$ sec cor No Trees near

80.00 Set a granite stone 12 x 10 x 8 ins properly
notched set $\frac{2}{3}$ in the ground and
build mound of rocks 2 ft high
on N side for Cor to Sec's 13. 18. 19. & 24.

Between Townships 13 N Ranges 2 & 3 E.

Gila and Salt River Meridian

Chs

No Trees near
Land gently rolling mesa
Soil 2nd rate
Timber ash on banks of ash creek

North between Secs 13 & 18
Va $14^{\circ}25'$ East

- 30.00 Leave rolling Mesa and
enter level land
- 41.00 Set a lime stone $15 \times 12 \times 8$ ins
marked $\frac{1}{4}$. set $\frac{2}{3}$ in the ground
and build a mound of earth 2 ft
high with pits $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec cor
No Trees near
- 55.00 Trail bears E & N
- 81.00 Set a post marked and notched 4 ft long
3 in squares 1 ft in the ground drive
charred stake and build mound of earth
2 ft high with pits $2 \times 1 \times 1$ ft
for cor to Sec's 7. 12. 13 & 18.

Between Townships 13 N Range: 2 + 3 E.

Gila and Salt River Meridian

chs

No trees near
Land mostly level
Soil 1st and 2nd rate
A few cedars comprise all the timber

North between Secs 7 + 12
Va 14° 25' East

40.00 Set a granite stone 24 x 18 x 6 ins
marked 1/4 set 3/4 in the ground
for 1/4 Sec Cor. No trees near

80.00 Set a granite stone 21 x 18 x 10 ins
properly notched set 3/4 in the ground
and build mound of stone 2 ft high on N side
for cor to Secs 1, 6, 7, + 12

No trees near
Land rolling
Soil 2nd + 3^d rate
Timber a few cedars
Undergrowth Oak & Manzanita

Between Townships 13 N Ranges 2 + 3 E

Gila and Salt River Meridian

chs

North between Secs 1. + 6.

Va $14^{\circ} 25'$ East

- 32.50 U.S. Military Telegraph line bears E + N.
- 33.00 Road to Prescott bears E. + N.
- 41.11 Set a post marked $\frac{1}{4}$ 4 ft long flattened 3 in wide 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits 2 X 1 X 1 ft for $\frac{1}{4}$ Sec Cor
No trees near
- 81.11 Set a post marked and notched $4\frac{1}{2}$ ft long 4 in square 1 ft in the ground deposit stone marked + and build mound of stone $2\frac{1}{2}$ ft high for Cor to Secs 1.6.31 + 36. and to Townships 13 + 14 N Ranges 2 + 3 E
No trees near
The Prescott and Camp Verdi Road bearing N. N. E. + S. W.

Between Townships 13 N Ranges 2 and 3 E

Gila and Salt River Meridian

cks

is met from the cor 5 chains distant
Land rolling Soil 3^d rate

No Timber undergrowth

Oak and Manzanita

December 14th 1874

Between Townships 13 N Ranges 3 + 4 E.

Gila and Salt River Meridian

From the Standard cor to Townships
13 N between Ranges 3 and 4 E I run
North between Sec's 31 & 36

Pa 14° 25' East

4 11. 11 Set a lime stone 14 x 8 x 8 ins marked
1/4 Set 2/3 in the ground for 1/4 Sec cor
No trees near

72.20 Gulch bears N

8 11. 11 Set a granite stone 12 x 12 x 8 ins
properly notched set 2/3 in the
ground and build mound of stone
2 ft high on N side for cor to

Between Townships 13 N Ranges 3 and 4 E.

Gila and Salt River Meridian

Chs

Secs 25, 30, 31 & 36 from which
 a cedar 12 ins dia bears S 85°
 N 90 Ws dist. No others near
 Land rolling and sloping S.W.
 Soil 2nd + 3^d rate
 Timber a few scattering Cedars

North between Sec's 25 + 30
 Va 14° 25' East

0.15 Rocky Gulch bears N W

4 1.1 11 Set a line stone 12x10x6 ins
 marked 1/4 set 2/3 in the ground and
 build mound of stone 2 ft high for
 1/4 Sec Cor. No trees near

7 7.5 11 Gulch bears W

8 11.0 11 Set a line stone 24x18x6 ins
 3/4 in the ground properly notched
 and build mound of stone 2 ft high for cor
 to Sec's 19, 24, 25 + 30. No trees near. Land rolling and
 sloping meet -
 Soil 2nd rate

Between Townships 13 N Ranges 3 and 4 E.

Gila and Salt River Meridian

ds

Some cedars mostly east of line

North between Sec's 19 + 24

Pa $14^{\circ} 25'$ East

5.00 Gulch bears S.W. and begin ascent
of rolling hills

19.50 Summit and line continues along
W slope of hills

40.00 Set a lime stone $14 \times 12 \times 8$ ins Marked
 $1/4$ set $2/3$ in the ground for $1/4$ Sec Cor.
No trees near

68.00 Gulch with rocky sides 150 lks wide
bears W N W

80.00 Set a post marked and notched 4 ft
long 3 in square 1 ft in the ground
deposit stone marked + and build mound
of earth 2 ft high with pits $2 \times 1 \times 1$ ft
for Cor to Sec's 13, 18, 19 + 24.

No trees near

Land rolling

Between Townships 13 N Ranges 3 and 4 E

Gila and Salt River Meridian

Chs.

Soil 2nd rate

A few Cedars along the line

North between Secs 13 & 18

7¹/₂ Va 14° 23' East

12.11 Enter Cañon with abrupt precipitous wall 200 ft high

16.00 Ciuega Creek 35 lks wide flows W.

19.51 Leave Cañon and enter rolling mesa

41.11 Set a lime stone 16x10x8 ins marked 1/4 set 2/3 in the ground for 1/4 Sec Cor No trees near

74.00 Wash 50 lks wide flows W

81.11 Set a red volcanic rock 12x10x8 ins properly notched set 2/3 in the ground for cor to Secs 7, 12, 13, & 18.

from which

A cedar 20 ins in dia bears

S 10° E 105 lks dist

Between Townships 13 N Ranges 3 & 4 E

Gila and Salt River Meridian

chs

No other near

Land rolling and broken

Soil 2nd & 3^d rate

Timber a few Cedars

North between Secs 7 & 12

Var $14^{\circ} 23'$ East

40.00 Set a post marked $\frac{1}{4}$ S $4\frac{1}{2}$ ft long
flattened 3 in wide 1 ft in the
ground drive charred stake and build
a mound of earth 2 ft high with pits
2x1x1 ft for $\frac{1}{4}$ Sec Cor

No trees near

65.25 U.S. Military Telegraph line
bears E & W

66.00 Trail to Camp Verdi bears E & W

80.00 Set a granite stone 15x12x12 ins
properly notched set $\frac{2}{3}$ in the ground
and build a mound of stone 2 ft high
on N side for Cor to Secs 1, 6, 7, & 12.

Between Townships 13 N Ranges 3 and 4 E.

Gila and Salt River Meridian

chs

No trees near
Land rolling
Soil 2nd rate
Timber a few Cedars

North between Secs 1 & 6
Ta 14° 23' East

- 21.00 Trail bears E & W
- 40.00 Set a granite rock 18x12x6 ins
marked $\frac{1}{4}$ set $\frac{3}{4}$ in the ground
for $\frac{1}{4}$ Sec cor No trees near
- 52.00 begin ascent Black Hills
- 80.00 Set a lime stone 15x8x6 ins properly
notched set $\frac{2}{3}$ in the ground and build
mound of stone $2\frac{1}{2}$ ft high on N side
for Cor to Secs 1, 6, 31, & 36, and to Sp's 13 & 14 N
Ranges 3 & 4 East. No trees near
Land rolling and sloping S.W.
Soil 2nd & 3^d rate.

Timber scattering Cedars -
15th December 1874

Between Townships 13 & 14 N. Range 3 E

Gila and Salt River Meridian

Chs.

From the Cor to Townships 13 & 14
N Ranges 3 & 4 E I run
West on random line
between said Townships

Va $14^{\circ}23'$ East

as per Burts Improved Solar Compass.

I set temporary $\frac{1}{2}$ mile and mile posts
at every 40. and 80 chains. I find the Sp
line to be 5 miles 79 chains and 65 links
and the falling to be 70 lks S of the Sp Cor.

Therefore the correction for true line
will be 35 lks West and 11 links north
per mile.

From the Cor to Sp's 13 & 14 N Ranges
2 and 3 E

I run

S $89^{\circ}55'$ E on true line between
Secs 6 & 31

Va $14^{\circ}23'$ East

39.65 Set a granite stone $14 \times 12 \times 4$ ins marked

Between Townships 13 & 14. N Range 3 E.

Gila and Salt River Meridian

chs

1/4 set 2/3 in the ground for 1/4 Sec Cor

No trees near

79.65 Set a granite boulder 24 x 20 x 15 ins prop-
-only notched set 3/4 in the ground and
-build mound of rocks 2 ft high on E side
-for Cor to Secs 5, 6, 31, & 32.

No trees near

Land rolling South slope Black Hills
Soil 3^d rate and worthless

No timber. Considerable undergrowth
of Oak and Manzanita brush

S 89° 55' E on true line

between Secs 5 & 32

Ya 14° 23' East

2.00 Gulch bears S

4 11.00 Set a post marked 1/4 S 4 ft long flat=
-tens 3 in wide 1 ft in the ground dep-
-osit stone marked + and build mound of
-stone 2 ft high for 1/4 Sec Cor

No trees near

Between Townships 13+14 N Range 3 E.

Gila and Salt River Meridian

chs
65.00 Gulch bears S
80.00 Set a granite stone 12x10x6 ins properly
notched set $\frac{2}{3}$ in the ground and build
mound of stone 2 ft high on E side for
Cor to Secs 4, 5, 32+33
No trees near
Land rolling and broken
Soil 3^d rate and worthless
No timber, undergrowth Oak and Mangumita

S 89° 55' E on true line
between Secs 4+33

40.00 Set granite ^{stone} 21x21x15 ins marked
 $\frac{1}{4}$ set $\frac{3}{4}$ in the ground for $\frac{1}{4}$ Sec Cor
No trees near

54.00 Deep Gulch with rocky sides flows S. E.

80.00 Set a granite rock 30x20x20 ins prop-
erly notched set $\frac{3}{4}$ in the ground and
build mound of rocks on E side for

Between Townships 13 & 14 N Range 3 E

Gila and Salt River Meridian

chs.

Cor to Sec's 3, 4, 33 & 34

No trees near

Land rolling and slope Black Hills

Soil worthless no timber

Undergrowth Oak and Manzanita

S $89^{\circ}55'$ E on true line
between Sec's 3 & 34

N $14^{\circ}23'$ East.

32.00

Begin descent into Cañon
bearing N E and S

41.00

Set volcanic ^{rock} $16 \times 8 \times 8$ ins Marked $1/4$
set $2/3$ in the ground for $1/4$ Sec Cor
No trees near

44.50

Bottom of Cañon and rocky Gulch
flows S

54.00

Leave Cañon and slope of mountains
becomes more gradual

80.00

Set a granite rock $20 \times 15 \times 8$ ins properly
notched set $3/4$ in the ground for

Between Townships 13 & 14 N Range 3 E.

Gila and Salt River Meridian

chs

Cor to Secs 2, 3, 34 & 35 from which
a cedar 12 in dia bears at 82° N 160
lks dist no others near.

Land S slope Black Hills

Soil 3^d rate and worthless

A few Cedars - no undergrowth.

S $89^{\circ}55'$ E on true line
between Secs 2 & 35

Va $14^{\circ}23'$ East

36.00 Gulch flows S. W.

40.00 Set granite stone $14 \times 14 \times 6$ ins marked
 $1/4$. Set $2/3$ in the ground for $1/4$ Sec Cor
No trees near

80.00 A granite rock projecting 2 ft above
the ground 4×4 ft which I notch on E &
W sides and build thereon mound of rocks
2 ft high for Cor to Secs 1, 2, 35 & 36
No trees near

Land rolling and sloping south

Between Townships 13 and 14 N Range 3 E.

Gila and Salt River Meridian

Chs

Soil 3^d rate

No Timber

S 89° 55' E on true line
between Secs 1 + 36

Va 14° 23' East

29.00 Gulch flows S

32.50 Old Road to Camp Verdi
bears S. S. W and N. E.

40.00 Set a line stone 15 X 10 X 4 ins
marked 1/4 set 2/3 in the ground for
1/4 Sec Cor No trees near

64.00 Gulch flows S

80.00 The cor to Townships 13 + 14 N Ranges
3 + 4 E

Land rolling and sloping South
Soil 3^d rate

Timber a few scattering Cedars

16th December 1874

Between Townships 13 & 14 N Range 3 E.

Gila and Salt River Meridian

chs

General Description.

This Township contains mostly rolling land. The hills are covered with an abundance of nutritious grasses well adapted for stock raising. The bottom land suitable for farming purposes lies in the Northern central part.

There is but little timber in the Township.

The central and southwestern portions are well watered by Pienega and Ash creeks.

A few persons in the stock raising business have made locations in the Township.

L. Guston Foster
U. S. Dep. Surveyor.

Field Notes
of the
West and North boundary lines of
Township 14 N Range 4 W Gila
and Salt River Meridian
Territory of Arizona
Surveyed by
C. S. Foster
U. S. Dep Surveyor

under his contract of
October 29th 1874

Survey commenced Dec 30th 1874
" completed Dec 31st 1874

Between Ranges 4 & 5 N Township 14 N

Gila and Salt River Meridian

chs.

Begin at the established Cor to
Townships 13 and 14 N between Ranges
4 & 5 N the cor a notched stone
in a mound of stone

thence north between Secs 31 & 36

To $14^{\circ} 40'$ East

As per Buets Improved Solar Compass
continue along summit of hig hill
from cor

4 n. o o Set a lime stone $15 \times 10 \times 10$ ins marked
 $\frac{1}{4}$ set $\frac{2}{3}$ in the ground for $\frac{1}{4}$ Sec Cor
No Trees near

8 n. o o Set a lime stone $14 \times 14 \times 12$ ins
properly notched set $\frac{2}{3}$ in the ground
and build mound of stone 2 ft high on
N side for Cor to Sec's 25 30 31 & 36
No Trees near

Land summit of hill varying N & S
Soil nearly northless

No Timber

Between Ranges 4 & 5 N Sp 14 N

Gila and Salt River Meridian

Chs.

North between Sec's 25 & 30.

Ta 14° 40' East.

- 25.00 begin descent
- 40.00 Set volcanic rock 24 x 15 x 10 ins
Marked $\frac{1}{4}$ set $\frac{3}{4}$ in the ground for $\frac{1}{4}$
See Cor No Trees near
- 41.50 foot of hill and gulch bears E. S. E.
- 68.00 Wash 75 lks wide flows E
- 80.00 Set a granite stone 16 x 8 x 8 ins properly
notched set $\frac{2}{3}$ in the ground and build
mound of stone 2 ft high on it side for
Cor to Sec's 19 24 25 & 30
No Trees near
Land gently rolling and sloping N. E.
Soil poor. No Timber.
Undergrowth Oak and Manzanita brush

North between Sec's 19 & 24

Ta 14° 40' East

- 40.00 Set lime stone 14 x 10 x 10 ins marked $\frac{1}{4}$

Between Ranges 4 and 5 N. Township 14 N.

Gila & Salt River Meridian

chs

Set $\frac{2}{3}$ in the ground for $\frac{1}{4}$ Sec Cor
from which an Oak 8 in dia bears S
20° W 18 lks dist.

No others near

43.50 Wash 150 lks wide flows E

80.00 Set a granite stone 15 x 8 x 8 ins properly
notched set $\frac{2}{3}$ in the ground and build
a mound of stone 2 ft high for Cor to
Sec's 13, 18, 19 & 24.

No Trees near

Land gently rolling and sloping E

Soil poor Timber scarce.

A few Oaks and Cedars.

Manzanita and Oak undergrowth

North between Sec's 13 & 18

To 14° 40' East.

31.00 Wash 120 lks wide flows E

40.00 Set a granite rock 20 x 15 x 10 ins
marked $\frac{1}{4}$ set $\frac{3}{4}$ in the ground for $\frac{1}{4}$

Between Ranges 4 & 5 N Township 14 N

Gila and Salt River Meridian

cks.

See Cor No Trees near

80.00 Set a post marked and notched 4 ft long 3 in square 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pile 2 x 1 x 1 ft for Cor to Secs 7, 12, 13 & 18 from which an Oak 8 in dia bears N 70° W 24 lks dist. No others near

Land gently rolling and sloping East

Soil 1st & 2nd rate

Timber scattering Juniper and Oak.

North between Secs 7 & 12

Var 14° 43' East.

22.50 Arroyo 50 lks wide flows S.E.

40.00 Set a lime stone 12 x 10 x 8 ins marked 1/4 set 2/3 in the ground for 1/4 Sec Cor
No Trees near

80.00 Set a granite rock 24 x 18 x 12 ins notched on N & S sides and set 3/4 in the ground for Cor to Secs 1, 6, 7.

Between Ranges 4 & 5 N. Township 14 N

Gila and Salt River Meridian

+ 12 No Trees near

Land gently rolling and sloping S. W.

Soil 2nd & 3^d rate

No Timber

Undergrowth Manganita and Oak

30th December 1874

North between Sec's 1 & 6

To 14° 43' East

4.00 Line runs along E slope of hill ranging
N & S.

10.00 Set a granite rock 20 x 16 x 12 marked 1/4
Set 3/4 in the ground for 1/4 Sec Cor
No trees near

20.00 Set a granite rock 24 x 10 x 8 ins prop-
erly notched set 3/4 in the ground and build
mound of rocks 2 1/2 ft high on N side for
Cor to Sec's 1, 6, 31 & 36, and to Townships
14 & 15 N Range 4 & 5 N. No Trees near.
Land E slope of hill Soil 3^d rate & worthless
No Timber but considerable undergrowth of manganita
and Oak brush.

Between Townships 14 & 15 N Range 4 W

Gila and Salt River Meridian

chs.

From the Cor to Townships 14 & 15 N

Ranges 4 & 5 W 9 run

East on true line between Secs 6 & 31

∇ $14^{\circ} 40'$ East.

begin descent from Cor

18.00 foot of hill and enter gently rolling land

39.00 as per conveyancy for this Township Set a
granite stone 12x10x10 ins marked $\frac{1}{4}$ set
 $\frac{2}{3}$ in the ground for $\frac{1}{4}$ Sec Cor

No Trees near

79.00 Set a lime stone 15x12x8 ins properly
notched set $\frac{2}{3}$ in the ground and build a mound
of stone 2ft high on E side for Cor to Secs

5.6. 31 & 32 No Trees near

Land gently rolling

Soil 3^d rate. No Timber undergrowth

Oak brush

East on true line between Secs 5 & 32

∇ $14^{\circ} 40'$ East

Between Townships 14 & 15 N Range 4 W

Gila and Salt River Meridian

chs.

0.00 Set a lime stone $10 \times 10 \times 10$ ins marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground for $\frac{1}{4}$ Sec Cor
No Trees near

0.00 Arroyo 50 lks wide flows S.

0.00 Set a granite stone $24 \times 10 \times 4$ ins properly notched and set $\frac{3}{4}$ in the ground for Cor to Secs 4.5. 32 & 33. No Trees near

Land rolling south

Soil 2nd & 3^d rate

No Timber

East on true line between Sec's 4 & 33

$\frac{1}{4}$ W $14^{\circ} 40'$ East.

2.00 Rocky gulch flows S

5.50 Road from Ferguson's Valley bears N.E. & S.W.

0.00 Set a granite stone $12 \times 10 \times 8$ ins marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground for $\frac{1}{4}$ Sec Cor

No Trees near

8.00 Set a post marked and notched 4 ft long 3 in square & 1 ft in the ground drive

Between Townships 14 + 15 N Range 4 W

Ohio and Salt River Meridian
chs.

Chained stake and build a mound of earth
2 ft high with pits 2 x 1 x 1 ft for Cor to Sec's
3. 4. 33 + 34 No Trees near
Land rolling west mostly level east
Soil 1st + 3^d rate
Timber a few Cedar + Juniper

East on true line between Sec's 3 + 34
Va 14° 46' East

- 36.40 Road to Prescottt bears N. + S.
- 40.00 Set post marked $\frac{1}{4}$ Sec 4 ft long flat-
tened 3 in wide 1 ft in the ground, drive
chained stake and build a mound of earth
2 ft high with pits 2 x 1 x 1 ft for $\frac{1}{4}$ Sec Cor
No Trees near
- 80.00 Set a post marked and notched 4 ft long
3 in squared 1 ft in the ground drive
chained stake and build a mound of earth
2 ft high with pits 2 x 1 x 1 ft for Cor to
Sec's 2. 3. 34 + 35.

Between Townships 14 & 15 N Range 4 W

Gila and Salt River Meridian

Chs.

No Trees near

Land level Soil 1st rate

Timber a few Cedars & Junipers

31st December 1874

The land E. of this is on the barren foothills of the Sierra Nevada mountains, not known to contain mineral and is waste or useless. Therefore I do not extend this line any farther.

General Description of Township 14
North Range 4 W.

This Township contains a large amount of good farming and grazing lands.

Several settlers are engaged in farming and stock raising in the southern and western portion of the Township.

W. Preston Foster
U. S. Dep. Surveyor

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of *the Exterior Boundaries of Township 13 North Range 3 East and of Township 14 North Range 4 West Gila and Salt River Meridian*

Showing the respective capacities in which they acted.

- George Carr* Chainman.
- Richard Hoop* Chainman.
- William A Foster* Axeman.
- _____ Flagman.

as,

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted George
Hooper U. S. Deputy Surveyor, in
surveying the Exterior Boundaries
of Township 13 North
Range 3 East
and of Township 14 North
Range 4 West

Gila and Salt River Meridians
and that said Survey has been in all respects, to
the best of our knowledge and belief, well and
faithfully executed, and the boundary monu-
ments planted according to the instructions fur-
nished by the Surveyor-General.

George Carr Chainman.
Richard Shrop Chainman.
William H. Foster Axeman.
Flagman.

Sworn to and subscribed before me, this 18th
day of February, 1873

William Wilkerson
Clerk Dist Court
3rd Judicial Dist
Yavapai County ad

FINAL OATH OF DEPUTY SURVEYOR.

I, Albion Foster

U. S. Deputy Surveyor do solemnly swear that, in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 29 day of October

1877 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

the Exterior Boundaries
of Township 13 North
Range 3 East and of
Township 14 North Range 4 West
Gila and Superior Meridian

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

C. Austin Foster
Deputy Surveyor.

Sworn to and subscribed before me, this 18th day of February, 1875

William Wilkerson
Clerk Dist Court
3rd Judicial Dist
Yavapai County

U. S. Surveyor General's Office,
Tucson, Arizona, June 3, 1875

The foregoing Field Notes of the survey of

Eastern Lines of Townships 13

N. Range 3 E, and 14 N.

Range 4 N.

of the Gila and Salt River Base and Meridian, Arizona,
executed by C. Burton Foster,

D. S., under his contract of the 29 day of
October, 1874, having been critically ex-

amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Mason.

Surveyor General.