

Corrections

T. 32 N. R. 2 W. Subs  
" 30 N. " / W. West Bay  
" 30 " " / " North "  
" 31 " " / " West "  
" 31 " " / " Subs  
" 31 " " 2 " Subs

W. O. Secor

1691

1691  
4-671

BOOK 1691

FIELD NOTES  
GENERAL LAND OFFICE.

1691

BOOK 1691

Field Notes

of the survey of the  
lines between secs. 33<sup>and</sup> 34,  
<sup>and</sup> secs. 28<sup>and</sup> 33 of township  
32 N. R. 2 W. of the G. & S. R.  
Base <sup>and</sup> Meridian in Arizona.

as surveyed by  
W. Oscar Sacos.

U. S. Deputy Surveyor.

Survey commenced April 26, 1901

Survey completed April 26, 1901.

Names <sup>and</sup> Duties of Assistants.  
 Park W. Latimer - Chairman  
 A. G. Johnson            "            "

BOOK 1691

Township 32 N.      Range 2 W.  
 County

NORTH

	6	5	4	3	2	1	
	7	8	9	10	11	12	
	18	17	16	15	14	13	
WEST	19	20	21	22	23	24	EAST
	30	29	28	27	26	25	
	31	32	33	34	35	36	
			6 //				

BOOK 169

9

~~11~~  
~~16~~<sup>15</sup> 13

*P. 31 N. R. 2 H*

22 23  
~~70~~

35 28 9 31

33 34  
~~8~~ 8  
4 3

*P. 30 N. R. 2 H*

*P. 30 N. R. 1 H*

36 9 31

BOOK 1891

- From cor. to secs 3, 4, 33, <sup>and</sup> 34  
on the S. bdy. I run  
N.  $0^{\circ} 02' W.$  bet. secs. 33 <sup>and</sup> 34.  
Ascending steep bluff of cañon  
Top of bluff  
2.80  
40.00 Set a limestone  $20 \times 12 \times 4$  ins. in  
a md. of stone for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on W. face, from which  
A pinon 12 ins. diam. bears S.  $42^{\circ} E.$   
48 lks. dist. marked  $\frac{1}{4}$  S. 34 B.S.
- 48.00 Edge of bluff of cañon bears  
E. <sup>and</sup> W. descend abruptly.
- 56.08 Bottom of cañon course W.  
Trail bears E. <sup>and</sup> W. ascend.
- 64.00 Top of bluff N. side of cañon.
- 80.00 Set a limestone  $18 \times 10 \times 4$  ins. 10  
ins. in ground for cor. to secs.  
27, 28, 33 <sup>and</sup> 34, marked with  
3 notches on E. <sup>and</sup> 1 notch on S.  
edges, from which

A piñon 12 ins. diam. bears N. 12° E.  
38 lks. dist. marked T. 32 N. R. 2 W.  
S. 27 B. T.

A piñon 6 ins. diam. bears S. 68° W.  
91 lks. dist. marked T. 32 N. R. 2 W.  
S. 33 B. T.

Land rough <sup>and</sup> rocky.

Soil 4<sup>th</sup> rate.

Dense piñons <sup>and</sup> cedars 80 chs.

Dense undergrowth, 80 chs.

## Subdivision

BOOK

1691

S.  $89^{\circ}38'W$ . on a random line  
bet. secs. 28 <sup>and</sup> 33.

40.00

Sat temp.  $\frac{1}{4}$  sec. cor.

80.26

Intersect N. <sup>and</sup> S. line 21 lks. S.  
of cor. to secs. 28, 29, 32, <sup>and</sup> 33,  
thence I run

N.  $89^{\circ}47'E$ . on a true line bet.  
secs. 28 <sup>and</sup> 33.

40.13

Sat a line stone 18x12x6 ins. in  
a rnd. of stone for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N. face, from which  
A cedar 6 ins. diam. bears N.  $15^{\circ}W$ .  
30 lks. dist. marked  $\frac{1}{4}S$ , 28 B.S.  
A pinon 6 ins. diam. bears S.  $20^{\circ}E$ .  
30 lks. dist. marked  $\frac{1}{4}S$ , 33 B.S.

80.26

Cor. to secs. 27, 28, 33 <sup>and</sup> 34.

Land rough <sup>and</sup> rocky.

Soil 4<sup>th</sup> rats.

Dense cedars <sup>and</sup> pinons 80.26 Chs.

Dense undergrowth 80.26 Chs.  
April 26-1905

Corrected notes of line  
bet. secs. 25<sup>and</sup> 30, Sp. 30 N. R.  
1<sup>and</sup> 2 W. G. <sup>and</sup> S. R. Meridian.

N. bet. secs. 25<sup>and</sup> 30

40.03

Set a lime stone 16x11x7 ins. 10  
ins. in ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on W. face, dug pits  
18x18x12 ins. N. <sup>and</sup> S. of stone 3 ft.  
dist. <sup>and</sup> raised a md. of earth  
3 $\frac{1}{2}$  ft. base, 1 $\frac{1}{2}$  ft. high N. of cor.

80.06

Cor. to secs. 19, 24, 25<sup>and</sup> 30.



Corrected notes of lines bet.  
secs. 4 <sup>and</sup> 33, <sup>and</sup> bet. secs. 3 <sup>and</sup> 34,  
bet. Tps. 30 <sup>and</sup> 31 N. R. 1 W. 9. <sup>and</sup> S. R.  
Meridian.

N. 89° 50' E. bet. secs. 4 <sup>and</sup> 33.

40,09

Set a limestone 16 x 12 x 6 ins. 10  
ins. in ground for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N. face, <sup>and</sup> raised a md. of  
stone 3 ft. base, 7 ft. high N. of cor.

80,18

Cor. to secs. 3, 4, 33 <sup>and</sup> 34.

N. 89° 50' E. bet. secs. 3 <sup>and</sup> 34.

40,14

Set a limestone 17 x 12 x 6 ins. in  
a md. of stone for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face.

80,28

Cor. to secs. 2, 3, 34 <sup>and</sup> 35.

W. Bdy. Tp. 31 N. R. 1 W.

BOOK 1691

9

Corrected notes of line bet. secs.  
31 and 36, Tps. 31 N. Rs. 1 and 2 W.

N. bet. secs. 31 and 36,

40.00

Set a line stone 16 x 14 x 6 ins.

10 ins. in ground for  $\frac{1}{4}$  sec. cor.

marked  $\frac{1}{4}$  on W. face and raised

a rnd. of stone  $1\frac{1}{2}$  ft. high and 3 ft.

base W. of cor.

80.00

Cor. to secs. 25, 30, 31 and 36.

Corrected notes of lines bet.  
secs. 9<sup>and</sup> 16; 15<sup>and</sup> 22; 23<sup>and</sup> 26,  
<sup>and</sup> 15<sup>and</sup> 16, Tp. 31 N. R. 1 W. E. and S. R.  
Meridian.

40.16 S.  $89^{\circ}59'W.$  bet. secs. 23<sup>and</sup> 26.  
Set a lime stone 18x12x8 ins. in  
a md. of stone for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face.

80.32 Cor. to secs. 22, 23, 26<sup>and</sup> 27.

40.05 S.  $89^{\circ}52'W.$  bet. secs. 15<sup>and</sup> 22.  
Set a lime stone 20x10x4 ins. 14  
ins. in ground for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N. face <sup>and</sup> raised a md. of stone  
2 ft. high, 3 ft. base N. of cor.

80.10 Cor. to secs. 15, 16, 21<sup>and</sup> 22.

# 11 Subdivision

BOOK 1691

- N.  $0^{\circ} 2' W.$  bet. secs. 15<sup>and</sup> 16,  
40.00 Set a lime stone  $18 \times 10 \times 8$  ins.  
10 ins. in the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on N. face, and  
raised a md. of stone 2 ft. high,  
3 ft. base N. of cor.  
80.00 Cor. to secs. 9, 10, 15<sup>and</sup> 16,
- 

- S.  $89^{\circ} 54' W.$  bet. secs. 9<sup>and</sup> 16,  
40.11 Set a limestone  $18 \times 12 \times 10$  ins. in  
a md. of stone for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face.  
80.22 Cor. to secs. 8, 9, 16<sup>and</sup> 17;
-

Corrected notes of line bet.  
secs. 35 and 36, Tp. 31 N. R. 2 W.  
E. and S. R. Meridian.

N. bet. secs. 35 and 36.

40.00

$\frac{1}{4}$  sec. cor.

80.00

Set a limestone 20 x 12 x 10 ins.  
14 ins. in ground for cor. to secs.  
25, 26, 35 + 36, marked with  
one notch on S. and one notch  
on E. edge, raised a wd. of  
stone 3 ft. high and 3 ft. base N.  
of cor.

# List of Names.

*A List of the Names of the Individuals  
employed by* .....

*U. S. Deputy Surveyor, to assist in running, meas-  
uring and marking the lines and corners described  
in the foregoing Field Notes of the survey of the*

BOOK 1691

*of the Gila and Salt River Base and Meridian, in  
the Territory of Arizona, showing the respective  
capacities in which they acted.*

..... Chainman.

..... Chainman.

..... Chainman.

..... Chainman.

..... Axeman.

..... Axeman.

..... Flagman.

# Final Oath of Assistants.

We hereby certify that we assisted.....

..... U. S. Deputy Surveyor, in  
surveying all those parts or portions of the.....

BOOK 1691

.....  
.....  
.....  
.....  
of the Gila and Salt River Base and Meridian, in  
the Territory of Arizona, as are represented in the  
foregoing field notes as having been surveyed by him  
and under his direction; and that said Survey has  
been in all respects, to the best of our knowledge  
and belief, well and faithfully surveyed, and the  
corner monuments established according to the  
instructions furnished by the United States Surveyor  
General for Arizona.

..... Chainman.

..... Chainman.

..... Chainman.

..... Chainman.

..... Axeman.

..... Axeman.

..... Flagman.

Sworn to and subscribed before me, this.....

day of....., 189.....

.....  
Notary Public.

[SEAL.]

# Final Oath of U. S. Deputy Surveyor. 13

I, W. Oscar Jacob,

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract received from Royal A. Johnson, United States Surveyor-General for Arizona, bearing date of the BOOK 1691 day of

..... 189.... I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts

<sup>and 3 and 34 on N. Bdy. Tp. 30 N. R. 1 W., line bet. secs.</sup>  
or portions of the following lines: Bet. secs. 4 <sup>and 13</sup>,  
31 <sup>and 36</sup> on W. bdy. Tp. 31 N. R. 1 W.; Bet. secs. 25 <sup>and 30</sup>,  
Tps 30 N. R. 1 <sup>and 2</sup> W.; the lines bet. secs. 9 <sup>and 16</sup>;  
15 <sup>and 22</sup>; 23 <sup>and 26</sup>; and 15 <sup>and 16</sup>, Tp. 31 N. R. 1 W.;  
<sup>and</sup> bet. secs. 35 <sup>and 36</sup>, Tp. 31 N. R. 2 W.  
of G. and S. R. Meridian in Arizona.

.....  
of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Manual of printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific



14

manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

W. Oscar Loomis

BOOK 1691

U. S. Deputy Surveyor.

Sworn to and subscribed before me this 6<sup>th</sup>

day of May 1901

M. G. Munton  
Clerk District Court



Faint, illegible text at the bottom of the page, likely bleed-through from the reverse side.

15

Final Oath of United States Deputy Surveyor.

BOOK 1691


I, W. Oscar Secor, United States deputy surveyor, do solemnly swear that in pursuance of instructions received from George Christ, United States surveyor general for Arizona, I have well, faithfully, <sup>and</sup> truly, in my own proper person, <sup>and</sup> in strict conformity with the instructions furnished by the United States surveyor general for Arizona, the Manual of Surveying Instructions, <sup>and</sup> the laws of the United States, surveyed all those parts or portions of the lines between sections 33 <sup>and</sup> 34, <sup>and</sup> between sections 28 <sup>and</sup> 33, of township 32 N. R. 2 N. of the G. <sup>and</sup> S. R. Meridian in Arizona, which are represented in the foregoing field notes as having been surveyed by me, <sup>and</sup> under my directions; <sup>and</sup> I do further solemnly swear that all the corners of said survey have been established <sup>and</sup> perpetuated in strict accordance with the Manual of Surveying Instructions, <sup>and</sup> the special <sup>and</sup> written instructions of the United States surveyor general for Arizona, <sup>and</sup> in the specific manner described in the field notes, <sup>and</sup> that the foregoing are the true field notes of such survey; <sup>and</sup> should any fraud be detected, I will suffer the penalty of perjury, under the provisions of an act of Congress approved August, 8, 1846

W. Oscar Secor.

United States Deputy Surveyor.

Subscribed by said W. O. Secor, U. S. deputy surveyor, <sup>and</sup> sworn to before me this 6 day of May, 1901

J. M. Thurston  
Clerk District Court



116

Preliminary Oaths of Assistants.

We, Park W. Latimer and A. G. Johnson, do solemnly swear that we will well and faithfully execute the duties of Chairman; that we will level the chain upon even and unswan ground, and plumb the tally pins, either by sticking or dropping the same. that we will report the true distances to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the lines between secs. 33 and 34, and between secs. 28 and 33, of township 32 N. R. 2 W. of the E. and S. R. Base and Meridian; said survey being supplemental and corrected survey of said lines.

Park W. Latimer

A. G. Johnson

Subscribed and sworn to before me this 24<sup>th</sup> day of April,  
A. D. 1901.

W. O. Lacro  
U. S. Deputy Surveyor.

Final Oaths of Assistants.

We hereby certify that we assisted W. Oscar Secor, United States deputy surveyor, in surveying the lines between sections 33 and 34, and sections 28 and 33 of township 32 north, range 2 west of the G. & S. R. Base and Meridian in Arizona, which are represented in the foregoing field notes as having been surveyed by him and under his direction, and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the United States surveyor general for Arizona.

Park W. Latimer

A. G. Johnson

Subscribed and sworn to before me this 27<sup>th</sup> day of April, 1901.

W. Oscar Secor  
U. S. Deputy Surveyor.