

Contract #35

1.

Cotton

1711

1711

BOOK 1711

4-671

FIELD NOTES

GENERAL LAND OFFICE.

Exteriors

NW boundary T. 3. N. R. 1. W.

South "(Resurvey)" T. 3. N. R. 1. W.

West " T. 4. N. R. 1. W.

Resurvey Prin Mer thru T. 3. N.

A

BOOK 1711

BOOK 1711

586						
567	BOOK 1711					
5418	7277. R. 1st					
5319						
5230						
50	31	32	33	34	35	36
	<del>25</del>	<del>28</del>	<del>31</del>	<del>30</del>	<del>28</del>	<del>26</del>
116	5	4	3	2	1	24
97						1223
818	7277. R. 1st					1321
619						2420
580						2578
5	31	32	33	34	35	36, 7
	44	46	44	43	40	38

INDEX.

PRINCIPAL MERIDIAN.

1	58	6											
12	56	7											
13	54	18	T. A. N. R. I. W.										
24	53	19											
25	52	30											
36	50	31	32	33	34	35	36						
1	35	33	31	30	28	26	24	6					
12	9	7											
13	8	18	T. B. N. R. I. W.										
24	6	19											
25	5	30											
36	3	31	32	33	34	35	36	17	31				
	48	46	44	43	40	38							
	6	5	4	3	2	1							

1A

Preliminary Oaths of Assistants.

We, *Casimiro Arvizu*  
 and *William C Jennings*  
 do solemnly swear that we will well and faithfully  
 execute the duties of Chain Carriers; that we will  
 level the chain upon even and uneven ground, and  
 plumb the tally pins, either by sticking or dropping  
 the same; that we will report the true distance to  
 all notable objects, and the true lengths of all lines  
 that we assist in measuring, to the best of our skill  
 and ability, and in accordance with instructions  
 given us, in the survey of the *Eastern line*  
*of Twp 304 N R 182 W*  
*and Tps. 6 & 7 N R. 1 E.*

of the Gila and Salt River Base and Meridian in the Territory of Arizona.


*Casimiro Arvizu* Chainman.  
*W. C. Jennings* Chainman.  
 Chainman.  
 Chainman.

Subscribed and sworn before me, this *29th*  
 day of *August* 1894  
*Thos. F. Weedier*

Notary Public.

[SEAL.]

Clerk District Court, Second Judicial District, Arizona.



1711

BOOK 1711

Field Notes 13  
of the Survey of the  
N. S. E. and W. Boundaries of  
T. 3. N. R. 1. W. and  
W. Boundary of T. 4. N. R. 1. W.  
of the  
Gila and Salt River  
Base and Meridian.  
in the  
Territory of Arizona  
as Surveyed by  
Albert J. Colton  
U. S. Deputy Surveyor  
under his Contract No. 35  
dated March. 14. 1894

Survey Commenced Sept. 3. 1894  
Survey Completed Sept. 11. 1894

Survey Commenced Sept.  
3. 1894. with a Young and  
Sons light mountain  
Transit furnished with  
Solar attachment. —

At the Cor. to Townships 2  
and 3. N. ranges. 1<sup>st</sup> and 2<sup>nd</sup> W.  
in Lat.  $33^{\circ} 33' N$ . Long.  
 $112^{\circ} 23' 40'' W$  at  $2^h 26^m 35^s$

A.M. local mean time by  
my watch, which is correct  
I take an observation on  
Polaris at its upper  
Culmination in accord-  
ance with instructions  
in the manual, and I  
find the magnetic bearing  
of the Star to be  $N 13^{\circ} 45' W$   
I drive a picket on the  
line

thus found five chains north  
of the Corner. —

At 9 A.M. I determine  
the meridian by the use  
of the Solar Apparatus  
and find that it agrees  
with the meridian line  
established this morning. —

I also find the magnetic  
bearing of the meridian  
to be  $N 13^{\circ} 45' W$ . thus making  
the variation  $13^{\circ} 45'$  East. —

Before entering on my  
Contract my Instrument  
and chain, were tested  
in the office of the Surveyor  
General, and put in  
complete and perfect  
adjustment.

---

West boundary T. 3. N. R. 1. W.

BOOK 1711

chains I begin at the Cor. to Sp. 2 & 3 N. R. 1 & 2 W. a post firmly set and properly marked, as described in the field notes furnished by the Surveyor General.

Thence I run

North bet. Secs. 31<sup>and</sup> 36.

7a.  $13^{\circ}45' E$ .

over level land in mesquite timber

40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on N face, dug pits  $18 \times 18 \times 12$  ins. N W. S. of post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.

80.00 Set a post 4 ft. long, 4 ins.



West. boundary T. 3. N. R. 1. W.

Chains Square with marked stone  
12 ins. in the ground, for Cor.  
to Secs. 25, 30, 31 and 36. Marked  
T. 3. N. Sec. 30 on N.E.

R. 1. W. S. 31 on S.E.

R. 2. W. S. 36. on S.W. and

S. 25 on N.W. face, with 1  
notch on S. and 5 notches on  
N. edges. dug pits 18x18x12  
ins. in each. Sec. 5 1/2 ft. dist.  
and raised a mound of  
earth 2 ft. high. 4 1/2 ft. base  
around post.

Land level

Soil Sandy loam. 1<sup>st</sup> rate

Timber. Mesquite and Ironwood  
80. chains.

---

West. boundary T. 3. N. R. 1. W.

chains North bet. Secs. 25 & 30.

Va. 13° 45' E.

on level land. in timber.

40.00 Set a post. 3 ins. square 3 ft. long with marked stone 12 ins. in the ground for 1/4 Sec. Cor. marked 1/4 S. on W. face dug pits 18x18x12 ins. N. & S. of post. 5 1/2-ft. dist. and raised a mound of earth 1 1/2 ft. high. 3 1/2 ft. base around post.

80.00 Set a post. 4 ft. long 4 ins. square with marked stone 12 ins in the ground. for Cor. to Secs. 19. 24. 25. and 30. marked T. 3. N. S. 19 on N.E.

R. 1. W. S. 30 on S.E.

R 2. W. S. 25 on S.W. and S. 24 on N.W. faces with

## West. boundary T. 3. N. R. 1. W.

- Chains North bet. Secs. 13<sup>rd</sup> & 18.  
Va.  $13^{\circ}45'E$ .  
over level land
- 31.00 old Wagon Road. Trans. N.W. & S.E.
- 40.00 Set a post. 3 ft. long. 3 ins.  
Square. with marked Stone. 12  
ins. in the ground. for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  sec W. face. dug  
pits  $18 \times 18 \times 12$  ins. N. & S. of post.  
 $5\frac{1}{2}$  ft. dia. and raised a  
mound of earth  $1\frac{1}{2}$  ft. high.  
 $3\frac{1}{2}$  ft. base around post.
- 80.00 Set a post. 4 ft. long. 4 ins.  
Square. with marked Stone. 12  
ins. in the ground. for Cor. to  
Secs. 7. 12. 13. <sup>rd</sup> & 18. marked  
T. 3. N. S. 7 on N.E.  
R. 1. W. S. 18 on S.E.  
R. 2. W. S. 13 on S.W. and.

West. boundary J. E. N. R. 1.00.

Chains S. 12. on N.W. faces. with 4  
notches on S. and 2 notches  
on N. edges. dug pits. 18x18  
x 12 ins. in each Sec. 5 1/2 ft.  
dist. and raised a mound of  
earth 2 ft. high. 4 1/2 ft.  
base. around post.

Land. level  
Soil. Sandy loam 1<sup>st</sup> rate  
No timber

---

North bet. Secs. 7<sup>and</sup> 12  
Va. 13° 45' E.

over level land  
40.00 Set a post. 3 ft long 3 ins.  
square. with marked stone  
12 ins. in the ground. for 1/4  
Sec. Cor. marked 1/4 S. on W.  
face. dug pits 18x18x12 ins.

## West boundary T. 3. N. R. 1. W.

Chains N & S of post.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base  
around post.

80.00 Set a post. 4 ft. long 4 ins.  
square with marked stone 12  
ins. in the ground. for Cor. to  
Secs. 1, 6, 7 and 12. marked  
T. 3. N. S. 6. on N.E.  
R. 1. W. S. 7 on S.E.  
R. 2. W. S. 12 on S.W. and  
S. 1 on N.W. faces. with 5  
notches on S. and 1 notch on  
N. edges. dug pits  $18 \times 18 \times 12$  ins  
in each Sec.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth 2 ft.  
high.  $4\frac{1}{2}$  ft. base. around post.  
Land level.  
Soil. Sandy loam 1<sup>st</sup> rate  
No timber.

## West boundary T. 3. N. R. 1. W.

Chain North, bet. Secs. 1 and 6.

Va.  $13^{\circ} 45' E$ 

40.00 over level land in timber  
 Set a post 3 ft. long 3 ins.  
 Square. with marked Stone 12  
 ins. in the ground. for  $\frac{1}{4}$  Sec.  
 Cor. marked  $\frac{1}{4}$  S. on W. face.  
 dug pits  $18 \times 18 \times 12$  ins. N. & S.  
 of post.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  $1\frac{1}{2}$   
 ft. high.  $3\frac{1}{2}$  ft. base.  
 Around post.

80.00 Set a post  $4\frac{1}{2}$  ft. long 4  
 ins. Square. with marked Stone  
 12 ins. in the ground. for Cor.  
 to Sp. 3<sup>rd</sup> & 4. N. R. 1 and 2. W.  
 Marked.

T. 4. N. S. 31. on N.E.

R. 1 W S. 6 on S.E.

West boundary. S. 3. N. R. 1. W.

Chains S. 3. N. S. 1. on S. W. and  
R. 2 W. S. 36. on N. W. faces, with  
6 notches on each edge, dug  
pits 24 x 18 x 12 ins. lengthwise  
on each line, N. S. E<sup>nd</sup> W. of  
post. 6 ft. dist. and raised a  
mound of earth 2 1/2 ft. high. 5  
ft. base. around post.

Land level.

Soil. Sandy loam 1<sup>st</sup> rate  
Timber. Mesquite<sup>nd</sup> Ironwood  
80. Chains.

Sept. 3, 1894

3 miles of this boundary, runs  
through dense mesquite Ironwood  
and greasewood indugrowth,

North boundary. T. 3 N. R. 1 W.

Chains From the Cor. to Sp. 374  
N. R. 1 W. I run East on  
a random line  
Va.  $13^{\circ}45'E$

I set temporary half mile  
and mile Corners, at each  
40 and 80 chains, and at  
intersect. - Principal meridian  
470. 92 Chs long. and  
I find the falling to be 4 chains  
North of the Cor. to Sp.  
374. N. R. 1 E. and 1 W.

As the falling is more than  
3 chains it will be necessary  
to set a closing Corner at  
this point. - As the closing  
error in the Survey of the  
Western and Northern bound-  
aries exceeds 3 chains it is  
necessary to remeasure all



North boundary T. 3 N. R. 1 W.

chains the exterior boundaries of this Township in order to locate the error. - I have retraced my work on the western and northern boundaries, and find it correct in alignment, and measurement.

Sept. 4, 1894

From the Cor. to Tps. 3 & 4 N. R. 1 E. and 1 W. a sandstone  $9 \times 5$  ins. above ground, firmly set and properly marked with faint traces of pits and mound. I dig pits  $24 \times 18 \times 12$  ins. crosswise on line N.S. and East of Stone. 6 ft. dist and raised a mound of earth  $2\frac{1}{2}$  ft high 5 ft. base alongside. I obliterate all marks on

Resurvey Principal meridian thro' T. 3 N.

chains this Stone, referring to Sp. on the West. -

Hence I run South, on a random line

Va.  $13^{\circ}45' E$

40.00 1/4 Sec. Cor. bears E 24 lks. dist.

80.00 I find no trace of old Sec. Cor.

120.00 I find no trace of old 1/4 Sec. Cor.

160.00 Sec. Cor. bears E. 94 lks. dist.

200.00 I find no trace of old 1/4 Sec. Cor.

240.00 I find no trace of old Sec. Cor.

280.00 I find no trace of old 1/4 Sec. Cor.

320.00 I find no trace of old Sec. Cor.

360.00 1/4 Sec Cor. bears E. 210 lks. dist.

400.00 Sec. Cor. bears East. 234 lks. dist.

440.00 1/4 Sec Cor. bears E. 256 lks. dist.

480.00 Sp. Cor. bears E. 280 lks. dist.

The falling is  $46\frac{2}{3}$  lks. per mile and the true Course of the

## Resurvey of Principal Meridian

chains principal meridian thro' Sp. 3. N. will be N.  $0^{\circ} 20' W$ , Finding the Cor. to Sp. 2 & 3 N. Rs. 1. E. and W to be a granite stone  $5 \times 7 \times 10$  ins. above ground, marked with 6 notches on N. S. E and W edges, with very faint traces of pits and mound. I dug pits  $24 \times 18 \times 12$  ins. crosswise on each line N. S. E & W of stone. 6 ft. dist and raised a mound of earth  $2\frac{1}{2}$  ft. high 5 ft. base alongside. —

I now proceed to resurvey the Principal meridian thro' Sp. 3. N. as follows.

Sept. 5, 1894

Through Sp. 3. N.

chain From the Cor. to Sp. 2 & 3, N.  
 Rs. 1. E. & 1. W. Perumbafora  
 described. I run  
 N 0° 20' W on a true line.  
 bet. Secs. 31<sup>rd</sup> & 36.  
 Va. 13° 45' E.

17.20 Wagon road. Cross. E. & W.

40.00 Old 1/4 Sec. Cor. a granite stone  
 8 x 7 ins. above ground. Masked  
 1/4 on W. face, with very faint  
 traces of pits and mound.  
 I dig pits 18 x 18 x 12 ins N.  
 & S of Stone 5 1/2 ft. dist.  
 and raise a mound of  
 earth 1 1/2 ft. high, 3 1/2 ft.  
 base, alongside. -

72.00 foot. of ascent. ascend

80.00 top of hill. Cor. to Secs. 25, 30,  
 31<sup>rd</sup> & 36. a granite stone 8 x 7 ins.

## Resurvey of Principal

Chains above <sup>ground</sup> firmly set, and properly marked. No trace of pits or mound. I dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist. and raise a mound of earth 2 ft. high. 4 1/2 ft. base along grid land. Nearly level. Soil. Sandy loam. 1<sup>st</sup> rate, Timbu. Mesquite.

---

N 0° 20' W on a true line,  
 bet. Secs. 25. & 30.

Ta. 13° 45' E

Descend

9.00 foot of descent  
 40.00 old 1/4 Sec. Cor. a granite stone  
 8x5 ins. above ground, marked  
 1/4 on W. face. I dig pits  
 18x18x12 ins. N.E.S. of Stone

## Meridian thro' T. 3. N.

Chains 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base. alongside. I find no trace of old pits or mound

80.00 Set a granite stone 18x8x6 ins. 12 ins. in the ground for Cor. to Secs. 19, 24, 25 & 30. Marked with 2 notches on S. and 4 notches on N. edges. dug pits 18x18x12 ins. in each. Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high. 4 1/2 ft. base alongside. - After diligent search. I fail to find any trace of the old Sec. Cor. -

Land. nearly level  
Soil. sandy loam. 1<sup>st</sup> rate  
Timber. mesquite.

---

## Resurvey of Principal

Chains N 0° 20' W on a true line  
 bet. Secs. 19. <sup>and</sup> 24.  
 Va. 13° 45' E.

- 15.00 foot of bluff and wagon road  
 trans. E & W. ascend
- 16.00 top of bluff trans. E. & W. descend
- 22.00 Gulch. 30 ft. deep. runs. W.
- 28.00 Gulch. 30 ft. deep. runs. W.
- 38.00 foot. of bluff. trans. E & W.
- 40.00 I re-establish this Cor. by  
 setting a granite stone 16x10x10  
 ins. 10 ins. in the ground, for  
 1/4 Sec. Cor. marked 1/4 on W. face  
 dug pits 18x18x12 ins. N. & S.  
 of stone 5 1/2 ft. dist. and  
 raise a mound of earth 1 1/2  
 ft. high. 3 1/2 ft. base. alongside  
 After diligent search. I fail  
 to find any trace of original Cor.

## Meridian thro' T. J. N.

chains  
49.50 Left bank of Agua Fria River dug  
runs S 40° W

62.00 Right bank of Agua Fria River dug  
runs or. trans. S 40° W

80.00 I re-establish this Cor. by  
Setting a granite Stone 24x10  
x 8 ins. 18 ins. in the ground  
for Cor. to Secs. 13, 18, 19 & 24.  
Marked with 3 notches on N &  
S. edges. dug pits 18x18x12 ins.  
in each Sec. 5 1/2 ft. dist. and  
raised a mound of earth  
2 ft. high. 4 1/2 ft. base. alongside  
I failed to find any trace of original Cor.  
Land. broken  
Soil gravelly 2<sup>d</sup> rate  
Timber. Mesquite.

---

N 0° 20' W on a true line  
bet. Secs. 13<sup>and</sup> 18.



## Resurvey of Principal

Chains Va.  $13^{\circ}45'E$ .

- 40.00 I re-establish this Cor. by setting a granite stone  $18 \times 8 \times 8$  ins.  $12$  ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on W. face. dug pits  $18 \times 18 \times 12$  ins. N. & S. of stone.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base, alongside - After a diligent search I fail to find any trace of the old Cor.
- 80.00 old Cor. to Secs. 7, 12, 13, & 18. a granite stone  $9 \times 5$  ins. above ground, firmly set, and properly marked, faint traces of old pits and mound. I dug pits  $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a

## Meridian Thro' Sp. 3. N.

Chain mound of earth 2 ft. high  $4\frac{1}{2}$  ft.  
base. alongside. —

Land. level.

Soil. Sandy loam 1<sup>st</sup> rate

Timber. Mesquite.

N  $0^{\circ} 20'$  W on a true line

cut. Dec. 7<sup>th</sup> 12

Ya.  $13^{\circ} 45'$  E.

40.00 I re-establish this Cor. by  
setting a granite stone  $16 \times 8 \times 6$   
ins.  $10$  ins. in the ground. for  $\frac{1}{4}$   
Sec. Cor. Marked  $\frac{1}{4}$  on W. face  
dug pits  $18 \times 18 \times 12$  ins. N & S.  
of stone  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base. alongside — After  
a diligent search. I fail  
to find any trace of the old Cor.

## Resurvey of Principal

chains

75.00

Center of W. Channel of Agua <sup>dry</sup> ~~Trin~~  
 2 chs. wide flows. S.E.

80.00

I re-establish this Cor. by  
 setting a granite Stone 18x8x8  
 ins. 12 ins. in the ground. for  
 Cor. to Secs. 1, 6, 7, and 12. Marked  
 with 5 notches on S. and 1 notch  
 on N. edges. dug pits 18x18x12  
 ins. in each. Sec. 5 1/2 ft. dist.  
 and raised a mound of earth  
 1 1/2 ft. high 3 1/2 ft. base. alongside  
 After a diligent search. I fail  
 to find any trace of the old Cor.

Land broken

Soil. gravelly 2<sup>d</sup> rate.Timber. mesquite 3<sup>d</sup> brush.

N 0° 20' W on a true line  
 bet. Secs. 1<sup>st</sup> and 6.

## Meridian thro' Sp. 3, N.

- Chains Va.  $13^{\circ}45'E$
- 17.00 Right bank of Agua Fria River dry  
bars.  $S5^{\circ}E$  &  $N5^{\circ}W$
- 20.00 Left bank, <sup>dry</sup> bars.  $S5^{\circ}E$  &  $N5^{\circ}W$
- 40.00 Old  $\frac{1}{4}$  sec. Cor. a granite stone  
 $15 \times 8$  ins. above ground, firmly set  
and properly marked. faint  
traces of old pits and mound  
I dig pits  $18 \times 18 \times 12$  ins. N. & S.  
of stone  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base, alongside -
- 80.00 The Cor. to Sp. 3<sup>rd</sup> & 4. N. R. 1. E.  
and hereinbefore described
- 84.00 Set a post.  $4\frac{1}{2}$  ft. long, 4 ins.  
square, with marked stone 12  
ins. in the ground, for closing  
Cor. to Sp. 3<sup>rd</sup> & 4. N. R. 1. W.  
on principal meridian

## South boundary

Chains Marked C.C. R. 1. W. on W.  
 T. 4 N. S. 36 on N. and  
 T. 3, N. S. 1 on S. faces, with 6  
 Vatches on the N. S. and W faces  
 dug pits  $24 \times 18 \times 12$  ins. Crosswise  
 on each line. N. S. and W. of  
 post. 6 ft. dist. and raised a  
 mound of earth  $2\frac{1}{2}$  ft. High  
 5 ft. base. around post.  
 Land broken,  
 Soil. gravelly 2<sup>d</sup> rate.  
 Timber mesquite.

Sept. 6. 1894

From the Closing Cor to Sp.  
 3<sup>rd</sup> & 4. N. R. 1. W. Just. estab-  
 lished by me and here-  
 inbefore described. I run  
 West on a true line  
 bet. Secs. 1<sup>st</sup> & 36.

## J. H. N. R. I. W.

- |        |  |
|--------|--|
| Chains | Va. $13^{\circ}45'E$ ,<br>over sandy bottom  |
| 28.00  | at this point. I set a witness to $\frac{1}{4}$ Sec Cor. by setting a granite Stone $18 \times 12 \times 8$ ins. 12 ins. in the ground. Marked W.C. $\frac{1}{4}$ on N. face. dug pits $18 \times 18 \times 12$ ins. E. & W. of Stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base along side |
| 28.30  | Left bank of Agua Fria River <sup>dry</sup> trans. N. & S.   |
| 40.00  | point. in <sup>dry</sup> bed of Agua Fria.   |
| 58.00  | Right bank of Agua Fria River <sup>dry</sup> trans. N. & S.  |
| 62.00  | Wagon road. trans. N. & S.   |
| 66.00  | Gulch. 75 lks. wide 10 ft. deep flows. South   |

## South boundary

chains  
80.00

Set a granite stone 18x11x11  
ins. 12 ins. in the ground. for  
Cor. to Secs. 1, 2, 35 & 36. with  
1 notch on E. and 5 notches  
on W. edges. dug pits 18x18  
12 ins. in each Sec. 5 1/2 ft.  
dist. and raised a mound  
of earth 2 ft. high. 4 1/2 ft.  
base. alongside. -

Land broken.

Soil. gravelly. 2<sup>d</sup> rate.

Timber. mesquite. 80. chs.

---

 West on a true line.
bet. Secs. 2<sup>nd</sup> and 35.

Va. 13° 45' E.

over rough gravelly land  
40.00 Set a post 3 ft. long 3 ins.  
square. with marked stone

## T. 4. N. R. 1. W.

- Chains 12 ins. in the ground. for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on N. face dug pits  $18 \times 18 \times 12$  ins. E. & W. of post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. <sup>around post</sup> base. ~~xxx~~ side
- 65.00 Wash. 25 lks. wide 3 ft. deep runs.  $S 40^{\circ} E$ .
- 80.00 Set a post. 4 ft. long. 4 ins. square. with marked stone 12 ins. in the ground. for Cor. to Secs. 2, 3, 34, 3<sup>rd</sup> 35. Marked T. 4. N. S. 35. on N. E. R. 1. W. S. 2 on S. E. T. 3. N. S. 3 on S. W. and S. 34. on N. W. faces. with 2 notches on E. and 4 notches on W. edges. dug pits  $18 \times 18 \times 12$  ins. in each. Sec.



## South boundary

Chain 5½ ft. dist. and raised a mound of earth 2 ft. high 4½ ft. base, around post.  
 Land broken  
 Soil. gravelly 2<sup>d</sup> x 3<sup>d</sup> rate  
 Timber. dense mesquite 80. chs.

West on a tree line.

bet. Secs. 3<sup>rd</sup> and 34.

Va. 13° 45' E.

over level land

40.00 Set a post, 3 ft. long, 3 ins. square, with marked stone 12 ins. in the ground, for ¼ Sec. Cor. marked ¼ S. on N. face dig pits 18 x 18 x 12 ins E. & W. of post. 5½ ft. dist. and raised a mound of earth 1½ ft. high 3½ ft. base, around post.

## T. 4. N. R. 1. W.

chains  
80.00

Set a post 4 ft. long, 4 in. square, with marked stone 12 ins in the ground, for Gr. to Secs. 3, 4, 33, & 34, marked T. 4. N. S. 34 on N.E.

R. 1. W. S. 3 on S.E.

T. 3. N. S. 4 on S.W. and

S 33 on N.W. faces, with 3 notches on E & W. edges.

dig pits 18x18x12 ins in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base around post. -

Land, level.

Soil gravelly, 2<sup>d</sup> rate  
Timber. Mesquite, 80. cho.

---

West on a true line.

## South boundary

Chains bet. Secs. 4<sup>th</sup> & 33.Ra.  $13^{\circ}45' E$ .

over level land

40.00 Set a post, 3 ft. long, 3 ins. square, with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on N. face. dug pits  $18 \times 18 \times 12$  ins. E. & W. of post,  $5 \frac{1}{2}$  ft. dist. and raised a mound of earth,  $1 \frac{1}{2}$  ft. high,  $3 \frac{1}{2}$  ft. base, around post.

80.00 Set a post, 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 4, 5, 32, & 33, marked T. 4. N. S. 33. on N.E.  
R. 1, W. S. 4. on S.E.  
T. 3, N. S. 5 on S.W. and

J. H. N. R. 1. W.

Chains S. 32. on N.W. faces, with 4  
 matches on E. and 2 matches on  
 N. edges, dug pits 18x18x12  
 ins. in each. Sec. 5 1/2 ft. dist.  
 and raised a mound of  
 earth, 2 ft. high, 4 1/2 ft. base  
 around. Post. —

Land level.

Soil, gravelly, 2<sup>d</sup> rate.

Timber, mesquite, 80. cb.

---

West on a true line

bet. Secs. 5<sup>th</sup> and 32.

Pa. 13° 45' E.

over level land.

40.00 Set a post, 3 ft. long, 3 ins.  
 square, with marked stone  
 12 ins. in the ground, for 1/4  
 Sec. Co. marked 1/4 S. on.

## South boundary

- Chains N. face. dug pits  $18 \times 18 \times 12$  ins. E. & W. of post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around post. -
- 80.00 Set a post. 4 ft. long. 4 ins. square. with marked stone 12 ins. in the ground. for Cor. to Secs. 5, 6, 31, & 32. marked  
 T. 4. N. S. 32 on N.E.  
 R. 1. W. S. 5 on S.E.  
 T. 3. N. S. 6 on S.W. and  
 S 31 on N.W. faces with 5 notches on E. and 1 notch on W. edges. dug pits.  $18 \times 18 \times 12$  ins. in each. Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft high.  $4\frac{1}{2}$  ft. base. around post.

T. 4 N. R. 1. W.

Chains Land level.

Soil. gravelly 2<sup>d</sup> rate

Timber. mesquite. 80. clm

---

West. on a true line.bet. Secs. 6<sup>th</sup> and 31.Va.  $13^{\circ}45'E$ .

40.00 Set a post. 3 ft. long 3 ins.  
square. with marked stone  
12 ins. in the ground. for  
 $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S on  
N. face. dug pits 18x18x12  
ins. E. & W. of post.  $5\frac{1}{2}$  ft.  
dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base. around post. -

60.00 Wagon road. bears N.W. &amp; S.E.

70.90 The Cor. to Sps. 3<sup>rd</sup> & 4. N. R. 17  
2. W. hereinbefore described

South boundary

Chains	Land. level.	0
	Sail. gravally 2 <sup>d</sup> rate.	2
	Timber. mesquite 70.00 chs.	3
	470.90 chs. <u>run thro' dense timber</u> <sup>Sept. 7. 1894</sup> <del>run thro' dense timber</del>	3
	I now return to the Cor.	4
	to Sp. 2 <sup>nd</sup> & 3. N. R. 1. E. and 1	4
	W. on principal meridian	4
	hereinafter described.	
	Thence I run	
	West. on a random line	
	Ta. 13° 45' E	
40.00	I find no trace of old 1/4 Sec Cor.	
80.00	I find no trace of old Sec Cor.	
120.00	I find old 1/4 Sec. Cor. post. 45 lbs	
	N. lying on ground. decayed	
160.00	I find old Sec Cor. post. 1 ch.	
	N. much decayed and marks	
	obliterated	
200.00	I find no trace of old 1/4 Sec Cor.	

J. 3. N. R. 1. W.

- 40.00 I find no trace of old Sec Cor.
- 80.00 I find no trace of old 1/4 Sec. Cor.
- 20.00 I find no trace of old Sec. Cor.
- 60.00 I find no trace of old 1/4 Sec Cor.
- 00.00 I find no trace of old Sec. Cor.
- 40.00 I find no trace of old 1/4 Sec. Cor.
- 74.45 Sp. Cor. bears N. 385. lks. dist.

The correction per mile will be 64 lks. North, and the true bearing between the Sp. Cors. will be  $N 89^{\circ} 33' W$  As Sp 2. N. R. 1. W. has been subdivided, I cannot change the position of the Sp. Cor. and it is impossible to determine the original positions of the old posts found on the line, - I resurvey this line setting



## South boundary

Chains Corners at each 40<sup>th</sup> and 80  
chains on a right line  
between the Sp Cors. as  
follows. to-wit.

I now return to Cor. to  
Sp. 2<sup>nd</sup> & N. R. 1. E. 2<sup>nd</sup> 1 W on  
principal meridian here=  
inbefore described.

Lat.  $33^{\circ}33'N$ . Long.  $112^{\circ}17'W$   
I determine the meridian  
here by use of the Solar  
apparatus. and find the  
Va. to be  $13^{\circ}45'$  East.

Thence I run.

$N 89^{\circ}33'W$  on a true line  
bet. Secs. 1<sup>st</sup> and 36.

Va.  $13^{\circ}45'E$

14.50 Left bank Agua Fria River <sup>dry</sup>  
East. Channel runs S. E.

## J. S. N. R. I. W.

- chains  
17.00 Right bank of east channel at dry  
bars. Northerly & Southerly.
- 40.00 this point falls on <sup>dry</sup> Sand bar
- 41.00 Left bank. West channel of  
Agua Fria River, <sup>dry</sup> bars. S 5° E and  
N 5° W.
- 44.00 Right bank West channel dry  
bars. Northerly & Southerly.
- 45.00 Set a granite Stone 20x10x6  
ins. 15 ins. in the ground for  
Witness to 1/4 Sec. Cor. Marked  
W.C. 1/4 on N. face. dig pits  
18x18x12 ins. E. & W. of Stone  
5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft. high  
3 1/2 ft. base. alongside.
- 52.00 Wagon road bars. N. & S.
- 77.00 Wagon road bars. N.E. & S.W.
- 80.00 Set a post. 4 ft. long. 4 ins.

## South boundary

Chains

with marked stones  
 Square  $7\frac{1}{2}$  ins. in the ground  
 for Cor. to Secs. 1, 2, 35 & 36. marked  
 T. 3. N. S. 36 on N.E.

R. 1. W. S. 1 on S.E.

T. 2. N. S. 2 on S.W. and  
 S. 35 on N.W. faces, with  
 1 notch on E. and 5 notches  
 on W. edges. dug pits  $18 \times 18$   
 $\times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft.  
 dist. and raised a mound  
 of earth 2 ft. high  $4\frac{1}{2}$  ft.  
 base around post.

Land broken.

Soil. Sandy. 1<sup>st</sup> and 2<sup>d</sup> rate

Timber. mesquite.

Sept. 8. 1894.

N  $89^{\circ} 33' W$  on a true line  
 bet. Secs. 2<sup>nd</sup> and 35.

— Va.  $13^{\circ} 45' E$ .

## T. 3. N. R. 1. W.

- Chains over level land
- 40.00 I find old  $\frac{1}{4}$  post. lying on the ground 51 lks. S. Very badly decayed. I find no trace of pits or mound or any evidence of the original position of the post. I destroy old post. and set a post. 3 ft. long. 3 ins. square. with marked stone 12 ins. in the ground. for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on N. face. dug pits 15x15x12 ins. E & W. of post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base. around post.
- 80.00 I find old post. lying on the ground 28 lks. S. I destroy the old post.

## South boundary

Chairs

Set a post 4 ft. long, 4 ins. square. With marked stone 12 ins. in the ground for Cor. to Secs. 2, 3, 34 & 35. Marked S. 3 N. S. 35. on N.E. R. 1. W. S. 2 on S.E. S. 2 N. S. 3 on S.W. and S. 34 on N.W. faces. With 2 notches on E. and 4 notches on W. edges. dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base. around post.

Land rolling  
Soil. gravelly 2<sup>d</sup> rate  
Timber. mesquite

---

Chains N 89° 33' W. on a true line  
bet. Secs. 3<sup>rd</sup> & 3<sup>rd</sup>.

Va. 13° 45' E.

40.00 Set a post. 3 ft. long, 3 ins.  
Square, with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$   
Sec. Cor. marked  $\frac{1}{4}$  S. on N.  
face. dug pits 18x18x12  
ins. E & W. of post.  $5\frac{1}{2}$  ft.  
dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft.  
base, around post. -

After diligent search I fail  
to find any trace of old Cor.

80.00 Set a post. 4 ft. long, 4 ins.  
Square, with marked stone  
12 ins. in the ground, for Cor.  
to Secs. 3, 4, 33, & 34, marked  
J. 3 N. S. 34, on N.E.

## South boundary

Chains

R. 1. W. S. 3 on S. E.

S. 2. N. S. 4. on S. W. and  
S. 33. on N. W. faces. with  
3 notches on E. & W. edges.

dug pits 18x18x12 ins in  
each sec. 5 1/2 ft. dist.

and raised a mound of  
earth 2 ft. high. 4 1/2 ft.  
base. around post. —

After diligent search I  
fail to find any trace of old Cor.

Land rolling

Soil. gravelly. 2<sup>d</sup> rate

Timber mesquite

---

N 89° 33' W on a true line  
bet. Secs. 4<sup>th</sup> & 33.

Va. 13° 45' E.

over rolling land

## T. 3. N. R. 1. W.

chains  
40.00

Set a post. 3 ft long. 3 ins. square. with marked stone 12 ins. in the ground. for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on N. face. dug pits 18x18x12 ins. E. & W. of post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post. - After a diligent search. I fail to find any trace of old  $\frac{1}{4}$  Sec. Cor.

80.00

Set a post. 4 ft long. 4 ins. square. with marked stone 12 ins. in the ground. for Cor. to Secs. 4, 5, 32, and 33. Marked T. 3 N. S. 33 on N.E. R. 1. W. S. 4 on S.E. T. 2, N. S. 5 on S.W. and S. 32 on N.W. faces. with



## South boundary

Chains

4 notches on E. and 2 notches  
on W. edges. dug pits 18x  
18x12 ins. in each sec.

5½ ft. dist. and raised a  
mound of earth 2 ft. high  
4½ ft. base. around post

After a diligent search I  
fail to find any trace of old Con.  
Land nearly level

Soil, sandy loam 1<sup>st</sup> rate  
Timber mesquite

N 89° 33' W on a true line  
bet. Secs. 5<sup>th</sup> and 32.

ru. 13° 45' E

over level land

40.00

Set a post, 3 ft. long, 3 in.  
square, with marked stone  
12 ins. in the ground, for.

## T. 3. N. R. 1. W.

- Chains  $\frac{1}{4}$  Sec. Cor. marked.  $\frac{1}{4}$  S. on N. face. dug pits  $18 \times 18 \times 12$  ins. E. & W. of post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base, around post. After a diligent search I fail to find any trace of old Cor.
- 80.00 Set a post, 4 ft. long, 4 ins square, with marked stone  $12$  ins. in the ground, for Cor. to Secs. 5, 6, 31, & 32, marked T. 3 N. S. 32. on N. E., R. 1, W. S. 5 on S. E., T. 2. N. S. 6 on S. W., and S. 31 on N. W. faces, with 5 notches on E, and 1 notch on W. edges. dug pits  $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound

## South boundary

Chains of earth, 2 ft. high  $4\frac{1}{2}$  ft. base, around. Post. - After a diligent search, I fail to find any trace of the old Cor. Land level.

Soil. Sandy loam 1<sup>st</sup> rate  
Timber, mesquite

N  $89^{\circ}33'W$  on a true line  
bet. Secs. 6 and 31.

Va.  $13^{\circ}45'E$ .

over level land

40.00 Set a post, 3 ft. long, 3 ins. square, with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  on N. face, dug pits  $18 \times 18 \times 12$  ins. E. & W. of post,  $5\frac{1}{2}$  ft. long dist. and raised a mound

J. S. N. R. 1. W.

Chain earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base, around. past. —

After diligent search I fail to find any trace of old  $\frac{1}{4}$  Sec. Cor.

74.45 The Cor. to Sps. 2<sup>nd</sup> & 3<sup>rd</sup> N. R.s. 1<sup>st</sup> & 2<sup>nd</sup> W. Irregularly described Land, level.

Soil. Sandy loam 1<sup>st</sup> rate  
Timber. Mesquite  
Sept. 10. 1894

This entire boundary, consisting of 474.45 chs. runs thro' dense mesquite undergrowth. —

Extends J. S. N. R. 1. W.

BOUNDARY.	True bearing	Distance CHS.	LATITUDE		DEPARTURE	
			N.	S.	E.	W.
W. B'dy	NORTH	480.00	480.00			
N. B'dy	EAST	470.90			470.90	
E. B'dy	S 0° 20' E.	484.00		484.00	2.80	
S. B'dy	N 89° 33' W	474.45	3.75			474.44
CONVERGENCY					48	
TOTALS.			483.75	484.00	474.18	474.44
Error in Latitude				483.75	474.18	474.44
				.25 Error in Dep.	.26	

## West. boundary

chains I now return to Cor. to Sps.  
3<sup>rd</sup> & 4<sup>th</sup> N. R. S. 1 and 2 W. as  
heretofore described.

Lat.  $33^{\circ}38'N$ . Long  $112^{\circ}24'W$ .

I determine the meridian here  
by the use of the solar apparatus,  
and find the Va. to be  $13^{\circ}45'E$   
From thence I run

North. bet. Secs. 31<sup>st</sup> & 36

Va  $13^{\circ}45'E$

over level land in timber

10.50 Wagon road, bears  $N40^{\circ}W$   $S40^{\circ}E$

40.00 Set a post, 3 ft. long, 3 ins.

Square, with marked Stone 12  
ins. in the ground, for  $\frac{1}{4}$  Acre,  
Marked  $\frac{1}{4}$  S. on W. face, dug  
pits  $18 \times 18 \times 12$  ins. N. & S. of post  
 $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft. high

J. H. N. R. I. W.

Chains 3 1/2 ft. base. around post  
 80.00 Set a post 4 ft. long 4 ins.  
 Square. with marked stone 12  
 ins. in the ground. for Cor. to  
 Secs. 25, 30, 31 and 36. marked  
 J. H. N. S. 30 on N.E.  
 R. I. W. S. 31 on S.E.  
 R. 2. W. S. 36 on S.W. and  
 S. 25. on N.W. faces. with 1 notch  
 on S. and 5 notches on N. edges  
 dug pits 18x15x12 ins. in each  
 sec. 5 1/2 ft. dist. and raised a  
 mound of earth 2 ft. high 4 1/2  
 ft. base around post. —  
 Land. level  
 Soil. Sandy loam 1<sup>st</sup> rate  
 Timber mesquite 80. chs.

---

## West. boundary

chains North. lat Secs. 25 and 30.

Va.  $13^{\circ}45' E$ .

over level land in timber.

40.00 Set a post. 3 ft. long. 3 ins.  
Square. with marked Stone 12  
ins. in the ground. for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  S. on W. face. dig  
pits  $18 \times 18 \times 12$  ins. N + S. of post  
 $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base. around post.

80.00 Set a post. 4 ft. long. 4 ins.  
Square. with marked Stone 12  
ins. in the ground. for Cor. to  
Secs. 19. 24. 25 and 30. marked  
T. 4. N. S. 19 on N.E.  
R. 1. W. S. 30 on S.E.  
R. 2 W S. 25 on S.W. and  
S 24 on N.W. faces. with

## J. 4. N. R. 1. W.

Chains 2 notches on S. and 4 notches on N. edges. dug pits 18x18x12 ins. in each. Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high, 4 1/2 ft. base. around post.

Land. level.

Soil. Sandy loam. 1<sup>st</sup> rate

Timber. mesquite 80. chs.

North. lat. Sec. 19. 9<sup>th</sup> 2<sup>d</sup>.

ru. 13° 45' E

over level land in timber

40.00 Set a post. 3 ft. long. 3 ins.

square. with marked stone 12 ins. in the ground. for 1/4 Sec. Co.

marked 1/4 S. on W. face. dug pits 18x18x12 ins. N & S. of post. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high.



## West. boundary

Chains  
80.00

$3\frac{1}{2}$  ft. base. around post.  
Set a post. 4 ft. long. 4 ins.  
Square. with marked stone 12  
ins. in the ground. for. Cor. to  
Secs. 13. 18. 19<sup>th</sup> & 24. marked,  
T. 4. N. S. 18 on N.E.

R. 1. W. S. 19 on S.E.

R. 2 W. S. 24 on S.W. and  
S. 13. on N.W. faces. with 3  
matches on N and S. edges. dug  
pits  $18 \times 18 \times 12$  ins. in each Sec  
 $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth 2 ft. high  $4\frac{1}{2}$   
ft. base. around. post.

Land. level.

Soil. Sandy loam 1<sup>st</sup> rate

Timber. Mesquite 80. Chs.

---

North. bet. Secs. 13<sup>th</sup> & 18.

## J. H. N. R. 1. W.

Chains

Va.  $13^{\circ}45'E$ .

over level land in timber

4.50

Wagon road from Phoenix to Prescott  
Frans N.W. and S.E.

40.00

Set a post. 3 ft. long, 3 ins.  
Square. with marked Stone 12  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cr.  
Marked  $\frac{1}{4}$  S. on W. face. dug pits  
 $18 \times 18 \times 12$  ins. N & S. of post.  $5\frac{1}{2}$   
ft. diam. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post. —

80.00

Set a post. 4 ft. long, 4 ins.  
Square. with marked Stone 12  
ins. in the ground, for Cor. to  
Secs. 7, 12, 13<sup>rd</sup> and 18. Marked  
J. H. N. S. 7 on N.E.  
R. 1. W. S. 18 on S.E.  
R 2. W. S. 13 on S.W. and

## West. boundary

Chains S. 12 on N.W. faces. with 4  
 Notches on S. and 2 notches on  
 N. edges. dug pits  $18 \times 18 \times 12$  ins.  
 in each Sec.  $5\frac{1}{2}$  ft. dist.  $\nearrow$   
 raised a mound of earth 2 ft  
 high.  $4\frac{1}{2}$  ft. base. around post.  
 Land. level.  
 Soil. Sandy loam 1<sup>st</sup> rate.  
 Timber. Mesquite, 80 chs

---

North. bet. Secs. 7<sup>th</sup> & 12<sup>th</sup>  
 Va.  $13^{\circ} 45' E$ .

over level land in timber  
 40.00 Set a post. 3 ft. long. 3 ins.  
 Square. with marked stones  
 ins. in the ground. for  $\frac{1}{4}$  Sec. line  
 marked.  $\frac{1}{4}$  S. on W. face. dug  
 pits  $18 \times 18 \times 12$  ins. N. & S. of  
 post.  $5\frac{1}{2}$  ft. dist. and raised

T. 4. N. R. 1. W.

Chain a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. around post. —

80.00 Set a post. 4 ft. long 4 ins.

Square. with marked stone 12 ins. in the ground. for Cor. to Secs. 1, 6, 7, and 12. marked.

T. 4 N. S. 6. on N.E.

R. 1. W. S. 7 on S.E.

R. 2 W. S. 12 on S.W. and

S. 1. on N.W. faces. with 5 notches on S. and 1 notch on N. edges. dug pits  $18 \times 18 \times 12$  ins. in each. Sec.

$5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base around. post. —

Land. level.

Soil. sandy loam 1<sup>st</sup> rate

Timber. mesquite 80. chs

West. boundary

Chains North. but. Secs. 1 and 6.

Va.  $13^{\circ}45'E$ .

over level land in timber.

40.00 Set a post. 3 ft. long, 3 ins. Square. with marked stone 12 ins. in the ground. for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on W. face. dug pits  $18 \times 18 \times 12$  ins. N & S. of post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. around post. -

58.00 Wash. 24 lks. wide 2 ft. deep. runs.  $S 10^{\circ}E$ .

74.60 Intersect first Standard parallel North, at  $N 89^{\circ}50'E$  14. chains dist. from the Standard Cor. to Sp. 5. N. R. 1, and 2 W. where I find faint traces of pits and mound. But. I find the Stand. -

J. H. N. R. 1. W.

Chain

and  $\frac{1}{4}$  Sec. Cor. Sec. 31. a Stone firmly  
set and properly <sup>marked</sup> as described in  
the field notes furnished by the  
Surveyor General.

I set this Cor. in a right line  
between said Standard Sp Cor. and  
the said Standard  $\frac{1}{4}$  Sec. Cor.  
of Sec. 31. where I  
set a post.  $4\frac{1}{2}$  ft. long. 4 ins.  
square. with marked Stone 12  
ins. in the ground. for Closing  
Cor. to Sp. 4. N. R. 1 <sup>marked</sup> and 2. W.  
C.C. J. 4. N or S.

R. 1. W. S. 6 on E. and  
R 2 W S. 1. on W. faces. with  
6 Notches on S. E. <sup>and</sup> W. faces.  
dug pits  $24 \times 18 \times 12$  ins. Cross-  
wise on each line S. E. & W  
of post. 6 ft. dist. and raised a

Chains Mould of earth  $2\frac{1}{2}$  ft. high.  
5 ft. base. around post.  
Land level.

Soil. Sandy loam 1<sup>st</sup> rate

Timber. Mesquite 74.60 chs.

Sept. 11. 1894.

This entire boundary. Consisting  
of 474.60 chs. run through  
dense timber and undergrowth.