

1732

BOOK 1732

Field Notes

EXTERIOR LINES

1732

— OF —

Township 11 N. Range 3 E.

BOOK 1732

BOOK 1732

of the Gila and Salt River Base and Meridian,

ARIZONA.

J. W. Tate & C. B. Burden, U. S. Deputy Surveyors

Work commenced 187...

1732

Completed 187...

BOOK 1732

Field Notes

of the Survey of the
Exterior Lines of

T 11 N. R 3 E.

U and S. R. W

1A

BOOK 1732

Indet

Pages

A. B. D. H. K. R. S. E. 1. 4. 8. 2. 4.

M. N. P. Q. R. S. T. U. V. W. X. Y. Z.

G. I. J. L. O. P. Q. R. S. T. U. V.

BOOK 1732

	7	8	8	9	9	1
5	6	5	4	3	2	12
5	7					122
6	18	R.N.M.	R.S.E.			133
						248

Between Tps 11 and 12 N. R 3 E. G and S. R. 110

Chain

In order to reach the agricultural land along Sycamore Branch Creek, occupied by C. A. Bancroft and others, I commence at the Cor to Secs 35 and 36, 1 and 2, on the S. By of Tps 12 N. R 3 E. (The S. E. Cor of this Tps was not set in the previous survey).

This Cor is a Post marked

T 12 N. R 3 E. S 36 on N. E

T 11 N. R 3 E. S 1 on S. E

S 2 on S. W and

S 35 on N. W faces, with 1 notch on E and 5 notches on W edges, with mound of stone around post.

The are my witness lines.

Thence I run

East on a true line bet Secs 1 and 36.

on $14^{\circ} 21' E$

As per observation with a Burt's Improved Solar Compass

40.00 Set a post marked $\frac{1}{4}$ S, 4 ft long, flattened 3 ins wide, with marked stone 12 ins in the ground, and build mound of stone 2 ft high as per instructions for $\frac{1}{4}$ Sec. Cor.

44.40 Rocky gulch 10 tps wide course North

80.00 Set a post marked and notched $4\frac{1}{2}$ ft long 4 ins sq, with marked stone 12 ins in the ground, and build mound of stone $2\frac{1}{2}$ ft high, as per instructions for Cor to Tps 11 and 12 N. R 3 and 4 E from which bears

A cedar 16 ins diam N $66^{\circ} E$. 104 lbs dist
Broken rocky soil, poor
No timber

See Page 8

BOOK 1732

BOOK 1732

Between Tps 11 N. R 3 and 4 E. Gaud S. R. W

Chain

All the agricultural land mentioned in any contract as occupied by C. A. Bamcroft, and others is situated in T 11 N. R 4 E, along the eastern and southern borders of this T. The land is barren and worthless and not surveyable. I return to the cor to Tps 11 and 12 N. R 3 and 4 E. and run south on the M

BOOK 1732

of the T, as follows.

On 14° 20' E

as verified by Solar Compass

40.00 Set volcanic rock 12x12x10 in 8 in in the ground, and build mound of stone 2 ft high, as per instructions for 1/4 Sec Cor. from which bears

BOOK 1732

58.09 A Cedar 15 in diam N 19 1/2° W. 145 lbs dist
A trail runs N and enters bottom of Sycamore Branch Creek

64.50 Sycamore Branch Creek 50 lbs wide runs N. Leave bottom and ascend.

80.00 Set volcanic rock 22x12x6 in 16 in in the ground, and build mound of stone 2 ft high, as per instructions for Cor to Secs. 1-6-7-12 from which bears

~~A Cedar 24 in diam N 12° W. 11 lbs dist~~
~~A Cedar 18 in diam N 12° W. 11 lbs dist~~

A Cedar 18 in diam N. 63 1/2° E. 153 lbs dist

A Cedar 12 in diam S. 47° W. 84 lbs dist

Broken. Some good soil along Creek Bottom.

Sycamore and Ash along creek

BOOK 1732

South bet Secs 7 and 12

On 14° 20' E

40.00 Set volcanic rock 18x15x8 in 12 in in the ground, and build mound of stone 2 ft high as per instructions for 1/4 Sec Cor. from which bears

A Cedar 15 in diam N. 84° W. 813 lbs dist

3

Between Twp 11 N. R. 3 and 4 E. G. and S. R. W

Chains

- 53.70 Rocky gulch 15 in diam corner N. W
61.00 Corner high table land
80.00 Set a post marked and watched, 4 1/2 ft
long 4 in sq. with marked stone 12 in
in the ground, and build around of
stone 2 ft high, as per instructions
for Cor to Secs 7-12-13-18, from which bears
A Cedar 24 in diam S 81 1/2° W, 270 lks dist
A Cedar 18 in diam S 35° E, 255 lks dist
Broken, Soil 2nd rate
Good grazing
No timber

BOOK 1732

South bet Secs 13 and 18

On 14° 20' E

BOOK 1732

- 40.00 Set volcanic rock 12 X 8 X 7 in 8 in
in the ground, and build around of
earth 2 ft high, with pits 18 X 18 X 12 in
as per instructions for 1/4 Sec Cor.
80.00 Set volcanic rock 15 X 9 X 6 in 9 in in
the ground, and build around of
earth 2 ft high with pits 18 X 18 X 12
in as per instructions, for Cor to Secs
18-18-19-24

Mesa land.

Soil 2nd rate

No timber

Aug 18th 1881

South bet Secs 19 and 24

On 14° 20' E

BOOK 1732

- 40.00 Set volcanic rock 11 X 9 X 7 in 8 in in
the ground, and build around of earth
2 ft high, with pits 18 X 18 X 12 in, as per
instructions for 1/4 Sec Cor.
80.00 Set volcanic rock 18 X 8 X 6 in 8 in in
the ground and build around of earth
2 ft high with pits 18 X 18 X 12 in, as
per instructions for Cor to Secs 19-24-25-30.

Between Twp 11 N. R 4 E. G and S. R. W

Chain

Meas Land.

Broken Soil poor.

No timber

Further south the land is broken. Rocky and worthless, and is unsurveyable.

Aug 19th 1881

BOOK 1732

General Description

The west boundary of Twp 11 N. R 4 E. crosses Sycamore Creek on the north end where is some good land

The balance is broken, in places. There is good grazing. No timber except along the Creek.

Theodore J. White

U. S. Deputy Surveyor

BOOK 1732

BOOK 1732

Between Rs 2nd & E. T 11 N. Gam S. R. W

Chain

From the established cor to Tps 11 & 12
N. Rs 2nd & E.

I run

South on range line bet Secs 1st and 6.
on 14° 25' E.

As per Burts improved Solar Compass,
line continues gradual descent from hill.

6.00 Foot of hill

BOOK 1732

deposit marked stone, and build a
mound of earth 2 ft high with pits
2x1x1 ft for 1/4 Sec Cor. No trees near.

80.00 Set a post marked and notched 4 ft
long 3 in sq 1 ft in the ground
deposit marked stone and build a
mound of earth 2 ft high, with pits
2x1x1 ft for the Cor to Secs 1-6-7-12
No trees near

BOOK 1732

Land level

Soil 1 1/2 rats

No timber

South on range line bet Secs 7th and 12

on 14° 25' E

with level from upper to lower ranches line

or 1/4th and S. E.

84.50 Begin ascent of hill

89.00 Summit and line continues along mesa.

40.00 Set a post marked 1/4 S 4 ft long
flattened 3 in wide 1 ft in the ground
deposit marked stone and build a
mound of earth 2 ft high, with pits
2x1x1 ft for 1/4 Sec Cor. No trees near.

BOOK 1732

60.00 Begin descent from mesa

61.00 Foot and enter bottom land

61.30 Farm road bet E and W.

66.00 Alan Hat's house bet E from this point 10 chs.

67.00 Agua Fria Creek 20 lbs wide, gentle
current and sandy bottom, flows East.

Between Rs 2 and 8 E. Tps 11 N. R. and S. R. W

Chain
 80.00 Set a first markul and notched 4 ft long
 3 in sq 1 ft in the ground, deposit
 markul stone and build a mound of earth
 2 ft high with pit 2 X 1 X 1 ft for the
 Cor to Secs 4-12-13-14
 No trees near.
 Land mostly level
 Soil 1st and 2nd rate
 Timber, a few cottonwoods
 along the creek bottom

South on range line bet Secs 13rd and 14th
 on 14° 25' E

50 Begin ascent of bluff with walls of
 rock, nearly perpendicular
 2.00 Summit
 10.00 Enter canon 100 ft deep bearing N. E.
 and S. W.
 21.00 Opposite side and enter stony mesa land
 40.00 Set a first markul 1/4 S. 4 ft long
 flattened 3 in wide 1 ft in the ground,
 deposit markul stone and build a
 mound of earth 2 ft high, with pit
 2 X 1 X 1 ft for 1/4 Sec Cor. No trees near.
 80.00 Set a first markul and notched 4 1/2 ft
 long 3 in sq 1 ft in the ground,
 deposit marked stone and build a mound
 of earth 2 ft high, with pit 2 X 1 X 1 ft
 for the Cor to Secs 13-14-15-16.
 No trees near.
 Land level mesa.
 Soil 2nd rate
 No timber
 Dec 9th 1878.

BOOK 1732

BOOK 1732

The land south of this point being covered by rocky mesas, broken by ravines, and deep canyons, and not known to contain any mineral, therefore coming under the head of waste or useless, I extend this line no farther south.

C. Burton Foster

U. S. Geol. Surv. Geologist

Between Tps 11 and 12 N. R. & E.

See Page 1

From the established Cor to Tps 11 & 12 N. R. 2 and E. I run East on a true line bet Secs 6 and 8, on $14^{\circ} 25' E$.

16. 40 Road from lower Agua Fria valley to Prescott on N and S.
38. 53 Set a post marked $\frac{1}{4}$ S. 4 ft long, flattened 8 in wide 1 ft in the ground. deposit marked stone and build a mound of earth 2 ft high with pits 2x1x1 ft for $\frac{1}{4}$ Sec Cor. as per convergency bet Tps 11 and 12 North.
48. 53 Set a post marked 15. the wide gentle current and sandy bottom flows S.
48. 53 Set a post marked and notched 4 ft long 8 in sq 1 ft in the ground. deposit marked stone, and build a mound of stone ^{2 ft high} around it, for the Cor to Secs 5-6-31-32.

No trees near.

Soil 2nd rate

Timber Ash on banks of creek

Between Tps 11 and 12 N. R 3 E. Grand S. R. W

Chain

East on a true line bet Secs 5 and 82
on $14^{\circ} 25' E$

40.00 Set a post marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in wide 1 ft in the ground
and built around it a mound of
stone 2 ft high for $\frac{1}{4}$ Sec Cor.
No trees near

56.00 Begin descent into cañon

60.00 Foot and little ash creek flows south
with side

68.00 Leave cañon and enter mesa land

80.00 Set a post marked and notched 4 ft
long 3 in sq 1 ft in the ground and
build around it a mound of stone
2 ft high for the Cor to Secs 4-5-82-83.
No trees near.

Land level mesa
Soil 1st and 2nd rate
No timber

East on a true line bet Secs 4 and 88.
on $14^{\circ} 25' E$.

24.00 Begin descent into cañon

32.00 Sycamore creek, gentle current,
and gravelly bottom, 25 ft wide
flows S.

39.00 Begin ascent of almost perpendicular
walls of cañon

40.00 Summit and set a post marked
 $\frac{1}{4}$ S., 4 ft long flattened 3 in wide
1 ft in the ground and build
around it a mound of stone 2 ft
high for $\frac{1}{4}$ Sec. Cor. No trees near.

80.00 Set a post marked and notched
4 ft long 3 in sq 1 ft in the ground
and build around it a mound of
stone 2 ft high for the Cor to Secs
34-33-34 No trees near.

Land mostly level
Soil 2nd and 3rd rate
Little trees near ash on banks of creek.

BOOK 1732

BOOK 1732

BOOK 1732

9

Between Tps 11 and 12 N. R. S. E. Genl S. R. W

Chain

East on a true line bet Secs 8 and 34
on $14^{\circ} 25' E$

BOOK 1732

40.00 Set a post marked $\frac{1}{4} S$. 4 ft long
flattened 3 ins wide 1 ft in the ground
deposit marked stone and build a
mound of earth 2 ft high with pits
 $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor. No trees near.

20.00 Set a post marked and notched 4 ft
long 3 ins sq 1 ft in the ground
deposit marked stone and build
mound of earth 2 ft high with pits
 $2 \times 1 \times 1$ ft for the Cor to Secs 2-3-34-35
No trees near.

Land level mesa
Soil 1^{st} and 2^{nd} oak
No timber

BOOK 1732

East on a true line bet Secs 2 and 35
on $14^{\circ} 25' E$.

40.00 Set a post marked $\frac{1}{4} S$. 4 ft long
flattened 3 ins wide. 1 ft in the ground.
deposit marked stone. and build a
mound of earth 2 ft high with pits
 $2 \times 1 \times 1$ ft for $\frac{1}{4}$ Sec Cor. No trees near.

20.00 Set a post marked and notched 4 ft
long 3 ins sq 1 ft in the ground, and
build around it a mound of stone
2 ft high for the Cor to Secs 1-2-35-36

Land level mesa west
Soil rough and rocky. East.
Soil 1^{st} and 3^{rd} oak

No timber

Dec 10th 1878.

BOOK 1732

The land east of this point being broken
by deep canyons and ravines, and not
known to contain any mineral. Therefore
coming under the head of waste or useless
I extend this line no further East.

R. Burton Dist. U. S. Dept. Surveyor. See Page 1

