

1800

Certified copy of the

FIELD NOTES

1800
OF THE SURVEY OF THE

SUBDIVISION LINES

— OF —

Township *N^o 14 North*, Range *N^o 28 East*

of the Gila and Salt River Base and Meridian,

1800
ARIZONA,

By *C. Burton Foster* U. S. Deputy Surveyor,

Under contract dated *October 13th*, 1874.

Survey commenced *March 31st*, 1875.

Survey Completed *April 8th*, 1875.

1801

1801

Certified Copy of the
FIELD NOTES

OF THE SURVEY OF THE

SUBDIVISION LINES

— OF —

1801

Township *No. 14 N.*, Range *No. 27 East*

of the Gila and Salt River Base and Meridian,

ARIZONA,

By *C. Burton Foster* U. S. Deputy Surveyor,

Under contract dated *October 13th*, 1874.

Survey commenced *April 9th*, 1875.

Survey Completed *April 17th*, 1875.

Department of the Interior,

GENERAL LAND OFFICE.

Washington, D. C., December 17, 1894.

I, S. W. Lammoreux, Commissioner of the
General Land Office, do hereby certify that the annexed
copy of the field notes of subdivision of township
14 north, range 27 east, of the Gila and Salt-River
Bases and Meridian, Arizona, is a

and literal exemplification of the official field
notes of said survey on file in this office.

In testimony whereof I have hereunto subscribed my name
and caused the seal of this Office to be
affixed, at the City of Washington, on
the day and year above written.

S. W. Lammoreux

Commissioner of the General Land Office.

FIELD NOTES

OF THE SURVEY OF *the*

Subdivision Lines

of

Township 14 North.

Range 27 East

Of the *Gila and Salt River* Base and Meridian,

Arizona.

AS SURVEYED BY

By *W. Burton Foster*, U. S. Deputy Surveyor,

Under the Contract No. _____, dated *October 13*, 1874

Survey commenced *April 9*, 1875

Survey completed *April 17*, 1875

10

1801

BOOK 1801

INDEX DIAGRAM.

Township 14 North, Range 27 East.
Glasland Salt River Meridian.

6	31	5	23	4	17	3	11	2	6	1
30		30		22		16		11		5
7	29	8	22	9	16	10	10	11	5	12
29		28		21		15		10		4
18	28	17	20	16	15	15	9	14	4	13
27		27		20		14		9		3
19	26	20	19	21	14	22	8	28	3	24
26		25		19		13		8		2
30	25	29	18	28	13	27	7	26	2	25
24		24		18		12		7		1
31	23	32	17	33	12	34	6	35	1	36

Meanders Page.....

Referring the lines to the pages of the field notes,

10

WE, Richard Shrope and George Carr

do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain ^{upon} ~~over even and~~ uneven ground, and plumb the tally-pins ^{whether} ~~either~~ by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us in the survey of the

Richard Shrope, Chainman.
George Carr, Chainman.
_____, Chainman.
_____, Chainman.

Subscribed and sworn to before me this 18 }
day of February, 1875.

Seal William Wilkerson
Clerk Dist. Court.
3^d Judicial Dist. Ariz.

WE, Chas. Rice and George Bryant

do solemnly swear that we will well and truly perform the duties of axemen ^{and flagman, respectively,} ~~in the establishment of corners and other~~ duties, according to instructions given us, and to the best of our skill and ability, ~~in the survey of the~~

Subscribed and sworn to before me this 18 }
day of February, 1875.

Chas. Rice, Axeman.
George Bryant, Axeman.

Seal William Wilkerson
Clerk Dist. Court,
3^d Dist. Arizona

Gila and Salt River Meridian

1E

Chs. From the cor. to secs. 35 and 36, on the S. boundary of the Township, I run

North between secs. 35 and 36.

Var. $14^{\circ} 16'$ East.

As per Burt's improved solar compass. Subdivision commenced April 9, 1875.

40.00 Set a limestone, $16 \times 8 \times 8$ inches, marked $\frac{1}{4}$, set $\frac{2}{3}$ in the ground, and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq'd., 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for cor. to secs. 25, 26, 35 and 36.

No trees near.

Land gently rolling. Soil 2^d rate
No timber.

East on random line between secs. 25 and 36.

Var. $14^{\circ} 16'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

50.00 Enter bottom land brs. N.W. and S.E.

70.00 Enter rolling land, brs. N. and S.

79.80 Intersect E. boundary of township 32 lks. N. of cor. to secs. 25 and 36, from which cor. I run N. $89^{\circ} 47'$ W.

On true line between secs. 25 and 36.

Var. $14^{\circ} 16'$ East.

39.90 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.

79.80 Cor. to secs. 25, 26, 35 and 36.

Land gently rolling. Soil 2^d rate.
No timber.

Little and Salt River Meridian

- Chs. North, between secs. 25 and 26.
 Var. $14^{\circ}16'$ East.
- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stakes and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.
- 48.00 Road bet. N.W. and S.E., from Hunts to Bridge.
- 64.00 Enter bottom land bet. N.W. and S.E.
- 80.00 Set a post, marked and notched, 4 ft. long 3 in. sqd. 1 ft. in the ground, drive charred stakes and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for cor. to secs. 23, 24, 25 and 26. No trees near. Land gently rolling. Soil 1st rate. No timber

East

- On random line between secs 24 and 25.
 Var. $14^{\circ}16'$ East.
- 7.50 Little Colorado river flows N.W. 30 lbs. wide, rapid current.
- 34.00 Little Colorado river flows S.W. 40 lbs. wide.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 80.00 Intersect E. boundary 24 lbs. N. of cor. to secs. 24 and 25, from which cor. I run N. $89^{\circ}50'$ W.
- On true line between secs. 24 and 25.
 Var. $14^{\circ}16'$ East.
- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stakes and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.
- 80.00 Cor. to secs. 23, 24, 25 and 26. Land level bottom. Soil 1st rate. Splendid meadow land. No timber.

Gila and Salt River Meridians.

- Chs. North between secs. 23 and 24.
Var. $14^{\circ} 16'$ East.
- 7.50 Little Colorado river flows N.W. 30 lks. wide, rapid current, gravelly bed.
- 40.00 Set a sand stone, $24 \times 6 \times 4$ inches, marked $\frac{1}{4}$, $\frac{3}{4}$ in the ground, and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees nears.
- 54.00 Enter rolling land brs. N.W. and E.
- 80.00 Set a post, marked and notched, 4 ft. long, 3 in. sqd. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for cor. to secs. 13, 14, 23 and 24. No trees nears.
Land level S. of $\frac{1}{4}$ sec. cor. Gently rolling N. Soil 1st and 2^d rates. No timber

East.

- On random line between Secs. 13 and 24.
Var. $14^{\circ} 16'$ East.
- 40.00 Set temporary $\frac{1}{4}$ sec.
- 80.25 Intersect E. boundary at cor. to Secs. 13 and 24, from which cor. I run West
- On true line between Secs. 13 and 24.
Var. $14^{\circ} 16'$ East.
- 40.12 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth, 2 ft. high, with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor.
No trees nears.
- 80.25 Cor. to secs. 13, 14, 23 and 24.
Land gently rolling.
Soil 2^d rate. Good grazing.
No timber except an occasional stunted cedar.

Cedar and Salt River Meridians.

Chs. North between secs. 13 and 14.
Var. $14^{\circ} 16'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sqd. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits $2 \times 1 \times 1$ ft. for cor. to secs. 11, 12, 13 and 14, from which

A Cedar 12 in. dia. br. S. 40° W. 280 lbs. dist.
No other trees near.
Land level mesa. Soil 1st rate.
Splendid grazing. No timber.

East.

On random line between secs. 12 and 13.
Var. $14^{\circ} 16'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.20 Intersect E. boundary 16 lbs. S. of cor. to secs. 12 and 13, from which cor. I run S. $89^{\circ} 53'$ W.

On true line between secs. 12 and 13.
Var. $14^{\circ} 16'$ East.

40.10 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor.

No trees near.

80.20 Cor. to secs. 11, 12, 13 and 14.

Land gently rolling with gradual slope towards W. Soil 1st rate.
No timber.

Gila and Salt River Meridian

Chs. North between secs. 11 and 12.
Var. $14^{\circ} 16'$ East.

40.00 Set a sandstone $15 \times 10 \times 4$ inches, marked $\frac{1}{4}$, set $\frac{2}{3}$ in the ground, and build mound of earth 2 ft. high, with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a post, marked and notched 4 ft. long, 3 in. sq. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for cor. to secs. 1, 2, 11 and 12. No trees near.

Land gently rolling. Soil 2^d rate. No timber.

April 9, 1875.

East.

On random line between secs. 1 and 12.
Var. $14^{\circ} 16'$ East.

30.00 Enter bottom land bet. N.W. and S.E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.00 Intersect E. boundary at cor. to secs. 1 and 12, from which cor. I run West.

On true line between secs. 1 and 12
Var. $14^{\circ} 16'$ East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Cor. to secs. 1, 2, 11 and 12.

Land mostly level. Soil 1st rate. No timber.

Gila and Salt River Meridian

chs. North between secs. 1 and 2 (random).
Var. $14^{\circ} 16'$ East.

10.00 Old road from New Mexico to Apache
brs. N. E. and S. W.

18.00 Enter bottom land brs. N. W. and S. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

76.00 Dry creek flows N. 30 lbs. wide.

79.95 Intersect N. boundary 18 lbs. E. of cor. to
secs. 1 and 2, from which cor. I run
 $S. 0^{\circ} 8' E.$

• On true line between secs. 1 and 2.
Var. $14^{\circ} 16'$ East.

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft. high
with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor.
No trees near.

79.95 Cor. to secs. 1, 2, 11 and 12.
Land level. Soil 1st rate. No timber.

North between secs. 34 and 35
Var. $14^{\circ} 16'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft. high
with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor.
No trees near.

41.00 Road brs. N. W. and S. E.

80.00 Set a post, marked and notched
4 ft. long, 3 in. sq. 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft. high
with pits $2 \times 1 \times 1$ ft. for cor. to secs.
26, 27, 34 and 35. No trees near.
Land gently rolling.
Soil 2^d rate.
No timber

Gila and Salt River Meridians.

Chs. East.

On random line between secs. 26 and 35.
Var. $14^{\circ}16'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.25 Intersect N. and S. line 38 lbs. N. of
cor. to secs. 25, 26, 35 and 36, from which
cor. I run
N. $89^{\circ}44'$ N.

On true line between secs. 26 and 35
Var. $14^{\circ}16'$ East

40.12 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft. high
with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor.
No trees near.

80.25 Cor. to secs. 26, 27, 34 and 35.
Land gently rolling. Soil 2^d rate.
Good grazing. No timber.

North between secs. 26 and 27.
Var. $14^{\circ}16'$ East.

8.00 Trail brs. E. and W. - Battle trail.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake
and build mound of earth 2 ft.
high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$
sec. cor. No trees near.

42.00 Battle trail brs. N. E. and S. W.

80.00 Set a post, marked and notched
4 ft. long, 3 in. sqd. 1 ft. in the ground,
drive charred stake and build
mound of earth 2 ft. high with
pits $2 \times 1 \times 1$ ft. for cor. to secs. 22, 23,
26 and 27. No trees near.

Land gently rolling.
Soil 2^d rate. No timber.

Gila and Salt River Meridian

Chs. East.

On random line between secs. 23 and 26.
Var. $14^{\circ} 16'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 38.00 Road from Bridge to Hunts, brs. N.W. and S.E.
 70.00 Enter bottom land brs. N.W. and S.E.
 80.10 Intersect N. and S. lines 18 lbs. N. of cor.
 to secs. 23, 24, 25 and 26, from which
 cor. I run
 N. $89^{\circ} 52'$ W.

On true line between secs. 23 and 26.
Var. $14^{\circ} 16'$ East.

- 40.05 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-
 tened 3 in. wide, 1 ft. in the ground,
 drive charred stake and build mound
 of earth 2 ft. high with pits $2 \times 1 \times 1$
 ft. for $\frac{1}{4}$ sec. cor. No trees near.
 80.10 Cor. to secs. 22, 23, 26 and 27.
 Land gently rolling. Soil 2^d rate. No timber.

North between secs. 22 and 23
Var. $14^{\circ} 16'$ East.

- 18.00 Leave rolling land and enter bottom land brs. E. and W.
 34.00 Road from Bridge to Hunts, brs. E. and W.
 35.50 Little Colorado river flows W. 30 lbs. wide, rapid current
 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft.
 in the ground, drive charred stake and build mound
 of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.
 41.00 North branch Little Colorado river, forming an island about 30 chs.
 long, bearing N.W. and W. and S.E. by E. 35 lbs. wide, flows W.
 41.25 Enter Wienega or bottom densely covered with
 wild rice and tule brs. S.E. by E. and W.
 78.00 Enter rolling land brs. E. and W.
 80.00 Set a lime stone, $10 \times 8 \times 8$ in. properly notched
 S. and E. edges, $\frac{2}{3}$ in the ground and build
 mound of earth 2 ft. high, with pits $2 \times 1 \times 1$ ft. for
 cor. to secs. 14, 15, 22 and 23. No trees near.
 Land mostly level. Soil 1st rate. No timber
 April 10, 1875.

Gila and Salt River Meridian.

Chs. East,

On random line between secs. 14 and 23.

Var. $14^{\circ} 16'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.79.92 Intersect N. and S. line 22 lbs. S. of cor. to secs. 13, 14, 23 and 24 from which cor. I run S. $89^{\circ} 51'$ W.

On true line between secs. 14 and 23.

Var. $14^{\circ} 16'$ East.39.96 Set a lime stone, $10 \times 10 \times 10$ inches, marked $\frac{1}{4}$, $\frac{2}{3}$ in the ground and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.

79.92 Cor. to secs. 14, 15, 22 and 23.

Land level S. gently rolling N. Soil 1st and 2^d rate.

A few cedars N. of line.

North, between secs. 14 and 15.

Var. $14^{\circ} 16'$ East.40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stakes and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for cor. to secs. 10, 11, 14 and 15.

No trees near.

Land gently rolling.

Soil 2^d rate.

A few cedars N. of line.

Gila and Salt River Meridians.

Chs. East

On random line between secs. 11 and 14.
Var. 14° 16' East.

40.00 Set temporary 1/4 sec. cor.

48.00 Enter scattering cedars, br. N. and S.

75.00 Leave cedars br. N. and S.

79.55 Intersect N. and S. line 42 lks. S. of
cor. to secs. 11, 12, 13 and 14, from which
cor. I run
S. 89° 42' W.

On true line between secs. 11 and 14.
Var. 14° 16' East.

39.77 Set a post, marked 1/4 S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
drive charred stake and build
mound of earth 2 ft. high with pits
2 x 1 x 1 ft. for 1/4 sec. cor. No trees near.

79.55 Cor. to secs. 10, 11, 14 and 15.
Land gently rolling. Soil 2^d rate.
No timber. No undergrowth.

North between secs. 10 and 11.
Var. 14° 16' East.

38.00 Old road to New Mexico br. N.E. and S.W.

40.00 Set a post, marked 1/4 S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
drive charred stake and build mound
of earth 2 ft. high with pits 2 x 1 x 1 ft.
for 1/4 sec. cor. No trees near.

80.00 Set a post marked and notched
4 ft. long, 3 in. sq. 1 ft. in the ground,
drive charred stake and build mound
of earth 2 ft. high with pits 2 x 1 x 1 ft.
for cor. to secs. 2, 3, 10 and 11.
No trees near.

Land gently rolling.
Soil 2^d rate.
A few cedars.

Gila and Salt River Meridian.

Che. East.

On random line between secs. 2 and 11.
Var. $14^{\circ} 16'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.64.00 Old road from Apache to New Mexico
brs. N. E. and S. W.79.75 Intersect N. and S. line 27 lks. S. of cor. to secs.
1, 2, 11 and 12, from which cor. I run
S. $89^{\circ} 49'$ W.

On true line between secs. 2 and 11.

Var. $14^{\circ} 16'$ East.39.87 Set a post, marked $\frac{1}{4}$ S. 4 ft. long flattened
3 in. wide, 1 ft. in the ground, drive
charred stake and build mound of
earth 2 ft. high, with pits $2 \times 1 \times 1$ ft
for $\frac{1}{4}$ sec. cor. No trees near.

79.75 Cor. to secs. 2, 3, 10 and 11.

Land gently rolling. Soil 2^d rate.
An occasional cedar.

North on random line between secs. 2 and 3.

Var. $14^{\circ} 16'$ East.

37.50 Enters bottom land brs. S. E. and W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.58.40 Dry creek flows S. W. 30 lks. wide, dense
growth of sunflowers on banks.79.78 Intersect N. boundary 37 lks. E. of cor. to
secs 2 and 3, from which cor. I run
S. $0^{\circ} 16'$ E.

On true line between secs. 2 and 3.

Var. $14^{\circ} 16'$ East.39.78 Set a post marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in.
wide 1 ft. in the ground, drive charred stake
and build mound of earth 2 ft. high with
pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.

79.78 Cor. to secs. 2, 3, 10 and 11.

Land mostly level. Soil 1st rate.
No timber or undergrowth.

April 12, 1875.

Gila and Salt River Meridian

Chs. North between secs. 33 and 34.
Var. 14° 16' East.

- 5.00 Begins descent of hill brs. N.W. and S.E. gently sloping N.E.
- 34.00 Enter gently rolling land brs. N.W. and S.E.
- 40.00 Set a volcanic stone, 20x10x10 inches marked 1/4 - 3/4 in the ground and build mound of earth 2 ft. high with pits 2x1x1 ft for 1/4 sec. cor. No trees near.
- 60.00 Spur of Black Mesa brs. E. and W. 60 ft. high.
- 62.50 Summit and begin descent gentle slope.
- 70.00 Foot and enter gently rolling land.
- 80.00 Set a volcanic stone 30x20x20 inches properly notched on S. and E. edges and build a mound of earth 2 ft. high with pits 2x1x1 ft. for cor. to secs. 27, 28, 33 and 34. No trees near. Land gently rolling E. mesa W. No timber. Soil 2^d rate.

East.

On random line between secs. 27 and 34.
Var. 14° 16' East.

- 36.20 Road brs. N. and S.E.
 - 40.00 Set temporary 1/4 sec. cor.
 - 80.00 Intersect N. and S. line at cor. to secs. 26, 27, 34 and 35, from which cor. I run West.
- On true line between secs. 27 and 34.
Var. 14° 16' East.
- 40.00 Set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide 1 ft. in the ground, drive charred stakes and build mound of earth 2 ft. high with pits 2x1x1 ft. for 1/4 sec. cor. No trees near.
 - 80.00 Cor. to secs. 27, 28, 33 and 34. Land gently rolling. Soil 2^d rate. No timber.

Gila and Salt River Meridian

Chs.

North between secs. 27 and 28
Var. $14^{\circ} 16'$ East.40.00 Set a limestone $10 \times 8 \times 8$ inches,
marked $\frac{1}{4}$, set $\frac{2}{3}$ in the ground,
and build mound of earth 2 ft. high
with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor.
No trees near.

72.40 Battle Trail brs. N.E. and S.W.

80.00 Set a post, marked and notched,
4 ft. long 3 in. sq. 1 ft. in the ground,
drives charred stakes and build mound
of earth 2 ft. high with pits $2 \times 1 \times$
1 ft. for cor. to secs. 21, 22, 27 and 28.
No trees near.Land gently rolling. Soil 2^d rate. No timber.

East.

On random line between secs. 22 and 27.

Var. $14^{\circ} 16'$ East.

12.00 Battle trail brs. N.E. and S.W.

32.40 Road brs. N.E. and S.

40.00 Set temporary $\frac{1}{4}$ sec. cor.79.88 Intersect N. and S. line 12 lks. of cor. to
secs. 22, 23, 26 and 27 from which cor.

I run

S. $89^{\circ} 55'$ W.

On true line between secs. 22 and 27.

Var. $14^{\circ} 16'$ East.39.94 Set a sandstone $18 \times 10 \times 8$ inches,
marked $\frac{1}{4}$, set $\frac{3}{4}$ in the ground,
and build mound of earth 2 ft.
high, with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor.
No trees near.

79.88 Cor. to secs. 21, 22, 27 and 28.

Land gently rolling.

Soil 2^d rate.

No timber. Scrub cedar undergrowth.

Gila and Salt River Meridian

Chs. North between secs. 21 and 22.
Var. $14^{\circ} 16'$ East.

- 6.40 Road brs. E. and W.
- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits 2x1x1 ft. for $\frac{1}{4}$ sec. cor. No trees near.
- 42.50 Road brs. N.E. and S.W.
- 65.20 Bluff brs. E. and W.
- 65.30 Enter bottom land brs. E. and W.
- 67.00 Little Colorado river flows W. 35 lks. wide, rapid current.
- 69.50 Little creek, 10 lks. wide, from spring 8 chs. E. flows W.
- 70.00 Enter bluff brs. E. and W.
- 80.00 Set a sand stone 30x14x4 inches, properly notched on S. and E. edges, $\frac{3}{4}$ in the ground and build mound of earth 2 ft. high with pits 2x1x1 ft. for cor. to secs. 15, 16, 21 and 22. No trees near. Land gently rolling. Soil 2^d rate. No timber or undergrowth.

East on random lines between secs. 15 and 22.
Var. $14^{\circ} 16'$ East.

- 7.50 Road brs. N.W. and S.E.
- 18.00 Round conical hill, N. of line, about 6 chs. to summit.
- 24.00 Round conical hill N. 10 chs. to summit.
- 25.50 Enter bottom land brs. S.W. and N.E.
- 38.00 Group of 4 houses, S. about 8 chs.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 62.00 Enter rolling land brs. N.W. and S.E.
- 80.00 Intersect N. and S. line at cor. to secs. 14, 15, 22 and 23, from which cor. I run West, on true line between secs. 15 and 22
Var. $14^{\circ} 16'$ East.
- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 2x1x1 ft. for $\frac{1}{4}$ sec. cor. No trees near.
- 80.00 Cor. to secs. 15, 16, 21 and 22. Land level bottom S. gently rolling N. Soil 1st and 2^d rate. No timbers

Gila and Salt River Meridian

Chs

North between secs. 15 and 16.

Var. $14^{\circ} 16'$ East.

5.00 Road brs. N.W. and S.E.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 ins. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.

64.50 Old road from New Mexico to Apache brs. N.E. and S.W.

80.00 Set a post, marked and notched 4 ft. long, 3 ins. sqd. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for cor. to secs. 9, 10, 15 and 16.No trees near. - Land gently rolling. Soil 2^d rate. A few cedars N. of line.

East

On random line between secs. 10 and 15.

Var. $14^{\circ} 16'$ East.

23.50 Old road from New Mexico brs. N.E. and S.W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.20 Intersect N. and S. line 25 lks. N. of cor. to secs. 10, 11, 14 and 15, from which cor. I run

N. $89^{\circ} 49'$ W.

On true line between secs. 10 and 15.

Var. $14^{\circ} 16'$ East.40.10 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 ins wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor.

No trees near.

80.20 Cors. to secs. 9, 10, 15 and 16.

Land gently rolling. Soil 2^d rate. Scattering cedars.

Gila and Salt River Meridian

Chs. North between secs. 9 and 10.

Var. $14^{\circ} 16'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drives charred stakes and build mound of earth 2 ft. high, with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a sand stone, $30 \times 8 \times 3$ inches, notched on S. and E. edges, $\frac{3}{4}$ in the ground, and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for cor. to secs. 3, 4, 9 and 10. No trees near. Land gently rolling. Soil 2^d rate. No timber or undergrowth.

April 13. 1875.

East.

On random line between secs. 3 and 10.

Var. $14^{\circ} 16'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.28 Intersect N. and S. line 38 lks. N. of cor. to secs. 2, 3, 10 and 11, from which cor.

Run

N. $89^{\circ} 44'$ W.

On true line between secs. 3 and 10

Var. $14^{\circ} 16'$ East.

40.14 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in wide 1 ft. in the ground, drives charred stakes and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.

80.28 Cor. to secs. 3, 4, 9 and 10.

Land gently rolling.

Soil 2^d rate.

No timber. No undergrowth.

Gila and Salt River Meridian.

Chc. North on random line between secs. 3 and 4.
 Var. $14^{\circ} 16'$ East.

13.00 Enter bottom land, bet. E. and W.

26.50 Dry creek flows W. 30 lbs. wide.

32.20 Leave bottom; enter sand stone hills E. and W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.10 Intersect N. boundary at cor. to secs 3 and 4 from which cor. I run South.

On true line between secs. 3 and 4.
 Var. $14^{\circ} 16'$ East.

40.10 Set a sand stone $30 \times 6 \times 6$ inches, marked $\frac{1}{4}$ $\frac{3}{4}$ in the ground, and build mound of rocks on N. side, 2 ft. high for $\frac{1}{4}$ sec. cor. No trees near.

80.10 Cor. to secs. 3, 4, 9 and 10.

Land rolling. Soil 1st rate S. of $\frac{1}{4}$ sec. cor. No timber N. No timber

North between secs. 32 and 33.
 Var. $14^{\circ} 16'$ East.

40.00 Set a volcanic stone $16 \times 10 \times 10$ inches, marked $\frac{1}{4}$, $\frac{2}{3}$ in the ground, and build mound of rock 2 ft high for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a lime stone $14 \times 10 \times 10$ inches properly notched on S. and E. edges $\frac{2}{3}$ in the ground and build mound of rocks on N. side 2 ft. high for the cor. to secs. 28, 29, 32 and 33.

No trees near.

Land volcanic mesa.

Soil 3^d rate. stoney.

Good grazing.

No timber

Gila and Salt River Meridian

Chs. East.

On random line between secs. 28 and 33.
Var. $14^{\circ} 16'$ East.

Begin descent at corner

34.00 Oblong circular cienega, having no outlet, level bottom, transverse dia. brs. N. & S. 16 chs. — springs.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

50.00 Leave cienega, enter mesa, land brs. N. and S.

73.00 Enter rolling land, brs. N. and S.

80.30 Intersect N. and S. line, 28 lks. S. of cor. to secs. 27, 28, 33 and 34, from which cor. I run
S. $89^{\circ} 48'$ N.On true line between secs. 28 and 33.
Var. $14^{\circ} 16'$ East.40.15 Set a lime stone, $12 \times 12 \times 12$ inches, marked $\frac{1}{4}$, $\frac{2}{3}$ in the ground and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.

80.30 Cor. to secs. 28, 29, 32 and 33.

Land rolling. Soil 2^d rate, stony. Good grazing. No timber.

North between secs. 28 and 29

Var. $14^{\circ} 16'$ East.

Begin descent towards N. at corner.

35.00 Line follows down gulch on E. side

40.00 Set a volcanic stone, $18 \times 16 \times 10$ inches, marked $\frac{1}{4}$, $\frac{3}{4}$ in the ground and build mound of rocks 2 ft. high for $\frac{1}{4}$ sec. cor. No trees near.

68.00 Road brs. N. E. and N.

73.00 Enter bottom land brs. N. E. and S. W.

80.00 Set a post, marked and notched 4 ft. long, 3 in. sq'd. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for cor. to secs. 20, 21, 28 and 29. No trees near.Land rough and broken S. by volcanic mesa. Soil 2^d and 3^d rate. Good grazing. No timber

Gila and Salt River Meridians	
Chs.	East, on random lines between secs 21 ^{3/4} & 28 Var. 14° 16' East.
5.00	Enter rolling land, br. N. and S.
19.00	Road br. N.E. and S.W.
35.00	Same road br. N.W. and S.E.
40.00	Set temporary 1/4 sec. cor.
42.00	Junction of roads 2 chs. S. one from N.E. and the other from E.
52.50	Road br. N.E. and S.W.
79.50	Intersect N. and S. lines 50 lbs. N. of Cor. to secs. 21, 22, 27 and 28 from which cor I run N. 89° 39' W.
	On true lines between secs. 21 and 28 Var. 14° 16' East.
39.75	Set a post, marked 1/4 S. 4 ft. long, flattened 3 ins. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits 2 x 1 x 1 ft. for 1/4 sec. cor. No trees near.
79.50	Cor. to secs. 20, 21, 28 and 29. Land gently rolling. Soil 2 ^d rate. No timber or undergrowth.
	North between sec. s. 20 and 21. Var. 14° 16' East.
10.00	Old road from New Mexico to Camp Apache br. N.E. and S.W.
30.00	Little Colorado river flows N. 35 lbs. wide rapid current, gravelly bed.
34.50	Enter rolling land br. E. and W.
40.00	Set a sand stone 18 x 12 x 4 inches, marked 1/4, 3/4 in the ground and build mound of earth 2 ft. high with pits 2 x 1 x 1 ft. for 1/4 sec. cor. No trees near.
65.00	Road from New Mexico to Apache br. N.E. and S. S. E. - 2 chs. E.
66.00	Enter cedars br. N.E. and S.W.
80.00	Set a post, marked and notched, 4 ft. long, 3 inches sqd. 2 ft. in the ground

Gila and Salt River Meridian.

Chs. for corner to secs. 16, 17, 20 and 21, from which
 A Cedar, 10 ins. dia. brs. N. 10° W. 30 lbs. dist.
 do. 8 " " " N. 6° E. 35 " "
 do. 9 " " " S. 44° E. 24 " "
 do. 12 " " " S. 60° W. 30 " "
 Land gently rolling. Soil 2^d rate. Cedar timber.
 April 14, 1875.

East.

On random line between secs. 16 and 21.
 Var. 14° 16' East.
 8.00 Leave cedars, brs. N. E. and S. W.
 12.00 Road from New Mexico to Apache brs. N. E. and S. W.
 40.00 Set temporary 1/4 sec. cor.
 80.06 Intersect N. and S. line 23 lbs. S. of cor. to
 secs. 15, 16, 21 and 22, from which
 cor. I run
 S. 89° 50' W.
 On true line between secs. 16 and 21.
 Var. 14° 16' East.
 40.03 Set a post, marked 1/4 S. 4 ft. long, flat-
 tened 3 in wide, 1 ft. in the ground,
 drive charred stakes and build
 mound of earth 2 ft. high, with
 pits 2 x 1 x 1 ft. for 1/4 sec. cor.
 No trees near.
 80.06 Cor. to secs. 16, 17, 20 and 21.
 Land gently rolling.
 Soil 2^d rate. Cedar on N. end.

North, between secs. 16 and 17.
 Var. 14° 16' East.

30.00 Enter little open prairie brs. E. and W.
 with an occasional cedar.
 40.00 Set a post, marked 1/4 S. 4 ft. long, flat-
 tened 3 in. wide 1 ft. in the ground,
 drive charred stakes and build
 mound of earth 2 ft. high with

Gila and Salt River Meridians.

Chs. pits 2x1x1 ft. for 1/4 sec. cor. No trees near.
 68.50 Enter cedars, br. N. W. and E.
 80.00 Set a post marked and notched 4 ft. long,
 3 ins. sqd., 2 ft. in the ground, for cor. to
 secs. 8, 9, 16 and 17, from which
 A cedar 24 ins. dia. br. N. 24° E. 150 lbs. dist.
 do. 18 " " " E. 28° N. 240 " "
 do. 10 " " " E. 17° E. 252 " "

No other trees near.
 Land level mesa. Soil 1st rate.
 Cedar timber.

East.

On random line between secs. 9 and 16.
 Var. 14° 16' East.
 40.00 Set temporary 1/4 sec. cor.
 52.00 Enter rolling land, leave cedars br.
 N. W. and S.
 72.00 Road br. N. and S.
 80.00 Intersect N. and S. line 50 lbs. S. of
 cor. to secs. 9, 10, 15 and 16, from
 which cor. I run
 S. 89° 39' W.
 On true line between secs. 9 and 16,
 Var. 14° 16' East.
 40.00 Set a post, marked 1/4 S. 4 ft.
 long, flattened 3 in wide 1 ft in
 the ground, drive charred stake
 and build mound of earth 2 ft.
 high for 1/4 sec. cor. from which
 A cedar 18 ins. dia. br. North 250 lbs. dist.
 No other trees near.
 80.00 Cor. to secs. 8, 9, 16 and 17.
 Land gently rolling.
 Soil 2^d rate.
 Cedar timber.

Gila and Salt River Meridian.

Chs. North between secs. 8 and 9.
Var. 14° 16' East.

40.00 Set a lime stone 10 x 10 x 8 inches, marked 1/4, 2/3 in the ground and build mound of earth 2 ft. high with pits 2 x 1 x 1 ft. for 1/4 sec. cor. from which
A Cedar, 6 in. dia. brs. N. 88° E. 26 lks. dist.
do. 8 " " " E. 42° N. 40 " "

65.00 Leave timber and enter bottom land, brs. E. and W.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 2 x 1 x 1 ft. for cor. to secs. 4, 5, 8 and 9. No trees near. Land level mesa and bottom. Soil 1st rate. Cedar timber. No undergrowth.

East.

On random line between secs. 4 and 9.
Var. 14° 16' East.

40.00 Set temporary 1/4 sec. cor.
52.25 Road brs. N. and S. and house 20 chs. N.
79.90 Intersect N. and S. line 18 lks. S. of cor. to secs. 3, 4, 9 and 10, from which cor. I run S. 89° 52' W.

On true lines between secs. 4 and 9.
Var. 14° 16' East.

39.95 Set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits 2 x 1 x 1 ft. for 1/4 sec. cor. No trees near.

79.90 Cor. to secs. 4, 5, 8 and 9. Land level. Soil 1st rate. No timber

Gila and Salt River Meridians.

Chs. North on random line between secs. 4 and 5.
Var. $14^{\circ} 16'$ East.

8.00 Dry Creek flows N. 30 lks. wide.

37.50 Enter rolling land, brs. E. and W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.80.30 Intersect N. boundary 27 lks. N. of cor. to
secs. 4 and 5, from which cor. I run
 $S. 0^{\circ} 11' W.$

On true line between secs. 4 and 5.

Var. $14^{\circ} 16'$ East40.30 Set a sand stone $18 \times 18 \times 6$ inches,
 $\frac{3}{4}$ in the ground, marked $\frac{1}{4}$ and
build mound of stones 2 ft. high for
 $\frac{1}{4}$ sec. cor. No trees near.

80.30 Cor. to secs. 4, 5, 8 and 9.

Land level and gently rolling.
Soil 1st and 2^d rate. No timber.

North between secs. 31 and 32.

Var. $14^{\circ} 16'$ East.22.00 Bottom of gulch flows N.E., and begin
ascend of spur bearing N.E.40.00 Set a lime stone $16 \times 18 \times 10$ inches,
marked $\frac{1}{4}$, $\frac{2}{3}$ in the ground and
build mound of earth and stones
2 ft. high with pits $2 \times 1 \times \frac{1}{2}$ ft. for
 $\frac{1}{4}$ sec. cor. No trees near.

50.00 Summit of spur, level mesa brs. N.E. and S.W.

80.00 Set a lime stone $14 \times 10 \times 10$ inches,
properly notched on S. and E. edges,
 $\frac{2}{3}$ in the ground and build mound
of rocks on N. side, 2 ft. high, for
cor. to secs. 29, 30, 31 and 32.

No trees near.

Land rolling mesa.

Soil 3^d rate - stony. Good grazing.
No timber or undergrowth.

April 15, 1875.

Gila and Salt River Meridian.

Chs. East.

On random line between secs. 29 and 32
Var. $14^{\circ} 16'$ East.

28.00 Gulch flows N. and begins ascent of mesa
160 ft. high. br. N. E. and S.

40.00 Set a post, for temporary $\frac{1}{4}$ sec. cor.

80.05 Summit and intersect N. and S. line 27 lbs.
N. of cor. to secs. 28, 29, 32 and 33, from
which cor. I run
N. $89^{\circ} 48'$ W.

On true line between secs. 29 and 32.
Var. $14^{\circ} 16'$ East.

40.02 Set a lime stone, $18 \times 16 \times 14$ inches,
marked $\frac{1}{4}$, $\frac{3}{4}$ in the ground, and
build mound of rocks 2 ft. high
for $\frac{1}{4}$ sec. cor. No trees near.

80.05 Cor. to secs. 29, 30, 31 and 32.

Land rolling. Soil 3^d rate. No timber.

West, on random line between secs. 30 and 31.
Var. $14^{\circ} 16'$ East.

20.00 Begins descent, br. N. E. and S.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

68.50 Foot of spur and trail br. N. E.
and S. W.

79.40 Intersect W. boundary 52 lbs. N. of cor. to secs.
30 and 31, from which cor. I run
N. $89^{\circ} 38'$ E.

On true line between secs. 30 and 31
Var. $14^{\circ} 16'$ East.

39.40 Set a sand stone $14 \times 14 \times 14$ inches,
marked $\frac{1}{4}$, set $\frac{2}{3}$ in the ground,
and build mound of rocks 2 ft. high
for $\frac{1}{4}$ sec. cor. No trees near.

79.40 Cor. to secs. 29, 30, 31 and 32.

Land rolling. Soil 3^d rate.

No timber S. of line.

A few cedars N.

Gila and Salt River Meridians.

Chs. North between secs. 29 and 30.
Var. $14^{\circ}16'$ East.

30.00 Enter bottom land bet. E. and W.
40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, drive charred
stakes and build mound of earth 2 ft. high
with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor.
No trees near.

64.30 Road from Bridge to Hunt bet. E. and W.
Hunt's house 40 chs. S. W.

80.00 Set a post, marked and notched,
4 ft. long, 3 in. sq. 1 ft. in the ground
drive charred stake and build mound
of earth 2 ft. high, with pits $2 \times 1 \times 1$ ft. for
cor. to secs. 19, 20, 29 and 30. No trees near.
Land mostly level. Soil 1st rate. Cedar in S. W. $\frac{1}{4}$.

East, on random line between secs. 28 and 29
Var. $14^{\circ}16'$ East.

18.00 Little Colorado river flows N. W. 38 lbs. wide,
rapid current, gravelly bed.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

68.00 Little Colorado river flows S. W. 30 lbs. wide.

80.25 Intersect N. and S. line at cor. to
secs. 20, 21, 28 and 29 from
which cor. I run
West,

On true line between secs. 28 and 29.
Var. $14^{\circ}16'$ East.

40.12 Set a sand stone, $24 \times 18 \times 8$ inches,
marked $\frac{1}{4}$, $\frac{3}{4}$ in the ground and
build mound of earth 2 ft. high with
pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.

80.25 Cor. to secs. 19, 20, 29 and 30.
Land level.

Soil 1st rate.

No timber.

Gila and Salt River Meridian.

Chs.

West.

On random line between secs. 19 and 30.
Var. $14^{\circ} 16'$ East.

- 6.00 An irrigation ditch flows S. W.
10.00 Little Colorado river flows S. W. 40 lks. wide, rapid current, 4 ft. deep.
10.40 Enter marshy land brs. N. E. and S. W.
18.40 Leave marshy land brs. N. E. and S. W.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.30 Intersect N. boundary 48 lks. S. of cor. to secs. 19 and 30, from which cor. I run S. $89^{\circ} 40'$ East
On true line between secs. 19 and 30.
Var. $14^{\circ} 16'$ East.
- 39.30 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, driven into the ground 2 ft. for $\frac{1}{4}$ sec. cor. Could not build mound on account of marshy character of the land. No trees near.
- 79.30 Cor. to secs. 19, 20, 29 and 30.
Land level. Soil 1st rate. No timber. Dense growth of rice and tule grasses along marshy land.

North between secs. 19 and 20.

Var. $14^{\circ} 16'$ East.

- 8.00 Little Colorado river flows S. W. 30 lks. wide.
26.00 Leave bottom land, enter mesa brs. N. E. and W.
40.00 Set a lime stone $18 \times 10 \times 8$ inches, marked $\frac{1}{4}$, $\frac{3}{4}$ in the ground and build mound of earth 2 ft. high with pile $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.
64.00 Enter cedars. brs. E. and W.
80.00 Set a lime stone $16 \times 10 \times 7$ inches, properly notched on S. and E. edges, $\frac{2}{3}$ in the ground for cor. to secs. 17, 18, 19 and 20, from which
A Cedar 12 in. dia. brs. N. 24° E. 44 lks. dist.
do 10 " " " N. 28° W. 32 " "
do 9 " " " S. 4° W. 12 " "
Land rolling mesa. Soil 2^d rate.
Cedar timber and undergrowth.

	<p>Gila and Salt-River Meridian East.</p> <p>On random line between secs. 17 and 20. Var. $14^{\circ} 16'$ East.</p>
40.00	Set temporary $\frac{1}{4}$ sec. cor.
79.90	Intersect N. and S. lines 37 lbs. S. of cor. to secs. 16, 17, 20 and 21, from which cor. I run S. $89^{\circ} 44' W.$
	<p>On true line between secs. 17 and 20. Var. $14^{\circ} 16'$ East.</p>
39.95	Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. from which
	<p>A Cedar 8 in. dia. br. South 20 lbs. dist. No other trees near.</p>
79.90	Cor. to secs. 17, 18, 19 and 20. Land rolling. Soil 2 ^d rate. Cedar timber and undergrowth.
	<p>West on random line between secs. 18 and 19. Var. $14^{\circ} 16'$ East.</p>
31.00	Leave timber and begin ascent of S. spur of grassy mountain.
39.00	Summit; mesa, line continuous along same.
40.00	Set temporary $\frac{1}{4}$ sec. cor.
79.40	Intersect N. boundary 45 lbs. N. of cor. to secs. 18 and 19, from which cor. I run N. $89^{\circ} 41' E.$
	<p>On true line between secs. 18 and 19. Var. $14^{\circ} 16'$ East.</p>
39.40	Set a lime stone, $18 \times 10 \times 6$ in. marked $\frac{1}{4}$ set $\frac{3}{4}$ in the ground and build mound of rocks, 2 ft. high for $\frac{1}{4}$ sec. cor. Ground too stony to dig pits. No trees near.
79.40	Cor. to secs. 17, 18, 19 and 20. Land hilly. Soil 3 ^d rate. Good grazing. Cedar in E. of sections.
	April 16, 1875.

Gila and Salt River Meridian.

Chs. North between secs. 17 and 18.
Var. 14° 16' East.

22.00 Begin descent of N. slope E. and N.
40.00 Set a lime stone 17x10x5 inches, 3/4
in the ground, marked 1/4, and build
mound of earth 2 ft. high with pits
2x1x1 ft. for 1/4 sec. cor. from which
A Cedar, 12 in. dia. br. S. 40° E. 20 lbs. dist.
do. 10 " " " N. 20° W. 38 " "

50.00 Foot of slope and enters rolling land
br. E. and N.W.

80.00 Set a lime stone 16x10x10 inches, properly
notched on S. and E. edges and build
mound of rocks 2 ft. high on the N. side for cor.
to secs. 7, 8, 17 and 18. No trees near.
Land gently rolling E. - hilly W.
Scattering cedar timber.

East

On random line between secs. 8 and 17.
Var. 14° 16' East.

40.00 Set temporary 1/4 sec. cor.
80.06 Intersect N. and S. line 18 lbs. S. of cor.
to secs. 8, 9, 16 and 17, from which cor.

Run
S. 89° 52' W.

On true line between secs. 8 and 17.
Var. 14° 16' East.

40.03 Set a post, marked 1/4 S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
drive charred stakes and build mound
of earth 2 ft. high with pits 2x1x1 ft.
for 1/4 sec. cor. from which
A cedar 8 in. dia. br. South 25 lbs. dist.
No other trees near.

80.06 Cor. to secs. 7, 8, 17 and 18.
Land rolling. Soil 2^d rate.
Cedar timber and undergrowth.

Gila and Salt River Meridians

Chs.

West.

On random line between secs. 7 and 18
Var. $14^{\circ} 16'$ East.

10.00 Begin ascent of grassy mesa bet.
N.W. and S.E.

22.00 Leave cedars, bet. N. and S.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

75.00 Summit of grassy hill.

79.50 Intersect N. boundary at cor. to secs. 7
and 18, from which cor. I run
East

On true line between secs. 7 and 18.
Var. $14^{\circ} 16'$ East.

39.50 Set a lime stone $18 \times 10 \times 6$ inches,
marked $\frac{1}{4}$, set $\frac{3}{4}$ in the ground
and build mound of rocks 2 ft. high
on N. side for $\frac{1}{4}$ sec. cor. No trees near.

79.50 Cor. to secs. 7, 8, 17 and 18.

Land hilly. Soil 3^d rate. Cedar
timber E. of $\frac{1}{4}$ sec. cor.

North between secs. 7 and 8.

Var. $14^{\circ} 16'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 2 ft. in the ground
for $\frac{1}{4}$ sec. cor. from which

A Cedar, 9 in. dia. bet. N. 66° E. 20 lbs. dist.

do 10 " " " S. 50° W. 25 " "

70.00 Leave cedars, enter bottom land, bet. E. and W.

80.00 Set a post, marked and notched, 4 ft.
long, 3 in. sqd. 1 ft. in the ground,
drive charred stakes and build mound
of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for
the cor. to secs. 5, 6, 7 and 8.

No trees near.

Land level. Soil 1st and 2^d rate.
Cedar timbers.

Township 14 N. Range 27 E.

Gila and Salt River Meridian

Chs. East.

On random lines between secs. 5 and 8.
Var. 14° 16' East.

40.00 Set temporary 1/4 sec. cor.

80.10 Intersect N. and S. line 35 lks. S. of cor. to
secs. 4, 5, 8 and 9, from which cor. I run
S. 89° 45' W.

On true line between secs. 5 and 8.
Var. 14° 16' East

40.05 Set a post, marked 1/4 S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
drives charred stakes and build mound
of earth 2 ft. high with pits 2 x 1 x 1 ft
for 1/4 sec. cor. No trees near.

80.10 Cor. to secs. 5, 6, 7 and 8.

Land level. Soil 1st rate. Cedar S. of
line about 20 chs. Dry creek N. 6 chs.

West.

On random line between secs. 6 and 7.
Var. 14° 16' East.

22.00 Dry creek flows nearly W. 30 lks. wide,
and follow along right bank.

40.00 Set temporary 1/4 sec. cor.

79.00 Intersect W. boundary at cor. to secs. 6 and
7, from which cor. I run
East

On true line between secs. 6 and 7.
Var. 14° 16' East.

39.00 Set a post, marked 1/4 S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
drives charred stakes and build mound
of earth 2 ft. high, with pits 2 x 1 x 1 ft
for 1/4 sec. cor. No trees near.

79.00 Cor. to secs. 5, 6, 7 and 8.

Land level along line. — high
mountains N. and S. Soil 1st and 3^d rate.
No timbers or undergrowth.

Gila and Salt River Meridian.

Chs. North

On random line between secs. 5 and 6
Var. $14^{\circ} 16'$ East.

36.00 Dry creek, 30 lbs. wide, flows from E. to S. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.50 Intersect N. boundary at cor. to secs. 5 and 6, from which cor. I run South.

On true line between secs. 5 and 6.
Var. $14^{\circ} 16'$ East.40.50 Set a lime stone, $15 \times 9 \times 7$ inches, marked $\frac{1}{4}$ set $\frac{2}{3}$ in the ground, and build mound of earth 2 ft. high with pits $2 \times 1 \times 1$ ft. for $\frac{1}{4}$ sec. cor. No trees near.80.50 Cor. to secs. 5, 6, 7 and 8. Land gently rolling E. - hilly W. Soil 2d rate. Good grazing. No timber or undergrowth.
April 17, 1875.

General Description.

This township contains a large quantity of fine farming land. The Little Colorado river flows through it from E. to W. The bottom lands are a rich black loam; the uplands are a clay loam covered with fine grass. Cedar is plenty for fuel. There are three settlements in the township. The country rock is mostly lime stone.

C. Burton Foster
U. S. Dep. Surveyor.

List of Names.

BOOK 1801

(32) 75

A list of the names of the individuals employed by _____, U. S. Deputy Surveyor, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the survey of the _____

Subdivision lines of Township
14 N. Range 27 E
of the Gila and Salt-River
Base and Meridian, in Arizona, showing
the respective capacities in which they acted:

Richard Shrope Chairman
George Carr Chairman
Chas Rice Assessor
George Bryant Flagman.

Final Oath of Assistants:

We hereby certify that we assisted W. Burton Foster, U. S. Deputy Surveyor, in surveying all those parts or portions of the Subdivision lines of Township 14 N. Range 27 E of the Gila and Salt-River Base Meridian, and Arizona, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully ^{executed} surveyed, and the ^{boundary} corner monuments ^{planted} established, according to the instructions furnished by the U. S. Surveyor-General for _____

Richard Shrope Chairman
George Carr Chairman
Chas. Rice Assessor
George Bryant Flagman.

Subscribed and sworn to before me this 3 day of May, 1876.



William Wilkerson
Clerk Dist. Court
3^d Dist. Arizona

Final Oath of U. S. Deputy Surveyor.

I, W. Burton Foster, U. S. Deputy Surveyor, do solemnly swear that, in pursuance of ^{a contract} instructions received from with John Wasson, U. S. Surveyor General for Arizona, bearing date of the 13 day of October, 1874, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the U. S. Surveyor-General for _____, the surveying manual, and the laws of the United States, surveyed all those parts or portions of the Subdivision lines of Township 14 N. Range 27 E. of the Gila and Salt-River Base and Meridian, in the Arizona, as are represented in the foregoing field notes as having been surveyed by me, and under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the surveying manual, ^{and} ~~and also in accordance with the additional requirements contained in circular printed instructions, the special written instructions for the U. S. Surveyor General for Arizona dated~~ and in the specific manner described in the field notes, and that the foregoing are the true field notes of such survey; and should any fraud be detected, I will suffer the penalty of perjury under the provisions of an Act of Congress ~~approved August 8, 1846~~ ^{September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original field notes of such surveys.}

W. Burton Foster

U. S. Deputy Surveyor.

Subscribed and sworn to before me this 3 day of May, 1875.



William Wilkerson
Clerk Dist. Court
3^d Dist. Arizona.

Approval

Office of the U. S. Surveyor General,

1875

The foregoing field notes of the survey of The Subdivision lines of Township 14 N. Range 27 E. of the Gila and Salt-River Base and Meridian, Arizona, executed by W. Burton Foster, U. S.

under his Contract No. of the, dated Thirteenth day of October, 1874, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

U. S. Surveyor General's Office }
Tucson, A. T. Aug. 14, 1875.

John Wasson

U. S. Surveyor General.

I certify that the foregoing transcript of the field notes of the above-described surveys in of the subdivision lines of Township 14 N. Range 27 E. of the Gila and Salt-River Base and Meridian, Arizona has been correctly copied from the original notes on file in this office.

U. S. Surveyor General's Office,
Tucson, Arizona, August 24, 1875.

John Wasson

U. S. Surveyor General.

Book B
1802
FIELD NOTES

BOOK 1802

OF THE SURVEY OF THE

Subdivision lines North of secs. 25, 26,
27, 28, 29 and 30 of T₃₁N., R₂E., as
far North as the rim of the Grand Cañon.

1802

BOOK 1802

1802

Of the Gila and Salt River Bas. Meridian,
Territory of Arizona.

AS SURVEYED BY

- John P. Hesse, United States Deputy Surveyor,

Under his Contract No. 109, dated December 11, 1903, 189

Survey commenced February 18, 1904, 189

Survey completed February 20, 1904, 189

NAMES AND DUTIES OF ASSISTANTS.

A. N. Oliver chairman

William Wallace Oliver chairman

H. R. Pinley axman

George Cassidy flagman