

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE9630 (942)
Group 715

November 28, 1994

Memorandum

To: Chief, Office Section, Branch of Cadastral Survey
From: Chief Cadastral Surveyor
Subject: Notice of Cancellation of Surveys, Navajo Special Meridian, Arizona

Effective November 28, 1994, the surveys of the following townships of the Navajo Special Meridian, Arizona are cancelled.

<u>Surveyed Townships</u>	<u>Partially Surveyed Townships</u>
T. 1 N., Rs. 7, 9, 10, and 11 W.	T. 1 N., Rs. 5, and 8 W.
T. 2 N., Rs. 7, 10, and 11 W.	T. 2 N., Rs. 5, 8, and 9 W.
T. 3 N., Rs. 6, 7, 10, and 11 W.	T. 3 N., Rs. 5, 8, and 9 W.
T. 4 N., Rs. 6, 10, and 11 W.	T. 4 N., Rs. 5, 7, 8, and 9 W.
*T. 5 N., Rs. 6, 10, and 11 W.	T. 5 N., Rs. 5, 7, 8, and 9 W.
T. 6 N., Rs. 6, 7, 9, 10, and 11 W.	T. 6 N., Rs. 5, and 8 W.
T. 7 N., Rs. 7, 9, 10, and 11 W.	T. 7 N., Rs. 5, 6, and 8 W.

Also effective November 28, 1994, the suspension is lifted on the plat approved June 23, 1933, and accepted January 6, 1934, T. 5 N., R. 10 W.

*Portions of T. 5 N., R. 10 W., were resurveyed in 1933 under Group 183 and in 1940-42 under Group 235 for the primary purpose of preserving the identification of the Boundary of Canyon De Chelly National Monument. The portions of those surveys resurveyed in 1991-92 under Group 715, plat accepted August 16, 1994, and the subdivision of sections 10, 22, 25 and 26 in the 1940-42 resurvey are the only portions of the Navajo Special Meridian that remain uncancelled.

This cancellation is to include the 1869 survey of the South and West Boundaries, by Treaty of June 1, 1868, and the subsequent 1919-20 resurvey of the West Boundary of the Navajo Indian Reservation.

Townships surveyed or partially surveyed in New Mexico under the Navajo Special Meridian were cancelled by Memorandum dated June 17, 1936 under memorandum file #1643519 "E" and included the following townships:

T. 1 N., Rs. 1, 2, and 3 W.	T. 9 N., Rs. 1, 2, 3, and 4 W.
T. 2 N., Rs. 1, and 5 W.	T. 10 N., Rs. 1, 2, 3, 4, and 5 W.
T. 3 N., Rs. 1, and 5 W.	T. 11 N., Rs. 1, 2, 3, 4, and 5 W.
T. 4 N., Rs. 1, 2, and 5 W.	T. 12 N., Rs. 3, 4, and 5 W.
T. 5 N., Rs. 1, and 2 W.	T. 13 N., Rs. 1, 2, 3, 4, and 5 W.
T. 6 N., Rs. 1, 2, 3, and 4 W.	T. 14 N., Rs. 3, 4, and 5 W.
T. 7 N., Rs. 1, 2, and 3 W.	
T. 8 N., Rs. 1, 2, 3, and 4 W.	

By Directors' Letter dated May 11, 1951, the surveys executed in Arizona under the Navajo Special Meridian in Tps. 8, 9, 10, 11, 12, 13, 14, 15 N., Rs. 5, 6, 7, 8, 9, 10, and 11 W. were cancelled. In particular they are:

Surveyed

T. 8 N., Rs. 9, 10, and 11 W.	T. 14 N., Rs. 5, 6, 7, 8, 9, 10, and 11 W.
T. 9 N., Rs. 9, 10, and 11 W.	T. 15 N., Rs. 7, 8, 9, and 10 W.
T. 10 N., Rs. 5, 9, and 10 W.	
T. 11 N., Rs. 5, 9, 10, and 11 W.	
T. 12 N., Rs. 9, 10, and 11 W.	
T. 13 N., Rs. 9, 10, and 11 W.	
T. 15 N., Rs. 5, 6, 7, 8, 9, 10, and 11 W.	

Partially Surveyed

T. 8 N., Rs. 6, 7, and 8 W.	T. 11 N., Rs. 6, 7, and 8 W.
T. 9 N., Rs. 5, 6, and 8 W.	T. 12 N., Rs. 5, and 6 W.
T. 10 N., Rs. 6, 7, 8, and 11 W.	T. 13 N., Rs. 5, 6, 7, and 8 W.
T. 11 N., Rs. 6, 7, and 8 W.	T. 15 N., Rs. 5, 6, and 11 W.

Unsurveyed

T. 8 N., R. 5 W.	
T. 9 N., R. 7 W.	
T. 12 N., Rs. 7, and 8 W.	

By Memorandum dated January 29, 1992, File No. 9630 (942), this office, Tps. 1 and 2 N., R. 6 W. were cancelled.

A copy of this memorandum will be placed at the front of each of the following original field note books, located at the Arizona State Cadastral Survey Office, containing the field notes of the affected surveys.

BOOK: 1932, 1933, 1934, 1935, 1936, 1937, 1938, 1939, 1940, 1941, 1942, 1943, 1944, 1945, 1946, 1947, 1948, 1949, 1950, 1951, 1952, 1953, 1954, 1955, 1956, 2627, 3342, 3502, 3966, 4288

The notation, "Cancelled November 28, 1994 per Memorandum File No. 9630 (942) Group 715, Arizona," will be made on the following plats:

Approved February 28, 1870

T. 1 N., Rs. 9, and 10 W.
T. 2 N., R. 10 W.
T. 3 N., R. 10 W.
T. 4 N., R. 10 W.
T. 5 N., R. 10 W.
T. 6 N., R. 10 W.
T. 7 N., R. 10 W.

Approved May 7, 1870

T. 6 N., R. 9 W.
T. 7 N., R. 9 W.

Approved May 23, 1870

T. 1 N., R. 7 W.
T. 2 N., R. 7 W.
T. 3 N., Rs. 6, and 7 W.
T. 4 N., R. 6 W.
T. 5 N., R. 6 W.
T. 6 N., Rs. 6, and 7 W.
T. 7 N., R. 7 W.

Approved March 7, 1871

T. 1 N., R. 11 W.
T. 2 N., Rs. 5, and 11 W.
T. 3 N., Rs. 5, and 11 W.
T. 4 N., Rs. 5, and 11 W.
T. 5 N., R. 11 W.
T. 6 N., R. 11 W.
T. 7 N., R. 11 W.

The notation, "Cancelled November 28, 1994, except for those portions resurveyed in 1991-92, Group 715, plat accepted August 16, 1994, and the survey of the subdivision of sections 10, 22, 25 and 26 on this plat, per Memorandum File No. 9630 (942) Group 715, Arizona," will be made on the following plat:

T. 5 N., R. 10 W., approved December 3, 1943, and accepted December 23, 1943.

The notation, "Suspension Lifted, November 28, 1994, per Memorandum File No. 9630 (942) Group 715, Arizona," will be made on the following plat:

T. 5 N., R. 10 W., approved June 23, 1933, and accepted January 6, 1934.



James P. Kelley

JWERDEL:edg:11/23/94:NAVCANCL.MEM

1931**1931****1931**

Arizona

BOOK 1931

Field Notes of the West
half of North Boundary of the
Navajo Indian Reservation

From the corner to the Territories
of New Mexico, Arizona, Utah and
Colorado (as established in 1868) to
the North West corner of said Reser-
vation, by E. C. Darling, U.S.
Surveyor and Astronomer under
his contract with

Hon Jas. S. Wilson
Commissioner of the General
Land Office, dated Washington
D.C. April 29th. 1869.

1931**1931****1931**

Observations made for Azimuth Aug
ust 15th 1869, at the corner to the Terri-
tories of New Mexico, Arizona, Utah
and Colorado, in Polaris' Eastern Elec-
tromagnet.

Computation of Azimuth

cos. θ_0^*	10.0000
colang. $88.36.30^{\circ}$	<u>8.38500</u>
P.M. N. 25.30°	Fangt. 8.38500

cos. P.M. +	$88.25.30^{\circ}$	9.89420
cosec	$1.46.30^{\circ}$	<u>11.61420</u>

$1.46.35^{\circ}$ - colang. 11.50840
Therefore the error of Azimuth is $1.46.35^{\circ}$

Magnetic Variation 14.18° East.

#6 Field Notes of the North Boundary

Chambers Birds

BOOK 1931

277.
31
2476

From the corner to the four Territories of New Mexico, Arizona, Utah and Colorado, as established in 1868, I run, West on Random line, setting temporary mile corners at every 80 rods and at 31 miles, 5.50 rods to a point 3.11 rods North of the North West corner of the Navajo Indian Reservation, as established August 18th, 1869. Therefore the correction will be 10 rods. Smith per mile. Thence

East on True Line, mile no. 32

Variation 15° 05' East

Det sand stone 18 + 15 + 3, marlled in the East "31 m"; built mound of earth around same and dug pits on the East and West sides; ten links from base of mound for the 31st mile corner.

Surface level. Prairie. Soil 2nd rate.

East on True Line mile no. 31

Va. 15° 05' East

Det granite stone, 18 + 12 + 4, marlled in the East "30 m"; built mound of earth around same and dug pits on the East and West sides ten links from base of mound for the 30th mile corner. Surface level. Prairie. Soil 2nd rate.

East on True Line mile no. 30.

Va. 15° 10' East

Foot of Bluff Bears N and S.

Top of Sand Stone Bluff

Foot of same; bears South

80. 00

11. 00

55. 00

of the Nezaj Indian Reservation

473

Chain Links

68. 00
79. 00
-80. 00

Prairie course S. W.
Leave same
Set sand stone, $15 \times 14 + 3$, marked on
the least "29 m". built mound of
earth around same and dug pits on
the least and West sides, ten links
from base of mound for the 29th mile
corner.
Surface broken. Prairie. Soil 2nd
and 3^d rate.

BOOK 183

Leave on True Line, mile no. 29

Va. 15th to least

12. 00
80. 00

Prairie, 1 chain wide. Course S. W.
Set granite stone, $16 \times 10 + 6$, marked on
the least "28 m". built mound of earth
around same and dug pits on the
least and West sides, ten links
from base of mound, for the 28th
mile corner.
Surface level. Prairie. Soil
2nd rate.

Leave on True line no. 28.

Va. 15th to least

80. 00

Set granite stone, $16 \times 10 + 6$ marked
on the least "27 m". built mound of
earth around same and dug pits
on the least and West sides, ten links
from base of mound, for the 27th mile
corner.

Surface broken. Prairie. Soil 3^d rate.

Leave on True Line, mile no 27.

Va. 15th to least

80. 00

Set granite stone $14 \times 10 + 8$, marked on
the least "26 m". built mound of earth
around same and dug pits on the

Field Notes of the North Boundary

Chain Links
BOOK 1931

East and West sides, ten links from base of mound for the 26th mile corner.

Surface rolling. Prairie. Soil 2nd rate.

East on True Line, mile no. 26.

Va. 15^{ft} 05' east

15. 00 "Hogback" Ridge. Bears N and S.
Det sand stone, 16 x 11 x 4, marlled on the East "25 m", built mound of earth around same and dug 10 ft on the East and West sides ten links from base of mound, for the 25th mile corner.

Surface rolling. Prairie. Soil 2nd rate

East on True Line, mile no. 25.

Va. 15^{ft} 05' east

80. 00 Det sand stone 17 x 12 x 3 marlled on the East "24 m", built mound of earth around same and dug 10 ft on the East and West sides, ten links from base of mound, for the 24th mile corner.

Surface rolling. Prairie. Soil 2nd rate

East on True Line, mile no. 24

Va. 15^{ft} 05' east

80. 00 Det sand stone, 18 x 12 x 3 marlled on the East "23 m", built mound of earth around same and dug 10 ft on the East and West sides, ten links from base of mound, for the 23rd mile corner.

Surface rolling. Prairie. Soil 2nd rate.

Chains Links

80. 00

east on True Line, mile no. 23.
 Va. 15⁺ 05' east
 Det sand stone, 18 x 16 x 4 marlled
 on the east "22 m", built mound of
 earth around same and dug pits
 on the East and West sides, ten links
 from base of mound, for the 22nd
 mile corner.
 Surface rolling. Prairie. Soil
 2nd rate.

80. 00

east on True Line, mile no. 22
 Va. 15⁺ 05' east.
 Det sand stone, 18 x 14 x 3, marlled on
 the East "21 m"; built mound of
 earth around same and dug pits
 on the East and West sides, ten links
 from base of mound, for the 21st mile
 corner.
 Surface rolling. Prairie. Soil 2nd
 rate.

80. 00

east on True Line, mile no. 21
 Va. 15⁺ 05' east.
 Det sand stone, 16 x 14 x 3, marlled
 on the East "20 m", built mound of
 earth around same and dug pits
 on the East and West sides, ten links
 from base of mound, for the 20th
 mile corner.
 Surface rolling. Prairie. Soil 2nd rate.

80. 00

east on True Line, mile no. 20
 Va. 15⁺ 05' east
 Det sand stone, 18 x 16 x 6 marlled on
 the East "19 m", built mound of earth
 around same and dug pits on the

X

50 Feed Notes of the North Boundary

Chains Links	
BOOK 1931	East and West sides ten links from base of mound, for the 19 th mile corner surface level. Prairie. Soil 2 nd rate.
so. so	East on True Line mile no. 19. Va. 15 ⁺ 05' East. Set sand stone, 16 + 12 + 3, marlled on the East "18 in", built mound of earth around same and dug pits on the East and West sides, ten links from base of mound, for the 18 th mile corner. Surface rolling. Prairie. Soil 2 nd rate.
so. so	East on True Line, mile no. 18 Va. 15 ⁺ 20' East. Set sand stone, 16 + 14 + 3 marlled on the East "17 in", built mound of earth around same and dug pits on the East and West sides, ten links from base of mound, for the 17 th mile corner. Surface rolling. Prairie. Soil 2 nd rate.
so. so	East on True Line mile no. 17. Va. 15 ⁺ 00' East. Set sandy stone, 16 + 12 + 3 marlled on the East "16 in", built mound of earth around same and dug pits on the East and West sides, ten links from base of mound by the 16 th mile corner. Surface rolling. Prairie. Soil 2 nd rate.

Chains Lined

- 35. 00
- 73. 00
- 80. 00

Least on True Line, mile no. 16
Va. 15^{ft} 10' least
Foot of Bluff bears S. E.
Top of Sand & Stone Bluff. Bears
S. E.
Set sand stone, 18 x 18 x 4, marlled
on the least "15 m"; built mound of
earth around same and dug pits
on the East and West sides, ten links
from base of mound for the 15^{ft}.
mile corner.
Surface broken. Prairie. Soil 3rd
rate.

- 6. 50
- 28. 00
- 80. 00

Least on True Line, mile no. 15.
Va. 15^{ft} 0" least
Point on Summit of Bluff. Bears
N. & S.
Foot of Bluff, bears S. S. W.
Set sand stone, 16 x 10 x 4, marlled on
the least "14 m"; built mound of earth
around same and dug pits on the
East and West sides ten links from
base of mound, for the 14^{ft}. mile
corner.
Surface broken. Prairie. Soil 3rd
rate

- 46. 00
- 80. 00

Least on True Line, mile no. 14
Va. 14^{ft} 55" least.
Need to be wide, gentle current,
f sandy bottom, course N. E.
Set sand stone, 28 x 10 x 8, marlled
on the least "13 m"; built mound of
earth around same and dug pits
on the East and West sides, ten
links from base of mound for the
13^{ft}. mile corner.

52 Field Notes of the Nish Foundary

Chains Links
BOOK 1931

Surface rolling. Prairie. Soil 2nd rate

80. 00

East on True Line, mile no. 13.
Va. 14⁺ 50' least.
Det sand stone, 24 + 20 + 6, marked on
the least "12 m"; built mound of earth
around same and dug pit on the
least and West sides, ten links from
base of mound for the 12th mile corner.

Surface level. Prairie. Soil 2nd rate

80. 00

Least on True Line, mile no. 12
Va. 14⁺ 25' least
Det sand stone, 20 + 10 + 6, marked
on the least "11 m"; built mound
of earth around same and dug
pit on the least and West sides ten
links from the base of mound, for
the 11th mile corner

Surface level. Prairie. Soil 2nd rate

50. 00

Least on True Line, mile no. 11.
Va. 14⁺ 20' least
Square sand stone Butte, 200 feet high
beats S. 50° W. about 40 chs. distance
Det sand stone 18 x 12 x 6 marked on
the least "10 m"; built mound of earth
around same and dug pit on the
least and West sides ten links from
base of mound for the 10th mile corner.
Surface level. Prairie. Soil 2nd rate

80. 00

Least on True Line, mile no. 10

Va. 14⁺ 20' least

Deposited marked stone, see channel

33

The Lakota Indian Reservation

BOOK 1931

Chambers dinks

post squared at the top, marked on the East "4 m", built mound of earth around same and dug pits on the East and West sides ten links from base of mound for the 9th mile corner. Surface level. Prairie. Soil 2nd rate.

SV. 00

East on True Line, mile no. 9.

Va. 14⁺ 37 East

Deposited marked stone, set-charged post, squared at the top, marked on the East "8 m", built mound of earth around same and dug pits on the East and West sides, ten links from base of mound, for the 8th mile corner. Surface level. Prairie. Soil 2nd rate

SV. 00

East on True Line, mile no. 8.

Va. 14⁺ 35 East

Deposited marked stone, set-charged post, squared at the top marked on the East "7 m", built mound of earth around same and dug pits on the East and West sides, ten links from base of mound, for the 7th mile corner.

Surface level. Prairie. Soil 1st rate

SV. 00

East on True Line, mile no. 7.

Va. 14⁺ 33 East

Set sand stone, 16x10x4, marked, on the East "6 m", built mound of earth around same and dug pits on the East and West sides, ten links from base of mound, for the 6th mile corner.

Field Notes of the North Boundary

Chains Links
BOOK 1931

Surface level. Prairie. Soil $\frac{1}{2}$ rate

30. 00
49. 00
50. 00

Bear on True Line, mile no. 6
Va. $14^{\frac{1}{2}}$ East
A sand slope bears S.E.
Top of Bluff bears S.E.
S.W. sand stone, $24+18+8$, marked
in the bear "5 m"; will mound of earth
around same and drag soils on the
East and West sides, ten hills from
base of mound, for the $\frac{1}{2}$ mile cover
surface broken. Prairie. Soil $\frac{1}{2}$ rate.

60. 00

Bear on True Line, mile no. 5.
Va. $14^{\frac{1}{2}}$ East
S.W. sand stone + $24+15+8$, marked
in the bear "4 m"; will mound of earth
around same and drag soils on the
East and West sides, ten hills from
base of mound, for the $\frac{1}{2}$ mile cover
surface broken. Prairie. Soil $\frac{1}{2}$ rate.

84. 00

Bear on True Line, mile no. 4
Va. $14^{\frac{1}{2}}$ East
S.W. sand stone $24+24+8$ marked in
the bear "3 m". will mound of earth
around same, and drag soils on the
East and West sides, ten hills from
base of mound, for the $\frac{1}{2}$ mile cover
surface broken. Prairie. Soil $\frac{1}{2}$ rate.

55. 00
80. 00

Bear on True Line, mile no. 3.
Va. $14^{\frac{1}{2}}$ East
East of sand stone ridge, bears N. and S.
S.W. sand stone $20+12+5$, marked in

of the Navajo Indian Reservation

55 11

Chains Links

BOOK 1931

The base "2 m", brief mound of
stone around same and clay soils
on the East and West sides. Few
links from base of mound for the
2nd mile corner.

Surface broken. Prairie. Soil
3d rate.

East on True Line, mile no. 2.

Va. 14° 20' East

Det sand stone, $2\frac{1}{2} \times 12 \times 5$, marlled on the
base "1 m", brief mound of earth
around same and clay soils on the
the East and West sides, few links
from base of mound, for the 1st
mile corner.

Surface broken. Prairie. Soil 3d rate.

East on True Line, mile no. 1.

Va. 14° 18' East

Foot of Sand Stone Ridge, bears N.
and E.

Corner to the four Territories of New
Mexico, Arizona, Utah and Colorado
as established in 1868.

Surface broken and stony. Prairie
Soil 3d. rate.

General Description of North Navajo Valley

The line passes over a prairie country,
gently rolling, soil generally 2nd rate, with
the exception of the first six miles West
from the territorial corner, which is
broken and soil 3d. rate.

Valley extends South to foot of moun-
tains, averaging about six miles.

Shows Links

We hereby certify that we assisted
 E. N. Darling, U.S. Surveyor and
 Asst. Surveyor in surveying the ~~the~~
~~the~~ and also that portion of
 the North Boundary of the Na-
 waip Indian Reservation, lying
 between the North West corner of
 same and the corner to the Territories
 of New Mexico, Arizona, Utah
 and Colorado. And that the said
 boundaries have been in all respects
 to the best of our knowledge and
 belief well and faithfully sur-
 veyed and the boundary monu-
~~marked~~ according to instructions
 furnished by the Commissi-
 oner of the General Land Office

George H. Pratt - Comptroller

Walter G. Marion } Chairman
 William Burgess } Chairman

Allen Douglas
 Joe H. Fitchell
 Juan Martin & his man } Comptroller

Signed and sworn to before me in
 Township no. 14 North, Range 1 West
 this 3d day of November 1889.

E. N. Darling
 U.S. Surveyor

I, LeGrand N. Darling, U.S. Sur-
 veyor do solemnly swear, that in
 pursuance of a contract with
 Jas. S. Wilson, Commissioner of the
 General Land Office, Washington

D. be and is in strict
conformity to the laws of
the United States and the instructions
furnished by the said Commissioner I
have faithfully surveyed the ~~East~~
and Western half of the North Bound-
aries of the Navajo Indian Reserva-
tion in the Territories of New Mexico
and Arizona, and do further solemnly
swear that the foregoing are the true
and original field notes of such
survey.

John W. Darling
U. S. Surveyor

Subscribed and sworn to before me,
a Notary Public in and for the
county of Bernalillo Territory of New
Mexico, this 1st day of November,
1869.

Seal

Thomas V. Means
Notary Public

Department of the Interior
General Land Office.
December 11. 1869

The foregoing field notes of the survey of
the Western half of the
North Boundary of the Navajo Indian
Reservation in the Territories of New
Mexico and Arizona, executed by John
W. Darling U. S. Surveyor and As-
sessor in accordance with his contract
dated April 29. 1869, and the Article
XII of the Treaty with the Navajo
tribe of Indians, dated June 1. 1868
having been entirely examined and
the necessary corrections and explanations
made, they and the survey they describe are
hereby approved.

J. Wilson
Commissioner

Department of the Interior
General Land Office
February 26th 1891

I certify the foregoing to be a true copy.

J. M. Morrison
Commissioner