

General Index. 1

Ps. No.	Re. No.	Page
✓ 14	7	1
✓ 14	6	22
✓ 14	5	41
✓ 15	7	60
13	5	62

Γ OK 1949

BOOK 1949

BOOK 1949 59A
BOOK 1949

4-674.

Township 15 N., R. 7 W.
Navajo Special Base and Meridian

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
<i>Utah.</i>					
31	61	32	61	33	60
				34	60
					35
					60
					36

BOOK 1949 61A

4-674.

Township 13 N., R. 5 W.

Navajo Special Base and Meridian

6	5	4	70	3	68	2	65	1
				70		68		64
7	8	9	69	10	67	11	64	12
				69		67		64
18	17	16	69	15	67	14	63	13
				68		66		63
19	20	21		22	66	23	63	24
						65		62
30	29	28		27		26	62	25
								62
31	32	33	34	35				36

7919b5m4-08



Township 14 N., R. 7 W.

Navajo Special Base and Meridian

6	21	5	15	4	11	3	8	2	4	1
21	20	15	11	7	4					
7	20	8	15	9	11	10	7	11	3	12
20	19	14	10	6	3					
18	19	17	14	16	10	15	6	14	3	13
18	14	14	10	6	2					
19	14	20	13	21	9	22	6	23	2	24
17	17	13	9	5	2					
30	17	29	13	28	9	27	5	26	1	25
16	16	12	8	5	1					
31	16	32	12	33	8	34	4	35	1	36

4-574.

Township 14 N., R. 6 W.
Navajo Special Base and Meridian.

6	40	5	35	4	31	3	28	2	25	1
39	39		34		31		28		24	
7	39	8	34	9	31	10	28	11	24	12
39	38		34		31		27		24	
18	38	17	34	16	30	15	27	14	23	13
38	37		33		30		27		23	
19	37	20	33	21	30	22	26	23	23	24
37	36		33		29		26		22	
30	36	29	32	28	29	27	26	26	22	25
36	35		32		29		25		22	
31	35	32	32	33	29	34	25	35	22	36

4-674.

Township 14 N. R. 5 W.

Navajo Special Base and Meridian

6	59	5	54	4		3		2	44	1
58	58	54	50	47	44					
7	58	8	53	9	50	10	47	11	43	12
58	57	53	50	47	43					
18	57	17	53	16	50	15	46	14	43	13
57	56	52	49	46	42					
19	56	20	52	21	49	22	46	23	42	24
56	55	52	48	45	42					
30	55	29	51	28	48	27	45	26	41	25
55	54	51	48	45	41					
31	54	32	51	33	48	34	45	35	41	36

7919b5m4-08

BOOK 1949

Surveys in Navajo Indian
Reservation.

1949

Field notes of the Subdivision
Lines of Township 14 North,
Ranges 6 and 5 West,
Township 13 North, Ranges 4
and 5 West, Township 12
North, Ranges 3 and 4 West
and Fractional Township 15
North, Range 7 West of the
Navajo Special Meridian, in
the Territories of New Mexico
and Arizona, surveyed under
the directions of

Hon. Jas. S. Wilson,

Commissioner of the General Land
Office, by Chud A. Darling, U.S.
Surveyor, under his contract bear-
ing date Washington, D.C., April
29th 1869, and subsequent special
instructions.

1949

Commenced January 4th and
Completed February 2nd 1870.

Names of Assistants

North A. Haight, Compassman.

William Clark.

William Burgess

} Chairmen.

Pablo Torres.

Phillippe Delegado

} Cornmen.

1949

1949

1949

Field notes of the Subdivision Lines of Township

184 17 Chains
 BOOK 1949

Measuring chain compared with Standard and found correct.

Measuring chain compared with Standard as per ^{manual} instructions.

Township 14 North, Range 7 West, commenced Jan. 4th completed January 8th 1870.

North between Secs. 35 and 36.
 Var. 15th East

14.50 Leave scattering timber; bears E. 1/4 N.
 40.00 Set granite 16 x 13 x 5 for 1/4 sec cor. as per instructions.
 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to secs. 25, 26, 35 & 36. Surface level. mostly prairie. Soil 1st rate.

Caston Random between Secs. 25 and 36, Var. 15th East

40.00 Set temporary 1/4 Sec. Corner.
 79.80 Intersect Range line 18 links N. of corner to secs. 25, 30, 31 & 36. Then N. 89th 5' 2" West on a true line. Var. 15th East
 39.90 Set sand stone, 14 x 12 x 3, for 1/4 sec. corner, as per instructions.
 79.80 Corner to Secs. 25, 26, 35 and 36. Surface rolling. Prairie. Soil 2nd rate.

North between Secs. 25 and 26, Var. 15th East

40.00 Set charred post, built mound and dug pits, for 1/4 Sec. cor. as per instructions.
 80.00 Deposited marked stone, set charred post, marked, built

Chains

mound and dug pits, as per instructions, for the corner to sees, 23, 24, 25 and 26.

40.00 Easton Random between Sees, 24 and 25. Var. 15° E.
 79.76 Set temporary 1/4 Sec. Corner, Intersect Range Line 30 lks. North of corner to sees, 19, 24, 25 and 30.

29.88 Then N. 89° 47' West on True Line. Var. 15° East. Set Charred post, built mound and dug pits, for 1/4 sec. cor. as per instructions.
 79.76 Corner to Sees, 23, 24, 25 and 26, Surface rolling. Prairie. Soil 2nd rate.

40.00 North between Sees, 23 and 24. Var. 15° East. Set Charred post, built mound and dug pits, as per instructions, for 1/4 Sec. Corner.
 80.00 Set sand stone, 16 x 14 x 9, marked as per instructions, for the corner to Sees, 13, 14, 23 & 24. Surface rolling. Prairie. Soil 2nd rate.

40.00 Easton Random between Sees, 13 and 24. Var. 15° East. Set temporary 1/4 sec. corner. 79.94 Intersect Range Line 15 lks. North of corner to Sees, 13, 18, 19 and 24.

29.97 Then N. 89° 54' W. on True Line. Var. 15° East. Set sand stone, 12 x 10 x 8, for 1/4

Field Notes of the Subdivision Lines of Township

186
BOOK 1949

Chains

See, corner, as per instructions.
79.94 Corner to Secs. 13, 14, 23 and 24.
Surface rolling. Prairie.
Soil 2^d rate.

North between Secs. 13 and 14,
Var. 15^e East.

40.00 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ sec. cor,
as per instructions.

80.00 Set sand stone, 16 x 12 x 3, marked
as per instructions, for the corner
to Secs. 11, 12, 13 and 14.
Surface rolling. Prairie. Soil 2^d rate.

East on Random between Secs. 12 & 13.
Var. 15^e East.

40.00 Set temporary $\frac{1}{4}$ Sec. corner.

80.20 Intersect Range Line 12 lks. S.
of corner to Secs. 12, 13 & 18.

Then S. 89° 55' W. on True Line.
Var. 15^e East.

40.10 Set charred post, built mound
and dug pits for $\frac{1}{4}$ sec. corner,
as per instructions.

80.20 Corner to Secs. 11, 12, 13 & 14.
Surface rolling. Prairie.
Soil 2^d rate.

North between Secs. 11 and 12,
Var. 15^e East.

40.00 Set sand stone, 14 x 8 x 7, for $\frac{1}{4}$
Sec. corner, as per instructions.

80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as per
instructions, for the corner
to Secs. 1, 2, 11 and 12.
Surface rolling. Prairie. Soil 1st rate.

Chains

187

BOOK 1949

East on Random between Secs. 1
and 12. Var. 15th East.
40.00 Set temporary $\frac{1}{4}$ Sec. Corner.
80.20 Intersect Range Line 20 lks. S.
of Corner to Secs. 1, 6, 7 and 12.

Then S. 89th 51' west on True Line.
Var. 15th East.
40.15 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ Sec. corner,
as per instructions.
80.30 Corner to Secs. 1, 2, 11 and 12.
Surface rolling. Prairie.
Soil 1st rate.

North on Random between Secs.
1 and 2. Var. 15th East.
40.00 Set temporary $\frac{1}{4}$ sec. corner.
80.35 Intersect North Boundary of
Township 28 links west of
Corner to Secs. 1, 2, 35 and 36.

Then S. 12' West on True Line.
Var. 15th East.
40.35 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ Sec. corner,
as per instructions.
80.35 Corner to Secs. 1, 2, 11 and 12.
Surface rolling. Prairie. Soil 1st rate.

North between Secs. 34 and 35.
Var. 15th East
40.00 Set sand stone, 18x10x6, for $\frac{1}{4}$
sec. corner, as per instructions.
80.00 Set sand stone, 15x12x7,
marked as per instructions,
for the corner to Secs. 26, 27,
34 and 35.
Surface rolling. Prairie.
Soil 1st rate.

Field Notes of the Subdivision Lines of Township

188 BOOK	Chains 1949	
		East on Random between Secs. 26 and 35. Var. 13° East
	8.00	Ravine, 70 links wide, course N.
	40.00	Set temporary $\frac{1}{4}$ Sec. Corner.
	80.24	Intersect Sec. line 20 links South of corner to Secs. 23, 26, 33 and 36.
		Then S. 89° 51' West on True Line. Var. 15° East.
	40.12	Set charred post, built mound and dug pits, as per instructions, for $\frac{1}{4}$ Sec. corner.
	80.24	Corner to Secs. 26, 27, 34 & 35. Surface level. Prairie. Soil 1 st rate.
<hr/>		
		North between Secs. 26 and 27. Var. 15° East.
	40.00	Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec. Cor. as per instructions.
	68.00	Ravine, 100 lks. wide, course W. or
	80.00	Set sand stone, 15 x 8 x 8, marked as per instructions, for the corner to Secs. 22, 23, 26 & 27. Surface level. Prairie. Soil 1 st rate.
<hr/>		
		East on Random between Secs. 23 and 26. Var. 15° East
	40.00	Set temporary $\frac{1}{4}$ Sec. Corner.
	80.30	Intersect Sec. line 30 links South of corner to Secs. 23, 24, 25 and 26.
		Then S. 89° 45' West on True Line. Var. 15° East
	40.15	Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec. Cor. as per instructions.
	80.30	Corner to Secs. 22, 23, 26 & 27. Surface level. Prairie. Soil 1 st rate.

Chains

North between Secs. 22 and 23.

Var. 15° East

40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec. Cor. as per instructions.

80.00 Set sand stone, 14x10x6, marked as per instructions, for the corner to Secs. 14, 15, 22 & 23. Surface level. Prairie. Soil 1 $\frac{1}{4}$ rate.

East on Random between Secs. 14 and 23.

Var. 15° East,

40.00 Set temporary $\frac{1}{4}$ Sec. Corner
80.10 Intersect Sec. line 15 $\frac{1}{2}$ lks. South of corner to Secs. 13, 14, 23 and 24.

Then S. 89° 53' W. on True Line.

Var. 15° East,

40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. cor. as per instructions.

80.10 Corner to Secs. 14, 15, 22 & 23. Surface level. Prairie. Soil 1 $\frac{1}{4}$ rate.

North between Secs. 14 and 15.

Var. 15° East,

40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner as per instructions.

80.00 Deposited marked stone, set charred post marked, built mound and dug pits, as per instructions for the corner to Secs. 10, 11, 14 and 15. Surface level. Prairie. Soil 1 $\frac{1}{4}$ rate.

East on Random between Secs. 11 and 14.

Var. 15° East,

Field Notes of the Subdivision Lines of Township

190
 BOOK 1949
 Chains
 40.00 Set temporary $\frac{1}{4}$ Sec. corner
 79.86 Intersect Sec. line, 25 links north
 of corner to Secs. 11, 12, 13 and 14.
 Then N. $89^{\circ}49'$ West on True Line.
 Var. 15° East.
 29.93 Set charred post, built mound
 and dug pits, for $\frac{1}{4}$ Sec. corner,
 as per instructions.
 79.86 Corner to Secs. 10, 11, 14 and 15.
 Surface level. Prairie. Soil $1^{\frac{1}{2}}$ rate.

North between Secs. 10 and 11.
 Var. 15° East.
 40.00 Set charred post, built mound
 and dug pits, for $\frac{1}{4}$ Sec. corner, as
 per instructions.
 80.00 Deposited marked stone, set
 charred post, marked, built
 mound and dug pits, as per
 instructions, for the corner
 to Secs. 2, 3, 10 and 11.
 Surface level. Prairie. Soil $1^{\frac{1}{2}}$ rate.

East on Random between Secs.
 2 and 11. Var. 15° East.
 40.00 Set temporary $\frac{1}{4}$ Sec. corner,
 79.70 Intersect Sec. Line 25 lks. north
 of corner to Secs. 1, 2, 11 and 12.
 Then N. $89^{\circ}47'$ W. on True Line,
 Var. 15° East.
 29.85 Set charred post, built mound
 and dug pits, for $\frac{1}{4}$ Sec. corner,
 as per instructions.
 79.70 Corner to Secs. 2, 3, 10 and 11.
 Surface level. Prairie.
 Soil $1^{\frac{1}{2}}$ rate.

Chains

	North on Random between Secs. 2 and 3. Var. 15° East
40.00	Set temporary $\frac{1}{4}$ Sec. corner
79.86	Intersect North Boundary of Township 7 links East of corner to Secs. 2, 3, 34 and 35.
	Then S. 2' East on True Line, Var. 15° E.
29.86	Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec. corner, as per instructions.
79.86	Corner to Secs. 2, 3, 10 and 11. Surface level. Prairie soil 1 st rate.
<hr/>	
	North between Secs. 23 and 24. Var. 15° East
11.00	Leave scattering timber, bears East and West.
40.00	Set sand stone, 16 x 14 x 8. for $\frac{1}{4}$ Sec. corner, as per instructions.
80.00	Set sand stone, 13 x 12 x 8. marked as per instructions, for the corner to Secs. 27, 28, 32 and 34. Surface level. Prairie soil 1 st rate.
<hr/>	
	East on Random between Secs. 27 and 34. Var. 15° East.
40.00	Set temporary $\frac{1}{4}$ Sec. corner
80.16	Intersect Sec. line 12 lks. S. of corner to Secs. 26, 27, 34 & 35.
	Then S. 89° 35' West on True Line Var. 15° East.
40.08	Set sand stone, 15 x 10 x 8. for $\frac{1}{4}$ Sec. corner, as per instructions.
80.16	Corner to Secs. 27, 28, 32 and 34.

Field Notes of the Subdivision Lines of Townships

192 BOOK 1949	Chains	<p>Surface level. Prairie Soil 1st rate.</p> <hr/> <p>North between Secs. 27 and 28, Var. 15° East.</p> <p>40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner as per instructions.</p> <p>80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 21, 22, 27 and 28. Surface rolling, Prairie Soil 1st rate.</p> <hr/> <p>Caston Random between Secs. 22 and 27. Var. 15° East.</p> <p>40.00 Set temporary $\frac{1}{4}$ Sec. Corner.</p> <p>70.20 Ravine, 100 lks, wide, course N.W.</p> <p>79.80 Intersect Sec. line 16 links north of corner to Secs. 22, 23, 26 & 27.</p> <p>Then N 89° 53' west on True Line. Var. 15° East.</p> <p>39.90 Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec. cor as per instructions.</p> <p>79.80 Corner to Secs. 21, 22, 27 & 28. Surface rolling. Prairie Soil 1st rate.</p> <hr/> <p>North between Secs. 21 and 22, Var. 15° East.</p> <p>40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec. cor, as per instructions.</p> <p>62.00 Ravine, 90 lks, wide, course North.W.</p> <p>80.00 Set sand stone, 24 x 18 x 2, marked as per instructions, for the</p>
---------------------	--------	---

Chains

Corner to Secs. 15, 16, 21 and
22, Surface level. Prairie.
Soil 1st rate.

193

BOOK

BOOK 1949

Easton Random between Secs
15 and 22, Var. 15th E.

40.00 Set temporary $\frac{1}{4}$ Sec. corner,
79.70 Intersect Section Line 24 links
North of corner to Secs. 14, 15,
22 and 23.

Then N. 89th 49' West on True
Line, Var. 15th East.

39.85 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ Sec. Cor.,
as per instructions.

79.70 Corner to Secs. 15, 16, 21 and 22,
Surface rolling, Prairie.
Soil 1st rate.

North between Secs. 15 and 16,
Var. 15th East.

40.00 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ sec. cor.
as per instructions.

80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as
per instructions, for the
corner to Secs. 9, 10, 15 and 16.
Surface level. Prairie.
Soil 1st rate.

Easton Random between
Secs. 10 and 18,

Var. 15th East.

40.00 Set temporary $\frac{1}{4}$ Sec. Corner,
79.85 Intersect Sec. Line 12 lks. N. of
corner to Secs. 10, 11, 14 and 18.

Then N. 89th 50' West on True Line,
Var. 15th East

39.92 $\frac{1}{2}$ Set charred post, built mound

Field Notes of the Subdivisions Lines of Township

194

BOOK 1949

Chains

79.85 and dug pits, for $\frac{1}{4}$ sec. corner, as per instructions, corner to Secs. 9, 10, 15 and 16, Surface level. Prairie. Soil 1st rate.

North between Secs. 9 and 10, Var. 15th East, 40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. cor, as per instructions.

53.40 Dry bed of Creek, 30 links wide, course N.E.

80.00 Deposited marked stone, set charred post marked, built mound and dug pits, as per instructions for the corner to Secs. 3, 4, 9 and 10. Surface rolling. Prairie. Soil 1st rate.

East on Random between Secs. 3 and 10. Var. 15th East, 10.00 Dry bed of creek, 40 lks. wide, course N.East

40.00 Set temporary $\frac{1}{4}$ Sec. Corner intersect Sec. line 25 links S. of corner to Secs. 2, 3, 10 and 11.

Then S. 89^o 47' W. on True Line. Var. 15th East, 40.12 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. cor, as per instructions.

80.24 Corner to Secs. 3, 4, 9 & 10. Surface level. Prairie. Soil 1st rate.

North on Random between Secs. 3 and 4.

Var. 15th East

Chains
~~70.00~~
 80.34

Set temporary $\frac{1}{4}$ Sec. Corner
 Intersect North Boundary of Township
 25 links West of corner to Secs. 3, 4,
 33 and 34.

Then S. 11' West, on True
 Line. Var. 15th East

40.17 Set charred post, built mound
 and dug pits, for $\frac{1}{4}$ sec. cor.
 as per instructions.

80.34 Corner to Secs. 3, 4, 9 and 10,
 Surface rolling. Prairie Soil 1st rate.

North between Secs. 32 and 33,
 Var. 15th East,

16.00 Leave scattering timber, bears
 East and west.

40.00 Set sand stone, 14 x 12 x 3. for $\frac{1}{4}$
 Sec. Corner, as per instructions.

80.00 Deposited marked stone, set charred
 post, marked, built mound and
 dug pits, as per instructions,
 for the corner to Secs. 28, 29, 32
 and 33.
 Surface rolling. Prairie Soil 1st rate.

East Random between Secs. 28
 and 33. Var. 15th E.

154.85 Ravine, 50 lks. wide, course ct.

40.00 Set temporary $\frac{1}{4}$ Sec. Corner

79.80 Intersect Section Line 20 lks,
 South of corner to Secs. 27,
 28, 33 and 34.

Then S 89th 51' W. on True Line.
 Var. 15th East

39.90 Set sand stone, 14 x 13 x 3. for $\frac{1}{4}$ sec.
 corner, as per instructions.

79.80 Corner to Secs. 28, 29, 32 & 33,
 Surface level. Prairie Soil 1st rate.

Field notes of the Subdivision Lines of Township No. 19.

Chains

196

BOOK

1949

North between Secs. 28 and 29.
 Var. 15° East.
 18.50 Ravine, 40 lks, wide, course N. E.
 40.00 Set sand stone, 16 x 10 x 6. for $\frac{1}{4}$
 sec. cor, as per instructions.
 80.00 Set sand stone, 14 x 12 x 3, marked as
 per instructions, for the Corner
 to secs. 20, 21, 28 and 29.
 Surface level. Prairie.
 Soil 1 $\frac{1}{2}$ rate.

Easton Random between Secs.
 21 and 28, Var. 15° E.
 28.00 Ravine .70 links wide, course N.
 40.00 Set temporary $\frac{1}{4}$ Sec. Corner.
 79.90 Intersect Sec. line 12 lks, S.
 of corner to Secs. 21, 22, 27
 and 28.

Then S. 89° 55' west on True Line.
 Var. 15° East.
 29.95 Set sand stone, 16 x 14 x 3. for $\frac{1}{4}$ sec.
 corner, as per instructions.
 79.90 Corner to Sections 20, 21, 28 and 29.
 Surface level. Prairie. Soil 1 $\frac{1}{2}$ rate.

North between Secs. 20 and 21.
 Var. 15° East.
 21.00 Ravine, 80 lks, wide, course N. E.
 40.00 Set charred post, built mound and
 dug pits, for $\frac{1}{4}$ Sec. Corner as
 per instructions.
 80.00 Deposited marked stone, set
 charred post, marked, built
 mound and dug pits, as
 per instructions, for the corner
 to secs. 16, 17, 20 and 21.
 Surface rolling. Prairie.
 Soil 1 $\frac{1}{2}$ rate.

Chains

East on Random between Secs. 16 and 21. Var. 15° East.

- 40.00 Set temporary $\frac{1}{4}$ Sec. corner
- 48.20 Ravine, 90 lks. wide, course North,
- 69.00 Ravine, 70 lks. wide, course NW,
- 80.10 Intersect Section Line 16 lks. North of corner to Secs. 15, 16, 21 and 22.

Then N. 89° 03' West on True Line. Var. 15° East.

- 40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec. corner as per instructions.
- 80.10 Corner to Secs. 16, 17, 20 and 21. Surface level. Prairie. Soil 1st rate.

North between Secs. 16 and 17. Var. 15° East.

- 40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner as per instructions.
- 80.00 Set sand stone, 14 x 12 x 3, marked as per instructions, for the corner to Secs. 8, 9, 16 and 17. Surface level. Prairie. Soil 1st rate

East on Random between Secs. 9 and 16. Var. 15° East.

- 40.00 Set temporary $\frac{1}{4}$ Sec. corner
- 60.00 Dry bed of Creek, 50 lks. wide, course North.
- 80.30 Intersect Sec. line 24 lks. N. of corner to Secs. 9, 10, 15 & 16.

Then N. 89° 50' W. on True Line. Var. 15° East.

- 40.15 Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec. cor as per instructions,
- 80.30 Corner to Secs. 8, 9, 16 and 17.

Field Notes of the Subdivision Lines of Township

198
BOOK 1949

Chains
Surface level. Prairie. Soil 1st rate.

North between Secs. 8 and 9.
Var. 15th East.

40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 4, 5, 8 and 9.

Surface level. Prairie. Soil 1st rate.

East on Random between Secs. 8 and 9.
Var. 15th East.

40.00 Set temporary $\frac{1}{4}$ Sec. Corner.

79.90 Intersect Sec. line 10 lks. W. of corner to Secs. 3, 4, 9 and 10.

Then N. 89th 56' W. on True Line.
Var. 15th E.

29.90 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. cor. as per instructions.

79.90 Corner to Secs. 4, 5, 8 and 9.
Surface level. Prairie.
Soil 1st rate.

North on Random between Secs. 4 & 5.
Var. 15th East.

40.00 Set temporary $\frac{1}{4}$ sec. corner.

79.90 Intersect North Boundary of Township 16 links West of corner to Secs. 4, 5, 32 & 33.

Then S. 7' West on True Line.
Var. 15th E.

89.90 Set sand stone, 14 x 12 x 2, for $\frac{1}{4}$ sec. corner, as per instructions.

79.90 Corner to Secs. 4, 5, 8 and 9.

chains

199

BOOK 1949

Surface level. Prairie. Soil 1st rate.

North between Secs. 31 and 32.

Var. 15° East.

- 20.00 Leave timber, bears East and West,
- 40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner as per instructions.
- 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 29, 30, 31 and 32. Surface rolling, mostly prairie. Soil 1st rate.

East on Random between Secs. 29 and 32.

Var. 15° East.

- 40.00 Set temporary $\frac{1}{4}$ Sec. Corner.
- 70.10 Ravine, 35 lks, wide, course N.E.
- 79.86 Intersect Sec. Line 20 lks, N. of corner to Secs. 28, 29, 32 & 33.

Then N. 89° 51' West on True Line.

Var. 15° East.

- 29.93 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. cor. as per instructions.
- 79.86 Corner to Secs. 29, 30, 31 & 32. Surface level. Prairie, Soil 1st rate.

West on Random between Secs. 30 and 31.

Var. 15° East.

- 40.00 Set temporary $\frac{1}{4}$ Sec. Corner.
- 66.50 Ravine, 40 lks, wide, course N.E.
- 79.20 Intersect Range Line 15 lks, North of corner to Secs. 29, 30, 31 & 32.

Then N. 89° 51' East on True Line

Field Notes of the Subdivision Lines of

200
 BOOK 1949
 Chains
 29.20 variation, 15° East.
 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. cor. as per instructions.
 79.20 Corner to Secs. 29, 30, 31 and 32.
 Surface level, Prairie. Soil 1st rate.

North between Secs. 29 and 30.
 Var. 15° East
 40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner as per instructions.
 66.75 Ravine, 60 lks, wide, course N.E.
 80.00 Set sand stone, 18 x 15 x 3, marked as per instructions, for the corner to Secs. 19, 20, 29 & 30.
 Surface rolling, Prairie.
 Soil 1st rate.

Easton Random between Secs. 20 and 29.
 var. 15° East
 36.30 Ravine, 60 lks, wide, course N.E.
 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.65 Intersect Sec. Line 16 lks, north of corner to Secs. 20, 21, 28 and 29.

Then N. 89° 53' West on True Line. var. 15° East.
 39.82 $\frac{1}{2}$ Set charred post, built mound and ^{dug} pits, for $\frac{1}{4}$ sec. corner as per instructions.
 79.65 Corner to Secs. 19, 20, 29 & 30.
 Surface rolling, Prairie.
 Soil 1st rate.

Weston Random between Secs. 19 and 30.
 var. 13° E.
 40.00 Set temporary $\frac{1}{4}$ sec. corner.

Chambers
79.00

Intersect Range Line 7 links North
of corner to Secs. 19, 24, 29 & 30.

Then N. $89^{\circ}57' E$. on True Line.
Var. $15^{\circ} East$

79.00 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ Sec. Cor.
as per instructions.

79.00 Corner to Secs. 19, 20, 29 & 30.
Surface level, Prairie. Soil 1st rate.

North between Secs. 19 and 20, Var. $15^{\circ} E$.
40.00 Set charred post, built mound and
dug pits, for $\frac{1}{4}$ sec. corner, as
per instructions.

80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as
per instructions, for the corner
to Secs. 17, 18, 19 and 20.
Surface level, Prairie. Soil 1st rate.

East on Random between Secs.
17 and 20, Var. $15^{\circ} East$.
40.00 Set temporary $\frac{1}{4}$ Sec. corner.
79.80 Intersect Sec. line 12 lks. N.
of the corner to Secs. 16, 17, 20
and 21.

Then N. $89^{\circ}35' W$. on True
Line. Var. $15^{\circ} East$.

79.90 Set charred post, built mound and
dug pits, for $\frac{1}{4}$ sec. corner, as
per instructions.

79.80 Corner to Secs. 17, 18, 19 and 20.
Surface level, Prairie.
Soil 1st rate.

West on Random between Secs.
18 and 19, Var. $15^{\circ} E$.
40.00 Set temporary $\frac{1}{4}$ Sec. corner.

Field Notes of the Subdivision Lines of Township

202
BOOK

Chains
78.40
1949

Intersect Range Line 10 links
South of corner to Secs. 13, 18, 19
and 24.

Then S. $89^{\circ}36'$ E. on True
Line, Var. 15° East.

38.70 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ Sec. Cor.
as per instructions.

78.40 Corner to Secs. 17, 18, 19 and 20,
Surface level. Prairie.
Soil 1 $\frac{1}{2}$ rate.

North between Secs. 17 and 18.

Var. 15° East.

40.00 Set sand stone, $14 \times 10 \times 6$, for
 $\frac{1}{4}$ Sec. Corner, as per instruc-
tions.

80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as per
instructions, for the corner
to Secs. 7, 8, 17 and 18.
Surface rolling. Prairie,
Soil 1 $\frac{1}{2}$ rate.

East on Random between Secs.
8 and 17.

Var. 15° East

40.00 Set temporary $\frac{1}{4}$ Sec. Corner,
80.15 Intersect Sec. line 18' lks. S.
of the corner to Secs. 8, 9,
16 and 17.

Then S. $89^{\circ}52'$ W. on True
Line. Var. 15° East.

40.07 $\frac{1}{2}$ Set charred post, built
mound and dug pits, for
 $\frac{1}{4}$ Sec. Cor. as per instructions.

80.15 Corner to Secs. 7, 8, 17 and 18,
Surface rolling. Prairie
Soil 1 $\frac{1}{2}$ rate.

Chains

West on Random between Secs,
7 and 18.

Var. 15° East

40.00 Set temporary $\frac{1}{4}$ Sec. Corner
77.75 Intersect Range Line 16 lks. S.
of Corner to Secs. 7, 12, 13 & 18.

Then S. 89° 53' E. on True Line
Var. 15° East

37.75 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ Sec. corner,
as per instructions.

77.75 Corner to Secs. 7, 8, 17 and 18.
Surface level. Prairie.
Soil 1 $\frac{1}{2}$ rate.

North between Secs. 7 and 8.

Var. 15° East

40.00 Set charred post, built mound and
dug pits, for $\frac{1}{4}$ Sec. corner as
per instructions.

80.00 Set sand stone, 16 x 10 x 8, marked
as per instructions, for the
corner to Secs. 5, 6, 7 and 8.
Surface level. Prairie.
Soil 1 $\frac{1}{2}$ rate.

East on Random between Secs,
5 and 8.

Var. 15° East,

40.00 Set temporary $\frac{1}{4}$ Sec. Corner,
80.24 Intersect Sec. line 27 links South
of corner to Secs. 4, 5, 8 and 9.

Then S. 89° 45' west on True Line.

Var. 15° East

40.12 Set charred post, built mound
and dug pits for $\frac{1}{4}$ sec. corner,
as per instructions.

80.24 Corner to Secs. 5, 6, 7 and 8.
Surface rolling. Prairie
Soil 1 $\frac{1}{2}$ rate.

	Chains	
BOOK 1949		West on Random between Secs. 6 and 7. Var. 15 th East.
40.00		Set temporary $\frac{1}{4}$ Sec. corner.
77.40		Intersect Range Line 25 lks. South of corner to Secs. 1, 6, 7 and 12.
		Then S. 89 ^o 49' E. on True Line. Var. 15 th E.
37.40		Set sand stone, 15 x 12 x 4. for $\frac{1}{4}$ sec. corner, as per instructions.
77.40		Corner to Secs. 5, 6, 7 and 8. Surface rolling. Prairie. Soil 2 nd rate.
		<hr/>
		North on Random between Secs. 5 and 6. Var. 15 th E.
44.00		Set temporary $\frac{1}{4}$ Sec. corner.
80.35		Intersect Township Line 30 lks. West of corner to Secs. 5, 6, 31 & 32.
		Then S. 13' West on True Line. Var. 10 th East.
40.35		Set sand stone, 15 x 12 x 3. for $\frac{1}{4}$ Sec. corner, as per instructions.
80.35		Corner to Secs. 5, 6, 7 and 8. Surface rolling. Prairie. Soil 2 nd rate.
		<hr/>
		General Description
		The land in this Township is nearly all level first rate land, well adapted to either farming or grazing purposes.
		There are a few scattering cedar trees in the southern portion of the Township.
		The whole town gives evidence of having been well cultivated not many years ago.

Township 14 North, Range 6 West of
the Navajo Special Meridian, Commenced
January 9th, and completed Janu-
ary 14th 1870.

North between Sections 25 and 26.
Var. $14^{\circ}40'$ East.

- 40.00 Set granite, $14 \times 10 \times 6$, for $\frac{1}{4}$ sec.
corner, as per instructions.
80.00 Set sand stone, $16 \times 8 \times 6$, marked
as per instructions, for the
corner to Secs. 25, 26, 35 & 36.
Surface broken. Prairie. Soil 2nd rate.
-

East on Random between Secs.
25 and 26. Var. $14^{\circ}40'$ E.

- 40.00 Set temporary $\frac{1}{4}$ sec. corner.
79.66 Intersect Range Line 24 lks.
South of corner to secs. 25,
30, 31 and 36.

Then S. $89^{\circ}30'$ West on True Line.
Var. $14^{\circ}40'$ E.

- 39.83 Set sand stone, $14 \times 12 \times 3$, for $\frac{1}{4}$
sec. corner, as per instructions.
79.66 Corner to Secs. 25, 26, 35 and 36.
Surface rolling. Prairie. Soil 2nd rate.
-

North between Secs. 25 and 26.
Var. $14^{\circ}40'$ E.

- 40.00 Set sand stone, $15 \times 14 \times 4$, for $\frac{1}{4}$ sec.
corner, as per instructions.
80.00 Set sand stone, $16 \times 14 \times 3$, marked
as per instructions, for the corner
to Secs. 23, 24, 25 and 26.
Surface rolling. Prairie.
Soil 2nd rate.
-

East on Random between
Secs. 24 and 25. Var. $14^{\circ}40'$ E.

Field Notes of the Subdivision Lines of Township

206
BOOK 1949

Chains

40.00

Set temporary $\frac{1}{4}$ Sec. Corner.
Intersect Range Line 16 lks, S.
of the corner to Secs. 19, 24, 25
and 30.

Then S. $89^{\circ}53'$ West on True
Line. Var. $14^{\circ}40'$ East.

29.90

Set sand stone, $14 \times 10 \times 7$, for $\frac{1}{4}$
sec. corner, as per instructions.

79.80

Corner to Secs. 23, 24, 25 and 26.
Surface rolling. Prairie.
Soil 2^d rate.

North between Secs. 23 and 24.
Var. $14^{\circ}40'$ East.

40.00

Set sand stone, $15 \times 14 \times 3$, for $\frac{1}{4}$
sec. corner, as per instructions.

80.00

Deposited marked stone, set
charred post, marked, built
mound and dug pits, as per
instructions, for the corner to
Secs. 13, 14, 23 and 24.
Surface rolling. Prairie.
Soil 2^d rate.

East on Range between Secs
13 and 24. Var. $14^{\circ}40'$ E.

40.00

Set temporary $\frac{1}{4}$ Sec. Corner.

80.20

Intersect Range Line 10 lks, N.
of the corner to Secs. 13, 18
19 and 24.

Then N. $89^{\circ}56'$ West on
True Line. Var. $14^{\circ}40'$ East.

40.10

Set sand stone, $14 \times 12 \times 3$, for $\frac{1}{4}$
sec. corner, as per instructions.

80.20

Corner to Secs. 13, 14, 23 and 24.
Surface rolling. Prairie.
Soil 2^d rate.

North between Secs. 13 and 14.
Var. $14^{\circ}40'$ E.

40.00

Set sand stone, $16 \times 14 \times 4$, for
 $\frac{1}{4}$ Sec. corner, as per instructions.

chains
80.00 Set sand stone, 14 x 14 x 4, marked as per instructions, for the corner to Sections 11, 12, 13 and 14.
Surface rolling. Prairie. Soil 2^d rate.

East on Random between Secs. 12 and 13, Var. 14° 40' East.

40.00 Set temporary $\frac{1}{4}$ Sec. corner.
80.30 Intersect Range Line 18 links North of corner to Secs. 1, 12, 13 and 18.

Then N. 89° 5' 2" West on True Line. Var. 14° 40' East.

40.15 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner, as per instructions.

80.30 Corner to Sections 11, 12, 13 & 14.
Surface rolling. Prairie. Soil 2^d rate.

North between Secs 11 and 12, Var. 14° 40' E.

40.00 Set sand stone, 16 x 14 x 3, for $\frac{1}{4}$ Sec. corner, as per instructions.

61.20 Dry creek. 20 links wide, course N.E.

80.00 Set sand stone, 18 x 14 x 3, marked as per instructions, for the corner to Secs. 1, 2, 11 and 12.
Surface rolling. Prairie.
Soil 2^d rate.

East on Random between Secs. 1 and 12, Var. 14° 40' E.

15.15 Dry creek, 25 lks. wide, course N.

40.00 Set temporary $\frac{1}{4}$ Sec. corner.

80.24 Intersect Range Line 18 lks. north of corner to Secs. 1, 6, 7 and 12.

Then N. 89° 5' 2" West on True Line, Var. 14° 40' East.

Field Notes of the Subdivision Lines of Township

205
BOOK

Chains

40.12
1949
80.24

Set sand stone, 16 x 8 x 5, for $\frac{1}{4}$ sec. corner, as per instructions.
Corner to Secs. 1, 2, 11 and 12.
Surface rolling. Prairie.
Soil 2nd rate.

North on Random between Secs. 1 and 2. Var. $14^{\circ}40'$ East.

430 Dry Creek, 20 links wide, course E.

40.00 Set temporary $\frac{1}{4}$ sec. corner.

79.66 Intersect North Boundary of Township 20 links west of corner to Secs. 1, 2, 35 and 36.

Then S. $13'$ West on True Line. Var. $14^{\circ}40'$ East.

29.66 Set sand stone, 14 x 12 x 4, for $\frac{1}{4}$ sec. corner, as per instructions

79.66 Corner to Secs. 1, 2, 11 and 12.
Surface rolling. Prairie.
Soil 2nd rate.

North between Secs. 34 and 35. Var. $14^{\circ}10'$ E.

40.00 Set sand stone, 14 x 12 x 6, for $\frac{1}{4}$ sec. corner, as per instructions.

80.00 Set sand stone, 16 x 14 x 3, marked as per instructions, for the cor. to Secs. 26, 27, 34 and 35.
Surface rolling. Prairie. Soil 2nd rate.

East on Random between Secs. 26 and 35. Var. $14^{\circ}40'$ East.

32.20 Ravine, 70 links wide, course North.

40.00 Set temporary $\frac{1}{4}$ sec. corner.

80.24 Intersect Sec. Line 24 lks. north of corner to Secs. 25, 26, 35 & 36.

Then N. $89^{\circ}50'$ West on True Line. Var. $14^{\circ}40'$ E.

40.12 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner.

Chains

as per instructions.
 80.24 Corner to Secs. 26, 27, 34 & 35.
 Surface rolling. Prairie. Soil 2nd rate.

North between Secs. 26 and 27.
 Var. 14° 40' E.

40.00 Set sand stone, 18 x 12 x 5, for $\frac{1}{4}$ sec.
 corner, as per instructions.

80.00 Set granite, 18 x 9 x 6, marked as
 per instructions, for the corner
 to secs. 22, 23, 26 and 27.
 Surface rolling. Prairie. Soil 2nd rate.

Easton Random between Secs. 23
 and 26. Var. 14° 40' East.

40.00 Set temporary $\frac{1}{4}$ Sec. corner.
 50.40 Spring branch, 15 lks. wide, course N.W.
 80.16 Intersect Sec. line 12 links north
 of corner to Secs. 23, 24, 25
 and 26.

Then N. 89° 55' West on True Line.
 Var. 14° 40' E.

40.08 Set charred post, built mound and
 dug pits, for $\frac{1}{4}$ sec. corner, as per
 instructions.

80.16 Corner to Secs. 22, 23, 26 & 27.
 Surface rolling, Prairie. Soil 2nd rate.

North between Secs. 22 and 23.
 Var. 14° 40' E.

40.00 Set sand stone, 14 x 12 x 3, for $\frac{1}{4}$
 sec. corner, as per instructions.

42.30 Ravine, 40 links wide, course N.E.

80.00 Set sand stone, 16 x 14 x 5, marked
 as per instructions, for the corner
 to Secs. 14, 15, 22 and 23.
 Surface rolling. Prairie.
 Soil 2nd rate.

Field Notes of the Subdivision Lines of Township

210
BOOK 1949

Chains

East on Random between Secs. 14 and 23. Var. $14^{\circ} 40' E.$

29.40 Spring branch, 20 links wide, course North.

40.00 Set temporary $\frac{1}{4}$ sec. corner,

79.86 Intersect Sec. Line 18 links S. of corner to Secs. 13, 14, 23 & 24.

Then S. $89^{\circ} 52'$ West on True Line. Var. $14^{\circ} 40' East.$

29.93 Set sand stone, $15 \times 12 \times 3$, for $\frac{1}{4}$ sec. corner, as per instructions.

79.86 Corner to Secs. 14, 15, 22 & 23. Surface rolling. Prairie. Soil 2nd rate.

North between Secs. 14 and 15. Var. $14^{\circ} 40' E.$

40.00 Set sand stone, $14 \times 12 \times 3$, for $\frac{1}{4}$ sec. corner, as per instructions.

80.00 Set sand stone, $18 \times 10 \times 8$, marked as per instructions, for the corner to Secs. 10, 11, 14 & 15.

Surface rolling. Prairie. Soil 2nd rate.

East on Random between Secs. 11 and 14. Var. $14^{\circ} 35' E.$

40.00 Set temporary $\frac{1}{4}$ sec. corner.

44.16 Dry Creek, 50 lks, wide, course N.

79.70 Intersect Sec. Line 24 lks, S. of corner to Secs. 11, 12, 13 and 14.

Then S. $89^{\circ} 50'$ West on True Line.

Var. $14^{\circ} 35' East.$

29.88 Set sand stone, $14 \times 10 \times 9$, for $\frac{1}{4}$ sec. corner, as per instructions

79.70 Corner to Secs. 10, 11, 14 and 15.

Surface rolling. Prairie.

Soil 2nd rate

Chains
 211
 BOOK 1949

North between Secs. 10 and 11.
 Var. $14^{\circ} 23' E.$

40.00 Set sand stone, $16 \times 12 \times 3$. for $\frac{1}{4}$ sec. corner, as per instructions.

51.60 Dry Creek, 40 links wide, course N.E.

80.00 Set sand stone, $15 \times 11 \times 8$, marked as per instructions, for the corner to Secs. 2, 3, 10 and 11.
 Surface rolling. Prairie. Soil 2nd rate.

Easton Random between Secs. 2 and 11.
 Var. $14^{\circ} 30' East.$

40.00 Set temporary $\frac{1}{4}$ sec. corner.

41.20 Dry Creek, 25 lks, wide, course N.E.

57.00 Dry creek, 20 lks, wide, course S.E.

69.50 Dry creek, 25 lks, wide, course N.E.

79.86 Intersect Sec. Line, 12 lks, S. of the corner to Secs. 1, 2, 11 & 12.

Then S. $89^{\circ} 35' W.$ on True Line, Var. $14^{\circ} 30' E.$

39.93 Set sand stone, $18 \times 14 \times 4$. for $\frac{1}{4}$ sec. corner, as per instructions.

79.86 Corner to Secs. 2, 3, 10 and 11.
 Surface gently rolling. Soil 1st rate.

North on Random between Secs. 2 and 3.
 Var. $14^{\circ} 35' E.$

40.00 Set temporary $\frac{1}{4}$ Sec. corner.

80.10 Intersect Township Line 26 lks. East of corner to Secs. 2, 3, 34 and 35.

Then S. 11' East on True Line.
 Var. $14^{\circ} 35' East.$

40.10 Set sand stone, $14 \times 12 \times 5$. for $\frac{1}{4}$ sec. corner, as per instructions.

80.10 Corner to Secs. 2, 3, 10 and 11.
 Surface rolling. Prairie.
 Soil 2nd rate.

Field Notes of the Subdivision Lines of Township

212

BOOK

Chains

1949

70.00

North between Secs. 33 and 34.

Var. $14^{\circ}40'$ East.

Set sand stone, $18 \times 10 \times 8$. for $\frac{1}{4}$ sec. cor. as per instructions.

64.20

Ravine, 50 links wide, course N. East.

80.00

Set sand stone, $24 \times 6 \times 4$. marked as per instructions. for the corner to Secs. 27, 28, 33 and 34.

Surface rolling. Prairie. Soil 2nd rate.

East on Random between Secs. 27 and 34.

Var. $14^{\circ}40'$ E.

14.50

Ravine, 50 lks. wide, course North.

40.00

Set temporary $\frac{1}{4}$ sec. corner.

79.80

Intersect Sec. line 18 lks. north of corner to Secs. 26, 27, 34 & 38.

Then $N. 89^{\circ}52'$ west on True line. Var. $14^{\circ}40'$ E.

29.90

Set granite, $14 \times 12 \times 7$. for $\frac{1}{4}$ sec. cor. as per instructions.

79.80

Corner to Secs. 27, 28, 33 and 34.

Surface rolling. Prairie. Soil 2nd rate.

North between Secs. 27 and 28.

Var. $14^{\circ}40'$ E.

40.00

Set sand stone, $18 \times 10 \times 4$. for $\frac{1}{4}$ sec. corner, as per instructions.

80.00

Set sand stone, $17 \times 12 \times 8$. marked as per instructions. for the corner to Secs. 21, 22, 27 and 28.

Surface rolling. Prairie.

Soil 2nd rate.

East on Random between Secs. 22 and 27.

Var. $14^{\circ}40'$ E.

29.70

Ravine, course North.

40.00

Set temporary $\frac{1}{4}$ sec. corner.

80.18

Intersect Sec. line 12 lks. south of corner to Secs. 22, 23, 26 and 27.

chains

213

BOOK 1949

Then S. $89^{\circ}35'$ W. on True Line.
Var. $14^{\circ}40'$ East.

40.09 Set sand stone, $16 \times 12 \times 3$, for $\frac{1}{4}$ sec. corner, as per instructions.

80.18 Corner to Secs. 21, 22, 27 and 28.
Surface rolling. Prairie. Soil 2nd rate.

North between Secs. 21 and 22.
Var. $14^{\circ}40'$ E.

40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 15, 16, 21 and 22.
Surface rolling. Prairie.
Soil 2nd rate.

Easton Random between Secs. 15 and 22.
Var. $14^{\circ}40'$ E.

40.00 Set temporary $\frac{1}{4}$ sec. corner
79.70 Intersect Sec. Line 24 links S of corner to Secs. 14, 15, 22 & 23.

Then S. $89^{\circ}30'$ West on True Line.
Var. $14^{\circ}40'$ E.

29.85 Set sand stone, $15 \times 12 \times 3$, for $\frac{1}{4}$ sec. corner, as per instructions.

79.70 Corner to Secs. 15, 16, 21 and 22.
Surface rolling. Prairie. Soil 2nd rate.

North between Secs. 15 and 16.
Var. $14^{\circ}30'$ E.

40.00 Set sand stone, $15 \times 13 \times 3$, for $\frac{1}{4}$ sec. cor. as per instructions.

80.00 Set sand stone, $16 \times 14 \times 3$, marked as per instructions, for the corner to Secs. 9, 10, 15 and 16. Surface rolling. Prairie. Soil 2nd rate.

Field Notes of the Subdivision Lines of Township 14 North.

214 BOOK	Chains 1949		
		East on Random between Secs. 10 and 13. Var. $14^{\circ}30'$ East	
	40.00	Set temporary $\frac{1}{4}$ Sec. corner.	
	80.10	Intersect Sec. Line 12 links north of corner to Secs. 10, 11, 14 and 13.	
		Then N. $89^{\circ}55'$ W. on True Line. Var. $14^{\circ}30'$ E.	
	40.05	Set sand stone, $16 \times 10 \times 4$, for $\frac{1}{4}$ sec. cor. as per instructions.	
	80.10	Corner to Secs. 9, 10, 15 and 16. Surface rolling. Prairie. Soil 2 nd rate.	
North between Secs. 9 and 10. Var. $14^{\circ}30'$ E.			
	24.50	Dry Creek, 20 lks. wide, course East	
	40.00	Set sand stone, $12 \times 12 \times 3$, for $\frac{1}{4}$ sec. corner, as per instructions.	
	80.00	Set sand stone, $14 \times 12 \times 8$, marked as per instructions, for the corner to Secs. 3, 4, 9 and 10. Surface rolling. Prairie. Soil 2 nd rate.	
East on Random between Secs. 2 and 10. Var. $14^{\circ}30'$ E.			
	40.00	Set temporary $\frac{1}{4}$ Sec. corner.	
	80.26	Intersect Sec. line 30 lks. north of corner to Secs. 2, 3, 10 & 11.	
		Then N. $89^{\circ}47'$ West on True Line. Var. $14^{\circ}30'$ E.	
	40.13	Set sand stone, $16 \times 14 \times 3$, for $\frac{1}{4}$ sec. corner, as per instructions.	
	80.26	Corner to Secs. 2, 4, 9 and 10. Surface rolling. Prairie. Soil 2 nd rate.	
North on Random between Secs. 3 and 4. Var. $14^{\circ}30'$ E.			
	40.00	Set temporary $\frac{1}{4}$ sec. corner.	
	79.76	Intersect Township Line 30	

Chains

215

lks. West of the corner to secs. 3, 4, 33 and 34.

BOOK 1949

Then S. 13' W. on True Line.

Var. $14^{\circ}30' E.$

39.76 Set sand stone, 16 x 12 x 4, for $\frac{1}{4}$ sec. corner, as per instructions,
79.76 Corner to secs. 3, 4, 9 and 10.
Surface rolling, Prairie. Soil 2nd rate.

North between Secs. 32 and 33.

Var. $14^{\circ}45' E.$

40.00 Set granite, 12 x 9 x 8, for $\frac{1}{4}$ sec. corner, as per instructions,
80.00 Set sand stone, 16 x 14 x 3, marked as per instructions, for the corner to Secs. 28, 29, 32 and 33.
Surface broken, Prairie.
Soil 2nd rate.

East on Random between Secs. 28 and 33.

Var. $14^{\circ}45' East.$

40.00 Set temporary $\frac{1}{4}$ sec. corner,
79.70 Intersect Section Line 15 lks. South of corner to Secs. 27, 28, 33 and 34.

Then S. $89^{\circ}32'$ West on True Line.

Var. $14^{\circ}45' E.$

29.80 Set sand stone, 16 x 12 x 3, for $\frac{1}{4}$ sec. corner, as per instructions,
79.70 Corner to Secs. 28, 29, 32 and 33.
Surface rolling, Prairie. Soil 2nd rate.

North between Secs. 28 and 29.

Var. $14^{\circ}45' East.$

40.00 Set sand stone, 14 x 12 x 3, for $\frac{1}{4}$ sec. corner, as per instructions,
80.00 Set sand stone, 16 x 13 x 3, marked as per instructions, for the corner to Secs. 20, 21, 28 and 29.

Field Notes of the Subdivision Lines of Township No 14 North.

216

BOOK

chains

1949

East on Random between Secs. 21 and 28
Var. $14^{\circ}45' E$.

40.00 Set temporary $\frac{1}{4}$ sec. corner.

71.40 Dry Creek, 20 lks. wide, course N. East.

79.85 Intersect Section Line 7 lks. South of corner to Secs. 21, 22, 27 and 28.

Then S. $89^{\circ}57'$ West on True Line. Var. $14^{\circ}45' E$.

29.92 $\frac{1}{2}$ Set sand stone, 20 x 6 x 5. for $\frac{1}{4}$ sec. corner, as per instructions.

79.85 Corner to Secs. 20, 21, 28 and 29.

Surface rolling. Prairie. Soil 2 $\frac{1}{2}$ rate.

North between Secs. 20 and 21.

Var. $14^{\circ}45' E$.

40.00 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. cor. as per instructions.

70.00 Dry Creek, 20 lks. wide, course N. E.

80.00 Set sand stone, 20 x 14 x 3. marked as per instructions, for the corner to Secs. 16, 17, 20 and 21.

Surface rolling. Prairie. Soil 2 $\frac{1}{2}$ rate.

East on Random between Secs. 16 and 21.

Var. $14^{\circ}40' East$.

19.60 Dry Creek, 20 lks. wide, course N. E.

40.00 Set temporary $\frac{1}{4}$ sec. corner.

80.09 Intersect Sec. Line 15 lks. North of corner to Secs. 15, 16, 21 and 22.

Then N. $89^{\circ}54'$ W. on True Line.

Var. $14^{\circ}40' E$.

40.04 $\frac{1}{2}$ Set sand stone, 16 x 12 x 4. for $\frac{1}{4}$ sec. corner, as per instructions.

80.09 Corner to Secs. 16, 17, 20 and 21.

Surface rolling. Prairie. Soil 2 $\frac{1}{2}$ rate.

Range 6 West of the Navajo Special Meridian.

217
BOOK 1949

Chains

North between Secs. 16 and 17.

Var. $14^{\circ}40'$ East.

40.00 Set sand stone, $17 \times 12 \times 4$. for $\frac{1}{4}$ Sec. corner, as per instructions.

80.00 Set sand stone, $16 \times 10 \times 6$, marked as per instructions, for the corner to Secs. 8, 9, 16 and 17.

Surface rolling. Prairie. Soil 2nd rate.

Easton Random between Secs. 9 and 16.

Var. $14^{\circ}35'$ E.

40.00 Set temporary $\frac{1}{4}$ Sec. corner.

54.00 Dry Creek, 20 lks. wide, course North.

80.25 Intersect Sec. Line 20 lks. North of corner to Secs. 9, 10, 15 & 16.

Then N. $89^{\circ}51'$ W. on True Line.

Var. $14^{\circ}35'$ E.

40.12^{1/2} Set sand stone, $15 \times 14 \times 4$. for $\frac{1}{4}$ sec. corner, as per instructions.

80.25 Corner to Secs. 8, 9, 16 and 17.

Surface rolling. Prairie. Soil 2nd rate.

North between Secs. 8 and 9.

Var. $14^{\circ}35'$ E.

40.00 Set granite, $12 \times 11 \times 7$. for $\frac{1}{4}$ sec. cor. as per instructions.

80.00 Set sand stone, $16 \times 12 \times 3$. marked as per instructions, for the corner to Secs. 4, 5, 8 and 9.

Surface rolling. Prairie. Soil 2nd rate.

Easton Random between Secs. 4 and 9.

Var. $14^{\circ}30'$ E.

13.00 Ravine, 50 lks. wide, course South.

40.00 Set temporary $\frac{1}{4}$ sec. corner.

80.12 Intersect Sec. Line 10 links N. of corner to Secs. 3, 4, 9 & 10.

Field notes of the Subdivision Lines of Township

218
BOOK 1949

Chains

Then N. $89^{\circ}34'$ West on True Line.
Var. $14^{\circ}30' E.$

40.06 Set sand stone, $14 \times 12 \times 3$. for $\frac{1}{4}$ sec. corner, as per instructions.

80.12 Corner to Secs. 4, 5, 8 and 9.
Surface rolling. Prairie.
Soil 2nd rate.

North on Random between Secs. 4 and 5.

Var. $14^{\circ}30' E.$

40.00 Set temporary $\frac{1}{4}$ sec. corner.

79.70 Intersect North Boundary of Township 18 links East of corner to Secs. 4, 5, 32 and 33.

Then S. $8^{\circ} E.$ on True Line Var. $14^{\circ}30' E.$

29.70 Set sand stone, $18 \times 12 \times 3$. for $\frac{1}{4}$ sec. corner, as per instructions.

79.70 Corner to Secs. 4, 5, 8 and 9.
Surface rolling. Prairie. Soil 2nd rate.

North between Secs. 30 and 32.

Var. $14^{\circ}35' E.$

40.00 Set sand stone, $14 \times 12 \times 4$. for $\frac{1}{4}$ sec. corner, as per instructions.

80.00 Set sand stone, $18 \times 12 \times 3$. marked as per instructions, for the corner to Secs. 29, 30, 31 & 32.
Surface rolling. Prairie.
Soil 2nd rate.

East on Random between Secs. 29 and 32.
Var. $14^{\circ}35' E.$

29.65 Ravine, 60 links wide, course North.

40.00 Set temporary $\frac{1}{4}$ sec. corner.

79.75 Intersect Section Line 20 lls. South of corner to Secs. 28, 29, 32 & 33.

Then S. $89^{\circ}51' W.$ on True Line.
Var. $14^{\circ}35' East.$

<p>Chains 89.87 1/2 79.75</p>	<p>Set sand stone, 16 x 14 x 4. for 1/4 sec. corner, as per instructions. Corner to Secs. 29, 30, 31 and 32. Surface rolling. Prairie Soil 2nd rate.</p>	<p>219 BOOK 1949</p>
<p>40.00 40.50 78.60 38.60 78.60</p>	<p>West on Random between Secs. 30 and 31. Var. 14° 45' E. Set temporary 1/4 Sec. Corner. Ravine, 50 lks. wide, course North Intersect Range Line at corner to Secs. 29, 30, 31 and 32. Then East on True Line, Var. 14° 45' E. Set sand stone, 16 x 10 x 6. for 1/4 Sec. corner, as per instructions. Corner to Secs. 29, 30, 31 and 32. Surface rolling. Prairie Soil 2nd rate.</p>	
<p>40.00 80.00</p>	<p>North between Secs. 29 and 30. Var. 14° 45' East. Set sand stone, 14 x 12 x 3. for 1/4 sec. corner, as per instructions. Set sand stone, 16 x 12 x 4. marked as per instructions, for the corner to Secs. 19, 20, 29 and 30. Surface rolling. Prairie Soil 2nd rate.</p>	
<p>35.00 40.00 79.80 39.90 79.80</p>	<p>East on Random between Secs. 20 and 29. Var. 14° 45' E. Ravine, 60 lks. wide, course North. Set temporary 1/4 sec. corner. Intersect Sec. line 12 links S. of corner to Secs. 20, 21, 28 & 29. Then S. 89° 55' W. on True Line. Var. 14° 45' E. Set sand stone, 16 x 12 x 3. for 1/4 sec. corner, as per instructions. Corner to Secs. 19, 20, 29 & 30.</p>	

Field Notes of the Subdivision Lines of Township 14

220
BOOK

Chains
1949

Surface rolling. Prairie. Soil 2nd rate.

West on Random between secs. 19
and 30. Var. 14°45' E.

30.30 Spring branch, 15 lks. wide, course N.E.

40.00 Set temporary $\frac{1}{4}$ Sec. Corner.

78.10 Intersect Range Line 9 lks. South
of corner to Secs. 19, 24, 25 & 30.

Then S. 89°56' E. on True Line Var. 14°45' E.

38.10 Set sand stone, 13 x 12 x 4. for $\frac{1}{4}$
Sec. corner, as per instructions.

78.70 Corner to Secs. 19, 20, 29 & 30.

Surface rolling. Prairie.
Soil 2nd rate.

North between Secs. 19 and 20.

Var. 14°30' E.

32.50 Spring branch, 20 lks. wide, course N.E.

4.50 Set sand stone, 15 x 12 x 4. for $\frac{1}{4}$
sec. corner, as per instructions.

80.00 Deposited marked stone, set
charred post, marked, built
mound and dug pits, as
per instructions, for the
corner to Secs. 17, 18, 19 & 20.

Surface rolling. Prairie.
Soil 2nd rate.

East on Random between
Secs. 17 and 20.

Var. 14°30' E.

40.00 Set temporary $\frac{1}{4}$ Sec. Corner

80.16 Intersect Range Line 20 lks.
North of corner to secs. 16, 17,
20 and 21.

Then N. 89°51' West, on True Line.

Var. 14°30' East.

40.08 Set sand stone, 15 x 13 x 3. for
 $\frac{1}{4}$ sec. corner, as per instructions.

<p>Chains 80.16</p>	<p>Corner to Secs. 17, 18, 19 and 20. Surface rolling. Prairie. Soil 2nd rate.</p>	<p>221</p>
		<p>BOOK 1949</p>
	<p>West on Random between Secs. 18 & 19. Var. 14° 30' E.</p>	
<p>40.00 77.85</p>	<p>Set temporary 1/4 sec. corner Intersect Range Line 12 lks. north of corner to Secs. 13, 18, 19 and 24. Then N. 89° 55' E. on True Line. Var. 14° 30' East.</p>	
<p>87.85</p>	<p>Set sand stone, 18 X 10 X 6. for 1/4 sec. corner as per instructions.</p>	
<p>77.85</p>	<p>Corner to Secs. 17, 18, 19 & 20. Surface rolling. Prairie. Soil 2nd rate.</p>	
	<p>North between Secs. 17 and 18. Var. 14° 30' E</p>	
<p>40.00</p>	<p>Set sand stone, 32 X 12 X 2. for sec. corner as per instructions.</p>	
<p>80.00</p>	<p>Set sand stone, 18 X 14 X 3. marked as per instructions for the corner to Secs. 7, 8, 17 and 18. Surface rolling. Prairie. Soil 2nd rate.</p>	
	<p>East on Random between Secs. 8 and 17. Var. 14° 30' E.</p>	
<p>40.00</p>	<p>Set temporary 1/4 sec. corner</p>	
<p>80.24</p>	<p>Intersect Sec. line 18 links N. of corner to Secs. 8, 9, 16 and 17.</p>	
	<p>Then N. 89° 32' West on True Line. Var. 14° 30' East.</p>	
<p>40.12</p>	<p>Set charred post, built mound and dug pits, for 1/4 sec. cor. as per instructions.</p>	
<p>80.24</p>	<p>Corner to Secs. 7, 8, 17 & 18. Surface rolling. Prairie. Soil 2nd rate.</p>	

Field notes of the Subdivision Lines of Township

222 BOOK	Chains 1949		
		Weston Random between Secs. 7 and 18. Var. $14^{\circ}35' E.$	
	40.00	Set temporary $\frac{1}{4}$ sec. corner	
	77.45	Intersect Range Line 20 lks. N. of corner to Secs. 7, 12, 13 & 18.	
		Then N. $89^{\circ}51' E.$ on True Line. Var. $14^{\circ}35' E.$	
	27.35	Set charred post, built mound and dog pits, for $\frac{1}{4}$ sec. corner as per instructions.	
	77.45	Corner to Secs. 7, 8, 17 and 18. Surface rolling. Prairie. Soil 2 nd rate.	
<hr/>			
		North between Secs. 7 and 8. Var. $14^{\circ}30' E.$	
	40.00	Set sand stone, 16 X 14 X 4. for $\frac{1}{4}$ sec. corner as per instructions.	
	80.00	Set sand stone, 16 X 13 X 8. marked as per instructions, for the corner to Sections, 5, 6, 7 and 8. Surface rolling. Prairie. Soil 2 nd rate.	
<hr/>			
		Easton Random between Secs. 5 and 8. Var. $14^{\circ}30' E.$	
	40.00	Set temporary $\frac{1}{4}$ sec. corner.	
	80.30	Intersect Rce. Line 20 lks. north of corner to Secs. 4, 5, 8 & 9.	
		Then N. $89^{\circ}49'$ West on True Line. Var. $14^{\circ}30' E.$	
	40.15	Set sand stone, 18 X 12 X 4. for $\frac{1}{4}$ sec. corner as per instructions.	
	80.30	Corner to Secs. 5, 6, 7 and 8. Surface rolling. Prairie. Soil 2 nd rate.	
<hr/>			
		Weston Random between Secs. 6 and 7. Var. $14^{\circ}30' E.$	

Chains

40.00

Set temporary $\frac{1}{4}$ Sec. Corner.

77.60

Intersect Range Line 27 lks. W of corner to Secs. 1, 6, 7 and 12.

Then N. $89^{\circ}48'$ E. on True Line.

Var. $14^{\circ}30'$ E.

37.60

Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner as per instructions.

77.60

Corner to Secs. 5, 6, 7 and 8. Surface rolling. Prairie. Soil 2nd rate.

North on Random between Secs. 5 and 6. Var. $14^{\circ}30'$ E.

40.00

Set temporary $\frac{1}{4}$ Sec. Corner.

79.60

Intersect North Boundary of Township 20 links west of corner to Secs. 3, 6, 31 & 32

Then S. 9° W. on True Line

Var. $14^{\circ}30'$ E.

39.60

Set sand stone, 16 X 14 X 3. for $\frac{1}{4}$ Sec. Corner. as per instructions.

79.60

Corner to Secs. 5, 6, 7 and 8. Surface rolling. Prairie. Soil 2nd rate.

General Description.

The land in this Township is nearly all 2nd rate prairie, well adapted to either farming or grazing purposes.

There are some fine springs in Sec. 26, and also a few Cottonwoods.

In Sec. 1. there is a very fine spring.

Field Notes of the Subdivision Lines of Township

224

BOOK 1949

Chains

Commenced Jan. 14th and completed Jan. 19th 1870.

North between Secs. 33 and 36.
Var. 15° East.

40.00 Set granite, 18 x 9 x 8. for $\frac{1}{4}$ sec. cor. as per instructions.

72.00 Dry bed of creek, 20 lks. wide, course n.e.

80.00 Set sand stone, 14 x 12 x 3. marked as per instructions, for the corner to Secs. 25, 26, 33 and 36.

Surface broken, Prairie. Soil 2nd rate.

Easton Random between Secs. 23 and 36. Var. 15° East.

8.50 Dry bed of creek, 20 lks. wide. course n.e.

40.00 Set temporary $\frac{1}{4}$ sec. corner.

79.86 Intersect Range Line 20 lks. S. of corner to Secs. 25, 30, 31 & 36.

Then S 89° 49' W. on True Line.
Var. 15° East.

39.93 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. cor. as per instructions.

79.86 Corner to Secs. 23, 26, 33 and 36.
Surface broken, Prairie.
Soil 2nd rate.

North between Secs. 23 and 26. Var. 15° East.

40.00 Set sand stone, 16 x 14 x 3. for $\frac{1}{4}$ sec. corner as per instructions.

57.60 Dry bed of creek, course E. 15 lks. wide.

80.00 Set sand stone, 28 x 20 x 2. marked as per instructions, for the corner to Secs. 23, 24, 25 and 26.

Surface broken, Prairie. Soil 2nd rate.

Chains		225
	Easton Random between Secs. 24 and 25. Var. 15° East.	
40.00	Set temporary 1/4 sec. corner.	
59.00	Prairie, 75 lks. wide, course N.E.	
79.76	Intersect Range Line 30 lks. S. of corner to Secs. 19. 24. 25 and 30. Then S. 89° 47' West on True Line.	
	Var. 15° East.	
39.88	Set sand stone, 14 x 12 x 3. for 1/4 sec. corner, as per instructions.	
79.76	Corner to Secs. 23. 24. 25 and 26. Surface broken. Prairie. Soil 2 nd rate.	
<hr/>		
	North between Secs. 23 and 24.	
	Var. 15° East.	
40.00	Set sand stone, 15 x 13 x 3. for 1/4 sec. corner, as per instructions.	
80.00	Set sand stone, 18 x 14 x 3. marked as per instructions for the corner to Secs. 13. 14. 23 & 24.	
	Surface broken. Prairie. Soil 2 nd rate.	
<hr/>		
	Easton Random between Secs. 13 & 24.	
	Var. 15° East.	
4.00	Enter bottom, bears N.W. & S.E.	
6.50	Enter cottonwood timber, bears N.W. & S.E.	
17.50	"Rio San Juan" course N.W.	
21.50	Leave same. Low banks, sandy bottom and rapid current.	
40.00	Set temporary 1/4 sec. corner.	
80.10	Intersect Range Line 20 lks. N. of corner to Secs. 13. 18. 19 & 24.	
	Then N. 89° 51' W. on True Line. Var. 15° East.	
40.00	Set chaired post, built mound and dug pits, for 1/4 sec. cor. as per instructions.	

Field Notes of the Subdivision Lines of Township

48
226

Chains
80.10

BOOK 1949

Corner to Secs. 13, 14, 23 and 24.
Surface rolling. Prairie mostly.
Soil 1st and 2nd rate.

North between Secs. 13 and 14.

Var. 15° East

- 3.20 Enter River bottom, bears East & West,
- 9.50 Enter bottomwood timber, bears NW & SE,
- 18.30 "Rio San Juan" course N. W.
- 29.00 Leave same, low banks, sandy bottoms and rapid current.
- 40.00 Set sand stone, 14 x 12 x 4, for $\frac{1}{4}$ sec. corner, as per instructions.
- 50.00 Set sand stone, 18 x 12 x 6, marked as per instructions, for the corner to Secs. 11, 12, 13 and 14.
Surface rolling. Prairie.
Soil 1st rate.

East on Random between Secs. 12 and 13.

Var. 15° East

- 40.00 Set temporary $\frac{1}{4}$ sec. corner.
- 50.20 Intersect Range Line 14 lks South of corner to Secs. 7, 12, 13 and 18.

Then S. 89° 54' W. on True Line.

Var. 15° East

- 40.10 Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner, as per instructions.
- 50.20 Corner to Secs. 11, 12, 13 and 14.
Surface rolling. Prairie. Soil 2nd rate.

North between Secs. 11 and 12.

Var. 14° 10' E.

- 40.00 Set sand stone, 16 x 12 x 4, for $\frac{1}{4}$ sec. corner, as per instructions.
- 45.00 "Rio San Juan" course N. N. E.
- 50.00 Leave same. Scattering bottomwood

chains

BOOK 1949

timber along banks, clear water, rapid current and gravelly bottom. 227
 80.00 Set sand stone, 17 x 9 x 4. marked as per instructions, for the corner to Secs. 1, 2, 11 and 12.
 Surface gently rolling. Prairie. Soil 1st rate.

East on Random between Secs. 1 and 12. Var. 15th East

21.00 " Rio San Juan", course north.
 25.00 Leave same. Rapid current about 4 feet deep, clear water and gravelly bottom.

40.00 Set temporary $\frac{1}{4}$ Sec. Corner.
 80.08 Intersect Range Line 21 lks. South of corner to Secs. 1, 6, 7 and 12.

Then S. 89th 54' W. on True line. Var. 15th East.

40.04 Set sand stone, 16 x 10 x 6, for $\frac{1}{4}$ Sec. corner, as per instructions.
 80.08 Corner to Secs. 1, 2, 11 and 12. Surface rolling. Prairie Soil 1st & 2nd rate.

North on Random between Secs. 1 and 2. Var. 15th East

40.00 Set temporary $\frac{1}{4}$ Sec. Corner
 80.20 Intersect Township Line 20 lks west of corner to Secs. 1, 2, 35 and 36.

Then S. 9' W. on True line. Var. 15th East.

40.20 Set sand stone, 14 x 12 x 3, for $\frac{1}{4}$ sec. cor. as per instructions.
 80.20 Corner to Secs 1, 6, 7 and 12. Surface rolling. Prairie. Soil 2nd rate.

Field Notes of the Subdivision Lines of

228 BOOK	chains 1949	
		North between Secs. 34 and 35. Var. 13° 05' East
	40.00	Set sand stone, 14 x 12 x 4. for $\frac{1}{4}$ sec. corner, as per instructions.
	80.00	Set granite, 12 x 12 x 6, marked as per instructions, for the corner to Secs. 26, 27, 34 & 35. Surface rolling. Prairie. Soil 2 nd rate.
<hr/>		
		East on Random between Secs. 26 and 33. Var. 14° 05' E.
	40.00	Set temporary $\frac{1}{4}$ sec. corner.
	79.70	Intersect Sec. Line 20 lks. South of corner to Secs. 25, 26, 33 & 36.
		Then S. 89° 31' W. on True Line. Var. 14° 05' E.
	29.80	Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner, as per instructions.
	79.70	Corner to Secs. 26, 27, 34 and 35. Surface rolling. Prairie. Soil 2 nd rate.
<hr/>		
		North between Secs. 26 and 27.
	25.10	Dry bed of creek, 15 lks. wide course East.
	40.00	Set sand stone, 15 x 14 x 3. for $\frac{1}{4}$ sec. corner, as per instructions.
	80.00	Set sand stone, 16 x 13 x 3. marked as per instructions, for the corner to Secs. 22, 23, 26 and 27. Surface rolling. Prairie. Soil 2 nd rate.
<hr/>		
		East on Random between Secs. 23 and 26. Var. 15° 05' E.
	40.00	Set temporary $\frac{1}{4}$ sec. corner.
	79.86	Intersect Sec. Line 16 lks. South of corner to Secs. 23, 24, 25 and 26.

Chains

229

BOOK 1949

Then S. $89^{\circ}53'$ West on True Line

Var. $15^{\circ}05'$ East

29.93

Set sand stone, $14 \times 13 \times 3$. for $\frac{1}{4}$ sec. corner, as per instructions.

79.86

Corner to Secs. 22, 23, 26 and 27.
Surface broken. Prairie.
Soil 2nd rate.

North between Secs. 22 and 23.

Var. $15^{\circ}05'$ E.

40.00

Set sand stone, $16 \times 14 \times 3$. for $\frac{1}{4}$ sec. cor. as per instructions.

80.00

Set sand stone, $24 \times 16 \times 3$. marked as per instructions, for the corner to Secs. 14, 15, 22 and 23.

Surface broken. Prairie. Soil 2nd rate.

East on Random between Secs. 14 and 23.

Var. $15^{\circ}05'$ E.

40.00

Set temporary $\frac{1}{4}$ sec. corner.

80.16

Intersect Sec. Line 10 lks. North of corner to Secs. 13, 14, 23 and 24.

Then N. $89^{\circ}56'$ West on a True Line.

Var. $15^{\circ}05'$ East.

40.08

Set sand stone, $20 \times 18 \times 2$, for $\frac{1}{4}$ sec. corner, as per instructions.

80.16

Corner to Secs. 14, 15, 22 & 23.

Surface broken. Prairie. Soil 2nd rate.

North between Secs. 14 and 15.

Var. $15^{\circ}05'$ E.

14.50

Dry bed of creek, 20 lks. wide, course N-E.

40.00

Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. cor. as per instructions.

80.00

Set sand stone, $18 \times 12 \times 5$. marked as per instructions, for the corner to Secs. 10, 11, 14 & 15.

Field Notes of the Subdivision Lines of Township

Chains

Surface broken. Prairie. Soil 2nd rate.

230

BOOK

1949

East on Random between Secs. 11 and 14.
Var. 15° 05' E.

- 40.00 Set temporary $\frac{1}{4}$ sec. corner.
- 54.50 Enter River bottom, bears N + S.
- 59.00 Enter Cottonwood timber, bears NW + SE.
- 61.15 "Rio San Juan," course north.
- 65.90 Leave same. Low banks, gravelly bottom and rapid current.
- 66.50 Leave Cottonwood timber.
- 80.10 Intersect Sec. Line 20 lks. N. of corner to secs. 11, 12, 13 + 14.

Then N. 89° 51' W. on True Line.
Var. 15° 05' E.

- 40.85 Set sand stone, 16 x 12 x 5. for $\frac{1}{4}$ sec. corner, as per instructions.
- 80.10 Corner to Secs. 10, 11, 14 and 15.
Surface rolling, mostly prairie.
Soil 2nd rate.

North between Secs. 10 and 11 -
Var. 15° 05' E.

- 40.00 Set sand stone, 14 x 8 x 8, for $\frac{1}{4}$ sec. corner, as per instructions.
- 80.00 Set sand stone, 12 x 10 x 8, marked as per instructions, for the cor. to Secs. 2, 3, 10 and 11.
Surface broken. Prairie.
Soil 2nd rate.

East on Random between Secs. 2 and 11.
Var. 15° 05' E.

- 40.00 Set temporary $\frac{1}{4}$ sec. corner.
- 66.50 Enter River bottom, bears E + W.
- 80.00 Intersect Sec. Line 12 lks. South of corner to Secs. 1, 2, 11 and 12.

Then S. 89° 53' W. on True Line.
Var. 15° 05' East

Chains

40.00

Set sand stone, 18 x 14 x 3, for $\frac{1}{4}$ sec. cor. as per instructions.

231

BOOK 1949

80.00

Corner to Secs. 2, 3, 10 and 11. Surface rolling. Prairie. Soil 2nd rate.

North between Secs. 33 and 34.

Var. 15° 05' E.

40.00

Set sand stone, 17 x 9 x 6, for $\frac{1}{4}$ sec. cor. as per instructions.

80.00

Set sand stone, 24 x 12 x 2, marked as per instructions, for the corner to Secs. 27, 28, 33 and 34.

Surface broken. Prairie. Soil 2nd rate.

East on Random between Secs. 27 and 28.

Var. 15° 05' East.

40.00

Set temporary $\frac{1}{4}$ sec. corner.

80.24

Intersect Sec. Line 18 lks. W. of corner to Secs. 26, 27, 34 & 35.

Then N. 89° 52' W. on True Line.

Var. 15° 05' E.

40.12

Set sand stone, 18 x 14 x 3, for $\frac{1}{4}$ sec. corner, as per instructions.

80.24

Corner to Secs. 27, 28, 33 & 34.

Surface broken. Prairie. Soil 2nd rate.

North between Secs. 27 and 28.

Var. 15° 05' East.

40.00

Set sand stone, 12 x 9 x 9, for $\frac{1}{4}$ sec. corner, as per instructions.

51.60

Dry bed of creek, 20 lks. wide, course N.E.

80.00

Set sand stone, 14 x 10 x 3, marked as per instructions, for the cor. to Secs. 21, 22, 27 and 28.

Surface broken. Prairie. Soil 2nd rate.

East on Random between Secs.

Field Notes of the Subdivision Lines of Township 4

BOOK 1949	Chains	
232	20.00	22 and 27. Var. 15° 05' E Dry creek, 20 lks. wide, course N.
	40.00	Set temporary $\frac{1}{4}$ sec. corner.
	80.30	Intersect Sec. Line 25 lks. north of corner to Secs. 22, 23, 26 and 27.
		Then N. 89° 49' W. on True Line. Var. 15° 05' E.
	40.15	Set sand stone, 12 x 12 x 8. for $\frac{1}{4}$ sec. cor. as per instructions.
	80.30	Corner to Secs. 21, 22, 27 and 28 Surface broken. Prairie. Soil 2 nd rate.
		North between Secs. 21 and 22. Var. 15° 05' E.
	40.00	Set sand stone, 16 x 12 x 3. for $\frac{1}{4}$ sec. cor. as per instructions.
	80.00	Set sand stone, 12 x 12 x 8. marked as per instructions. for the corner to Secs. 15, 16, 21 and 22. Surface broken. Prairie. Soil 2 nd rate.
		Easton Random between Secs. 15 and 22. Var. 15° 05' East.
	40.00	Set temporary $\frac{1}{4}$ sec. corner.
	68.50	Dry bed of creek, 20 lks. wide, course N. E.
	80.16	Intersect Sec. Line 12 lks. north of corner to Secs. 14, 15, 22 and 23. Then N. 89° 35' West on True Line. Var. 15° 05' East
	40.08	Set charred post, built mound and dug pits for $\frac{1}{4}$ sec. corner, as per instructions.
	80.16	Corner to Secs. 15, 16, 21 & 22. Surface broken. Prairie. Soil 2 nd rate.

Chains
 North Between Secs. 15 and 16.
 Var. $15^{\circ}05' E$
 19.17 Ravine, 60 lks. wide, Course East.
 4.000 Set sand stone, 16 X 12 X 3. for $\frac{1}{4}$ sec.
 corner, as per instructions.
 80.00 Set sand stone, 18 X 12 X 3. marked
 as per instructions, for the cor.
 to Secs. 9, 10, 15 and 16.
 Surface broken. Prairie. Soil 2nd rate.

East on Random Between Secs. 10
 and 15. Var. $15^{\circ}05' E$.
 40.00 Set temporary $\frac{1}{4}$ Sec. Corner.
 79.80 Intersect Sec. Line 17 lks. S.
 of Corner to Secs. 10, 11, 14 and 15.
 Then S. $89^{\circ}53'$ W. on True Line.
 Var. $15^{\circ}05' E$.
 29.90 Set sand stone, 16 X 14 X 4. for $\frac{1}{4}$ Sec.
 Corner, as per instructions.
 79.80 Corner to Secs. 9, 10, 15 and 16.
 Surface broken. Prairie. Soil 2nd rate.

North between Secs. 9 and 10.
 Var. $15^{\circ}05' E$.
 4000 Set sand stone, 14 X 14 X 4. for $\frac{1}{4}$ sec.
 corner, as per instructions.
 80.00 Set sand stone, 18 X 16 X 3. marked
 as per instructions, for the
 corner to Secs. 3, 4, 9 & 10.
 Surface broken. Prairie.
 Soil 2nd rate.

East on Random between Secs. 2
 and 10. Var. $15^{\circ}05' E$.
 40.00 Set temporary $\frac{1}{4}$ sec. corner
 79.65 Intersect Sec. Line 30 lks.
 south of corner to Secs. 2, 3,
 10 and 11.

Field Notes of the Subdivision Lines of Township

234 BOOK	Chains 1949		
		<p>Then S. $89^{\circ}47'$ W. on True Line. Var. $15^{\circ}05'$ East.</p> <p>39,82$\frac{1}{2}$ Set sand stone, 16 X 13 X 3. for $\frac{1}{4}$ sec. cor. as per instructions.</p> <p>79.65 Corner to Secs. 3, 4, 9 and 10. Surface broken. Prairie Soil 3rd rate. Balance of line North not run. Rough and mountainous.</p>	
		<p>North between Secs. 32 and 33. Var. $15^{\circ}10'$ E.</p> <p>40,00 Set sand stone, 16 X 14 X 5. for $\frac{1}{4}$ sec. corner. as per instructions.</p> <p>80,00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 28, 29, 32 and 33. Surface rolling. Prairie. Soil 2nd rate.</p>	
		<p>Easton Random between Secs. 28 and 33. Var. $15^{\circ}10'$ E.</p> <p>40,00 Set temporary $\frac{1}{4}$ sec. corner.</p> <p>79,80 Intersect Section Line 25 lks. S. of corner to Secs. 27, 28, 33 & 34.</p>	
		<p>Then S. $89^{\circ}49'$ W. on True Line. Var. $15^{\circ}10'$ East.</p> <p>29,90 Set sand stone, 16 X 12 X 3. for $\frac{1}{4}$ sec. cor. as per instructions.</p> <p>79,80 Corner to Secs. 28, 29, 32 & 33. Surface broken. Prairie. Soil 3rd rate.</p>	
		<p>North between Secs. 28 and 29. Var. $15^{\circ}10'$ E.</p> <p>40,00 Set sand stone, 15 X 12 X 3. for $\frac{1}{4}$ sec. corner, as per instructions.</p>	

Chains
80.00

Set sand stone, 16 X 14 X 3, marked as per instructions, for the corner to sees. 20, 21, 28 and 29. Surface broken. Prairie. Soil 3rd rate.

235
BOOK 1949

Easton Random between Secs. 21 & 28.
Var. 15° 10' E.

40.00 Set temporary 1/4 sec. corner.

79.86 Intersect Sec. Line 18 lks. South of corner to Secs. 21, 22, 27 and 28.

Then S. 89° 52' W. on True Line Var. 15° 10' E.
39.93 Set sand stone, 12 X 10 X 8, for 1/4 sec. cor. as per instructions.

79.86 Corner to Secs. 20, 21, 28 and 29. Surface broken. Prairie. Soil 3rd rate.

North between Secs. 20 and 21.
Var. 15° 10' East

40.00 Set sand stone, 16 X 12 X 4. for 1/4 sec. corner, as per instructions.

69.10 Dry bed of creek, 28 lks. wide, course N.E.

80.00 Set sand stone, 14 X 12 X 8, marked as per instructions, for the corner to Secs. 16, 17, 20 and 21. Surface broken. Prairie. Soil 3rd rate.

Easton Random between Secs. 16 and 21.
Var. 15° 10' E.

18.50 Dry bed of creek, 30 lks. wide, course North.

40.00 Set temporary 1/4 sec. corner.

52.00 Dry bed of creek, 28 lks. wide, course North.

80.15 Intersect Sec. Line 20 lks. North of corner to Secs. 15, 16, 21 & 22.

Then N. 89° 51' W. on True Line.
Var. 15° 10' E.

Field notes of the Subdivision Lines of Township

Chains

40.07 1/2

Set sand stone, 18 x 16 x 4, for 1/4 sec. cor. as per instructions.

80.15

Corner to Secs. 16, 17, 20 and 21. Surface broken. Prairie. Soil 2nd rate.

North between Secs. 16 and 17.

Var. 15° 10' East.

16.80

Dry bed of creek, 25 lks. wide, course E.

40.00

Set sand stone, 18 x 12 x 3, for 1/4 sec. corner as per instructions.

80.00

Set sand stone, 14 x 12 x 4, marked as per instructions, for the corner to Secs. 8, 9, 16 and 17.

Surface broken. Prairie. Soil 2nd rate.

Easton Random between Secs. 9 and 16.

Var. 15° 10' E.

40.00

Set temporary 1/4 sec. corner.

80.30

Intersect Sec. line 25 lks. north of corner to Secs. 9, 10, 15 and 16.

Then N. 89° 49' W. on True line.

Var. 15° 10' E.

40.15

Set sand stone, 15 x 13 x 3, for 1/4 sec. corner as per instructions.

80.30

Corner to Secs. 8, 9, 16 and 17.

Surface broken. Prairie. Soil 2nd rate.

North between Secs. 8 and 9.

Var. 15° East.

40.00

Set sand stone, 16 x 12 x 6, for 1/4 sec. corner as per instructions.

80.00

Set sand stone, 14 x 11 x 4 marked as per instructions, for the corner to Secs. 4, 5, 8 and 9.

Surface broken. Prairie.

Soil 2nd rate.

236

BOOK 1949

Chains		237
	East on Random between Secs. 4 and 9. Var. 15° 10' E.	BOOK 1949
40.00	Set temporary $\frac{1}{4}$ sec. corner.	
80.12	Intersect Sec. Line 30 links N. of corner to Secs. 3, 4, 9 and 10.	
	Then N. 89° 47' W. on True Line. Var. 15° 10' E.	
40.06	Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner as per instructions.	
80.12	Corner to Secs. 4, 5, 8 and 9. Surface broken. Prairie Soil 3 rd rate.	
<hr/>		
	North on Random between Secs. 4 and 5. Var. 15° 10' E.	
40.00	Set temporary $\frac{1}{4}$ sec. corner.	
79.30	Intersect Township Line 45 lks. East of corner to Secs. 4, 5, 32 and 33.	
	Then S. 21° E. on True Line.	
	Var. 15° 10' E.	
39.30	Set sand stone, 16 x 14 x 3. for $\frac{1}{4}$ sec. corner, as per instructions.	
79.30	Corner to Secs. 4, 5, 8 and 9. Surface broken. Prairie. Soil 2 nd rate.	
<hr/>		
	North between Secs. 31 and 32. Var. 15° 10' E.	
40.00	Set sand stone, 18 x 14 x 3. for $\frac{1}{4}$ sec. corner, as per instructions.	
80.00	Set sand stone, 16 x 14 x 3. marked as per instructions, for the corner to Secs. 29, 30, 31 & 32. Surface broken. Prairie. Soil 2 nd rate.	
<hr/>		
	East on Random between Secs. 29 and 32. Var. 15° 10' E.	
40.00	Set temporary $\frac{1}{4}$ sec. corner.	
80.16	Intersect Sec. Line 25 lks. North	

Field Notes of the Subdivision Lines of Township 14

chains

238

BOOK 1949

of corner to Secs. 28, 29, 32 and 33

Then N. 89° 49' W. on True Line.

Var. 15° 10' East.

40.00 Set sand stone, 13 x 8 x 8, for $\frac{1}{4}$ sec. corner, as per instructions.

80.16 Corner to Secs. 29, 30, 31 and 32. Surface broken, Prairie. Soil 2nd rate.

West on Random between Secs. 30 and 31.

Var. 15° East.

40.00 Set temporary $\frac{1}{4}$ sec. corner.

78.10 Intersect Range Line 20 lks. north of corner to Secs. 29, 30, 31 & 32.

Then N. 89° 51' E. on True Line.

Var. 15° East.

38.10 Set sand stone, 16 x 12 x 3, for $\frac{1}{4}$ sec. corner, as per instructions.

78.10 Corner to Secs. 29, 30, 31 and 32. Surface rolling. Prairie. Soil 2nd rate.

North between Secs. 29 and 30.

Var. 15° East.

40.00 Set sand stone, 14 x 12 x 4, for $\frac{1}{4}$ sec. cor. as per instructions.

80.00 Set sand stone, 14 x 10 x 8, marked as per instructions, for the corner to Secs. 19, 20, 29 and 30.

Surface broken. Prairie. Soil 2nd rate.

East on Random between Secs. 20 & 29.

Var. 15° East.

25.20 Dry bed of creek, 15 lks. wide, course N.E.

40.00 Set temporary $\frac{1}{4}$ sec. corner.

80.24 Intersect Sec. Line 15 lks. north of corner to Secs. 20, 21, 28 & 29.

Then N. 89° 53' W. on True Line.

North, Range 3^d West of the Carajo Special Meridian.

Chains

239

Var. 15° East,

40.12 Set sand stone, 13 x 10 x 4. for $\frac{1}{4}$ sec. cor.
as per instructions.

BOOK 1949

80.24 Corner to Secs. 19. 20. 29. and 30.
Surface broken. Prairie Soil 2nd rate.

West on Random between Secs. 19 and 30.

Var. 13° East.

40.00 Set temporary $\frac{1}{4}$ sec. corner.

78.14 Intersect Range Line 18 lks. N. of
corner to Secs. 19. 24. 25 and 30.

Then N. 89° 5' 2" E. on True Line.

Var. 10° East.

38.14 Set sand stone, 15 x 12 x 3. for $\frac{1}{4}$
sec. corner, as per instructions.

78.14 Corner to Secs. 19. 20. 29 and 30.
Surface broken. Prairie.
Soil 2nd rate.

North between Secs. 19 and 20.

Var. 15° East

40.00 Set sand stone, 16 x 14 x 3. for $\frac{1}{4}$ sec.
cor. as per instructions.

80.00 Set sand stone, 15 x 14 x 4. marked
as per instructions, for the
corner to Secs. 17. 18. 19 and 20.
Surface rolling, Prairie. Soil 2nd rate.

East on Random between Secs.
17 and 20.

Var. 15° East.

40.00 Set temporary $\frac{1}{4}$ sec. corner.

79.76 Intersect sec. line 12 lks. South
of corner to Secs. 16. 17. 20 and 21.

Then S. 89° 55' W. on True Line.

Var. 15° East

39.88 Set sand stone, 16 x 12 x 3. for
 $\frac{1}{4}$ sec. corner, as per instructions.

240
BOOK 1949

Chains
79.76

Corner to Secs. 17, 18, 19 and 20.
Surface broken. Prairie. Soil 2nd rate.

West on Random between Secs. 18
and 19. Var. 15th East.

40.00 Set temporary $\frac{1}{4}$ sec. corner.
77.80 Intersect Range line 16 lks. South
of corner to Secs. 13, 18, 19 & 24.

Then S. 89^o 53' E. on True line.
Var. 15th East.

27.80 Conglomerate, 16 x 12 x 8, for $\frac{1}{4}$ sec.
corner, as per instructions.

77.80 Corner to Secs. 17, 18, 19 and 20.
Surface rolling. Prairie.
Soil 2nd rate.

North between Secs. 17 and 18.
Var. 15th East.

40.00 Set charred post, built mound
and dug pits, for $\frac{1}{4}$ sec. corner,
as per instructions.

80.00 Set sand stone, 16 x 12 x 8, marked
as per instructions, for the
corner to Secs. 7, 8, 17 & 18.
Surface rolling. Prairie.
Soil 2nd rate.

East on Random between Secs.
8 and 17. Var. 15th E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.76 Intersect Sec. line 20 lks.
South of corner to Secs.
8, 9, 16 and 17.

Then S. 89^o 49' W. on True
line. Var. 15th East.

29.80 Set granite, 18 x 12 x 6, for $\frac{1}{4}$ sec.
corner, as per instructions.

79.76 Corner to Secs. 7, 8, 17 & 18.
Surface broken. Prairie. Soil 2nd rate.

Range 5 West of the Sarajo Special Meridian.

241

BOOK 1949

Chains

West on Random between Secs. 7 and 18, Var. 15° East.

40.00 Set temporary 1/4 sec. corner.

77.70 Intersect Range Line 25 lks. South of corner to Secs. 7, 12, 13 and 18.

87.70 Then S. 89°49' E. on True Line Var. 15° E. Set sand stone, 15 x 12 x 3. for 1/4 sec. corner, as per instructions.

77.70 Corner to Secs. 7, 8, 17 and 18. Surface broken. Prairie. Soil 2nd rate.

North between Secs. 7 and 8,

Var. 15° East

40.00 Set charred post, built mound and dug pits, for 1/4 sec. corner, as per instructions.

80.00 Set sand stone, 15 x 12 x 3. marked as per instructions for the corner to Secs. 6, 7 and 8.

Surface broken. Prairie. Soil 2nd rate.

East on Random between Secs. 8 and 9.

Var. 15° 00' E.

40.00 Set temporary 1/4 sec. corner.

79.85 Intersect Sec. Line 35 lks. South of corner to Secs. 4, 5, 8 and 9.

Then S. 89°45' W. on True Line.

Var. 15° East

29.92 1/2 Set sand stone, 16 x 10 x 4. for 1/4 sec. cor. as per instructions.

79.85 Corner to Secs. 5, 6, 7 and 8.

Surface broken. Prairie

Soil 2nd rate.

West on Random between Secs. 6 and 7.

Var. 15° East.

40.00 Set temporary 1/4 sec. corner.

77.60 Intersect Range Line 35 lks.

South of corner to Secs. 1, 6, 7 and 12.

Chains

242

BOOK 1949

27.60

77.60

Then S. $89^{\circ} 45'$ E. on True Line Var. $15''$ East.
 Set sand stone, $14 \times 13 \times 3$. for $\frac{1}{4}$ sec.
 corner, as per instructions,
 Corner to secs. 5, 6, 7 and 8.
 Surface broken. Prairie. Soil 2nd rate.

North on Random between Secs. 5 and 6.
 Var. $15''$ East

40.00

79.80

Set temporary $\frac{1}{4}$ sec. corner.
 Intersect Township Line 30' lks. East
 of corner to Secs. 5, 6, 31 and 32.

Then S. $13'$ E. on True Line.
 Var. $15''$ East.

29.80

79.80

Set sand stone, $13 \times 12 \times 3$. for $\frac{1}{4}$ sec.
 corner, as per instructions.
 Corner to Secs. 5, 6, 7 and 8.

General Description of Township 14
 north, Range 5 West of the Nevada
 Special Meridian.

This Township is nearly all
 prairie, surface generally rol-
 ling and broken.

It is well adapted to grazing
 purposes and large portions
 of it to farming.

The "San Juan" is particularly
 well adapted to agricultural
 purposes.

The River averages about
 3.50 chains, low banks, gravelly
 bottom, clear water and
 rapid current about 4 feet
 deep.

Fractional Township 15th North, Range 7 West 243
of the Navajo Special Meridian, com- BOOK 1949
menced and completed February 2nd 1870.

North on True Line, between Secs. 35 and 36.
Var. $14^{\circ} 20' E.$

40.00 Set charred post, built mound and dug pits, for
 $\frac{1}{4}$ sec. corner, as per instructions.

61.40 Intersect North Boundary of Navajo Indian
Reservation and the 37^{th} Parallel of North
Latitude, that being the Boundary line
between Utah and Arizona, 33.55 chs.
East of 8^{th} mile corner, and set sand
stone, 16 X 10 X 4, marked "C. C." for the
closing corner to Secs. 35 and 36.
Surface level. Prairie. Soil 1st rate.

North on True Line, between Secs. 34 & 35.
Var. $14^{\circ} 20' E.$

40.00 Set sand stone, 14 X 12 X 3, for $\frac{1}{4}$ sec. cor.
as per instructions.

61.80 Intersect North Boundary of Navajo
Indian Reservation, 33.65 chains East
of 9^{th} mile corner, and set sand stone,
17 X 10 X 8, marked "C. C." for the closing
corner to Secs. 34 and 35.
Surface level. Prairie. Soil 1st rate.

on True Line,

North, between Secs. 33 and 34. Va. $14^{\circ} 10' E.$

40.00 Set charred post and built mound, for $\frac{1}{4}$
sec. corner, as per instructions.

62.40 Intersect North Boundary of Navajo
Indian Reservation, 33.75 chs. E.
of 10^{th} mile corner and set sand stone, 14 X 12 X 4,
marked "C. C." for the closing corner
to Secs. 33 and 34.

Surface level. Prairie. Soil 1st rate.

North on True Line between Secs. 32 and 33.
Var. $14^{\circ} 20' E$.

4000 Set charred posts, built mound for $\frac{1}{4}$ sec. corner, as per instructions.

6260 Intersect north Boundary of Navajo Indian Reservation, 33, 70 chs. East of $11\frac{1}{4}$ mile corner and set sand stone, $22 \times 14 \times 6$, marked "c.c." for the Closing Corner to Secs. 32 and 33.

Surface level. Prairie. Soil 1st rate.

North on True Line between Secs. 31 & 32.
Var. $14^{\circ} 20' East$.

1000 Edge of Butte, 100 ft. high, bears N. N. W. and S. S. E.

4000 Set sand stone, $16 \times 14 \times 8$, for $\frac{1}{4}$ sec. corner, as per instructions.

6200 Intersect North Boundary of Reservation, 33.80 chains East of $12\frac{1}{4}$ mile corner, and set sand stone, $18 \times 12 \times 8$, marked "c.c." for the Closing Corner to Secs. 31 and 32.

Surface level. Prairie. Soil 1st rate.

General Description of Fractional Township 15 North, Range 7 West of the Navajo Special Meridian.

The land in this Township is all 1st rate, level prairie, well adapted to either farming or grazing purposes.

Chains

The Southern portion of the Township being in a mountainous country and almost entirely worthless, I commenced at the corner to Secs. 25, 30, 31 and 36,

Var. 14° 10' East,

40.00 Set granite, 14 x 10 x 8, for 1/4 Sec. corner, as per instructions.

80.00 Set sand stone, 24 x 12 x 3, marked as per instructions, for the corner to Secs. 25, 26, 35 and 36.

Surface rolling. Prairie.
Soil 2^d rate.

North between Secs. 25 and 26,
Var. 14° 10' E.

40.00 Set sand stone, 15 x 12 x 3, for 1/4 Sec. corner, as per instructions.

80.00 Set sand stone, 20 x 7 x 5, marked as per instructions, for the corner to Secs. 23, 24, 25 & 26.

Surface rolling. Prairie.
Soil 2^d rate.

East on Random between Secs. 24 and 25.

Var. 14° 10' East,

40.00 Set temporary 1/4 Sec. corner,

47.10 Dry creek, course S.E.

79.85 Intersect Range Line 12 lks North of corner to Secs. 19, 24, 25 and 30.

Then N. 89° 55' W. on True Line.

Var. 14° 10' East.

39.92^{1/2} Marked surface rock, for 1/4 Sec. corner, as per instructions.

79.85 Corner to Secs. 23, 24, 25 & 26.

Chain

Surface rolling. Prairie. Soil 2^d rate.

BOOK 1949

North between Secs. 23 and 24.
Var. 14° 10' E.2800 Dry Creek, 15 links wide,
course East,40.00 Marked sand stone, 48 x 24 x 12,
for $\frac{1}{4}$ Sec. corner, as per
instructions.80.00 Set sand stone, 14 x 12 x 3,
marked as per instructions,
for the corner to Secs. 13, 14,
23 and 24.Surface rolling. Prairie. Soil 2^d rate.Easton Random between Sections
13 and 24.

Var. 14° 10' East.

40.00 Set temporary $\frac{1}{4}$ Sec. corner,79.70 Intersect Range Line 18 lks
North of corner to Secs.
13, 18, 19 and 24.Then N. 89° 52' W. on True
Line. Var. 14° 10' East.89.83 Set sand stone, 16 x 14 x 5, for
 $\frac{1}{4}$ Sec. corner, as per
instructions.79.70 Corner to Secs. 13, 14, 23 & 24.
Surface rolling. Prairie.
Soil 2^d rate.

North between Secs. 13 and 14.

Var. 14° 10' E.

15.20 Dry bed of creek, 20 links wide,
course North East,40.00 Set sand stone, 20 x 12 x 2, for
 $\frac{1}{4}$ Sec. corner, as per instructions.

Chains

80.00 Set sand stone, 20 x 18 x 2, marked
as per instructions, for the
corner to Secs. 11, 12, 13 and 14.
Surface rolling, Prairie.
Soil 2 $\frac{1}{4}$ rate.

East on Random between Secs,
12 and 13,

Var. 14° 10' East,
40.00 Set temporary $\frac{1}{4}$ Sec, corner,
79.90 Intersect Range Line 7 lks
South of corner to Secs, 7, 12,
13 and 18,

Then S. 89° 57' W. on True Line,
Var. 14° 10' East

89.95 Set sand stone, 16 x 12 x 3, for $\frac{1}{4}$
Sec, corner, as per instructions,
79.90 corner to Sections 11, 12, 13
and 14,
Surface rolling, Prairie. Soil 2 $\frac{1}{4}$ rate.

North between Secs 11 and 12,

Var. 14° 10' East,
28.00 Prairie, 70 lks wide, course East.

40.00 Set sand stone, 15 x 13 x 3, for $\frac{1}{4}$
Sec, corner, as per instructions.

80.00 Set sand stone, 15 x 14 x 4, marked
as per instructions, for the
corner to Secs, 1, 2, 11 and 12,
Surface rolling, Prairie.
Soil 2 $\frac{1}{4}$ rate.

East on Random between
Secs. 1 and 12,

Var. 14° 10' East,
40.00 Set temporary $\frac{1}{4}$ Sec, corner,
80.20 Intersect Range Line 18 lks

BOOK 1949

Chain

South of corner to Secs. 1, 6, 7 and 12,

Then S. 89° 32' W. on True Line
Var. 14° 10' East,

40.10 Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec. corner, as per instructions,

80.20 Corner to Secs. 1, 2, 11 and 12, Surface rolling. Prairie. Soil 2nd rate,

North on Random between Secs 1 and 2,

Var. 14° 10' E.

40.00 Set temporary $\frac{1}{4}$ Sec. corner,

80.24 Intersect North Boundary of Township 28 links West of corner to Secs. 1, 2, 35 and 36,

Then S. 12' W. on True Line.

Var. 14° 10' East,

40.24 Set charred post, built mound and dug pits, for $\frac{1}{4}$ Sec. corner, as per instructions,

80.24 Corner to Secs. 1, 2, 11 and 12, Surface rolling. Prairie. Soil 2nd rate,

From corner to Secs 23, 24, 25 and 26,

West on True Line between Secs 23 and 26,

Var. 14° East,

37.20 Dry creek, 20 lks wide, Course N.E.

40.00 Set sand stone, 15 x 14 x 3, for $\frac{1}{4}$ Sec. corner, as per instructions,

80.00 Set sand stone, 16 x 12 x 3, marked as per instructions,

Chains

for the corner to Secs. 22, 23, 26
and 27.

Surface rolling. Prairie. Soil 2nd rate.

North between Secs. 22 and 23.
Var. 14° East.

40.00 Set sand stone, 14 x 12 x 3, for
1/4 Sec. corner, as per instructions.

61.30 Dry bed of creek, 20 lks wide,
course East.

80.00 Deposited marked stone, set
chared post, marked, built
mound and dug pits; as per
instructions, for the corner
to Secs. 14, 15, 22 and 23.

Surface broken. Prairie.
Soil 2nd rate.

Easton Random between Secs.
14 and 23.

Var. 14° East.

40.00 Set temporary 1/4 Sec. corner.

43.00 Dry bed of creek, 20 lks wide,
course N.E.

80.20 Intersect Sec. line 12 links
North of corner to Secs. 13,
14, 23 and 24.

Then Ct. 89° 55' W. on True
Line. Var. 14° East.

40.10 Set sand stone, 15 x 14 x 4, for
1/4 Sec. corner, as per instruc-
tions.

80.20 corner to Secs. 14, 15, 22 and
23.

Surface rolling. Prairie.
Soil 2nd rate.

Field Notes of the Subdivision Lines of Township

67 Chains

BOOK 1949

North between Secs. 14 and 15.

Var. 14° East.

40.00 Set sand stone, 14 x 12 x 3. for 1/4 Sec. cor. as per instructions.

80.00 Set granite 14 x 9 x 6, marked as per instructions, for the corner to Secs. 10, 11, 14 and 15.

Surface rolling. Prairie. Soil 2 1/4 rate.

East on Random between Secs. 11 and 14.

Var. 14° East.

40.00 Set temporary 1/4 Sec. corner.

80.25 Intersect Sec. Line 21 lks North of corner to Secs. 11, 12, 13 and 14.

Then N. 89° 51' W. on True Line.

Var. 14° East.

40.12 1/2 Set sand stone, 26 x 12 x 7. for 1/4 Sec. corner, as per instructions.

80.25 Corner to Secs. 10, 11, 14 & 15. Surface rolling. Prairie. Soil 2 1/4 rate.

North between Sections 10 and 11.

Var. 14° East.

33.70 Ravine, 75 links wide, course E.

40.00 Set charred post, built mound and dug pits, for 1/4 Sec. corner, as per instructions.

80.00 Set slate, 20 x 18 x 2, marked as per instructions, for the corner to Secs. 2, 3, 10 and 11.

Surface rolling. Prairie. Soil 2 1/4 rate.

East on Random between Secs.

Chains

BOOK 1949

2 and 11.

Var. 14° East.

- 40.00 Set temporary $\frac{1}{4}$ Sec. corner,
 79.90 Intersect Sec. Line, 7 links South
 of corner to Secs. 1, 2, 11
 and 12.

Then S. $89^{\circ} 57'$ W. on True Line,
 Var. 14° East.

- 39.95 Set sand stone, $14 \times 12 \times 4$, for
 $\frac{1}{4}$ Sec. corner, as per instructions.
 79.90 Corner to Secs. 2, 3, 10 and 11.
 Surface rolling. Prairie.
 Soil 2^d rate.

North on Random between Secs.
 2 and 3.

Var. 14° East.

- 40.00 Set temporary $\frac{1}{4}$ Sec. corner,
 79.85 Intersect Township Line 17 lks
 West of corner to Secs. 2, 3,
 24 and 35.

Then S. $7'$ W. on
 True Line, Var. 14° East.

- 39.85 Set granite, $14 \times 10 \times 5$, for $\frac{1}{4}$
 Sec. corner, as per instructions.
 79.85 Corner to Secs. 2, 3, 10 and 11.
 Surface rolling. Prairie. Soil 2^d rate.

From corner to Secs. 14, 15,
 22 and 23.

West on True Line, between
 Secs. 15 and 22.

Var. 14° East.

- 40.00 Set sand stone, $16 \times 12 \times 3$, for $\frac{1}{4}$
 Sec. corner, as per instructions.
 80.00 Set sand stone, $18 \times 7 \times 6$,
 marked as per instructions, for
 the corner to Secs. 15, 16, 21
 and 22.

69 Chains
BOOK 1949

Surface rolling. Prairie. Soil 2^d rate.

North between Secs. 15 and 16,
Var. 14° East,

40.00 Set granite, 12 x 9 x 8, for $\frac{1}{4}$
Sec. corner as per instructions,

74.50 Ravine, 65 links wide, course
N. East,

80.00 Set sand stone, 18 x 13 x 4,
marked as per instructions,
for the corner to Secs,
9, 10, 15 and 16,

Surface rolling. Prairie.
Soil 2^d rate.

East on Random between
Secs. 10 and 15,

Var. 14° East,

7.60 Ravine, 70 links wide, course N.E.,

40.00 Set temporary $\frac{1}{4}$ Sec. corner,

40.25 Intersect Sec. line 12 links South
of corner to Secs. 10, 11, 14 & 15,

Then S. 89° 55' W. on True Line,
Var. 14° East,

40.12 $\frac{1}{2}$ Set sand stone, 13 x 10 x 6, for $\frac{1}{4}$ Sec.
corner, as per instructions

80.25 Corner to Sections 9, 10, 15 and 16,
Surface broken. Prairie. Soil 3^d rate.

North between Secs. 9 and 10,
Var. 14° East,

40.00 Set sand stone, 16 x 15 x 3, for
 $\frac{1}{4}$ Sec. corner, as per instructions,

41.20 Ravine, 75 lks wide, course
N.E.

80.00 Set sand stone, 18 x 14 x 5,
marked as per instructions,

Chains

BOOK 1949

for the corner to Secs. 3, 4, 9
and 10.

Surface rolling. Prairie. Soil 2nd rate.

Easton Random between Secs.
3 and 10.

Var. 14° East,

31.20 Ravine, 80 links wide, course
N.E.

40.00 Set temporary $\frac{1}{4}$ Sec. corner,
80.30 Intersect Sec. line 24 lks
South of corner to sections
2, 3, 10 and 11.

Then S. 89° 49' W. on True
line. Var. 14° East.

40.15 Set sand stone, 16 x 14 x 5,
for $\frac{1}{4}$ Sec. corner, as per
instructions.

80.30 Corner to Secs. 3, 4, 9 & 10.
Surface rolling. Prairie. Soil 2nd rate.

North on Random between
Secs. 3 and 4.

Var. 14° East,

40.00 Set temporary $\frac{1}{4}$ Sec. corner,
80.35 Intersect Township line 20 lks
west of corner to Secs. 3, 4,
33 and 34.

Then S. 9° W. on True line.

Var. 14° East,

40.35 Set sand stone, 14 x 12 x 3, for $\frac{1}{4}$
Sec. corner, as per instructions.

80.35 Corner to Secs. 3, 4, 9 and 10.
Surface rolling. Prairie,
Soil 2nd rate.

Chains
BOOK 1949

General Description of Fractional Township 13 North, Range 3 West of the Navajo Special Meridian.

The land in this Township is generally 2nd rate, all prairie. Surface mostly rolling. It is well adapted to either farming or grazing purposes and gives evidence of having been well cultivated not many years ago.

In section 3 there is a spring of very fine water.

~~Field Notes of the Subdivision Lines of Township 12 North, Range 3 West of the Navajo Special Meridian.~~

~~North between Secs. 35 and 36.
Var. 4° 25' East~~

~~4000 Set charred post, built mound and dug pits, for 1/4 Sec. corner, as per instructions.~~

~~8000 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 25, 26, 35 and 36.
Surface level Soil 1st rate, Prairie.~~

~~East on Randon between Secs. 25 and 36.~~

~~Var. 14° 25' East~~

~~4000 Set temporary 1/4 Sec. corner,~~

~~79.00 Intersect Sec. line 30 lks north of corner to Secs. 25, 30, 31 and 36,~~

~~General Description of Fractional
Township 13 North, Range 1 West
of the 10th Special Meridian~~

~~The land in this Township is
all 160 acre lots, well
adapted to either farming or
grazing purposes.~~

The facts certified that we assisted
Ernest D. Gault, U.S. Surveyor,
in subdividing Township
14 North, Range 1 East and
West, Township 13 North, Range
4 and West, Township 12 North,
Range 3 and West and
Fractional Township 13 North,
Range 2 West of the 10th
Special Meridian in the Terri-
tories of New Mexico and
Arizona and that said Town-
ships were located and
respected to the best of our
knowledge and belief, well
and faithfully surveyed
and the boundaries there-
unto granted according to
the instructions furnished
by the Commissioner of
the General Land Office of
the United States.

To the Surveyor General and
William Clark, Cadastral,
William Surges, Cadastral and
John P. ...
S. H. ...

BOOK 1949

Subscribed to the above named
 position and sworn to before
 me Edward J. Galloway, U.S. Sur-
 veyor in Township 14 North,
 Range 6 West of the San Joa-
 quin Meridian, in the
 Territory of Arizona, this
 day of February 1949.
 Edward J. Galloway,
 U.S. Surveyor.

I, Edward J. Galloway, U.S. Surveyor,
 do hereby certify that the above
 mentioned John [Name] is a
 citizen of the United States,
 having date of birth [Date] and
 of [Date] 1899, and subsequent
 special instructions and
 strict conformity to the laws
 of the United States and
 instructions furnished to
 said Commissioner of
 the General Land Office of
 the United States, and
 all relevant recorded surveys
 14 North, Range 7, 6 and
 5 West, Township 12, 13, 14
 South, 4 and 5 West, San
 Joaquin Meridian, and
 4 West, and 5 West of San
 Joaquin Meridian, Range 10
 West, Township 12, 13, 14
 North, San Joaquin Meridian,
 in the Territory of Arizona,
 and do further solemnly
 swear that the foregoing
 are true and correct to
 all the best of my knowledge.

Chud N Darling
U.S. Surveyor.

Subscribed by said Chud N Darling, U.S. Surveyor, and sworn to before me, the 11th day of May, at Washington D.C.

Wm Martin, J.P.

Department of the Interior
General Land Office
Chicago, Ill. 10.

The foregoing field notes of the survey of the subdivision of Grant Survey, 17 S. Range, 5, 6, and 8 West, Township 13 North, Range 4 and 8 West, Township 13 North, Range 4 and 8 West, and 4 West and 6 West of Township 13 S. Range 1 West of the Survey of Special Meridian, in the Territory of New Mexico, and the same executed by Chud N. Darling, U.S. Surveyor, and dated the 11th day of May, 1909, and subsequent special instructions, and the same are correct and the same are true and the said field notes and the survey of the same are hereby approved.

Jos S. Wilson
Commissioner

BOOK 1949

Department of the Interior
General Land office
February 26th 1897

I hereby certify the foregoing to be
a true copy.

J. M. ...
Commissioner