

BOOK 1954

4-874.

Township 6 N., R. 9 W.

Navajo Special Base and Meridian.

6	22	5	16	4	12	3	8	2	4	1
<del>21</del>	<del>21</del>	<del>15</del>	<del>11</del>	<del>8</del>	<del>4</del>	<del>7</del>	<del>11</del>	<del>3</del>	<del>12</del>	
7	21	8	15	9	11	10	7	11	3	12
<del>20</del>	<del>20</del>	<del>15</del>	<del>11</del>	<del>7</del>	<del>3</del>	<del>13</del>				
18	19	17	14	16	10	15	7	14	3	13
<del>19</del>	<del>19</del>	<del>14</del>	<del>10</del>	<del>6</del>	<del>2</del>	<del>24</del>				
19	18	20	13	21	10	22	6	23	2	24
<del>18</del>	<del>18</del>	<del>13</del>	<del>9</del>	<del>5</del>	<del>2</del>	<del>25</del>				
30	17	29	13	28	9	27	5	26	1	25
<del>17</del>	<del>16</del>	<del>12</del>	<del>9</del>	<del>5</del>	<del>1</del>	<del>26</del>				
31	16	32	12	33	8	34	5	35	1	36

BOOK 1954

4-874.

Township 7 N., R. 9 W.,

Navajo Special Base and Meridian

6	44	5	38	4	34	3	30	2	26	1
43	43	37	34	30	26					
7	42	8	37	9	33	10	29	11	25	12
42	42	37	33	29	25					
18	41	17	36	16	32	15	29	14	25	13
41	41	36	32	28	24					
19	40	20	36	21	32	22	28	23	24	24
40	40	35	31	27	23					
30	39	29	35	28	31	27	27	26	23	25
39	38	35	31	27	23					
31	38	32	34	33	30	34	26	35	23	36

7919b5m4-08

BOOK 1954

4-674.

Township 8 N., R. 9 W.,

Special Navajo Base and Meridian.

6	64	5	59	4	55	3	52	2	48	1
64	64	64	59	59	55	55	51	51	48	48
7	63	8	59	9	55	10	51	11	47	12
63	62	62	58	58	54	54	51	51	47	47
18	62	17	58	16	54	15	51	14	47	13
62	61	61	58	58	54	54	50	50	46	46
19	61	20	57	21	54	22	50	23	46	24
61	60	60	57	57	53	53	50	50	46	46
30	60	29	57	28	53	27	49	26	45	25
60	60	60	56	56	53	53	49	49	45	45
31	60	32	56	33	52	34	49	35	45	36

USA

BOOK 1954

4-074.

Township 9 N., R. 9 W.

Navajo Special Base and Meridian.

6	86	5	80	4	77	3	73	2	69	1
86	85	80	76	72	69					
7	85	8	80	9	76	10	72	11	68	12
85	84	79	76	71	68					
18	84	17	79	16	75	15	71	14	68	13
84	83	79	75	71	67					
19	83	20	78	21	74	22	71	23	67	24
82	82	78	74	70	67					
30	82	29	78	28	74	27	70	26	66	25
81	81	77	73	70	66					
31	81	32	77	33	73	34	69	35	66	36

7019b5m4-08

BOOK 1954

4-874.

Township 10 N., R. 9 W.,  
Navajo Special Base and Meridian.

6	107	5	101	4	97	3	94	2	90	1
<del>106</del>		<del>106</del>	<del>101</del>		<del>97</del>		<del>93</del>		<del>90</del>	
7	106	8	100	9	92	10	93	11	90	12
<del>105</del>		<del>105</del>	<del>100</del>		<del>96</del>		<del>93</del>		<del>89</del>	
18	105	17	100	16	96	15	93	14	89	13
<del>104</del>		<del>104</del>	<del>99</del>		<del>96</del>		<del>92</del>		<del>88</del>	
19	104	20	99	21	95	22	92	23	88	24
<del>103</del>		<del>103</del>	<del>99</del>		<del>95</del>		<del>92</del>		<del>88</del>	
30	103	29	98	28	95	27	91	26	88	25
<del>102</del>		<del>102</del>	<del>98</del>		<del>95</del>		<del>91</del>		<del>87</del>	
31	102	32	98	33	94	34	91	35	87	36

4-874.

Township 14 N. R. 9 W.  
Navajo Special Base and Meridian.

6	128	5	122	4	119	3	115	2	111	1
<del>128</del>	<del>127</del>	<del>122</del>	<del>118</del>	<del>114</del>	<del>110</del>					
7	127	8	122	9	116	10	114	11	110	12
<del>127</del>	<del>126</del>	<del>121</del>	<del>118</del>	<del>114</del>	<del>110</del>					
18	126	17	121	16	117	15	113	14	110	13
<del>126</del>	<del>125</del>	<del>121</del>	<del>117</del>	<del>113</del>	<del>109</del>					
19	125	20	120	21	117	22	113	23	109	24
<del>125</del>	<del>124</del>	<del>120</del>	<del>116</del>	<del>112</del>	<del>109</del>					
30	124	29	120	28	116	27	112	26	108	25
<del>123</del>	<del>123</del>	<del>119</del>	<del>115</del>	<del>112</del>	<del>108</del>					
31	123	32	119	33	115	34	111	35	108	36

BOOK 1954

4-674.

Township 12 N., R. 9 W.,  
Navajo Special Base and Meridian

6	150	5	144	4	141	3	137	2	133	1
<del>149</del>		<del>149</del>		<del>144</del>		<del>140</del>		<del>136</del>		<del>133</del>
7	148	8	144	9	140	10	136	11	132	12
<del>148</del>		<del>148</del>		<del>143</del>		<del>139</del>		<del>136</del>		<del>132</del>
18	148	17	143	16	139	15	135	14	132	13
<del>147</del>		<del>147</del>		<del>142</del>		<del>139</del>		<del>135</del>		<del>131</del>
19	147	20	142	21	138	22	135	23	131	24
<del>146</del>		<del>146</del>		<del>142</del>		<del>138</del>		<del>134</del>		<del>131</del>
30	146	29	142	28	138	27	134	26	130	25
<del>145</del>		<del>145</del>		<del>141</del>		<del>138</del>		<del>134</del>		<del>130</del>
31	145	32	141	33	137	34	133	35	130	36

BOOK 1954

4-874.

Township 13 N. R. 9 W.

Navajo Special Base and Meridian

6	170	5	165	4	161	3	157	2	154	1
<del>170</del>	<del>170</del>	<del>165</del>	<del>161</del>	<del>157</del>	<del>153</del>					
7	169	8	164	9	161	10	157	11	153	12
<del>169</del>	<del>169</del>	<del>164</del>	<del>160</del>	<del>156</del>	<del>153</del>					
18	168	17	164	16	160	15	156	14	153	13
<del>168</del>	<del>168</del>	<del>163</del>	<del>160</del>	<del>156</del>	<del>152</del>					
19	167	20	163	21	159	22	155	23	152	24
<del>167</del>	<del>167</del>	<del>163</del>	<del>159</del>	<del>155</del>	<del>152</del>					
30	166	29	162	28	159	27	155	26	151	25
<del>166</del>	<del>166</del>	<del>162</del>	<del>158</del>	<del>154</del>	<del>151</del>					
31	165	32	162	33	158	34	154	35	151	36

7019b5m4-08



1954

BOOK 1954

1954

1954

Surveys in Navajo Indian Reservation

Field Notes of the Subdivision Lines of Townships No. 6, 7, 8, 9, 10, 11, 12, 13 and 14 North, Range 9 West; Township 14 North,

Range 8 West; Townships 11, 12, 13 and 14 North, Range 10 West;

Fractional Township 15 North,

Ranges 8, 9 and 10 West, and Fractional Townships 11, 12, 13 and 14

North, Range 11 West of the Navajo Special Meridian, in the Territory of Arizona, surveyed

under the directions of the Hon. Jos. S. Wilson,

Commissioner of the General Land Office, by Ehud N. Darling, U.S. Surveyor, under

his contract dated Washington D.C. April 29<sup>th</sup> 1869, and subsequent special instructions.

1954

Commenced October 20<sup>th</sup> 1869, and completed January 7<sup>th</sup> 1870.

Names of Assistants,  
North A Hight. Compassman.

William Clark }  
William Burgess } Chairmen.

1954

Pablo Torres }  
Phillippe Delgado } Co-chairmen.

1954

18

measuring chain compared with Standard and found correct.

Field notes of the Subdivision Lines of Township No 6 North. Range No. 9 West of the Navajo Special Meridian.

North between Secs. 25 and 26.

Var. 15° 05' East

- 38.50 Ravine, course S.W.
- 40.00 Set sand stone, 16 x 14 x 6. for  $\frac{1}{4}$  sec, corner, as per instructions.
- 80.00 Set sand stone, 14 x 11 x 5, marked as per instructions, for the corner to Secs. 25, 26, 25 x 26, Surface broken, covered with Pinon and cedar timber, 3 $\frac{1}{4}$  rate, Soil 3 $\frac{1}{4}$  rate.

Easton True Line between Secs. 25 and 26. Var. 15° 05' E.

- 16.40 Ravine, course S.W.
- 40.00 Set charred post & built mound for  $\frac{1}{4}$  sec, cor, as per instructions.
- 71.40 Canon "Delehille", course South, sides perpendicular, of sand stone formation, 1000 feet deep. Set sand stone 16 x 12 x 5, marked "w.c." as witness corner, surface rolling, sparsely covered with Pinon and cedar, 3 $\frac{1}{4}$  rate, Soil 2 $\frac{1}{4}$  rate.


North between Secs. 25 and 26.

Var. 15° 05' E.

- 40.00 Set charred post and built mound for  $\frac{1}{4}$  sec, corner, as per instructions.
- 80.00 Set sand stone, 18 x 10 x 3, marked as per instructions, for the

General Index

	Dr. N.	Cr. N.	Page
	6	9	1
	7	9	23
	8	9	45
	9	9	66
	10	9	87
	11	9	108
	12	9	130
	13	9	151
	14	9	172
	14	8	193
	15	8	213
	15	9	215
	15	10	217
	11	10	219
	11	11	240
	12	10	242
	12	11	263
	13	10	265
	14	10	286
	13	11	305
	14	11	311



Chains

corner to secs. 23, 24, 25 and 26,  
Surface rolling, Scattering cedar  
and Pinon, 3 $\frac{1}{4}$  rate, Soil 2 $\frac{1}{4}$  rate.

Easton True Line between secs. 24 & 25.  
Var. 15 $^{\circ}$  05' E.

40.00 Set sand stone, 32 x 12 x 4, for  $\frac{1}{4}$  sec,  
corner, as per instructions.

69.00 Canon "De Skille," course S.E. Sides  
almost perpendicular, of sand  
stone formation, about 1100 feet  
deep. Set sand stone 24 x 12 x  
3, marked "W.C." as witness corner,  
Surface rolling, a few Pinon  
and cedar trees along line.  
Soil 2 $\frac{1}{4}$  rate.

North between Secs. 23 and 24.

Var. 15 $^{\circ}$  05' E.

40.00 Set charred post and built mound  
for  $\frac{1}{4}$  sec, corner, as per instructions.

38.00 Leave cedar and Pinon timber,  
bears E & West.

80.00 Deposited marked stone, set charred  
post, marked, built mound and  
dug pits, as per instructions; for  
the cor. to secs. 13, 14, 23 and 24.  
Surface rolling. 1 $\frac{1}{2}$  half covered  
with cedar and Pinon, 3 $\frac{1}{4}$  rate.  
Last half, prairie. Soil 2 $\frac{1}{4}$  rate.

Easton Random between Secs. 13 & 24.

Var. 15 $^{\circ}$  05' E.

40.00 Set temporary  $\frac{1}{4}$  sec, corner,

46.00 Enter cedar and Pinon, 3 $\frac{1}{4}$  rate,  
bears N.E. and S.W.

79.95 Intersect Range line 35 lks.  
North of corner to Secs. 13,  
18, 19 and 24.

Field Notes of the Subdivision Lines of Township 5

3 Chains  
 BOOK 1954  
 29.97<sup>1/2</sup> Then N. 89° 45' West on True Line.  
 Var. Same.  
 Set sand stone, 16 x 8 x 4. for 1/4 Sec,  
 cor, as per instructions.  
 79.95 Corner to Secs. 13, 14, 23 & 24,  
 Surface rolling. 1<sup>st</sup> half covered  
 with cedar and Pinon, 3<sup>rd</sup> rate  
 last half prairie. Soil 2<sup>nd</sup> rate.

North between Secs. 13 and 14,  
 Var. 15° East.  
 40.00 Set Charred post and built mound  
 for 1/4 Sec, corner as per instructions.  
 63.05 Enter scattering cedar and Pinon  
 timber, bears East and West.  
 80.00 Set sand stone, 14 x 12 x 4 marked  
 as per instructions. for the  
 corner to Secs. 11, 12, 13 & 14.  
 Surface rolling, partly covered  
 with cedar and Pinon, 3<sup>rd</sup> rate.  
 Soil 1<sup>st</sup> rate.

East on Random between Secs. 12 & 13.  
 Var. 15° East.  
 9.50 Ravine, course N.W.  
 40.00 Set temporary 1/4 Sec, corner.  
 79.55 Intersect Range line 24 lks North  
 of corner to Secs. 7, 12, 13 & 18.

Then N. 89° 50' West on True Line  
 Var. 15° East.  
 39.77<sup>1/2</sup> Set sand stone, 16 x 12 x 3. for 1/4 Sec,  
 corner, as per instructions.  
 79.55 Corner to Secs. 11, 12, 13 & 14,  
 Surface rolling, covered with  
 Pinon and cedar, 3<sup>rd</sup> rate  
 Soil 2<sup>nd</sup> rate.

North between Secs. 11 and 12,  
 Var. 15° East.

Chains

6.00 Ravine, course NW.  
 40.00 Set sand stone, 15 x 10 x 5. for  $\frac{1}{4}$  Sec,  
 corner, as per instructions.  
 80.00 Set sand stone, 14 x 12 x 5, marked  
 as per instructions, for the cor.  
 to Secs. 1, 2, 11 and 12,  
 Surface rolling. Scattering Pinon  
 and Cedar timber, 3 $\frac{1}{2}$  rate,  
 Soil 2 $\frac{1}{2}$  rate.

East on Random between Secs. 1  
 and 12, Var. 15 $^{\circ}$  East,

40.00 Set temporary  $\frac{1}{4}$  Sec, corner.  
 79.80 Intersect Range line 12 lts N.  
 of the corner to Secs. 1, 6, 11 & 12,

Then N. 89 $^{\circ}$  55' west on True line.  
 Var. 15 $^{\circ}$  East,

39.90 Set Charred post, & built mound  
 for  $\frac{1}{4}$  Sec, corner, as per instructions.  
 79.80 Corner to Secs. 1, 2, 11 and 12,  
 Surface broken. Scattering  
 Pinon and Cedar, 3 $\frac{1}{2}$  rate.  
 Soil 2 $\frac{1}{2}$  rate.

North on Random between Secs. 1 & 2,  
 Var. 15 $^{\circ}$  E.

40.00 Set temporary  $\frac{1}{4}$  Sec, corner.  
 68.65 Ravine, course West,  
 80.40 Intersect North Boundary of  
 Township, 18 links East of  
 corner to Secs. 1, 2, 35 & 36.

Then S. 8' East on True line.  
 Var. 15 $^{\circ}$  East,

40.40 Set sand stone, 12 x 10 x 8. for  $\frac{1}{4}$   
 Sec, corner, as per instructions.  
 80.40 Corner to Secs. 1, 2, 11 & 12,  
 Surface broken. Scattering  
 Cedar and Pinon, 3 $\frac{1}{2}$  rate.  
 Soil 2 $\frac{1}{2}$  rate. October 20, 1869.

Field notes of the Subdivision Lines of Township No. 6.

BOOK 1954

Chains

North between Secs. 24 and 35.  
 Var.  $15^{\circ} 05' E$ .  
 40.00 Set sand stone,  $12 \times 10 \times 8$ , for  $\frac{1}{4}$  Sec.  
 corner, as per instructions.  
 80.00 Set sand stone,  $14 \times 12 \times 3$ . marked  
 as per instructions, for the corner  
 to Secs. 26, 27, 34 and 35,  
 Surface broken, scattering Pinon  
 and Cedar,  $3\frac{1}{2}$  rate, Soil  $3\frac{1}{2}$  rate.

Easton Random between Secs.  
 26 and 35. Var.  $15^{\circ} 05' E$ .  
 40.00 Set temporary  $\frac{1}{4}$  Sec. corner  
 80.25 Intersect Sec. line 15 lks. north  
 of corner to Secs. 25, 26, 35 & 36.

Then N.  $89^{\circ} 53'$  W. on True Line.  
 Var.  $15^{\circ} 05' E$ .  
 40.12 $\frac{1}{2}$  Set sand stone,  $14 \times 12 \times 3$ . for  $\frac{1}{4}$  Sec.  
 corner, as per instructions.  
 80.25 Corner to Secs. 26, 27, 34 and 35.  
 Surface rolling, scattering Cedar  
 and Pinon,  $3\frac{1}{2}$  rate, Soil  $2\frac{1}{2}$  rate.

North between Secs. 26 and 27.  
 Var.  $15^{\circ} 05' East$ .  
 40.00 Set sand stone,  $36 \times 12 \times 2$ . for  $\frac{1}{4}$  Sec.  
 corner, as per instructions.  
 80.00 Set sand stone,  $15 \times 12 \times 3$ . marked  
 as per instructions, for the  
 corner to Secs. 22, 23, 26 & 27.  
 Surface rolling. Scattering  
 Cedar and Pinon,  $2\frac{1}{2}$  rate, Soil  $2\frac{1}{2}$  rate.

Easton Random between Secs. 23 & 26.  
 Var.  $15^{\circ} 05' E$ .  
 40.00 Set temporary  $\frac{1}{4}$  Sec. corner  
 80.40 Intersect Sec. line 12 links S.



Chains

BOOK 1954

of corner to Secs. 23, 24, 25 and 26,

Then S.  $89^{\circ} 55'$  West on True Line  
Var.  $15^{\circ} 05'$  East

- 40.20 Set charred post and built mound  
for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.40 Corner to Secs. 22, 23, 26 and 27.  
Surface rolling. Scattering cedar  
and Pinon,  $3\frac{1}{4}$  rate, Soil  $2\frac{1}{4}$  rate.

North between Secs. 22 and 23,  
Var.  $15^{\circ} 05'$  E.

- 40.00 Set charred post and built mound  
for  $\frac{1}{4}$  sec. corner as per instructions.
- 80.00 Set sand stone,  $16 \times 12 \times 4$ , marked  
as per instructions for corner  
to Secs. 14, 15, 22 and 23.  
Surface rolling. Scattering cedar  
and Pinon,  $2\frac{1}{4}$  rate, Soil  $2\frac{1}{4}$  rate.

East on Random between Secs.  
14 and 23, Var.  $15^{\circ} 05'$  E.

- 19.75 Ravine, course N.W.
- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 61.00 Leave timber, bears N & S.
- 80.20 Intersect sec. line 25 lks. S.  
of corner to Secs. 13, 14, 23  
and 24.

Then S.  $89^{\circ} 49'$  W. on True Line.  
Var.  $15^{\circ} 05'$  East.

- 40.10 Marked surface rock for  $\frac{1}{4}$  sec. cor,  
as per instructions.
- 80.20 Corner to Secs. 14, 15, 22 & 23.  
Surface broken. Partly covered  
with cedar and Pinon,  $3\frac{1}{4}$  rate,  
Soil  $2\frac{1}{4}$  rate.

Field Notes of the Subdivision Lines of Township 6

BOOK 1954

Chains

North between Secs. 14 and 15.  
 Var.  $15^{\circ} 00' E$ .  
 Ravine, course N. West.  
 Set charred post and built mound  
 for  $\frac{1}{4}$  sec. corner, as per instructions.  
 Deposited marked stone, set charred  
 post marked, built mound and  
 dug pits, as per instructions, for  
 corner to secs. 10, 11, 14 and 15.  
 Surface rolling. Scattering  
 cedar and Pinon,  $3\frac{1}{4}$  rate.  
 Soil  $2\frac{1}{4}$  rate.

16.50  
 40.00  
 80.00

Easton Random between Secs.  
 11 and 14. Var.  $15^{\circ}$  East.  
 Set temporary  $\frac{1}{4}$  sec. corner.  
 Intersect Sec. Line 15 lks. S.  
 of corner to secs. 11, 12, 13 and 14.  
 Then S.  $89^{\circ} 53'$  West on True Line,  
 Var.  $15^{\circ}$  East.  
 Set sand stone,  $14 \times 10 \times 6$  for  $\frac{1}{4}$  sec.  
 corner, as per instructions.  
 corner to secs. 10, 11, 14 and 15.  
 Surface rolling. Scattering  
 cedar and Pinon,  $3\frac{1}{4}$  rate.  
 Soil  $2\frac{1}{4}$  rate.

40.00  
 80.10  
 40.05  
 80.10

North between Secs. 10 and 11.  
 Var.  $15^{\circ} E$ .  
 Set charred post and built mound  
 for  $\frac{1}{4}$  sec. corner as per  
 instructions.  
 Ravine, course N. West.  
 Set sand stone,  $16 \times 12 \times 4$ ,  
 marked as per instructions,  
 for the corner to secs. 2, 3, 10  
 and 11. Surface rolling.  
 Scattering cedar and Pinon,  
 $3\frac{1}{4}$  rate. Soil  $2\frac{1}{4}$  rate.

40.00  
 58.00  
 80.00

Chains

BOOK 1954

8

East on Random between Secs.  
2 and 11. Var. 15° East.40.00 Set temporary  $\frac{1}{4}$  sec. corner.79.85 Intersect sec. line 20 lks. South  
of corner to Secs. 1, 2, 11 and 12.Then S. 89° 51' West, on True Line.  
Var. 15° East.39.92 $\frac{1}{2}$  Set sand stone, 15 x 14 x 5, for  $\frac{1}{4}$  sec.  
corner, as per instructions.79.85 Corner to Secs. 2, 3, 10 and 11.  
Surface broken, scattering cedar  
and Pinon, 3 $\frac{1}{4}$  rate. Soil 2 $\frac{1}{4}$  rate.North on Random between Secs. 2 & 3.  
Var. 15° East.

23.00 Cañon, course West.

26.50 Leave scattering timber, bears E &amp; W.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.80.20 Intersect North Boundary of Township,  
35 lks. East of corner to Secs.  
2, 3, 34 and 35.

Then S. 15° E. on True Line, var. 15° E.

40.20 Set sand stone, 14 x 12 x 3, for  $\frac{1}{4}$  sec.  
corner, as per instructions.

80.20 Corner to Secs. 2, 3, 10 and 11.

Surface rolling, mostly prairie.

Soil 2 $\frac{1}{4}$  rate, October, 21 $\frac{1}{4}$  1869.measuring chain compared with Standard  
and adjusted.

North between Secs. 33 and 34.

Var. 15° 05' E.

40.00 Set sand stone, 16 x 12 x 3, for  $\frac{1}{4}$  sec.  
corner, as per instructions.

48.00 Ravine, course S.W.

80.00 Set sand stone, 18 x 14 x 6, marked  
as per instructions, for the  
corner to Secs. 27, 28, 33 & 34.

Field Notes of the Subdivision Lines of Township 6 N.

Chains  
BOOK 1954

Surface broken. Scattering cedar and  
Pinon,  $3\frac{1}{4}$  rate. Soil  $2\frac{1}{4}$  rate.

Easton Random between Secs. 27 & 34  
Var.  $15^{\circ} 15'$  East

19.50 Ravine, course S.W.  
46.50 Set temporary  $\frac{1}{4}$  sec. corner,  
79.80 Intersect Sec. line 25 lks. S.  
of the corner to Secs. 26, 27, 34 and 35.

Then S.  $89^{\circ} 49'$  West, on True line.

Var.  $15^{\circ} 15'$  E.

39.90 Set sand stone,  $16 \times 8 \times 5$ , for  $\frac{1}{4}$  sec.  
corner, as per instructions,  
79.80 corner to Secs. 27, 28, 33 & 34.  
Surface broken. Scattering Pinon  
and cedar,  $3\frac{1}{4}$  rate. Soil  $2\frac{1}{4}$  rate.

North between Secs. 27 and 28.  
Var.  $15^{\circ} 15'$  E.

40.00 Set sand stone,  $17 \times 11 \times 3$ . for  $\frac{1}{4}$  sec.  
corner, as per instructions,  
80.00 Deposited marked stone, set charred  
post, marked, built mound and  
dug pits, as per instructions, for  
the corner to Secs. 21, 22, 27 and 28.  
Surface rolling. Scattering Pinon  
and cedar,  $3\frac{1}{4}$  rate. Soil  $2\frac{1}{4}$  rate.

Easton Random between Secs.  
22 and 27. Var.  $15^{\circ} 15'$  E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.70 Intersect Sec. line 20 lks. North  
of cor. to Secs. 22, 23, 26 and 27.

Then N.  $89^{\circ} 51'$  West on True line.

Var.  $15^{\circ} 15'$  East

39.85 Set sand stone,  $15 \times 15 \times 3$ . for  $\frac{1}{4}$  sec.

Behaviors

- corner, as per instructions.
- 79.70 Corner to Secs. 21, 22, 27 and 28.  
Surface broken. Scattering Cedar  
and Pinon, 2 $\frac{1}{2}$  rate. Soil 2 $\frac{1}{2}$  rate.
- 
- North between Secs. 21 and 22,  
Var. 15° 15' E.
- 40.00 Set charred post and built mound  
for  $\frac{1}{4}$  Sec. Cor. as per instructions.
- 80.00 Set sand stone, 14 x 12 x 4, marked  
as per instructions, for the Cor. to  
Secs. 15, 16, 21 and 22.  
Surface rolling. Scattering Cedar and  
Pinon, 2 $\frac{1}{2}$  rate. Soil 2 $\frac{1}{2}$  rate.
- 
- Easton Random between Secs. 15 & 22,  
Var. 15° 15' E.
- 40.00 Set temporary  $\frac{1}{4}$  Sec. Corner.
- 79.85 Intersect Sec. line 30 lks. north  
of Corner to Secs. 19, 15, 22 & 23,  
Then N. 89° 47' West on True line  
Var. 15° 15' E.
- 29.92<sup>2</sup> Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  Sec. Cor.  
as per instructions.
- 79.85 Corner to Secs. 15, 16, 21 & 22,  
Surface rolling. Scattering  
Cedar and Pinon, 3 $\frac{1}{2}$  rate.  
Soil 2 $\frac{1}{2}$  rate.
- 
- North between Secs. 15 and 16,  
Var. 15° 15' E.
- 40.00 Set sand stone, 14 x 12 x 3, for  $\frac{1}{4}$   
Sec. Corner, as per instructions.
- 41.20 Ravine course N West.
- 66.00 Cañon, course West.
- 79.00 Leave same, Sides sloping, about  
100 feet deep.

Field notes of the Subdivision Lines of Township No 6,

Chains  
80.00  
BOOK 1954

Set sand stone, 16 X 12 X 4, marked as per instructions, for the corner to Secs. 9, 10, 15 and 16.  
Surface broken. Scattering cedar and Pinon, 3 $\frac{1}{4}$  rate. Soil 3 $\frac{1}{4}$  rate.

Easton Random between Secs. 10 and 15. Var. 15 $\frac{1}{2}$  15' E.

40.00 Set temporary  $\frac{1}{4}$  Sec, corner,  
80.10 Intersect Sec, line 20 links N. of the corner to Secs. 10, 11, 14 and 15.

Then N. 89 $\frac{1}{2}$  51' West on True Line.  
Var. 15 $\frac{1}{2}$  15' E.

40.05 Set charred post and built mound for  $\frac{1}{4}$  Sec, corner as per instructions.  
80.10 Corner to Secs. 9, 10, 15 and 16.

Surface rolling. Scattering cedar and Pinon, 2 $\frac{1}{4}$  rate.  
Soil 2 $\frac{1}{4}$  rate.

North between Secs. 9 and 10.

Var. 15 $\frac{1}{2}$  15' E.

40.00 Set charred post, and built mound for  $\frac{1}{4}$  Sec, corner, as per instructions.

80.50 Set sand stone, 18 X 16 X 5, marked as per instructions, for the cor. to Secs. 3, 4, 9 and 10.

Surface rolling. Scattering cedar and Pinon, 3 $\frac{1}{4}$  rate.  
Soil 2 $\frac{1}{4}$  rate.

Easton Random between Secs. 3 and 10. Var. 15 $\frac{1}{2}$  15' E.

40.00 Set temporary  $\frac{1}{4}$  Sec, corner,

49.00 Ravine, course N. West.

80.35 Intersect Sec, line 25 lks, S. of corner to Secs. 2, 3, 10 & 11

Then S. 89 $\frac{1}{2}$  49' West on True Line.

Chains

with the same variation.

40.17<sup>E</sup> Set sand stone, 14 X 14 X 2. for  $\frac{1}{4}$  Sec, Corner, as per instructions.

80.35 Corner to Secs, 3. 4. 9 and 10.  
Surface rolling. Scattering Cedar and Pinon, 3 $\frac{1}{4}$  rate.  
Soil 2 $\frac{1}{4}$  rate.

North on Random between Secs, 2 and 4. Var. 15 $^{\circ}$  15' E.

9.50 Ravine, Course West,

36.00 Leave scattering Pinon and Cedar, 3 $\frac{1}{4}$  rate, bears East and West.

40.00 Set temporary  $\frac{1}{4}$  Sec, corner.

80.65 Intersect North Boundary of Township, 25 lks. West of Corner to Secs, 3. 4. 33 and 34.

Then S. 11' West on True Line Var. 15 $^{\circ}$  15' E.

40.65 Set sand stone, 16 X 12 X 3. for  $\frac{1}{4}$  Sec, Corner, as per instructions.

80.65 Corner to Secs, 3. 4. 9 and 10.  
Surface rolling. Scattering Cedar and Pinon, 3 $\frac{1}{4}$  rate. Soil 2 $\frac{1}{4}$  rate.  
October 22<sup>nd</sup> 1869.

North between Secs. 32 and 33.

Var. 15 $^{\circ}$  10' E.

40.00 Set sand stone, 16 X 14 X 4. for  $\frac{1}{4}$  Sec, cor, as per instructions.

80.00 Set sand stone, 14 X 12 X 3.  
marked as per instructions, for the Corner to Secs, 28, 29, 32 & 33.  
Surface rolling. Scattering Cedar and Pinon, 3 $\frac{1}{4}$  rate. Soil 2 $\frac{1}{4}$  rate.

East on Random between Secs, 28 and 33. Var. 15 $^{\circ}$  10' E.

40.00 Set temporary  $\frac{1}{4}$  Sec, Corner.

Field Notes of the Subdivision Lines of Township 6 N.

13. <sup>chains</sup> 80.20 Intersect Sec, line 15 links North  
of corner to Secs. 27. 28. 33 and 34.  
BOOK 1954  
Then N.  $89^{\circ} 53'$  West on True Line  
Var.  $15^{\circ} 10'$  East.  
40.10 Marked surface rock, for  $\frac{1}{4}$  Sec, corner,  
as per instructions.  
80.20 Corner to Secs. 28. 29. 32 and 33.  
Surface rolling. Scattering cedar  
and Pinon,  $3\frac{1}{4}$  rate. Soil  $2\frac{1}{4}$  rate.

North between Secs. 28 and 29.  
Var.  $15^{\circ} 10'$  E.  
40.00 Set sand stone,  $14 \times 10 \times 5$ , for  $\frac{1}{4}$  Sec,  
corner, as per instructions.  
80.00 Set sand stone,  $18 \times 12 \times 3$ , marked as  
per instructions. for the corner  
to Secs. 20. 21. 28 and 29.  
Surface rolling. Scattering cedar  
and Pinon,  $3\frac{1}{4}$  rate. Soil  $2\frac{1}{4}$  rate.

East on Random between Secs. 21  
and 28, Var.  $15^{\circ} 10'$  E.  
40.00 Set temporary  $\frac{1}{4}$  Sec, corner,  
80.35 Intersect Sec, line 17 lks, South  
of corner to Secs. 21. 22. 27 and 28,  
Then S.  $89^{\circ} 52'$  West on True Line.  
Var.  $15^{\circ} 10'$  E.  
40.17<sup>2</sup> Set charred post, built mound and  
dug pits for  $\frac{1}{4}$  Sec, corner, as per  
instructions.  
80.35 Corner to Secs. 20. 21. 28 and 29.  
Surface rolling. Scattering cedar  
and Pinon  $3\frac{1}{4}$  rate,  
Soil  $2\frac{1}{4}$  rate.

North between Secs. 20 and 21.



Chains

Var.  $15^{\circ} 10'$  East,  
 40.00 Set sand stone,  $14 \times 12 \times 3$ . for  $\frac{1}{4}$  sec,  
 corner, as per instructions.  
 63.50 Leave scattering cedar and Pinon.  
 bears E. and W.  
 80.00 Deposited marked stone, set charred  
 post, marked, built mound and  
 dug pits, as per instructions, for  
 the corner to Secs. 16, 17, 20 & 21,  
 Surface rolling, mostly covered  
 with cedar and Pinon,  $3^{\text{rd}}$  rate,  
 Soil  $2^{\text{nd}}$  rate.

East on Random between Secs.  
 16 and 21. Var.  $15^{\circ} 10'$  E.

40.00 Set temporary  $\frac{1}{4}$  sec, corner.  
 80.15 Intersect Sec. line 20 lks. South  
 of corner to Secs. 15, 16, 21 and 22.

Then S.  $89^{\circ} 54'$  west on True Line

Var.  $15^{\circ} 10'$  East,  
 40.07 $\frac{1}{2}$  Set sand stone,  $16 \times 10 \times 5$ . for  $\frac{1}{4}$   
 sec, corner, as per instructions.  
 80.15 Corner to Secs. 16, 17, 20 & 21,  
 Surface rolling. Prairie.  
 Soil  $2^{\text{nd}}$  rate.

North between Secs. 16 and 17.

Var.  $15^{\circ} 10'$  E.,  
 37.00 Enter scattering Pinon and cedar,  
 bears N.W. and S.E.  
 40.00 Set sand stone,  $14 \times 12 \times 3$ , for  $\frac{1}{4}$  sec,  
 cor. as per instructions.  
 69.10 Canon, course N.N.W. Impractic-  
 able to establish corner in  
 canon, I therefore set Witness  
 corner to secs. 8, 9, 16 and 17.  
 10.90 Ch $\frac{1}{2}$ , South of true corner,  
 S. S.  $16 \times 12 \times 3$ .  
 80.00 Place for corner in canon,  
 Surface rolling. Soil  $2^{\text{nd}}$  rate.

Field Notes of the Subdivision Lines of Township

Chains

BOOK 1954

Mostly covered with scattering  
Pinon and cedar, 3 $\frac{1}{2}$  rate,

From place for corner in canon, East  
on Random between Secs. 9 and 16.

Var. 15 $\frac{1}{2}$  10' East.

12.00 Leave canon.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

79.90 Intersect Sec. line 9 lks. South of  
corner to Secs. 9, 10, 15 and 16,

Then S. 89 $\frac{1}{2}$  56' West on True Line.

Var. 15 $\frac{1}{2}$  10' East,

89.95 Set sand stone, 18x12x3. for  $\frac{1}{4}$  sec. cor,  
as per instructions.

79.90 Place for corner in canon.

Surface rolling. Scattering cedar  
and Pinon, 3 $\frac{1}{2}$  rate. Soil 2 $\frac{1}{2}$  rate.

North between Secs. 8 and 9. Var. 15 $\frac{1}{2}$  10' E.

21.50 Leave canon.

40.00 Set charred post and built mound  
for  $\frac{1}{4}$  sec. corner, as per instructions.

67.00 Canon, course West.

71.00 Leave same.

80.00 Set sand stone, 18x10x3, marked  
as per instructions, for the

corner to Secs. 4, 5, 8 and 9.

Surface rolling. Scattering  
Pinon and cedar, 3 $\frac{1}{2}$  rate

Soil 2 $\frac{1}{2}$  rate.

East on Random between Secs.  
4 and 9. Var. 15 $\frac{1}{2}$  10' East.

3.40 Canon, course S. West.

10.00 Leave same.

80.20 Intersect Sec. line 16 lks. S.  
of corner to Secs. 3, 4, 9 & 10.

Chains

Then S.  $89^{\circ} 53'$  West on True Line  
Var.  $15^{\circ} 10'$  East.

40.12<sup>1/2</sup> Set sand stone, 24 x 10 x 7. for  
1/4 sec, corner, as per instructions.

80.25 Corner to secs, 4, 5, 8 and 9.  
Surface broken. Scattering Pinon  
and Cedar, 3<sup>1/4</sup> rate. Soil 2<sup>1/4</sup> rate.

North on Random between Secs,  
4 and 5. Var.  $15^{\circ} 10'$  East,

40.00 Set temporary 1/4 sec, corner.

79.80 Intersect North Boundary of Township  
27 lks. East of corner to Secs, 4, 5,  
32 and 33.

Then S. 12' East on True Line,  
Var.  $15^{\circ} 10'$  E.

39.80 Set sand stone, 13 x 12 x 4. for 1/4 sec,  
corner, as per instructions.

79.80 Corner to Secs, 4, 5, 8 and 9.  
Surface rolling. Scattering  
Pinon and Cedar, 2<sup>1/4</sup> rate.  
Soil 2<sup>1/4</sup> rate.

October 22<sup>nd</sup> 1869.

measuring chain compared with  
standard and found correct.

North between Secs, 31 and 32,  
Var.  $15^{\circ} 10'$  E.

40.00 Set sand stone, 14 x 12 x 3, for 1/4 sec,  
corner, as per instructions.

80.00 Set sand stone, 19 x 11 x 9, marked  
as per instructions, for the cor.  
to Secs, 29, 30, 31 and 32.  
Surface rolling. Scattering Pinon  
and Cedar, 3<sup>1/4</sup> rate, Soil 2<sup>1/4</sup> rate.

East on Random between Secs, 29 and 32,  
Var.  $15^{\circ} 10'$  E.

Field Notes of the Subdivision Lines of Township 5

Chains  
 17  
 40.00  
 79.90  
 BOOK 1954

Set temporary  $\frac{1}{4}$  Sec. corner.  
 Intersect Sec line 25 links N.  
 of the corner to Secs. 28, 29, 32  
 and 33.

Then N.  $89^{\circ}49'$  West on True Line,  
 Var.  $15^{\circ}10'$  East,

29.95 Set sand stone,  $18 \times 16 \times 4$ , for  $\frac{1}{4}$   
 Sec. corner, as per instructions.

79.90 Corner to Secs. 29, 30, 31 & 32,  
 Surface rolling. Scattering  
 Pinon and cedar,  $3^{\frac{1}{2}}$  rate,  
 Soil  $2^{\frac{1}{2}}$  rate.

West on Random between Secs. 30 and 31.  
 Var.  $15^{\circ}10'$  E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner.

80.20 Intersect Range Line 30 lks. north of  
 corner to Secs. 28, 30, 31 and 36,

Then N.  $89^{\circ}47'$  E. on True Line  
 Var.  $15^{\circ}10'$  E.

40.20 Set sand stone,  $14 \times 12 \times 6$ , for  $\frac{1}{4}$   
 Sec. cor. as per instructions.

80.20 Corner to Secs. 29, 30, 31 and 32,  
 Surface rolling. Scattering  
 Pinon and cedar,  $3^{\frac{1}{2}}$  rate,  
 Soil  $2^{\frac{1}{2}}$  rate.

North between Secs. 29 and 30.  
 Var.  $15^{\circ}10'$  E.

40.00 marked surface rock, for  $\frac{1}{4}$  Sec. cor.  
 as per instructions.

80.00 Set sand stone,  $12 \times 12 \times 5$  marked  
 as per instructions, for the  
 corner to Secs. 19, 20, 29  
 and 30.

Surface rolling. Scattering Pinon  
 and cedar,  $3^{\frac{1}{2}}$  rate. Soil  $2^{\frac{1}{2}}$  rate.

Chains

12

East on Random between Secs. 20 & 29,  
Var.  $15^{\circ} 10'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.70 Intersect Sec. line 15 lks. N.  
of the corner to Secs. 20, 21,  
28 and 29.

Then N.  $89^{\circ} 53'$  West on True Line.

Var.  $15^{\circ} 10'$  East,

39.85 Set charred post and built mound  
for  $\frac{1}{4}$  sec. corner, as per instructions,  
79.70 Corner to Secs. 19, 20, 29 & 30.  
Surface rolling. Scattering Pinon  
and Cedar,  $3^{\frac{1}{2}}\%$  rate, Soil  $2^{\frac{1}{2}}\%$  rate.

West on Random between Secs. 19  
and 30. Var.  $15^{\circ} 10'$  E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
76.50 Cañon, course S.W.  
80.50 Intersect Range line 20 lks. North  
of corner to Secs. 19, 24, 25 & 30.

Then N.  $89^{\circ} 51'$  East on True Line.

Var.  $15^{\circ} 10'$  E,

40.00 Set sand stone,  $16 \times 14 \times 4$ , for  $\frac{1}{4}$  sec.  
cor. as per instructions.  
80.00 Corner to Secs. 19, 20, 29 and 30.  
Surface rolling. Scattering  
Pinon and Cedar,  $3^{\frac{1}{2}}\%$  rate.  
Soil  $2^{\frac{1}{2}}\%$  rate.

North between Secs. 19 and 20.

Var.  $15^{\circ} 10'$  E,

40.00 marked surface rock for  $\frac{1}{4}$  sec.  
corner, as per instructions.  
42.35 Ravine, 75 links wide,  
course S.West.  
67.00 Leave scattering Pinon and  
Cedar timber, bears East & West.  
80.00 Deposited marked stone, set

Field Notes of the Subdivision Lines of Township 6 N.

Chains  
BOOK 1954

charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 17, 18, 19 and 20, surface rolling. Partly covered with Pinon and cedar,  $1\frac{3}{4}$  rate. Soil  $2^{\text{nd}}$  rate.

East on Random between Secs. 17 and 20. Var.  $15^{\circ} 10'$  E.

40.00

Set temporary  $\frac{1}{4}$  sec. corner.

80.10

Intersect Sec. Line 12 lks south of corner to secs. 16, 17, 20 and 21.

Then S.  $89^{\circ} 55'$  West on True Line, Var.  $15^{\circ} 10'$  East.

40.00

Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.

80.10

Corner to Secs. 17, 18, 19 and 20, surface rolling. Prairie. Soil  $1^{\text{st}}$  rate.

West on Random between Secs. 18 and 19. Var.  $15^{\circ} 10'$  E.

23.00

Enter scattering Pinon bears N & S.

40.00

Set temporary  $\frac{1}{4}$  sec. corner.

80.85

Intersect Range Line 15 lks. S. of corner to Secs. 13, 18, 19 & 24.

Then S.  $89^{\circ} 53'$  East on True Line. Var.  $15^{\circ} 10'$  East.

40.85

Set sand stone,  $12 \times 10 \times 6$ , for  $\frac{1}{4}$  sec. cor. as per instructions.

80.85

Corner to Secs. 17, 18, 19 and 20, surface rolling. A small part prairie. Soil  $2^{\text{d}}$  rate.

October 24<sup>th</sup> 1889.

North between Secs. 17 and 18, Var.  $15^{\circ} 10'$  E.

40.00

Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner.

Chains

BOOK 1954

as per instructions,  
 69.50 Enter scattering Pinon and Cedar,  
 bears East and West,  
 80.00 Set sand stone, 12 x 10 x 6, marked  
 as per instructions, for the  
 corner to Secs. 7, 8, 17 and 18,  
 surface rolling. The greater  
 portion is prairie. Soil 1<sup>st</sup> rate.

East on Random between Secs, 8 & 17,  
 Var. 15° 10' E.

40.00 Set temporary 1/4 Sec. Corner,  
 71.70 Cañon, course S.W. Offset S.  
 11.00 chains, thence East 4.80 chs,  
 and intersect sec. line 8 lks,  
 South of witness corner, said  
 corner is 10.90 chs. South of  
 True corner, Therefore at 80.50  
 chs, intersect sec. line 20 lks.  
 South of place for true corner.

Then S. 89° 51' W. on True Line.

Var. 15° 10' East,

40.20 Set sand stone, 14 x 14 x 3. for 1/4  
 Sec. Corner, as per instructions,  
 80.50 Corner to Secs. 7, 8, 17 and 18.  
 Surface rolling. Scattering  
 Pinon, Soil 2<sup>d</sup> rate.

West on Random between Secs,  
 7 and 18.

Var. 15° 10' East.

28.50 Cañon, course S.W.  
 30.50 Leave same.  
 40.00 Set temporary 1/4 Sec. Corner,  
 87.30 Intersect Range line 20 lks S.  
 of corner to Secs, 7, 12, 13 and 18.

Then S. 89° 49' E. on True Line.

Var. 15° 10' East,

Field Notes of the Subdivision Lines of Township 7 N.

23A  
BOOK 1954  
Chains

North between sees. 25 and 26  
Var.  $15^{\circ} 10' E.$

- 40.00 Set charred post, built mound for  $\frac{1}{4}$  Sec. Corner, as per instructions.
- 58.00 Ravine, 100 lks. wide, course West.
- 80.00 Set sand stone, 16 X 14 X 3, marked as per instructions, for the corner to sees. 25, 26, 28 and 26.

Surface rolling. A few scattering Cedar and Pinon trees,  $2\frac{1}{4}$  rate, Soil  $2\frac{1}{4}$  rate.

Easton Random between sees. 25 and 26.  
Var.  $15^{\circ} 10' E.$

- 40.00 Set temporary  $\frac{1}{4}$  Sec. corner.
- 79.80 Intersect Range line 18 lks. N. of corner to sees. 25, 30, 31 and 36.

Then N.  $89^{\circ} 52'$  on True line  
Var  $15^{\circ} 10'$  East.

- 39.90 Set charred post and built mound for  $\frac{1}{4}$  Sec. Cor. as per instructions.
- 79.80 Corner to sees. 25, 26, 28 and 26.  
Surface rolling. Scattering cedar and Pinon,  $2\frac{1}{4}$  rate. Soil  $2\frac{1}{4}$  rate.

North between sees. 25 and 26.  
Var.  $15^{\circ} 05' E.$

- 40.00 Set charred post and built mound for  $\frac{1}{4}$  Sec. corner, as per instructions.
- 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to sees. 23, 24, 25 and 26.

Surface rolling. Scattering Pinon and cedar,  $2\frac{1}{4}$  rate, Soil  $2\frac{1}{4}$  rate.

Easton Random between sees. 24 & 25



Chains.

Var.  $15^{\circ} 05' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 80.10 Intersect Range line 16 lks, South of corner to Secs. 19, 24, 25 and 30.

Then S.  $89^{\circ} 53'$  W. on True Line.

Var.  $15^{\circ} 05' E$ .

- 40.00 Set sand stone,  $14 \times 12 \times 3$ . for  $\frac{1}{4}$  Sec. cor. as per instructions.
- 80.10 Corner to Secs. 23, 24, 25 and 26. Surface rolling. Scattering Pinon and cedar,  $3^{\frac{1}{4}}$  rate. Soil  $2^{\frac{1}{4}}$  rate. October. 25<sup>th</sup> / 1869.

North between Secs. 23 and 24.

Var.  $15^{\circ} 05' E$ .

- 40.00 Set Charred post and built mound for  $\frac{1}{4}$  Sec. corner, as per instructions.
- 80.00 Deposited marked stone, set Charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 13, 14, 23 and 24. Surface rolling. Scattering Pinon and cedar,  $3^{\frac{1}{4}}$  rate. Soil  $2^{\frac{1}{4}}$  rate.

Easton Random between Secs. 13 and 24.

Var.  $15^{\circ} 05' E$ .

- 15.40 Ravine. 150 lks wide, course NW.
- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 79.60 Intersect Range line 10 lks, South of corner to Secs. 13, 18, 19 and 24.

Then S.  $89^{\circ} 56'$  West on True Line. Var.  $15^{\circ} 05'$  East.

- 39.82<sup>7</sup> Set Charred post, built mound and dug pits for  $\frac{1}{4}$  sec. cor. as per instructions.
- 79.60<sup>1</sup> Corner to Secs. 13, 14, 23 & 24. Surface rolling. Scattering

25 Chains

BOOK 1954

Pinon and Cedar, 2<sup>nd</sup> rate, Soil 2<sup>nd</sup> rate.

North between Secs. 13 and 14.

Var. 15<sup>th</sup> 05' E.

- 12.75 Ravine, course N. West.
- 22.00 Leave scattering Pinon and Cedar, bears East and West.
- 40.00 Set charred post and built mound for  $\frac{1}{4}$  sec. corner as per instructions.
- 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 11, 12, 13 & 14. Surface rolling, mostly prairie. Soil 2<sup>nd</sup> rate.

East on Random between Secs. 12 and 13.

Var. 15<sup>th</sup> 05' E.

- 27.20 Carron, course N. 250 lks, wide
- 40.00 Set temporary  $\frac{1}{4}$  Sec. corner.
- 80.30 Intersect Range line 18 lks, north of cor. to Secs. 7, 12, 13 and 18.

Then N. 89<sup>th</sup> 5' 2" W. on a True Line. var. 15<sup>th</sup> 05' E.

- 40.15 Set sand stone, 14 x 12 x 3. for  $\frac{1}{4}$  Sec. cor. as per instructions.
- 80.30 Corner to Secs 11, 12, 13 & 14. Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

North between Secs. 11 and 12.

Var. 15<sup>th</sup> 05' E.

- 40.00 Set charred post and built mound for  $\frac{1}{4}$  Sec. corner, as per instructions.
- 80.00 Set sand stone, 3 2 x 4 x 4, marked as per instructions, for the corner to Secs. 1, 2, 11 and 12. Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

Chains

East on Random between Secs. 1  
and 12. Var.  $15^{\circ} 05'$  E.

- 83.00 Cañon, course NW 4.00 chs. wide.  
40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.10 Intersect Range line 12 links South  
of corner to Secs. 1, 6, 7 and 12.

Then S.  $89^{\circ} 55'$  West on True Line,  
Var.  $15^{\circ} 05'$  East.

- 40.00 Set charred post and built mound  
minimum for  $\frac{1}{4}$  Sec. corner  
as per instructions.  
80.10 Corner to Secs. 1, 2, 11 and 12.  
Surface rolling. Prairie Soil 2<sup>nd</sup> rate.

North on Random between Secs. 1  
and 2. Var.  $15^{\circ} 05'$  E.

- 10.90 Cañon, course N.West,  
21.00 Leave same, 150 ft. deep, course NW,  
40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
71.20 Ravine, 1500 lks. wide, course  
N.W.  
79.60 Intersect North Boundary of  
Township 27 lks East  
of corner to Secs. 1, 2, 35  
and 36.

Then S.  $12'$  E. on True Line.  
Var.  $15^{\circ} 00'$  E.

- 39.60 Set charred post and built  
mound for  $\frac{1}{4}$  Sec. corner as  
per instructions.  
79.65 Corner to Secs. 1, 2, 11 and 12.  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

North between Secs. 34 and 35,  
Var.  $15^{\circ} 15'$  E.

- 40.00 Set sand stone,  $12 \times 10 \times 8$ , for  
 $\frac{1}{4}$  Sec. corner, as per instructions.

Field Notes of the Subdivision Lines of Township

BOOK - 1954

22 Chains

\$7.00 Dry creek, 30 lks. wide, course west,  
 80.00 Set sand stone, 15 x 13 x 5, marked  
 as per instructions, for the Cor  
 to Secs. 26, 27, 34 and 35.  
 Surface rolling. Scattering Pinon  
 and cedar, 3 $\frac{1}{4}$  rate. Soil 3 $\frac{1}{4}$  + 2 $\frac{1}{4}$  rate.

East on Random between Secs. 26  
 and 35. Var. 15' - 15' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
 79.90 Intersect Sta. Line 18 lks North  
 of corner to Secs. 25, 26, 35  
 and 36.

Then N. 89 $^{\circ}$  52' west on True  
 Line Var. 15' - 15' East,

39.95 Set sand stone, 14 x 12 x 3, for  $\frac{1}{4}$   
 Sec. corner, as per instructions,  
 79.90 corner to Secs. 26, 27, 34 + 35.  
 Surface rolling. Scattering  
 Pinon and cedar, 3 $\frac{1}{4}$  rate,  
 Soil 2 $\frac{1}{4}$  rate.

North between Secs. 26 and 27,  
 Var. 15' - 15' E.

40.00 Set Charred post, built mound  
 and dug pits for  $\frac{1}{4}$  Sec. cor.,  
 as per instructions.  
 76.00 Range, 200 lks. wide, course N.W.  
 80.00 Deposited marked stone, set  
 charred post, built mound and  
 dug pits, as per instructions,  
 for the corner to Secs. 22, 23,  
 26 and 27,  
 Surface rolling. Scattering  
 Pinon and cedar, 3 $\frac{1}{4}$  rate,  
 Soil 2 $\frac{1}{4}$  rate.

East on Random between Secs. 23  
 and 26, Var. 15' - 15' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner

Chains

80.15

Intersect Sec. line 20 lks. South of corner to Secs, 23, 24, 25 and 26.

BOOK 1954

Then S. 89° 51' W. on True Line.

Var. 15° 15' E.

40.07<sup>1/2</sup>

Set sand stone, 16 X 14 X 3. for 1/3 Sec. corner, as per instructions.

80.15

Corner to Secs, 22, 23, 26 and 27. Surface rolling. Scattering Pinon and cedar, 3<sup>1/4</sup> rate. Soil 2<sup>1/2</sup> rate.

North between Secs, 22 and 23.

Var. 15° - 15' E.

40.00

Set sand stone, 16 X 8 X 5. for 1/3 Sec. cor. as per instructions.

80.00

Set sand stone, 24 X 11 X 2. marked as per instructions. for the cor. to Secs, 14, 15, 22 and 23.

Surface rolling. Scattering Pinon and cedar, 3<sup>1/4</sup> rate. Soil 2<sup>1/2</sup> rate.

October 26, 1869.

Measuring Chain compared with Standard and adjusted.

East on Randon between Secs, 14 and 23.

Var. 15° 20' E.

40.00

Set temporary 1/3 Sec. corner.

80.30

Intersect Sec. line, 25 lks north of corner to Secs, 13, 14, 23 & 24.

Then N. 89° 49' West on True Line

Var. 15° 20' E.

40.15

Set Charred post and built mound for 1/3 Sec. corner, as per instructions.

80.30

Corner to Secs, 14, 15, 22 and 23.

Surface rolling. Scattering Pinon and cedar, 3<sup>1/4</sup> rate. Soil 2<sup>1/2</sup> rate.

BOOK 1954

Chains

North between Secs. 14 and 15,  
Var.  $15^{\circ} 30' E$ .

40.00 Leave timber, bears East & West,

40.00 Set charred post and built mound for  $\frac{1}{4}$  Sec corner, as per instructions.

80.00 Set sand stone,  $15 \times 12 \times 7$ , marked as per instructions, for corner to Secs. 10, 11, 14 and 15, Surface rolling, 1<sup>st</sup> half, scattering Pinon and Cedar, 3<sup>rd</sup> rate, east half prairie, soil 2<sup>nd</sup> rate,

Easton Random between Secs, 11 and 14, Var.  $15^{\circ} 45' E$ .

2.40 Cañon, course N. west.

29.00 Leave same, 200 feet deep.

40.00 Set temporary  $\frac{1}{4}$  Sec, corner,

79.30 Intersect sec. line 25 lks. N. of corner to Secs. 11, 12, 13 and 14.

Then N.  $89^{\circ} 49'$  West on True Line. Var.  $15^{\circ} 45' E$  East,

39.65 Set sand stone,  $18 \times 12 \times 3$ , for  $\frac{1}{4}$  Sec, corner, as per instructions.

79.30 Corner to Secs. 10, 11, 14 and 15, Surface rolling. Prairie, soil 2<sup>nd</sup> rate,

North between Secs. 10 and 11,  
Var.  $15^{\circ} 45' E$ ,

2.20 Cañon, course N.W. 50 feet deep, 5 chains wide.

40.00 marked surface rock, for  $\frac{1}{4}$  Sec, corner as per instructions.

73.50 Ravine, course N.W. 200 lks. wide.

80.00 Set sand stone,  $18 \times 14 \times 3$ , marked as per instructions, for the corner to Secs. 2, 3, 10 & 11.

Chain

Surface rolling. Prairie. Soil 2<sup>nd</sup> rate,

East on Random between Secs. 2 and 11.  
Var. 15° 30' East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.85 Intersect sec. line 18 lks. North  
of corner to secs. 1, 2, 11 and 12.

Then N. 89° 52' W. on True Line.  
Var. 15° 30' East.

39.92 $\frac{1}{2}$  Set sand stone, 16 X 15 X 6. for  $\frac{1}{4}$   
sec. cor. as per instructions.  
79.85 Corner to Secs. 2, 3, 10 and 11,  
Surface rolling. Prairie.  
Soil 2<sup>nd</sup> rate.

North on Random between Secs. 2  
and 3. Var. 15° 20' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
77.40 Enter ravine, course NW.  
150 lks wide.  
80.20 Intersect North Boundary of Town-  
ship 8 lks west of corner to Secs.  
2, 3, 34 and 35.

Then S. 3' West on True Line. Var. 15° 20' E.

40.20 Set sand stone, 16 X 12 X 4. for  $\frac{1}{4}$  sec.  
corner, as per instructions.  
80.20 Corner to Secs. 2, 3, 10 & 11.  
Surface rolling. Prairie. Soil  
2<sup>nd</sup> rate.

North between Secs. 33 and 34.  
Var. 15° E.

40.00 Set charred post and built  
mound for  $\frac{1}{4}$  sec. corner, as  
per instructions.  
80.00 Set sand stone, 14 X 12 X 3. marked  
as per instructions. for the  
corner to Secs. 27, 28, 33 and 34.

Chains

BOOK

1954

32

Then S.  $89^{\circ} 51'$  W. on True Line  
Var.  $15^{\circ} 00'$  E.

39.87 $\frac{1}{2}$  Set charred post and built mound  
for  $\frac{1}{4}$  Sec. corner, as per in-  
structions.

79.75 Corner to Secs. 21, 22, 27 and 28,  
Surface rolling. Scattering  
Pinon and Cedar,  $3\frac{1}{2}$  rate,  
Soil  $2\frac{1}{2}$  rate.

North between Secs. 21 and 22,  
Var.  $15^{\circ}$  East.

21.00 Ravine 120 lks. wide, course W.

40.00 Set charred post and built  
mound for  $\frac{1}{4}$  Sec. corner, as  
per instructions.

80.00 Deposited marked stone, set charred  
post, marked, built mound and  
dug pits, as per instructions for  
the corner to Secs. 15, 16, 21 & 22.  
Surface rolling. Scattering Pinon  
and Cedar,  $3\frac{1}{2}$  rate, Soil  $2\frac{1}{2}$  rate.

East on Random between Secs. 15  
and 22, Var.  $15^{\circ}$  E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner

79.90 Intersect Sec. line 16 lks.  
South of corner to Secs. 14,  
15, 22 and 23.

Then S.  $89^{\circ} 53'$  W. on True Line  
Var.  $15^{\circ}$  East

39.95 Set charred post and built mound  
for  $\frac{1}{4}$  Sec. corner, as per instructions.

79.90 Corner to Secs. 15, 16, 21 & 22  
Surface rolling. Scattering Cedar  
and Pinon,  $3\frac{1}{2}$  rate, Soil  $2\frac{1}{2}$  rate.

North between Secs. 15 and 16,



Field notes of the Subdivision Lines of Township 7. N.

BOOK 1954

Chaians

Var. 15<sup>th</sup> East,

- 40.00 Set charred post and built mound for  $\frac{1}{4}$  Sec, corner, as per instructions, Ravine, course west.
  - 44.50
  - 48.00 Leave scattering Pinon and Cedar, 2<sup>nd</sup> rate. Bear East and West.
  - 87.00 Set sand stone, 15 x 12 x 4, marked as per instructions, for the corner to Secs. 9, 10, 15 and 16.
- Surface rolling. First half scattering Pinon and Cedar, 2<sup>nd</sup> rate, last half prairie. Soil 2<sup>nd</sup> rate, October 27<sup>th</sup> 1887.

Easton Random between Secs 10 & 15, Var. 15<sup>th</sup> East,

- 40.00 Set temporary  $\frac{1}{4}$  Sec, corner.
  - 80.20 Intersect Sec, line 16 lks North of corner to Secs. 10, 11, 14 and 15.
- Then N. 89<sup>th</sup> 53' W. on True line.

Var. 15<sup>th</sup> East,

- 40.10 Set charred post and built mound for  $\frac{1}{4}$  Sec, corner, as per instructions.
- 80.20 Corner to Secs. 9, 10, 15 and 16, Surface rolling. Prairie. Soil 2<sup>nd</sup> rate,

North between Secs, 9 and 10. Var. 15<sup>th</sup> E,

- 40.00 Set sand stone, 14 x 12 x 4, for  $\frac{1}{4}$  Sec, corner, as per instructions,
  - 80.00 Set sand stone, 24 x 6 x 4, marked as per instructions, for the corner to Secs. 3, 4, 9 and 10.
- Surface rolling. Prairie. Soil 2<sup>nd</sup> rate,

Chains

East on Random between Secs. 3 and 10. Var. 15° East.

40.00 Set temporary 4 sec. corner.

62.50 Canon, 400 lks. wide, course N.

77.80 Canon, 200 lks. " " NW.

80.30 Intersect sec. line. 25 lks. North of corner to Secs. 2, 3, 10 & 11.

Then N. 89° 49' West on True Line. Var. 15° East.

40.15 Set charred post and built mound for 4 sec. corner, as per instructions.

80.30 Corner to Secs. 3, 4, 9 & 10. Surface rolling. Prairie. Soil 2 1/4 rate.

North on Random between Secs. 3 and 4. Var. 15° East.

40.00 Set temporary 4 sec. corner.

79.70 Intersect North Boundary of Township 18 lks. East of corner to Secs. 3, 4, 33 and 34.

Then S. 8' East on True line.

Var. 15° East.

39.70 Set sand stone, 14 x 12 x 3. for 4 sec. corner, as per instructions.

79.70 corner to Secs. 3, 4, 9 and 10. Surface rolling. Prairie. Soil 2 1/4 rate.

North between Secs. 32 and 33.

Var. 15° 20' E.

40.00 Set sand stone, 16 x 14 x 8. for 4 sec. corner, as per instructions.

80.00 Set sand stone, 24 x 10 x 6. marked as per instructions. for the corner to Secs. 28, 29, 32 and 33.

Surface rolling. Prairie. Soil 2 1/4 rate.

Field Notes of the Subdivision Lines of Township

35 Chains

BOOK 1954

East on Random between Secs. 28 & 33,  
Var. 15° 20' E,

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
80.20 Intersect Sec. line 15 lks. North of  
corner to secs. 27, 28, 33 and 34.

Then N. 89° 53' West on True Line.  
Var. 15° 20' E,

40.12 $\frac{1}{2}$  Set sand stone, 15 x 12 x 3, for  $\frac{1}{4}$   
Sec. corner, as per instructions,  
80.25 $\frac{1}{2}$  corner to Secs. 28, 29, 32 and 33.  
Surface rolling. Scattering Pinon  
and cedar, 3 $\frac{1}{4}$  rate, Soil 2 $\frac{1}{4}$  rate.

North between Secs. 28 and 29,  
Var. 15° 20' E.

21.50 Gravel, course West,  
24.50 Leave same, 100 feet deep,  
40.00 Set charred post and built  
mound for  $\frac{1}{4}$  Sec. corner, as  
per instructions,  
80.00 Set sand stone, 18 x 16 x 4, marked  
as per instructions, for the  
corner to secs. 20, 21, 28  
and 29.  
Surface rolling. Scattering Pinon  
and cedar, 3 $\frac{1}{4}$  rate. Soil 2 $\frac{1}{4}$  rate.

East on Random between Secs.  
21 and 28. Var. 15° 20' E,

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
80.10 Intersect Sec. line 20 lks,  
North of corner to Secs,  
21, 22, 27 and 28,

Then N. 89° 50' W. on True  
Line. Var. 15° 20' East

40.05 Set sand stone, 20 x 16 x 2, for  
 $\frac{1}{4}$  Sec. corner, as per instructions.

Chains

BOOK 1954

80.10 Corner to Secs. 20, 21, 28 and 29,  
Surface rolling. Scattering Pinon  
and Cedar, 2 $\frac{1}{2}$  rate. Soil 2 $\frac{1}{2}$  rate.

North between Secs. 20 and 21,  
Var. 15 $\frac{1}{2}$  20' E.

29.50 Ravine, 40 lks, wide, course NW.

40.00 Set sand stone, 16 x 12 x 4, for  
 $\frac{1}{4}$  Sec, corner, as per instruc-  
tions.

80.00 Set sand stone, 16 x 12 x 3,  
marked as per instructions,  
for the corner to Secs. 16, 17,  
20 and 21,

Surface rolling. Scattering Pinon  
and Cedar, 2 $\frac{1}{2}$  rate. Soil 2 $\frac{1}{2}$  rate.

East on Random between Secs.  
16 and 21. Var. 15 $\frac{1}{2}$  20' E.

40.00 Set temporary  $\frac{1}{4}$  Sec, corner,  
79.90 Intersect Sec, line 5 lks,  
South of corner to Secs. 15,  
16, 21 and 22.

Then S. 89 $\frac{1}{2}$  58' West on True  
Line. Var. 15 $\frac{1}{2}$  20' East.

39.95 Set sand stone, 27 x 14 x 3, for  $\frac{1}{4}$   
Sec, corner, as per instructions.

79.90 Corner to Secs. 16-17, 20 and 21.  
Surface rolling. Scattering  
Pinon and Cedar, 2 $\frac{1}{2}$  rate.  
Soil 2 $\frac{1}{2}$  rate.

North between Secs. 16 and 17,  
Var. 15 $\frac{1}{2}$  20' E.

28.30 Ravine, 35 lks, wide, course W.

40.00 Set charred post and built  
mound for  $\frac{1}{4}$  Sec, corner, as  
per instructions.

Field Notes of the Subdivision Lines of Township 7 N.

37  
 CHAINS  
 42.00  
 1954  
 BOOK 80.00

Leave scattering timber, bears East and West.  
 Set sand stone, 18 X 10 X 3, marked as per instructions, for the corner to Secs. 8, 9, 16 and 17.  
 Surface rolling, first half, scattering Pinon and cedar, 3<sup>rd</sup> rate, last half prairie soil 2<sup>nd</sup> rate.

East on Random between Secs. 9 & 16,  
 Var. 15<sup>th</sup> 20' E,

40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
 79.75 Intersect Sec. line 20 lks. South of corner to Secs. 9, 10, 15 and 16.

Then S. 89<sup>th</sup> 47' west on True Line,  
 Var. 15<sup>th</sup> 20' E,

39.87<sup>1/2</sup> Set sand stone, 16 X 12 X 8, for  $\frac{1}{4}$  sec. corner, as per instructions.  
 79.75 corner to Secs. 8, 9, 16 and 17.  
 Surface rolling, Prairie soil 2<sup>nd</sup> rate.

North between Secs. 8 and 9.  
 Var. 15<sup>th</sup> 20' E.

19.00 Ravine, 50 lks. wide, course W.  
 40.00 Set sand stone, 20 X 20 X 2, for  $\frac{1}{4}$  sec. corner, as per instructions.  
 79.00 Ravine, 50 lks. wide, course NW.  
 80.00 Set sand stone, 34 X 9 X 8, marked as per instructions, for the corner to Secs. 4, 5, 8 and 9.  
 Surface rolling, Prairie.  
 Soil 2<sup>nd</sup> rate.

October 28<sup>th</sup> 1867.

measuring chain compared with standard and adjusted.

East on Random between Secs. 4 and 9,  
 Var. 15<sup>th</sup> 20' E.

Chains		BOOK	1954	33
40.00	Set temporary $\frac{1}{4}$ sec. corner.			
80.10	Intersect det. line 20 links N. of corner to secs. 3, 4, 9 & 10.  Then N. $89^{\circ} 51'$ West on True Line. Var. $15^{\circ} 20' E.$			
40.00	Set sand stone, $20 \times 6 \times 8$ , for $\frac{1}{4}$ sec. corner, as per instructions.			
80.10	Corner to secs. 4, 5, 8 and 9. Surface rolling. Prairie. Soil 2 <sup>nd</sup> rate.			
40.00	North on Random between Secs. 4 and 5. Var. $15^{\circ} 20' E.$			
80.30	Set temporary $\frac{1}{4}$ Sec. Corner. Intersect North Boundary of Township 25 links East of corner to secs. 4, 5, 32 & 33.			
40.30	Then S. $11^{\circ}$ East on True Line. Var. $15^{\circ} 20' East.$ Set sand stone, $14 \times 12 \times 9$ . for $\frac{1}{4}$ sec. corner, as per instructions.			
80.30	Corner to secs. 4, 5, 8 and 9. Surface rolling. Prairie. Soil 2 <sup>nd</sup> rate.			
40.00	North between Secs. 31 and 32. Var. $15^{\circ} 20' E.$ Set charred post and built mound for $\frac{1}{4}$ sec. corner, as per instructions.			
80.00	Set sand stone, $16 \times 14 \times 8$ . marked as per instructions, for the corner to secs. 29, 30, 31 and 32. Surface rolling. Scattering Pinon and Cedars 3 <sup>rd</sup> rate. Soil 2 <sup>nd</sup> rate.			
	East on Random between Secs. 29 and 32. Var. $15^{\circ} 20' E.$			

Field Notes of the Subdivision Lines of Township 7

BOOK 1954

39 Chains

40.00 Set temporary  $\frac{1}{4}$  sec, corner.  
 79.80 Intersect Dec, line 20 lks. S.  
 of corner to dees, 28, 29, 32 & 33.  
 Then S.  $89^{\circ} 51'$  West on True Line  
 Var,  $15^{\circ} 20' E$ .  
 29,92 $\frac{1}{2}$  Set sand stone,  $14 \times 12 \times 3$ . for  $\frac{1}{4}$   
 sec, corner, as per instructions,  
 79.80 corner to dees, 29, 30, 31 and 32,  
 Surface rolling. Scattering Pinon  
 and cedar,  $3\frac{1}{4}$  rate. Soil  $2\frac{1}{4}$  rate.

West on Random between dees, 30 & 31,  
 Var,  $15^{\circ} 20' E$ .

40.50 Set temporary  $\frac{1}{4}$  sec, corner,  
 81.28 Intersect Range line 15 lks.  
 South of corner to dees, 25,  
 30, 31 and 36.

Then S.  $89^{\circ} 53'$  East on True  
 Line. Var,  $15^{\circ} 20' East$ .

41.28 Set sand stone,  $14 \times 12 \times 3$ . for  $\frac{1}{4}$   
 Sec, corner, as per instructions,  
 81.28 corner to dees, 29, 30, 31 and 32,  
 Surface rolling. Scattering  
 Pinon and cedar,  $3\frac{1}{4}$  rate,  
 Soil  $2\frac{1}{4}$  rate.

North between dees, 29 and 30,  
 Var,  $15^{\circ} 20' E$ .

2450 Cañon, 400 lks wide, course west,  
 4000 Set charred post and built mound  
 for  $\frac{1}{4}$  sec, corner, as per instructions.  
 8000 Set sand stone,  $22 \times 14 \times 3$ .  
 marked as per instructions,  
 for the corner to dees, 19,  
 20, 29 and 30.  
 Surface rolling. Scattering  
 Pinon and cedar,  $3\frac{1}{4}$  rate,  
 Soil  $2\frac{1}{4}$  rate.

Chains

- East on Random between Secs. 20 & 29,  
Var.  $15^{\circ} 20' E$ .
- 40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
79.90 Intersect Sec. line 30 lks. South  
of corner to Secs. 20. 21. 28 and  
29.  
Then S.  $89^{\circ} 47'$  W. on True Line,  
Var.  $15^{\circ} 20' E$ .
- 29.95 Set charred post, built mound and  
dug pits for  $\frac{1}{4}$  Sec. Cor. as per  
instructions.
- 79.90 Corner to Secs. 19. 20. 29 and 30.  
Surface rolling. Scattering Pinon  
and cedar,  $2\frac{1}{4}$  rate, Soil  $2\frac{1}{4}$  rate.

- West on Random between Secs. 19  
and 30. Var.  $15^{\circ} 20' E$ .
- 40.00 Set temporary  $\frac{1}{4}$  Sec. corner.  
81.10 Intersect Range Line 7 lks.  
South of corner to Secs.  
19. 29. 25 and 30.
- Then S.  $89^{\circ} 07'$  E. on True Line.  
Var.  $15^{\circ} 20' E$ .
- 41.10 Set charred post and built mound  
for  $\frac{1}{4}$  Sec. corner, as per instructions.
- 81.10 Corner to Secs. 19. 20. 29 & 30.  
Surface rolling. Scattering  
Pinon and cedar,  $2\frac{1}{4}$  rate,  
Soil  $2\frac{1}{4}$  rate.

- North between Secs. 19 and 20.  
Var.  $15^{\circ} 20' E$ .
- 40.00 Set sand stone,  $14 \times 10 \times 6$ . for  
 $\frac{1}{4}$  Sec. Cor. as per instructions.
- 50.00 Set sand stone,  $18 \times 18 \times 8$ , marked  
as per instructions, for the  
corner to Secs. 17. 18. 19 & 20.  
Surface rolling. Scattering Pinon  
and cedar,  $2\frac{1}{4}$  rate, Soil  $2\frac{1}{4}$  rate.



Field Notes of the Subdivision Lines of Township 7

Chains

BOOK 1954

Easton Random between Secs. 17 and 20. Var.  $15^{\circ}10' E$ .  
 8.00 Cañon, course N. West, 250 lks wide, and 100 feet deep.  
 32.00 Cañon, course S.W. 320 lks wide and 100 feet deep.  
 40.00 Set temporary  $\frac{3}{4}$  Sec. corner,  
 80.20 Intersect Sec. line 20 lks. N. of corner to Secs. 16, 17, 20 & 21.

Then N.  $89^{\circ}51'$  west on True Line. Var.  $15^{\circ}10' E$ .

40.10 Set sand stone, 20 x 15 x 5, for  $\frac{3}{4}$  Sec. corner, as per instructions.  
 80.20 Corner to Secs. 17, 18, 19 and 20, Surface broken. Scattering cedar and Pinon, 3<sup>rd</sup> rate. Soil 2<sup>nd</sup> rate.

West on Random between Secs. 18 and 19. Var.  $15^{\circ}10' E$ .

40.00 Set temporary  $\frac{3}{4}$  Sec. corner,  
 79.85 Intersect Range line 18 lks. N. of corner to Secs. 13, 18, 19 & 24.

Then N.  $89^{\circ}52' E$ , on True Line. Var.  $15^{\circ}10' E$ .

39.85 Set sand stone, 16 x 14 x 4, for  $\frac{3}{4}$  Sec. corner, as per instructions.  
 79.85 Corner to Secs. 17, 18, 19 and 20. Surface rolling. Scattering Pinon and cedar, 3<sup>rd</sup> rate. Soil 2<sup>nd</sup> rate.

North between Secs. 17 and 18. Var.  $15^{\circ}10' E$ .

6.45 Cañon, course West. 200 lks wide x 150 feet deep.  
 37.00 Leave scattering Pinon and cedar, bears East and West.  
 40.00 Set sand stone, 16 x 10 x 9, for  $\frac{3}{4}$  Sec. corner, as per instructions.

Chains

66.00 Dry Creek; 30 lks wide, course west,  
 80.00 Set sand stone, 22 x 16 x 2, marked  
 as per instructions, for the  
 corner to Secs. 7, 8, 17 and 18,  
 Surface rolling. First half,  
 scattering Pinon and Cedar,  
 3<sup>rd</sup> rate, last half, prairie,  
 Soil 2<sup>nd</sup> rate.

Easton Random between Secs.  
 8 and 17. Var. 15° 10' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
 48.20 Ravine, 60 lks wide, course SW.  
 80.30 Intersect Sec. line 22 lks North of  
 corner to Secs. 8, 9, 16 and 17.

Then N. 89° 51' West on True Line.  
 Var. 15° 10' E.

40.12 Set sand stone, 15 x 12 x 4, for  $\frac{1}{4}$   
 Sec. corner, as per instructions.  
 80.30 corner to Secs. 7, 8, 17 and 18.  
 Surface rolling. Prairie.  
 Soil 2<sup>nd</sup> rate.

Weston Random between Secs.  
 7 and 18. Var. 15° 10' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
 79.10 Intersect Range line 20 lks,  
 North of corner to Secs. 7, 12,  
 18 and 18.

Then N. 89° 51' East on True Line.  
 Var. 15° 10' E.

79.10 Set charred post and built mound  
 for  $\frac{1}{4}$  Sec. corner, as per instructions.  
 79.10 corner to Secs. 7, 8, 17 and 18.  
 Surface rolling. Prairie.  
 Soil 2<sup>nd</sup> rate.

North between Secs. 7 and 8.  
 Var. 15° 10' E.

Field Notes of the Subdivision Lines of Township

43 Chains  
 BOOK 1954

40.00 Set charred post and built mound  
 for  $\frac{1}{4}$  Sec. corner as per instructions.  
 80.00 Set sand stone, 15 x 12 x 3. marked  
 as per instructions. for the cor.  
 to sees. 5. 6. 7 and 8,  
 Surface rolling. Prairie.  
 Soil 2 $\frac{1}{2}$  rate.

Easton Random between sees.  
 5 and 8. Var. 15 $^{\circ}$  10' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner  
 75.50 Ravine 100 lks. wide, course NW.  
 80.35 Intersect Sec. line 18 links North  
 of corner to sees. 4. 5. 8 and 9.

Then N. 89 $^{\circ}$  5' 2" West on True Line.  
 Var. 15 $^{\circ}$  10' E.

40.17 $\frac{1}{2}$  Set charred post and built  
 mound for  $\frac{1}{4}$  Sec. corner, as  
 per instructions  
 80.35 Corner to sees. 5. 6. 7 and 8,  
 Surface rolling. Prairie. Soil 2 $\frac{1}{2}$  rate.

Weston Random between sees.  
 6 and 7. Var. 15 $^{\circ}$  10' E.  
 bed of

6.50 Dry Creek, 100 lks wide, course  
 S. W.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
 78.65 Intersect Range line 25 lks.  
 North of corner to sees.  
 1. 6. 7 and 12.

Then N. 89 $^{\circ}$  49' E. on True Line.  
 Var. 15 $^{\circ}$  10' E.

38.65 Set charred post and built  
 mound for  $\frac{1}{4}$  Sec. corner,  
 as per instructions.  
 78.65 Corner to sees. 5. 6. 7 and 8,  
 Surface rolling. Prairie.  
 Soil 2 $\frac{1}{2}$  rate.

Chains

North on Random between Secs.  
5 and 6. Var. 15° 10' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner.

72.65 Intersect North Boundary of  
Township 30 links west of  
corner to Secs. 5, 6, 31 and 32.

Then S. 13' West on True line.

Var. 15° 10' East.

39.65 Set sand stone, 16 x 8 x 5. for  $\frac{1}{4}$   
Sec. corner, as per instructions.

79.65 Corner to Secs. 5, 6, 7 and 8  
Surface rolling. Prairie.

Soil 2<sup>d</sup> rate.

October 20<sup>th</sup> 1869.

General Description of Township  
No. 7 North, Range No. 9 West  
of the Navajo Special Meridian.

This Township is all upland,  
surface generally rolling. The  
larger portion of it is sparsely  
covered with Pinon and  
cedar, 3<sup>d</sup> rate.

It is well adapted to grazing,  
and a portion of it to farming  
purposes.

Soil generally 2<sup>d</sup> rate.

Field Notes of the Subdivision Lines of Township 8<sup>s</sup>

45 Chains

BOOK 1954

North between Secs. 35 and 36.  
Var 15° 30' E.

- 40.00 Set sand stone, 14 x 12 x 3. for  $\frac{1}{4}$  Sec, corner, as per instructions.
- 80.00 Set sand stone, 14 x 12 x 3. marked as per instructions, for the corner to Secs. 25, 26, 35 & 36. Surface rolling. Prairie. Soil 2<sup>d</sup> rate.

Easton Random between Secs. 25 and 36. Var. 15° 30' E.

- 8.00 Cañon, course West by North.
- 16.60 Leave same, .300 feet deep, sides of sand stone formation.
- 40.00 Set temporary  $\frac{1}{4}$  Sec, corner.
- 79.80 Intersect Range line 25 lks, North of corner to Secs. 25, 30, 31 and 36.

Then N. 89° 49' West on True Line. Var. 15° 30' E.

- 39.90 Set charred post and built mound for  $\frac{1}{4}$  Sec, corner, as per instructions.
- 79.80 Corner to Secs. 25, 26, 35 & 36. Surface rolling. Prairie. Soil 2<sup>d</sup> rate.

North between Secs. 25 and 26. Var. 15° 30' E.

- 30.00 Bend in cañon, course NW.
- 40.00 Set sand stone, 16 x 12 x 3. for  $\frac{1}{4}$  Sec, corner, as per instructions.
- 42.00 Leave cañon, course N.E. 300 feet deep.
- 66.30 Enter cañon, bears N. 10° W.
- 80.00 Set sand stone 18 x 14 x 5, marked as per instructions, for the corner to Secs. 23, 24, 25 and 26.

Chains

Surface broken. Prairie. Soil 3<sup>rd</sup> rate.Easton Random between Secs.  
24 and 25. Var. 15° 30' E.

6.50 Leave cañon, course North.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

48.50 Cañon, course N. west.

512.50 Leave same, 150 feet deep,  
sides of sandstone formation.79.65 Intersect Range line 30 lks.  
South of corner to Secs. 19.  
24. 25 and 30.

Then S. 89° 45' West, on True Line.

Var. 15° 30' E.

39.82<sup>1/2</sup> Set sandstone, 14 x 12 x 3. for  
 $\frac{1}{4}$  sec. corner, as per instructions,79.65 Corner to Secs. 23. 24. 25 x 26.  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.North between Secs. 23 and 24,  
Var. 15° 30' E.24.00 Leave cañon, course N.W. 330 feet  
deep, sides of sandstone form-  
ation40.00 Set sandstone, 15 x 12 x 3. for  $\frac{1}{4}$   
sec. corner, as per instructions.78.00 Set sandstone, 24 x 6 x 4, marked  
as per instructions, for the  
corner to Secs. 13. 14. 23 x 24.  
Surface rolling. Prairie.  
Soil 2<sup>nd</sup> rate.Easton Random between Secs.  
13 and 24.

Var. 15° 30' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,79.55 Intersect First Guide meridian  
30 lks, South of corner to

Field Notes of the Subdivision Lines of Township

47 Chains

BOOK 1954

secs. 13, 18, 19 and 24.

Then S.  $89^{\circ}47'$  West on True Line. Var.  $15^{\circ}30'$  East.

39.92 Set charred post and built mound for  $\frac{1}{4}$  Sec. corner as per instructions.

79.85 Corner to secs. 13, 14, 23 & 24. Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

North between Secs. 13 and 14, Var.  $15^{\circ}30'$  E.

40.00 Set charred post and built mound for  $\frac{1}{4}$  Sec. corner, as per instructions.

80.00 Set sand stone,  $18 \times 14 \times 3$ . marked as per instructions. for the corner to Secs. 11, 12, 13 and 14. Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

East on Random between Secs. 12 and 13. Var.  $15^{\circ}30'$  E.

19.50 Cañon, course N. West.

23.00 Leave same, 150 feet deep.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner.

80.20 Intersect First Guide meridian 16 links north of corner to Secs. 7, 12, 13 and 18.

Then N.  $89^{\circ}53'$  West on True Line. Var.  $15^{\circ}30'$  East.

40.10 Set sand stone,  $14 \times 12 \times 9$ . for  $\frac{1}{4}$  Sec. corner, as per instructions.

80.20 Corner to Secs. 11, 12, 13 and 14. Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

North between Secs. 11 and 12, var.  $15^{\circ}30'$  East.

Chains

27.00 Cañon, course west,  
 29.50 Leave same, 125 feet deep,  
 40.00 Set sand stone, 16 X 14 X 6. for  $\frac{1}{4}$  sec  
 corner, as per instructions.  
 80.00 Set sand stone, 18 X 14 X 3. marked  
 as per instructions, for the cor,  
 to sees, 1, 2, 11 and 12,  
 Surface rolling. Prairie. Soil 2 $\frac{1}{2}$  rate.

East on Random between sees, 1  
 and 12, Var. 15° 30' E.

40.00 Set temporary  $\frac{1}{4}$  sec, corner,  
 79.70 Intersect First Guide Meridian;  
 28 lks north of corner to sees,  
 1, 6, 7 and 12.

Then N. 89° 48' West on True Line.  
 Var. 15° 30' E.

39.85 Set sand stone, 14 X 12 X 3. for  $\frac{1}{4}$   
 sec, corner, as per instructions.  
 79.70 Corner to sees, 1, 2, 11 and 12.  
 Surface rolling. Prairie. Soil 2 $\frac{1}{2}$  rate.

North on Random between sees, 1 & 2,  
 Var. 15° 30' E.

22.00 Cañon, course west,  
 25.50 Leave same.  
 40.00 Set temporary  $\frac{1}{4}$  sec, corner,  
 80.30 Intersect North Boundary of  
 Township 23 lks. East of  
 corner to sees, 1, 2, 35 & 36.

Then S. 10' East on True Line.  
 Var. 15° 30' E.

40.30 Set sand stone, 15 X 14 X 5. for  $\frac{1}{4}$  sec.  
 corner, as per instructions,  
 80.30 Cor, to sees, 1, 2, 11 and 12,  
 Surface rolling. Prairie.  
 Soil 2 $\frac{1}{2}$  rate, October 31 $\frac{1}{2}$  1869.



Field Notes of the Subdivision Lines of Townships

49 Chains

BOOK 1954

measuring chain compared with standard and adjusted.

North between Secs. 34 and 35.  
Var.  $15^{\circ} 30' E.$

- 1.65 Leave Cañon, course N.W.
- 40.00 Set sand stone,  $14 \times 12 \times 4$ . for  $\frac{1}{4}$  sec. cor. as per instructions.
- 43.00 Cañon, course west.
- 45.00 Leave same.
- 80.00 Set sand stone,  $14 \times 12 \times 4$ . marked as per instructions. for the corner to Secs. 26, 27, 34 & 35.  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

Easton Random between Secs. 26 and 35. Var.  $15^{\circ} 30' E.$

- 40.00 Set temporary  $\frac{1}{4}$  Sec. corner.
- 79.80 Intersect Sec. line 10 lks. south of corner to Secs. 25, 26, 35 and 36.  
Then S.  $89^{\circ} 53'$ . west on true line. Var.  $15^{\circ} 30'$  East.
- 39.92<sup>6</sup> Set charred post and built mound for  $\frac{1}{4}$  Sec. corner as per instructions.
- 79.80 Corner to Secs. 26, 27, 34 & 35.  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

North between Secs. 26 and 27.  
Var.  $15^{\circ} 30' E.$

- 40.00 Set charred post and built mound for  $\frac{1}{4}$  Sec. corner, as per instructions.
- 80.00 Set sand stone,  $36 \times 24 \times 2$ , marked as per instructions. for the corner to Secs. 22, 23, 26 and 27.  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

Chains

East on Random between Secs. 22 and 26. Var.  $15^{\circ} 30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
78.00 Cañon, course North.

80.20 Intersect Sec. line 30 links S. of the corner to Secs. 23. 24. 25 & 26.

Then S.  $89^{\circ} 47'$  West on True Line. Var.  $15^{\circ} 30'$  East.

40.10 Set sand stone,  $16 \times 12 \times 5$ . for  $\frac{1}{4}$  sec. corner, as per instructions.

80.20 Corner to Secs. 22. 23. 26 and 27. Surface rolling. Prairie Soil 2<sup>nd</sup> rate.

North between Secs. 22 and 23. Var.  $15^{\circ} 30'$  E.

40.00 Set charred post and built mound for  $\frac{1}{4}$  sec. cor. as per instructions.

80.00 Set sand stone,  $16 \times 10 \times 4$ , marked as per instructions, for the corner to Secs. 19. 18. 22 and 23. Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

East on Random between Secs. 14 and 23. Var.  $15^{\circ} 30'$  E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
45.00 Cañon, course N.W.

88.00 Leave same. About 100 feet deep.

80.20 Intersect Sec. line 15 links N. of corner to Secs. 13. 14. 23 & 24

Then N.  $89^{\circ} 53'$  West on True Line. Var.  $15^{\circ} 30'$  E.

40.10 Set sand stone,  $16 \times 12 \times 4$ . for  $\frac{1}{4}$  sec. corner, as per instructions.

80.20 Corner to Secs. 14. 15. 22 & 23. Surface rolling. Soil 2<sup>nd</sup> rate. Prairie.

Field Notes of the Subdivision Lines of Townships

51 Chains

BOOK 1954

North between Secs. 14 and 15.  
 Var.  $15^{\circ} 30' E$ .  
 16.00 Canon, course west.  
 23.00 Leave same, 200 feet deep, sides of  
 sand stone formation.  
 40.00 Set sand stone,  $16 \times 10 \times 7$ . for  $\frac{1}{4}$   
 sec, cor, as per instructions.  
 80.00 Set sand stone,  $14 \times 12 \times 3$ . marked  
 as per instructions, for the  
 corner to Secs. 10. 11. 14 and 15.  
 Surface rolling. Soil  $2\frac{1}{4}$  rate.  
 Prairie

East on Random between Secs.  
 11 and 14. Var.  $15^{\circ} 30' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec, corner.  
 80.30 Intersect Sec. line 7 lks. S.  
 of corner to Secs. 11. 12. 13 & 14.

Then S.  $89^{\circ} 57'$ . West on True  
 line. Var.  $15^{\circ} 30'$  East.

40.15 Set sand stone,  $18 \times 7 \times 4$ . for  $\frac{1}{4}$   
 sec, cor, as per instructions.  
 80.30 Corner to Secs. 10. 11. 14 and 15.  
 Surface rolling. Soil  $2\frac{1}{4}$  rate.  
 Prairie.

North between Secs. 10 and 11.

Var.  $15^{\circ} 30'$  East.

22.60 Canon, course S. West.  
 27.00 Leave same, 150 feet deep.  
 40.00 Set sand stone,  $15 \times 12 \times 3$  for  $\frac{1}{4}$   
 sec, corner, as per instructions.  
 80.00 Set sand stone  $15 \times 14 \times 4$ . marked  
 as per instructions, for the  
 corner to Secs. 2. 3. 10 and 11.  
 Surface rolling. Soil  $2\frac{1}{4}$  rate.  
 Prairie.

East on Random between Secs.  
 2 and 11. Var.  $15^{\circ} 30' E$ .

Chains

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.80 Intersect Sec. line 24 lks. South  
of corner to Secs. 1, 2, 11 and 12.

Then S.  $89^{\circ}50'$  West on True Line.

Var.  $15^{\circ}30'$  East.

39.90 Set sand stone,  $16 \times 14 \times 3$ . for  $\frac{1}{4}$   
sec. corner, as per instructions.

79.80 Corner to Secs. 2, 3, 10 and 11.  
Surface rolling. Soil  $2^{\frac{1}{2}}$  rate. Prairie.

North on Random between Secs.  
2 and 3.

Var.  $15^{\circ}30'$  E.

21,10 Cañon, course West.

24,60 Leave same.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

80.35 Intersect North Boundary of  
Township 18 lks. East of  
corner to Secs. 2, 3, 34 and 35.

Then S  $8^{\circ}$  E. on True Line. Var.  
 $15^{\circ}30'$  East.

40.17 $\frac{1}{2}$  Set Charred post and built  
mound for  $\frac{1}{4}$  sec. corner, as  
per instructions.

80.35 Corner to Secs. 2, 3, 10 & 11.  
Surface rolling. Soil  $2^{\frac{1}{2}}$  rate  
Prairie.

November 1 $\frac{3}{4}$  1889.

North between Secs. 33 and 34.

Var.  $15^{\circ}$  East.

40.00 Set sand stone,  $15 \times 14 \times 3$ . for  $\frac{1}{4}$   
sec. corner, as per instructions.

67.00 Cañon, course N.W.

71.00 Leave same. 150 feet deep.

80.00 Set sand stone,  $16 \times 14 \times 3$ .  
marked as per instructions,  
for the corner to Secs. 27,  
28, 33 and 34.

Field Notes of the Subdivision Lines of Township

53 Chains

BOOK 1954

Surface rolling Prairie. Soil 2<sup>nd</sup> rate.

East on Random between Secs. 27 and 34. Var. 15° East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.85 Intersect Sec. line 25 lks,  
North of corner to Secs. 26, 27,  
24 and 35.

Then N. 89° 49' West on True Line, Var. 15° East.

39.92 Set sand stone, 14 X 10 X 8, for  
79.85  $\frac{1}{4}$  sec. corner, as per instructions,  
Corner to Secs. 27, 28, 30 and 34,  
Surface rolling. Prairie. Soil  
2<sup>nd</sup> rate.

North between Secs. 27 and 28,  
Var. 15° E.

40.00 Set sand stone, 30 X 13 X 3, for  $\frac{1}{4}$   
sec. corner, as per instructions,  
80.00 Set sand stone, 14 X 8 X 8, marked  
as per instructions, for corner  
to Secs. 21, 22, 27 and 28,  
Surface rolling. Prairie.  
Soil 2<sup>nd</sup> rate.

East on Random between Secs.  
22 and 27. Var. 15° East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.70 Intersect Sec. line 25 lks,  
South of corner to Secs. 22,  
23, 26 and 27

Then S. 89° 49' West on True Line.  
Var. 15° East

39.80 Set sand stone, 14 X 8 X 8, for  $\frac{1}{4}$  sec.  
cor. as per instructions,  
79.70 corner to Secs. 21, 22, 28 and 27.  
Surface rolling. Prairie.  
Soil 2<sup>nd</sup> rate.

Chains

BOOK 1954

North between secs. 21 and 22.

Var. 15° East.

40.00 Set sand stone, 16 X 10 X 3. for  $\frac{1}{4}$  sec.  
corner, as per instructions.

58.60 Cañon, 200 lks. wide, course west,

80.00 Set sand stone, 16 X 10 X 4. marked  
as per instructions. for the  
corner to secs. 15, 16, 21 and  
22. Surface rolling. Prairie.  
Soil 2 $\frac{1}{2}$  rate.Easton Random between secs. 15  
and 22. Var. 15° East,40.00 Set temporary  $\frac{1}{4}$  sec. corner,

58.00 Cañon, course S. West.

69.00 Leave same,

80.20 Intersect Sec. line 35 lks. North  
of corner to secs. 14, 15, 22 and  
23.Then N. 89° 45'. West on True  
Line. Var. 15° East.40.10 Set sand stone, 14 X 12 X 3. for  $\frac{1}{4}$   
sec. corner, as per instructions.80.20 Corner to secs. 15, 16, 21 and  
22. Surface rolling. Prairie.  
Soil 2 $\frac{1}{2}$  rate.

North between secs. 15 and 16.

Var. 15° East,

40.00 Set sand stone, 16 X 10 X 3. for  $\frac{1}{4}$   
sec. corner, as per instructions.

68.00 Ravine, 75 lks. wide, course W.

80.00 Set sand stone, 16 X 12 X 3, marked as  
per instructions. for the corner to secs.  
9, 10, 15 and 16.Surface rolling. Prairie. Soil 2 $\frac{1}{2}$  rate.

Easton Random between secs. 10 &amp; 15

Var. 15° E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

69.00 Cañon. 250 lks wide, course S.W.

Field Notes of the Subdivision Lines of Townships

55 Chains

BOOK 1954

80.35 Intersect Sec. line 25 lks. S. of the corner to sections 10, 11, 14 and 15,

Then S.  $89^{\circ}49'$  West on True Line. Var.  $15^{\circ}$  East.

40.17 $\frac{1}{2}$  Set sand stone, 16 X 12 X 4. for  $\frac{1}{4}$  sec. corner, as per instructions.

80.35 Corner to Secs. 9, 10, 15 and 16. Surface rolling. Prairie. Soil 2 $\frac{1}{2}$  rate.

North between Secs. 9 and 10.

Var.  $15^{\circ}$  East.

40.00 Set sand stone, 16 X 10 X 10. for  $\frac{1}{4}$  sec. corner, as per instructions.

59.60 Canon, course West.

61.50 Leave same.

80.00 Set sand stone, 14 X 10 X 5. marked as per instructions. for the corner to Secs. 3, 4, 9 and 10. Surface rolling. Prairie. Soil 2 $\frac{1}{2}$  rate.

East on Random between Secs. 9 & 10.

Var.  $15^{\circ}$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

65.00 Canon, 150 lks. wide, course S.W.

80.35 Intersect Sec. line 15 lks. North of corner to Secs. 2, 3, 10 & 11.

Then N.  $89^{\circ}53'$  W. on True Line.

Var.  $15^{\circ}$  East.

40.17 $\frac{1}{2}$  Set sand stone, 15 X 10 X 5 for  $\frac{1}{4}$  sec. cor. as per instructions.

80.35 Corner to Secs. 3, 4, 9 & 10. Surface rolling. Prairie. Soil 2 $\frac{1}{2}$  rate.

North on Random between Secs. 3 and 4.

Var.  $15^{\circ}$  E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

Chains

79.65 Intersect North Boundary of Township  
40 lks. East of corner to secs,  
3, 4, 33 and 34.

Then S. 17° E. on True Line. Var. 15° E.

39.65 Set sand stone, 14 x 12 x 4, for 1/4  
Sec. corner, as per instructions

79.65 Corner to secs. 3, 4, 9 & 10.

Surface rolling. Prairie.

Soil 2<sup>nd</sup> rate,

November. 2<sup>d</sup> 1869.

measuring chain compared  
with standard and found correct.

North between Secs. 32 and 33,

Var. 15° 10' E.

33.75 Cañon, course West.

37.00 Leave same.

40.00 Set sand stone, 14 x 12 x 3, for 1/4  
Sec. corner, as per instructions.

80.00 Set sand stone, 18 x 12 x 3,

marked as per instructions.

for the corner to secs. 28, 29, 32  
and 33.

Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

East on Random between Secs.  
28 and 33.

Var. 15° 10' E.

40.00 Set temporary 1/4 Sec. corner.

64.00 Cañon, 200 lks wide, course NW.

79.70 Intersect Sec. line 20 lks. S.  
of corner to secs. 27, 28,  
33 and 34.

Then S. 89° 49' west on  
True Line. Var. 15° 10' E.

89.85 Set charred post, built  
mound and dug pits for 1/4 Sec.



Field Notes of the Subdivision Lines of Township 8

BOOK	Chains	
57	1954	
79.70		corner, as per instructions. corner to secs. 28, 29, 32 and 33. Surface rolling. Prairie. Soil 2 <sup>1</sup> / <sub>2</sub> rate.
38.50		North between Secs. 28 and 29, Var. 15° 10' East, Cañon, course N. West, 200 lks. wide.
40.00		Set sand stone, 16 X 14 X 3. for 4 sec, corner, as per instructions.
80.00		Set sand stone, 16 X 12 X 3. marked as per instructions. for the corner to secs. 20, 21, 28 and 29. Surface rolling. Prairie. Soil 2 <sup>1</sup> / <sub>2</sub> rate.
40.00		East on Random between Secs. 21 and 28. Var. 15° 10' E.
79.65		Set temporary 4 sec, corner, Intersect Sec, line 35 lks. S. of corner to Secs. 21, 22, 27 & 28, Then S. 89° 45' West on True Line. Var. 15° 10' East.
39.82 <sup>1</sup> / <sub>2</sub>		Set sand stone, 14 X 12 X 3. for 3 sec, corner, as per instruc- tions.
79.65		corner to Secs. 20, 21, 28 & 29. Surface rolling. Prairie. Soil 2 <sup>1</sup> / <sub>2</sub> rate.
40.00		North between Secs. 20 and 21, Var. 15° 10' E.
80.00		Set sand stone, 14 X 12 X 3. for 4 sec, corner, as per instructions. Set sand stone, 12 X 10 X 8, marked as per instructions. for the corner to Secs. 16, 17, 20 & 21. Surface rolling. Prairie. Soil 2 <sup>1</sup> / <sub>2</sub> rate.

Chains

East on Random between Secs. 16  
and 21. Var.  $15^{\circ} 10'$  E.

38.00 Canon, course N.W. 250 lks. wide.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.85 intersect Sec. line 18 lks. south  
of corner to Secs. 15. 16. 21 & 22.

Then S.  $89^{\circ} 52'$  West on True Line.

Var.  $15^{\circ} 10'$  E.

29.92 $\frac{1}{2}$  Marked sand stone boulder, 36 X 24 X 12.

79.85 for  $\frac{1}{4}$  sec. corner, as per instructions,  
Corner to Secs. 16-17. 20 and 21.  
Surface rolling. Prairie. Soil 2 $\frac{1}{2}$  rate.

North between Secs. 16 and 17.

Var.  $15^{\circ} 10'$  East.

40.00 Set sand stone, 17 X 16 X 4, for  $\frac{1}{4}$  sec.  
corner, as per instructions.

42.00 Ravine, 100 lks. wide, course West.

80.00 Set sand stone, 14 X 10 X 8, marked  
as per instructions, for the cor-  
ner to Secs. 8. 9. 16 and 17.

Surface rolling. Prairie. Soil 2 $\frac{1}{2}$  rate.

East on Random between Secs.  
9 and 16. Var.  $15^{\circ} 10'$  E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

80.20 intersect Sec. line 18 lks.  
North of corner to Secs. 9. 10.  
15 and 16.

Then N.  $89^{\circ} 53'$  West on True  
Line, Var.  $15^{\circ} 10'$  East.

40.10 Set sand stone, 15 X 15 X 6. for  
 $\frac{1}{4}$  sec. corner, as per  
instructions.

80.20 Corner to Secs. 8. 9. 16 and 17.  
Surface rolling. Prairie.  
Soil 2 $\frac{1}{2}$  rate.

Field Notes of the Subdivision Lines of Township 8

50 Chains  
1954  
BOOK

North between Secs. 8 and 9.  
Var.  $15^{\circ} 10'$  East,

40.00 Set sand stone,  $16 \times 9 \times 5$ , for  $\frac{1}{4}$  sec.  
corner, as per instructions.

80.00 Set sand stone,  $24 \times 10 \times 9$ , marked  
as per instructions, for the corner  
to Secs. 4, 5, 8 and 9.

Surface rolling. Prairie.  
Soil 2<sup>d</sup> rate.

East on Random between Secs.  
4 and 9. Var.  $15^{\circ} 10'$  E.

30.30 Ravine, course N. W. 200 lks, wide.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

80.35 Intersect Sec. line 40 lks, North  
of corner to Secs. 3, 4, 9 and 10.

Then N.  $89^{\circ} 43'$  West on True Line.  
Var.  $15^{\circ} 10'$  E.

40.17<sup>2</sup> Set sand stone,  $17 \times 8 \times 3$ , for  $\frac{1}{4}$   
sec. cor. as per instructions.

80.35 corner to Secs. 4, 5, 8 and 9.  
Surface rolling. Prairie. Soil 2<sup>d</sup> rate.

North on Random between Secs.  
4 and 5. Var.  $15^{\circ} 10'$  E.

27.50 Cañon, course N. West.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

79.50 Intersect North Boundary  
of Township 20 lks west of  
corner to Secs. 4, 5, 32 and 33.

Then S.  $11'$  West on True Line.  
Var.  $15^{\circ} 10'$  E.

29.50 Set sand stone,  $14 \times 12 \times 4$ , for  $\frac{1}{4}$   
sec. cor. as per instructions.

79.50 corner to Secs. 4, 5, 8 and 9.  
Surface rolling. Prairie. Soil 2<sup>d</sup> rate.

November, 3<sup>d</sup> 1869.

Chains

North between Secs. 21 and 22,  
Var. 15° East.

40.00 Set temporary 1/4 sec. corner,  
80.20 Intersect Sec. line 18 links N.  
of corner to Secs. 28, 29, 32 & 33.

Then N. 89° 52' West on True Line  
Var. 15° East.

40.10 Set sand stone, 16 x 15 x 4, for 1/4 sec.  
corner, as per instructions.  
80.20 corner to Secs, 29, 30, 31 & 32,  
Surface rolling. Prairie Soil 2<sup>nd</sup> rate.

West on Random between Secs.  
30 and 31. Var. 15° East.

40.00 Set temporary 1/4 sec. corner,  
78.90 Intersect Range line 15 lks. N.  
of corner to Secs, 29, 30, 31 & 32.

Then N. 89° 53' East on True Line.  
Var. 15° East.

38.90 Set sand stone, 15 x 12 x 3, for 1/4  
sec. corner, as per instructions.  
78.90 corner to Secs, 29, 30, 31 & 32,  
Surface rolling. Prairie  
Soil 2<sup>nd</sup> rate.

North between Secs. 29 and 30.  
Var. 15° E.

40.00 Set sand stone, 18 x 14 x 3, for 1/4  
Sec. corner, as per instructions.  
71.00 Cañon, course West, 2 chs. wide.  
80.00 Set sand stone, 22 x 11 x 2,  
marked as per instructions, for  
the corner to Secs, 19, 20, 29 & 30.  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

East on Random between Secs,  
20 and 29. Var. 15° E.

40.00 Set temporary 1/4 sec. corner.

Field notes of the Subdivision Lines of Township 8 N.

61  
Chains  
80.35  
1954  
BOOK

Intersect sec, line 20 lks. North of  
corner to Secs, 20, 21, 28 and 29,

Then N. 89° 51' West on True Line.

Var. 15° East.

40.17<sup>2</sup> Set sand stone, 14 X 12 X 3, for  $\frac{1}{4}$  Sec,  
Corner, as per instructions,

80.35 Corner to Secs, 19, 20, 29 & 30.

Surface rolling. Prairie.

Soil 2<sup>nd</sup> rate.

West on Random between Secs,  
19 and 30.

Var. 15° East.

40.00 Set temporary  $\frac{1}{4}$  Sec, Corner,

78.30 Intersect Range line 20 lks,  
North of corner to Secs, 19,

24, 25 and 30.

Then N. 89° 49' E. on True Line.

Var. 15° East.

38.80 Set sand stone, 16 X 12 X 3, for  $\frac{1}{4}$   
Sec, corner as per instruc-  
tions,

75.50 Corner to Secs, 19, 20, 29 & 30.

Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

North between Secs, 19 and 24,

Var. 15° East.

40.00 Set sand stone, 14 X 12 X 4, for  $\frac{1}{4}$  Sec,  
Corner, as per instructions,

73.00 Ravine, course West.

80.00 Set sand stone, 16 X 14 X 4, marked as  
per instructions, for the corner  
to Secs, 17, 18, 19 and 20,

Surface rolling - Prairie. Soil 2<sup>nd</sup> rate.

East on Random between Secs, 17 & 20,

Var. 15° East.

40.00 Set temporary  $\frac{1}{4}$  Sec, corner,

Range 9 west of the Navajo Special Meridian.

BOOK 1954

Chains

57.00 Ravine, course S. West  
 80.10 Intersect Sec. line 12 lks. South  
 of corner to Secs. 16, 17, 20 & 21.  
 Then S.  $89^{\circ} 51' 51''$  West on True Line.  
 Var.  $15^{\circ}$  East,  
 40.05 Set sand stone,  $12 \times 12 \times 6$ . for  $\frac{1}{4}$  sec,  
 corner as per instructions.  
 80.10 corner to Secs. 17, 18, 19 and 20,  
 surface rolling. prairie. Soil 2<sup>nd</sup> rate.

West on Random between Secs. 18 & 19,  
 Var.  $15^{\circ}$  East,

40.00 Set temporary  $\frac{1}{4}$  sec, corner,  
 78.95 Intersect Range line 18 lks. N.  
 of corner to Secs. 15, 18, 19 & 24,  
 Then N.  $89^{\circ} 52'$  East on True  
 Line. var.  $15^{\circ}$  East,  
 38.95 Set sand stone  $14 \times 12 \times 3$ . for  $\frac{1}{4}$   
 sec, corner, as per instructions,  
 78.95 corner to Secs. 17, 18, 19 & 20,  
 surface rolling. prairie. Soil 2<sup>nd</sup> rate.

North between Secs. 17 and 18,  
 Var.  $15^{\circ}$  East.

40.00 Set charred post, built mound and  
 dug pits for  $\frac{1}{4}$  sec. cor. as per  
 instructions.  
 40.00 Deposited marked stone, set charred  
 post, marked, built mound and  
 dug pits, as per instructions, for  
 the corner to Secs. 7, 8, 17 and 18.  
 Surface rolling. prairie. Soil 2<sup>nd</sup> rate.

East on Random between Secs. 8 & 17.  
 Var.  $15^{\circ}$  East,

40.00 Set temporary  $\frac{1}{4}$  sec, corner,

Field Notes of the Subdivision Lines of Township 8 N.

63 Chains

BOOK

1954

79.85 Intersect Sec. Line 20 links South of corner to Secs. 8, 9, 16 and 17.

Then S.  $89^{\circ}51'$  West on True Line.  
Var.  $15^{\circ}$  East.

39.92 $\frac{1}{2}$  Set charred post, built mound and dug pits for  $\frac{1}{4}$  Sec. cor. as per instructions.

79.85 Corner to Secs. 7, 8, 17 and 18.  
Surface rolling. Prairie.  
Soil 2 $\frac{1}{2}$  rate.

West on Random between Secs. 7 and 18.  
Var.  $15^{\circ}$  E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner

78.75 Intersect Range line 18 lks. South of corner to Secs. 7, 12, 13 and 18.

Then S.  $89^{\circ}52'$  E on True Line.  
Var.  $15^{\circ}$  East.

38.75 Set charred post, built mound and dug pits for  $\frac{1}{4}$  Sec. cor. as per instructions.

78.75 Corner to Secs. 7, 8, 17 & 18.  
Surface rolling. Prairie. Soil 2 $\frac{1}{2}$  rate.  
November 11<sup>th</sup> 1869.

Measuring chain compared with Standard and found correct.

North between Secs. 7 and 8.  
Var.  $15^{\circ}$  East.

40.00 Set charred post, built mound, and dug pits for  $\frac{1}{4}$  Sec. corner, as per instructions.

80.00 Set sand stone, 14x12x3. Marked as per instructions for the corner to Secs. 5, 6, 7 and 8.  
Surface rolling. Prairie. Soil 2 $\frac{1}{2}$  rate.

Range 9 west of the Navajo Special Meridian.

Chains

BOOK 1954 81

East on Random between Secs 5 & 8.  
Var. 15° E.

29.50 Ravine, 70 lks, wide, course N.  
40.00 Set temporary 1/4 sec, corner.  
79.75 Intersect Sec, line 35 lks,  
south of corner to Secs, 4, 5,  
8 and 9.

Then S. 89° 45' West on True  
Line. Var. 15° East.

29.87 1/2 Set sand stone, 15 x 13 x 4. for  
1/4 sec, corner, as per instructions.  
79.75 Corner to Secs, 5, 6, 7 and 8,  
Surface rolling. Prairie.  
Soil 2<sup>d</sup> rate.

West on Random between Secs,  
6 and 7. Var. 15° East.

40.00 Set temporary 1/4 Sec, corner.  
78.50 Intersect Range line 27 lks,  
South of corner to Secs, 1, 6, 7  
and 12.

Then S. 89° 48' East on True Line  
Var. 15° E.

88.50 Set charred post, built mound  
and dug pits for 1/4 sec, corner,  
as per instructions.  
78.50 Corner to Secs, 5, 6, 7 and 8,  
Surface rolling. Prairie. Soil 2<sup>d</sup> rate.

North on Random between Secs,  
5 and 6. Var. 15° E.

40.00 Set temporary 1/4 sec, corner,  
77.25 Creek, 15 lks, wide, course N. E.  
Running water,  
79.85 Intersect Town line 25 lks,  
East of corner to Secs, 5, 6,  
31 and 32.



65 Chains

BOOK 1954

39.85

Then S. 11' E. on True Line, var. 15' E.  
Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec, corner,  
as per instructions.

79.80

Corner to Secs. 5, 6, 7 and 8,  
Surface rolling. Prairie Soil 2<sup>nd</sup> rate,

November 5<sup>th</sup> 1889,

### General Description.

The land in this Township  
is all upland, well adapted to  
farming and grazing purposes.  
There is a fine spring in  
sec. 5 and one also in sec. 34.

It is generally prairie, there  
being but a few scattering  
Pine and cedar trees in  
the Township.

Soil generally 2<sup>nd</sup> rate,

Field Notes of the Subdivision  
Lines of Township 9 N. Range 9  
West of the Navajo Special Meridian.

North between Secs. 35 and 36.  
Var.  $15^{\circ} 10' E$ .

40.00 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec, corner  
as per instructions.

80.00 Set sandstone,  $16 \times 14 \times 3$ , marked  
as per instructions, for the  
corner to Secs. 25, 26, 35 & 36.  
Surface rolling. Prairie. Soil  $1\frac{1}{2}$  rate.

East on Random between Secs. 25  
and 36. Var.  $15^{\circ} 10' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec, corner.

79.85 Intersect Range line 18 lks. North of  
corner to Secs. 25, 30, 31 and 36.

Then N.  $89^{\circ} 52'$  West on true line, var.  
 $15^{\circ} 10' E$ .

39.92 $\frac{1}{2}$  Set charred post, built mound and  
dug pits for  $\frac{1}{4}$  sec, corner, as per  
instructions.

79.85 Corner to Secs. 25, 26, 35 and 36,  
Surface rolling. Prairie. Soil  $1\frac{1}{2}$  rate.

North between Secs. 25 and 26,  
Var.  $14^{\circ} 10' E$ .

40.00 Set charred post, built mound and  
dug pits for  $\frac{1}{4}$  sec, cor. as per  
instructions.

80.00 Deposited marked stone, set charred  
post, marked, built mound and  
dug pits, as per instructions, for  
the corner to Secs. 23, 24, 25 & 26.  
Surface level. Prairie. Soil  $1\frac{1}{2}$  rate.

Field Notes of the Subdivision Lines of Township 9 N.

67 Chains

BOOK 1954

40.00  
79.75

East on Random between Secs. 24 and 25. Var.  $15^{\circ} 10' E$ .

Set temporary  $\frac{1}{4}$  sec. corner, Intersect Range line 24 lks. North of corner to Secs. 19, 24, 25 and 30.

Then N.  $89^{\circ} 49'$  West on True Line.

Var.  $15^{\circ} 10' E$ .

39.87 $\frac{1}{2}$

Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.

79.75

corner to Secs. 23, 24, 25 and 26, Surface level. Prairie. Soil 1 $\frac{1}{4}$  rate

North between Secs. 23 and 24,

Var.  $15^{\circ} 10' E$ .

40.00

Set sand stone, 14 x 12 x 3. for  $\frac{1}{4}$  sec. corner, as per instructions.

80.00

Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 13, 14, 23 and 24.

Surface rolling. Prairie. Soil 2 $\frac{1}{4}$  rate,

November. 5 $\frac{1}{4}$  1869.

measuring chain compared with standard and found correct.

East on Random between Secs. 13 and 24. Var.  $15^{\circ} 10' E$ .

28.50

Creek, 30 lks. wide, course NW.

40.00

Set temporary  $\frac{1}{4}$  sec. corner,

79.90

Intersect Range line 15 lks. South of corner to Secs. 13, 18, 19 and 24.

Then S.  $89^{\circ} 53'$  West on True Line. Var.  $15^{\circ} 10'$  East.

Range 9 West of the Navajo Special Meridian.

Chains

BOOK 1954

62

39.95 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.

79.90 Corner to secs. 13, 14, 23 and 24, Surface rolling. Prairie. Soil 1<sup>st</sup> rate.

North between secs. 13 and 14,  
Var.  $15^{\circ} 10' E$ .

40.00 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.

57.20 "Riv Carrissa" course N.W.

75.20 Leave same. Low banks, sandy bottom and gentle current,

79.75 Creek, 15 lks. wide, course N.W.

80.00 Set sand stone 16 x 14 x 4, marked as per instructions, for the corner to secs. 11, 12, 13 and 14, Surface level. Prairie. Soil 1<sup>st</sup> rate.

East on Random between secs. 12 and 13.  
Var.  $15^{\circ} 25' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

80.25 Intersect Range line 30 lks. South of corner to secs. 7, 12, 13 and 15,

Then S.  $89^{\circ} 47'$  west on True Line.  
Var.  $15^{\circ} 25' E$ .

40.12  $\frac{1}{2}$  Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.

80.25 Corner to secs. 11, 12, 13 and 14, Surface level. Prairie. Soil 1<sup>st</sup> rate.

North between secs. 11 and 12,  
Var.  $15^{\circ} 25' E$ .

8.20 Bluff, bears East and West,  
40.00 Marked surface rock. for  $\frac{1}{4}$  sec.

Field Notes of the Subdivision Lines of Township 9 N.

60 Chains  
 BOOK 1954  
 80.00

cor, as per instructions.  
 Set sand stone, 16 x 10 x 4, marked  
 as per instructions for the cor,  
 to secs. 1, 2, 11 and 12,  
 Surface rolling. Prairie Soil 1<sup>st</sup>/<sub>4</sub>  
 and 3<sup>rd</sup>/<sub>4</sub> rate,

Easton Random between Secs. 1 & 12,  
 Var. 15° 25' E,

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
 80.37 Intersect Range line 35 lks.  
 South of corner to Secs. 1, 6, 7  
 and 12,  
 Then S. 89° 45' West on True Line.  
 Var. 15° 25' E

40.18<sup>1/2</sup> Set sand stone, 14 x 12 x 3. for  $\frac{1}{4}$  sec.  
 corner, as per instructions,  
 80.37 corner to Secs. 1, 2, 11 and 12.  
 Surface rolling. Prairie Soil 2<sup>nd</sup>/<sub>4</sub> rate,

North on Random between Secs. 1 & 2.  
 Var. 15° 30' E

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
 80.25 Intersect Range line 30 lks. west  
 of corner to Secs. 1, 2, 35 and 36.

Then S. 13' West on True Line Var. 15° 20' E.

40.25 Set sand stone, 16 x 10 x 3, for  $\frac{1}{4}$  sec.  
 corner, as per instructions.  
 80.25 corner to Secs. 1, 2, 11 and 12,  
 Surface rolling. Prairie Soil 2<sup>nd</sup>/<sub>4</sub> rate,

North between Secs. 24 and 35,  
 Var. 15° East

38.20 Ravine, 50 lks. wide, course NW.  
 40.00 Set sand stone, 15 x 12 x 3, for  $\frac{1}{4}$   
 sec. cor, as per instructions,  
 80.00 Set sand stone, 17 x 16 x 3. marked as  
 per instructions, for the corner  
 to Secs. 26, 27, 34 and 35,

Chains

Surface rolling. Prairie. Soil 2<sup>d</sup> rate.

East on Random between Secs. 26 & 25  
Var. 15<sup>e</sup> East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.20 Intersect Sec. line 16 links N.  
of corner to secs. 25, 26, 35 and 36.

Then N. 89° 53' West. on True Line.  
Var. 15<sup>e</sup> East.

40.10 Set charred post, built mound and  
dug pits for  $\frac{1}{4}$  sec. corner. as per  
instructions.

80.20 Corner to Secs. 26, 27, 34 and 35.  
Surface rolling. Prairie.  
Soil 2<sup>d</sup> rate.

North between Secs. 26 and 27,  
Var. 15<sup>e</sup> East.

40.00 Set sand stone, 30 x 12 x 10. for  $\frac{1}{4}$   
sec. corner. as per instructions.

57.00 Prairie, 70 lks wide, course West.

80.00 Set sand stone, 18 x 8 x 4, marked  
as per instructions. for the cor. to  
secs. 22, 23, 26 and 27.

Surface rolling. Prairie. Soil 2<sup>d</sup> rate.

East on Random between Secs 23  
and 26, Var. 15<sup>e</sup> 10' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

80.30 Intersect Sec. line 25 links N.  
of the corner to Secs. 23, 24, 25  
and 26.

Then N. 89° 49' West  
on True Line, Var. 15<sup>e</sup> 10' E.

40.15 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec. corner,  
as per instructions.

80.30 Corner to secs. 22, 23, 26 and 27.  
Surface level. Prairie. Soil 1<sup>st</sup> rate.

Field Notes of the Subdivision Lines of Township 9

Chains  
BOOK 1954

North between secs. 22 and 23,  
Var. 15° 10' East,  
40.00 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec. corner, as per  
instructions.  
80.00 Deposited marked stone, set charred  
post, marked, built mound and  
dug pits, as per instructions, for  
the corner to secs. 14, 15, 22 and  
23. Surface level. Prairie.  
Soil 1<sup>st</sup> rate.

East on Random between secs. 14  
and 23. Var. 15° 10' E.  
40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
80.15 Intersect Sec. Line 30 lks,  
North of corner to secs. 13,  
14, 23 and 24.

Then N. 89° 47' west on  
True Line. Var. 15° 10' East,  
40.07 $\frac{1}{2}$  Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec. corner,  
as per instructions.  
80.15 Corner to secs. 14, 15, 22 & 23.  
Surface level. Prairie. Soil 1<sup>st</sup> rate.  
November 5<sup>th</sup> 1889.

North between Secs. 14 and 15,  
Var. 15° 10' E.  
40.00 Set charred post, built mound and  
dug pits for  $\frac{1}{4}$  sec. corner, as per  
instructions.

75.75 Creek, 40 lks. wide, course west,  
80.00 Set sand stone, 17 x 11 x 7. marked as  
per instructions, for the corner  
to secs. 10, 11, 14 and 15.  
Surface gently rolling. Prairie.  
Soil 1<sup>st</sup> rate.

East on Random between Secs. 11 & 14

Chains

Var. 15° 20' East,

- 14.00 Creek, 25 lks. wide, course S.W.
- 17.60 Creek, 24 lks. wide, course N.W.
- 38.55 Creek, 32 lks. wide, course S.W.
- 40.00 Set temporary 1/4 sec. corner,
- 52.80 Creek, 18 lks. wide, course N.W.
- 72.70 Creek 20 " " " S.W.
- 80.15 Intersect Sec. Line 14 lks. North of corner to sees. 11. 12. 13 & 14.

Then N. 89° 54' W. on True Line

Var. 15° 20' East,

- 40.07<sup>2</sup> Set sand stone 22 x 6 x 4, for 1/4 Sec. cor. as per instructions.
- 80.15 corner to sees. 10. 11. 14 and 15, Surface level. Prairie. Soil 1<sup>st</sup> rate.

North between sees. 10 and 11.

Var. 15° 10' E.

- 40.00 Set sand stone, 15 x 13 x 3. for 1/4 Sec. corner as per instructions.
- 69.00 Bluff, bears East and West.
- 80.00 Set sand stone, 14 x 12 x 4, marked as per instructions, for the corner to sees. 2, 3, 10 and 11.

Surface generally level. Prairie. Soil 1<sup>st</sup> rate.

Easton Random between sees. 2 & 11.

Var. 15° 10' E.

- 40.00 Set temporary 1/4 sec. corner.
- 79.80 Intersect Sec. line 2 2 lks. South of corner to sees. 1. 2. 11 & 12.

Then S. 89° 51' West on True Line.

Var. 15° 10' E.

- 39.90 Set charred post, built mound and dog pits, for 1/4 Sec. cor. as per instructions.



Field Notes of the Subdivision Lines of Township 9 N.

73  
Chains  
79.80  
BOOK 1954

Corner to secs. 2, 3, 10 and 11  
Surface rolling. Prairie Soil 2<sup>nd</sup> rate.

North on Random between Secs.  
2 and 3. Var. 15° 10' E.

\$2.50 Ravine, 10 lks. wide, course West,

40.00 Set temporary  $\frac{3}{4}$  Sec. Corner,

42.40 Dry Creek, 20 lks. wide,  
course, <sup>South</sup> West,

80.20 Intersect Town Line .25 lks.  
West of Corner to Secs. 2, 3, 34  
and 35,

Then S. 11' West on  
True Line. Var. 15° 10' East.

48.20 Set sand stone, 18 x 16 x 3. for  $\frac{3}{4}$   
Sec. Corner, as per instruc-  
tions.

80.20 Corner to Secs. 2, 3, 10 and 11.  
Surface rolling. Prairie Soil 2<sup>nd</sup> rate.

North between Secs. 33 and 34,  
Var. 15° 30' E.

40.00 Set sand stone, 14 x 12 x 3. for  $\frac{3}{4}$   
Sec. Corner, as per instructions,

80.00 Set sand stone, 36 x 20 x 2, marked  
as per instructions, for the  
Corner to Secs. 27, 28, 33 & 34,  
Surface rolling. Prairie  
Soil 2<sup>nd</sup> rate.

East on Random between Secs.  
27 and 34. var. 15° 30' E.

\$7.00 Ravine, 50 lks. wide, course  
N. West.

40.00 Set temporary  $\frac{3}{4}$  Sec. Corner,

79.80 Intersect Sec. line 20 lks. S.  
of Corner to Secs. 26, 27,  
34 and 35.

Range 9 west of the Navajo Special Meridian.

Chains

BOOK 1954

Then S.  $89^{\circ} 51'$  West on True Line.

Var.  $15^{\circ} 30'$  E.

39.90 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.

79.80 Corner to secs. 27, 28, 33 and 34. Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

North between Secs. 27 and 28,

Var.  $15^{\circ} 30'$  E.

40.00 Set sand stone,  $16 \times 12 \times 6$ , for  $\frac{1}{4}$  sec. corner, as per instructions.

65.80 Ravine, 40 lks. wide, course NW.

76.80 Same, course NE.

80.00 Set sand stone,  $14 \times 12 \times 5$ , marked as per instructions, for the

corner to secs. 21, 22, 27 and 28. Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

East on Random between Secs. 22 and 27.

Var.  $15^{\circ} 30'$  E.

5.75 Ravine, 60 lks. wide, course N.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

79.75 Intersect Sec. line 17 lks. south of corner to secs. 22, 23, 26 and 27.

Then S.  $89^{\circ} 53'$  West on True Line. Var.  $15^{\circ} 30'$  East.

39.87<sup>2</sup> Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.

79.75 Corner to secs. 21, 22, 27 & 28. Surface level. Prairie. Soil 1<sup>st</sup> rate.

North between Secs. 21 and 22,

Var.  $15^{\circ} 30'$  E.

36.00 Ravine, 70 lks. wide, course NW.

Field Notes of the Subdivision Lines of

75 BOOK 1954 Chains	
40.00 76.40 80.00	Set charred post, built mound and dug pits for $\frac{1}{4}$ sec. cor. as per instructions. Prairie, 80 lks. wide, course W, Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 15, 16, 21 and 22, Surface level. Prairie. Soil $1\frac{1}{4}$ rate.
40.00 79.85	East on Random between Secs. 15 and 22. Var. $15^{\circ}-30^{\circ}$ E. Set temporary $\frac{1}{4}$ sec. corner. Intersect Sec. line 22 lks. South of corner to Secs. 14, 15, 22 & 23.
39.92 $\frac{1}{2}$ 79.85	Then S. $89^{\circ}-51'$ West on True Line. Var. $15^{\circ}-30'$ East. Set charred post, built mound and dug pits for $\frac{1}{4}$ sec. cor. as per instructions. Corner to Secs. 15, 16, 21 and 22, Surface level. Prairie. Soil $1\frac{3}{4}$ rate.
40.00 76.25 80.00	North between Secs. 14 and 16. Var. $15^{\circ}-30'$ E. Set charred post, built mound and dug pits for $\frac{1}{4}$ sec. corner as per instructions. Creek, 30 lks. wide, course West, Set sand stone, $18 \times 14 \times 3$ , marked as per instructions, for the corner to Secs. 9, 10, 15 and 16. Surface level. Prairie. Soil $1\frac{1}{4}$ rate. November, 7 <sup>th</sup> 1869. measuring chain compared with standard and found correct.

Chains

BOOK 1954

East on Random between Secs. 10 and 15,

Var.  $15^{\circ} 30' E$ .

- 5.60 Creek, 20 lks. wide, course S.W.  
 18.80 Creek, 18 " " " N.W.  
 37.35 Creek 35 " " " S.W.  
 40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
 49.70 Creek, 15 lks. wide, course N.W.  
 80.20 Intersect Sec. line 24 lks. North  
 of corner to Secs. 10, 11, 14 & 15.

Then N.  $89^{\circ} 49'$  West on True line,Var.  $15^{\circ} 30' E$ .

- 40.10 Set sand stone,  $12 \times 10 \times 8$ , for  $\frac{1}{4}$  Sec.  
 corner, as per instructions.  
 80.20 Corner to Secs. 9, 10, 15 and 16,  
 Surface level. Prairie. Soil  $1\frac{1}{2}$  rate.

North between Secs. 9 and 10.

Var.  $15^{\circ} 30' E$ .

- 9.50 Bluff bears East and West,  
 40.00 Set sand stone,  $14 \times 12 \times 4$ , for  $\frac{1}{4}$  Sec.  
 corner, as per instructions.  
 80.00 Set sand stone,  $14 \times 11 \times 7$ , marked as  
 per instructions, for the corner  
 to Secs. 2, 4, 9 and 10.  
 Surface rolling. Prairie. Soil  $2\frac{1}{2}$  rate.

East on Random between Secs.  
 3 and 10,Var.  $15^{\circ} 30' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
 80.30 Intersect Sec. line 35 lks.,  
 North of corner to Secs. 2,  
 3, 10 and 11.

Then N.  $89^{\circ} 45'$  West on True  
 line, Var.  $15^{\circ} 30'$  East.

- 40.15 Set charred post, built mound  
 and dug pits for  $\frac{1}{4}$  Sec. cor.,  
 as per instructions.

Field notes of the Subdivision Lines of Township

77 Chains  
80.30  
BOOK 1954

Corner to Secs. 3, 4, 9 and 10.  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

North between Secs. 2 and 4.

Var. 15° 30' E.

15.40 Dry Creek, 20 lks, wide, course W,  
39.00 Ravine, course S. West.

40.00 Set temporary 1/4 sec, corner  
79.85 Intersect Town Line 20 lks, west  
of corner to Secs. 3, 4, 33 & 34.

Then S. 9' West on True Line.

Var. 15° 30' E.

39.85 Set sand stone, 14 x 12 x 4, for 1/4  
sec, corner, as per instructions.

79.85 Corner to Secs. 3, 4, 9 and 10.  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

North between Secs. 32 and 33.

Var. 15° 30' E.

40.00 Set sand stone, 15 x 12 x 3, for 1/4 sec,  
corner, as per instructions.

79.60 Ravine, 80 lks, wide, course West,

80.00 Set sand stone, 14 x 10 x 6, marked  
as per instructions, for the  
corner to Secs. 28, 29, 32 & 33.  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

East on Random between Secs.  
28 and 33.

Var. 15° 30' E.

40.00 Set temporary 1/4 sec, corner.

56.60 Ravine, course S. West.

80.25 Intersect Sec. Line, 14 lks,  
North of corner to Secs.  
27, 28, 33 and 34.

Then N. 89° 54' West on True  
Line.

Var. 15° 30' E.

Chains

40.12 $\frac{1}{2}$  Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions

80.25 Corner to Secs. 28, 29, 32 and 33, surface rolling. Prairie. Soil 2 $\frac{1}{4}$  rate.

North between Secs. 28 and 29,  
Var. 15 $^{\circ}$  30' E,

40.00 Set sand stone, 38 x 10 x 2, for  $\frac{1}{4}$  sec. corner, as per instructions,

80.00 Set sand stone, 18 x 12 x 3, marked as per instructions, for the corner to Secs. 20, 21, 28 and 29, surface rolling. Prairie. Soil 2 $\frac{1}{4}$  rate.

East on Random between Secs. 21 and 28, Var. 15 $^{\circ}$  30' E

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

79.88 Intersect Sec. line 25 links South of corner to Secs. 21, 22, 27 and 28,

Then S. 89 $^{\circ}$  49' West, on True Line. Var. 15 $^{\circ}$  30' East.

39.92 $\frac{1}{2}$  Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions,

79.88 Corner to Secs. 20, 21, 28 and 29, surface rolling. Prairie. Soil 1 $\frac{1}{4}$  rate.

North between Secs. 20 and 21,  
Var. 15 $^{\circ}$  30' E,

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.00 Set sand stone, 14 x 12 x 4, marked as per instructions, for the corner to Secs. 16, 17, 20 & 21.

Field Notes of the Subdivision Lines of Township

Chains  
BOOK 1954

Surface level. Prairie. Soil 1<sup>st</sup> rate.

Easton Random between Secs,  
16 and 21. Var. 15° 30' E,  
15, 20 Ravine, 60 lks. wide, course N.  
40.00 Set temporary  $\frac{1}{4}$  sec, corner,  
80, 10 Intersect Sec, line 20 lks, South  
of corner to secs. 15, 16, 21 & 22,

Then S 89° 51' West on True Line.  
Var. 15° 30' E,  
42 05 Set sand stone, 14 x 10 x 4. for  $\frac{1}{4}$   
sec, corner, as per instructions,  
80, 10 Corner to Secs. 16, 17, 20 & 21,  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

North between Secs, 16 and 17. Var. 15° 30' E.  
40.00 Set charred post, built mound and dug pits  
for  $\frac{1}{4}$  sec, cor, as per instructions.  
80, 00 Set sand stone, 16 x 10 x 8, marked  
as per instructions, for the corner  
to Secs, 8, 9, 16 and 17,  
Surface level. Prairie. Soil 1<sup>st</sup> rate.

Easton Random between Secs, 9 and 16.  
Var. 15° 20' E.  
5.40 Lcreek, 45 lks, wide, course N.W. "Carista"  
36, 15 " 30 " " " S.W.  
29, 00 " 15 " " " N.W.  
40, 00 Set temporary  $\frac{1}{4}$  sec, corner,  
79, 70 Intersect Sec, line 15 lks, N. of  
the corner to secs, 9, 10, 15 & 16.

Then N. 89° 52' West on True Line  
Var. 15° 20' E,  
39, 85 Set sand stone, 14 x 14 x 10. for  $\frac{1}{4}$   
sec, corner, as per instructions,  
79, 70 Corner to Secs, 8, 9, 16 & 17,  
Surface level, Prairie. Soil 1<sup>st</sup> rate.

Chains

BOOK 1954

North between Secs. 8 and 9.

Var.  $15^{\circ} 20' E.$

11.90 Creek, 25 lks. wide, course NW.

27.80 Bluff, bears East and West.

40.00 Set sand stone,  $14 \times 9 \times 6$ , for  $\frac{1}{4}$  Sec. corner, as per instructions.

80.00 Set sand stone,  $14 \times 12 \times 3$ , marked as per instructions, for the corner to Secs. 4, 5, 8, and 9.

Surface rolling. Prairie. Soil 2<sup>nd</sup> rate. November 8<sup>th</sup> 1869.

measuring chain compared with Standard and adjusted.

East on Random between Secs. 4 and 9.

Var.  $15^{\circ} 20' E.$

29.30 Ravine, 80 lks. wide, course NW.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner.

79.90 Intersect Sec. line 7 links N. of corner to Secs. 3, 4, 9 and 10.

Then N.  $89^{\circ} 57'$  West on True Line. Var.  $15^{\circ} 20' East.$

39.95 Set charred post, built mound and dug pits for  $\frac{1}{4}$  Sec. Cor. as per instructions.

79.90 corner to Secs. 4, 5, 8 and 9. Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

North on Random between Secs. 4 and 5.

Var.  $15^{\circ} 20' E.$

12.00 Dry bed of creek, 15 lks. wide. course West.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner.

80.20 Intersect Town line 24 lks. West of corner to Secs. 4, 5, 8 and 9.

Then S.  $10'$  West on True Line.



Field Notes of the Subdivision Lines of Township 9

81 Behrens.

BOOK 1954  
0.25

Var.  $15^{\circ} 20' E$ .

Set sand stone,  $14 \times 10 \times 6$ . for  $\frac{1}{4}$  sec.  
corner, as per instructions.

80.25 corner to secs. 4, 5, 8 and 9.  
Surface rolling. Prairie.  
Soil 2<sup>nd</sup> rate.

North between secs. 31 and 32.

Var.  $15^{\circ} 15' E$

40.00 Set sand stone,  $18 \times 8 \times 4$ . for  $\frac{1}{4}$  sec.  
corner, as per instructions.

74.40 Ravine, 75 lks. wide, course NW.

80.00 Deposited marked stone, set charred  
post, marked, built mound and  
dug pits, as per instructions. for  
the corner to secs. 29, 30, 31  
and 32. Surface rolling. Prairie.  
Soil 2<sup>nd</sup> rate.

Easton Random between Secs.  
29 and 32.

Var.  $15^{\circ} 15' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

79.70 Intersect Sec. line 25 lks. S.  
of corner to Secs. 25, 29, 32  
and 33.

Then S.  $89^{\circ} 49'$  West on  
True Line. Var.  $15^{\circ} 15'$  East.

39.85 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec. cor.  
as per instructions.

79.70 corner to Secs. 29, 30, 31 & 32.  
Surface level. Prairie. Soil 1<sup>st</sup> rate.

Weston Random between Secs. 30  
and 31.

Var.  $15^{\circ} 15' E$ .

36.20 Ravine, 100 lks. wide, course NW.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

50.50 Creek, 15 lks. wide, course North.

78.65 Intersect Range line 18 lks.  
South of corner to secs. 20, 30.

Chairs

31 and 36.

Then S.  $89^{\circ} 52'$  East on True Line. Var.  $15^{\circ} 15'$  East,

38.65 Set charred post, built mound and dug pits for  $\frac{1}{4}$  Sec. corner, as per instructions.

78.65 Corner to secs. 29, 30, 31 & 32, Surface level. Prairie. Soil 1<sup>st</sup> rate.

North between secs. 29 and 30, Var.  $15^{\circ} 15'$  E.

40.00 Set charred post, built mound and dug pits for  $\frac{1}{4}$  Sec. corner, as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to secs. 19, 20, 29 and 30, Surface level. Prairie. Soil 1<sup>st</sup> rate.

Easton Random between secs. 20 and 29. Var.  $15^{\circ} 15'$  E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner, 79.85 Intersect Sec. line 16 lks. S. of the corner to secs. 20, 21, 28 and 29.

Then S.  $89^{\circ} 53'$  West on True Line. Var.  $15^{\circ} 15'$  E.

39.92 $\frac{1}{2}$  Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec. cor., as per instructions.

79.85 Corner to secs. 19, 20, 29 & 30, Surface level. Prairie. Soil 1<sup>st</sup> rate.

Weston Random between secs. 19 and 30. Var.  $15^{\circ} 15'$  E.

Field Notes of the Subdivision Lines of Township 9

BOOK 1954

Chains

40.00 Set temporary  $\frac{1}{4}$  Sec. corner.  
 52.40 Dry bed of creek, 15 lks. wide, course N.  
 78.50 Intersect Range Line 8 lks. South  
 of corner to secs. 19. 24. 25 and  
 30.  
 Then S.  $89^{\circ}47'$  East on True Line.  
 Var.  $15^{\circ}15'$  East,  
 28.50 Set charred post, built mound and  
 dug pits, for  $\frac{1}{4}$  Sec. corner, as per  
 instructions.  
 78.50 Corner to sections, 19, 20, 29 and 30.  
 Surface level. Prairie Soil 1<sup>st</sup> rate.

North between Secs, 19 and 20.  
 Var.  $15^{\circ}15'$  E.  
 40.00 Set charred post, built mound  
 and dug pits for  $\frac{1}{4}$  Sec. corner,  
 as per instructions.  
 80.00 Deposited marked stone, set  
 charred post, marked, built mound  
 and dug pits, as per instructions  
 for the corner to Secs, 17, 18,  
 19 and 20.  
 Surface level. Prairie. Soil 1<sup>st</sup> rate.

East on Random between Secs,  
 17 and 20. Var.  $15^{\circ}15'$  East.  
 40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
 80.20 Intersect ste. line 15 lks N of  
 corner to Secs, 16, 17, 20 & 21.  
 Then N.  $89^{\circ}53'$  West on True  
 Line, Var.  $15^{\circ}15'$  East,  
 40.10 Set charred post, built mound  
 and dug pits, for  $\frac{1}{4}$  Sec. corner,  
 as per instructions.  
 80.20 Corner to Secs, 17, 18, 19 and 20.  
 Surface level. Prairie.  
 Soil 1<sup>st</sup> rate.

Chains

BOOK 1954

West on Random between Secs,  
18 and 19. Var.  $15^{\circ} 15' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

69.28 Dry bed of creek, 20 lks. wide,  
course N. West,

78.28 Intersect Range line 20 lks. N.  
of corner to Secs, 13, 18, 19 & 24,

Then N.  $89^{\circ} 51' E$ . on True Line.

Var.  $15^{\circ} 15' E$ .

38.28 Set sand stone, 26 x 6 x 6. for  $\frac{1}{4}$   
Sec. corner as per instructions,

78.28 Corner to Secs, 17, 18, 19 and 20,  
Surface level. Prairie. Soil 1<sup>st</sup> rate,  
November, 9<sup>th</sup> 1889.

North between Secs, 17 and 18,

Var.  $15^{\circ} 15' East$ ,

40.00 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec. cor.  
as per instructions,

80.00 Set sand stone, 14 x 10 x 6. marked  
as per instructions, for the  
corner to Secs, 7, 8, 17 & 18.  
Surface level. Prairie. Soil 1<sup>st</sup> rate.

East on Random between Secs,  
8 and 17. Var.  $15^{\circ} 15' East$ ,

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

80.38 Intersect Sec. line 25 links  
North of the corner to secs, 8, 9,  
16 and 17.

Then N.  $89^{\circ} 49' W$ . on True Line.

Var.  $15^{\circ} 15' East$ .

40.17 $\frac{1}{2}$  Set sand stone, 12 x 12 x 8. for  
 $\frac{1}{4}$  Sec. corner, as per instructions.

80.38 Corner to Secs, 7, 8, 17 and 18.  
Surface level. Prairie. Soil 1<sup>st</sup> rate.

Field Notes of the Subdivision Lines of Townships

25 Chains  
 BOOK 1954  
 40.00  
 78.05

Weston Random between Secs. 15 and 7.  
 Var.  $15^{\circ} 30' E$ .  
 Set temporary  $\frac{1}{4}$  Sec. corner, Intersect Range line 14 lks. North of corner to Secs. 7, 12, 13 and 18.

Then N.  $89^{\circ} 54' E$  on True Line.  
 Var.  $15^{\circ} 30' E$ .

38.05 Set charred post, built mound and dug pits for  $\frac{1}{4}$  Sec. cor. as per instructions.

78.05 Corner to Secs. 7, 8, 17 and 18. Surface level. Prairie. Soil 1 $\frac{1}{4}$  rate.

North between Secs. 7 & 8.  
 Var.  $15^{\circ} 45' East$ .

40.00 Set sand stone, 14 x 8 x 8, for  $\frac{1}{4}$  Sec. cor. as per instructions.

59.50 Creek, 25 lks. wide, course N.W.

80.00 Set sand stone, 16 x 12 x 4, marked as per instructions, for the cor. to Secs. 5, 6, 7 and 8. Surface level. Prairie. Soil 1 $\frac{1}{4}$  rate.

Easton Random between Secs. 5 and 8.  
 Var.  $15^{\circ} 45' E$ .

40.00 Set temporary  $\frac{1}{4}$  Sec. corner, Intersect Sec. line 16 lks. North of corner to Sections 4, 5, 8 and 9.

Then N.  $89^{\circ} 31' 3''$  West on True Line. Var.  $15^{\circ} 45' E$ .

40.06 Set sand stone, 14 x 12 x 3, for  $\frac{1}{4}$  Sec. cor. as per instructions.

80.12 Corner to Secs. 5, 6, 7 and 8. Surface level. Prairie. Soil 1 $\frac{1}{4}$  rate.

Chains

BOOK 1954

West on Random between Secs, 6 and 7. Var.  $15^{\circ} 45' E$ ,

23.40 Creek, 35 lks, wide, course North,

40.00 Set temporary  $\frac{1}{4}$  sec, corner,

77.75 Intersect Range line 20 lks, North of corner to Secs, 1, 6, 7 and 12,

Then N.  $89^{\circ} 51' E$ , on True Line. Var.  $15^{\circ} 45' East$ ,

37.75 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec corner as per instructions,

77.75 Corner to Secs, 5, 6, 7 and 8. Surface level. Prairie. Soil 1<sup>st</sup> rate.

North on Random between Secs, 5 and 6. Var.  $15^{\circ} 45' E$ ,

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,

47.50 Dry bed of Creek, 30 lks, wide, course West,

79.80 Intersect Town line 30 lks, West of corner to Secs, 5, 6, 31 and 32.

Then S. 13' west on True Line, Var.  $15^{\circ} 45' E$ ,

39.80 Set charred post, built mound and dug pits for  $\frac{1}{4}$  Sec, corner, as per instructions,

79.80 Corner to Secs, 5, 6, 7 and 8. Surface rolling. Prairie. Soil 2<sup>nd</sup> rate. November, 10<sup>th</sup> 1869.

Measuring chain compared with Standard and found correct.

General Description.

The land in this Township is all prairie, surface generally rolling. It is well adapted

BOOK 1954

to farming and grazing purposes, and gives evidence of having been well cultivated a few years ago.

The "Rio Carrussa" flows through the Town, having an average width of 200 chs, low banks, sandy bottom and gentle current,  
Soil 2<sup>nd</sup>, 1<sup>st</sup> and 3<sup>rd</sup> rate.

North between Secs. 35 and 36,  
Var. 15° 30' E.

1240 Dry creek, 20 lks, wide, course West,  
40.00 Set charred post, built mound and dug pits for 1/4 sec, corner, as per instructions.

8000 Set sand stone, 15 X 10 X 6, marked as per instructions, for the corner to Secs. 25, 26, 35 and 36,  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

Easton Random between Secs. 25 and 36,  
Var. 15° 30' E.

40.00 Set temporary 1/4 sec, corner,  
79.85 Intersect First Guide meridian, 18 links North of corner to Secs. 25, 30, 31 and 36.

Then N. 89° 52' Weston True Line, Var. 15° 30' East.

3992<sup>1/2</sup> Set charred post, built mound and dug pits for 1/4 sec, corner, as per instructions.

79.85 Corner to Secs. 25, 26, 35 & 36,  
Surface rolling. Prairie.  
Soil 2<sup>nd</sup> rate.

Range 9 west of the Navajo Special Meridian

Chains

BOOK 1954 22

North between Secs. 25 and 26,

Var.  $15^{\circ} 30' E$ .

40.00 Set sand stone,  $14 \times 12 \times 3$ . for  $\frac{1}{4}$  Sec. corner, as per instructions,

55.00 Bluff, bears East and West,

80.00 Set sand stone,  $14 \times 12 \times 3$ , marked as per instructions, for the corner to Secs. 23. 24. 25 & 26, surface broken prairie. Soil  $\frac{1}{4}$  rate.

Easton Random between Secs. 24 and 25, Var.  $15^{\circ} 30' E$ .

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,

79.75 Intersect First Guide Meridian 25 lks. North of corner to Secs. 19. 24. 25 & 30

Then N.  $89^{\circ} 49'$  west on True Line. Var.  $15^{\circ} 30' E$ .

39.87 $\frac{1}{2}$  Set charred post, built mound and dug pits for  $\frac{1}{4}$  Sec. cor. as per instructions,

79.75 Corner to Secs. 23. 24. 25 & 26, Surface rolling prairie. Soil  $\frac{1}{4}$  rate.

North between Secs. 23 and 24, Var.  $15^{\circ} 30' E$ .

40.00 Set sand stone,  $15 \times 7 \times 7$ . for  $\frac{1}{4}$  Sec. corner as per instructions,

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 13. 14. 23 and 24, Surface rolling prairie. Soil  $\frac{1}{4}$  rate.

Easton Random between Secs. 13 and 24. Var.  $15^{\circ} 30' E$ .



Field Notes of the Subdivision Lines of Township

Chains

BOOK 1954

4000 Set temporary  $\frac{1}{4}$  Sec. Corner.  
 43.20 Dry Creek, course N. west.  
 79.90 Intersect First Guide Meridian,  
 15 links north of corner to sees,  
 13, 18, 19 and 24.  
 Then North on True Line. Var.  $15^{\circ} 30' E.$   
 39.95 Set sand stone,  $14 \times 12 \times 3$ , for  
 $\frac{1}{4}$  Sec. Corner, as per instruc-  
 tions.  
 79.90 Corner to sees, 13, 14, 23 & 24,  
 Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

North between Sees. 13 and 14,  
 Var.  $15^{\circ} 30' E.$

40.00 Set sand stone,  $15 \times 10 \times 4$ , for  $\frac{1}{4}$   
 Sec. Corner, as per instructions,  
 54.40 Dry bed of Creek, 18 lks. wide, course West.  
 76.25 Dry bed of Creek, 25 " " " "  
 80.00 Set sand stone,  $16 \times 12 \times 7$ , marked  
 as per instructions, for the Cor.  
 to sees, 11, 12, 13 and 14.  
 Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

East on Random between Sees, 12  
 and 13. Var.  $15^{\circ} 20' E.$

40.00 Set temporary  $\frac{1}{4}$  Sec. Corner,  
 46.50 Ravine, 90 lks. wide, course S.W.  
 80.20 Intersect First Guide Meridian  
 12 links South of corner to  
 Sees, 7, 12, 13 and 18.

Then S.  $89^{\circ} 55'$  West on True  
 Line. Var.  $15^{\circ} 20' E.$

40.10 Set sand stone,  $14 \times 12 \times 3$ , for  $\frac{1}{4}$  Sec.  
 Corner, as per instructions,  
 80.20 Corner to Sees, 11, 12, 13 & 14,  
 Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

Chains

BOOK 1954

201

North between Secs. 11 and 12,  
Var. 15° East,40.00 Set charred post and built  
mound for  $\frac{1}{4}$  sec. corner, as  
per instructions.

59.00 Sand stone Peak, 300 feet high.

80.00 Set sand stone, 24 x 16 x 10,  
marked as per instructions, for  
the corner to secs. 1, 2, 11 & 12,  
Surface rolling. Prairie Soil 2 $\frac{1}{4}$  rate.Easton Random between Secs,  
1 and 12. Var. 15° East,40.00 Set temporary  $\frac{1}{4}$  sec. corner,80.30 Intersect First Guide meridian,  
25 lks North of corner to  
secs. 1, 6, 7 and 12.Then N. 89° 49' W. on True  
Line, Var. 15° 00' East,40.15 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.80.30 Corner to Secs. 1, 2, 11 and 12,  
Surface rolling. Prairie Soil 2 $\frac{1}{4}$  rate.North on True Line between Secs  
1 and 2. Var. 15° East.

27.00 Ravine, 100 lks, wide, course West,

40.00 Set sand stone, 14 x 12 x 3, for  $\frac{1}{4}$  sec. corner,79.70 Intersect Sec. Standard Par-  
allel 22.10 chains of  
corner to Secs. 35 and 36,  
and set sand stone, 16 x 14 x 3,  
marked "b. b." for the closing  
corner.Surface rolling. Prairie.  
Soil 2 $\frac{1}{4}$  rate.November 11<sup>th</sup> 1869.

Field Notes of the Subdivision Lines of Township

91  
BOOK 1954  
Chains  
40.00 North between Secs. 34 and 35.  
Var.  $15^{\circ} 45' E$ .  
Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.  
80.00 Set sand stone,  $14 \times 12 \times 10$ , marked as per instructions, for the corner to Secs. 26, 27, 34 & 35.  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

Easton Random between Secs. 26 and 35.  
Var.  $15^{\circ} 45' E$ .  
40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
80.25 Intersect Sec. line 24 lks. N. of corner to Secs. 25, 26, 35 and 36.

Then N.  $89^{\circ} 49'$  West. on True Line. Var.  $15^{\circ} 45'$  East.  
40.12<sup>5</sup> Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.  
80.25 Corner to Secs. 26, 27, 34 & 35.  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

North between Secs. 26 and 27.  
Var.  $15^{\circ} 45' E$ .  
13.50 Bluff, bears East and West.  
40.00 Set sand stone,  $14 \times 8 \times 7$ , for  $\frac{1}{4}$  sec. corner, as per instructions.  
80.00 Set sand stone,  $14 \times 10 \times 5$ , marked as per instructions, for the corner to Secs. 22, 23, 26 and 27.  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

Chains.

BOOK 1954

93

Easton Random between Secs. 23 & 26.  
Var.  $15^{\circ} 45' E$ .

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
80.38 Intersect sec. line 18 lks. North  
of corner to Secs. 23, 24, 25 & 26.

Then N.  $89^{\circ} 52'$  West on True Line.  
Var.  $15^{\circ} 45' E$ .

40.17 $\frac{1}{2}$  Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  Sec. corner,  
as per instructions.  
80.35 Corner to Secs. 22, 23, 26 & 27,  
Surface rolling. Prairie. Soil 2 $\frac{1}{4}$  rate.

---

North between Secs. 22 and 23.  
Var.  $15^{\circ} 30' E$ .

40.00 Set sand stone, 12 X 10 X 8, for  
 $\frac{1}{4}$  Sec. corner, as per instruc-  
tions.

80.00 Set sand stone, 14 X 10 X 6, marked  
as per instructions, for the cor.  
to Secs. 14, 15, 22 and 23.  
Surface rolling. Prairie. Soil 2 $\frac{1}{4}$  rate.

---

Easton Random between Secs. 14  
and 23. Var.  $15^{\circ} 20' E$ .

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
79.85 Intersect Sec. line 15 lks. S.  
of corner to Secs. 13, 14, 23  
and 24.

Then S.  $89^{\circ} 51' 3''$  West on True  
Line. Var.  $15^{\circ} 20' E$ .

39.92 $\frac{1}{2}$  Set sand stone, 14 X 12 X 3, for  $\frac{1}{4}$  sec.  
corner, as per instructions.

79.85 Corner to Secs. 14, 15, 22 & 23.  
Surface rolling. Prairie.  
Soil 2 $\frac{1}{4}$  rate.

---

Chains

23

BOOK 1954

North between Secs. 14 and 15,  
Var. 15° East.

54.00 Dry bed of creek, 20 lks, wide,  
course West.

40.00 Set sand stone, 24 x 14 x 10, for  $\frac{1}{4}$  sec,  
corner, as per instructions.

80.00 Deposited marked stone, set charred  
post, marked, built mound and  
dug pits, as per instructions, for  
the corner to Secs. 10, 11, 14 and 15,  
Surface rolling. Prairie. Soil 2 $\frac{1}{4}$  rate.

---

Easton Random between Secs. 11 & 14,  
Var. 15° E.

40.00 Set temporary  $\frac{1}{4}$  Sec, corner,

79.70 Intersect Sec, line 20 lks, S,  
of corner to Secs. 11, 12, 13 & 14,

Then S. 89° 31' West on True Line.  
Var. 15° East.

39.85 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec, cor, as per instructions.

79.70 Corner to Secs. 11, 10, 14 & 15,  
Surface rolling. Prairie. Soil 2 $\frac{1}{4}$  rate.

---

North between Secs. 10 and 11,  
Var. 15° East.

40.00 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec, cor,  
as per instructions.

52.00 Ravine, 70 lks, wide, course W,

80.00 Set sand stone, 14 x 12 x 3,  
marked as per instructions,  
for the corner to Secs. 2,  
3, 10 and 11.

Surface rolling. Prairie, Soil  
2 $\frac{1}{4}$  rate.

---

Easton Random between Secs. 12 & 11,  
Var. 15° East.

Chains

BOOK 1954

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.80 Intersect Sec. Line, 25 lks, South  
of corner to Secs. 1, 2, 11 & 12.

Then S.  $89^{\circ}49'$  West on True Line.

Var.  $15^{\circ}$  East.

39.90 Set charred post, built mound and  
dug pits for  $\frac{1}{4}$  sec. corner, as per  
instructions.

79.80 Corner to Secs. 2, 3, 10 and 11.  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

North on True Line between  
Sections 2 and 3. Var.  $15^{\circ}$  East.

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

69.50 Sand stone bluff, bears East  
and West. Impossible to  
close, therefore set as witness  
corner, sand stone,  $16 \times 14 \times 3$ ,  
marked "W.C."

Surface rolling. Prairie. Soil  
2<sup>nd</sup> rate.

November, 12<sup>th</sup> 1869.

measuring chain compared  
with standard and found correct.

North between Secs. 38 and 39.

Var.  $15^{\circ} 20'$  E.

27.00 Ravine, 80 lks, wide, course S.W.

40.00 Set sand stone,  $16 \times 11 \times 3$ , for  $\frac{1}{4}$   
sec. cor. as per instructions.

73.00 Bluff, bears N.E. and S.W.

80.00 Set sand stone,  $16 \times 8 \times 8$ , marked  
as per instructions, for the  
corner to Secs. 27, 28, 33 & 34.

Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

Field Notes of the Subdivision Lines of Township

95  
Chains  
BOOK 1954

Easton Random between secs. 27 & 34,  
Var.  $15^{\circ} 20' E$ .

22.25 Bluff, bears N.E. and S.W.  
40.00 Set temporary  $\frac{1}{4}$  Sec. Corner,  
80.30 Intersect Sec. line 24 links South  
of corner to secs. 26, 27, 34 & 35.

Then S.  $89^{\circ} 49'$  W. on True Line.  
Var.  $15^{\circ} 20' E$ .

40.17 $\frac{1}{2}$  Set sand stone,  $14 \times 12 \times 3$ , for  $\frac{1}{4}$   
Sec. corner, as per instructions,  
80.35 Corner to secs. 27, 28, 33 and 34.  
Surface rolling. Prairie. Soil 2 $\frac{1}{4}$  rate.

North between Secs. 27 & 28,  
Var.  $15^{\circ} East$ .

40.00 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec. corner,  
as per instructions.  
80.00 Deposited marked stone, set charred  
post, marked, built mound and  
dug pits, as per instructions, for the  
corner to secs. 21, 22, 27 and 28.  
Surface rolling. Prairie. Soil 2 $\frac{1}{4}$  rate.

Easton Random between Secs,  
22 and 27, Var.  $15^{\circ} East$ .

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.90 Intersect Sec. line 10 links North  
of corner to secs. 22, 23, 26 & 27.

Then N.  $89^{\circ} 56'$  W. on True Line.  
Var.  $15^{\circ} East$ .

39.95 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec. corner,  
as per instructions.  
79.90 Corner to Secs. 21, 22, 27 & 28.  
Surface rolling. Prairie. Soil 2 $\frac{1}{4}$  rate.

North between Secs. 21 and 22,  
Var.  $15^{\circ} East$ .

Chain

BOOK 1954

- 40.00 Set sand stone, 15 x 14 x 4. for  $\frac{1}{4}$  sec,  
corner, as per instructions.
- 80.00 Set sand stone, 15 x 13 x 3. marked  
as per instructions. for the corner  
to secs. 15, 16, 21 and 22,  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

Easton Random between Secs, 15 & 22,  
Var. 15<sup>th</sup> East.

- 40.00 Set temporary  $\frac{1}{4}$  sec, corner,
- 52.75 Dry bed of Creek, 30 lks, wide, course  
N. west.
- 79.85 Intersect Sec, line 15 links South  
of corner to Secs. 14, 15, 22 & 23.

Then S. 89<sup>th</sup> 53' West on True Line.

Var. 15<sup>th</sup> East.

- 39.92 $\frac{1}{2}$  Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec, corner, as  
per instructions.
- 79.85 Corner to Secs, 15, 16, 21 and 22,  
Surface rolling. Prairie.  
Soil 2<sup>nd</sup> rate.

North between Secs, 15 and 16.

Var. 15<sup>th</sup> E.

- 40.00 Set sand stone, 14 x 12 x 3. for  $\frac{1}{4}$   
sec, corner, as per instructions,
- 53.00 Ravine, 15 links wide, course N.W.
- 80.00 Set sand stone, 15 x 10 x 4. marked  
as per instructions. for the  
corner to Secs. 9, 10, 15 & 16.  
Surface rolling. Prairie.  
Soil 2<sup>nd</sup> rate.

Easton Random between Secs,  
10 and 15.

Var. 15<sup>th</sup> E.

- 40.00 Set temporary  $\frac{1}{4}$  sec, corner,
- 79.75 Intersect Sec, line 20 lks,  
south of corner to Secs,  
10, 11, 14 and 15.



Field Notes of the Subdivision Lines of Township 10

Chains

BOOK 1954

Then S.  $89^{\circ}51'$  West on True Line.

Var.  $15^{\circ}$  East.

39.87 $\frac{1}{2}$  Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.

79.75 Corner to secs. 9, 10, 15 and 16. Surface rolling. Prairie. Soil  $2\frac{1}{2}$  rate.

---

North between Secs. 9 and 10.

Var.  $15^{\circ}$  East.

40.00 Set sand stone,  $14 \times 12 \times 4$ , for  $\frac{1}{4}$  sec. cor. as per instructions.

58.00 Dry bed of creek, 10 lks. wide, course W.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to secs. 3, 4, 9 & 10. Surface rolling. Prairie. Soil  $2\frac{1}{2}$  rate.

---

East on Random. between Secs. 3 and 10.

Var.  $15^{\circ}$  East

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

79.65 Intersect Sec. line 24 links South of corner to secs. 2, 3, 10 and 11.

Then S.  $89^{\circ}49'$  West on True Line.

Var.  $15^{\circ}$  East.

39.82 $\frac{1}{2}$  Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

79.65 Corner to secs. 3, 4, 9 and 10. Surface rolling. Prairie. Soil  $2\frac{1}{2}$  rate.

---

North on True Line, between secs. 3 and 4.

Var.  $15^{\circ} 15' E$

40.00 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.

80.80 Intersect Second Standard Parallel 22, 40 chains East

Chains

of standard corner to sees. 33 & 34,  
and set sand stone, 14 x 10 x 8,  
marked "C.C." for the corner to  
sees. 3 and 4. as per instructions.  
Surface rolling. Prairie. Soil 2<sup>1/2</sup> rate.  
November, 18<sup>th</sup> 1869.

---

North between sees. 32 and 33,  
Var. 15° 30' E.

- 1.50 Bluff, bears N.E. and S.W.
  - 40.00 Set sand stone, 15 x 9 x 5. for 1/4  
see, cor, as per instructions.
  - 75.80 Ravine, course West.
  - 80.00 Set sand stone, 18 x 11 x 8.  
marked as per instructions,  
for the corner to sees. 28, 29,  
32 and 33.  
Surface rolling. - Prairie. Soil 2<sup>1/2</sup> rate.
- 

East on Random between sees.  
28 and 33, Var. 15° 30' E.

- 40.00 Set temporary 1/4 see, corner,
- 79.85 Intersect see, line 20 lks.  
South of corner to sees, 27,  
28, 33 and 34.

Then S. 89° 50' West on True Line.  
Var. 15° 30' E.

- 39.92<sup>1/2</sup> Set charred post, built mound and  
dug pits, for 1/4 see, cor, as per instruc-  
tions.
  - 79.85 Corner to sees, 28, 29, 32 & 33,  
Surface rolling. Prairie, Soil 2<sup>1/2</sup> rate.
- 

North between sees. 28 and 29,  
Var. 15° 30' E.

- 40.00 Set sand stone, 14 x 9 x 7. for 1/4 see,  
corner, as per instructions.
- 44.50 Ravine, course S.W.
- 80.00 Deposited marked stone, set

Field Notes of the Subdivision Lines of Township 10

Chains  
BOOK 1954

Charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 20, 21, 28 and 29.  
Surface rolling. Prairie. Soil 2<sup>1</sup>/<sub>4</sub> rate.

Easton Random between Secs. 21 & 28,  
Var. 15° 15' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner  
80.25 Intersect Sec. line 10 links N. of corner to Secs. 21, 22, 27 & 28.

Then N. 89° 53' West on True Line.  
Var. 15° 15' East.

40.12<sup>1</sup>/<sub>2</sub> Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.  
80.20 Corner to Secs. 20, 21, 28 and 29.  
Surface rolling. Prairie. Soil 2<sup>1</sup>/<sub>4</sub> rate.

North between Secs. 20 and 21,  
Var. 15° 15' E.

40.00 Set Charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.  
80.00 Deposited marked stone, set Charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 16, 17, 20 and 21.  
Surface rolling. Prairie. Soil 2<sup>1</sup>/<sub>4</sub> rate.

Easton Random between Secs. 16 and 21.  
Var. 15° 15' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner  
80.30 Intersect Sec. line 25 links North of cor. to Secs. 15, 16, 21 and 22.

Then N. 89° 49' west on True

Chains

BOOK 1954

Line, Var.  $15^{\circ} 15'$  East.

40.15 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.

80.30 Corner to secs, 16, 17, 20 & 21. Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

---

North between Secs. 16 and 17.

Var.  $15^{\circ} 15'$  E.

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs, 8, 9, 16 and 17. Surface gently rolling. Prairie. Soil 1<sup>st</sup> rate.

---

Easton Random between Secs. 9 & 16,

Var.  $15^{\circ} 15'$  E.

34.20 Dry bed of creek, 15 lks. wide, course NW.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

80.12 Intersect Sec. line 14 lks. North of corner to Secs. 9, 10, 15 and 16.

Then N.  $89^{\circ} 54'$  West on True Line.

Var.  $15^{\circ} 15'$  E.

40.06 Set sand stone, 13 x 8 x 7, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.12 Corner to secs, 8, 9, 16 & 17. Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

---

North between Secs. 8 and 9.

Var.  $15^{\circ} 15'$  E.

40.00 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.

62.50 Dry bed of creek, 37 lks. wide, course N. west.

101

Chains  
80.00

BOOK 1954

Deposited marked stone set Charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 4. S. 8 and 9, Surface rolling. Prairie.  
Soil 1<sup>st</sup> rate,

East on Random between Secs. 4 and 9. Var. 15° 15' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. Corner, 79.85 Intersect Sec. line 16 lks. South of corner to Secs. 3. 4. 9 and 10.

Then S. 89° 53' West on True Line. Var. 15° 15' East,

39.92<sup>2</sup> Set Charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec. cor, as per instructions,

79.85 Corner to Secs. 4. S. 8 and 9, Surface rolling. Prairie.  
Soil 2<sup>nd</sup> rate,

North on True Line between Secs. 4 and 3. Var. 15° 15' E.

40.00 Set Charred post, built mound and dug pits for  $\frac{1}{4}$  Sec. cor. as per instructions,

80.20 Intersect Second Standard Parallel 22.75 Chs. East of standard corner to Secs. 32 and 33; and set Charred post, built mound and dug pits, as per instructions, for the corner to Secs. 4 & 3, Surface rolling. Prairie.  
Soil 2<sup>nd</sup> rate,

November, 14<sup>th</sup> 1869,

measuring chain compared with Standard and found correct,

Chairs

BOOK 1954

100

North between Secs. 31 and 32,  
Var.  $15^{\circ} 30'$  East,

- 40.00 Set sand stone,  $14 \times 12 \times 3$ , for  $\frac{1}{4}$  sec,  
corner, as per instructions,  
80.00 Set sand stone,  $16 \times 10 \times 5$ , marked  
as per instructions, for the  
corner to Secs. 29, 30, 31 and 32,  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.
- 

East on Random between Secs,  
29 and 32. Var.  $15^{\circ} 30'$  E.

- 40.00 Set temporary  $\frac{1}{4}$  Sec, corner,  
60.40 Ravine, 70 lks, wide, course NW,  
79.70 Intersect Sec. line 24 links  
North of corner to Sections  
28, 29, 32 and 33,

Then N.  $89^{\circ} 49'$  West on True Line.  
Var.  $15^{\circ} 30'$  E.

- 39.80 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec, cor,  
as per instructions,  
79.70 Corner to Secs. 29, 30, 31 & 32,  
Surface rolling. Prairie.  
Soil 2<sup>nd</sup> rate.
- 

West on Random between Sections  
30 and 31, Var.  $15^{\circ} 30'$  E.

- 40.00 Set temporary  $\frac{1}{4}$  Sec, corner,  
77.45 Intersect Range Line 20 lks,  
North of corner to Secs,  
28, 30, 31 and 36,

Then N.  $89^{\circ} 51'$  E. on True Line  
Var.  $15^{\circ} 30'$  E.

- 37.45 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  Sec, cor,  
as per instructions,  
77.40 Corner to Secs. 29, 30, 31 & 32,  
Surface rolling. Prairie.  
Soil 2<sup>nd</sup> rate.
-

Field Notes of the Subdivision Lines of Township 10 N

Chains  
100  
BOOK 1954

North between Secs. 29 and 30.  
Var.  $15^{\circ} 30' E$ .

12.30 Dry bed of creek, 25 lks, wide,  
course west.

40.00 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  Sec, corner,  
as per instructions.

80.00 Set sand stone,  $16 \times 14 \times 3$ , marked  
as per instructions, for the  
corner to Secs. 19, 20, 29 & 30,  
Surface rolling. Prairie Soil 2<sup>nd</sup> rate.

---

Easton Random between Secs,  
20 and 29. Var.  $15^{\circ} 30' E$ .

40.00 Set temporary  $\frac{1}{4}$  Sec, corner.

79.85 Intersect Sec, line 12 lks. N.  
of corner to Secs, 20, 21, 28  
and 29.

Then N.  $89^{\circ} 53'$  West on True  
Line, Var.  $15^{\circ} 30'$  East,

39.92 $\frac{1}{2}$  Set Charred post, built mound  
and dug pits, for  $\frac{1}{4}$  Sec, corner,  
as per instructions.

79.85 Corner to Secs. 19, 20, 29 & 30,  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

---

Weston Random between Secs,  
19 and 30. Var.  $15^{\circ} 30' E$ .

40.00 Set temporary  $\frac{1}{4}$  Sec, corner,

77.80 Intersect Range line 10  
lks. North of corner to Secs,  
19, 24, 25 and 30.

Then N.  $89^{\circ} 56'$  East, on True  
Line, Var.  $15^{\circ} 30'$  East,

37.80 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  Sec, cor,  
as per instructions.

77.80 Corner to Secs. 19, 20, 29  
and 30.

chainsSurface rolling, Prairie. Soil 2<sup>nd</sup> rate.

North between Secs. 19 and 20,

Var. 15° 30' E.

40.00 Set charred post, built mound and dug pits for  $\frac{1}{4}$  Sec, Cor. as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 17, 18, 19 and 20.

Surface rolling - Prairie. Soil 1<sup>st</sup> rate.

Easton Random between Secs. 17 &amp; 20,

Var. 15° 30' E.

40.00 Set temporary  $\frac{1}{4}$  Sec, corner.

80.15 Intersect Sec, line 18 lks, South of corner to Secs. 16, 17, 20 &amp; 21.

Then S. 89° 5' 2" West on True Line.

Var. 15° 30' E.

40.07<sup>1/2</sup> Set charred post, built mound and dug pits, as per instructions, for the  $\frac{1}{4}$  Sec corner

80.15 corner to Sections 17, 18, 19 &amp; 20.

Surface rolling - Prairie. Soil 2<sup>nd</sup> rate.

Weston Random between Secs. 18 and 19.

Var. 15° 30' E.

40.00 Set temporary  $\frac{1}{4}$  Sec, corner.

61.00 Sand stone Bluff, bears N&amp;S, impossible to close, therefore set sand stone, 16 X 14 X 3, marked "W.C." for Witness corner.

Surface rolling - Prairie. Soil 2<sup>nd</sup> rate



Chains

1954

BOOK 1954

North Between Secs. 17 and 18.

Var.  $15^{\circ} 25' E$ .

40.00 Set charred post, built mound and dug pits for  $\frac{1}{4}$  Sec. corner, as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 7, 8, 17 and 18. Surface rolling. Prairie. Soil 1<sup>st</sup> rate.

---

Easton Random between Secs. 8 and 17.

Var.  $15^{\circ} 25' E$ .

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,

80.20 Intersect Sec. line 12 lks. South of corner to Secs. 8, 9, 16 and 17.

Then S.  $89^{\circ} 55'$  West on True Line.

Var.  $15^{\circ} 25' E$ .

40.12<sup>5</sup> Set charred post, built mound and dug pits for  $\frac{1}{4}$  Sec. cor. as per instructions.

80.25 Corner to Secs. 7, 8, 17 & 18. Surface level. Prairie. Soil 1<sup>st</sup> rate.

---

Weston Random between Secs. 7 and 18.

Var.  $15^{\circ} 25' E$ .

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,

77.20 Intersect Range Line 16 lks. South of corner to Secs. 7, 12, 13 and 18.

Then S.  $89^{\circ} 53' E$  on True Line.

Var.  $15^{\circ} 25' E$ .

37.20 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec. corner, as per instructions.

77.20 Corner to Secs. 7, 8, 17 and 18. Surface level. Prairie. Soil 1<sup>st</sup> rate.

November 15<sup>th</sup> 1869.

Chains

BOOK 1954

193

North between Secs. 7 and 8.

Var.  $15^{\circ} 25'$  East49.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec, corner, as per instructions.80.00 Set sand stone,  $16 \times 14 \times 4$ , marked as per instructions, for the cor. to secs. 5, 6, 7 and 8.Surface rolling. Prairie. Soil 2<sup>d</sup> rate.

Easton Random between Secs. 5 and 8.

Var.  $15^{\circ} 25'$  E.40.00 Set temporary  $\frac{1}{4}$  sec, corner.

54.50 Dry bed of creek. 30 lks. wide. course west.

80.30 Intersect Sec. line 25 lks. South of corner to Secs. 4, 5, 8 &amp; 9.

Then S.  $89^{\circ} 49'$  West on True Line. Var.  $15^{\circ} 25'$  East.40.15 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec, cor. as per instructions.

80.30 Corner to Secs. 5, 6, 7 and 8.

Weston Random between Secs. 6 and 7.

Var.  $15^{\circ} 25'$  East40.00 Set temporary  $\frac{1}{4}$  sec, corner.

77.15 Intersect Range Line 24 links South of corner to Secs. 1, 6, 7 and 12.

Then S.  $89^{\circ} 49'$  E. on True Line.Var.  $15^{\circ} 25'$  E.37.15 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec, cor. as per instructions.77.15 Corner to Secs. 5, 6, 7 and 8. Surface rolling. Prairie. Soil 2<sup>d</sup> rate.

Chains.

197

1954

BOOK

23.50

4.00

80.40

North on True Line between Secs. 5 & 6.

Var.  $15^{\circ} 25' E$ .

Dry Creek, 10 lks. wide, course West,  
Set sand stone,  $12 \times 10 \times 8$ , for  $\frac{1}{4}$  Sec,  
corner, as per instructions,

Intersect Second Standard Parallel,  
22.90 chains East of <sup>Standard</sup> corner to  
Sections 31 and 32, and set  
sand stone,  $20 \times 12 \times 8$ , marked "C.C."  
for the corner to Secs. 5 and 6,  
as per instructions.

Surface rolling. Prairie. Soil  $2\frac{1}{4}$  rate,  
November, 16<sup>th</sup> 1869.

---

General Description of Township  
10 North, Range 9 West of the  
Navajo Special Meridian.

The land in this Township is  
generally rolling, soil  $2\frac{1}{4}$ ,  $1\frac{1}{4}$ , and  
 $3\frac{1}{4}$  rate.

It is well adapted to farming and  
grazing purposes and gives evidence  
of having been well cultivated  
not many years ago.

---

Chairs

BOOK 1954

193

North between Secs. 35 and 36,  
Var. 16° East,

- 40.00 Set sand stone, 16 X 12 X 4, for  $\frac{1}{4}$   
Sec, corner, as per instructions.
- 48.00 Bluff, bears N. E. and S. W.
- 80.00 Deposited marked stone, set  
charred post, built mound and dug  
pit as per instructions, for the  
corner to Secs. 25, 26, 35 and 36.  
Surface, land broken, Soil 3 $\frac{1}{2}$  rate.  
Prairie.

Easton Random between Secs.  
25 and 36. Var. 16° East,

- 40.00 Set temporary  $\frac{1}{4}$  Sec, corner,
- 80.50 Intersect Guide Meridian 35  
lks North of corner to Secs,  
25, 30, 31 and 36.

Then N. 89° 45' West on True Line.  
Var. 16° East,

- 40.25 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  Sec, corner,  
as per instructions.
- 80.50 Corner to Secs. 25, 26, 35 X 36,  
Surface rolling. Soil 2 $\frac{1}{2}$  rate.  
Prairie.

North between Secs. 25 and 26,  
Var. 16° East,

- 40.00 Set sand stone, 14 X 18 X 6, for  $\frac{1}{4}$   
Sec, corner, as per instructions.
- 58.00 Cañon, course west, 175 lks. wide.
- 80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, as per  
instructions, for the corner  
to Secs. 23, 24, 25 X 26,  
Land rolling, Soil 2 $\frac{1}{2}$  rate.  
Prairie.

Chains

100

BOOK 1954

Easton Random between Secs. 24 & 25,  
Var. 16° East.

- 40.00 Set temporary 1/4 sec. corner,
- 80.30 Intersect Guide meridian 25 links North of corner to Secs. 19, 24, 25 and 30.

Then N. 89° 49' Weston True Line.  
Var. 16° East.

- 40.15 Set charred post, built mound and dug pits for 1/4 sec. corner, as per instructions.
- 80.30 Corner to Secs. 23, 24, 25 & 26, Land rolling. Soil 2 1/2 rate. Prairie.

North between Secs. 23 and 24.

- 40.00 Set charred post, built mound and dug pits for 1/4 sec. corner, as per instructions. Var. 16° E,
- 52.00 Ravine, course west.
- 80.00 Set sand stone, 20 x 12 x 51, marked as per instructions, for the corner to Secs. 13, 14, 23 and 24, Land rolling. Soil 2 1/2 rate. Prairie.

Easton Random between Secs. 13 and 24. Var. 16° East.

- 40.00 Set temporary 1/4 sec. corner,
- 80.15 Intersect Guide meridian 10 links North of corner to Secs. 13, 18, 19 and 24.

Then N. 89° 56' Weston True Line. Var. 16° East.

- 40.07 1/2 Set charred post, built mound and dug pits for 1/4 sec. cor, as per instructions.
- 80.15 Corner to Secs. 13, 14, 23 & 24, Land rolling. Soil 2 1/2 rate. Prairie.

Chains

- North between Secs. 13 and 14. Var. 16° 6'.  
 40.00 Set sand stone, 16 x 14 x 13, for  $\frac{1}{4}$  Sec.  
 corner, as per instructions.  
 52.00 Cañon, course west, 200. lks wide.  
 80.00 Deposited marked stone, set charred  
 post, marked, built mound and  
 dug pits, as per instructions, for  
 the corner to Secs. 11, 12, 13 & 14.  
 Land rolling. Soil 3 $\frac{1}{2}$  rate,  
 Prairie.
- 

East on Random between Secs. 12  
 and 13. Var. 16° East.

- 29.90 Cañon, course S.West, 200 lks, wide.  
 40.00 Set temporary  $\frac{1}{4}$  Sec, Corner,  
 79.85 Intersect Guide meridian, 25  
 lks, South of corner to Secs. 1, 12,  
 13 and 18,

Then S. 89° 49' West on True Line.  
 Var. 16° East.

- 39.92 $\frac{1}{2}$  Set charred post, built mound  
 and dug pits for  $\frac{1}{4}$  Sec, corner, as  
 per instructions.  
 79.85 Corner to Secs. 11, 12, 13 and 14,  
 Land rolling. Soil 2 $\frac{1}{2}$  rate,  
 Prairie.
- 

North between Secs. 11 and 12,  
 Var. 16° East.

- 40.00 Set charred post, built mound and  
 dug pits, for  $\frac{1}{4}$  Sec, corner, as per  
 instructions.  
 80.00 Deposited marked stone, set  
 charred post, marked, built mound  
 and dug pits, as per instructions,  
 for the corner to Secs. 1, 2, 11 & 12.  
 Land rolling. Soil 3 $\frac{1}{2}$  rate,  
 Prairie.
- 

East on Random between Secs. 1 & 12,  
 Var. 16° East.

Field Notes of the Subdivision Lines of Township 11

Chains

111  
BOOK 1954

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
79.70 Intersect North and South line 35  
lks. South of corner to Secs. 1, 6,  
7 and 12.

Then S.  $89^{\circ}45'$  West on True Line,  
Var.  $16^{\circ}$  East,

39.88 Set Charred post, built mound and  
dug pits, as per instructions,  
for  $\frac{1}{4}$  Sec. corner.

79.70 Corner to Sections 1, 2, 11 and 12,  
Land rolling. Soil  $2\frac{1}{2}\%$  rate, Prairie.

North on Random between Secs. 2 & 1,  
Var.  $16^{\circ}$  East,

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
80.40 Intersect North Boundary of Town-  
ship 53 lks. East of corner to  
Sections 1, 2, 35 and 36.

Then S.  $23'$  E. on True Line, Var.  $16^{\circ}$  E.

40.40 Set Charred post, built mound  
and dug pits, for  $\frac{1}{4}$  Sec. corner,  
as per instructions.

80.40 Corner to Secs. 1, 2, 11 and 12,  
Land rolling. Soil  $2\frac{1}{2}\%$  rate,  
Prairie.

November 7<sup>th</sup> 1869.

North between Secs. 34 and 35,  
Var.  $15^{\circ}45'$  E.

40.00 Set Charred post, built mound  
and dug pits for  $\frac{1}{4}$  Sec. corner, as  
per instructions.

80.00 Deposited marked stone, set  
Charred post, marked, built mound  
and dug pits, as per instructions,  
for corner to Secs. 26, 27, 34  
and 35.

Land rolling. Soil  $2\frac{1}{2}\%$  rate,  
Prairie.

Chains

BOOK 1954

East on Random between Secs. 26 & 28.

Var.  $15^{\circ} 45' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  Sec. corner,
- 79.65 Intersect North and South line  
20 links South of corner to Secs,  
25, 26, 35 and 36.

Then S.  $89^{\circ} 49'$  West on True Line.

Var.  $15^{\circ} 45' E$ .

- 39.82 $\frac{1}{2}$  Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  Sec. corner, as per  
instructions.
  - 79.65 Corner to Secs, 26, 27, 34 and 35.  
Land rolling, Soil 2 $\frac{1}{2}$  rate, Prairie.
- 

North between Secs. 26 and 27,

Var.  $15^{\circ} 45' E$ .

- 40.00 Set sand stone,  $18 \times 11 \times 4$ , for  $\frac{1}{4}$  Sec. cor,  
as per instructions.
  - 56.50 Corron, course West, 180 lks, wide.
  - 80.00 Set sand stone,  $16 \times 12 \times 3$ , marked as  
per instructions, for cor. to Secs,  
22, 23, 26 and 27.  
Land rolling, Soil 2 $\frac{1}{2}$  rate, Prairie.
- 

East on Random between Secs, 23  
and 26,

Var.  $15^{\circ} 45' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  Sec. corner,
- 79.70 Intersect North and South line  
35 links South of corner to Secs,  
23, 24, 25 and 26,

Then S.  $89^{\circ} 45'$  West on True Line.

Var.  $15^{\circ} 45' East$ .

- 39.85 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  Sec. corner, as  
per instructions.
  - 79.70 Corner to Secs, 22, 23, 26 & 27,  
Land broken, Soil 3 $\frac{1}{2}$  rate,  
Prairie.
-



Field Notes of the Subdivision Lines of Township 11 N.

Chains

BOOK 1954

North between Secs. 22 and 23.

Var.  $15^{\circ}45'$  East.

47.00 Cañon, course S. W. 350 lks. wide.

40.00 Place for  $\frac{1}{4}$  sec, corner in cañon, I set witness corner, 50 chs. north of true corner.

Set sand stone, 22 x 20 x 4, as per instructions.

80.00 Set sand stone, 24 x 18 x 4, marked as per instructions, for corner to secs. 14, 15, 22 and 23.

Land broken. Soil  $3^{\frac{1}{2}}$  rate. Prairie.

East on Random between Secs. 14 and 23.

Var.  $15^{\circ}45'$  East.

18.50 Cañon, course S. W. 150 lks. wide.

40.00 Set temporary  $\frac{1}{4}$  sec, corner.

80.30 Intersect North and South line 35 links South of corner to Secs. 13, 14, 23 and 24.

Then S  $89^{\circ}45'$  West on True Line.

Var.  $15^{\circ}45'$  East.

40.15 Set sand stone, 14 x 12 x 3, for  $\frac{1}{4}$  sec, cor. as per instructions.

80.30 Corner to Secs. 14, 15, 22 and 23.

Land rolling. Soil  $3^{\frac{1}{2}}$  rate, Prairie.

North between Secs. 14 and 15.

Var.  $15^{\circ}45'$  East.

40.00 Set charred post, built mound and dug pits, as per instructions, for  $\frac{1}{4}$  sec, corner.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 10, 11, 14 and 15.

Land rolling. Soil  $2^{\frac{1}{2}}$  rate, Prairie.

Chains

BOOK 1954

East on Random between Secs. 11  
and 14. Var.  $15^{\circ}45' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  Sec. corner,
- 26.00 Ravine, course South,
- 80.80 Intersect North and South  
line 20 lks, South of corner to  
Secs. 11, 12, 13 and 14.

Then S,  $89^{\circ}51'$  West on True Line.  
Var.  $15^{\circ}45' E$

- 44.92 $\frac{1}{2}$  Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  Sec. corner,  
as per instructions
- 89.80 Corner to Secs. 10, 11, 14 and 15.  
Land rolling. Soil 2 $\frac{1}{2}$  rate,  
Prairie.

North between Secs. 10 & 11.

Var.  $15^{\circ}45' E$ .

- 40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  Sec. cor,  
as per instructions.
- 80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, as per  
instructions. for the corner  
to Secs. 2, 3, 10 and 11.  
Land rolling. Soil 2 $\frac{1}{2}$  rate.  
Prairie.

East on Random between Secs.  
2 and 11. Var.  $15^{\circ}45' E$ ,

- 40.00 Set temporary  $\frac{1}{4}$  Sec. corner
- 80.20 Intersect North and South  
line 16 links North of cor,  
to Secs. 1, 2, 11 and 12.

Then N.  $89^{\circ}33'$  West on  
True Line Var.  $15^{\circ}45' E$  East

- 40.10 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  Sec. cor,  
as per instructions.

Field Notes of the Subdivision Lines of Township 11 N.

115  
BOOK 1954

Chains

50.20 Corner to Secs. 2, 3, 10 and 11.  
Land rolling, Soil 2<sup>nd</sup> rate, Prairie.

North on Random between Secs.  
2 and 3. (Var. 15° 45' E,

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
50.16 Intersect North Boundary  
of Township 20 lks East  
of Corner to Secs. 2, 3, 34 & 35.

Then S. 11' East on True Line.

(Var. 15° 45' E,

40.16 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  Sec. cor.,  
as per instructions.

50.16 Corner to Secs. 1, 2, 11 and 12,  
November 18, 1869.

Measuring Chain compared with  
Standard and found correct.

North between Secs. 33 and 34,

(Var. 15° 45' E,

40.00 Set charred post, built mound  
and dug pits, as per instructions,  
for  $\frac{1}{4}$  Sec. corner.

59.50 Ravine, course S. W.

50.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, as per  
instructions, for the corner  
to Secs. 27, 28, 33 and 34.  
Land rolling, Soil 2<sup>nd</sup> rate,  
Prairie.

East on Random between Secs.  
27 and 34.

(Var. 15° 45' E,

22.00 Ravine, course S. West,

40.00 Set temporary  $\frac{1}{4}$  Sec. corner.

Chains

BOOK 1954

63.00 Sand stone bluff, bears North and S,  
 80.60 Intersect North and South line  
 25 links North of corner to secs,  
 26, 27, 34 and 35.

Then N. 89° 49' West on True Line.  
 Var. ---

40.32<sup>2</sup> Set charred post, built mound  
 and dug pits, for  $\frac{1}{4}$  sec, corner,  
 as per instructions.

80.60 Corner to Secs, 27, 28, 33 and 34.  
 Hand rolling. Soil  $\frac{3}{4}$  rate,  
 Prairie.

North between Secs, 27 & 28,  
 Var. 15° 40' E.

40.00 Set Charred post, built mound  
 and dug pits for  $\frac{1}{4}$  sec, corner,  
 as per instructions.

80.00 Deposited marked stone, set  
 Charred post, built mound and  
 dug pits, as per instructions, for  
 the corner to Secs, 21, 22, 27  
 and 28.

Hand rolling. Soil  $\frac{2}{4}$  rate,  
 Prairie.

Easton Random between Secs,  
 22 and 27. Var. 15° 40' E.

40.00 Set temporary  $\frac{1}{4}$  Sec, corner,  
 49.00 A sand stone bluff, bears N.W. & E.  
 53.00 Cañon, course S. W

80.60 Intersect North and South 30  
 links North of corner to secs,  
 22, 23, 26 and 27.

Then N. 89° 37' West on True  
 Line. Var. 15° 40' East.

40.32<sup>2</sup> Set sand stone, 16 x 14 x 3.  
 for  $\frac{1}{4}$  sec, cor, as per instructions.

80.60 corner to Secs, 21, 22, 27  
 and 28. Hand broken, Soil  $\frac{3}{4}$  rate, Prairie

Field Notes of the Subdivision series of Townships

Chains

BOOK 1954

40.00 North between Secs. 21 and 22,  
Var.  $15^{\circ}40'$  East,  
Set sand stone,  $14 \times 12 \times 3$ , for  $\frac{1}{4}$   
sec, cor, as per instructions,  
42.00 Sand stone bluff, bears E & West,  
80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, as per  
instructions, for the corner to  
secs. 15, 16, 21 and 22,  
Surface rolling. Soil  $2^{\text{d}}$  rate,  
Prairie.

40.00 East on Random between Secs. 15  
and 22, Var.  $15^{\circ}40'$  E.  
79.85 Set temporary  $\frac{1}{4}$  sec, corner  
Intersect North and South line  
25 links South of corner to  
sections 14, 15, 22 and 23,

Then S.  $89^{\circ}49'$  East on True Line,  
Var.  $15^{\circ}40'$  E,  
39,92 $\frac{1}{2}$  Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec corner,  
as per instructions.  
79.85 Corner to Secs. 15, 16, 21 & 22,  
Sand rolling. Soil  $2^{\text{d}}$  rate,  
Prairie.

40.00 North between Secs. 15 & 16,  
Var.  $15^{\circ}40'$  E,  
Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec, corner,  
as per instructions.  
80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, as per  
instructions, for the corner  
to secs. 9, 10, 15 and 16,  
Sand rolling. Soil  $2^{\text{d}}$  rate,  
Prairie.

Chains

BOOK 1954

Easton Random between Secs. 10  
and 13. Var.  $15^{\circ}40'$  East,

40.00 Set temporary  $\frac{1}{4}$  Sec. Corner,

79.70 Intersect North and South line 18  
links North of Corner to Secs.  
10, 11, 14 and 13,

Then N.  $89^{\circ}52'$  West on True Line  
Var.  $15^{\circ}40'$  E,

39.85 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  Sec. Corner, as per  
instructions.

79.70 Corner to Secs. 9, 10, 13 and 16.  
Land rolling. Soil 2<sup>d</sup> rate.  
Prairie.

North between Secs. 9 and 10,  
Var.  $15^{\circ}40'$  E,

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  Sec. Corner,  
as per instructions.

80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, as per  
instructions for corner to  
Secs. 3, 4, 9 and 10,  
Land rolling. Soil 2<sup>d</sup> rate.  
Prairie.

Easton random between Secs.  
9 and 10. Var.  $15^{\circ}40'$  E.

27.00 Ravine, course North,

40.00 Set temporary  $\frac{1}{4}$  Sec. Corner,

46.90 Ravine, course N. 20.

79.75 Intersect N. and S. line 30 lks.  
North of Corner to Secs. 2, 3, 10  
and 11.

Then N.  $89^{\circ}55'$  West  
on True Line. Var.  $15^{\circ}40'$  E.

39.87<sup>1/2</sup> Set sand stone, 16 X 12 X 3. for  
 $\frac{1}{4}$  Sec. Corner as per instruc-  
tions

Field Notes of the Subdivision Lines of Township

Chains

BOOK 1954

79.75 Corner to Secs. 3, 4, 9 and 10.  
Land broken, Soil 3<sup>rd</sup> rate, Prairie.

North on Random between Secs. 3  
and 4. Var. 15° 45' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
71.54 Cañon, course N.W. 250 lks. wide,  
80.40 Intersect North Boundary of  
Township 25 lks. west of corner  
to Secs. 3, 4, 33 and 34.

Then S. 11' West on True Line.  
Var. 15° 45' E.

40.40 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  Sec. Cor. as per  
instructions.  
80.40 Corner to Secs. 3, 4, 9 and 10.  
Land rolling. Soil 2<sup>nd</sup> rate, Prairie.  
Nov. 19<sup>th</sup>

North between Secs. 32 and 33.  
Var. 15° 45' E.

40.00 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  Sec. corner, as per  
instructions.  
80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, as per  
instructions, for corner to  
Secs. 28, 29, 32 and 33.  
Land rolling. Soil 2<sup>nd</sup> rate,  
Prairie.

East on Random between Secs.  
28 and 33. Var. 15° 45' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
79.80 Intersect North and South  
line 25 lks. south of corner to  
Sections 27, 28, 33 and 34.

Then S. 89° 49' West on True  
Line. Var. 15° 45' East.

Chains

BOOK 1954

- 39.90 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec, corner, as per instructions.  
 79.80 Corner to Secs. 28. 29. 32 and 33.

North between Secs. 28 and 29,  
 Var. 15° 45' E.

- 40.00 Set sand stone, 16 X 12 X 3, for  $\frac{1}{4}$  sec, cor, as per instructions.  
 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 20. 21. 28 and 29.  
 Land broken. Soil 2 $\frac{1}{4}$  rate.  
 Prairie.

East on Random between Secs. 21 and 28,  
 Var. 15° 45' E.

- 40.00 Set temporary  $\frac{1}{4}$  Sec, corner  
 53.00 A sand stone bluff, bears N. S.  
 80.30 Intersect Wand S. line, 35 lks. S. of corner to Secs. 21. 22. 27 & 28.

Then S. 89° 45' West on True Line.  
 Var. 15° 45' E.

- 40.15 Set sand stone, 18 X 12 X 4, for  $\frac{1}{4}$  Sec, corner, as per instructions.  
 80.30 Corner to Secs. 20. 21. 28 & 29.  
 Land rolling. Soil 2 $\frac{1}{4}$  rate.  
 Prairie.

North between Secs. 20 and 21,  
 Var. 15° 45' E.

- 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec, cor, as per instructions.  
 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as



Field Notes of the Subdivision Lines of Township 11

Chains  
BOOK 1954

per instructions, for the Cor. to  
secs. 16, 17, 20 and 21,  
Land rolling. Soil 2 $\frac{1}{2}$  rate.  
Prairie.

Easton Random between Secs.  
16 and 21. Var. 15° 45' E.  
40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.40 Intersect North and South line  
30 lks. North of corner to secs.  
15, 16, 21 and 22.

Then N. 89° 47' West on True  
Line. Var. 15° 45' East.  
40.20 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec. cor.  
as per instructions,  
80.40 Corner to Secs. 16, 17, 20 & 21.  
Land rolling. Soil 2 $\frac{1}{2}$  rate.  
Prairie.

North between Secs. 16 and 17,  
Var. 15° 45' E.  
40.00 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec. corner,  
as per instructions,  
80.00 Deposited marked stone, set charred  
post, marked, built mound and dug  
pits, as per instructions, for the  
corner to Secs. 8, 9, 16 and 17,  
Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.

Easton Random between Secs.  
9 and 16. Var. 15° 45' E.  
18.00 Ravine, course N. West  
4.000 Set temporary  $\frac{1}{4}$  sec. corner,  
80.17 Intersect North and South line  
15 lks. North of corner to secs.  
9, 10, 15 and 16,

Then N. 89° 54' West on True

Chains

BOOK 1954

- Line. Var.  $15^{\circ}45'$  East,  
 40.08<sup>2</sup> Set sand stone,  $14 \times 12 \times 13$ . for  $\frac{1}{4}$  sec.  
 cor. as per instructions.  
 80.17 Corner to Secs. 8, 9, 16 and 17,  
 Hand rolling. Soil 2<sup>4</sup>/<sub>4</sub> rate. Prairie.
- 

North between Secs. 8 and 9.  
 Var.  $15^{\circ}45'$  E.

- 32.00 Cañon, 450 - wide, course N.W. 20.  
 40.00 Set charred post, built mound and  
 dug pits. for  $\frac{1}{4}$  sec, corner, as  
 per instructions;  
 80.00 Deposited marked stone, set  
 charred post, marked, built  
 mound and dug pits, as per  
 instructions, for corner to  
 secs. 4, 5, 8 and 9.  
 Land rolling. Soil 3<sup>4</sup>/<sub>4</sub> rate.  
 Prairie.
- 

Easton Random between Secs.  
 4 and 9. Var.  $15^{\circ}45'$  E.

- 40.00 Set temporary  $\frac{1}{4}$  sec, corner.  
 79.75 Intersect North and South line  
 30 lks. South of cor. to secs. 3,  
 4, 9 and 10.

Then S.  $89^{\circ}47'$  West on True  
 Line. Var.  $15^{\circ}45'$  East.

- 39.87<sup>2</sup> Set charred post, built mound  
 and dug pits, as per instructions  
 for  $\frac{1}{4}$  sec, corner.  
 79.75 Corner to Secs. 4, 5, 8 and 9,  
 Land broken. Soil 2<sup>4</sup>/<sub>4</sub> rate.  
 Prairie.
- 

North on Random between Secs.  
 4 and 5. Var.  $15^{\circ}45'$  E.

- 40.00 Set temporary  $\frac{1}{4}$  sec, cor.  
 79.65 Intersect North Boundary of  
 Township 16 lks. West

Chains  
BOOK 1954

of corner to Secs. 4. 5. 32 & 33.

Then S. 7' West on True Line.  
Var. 15° 45' E.

39.65 Set sand stone, 15 x 14 x 4, for  $\frac{1}{4}$  sec. cor. as per instructions.

79.65 Corner to Secs. 4. 5. 8 and 9.  
Land rolling. Soil 2 $\frac{1}{2}$  rate.  
Prairie. Nov. 20<sup>th</sup>.

North between Secs. 31 and 32,  
Var. 15° 45' E.

40.00 Set sand stone, 15 x 14 x 4, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for corner to Secs. 29. 30. 31 and 32.

Land rolling. Soil 2 $\frac{1}{2}$  rate, Prairie.

Easton Random between Secs. 29 and 32,  
Var. 16° East.

40.00 Set temporary  $\frac{1}{4}$  Sec. Corner.

79.85 Intersect North and South line 20 links South of cor. to Secs. 28. 29. 32 and 33.

Then S. 89° 51'

West on True Line. Var. 16° East.

39.92 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec. cor. as per instructions.

79.85 Cor. to Secs. 29. 30. 31 and 32.  
Land broken. Soil 2 $\frac{1}{2}$  rate.  
Prairie.

Weston Random between Secs. 30 and 31. Var. 16° East.

82.00 Ravine, course S. West.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner.

Chains

BOOK 1954

80.30 Intersect West Boundary of Township  
17 lks, South of Corner to  
Secs, 28, 30, 31 and 36.

Then S.  $89^{\circ}33'$  East on True Line.  
Var.  $16^{\circ}$  East.

40.15 Set sand stone,  $14 \times 12 \times 3$ . for  $\frac{1}{4}$  sec.  
Cor. as per instructions.

80.30 Corner to secs, 29, 30, 31 and 32.  
Land broken. Soil  $2^{\frac{1}{4}}$  rate, Prairie.

---

North between Secs. 29 and 30,  
Var.  $16^{\circ}$  East.

37.50 A sand stone Bluff, bears E.  
and West,

40.00 Set sand stone,  $15 \times 12 \times 3$ . for  
 $\frac{1}{4}$  Sec, Corner, as per instructions.

67.50 Canon, 400 wide, course S.W.

80.00 Set sand stone,  $18 \times 12 \times 3$ , marked  
as per instructions, for the corner  
to Secs, 19, 20, 29 and 30.

Land broken. Soil  $3^{\frac{1}{4}}$  rate,  
Prairie.

---

East on Random between Secs. 20 and 29,  
Var.  $16^{\circ}$  East.

15.00 Canon, course S.W. 300 lks, wide.

40.00 Set temporary  $\frac{1}{4}$  sec, corner,

79.70 Intersect North and South line  
35 links North of corner to Secs,  
20, 21, 28 and 29.

Then S.  $89^{\circ}45'$  West on True  
Line, Var.  $16^{\circ}$  East.

39.85 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec, Cor,  
as per instructions.

79.70 Corner to Secs, 19, 20, 29 & 30.  
Land rolling. Soil  $3^{\frac{1}{4}}$  rate,  
Prairie.

---

126 Chains  
 BOOK 1954  
 40.00  
 80.48

West on Random between Secs. 19 and 30.  
 Var. 16° East,  
 Set temporary 1/4 Sec. corner,  
 Intersect North Boundary of Town-  
 ship 20 links South of corner to  
 Secs. 19, 24, 28 and 30.

Then S. 89°49' East on True Line.  
 Var. 16° East.

40.48 Set sand stone, 18 x 14 x 3. for 1/4  
 Sec. corner as per instructions.  
 80.48 Corner to Secs. 19, 20, 29 and 30.  
 Land rolling. Soil 2 1/4 rate. Prairie.

North between Secs. 19 and 20.  
 Var. 16° East.

40.00 Set sand stone, 16 x 12 x 3. for 1/4 Sec.  
 corner as per instructions.  
 75.88 Ravine, course N. west.  
 80.00 Deposited marked stone, set chared  
 post, marked, built mound and  
 dug pits, as per instructions, for  
 the corner to Secs. 17, 18, 19 & 20.  
 Land rolling. Soil 2 1/4 rate.  
 Prairie.

East on Random between Secs. 17  
 and 20. Var. 16° East.

40.00 Set temporary 1/4 Sec. corner.  
 79.90 Intersect North and South line 18  
 links South of corner to Secs.  
 16, 17, 20 and 21.

Then S. 89°52' West on True  
 Line. Var. 16° East.

39.95 Set sand stone, 14 x 12 x 3. for 1/4  
 Sec. corner as per instructions.  
 79.90 corner to Secs. 17, 18, 19 & 20.  
 Land rolling. Soil 2 1/4 rate.  
 Prairie.

November 21<sup>st</sup>

Chains

BOOK 1954

measuring chain compared with  
Standard and found correct.

West on Random between Secs.  
18 and 19. Var.  $16^{\circ}$  E.

16.50 Ravine, course N. west.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

80.80 Intersect North Boundary of Town-  
ship 13 lks. North of corner to Secs.  
13, 18, 19 and 24.

Then N.  $89^{\circ} 53'$  East on True Line.

Var.  $16^{\circ}$  East.

40.40 Set sand stone,  $16 \times 12 \times 4$ , for  $\frac{1}{4}$  sec.  
cor. as per instructions.

80.80 Corner to Secs. 17, 18, 19 and 20,  
Land rolling. Soil  $2^{\frac{1}{2}}$  rate,  
Prairie.

North between Secs. 17 and 18.

Var.  $16^{\circ}$  East.

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. cor.  
as per instructions.

80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, as per  
instructions. for the cor.  
to Secs. 7, 8, 17 and 18,  
Land rolling. Soil  $2^{\frac{1}{2}}$  rate,  
Prairie.

East on Random between Secs. 8 and 17.

Var.  $16^{\circ}$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

80.80 Intersect North and South line 35  
lks. North of corner to Secs. 8,  
9, 16 and 17.

Then N.  $89^{\circ} 45'$  West on True  
Line. Var.  $16^{\circ}$  East.

40.15 Set sand stone,  $14 \times 12 \times 3$ , for

Field Notes of the Subdivision Lines of Township.

Chains  
BOOK 1954

80.30  $\frac{1}{4}$  sec, cor, as per instructions,  
Corner to Secs. 7, 8, 17 and 18.  
Land broken, Soil 2<sup>d</sup> rate.  
Prairie.

Weston Random between  
Secs. 7 and 18. Var. 16<sup>th</sup> E.  
37.00 Ravine, course North,  
40.00 Set temporary  $\frac{1}{4}$  sec, corner,  
80.90 Intersect West Boundary of  
Township 35 lks. North of  
Corner to Secs. 7, 12, 13 and 18.

Then N. 89° 45' East on True  
Line. Var. 16<sup>th</sup> East.  
40.90 Set Charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec, cor,  
as per instructions,  
80.90 Corner to Secs. 7, 8, 17 and 18,  
Land broken, Soil 2<sup>d</sup> rate,  
Prairie.

North between Secs. 7 and 8,  
Var. 16<sup>th</sup> East.  
40.00 Set sand stone, 14 X 12 X 5, for  $\frac{1}{4}$   
sec, cor, as per instructions.  
80.00 Set sand stone, 16 X 14 X 6, marked  
as per instructions for the  
Corner to Secs. 5, 6, 7 and 8.  
Land rolling. Soil 3<sup>d</sup> rate,  
Prairie.

East on Random between Secs,  
5 and 8. Var. 16<sup>th</sup> East.  
22.00 Cañon, 400 wide, course N. W. W.,  
40.00 Set temporary  $\frac{1}{4}$  sec, cor,  
80.65 Intersect North and South  
line 20 links North of corner  
to Secs. 4, 5, 8 and 9.

Then N. 89° 51' W. on True Line.  
Var. 16<sup>th</sup> East.

Chains

BOOK 1954

- 40.32<sup>2</sup> Set sand stone, 14 X 14 X 3. for  $\frac{1}{4}$  Sec, corner, as per instructions.  
 80.65 Corner to Secs, 5, 6, 7 and 8,  
 Land rolling. Soil 2 $\frac{1}{2}$  rate.  
 Prairie.

West on Random between Secs,  
 6 and 7. Var. 16° E.

- 23.00 Cañon, course SW, 350 wide.  
 40.00 Set temporary  $\frac{1}{4}$  Sec, corner.  
 67.50 Cañon, course S, west,  
 81.25 Intersect West Boundary of  
 Township 20 lks. north of  
 corner to Secs, 1, 6, 7 and 12.

Then N. 89° 51' East on True  
 Line. Var. 16° East.

- 41.25 Set sand stone, 16 X 14 X 3, for  $\frac{1}{4}$   
 Sec, corner, as per instructions.  
 81.25 Corner to Secs, 5, 6, 7 and 8,  
 Land broken, Soil 2 $\frac{1}{2}$  rate.  
 Prairie.

North on Random between Secs,  
 5 and 6. Var. 16° East.

- 6.50 Cañon, course west, 380 wide.  
 40.00 Set temporary  $\frac{1}{4}$  Sec, corner.  
 69.00 Cañon, course SW, 250 lks, wide.  
 80.85 Intersect N. Boundary of Township 17. W.  
 of cor. to Secs, 5, 6, 31 & 32.

Then South 7' West  
 on True Line. Var. 16° East.

- 40.85 Set sand stone, 20 X 24 X 2, for  $\frac{1}{4}$   
 Sec, corner, as per instructions.  
 80.85 Corner to Secs, 5, 6, 7 and 8,  
 Land broken, Soil 3 $\frac{1}{2}$  rate.  
 Prairie.

General Description

of Township 11 N. Range  
 9 West,

Land in this Township is mostly



BOOK 1954

2<sup>nd</sup> rate. Prairie.

The Northern part of it is well adapted to grazing purposes.

In the Southern portion there is some good farming land, soil 1<sup>st</sup> rate,

A few scattering trees along the sides of the bluffs and in trees, 10 and 16.

Nov. 22<sup>nd</sup>.

Field Notes of the Subdivision  
Lines of Township 12 N. Range  
7 West of the N.S. M.

1902

North between Secs. 35 and 36,  
Var. 16° East.

- 4 000 Set charred post, built mound and dug  
pits for  $\frac{1}{4}$  sec. cor. as per instructions,  
52.00 Bluff, bears N.W. and S.E.  
80.00 Set sand stone, 24 x 12 x 6, marked  
as per instructions, for corner  
to Secs. 25, 26, 35, and 36.  
Land rolling, Soil 2 $\frac{1}{4}$  rate. Prairie.

Easton Random between Secs.  
25 and 36, Var. 16° E.

- 35.00 Cañon, 3 chains wide, course N.  
4 000 Set temporary  $\frac{1}{4}$  sec. corner  
80.60 Intersect North and South line  
30 lks. North of corner to Secs.  
25, 30, 31 and 36.

Then N. 89° 51' West on True line,  
Var. 16° East.

- 40.30 Set sand stone, 16 x 12 x 4, for  $\frac{1}{4}$   
sec. corner, as per instructions,  
80.60 Corner to Secs. 25, 26, 35 + 36.  
Land broken, Soil 3 $\frac{1}{4}$  rate. Prairie.

North between Secs. 25 and 26,  
Var. 16° E.

- 40.00 Set sand stone, 14 x 12 x 3, for  $\frac{1}{4}$  sec.  
cor. as per instructions,  
52.00 Ravine, course N.E.  
80.00 Set sand stone, 18 x 12 x 3, marked  
as per instructions, for cor.  
to Secs. 23, 24, 25 and 26.  
Land rolling, Soil 2 $\frac{1}{4}$  rate,  
Prairie.

Chasus

BOOK

1954

- Easton Random between Secs. 29 and 28. Var. 16° E.  
 18.00 Ravine, course N.E.  
 28.50 Cañon, course North, 4.00 chs. wide.  
 40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
 80.35 Intersect Guide meridian 8 lks. North of corner to Secs. 19. 24. 25. and 30.

Then N. 89° 52' West on True Line. Var. 16° East.

- 40.17 $\frac{1}{2}$  Set sand stone, 18x16x3, for  $\frac{1}{4}$  sec. corner, as per instructions.  
 80.35 Corner to Secs. 23. 24. 25 & 26. Land rolling, Soil 2 $\frac{1}{4}$  rate. Prairie.

November, 22<sup>nd</sup>,

Measuring chain compared with standard and adjusted

North between Secs. 23 and 24, Var. 16° East.

- 22.20 Ravine, course N.E.  
 40.00 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.  
 80.00 Set sand stone, 18x14x4, as per instructions. for corner to sects. 18, 19, 23 and 24. Land rolling. Soil 2 $\frac{1}{4}$  rate. Prairie.

Easton Random between Secs. 18 and 24. Var. 16° East.

- 37.00 Dry Creek, course N.E., 1 chn. wide.  
 40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
 80.20 Intersect Guide meridian 27 lks. North of corner to Secs. 18, 19 and 24.

Then N. 89° 43' West on True Line. Var. 16° East.

- 40.10 Set charred post, built mound and dug pits. for  $\frac{1}{4}$  sec. corner.

Chama

BOOK 1954

as per instructions,  
 80.20 Corner to Secs. 13, 14, 23 & 24.  
 Land rolling. Soil 2 $\frac{1}{2}$  rate,  
 Prairie.

North between Secs. 13 and 14,  
 Var. 16° 00' East,

11.00 Ravine, course N. East,  
 37.50 Ravine, course East,  
 4.00 Set charred post, built mound  
 and dug pits, for  $\frac{1}{4}$  Sec. cor, as  
 per instructions,  
 59.00 Dry Creek, course N. West,  
 80.00 Set sand stone, 16 x 13 x 9, marked  
 as per instructions, for the  
 corner to Secs. 11, 12, 13 and 14,  
 Land rolling. Soil 2 $\frac{1}{2}$  rate,  
 Prairie.

Easton Random between Secs.  
 12 and 13. Var. 16° East,

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.  
 79.85 Intersect Guide Meridian,  
 10 lks. north of corner to Secs.  
 7, 12, 13 and 18,

Then N. 89° 36' West on True  
 Line. Var. 16° East,

39.82 $\frac{1}{2}$  Set charred post, built mound and  
 dug pits, for  $\frac{1}{4}$  Sec. cor, as per in-  
 structions,  
 79.85 Corner to Secs. 11, 12, 13 and 14,  
 Land rolling. Soil 2 $\frac{1}{2}$  rate,  
 Prairie.

North between Secs. 11 and 12,  
 Var. 16° E.

40.00 Set charred post, built mound and  
 dug pits, for  $\frac{1}{4}$  Sec. corner, as  
 per instructions,  
 44.90 Creek, 10 lks. wide, running  
 water with S. Cottonwoods on bank.

Field Notes of the Subdivision Lines of Township 12

Chains

BOOK 1954

80.00 Set sand stone, 18 X 10 X 4, marked as per instructions, for Corner to Secs. 1, 2, 11 and 12,  
Land rolling. Soil 2<sup>1</sup>/<sub>4</sub> rate. Prairie.

East on Random between Secs. 1 and 12. Var. 16° East,

40.00 Set temporary  $\frac{1}{4}$  Sec. Corner  
79.70 Intersect Guide Meridian 20 lks. S. of corner to Secs. 1, 6, 7 & 12,

Then S. 89° 51' West on True Line. Var. 16° East,

39.85 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec. Corner as per instructions,

79.70 Corner to Secs. 1, 2, 11 and 12,  
Land rolling. Soil 2<sup>1</sup>/<sub>4</sub> rate. Prairie.

North on Random between Secs. 1 and 2. Var. 16° East,

40.00 Set temporary  $\frac{1}{4}$  Sec. Corner,  
51.40 Prairie, course S.W.

80.35 Intersect North Boundary of Township 20 lks. East of corner to Secs. 1, 2, 35 & 36.

Then

South 12' East on True Line.

Var. 16° East,

40.35 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec. Corner, as per instructions,

80.35 Corner to Secs. 1, 2, 11 and 12,

North between Secs. 34 and 35,

Var. 15° 30' E.

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec. corner, as per instructions

Chains

80.00 Set sand stone, 16 X 14 X 4,  
marked as per instructions,  
for the corner to sees, 26, 27,  
28 and 30.  
Land rolling. Soil 2<sup>d</sup> rate,  
Prairie.

East on Random between sees, 26 & 35  
Var. 15° 30' E.

40.00 Set temporary  $\frac{1}{4}$  Sec, Corner,  
69.00 A sand stone bluff, bears N. E.,  
80.60 Intersect North and South line  
30 lks, North of cor, to sees, 25, 26,  
35 and 36.

Then N. 89° 47' West on True Line,  
Var. 15° 30' East,

40.30 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  Sec, corner, as  
per instructions.  
80.60 Corner to sees, 26, 27, 34 & 35,  
Land rolling, Soil 2<sup>d</sup> rate,  
Prairie.

North between sees, 26 and 27,  
Var. 15° 30' E.

40.00 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  Sec, cor,  
as per instructions.  
61.00 A sand stone Bluff bears E & West,  
80.00 Set sand stone, 20 X 10 X 51,  
marked as per instructions,  
for the corner to sections,  
22, 23, 26 and 27.  
Land rolling. Soil 2<sup>d</sup> rate,  
Prairie.

East on Random between  
sees, 23 and 26.

Var. 15° 30' E.

40.00 Set temporary  $\frac{1}{4}$  Sec, corner  
56.50 Ravine, course N. E.

Chains

BOOK 1954

100 80.20 Intersect North and South line  
40 links South of corner to  
secs. 23, 24, 25 and 26,

Then S. 89° 43' West on True  
Line Var. 15° 30' East,

40.10 Set sand stone, 14 x 12 x 3, for  
1/4 sec, cor, as per instructions,  
80.20 Corner to Secs. 22, 23, 26 and 27,  
Land rolling. Soil 2<sup>1</sup>/<sub>2</sub> rate. Prairie.

North between Secs. 22 and 23,

Var. 15° 30' E,

40.00 Set sand stone, 16 x 14 x 3, for 1/4 sec,  
cor, as per instructions.

80.00 Set sand stone, 14 x 12 x 3, marked  
as per instructions, for the  
corner to Secs. 14, 15, 22 and 23,  
Land rolling. Soil 2<sup>1</sup>/<sub>2</sub> rate.  
Prairie. Nov. 23<sup>1</sup>/<sub>2</sub>,

Easton Random between Secs. 14  
and 23. Var. 15° 45' E,

40.00 Set temporary 1/4 sec, corner,

69.00 Ravine, course N. E.

79.80 Intersect North and South line  
12 links South of corner to  
Secs. 13, 14, 23 and 24.

Then S. 89° 35' West on True Line.

Var. 15° 45' E,

39.90 Set sand stone, 15 x 12 x 4, for  
1/4 sec, corner, as per instructions,

79.80 Corner to Secs. 14, 15, 22 & 23,  
Land rolling. Soil 2<sup>1</sup>/<sub>2</sub> rate.  
Prairie.

North between Secs. 14 & 15,

Var. 15° 45' E,

Chains

40.00 Set charred post, built mound and dug pits for  $\frac{1}{4}$  Sec. corner, as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 10, 11, 14 and 15, Land rolling. Soil  $2\frac{1}{4}$  rate, Prairie.

Easton Random between Secs. 14 & 11,  
Var.  $15^{\circ} 45'$  East,

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,

68.80 Dry Creek, course N. west,

79.70 Intersect North and South line 20 lks. North of corner to Secs. 11, 12, 13 and 14,

Then N.  $89^{\circ} 31'$  West on True Line.

Var.  $15^{\circ} 45'$  E.

39.85 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec. corner as per instructions.

79.70 Corner to Secs. 11, 12, 13 and 14, Land rolling. Soil  $2\frac{1}{4}$  rate, Prairie.

North between Secs. 10 and 11,

Var.  $15^{\circ} 45'$  E.

40.00 Set charred post, built mound and dug pits for  $\frac{1}{4}$  Sec. cor. as per instructions.

80.00 Set sand stone,  $14 \times 12 \times 3$ , marked as per instructions, for corner to Secs. 2, 3, 10 & 11, Land rolling. Soil  $2\frac{1}{4}$  rate, Prairie.

Easton Random between Secs. 2 and 11.

Var.  $16^{\circ}$  East.

3.00 Creek, course N.W. water in holes.



BOOK 1954

Chains

25.40 Ravine, course S.W.  
 40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
 79.65 Intersect North and South  
 line 30 links North of corner  
 to Secs. 1, 2, 11 and 12,

Then N. 89° 47' West on True Line,  
 Var. 16° East,

39.82 $\frac{1}{2}$  Set sand stone, 14 x 12 x 5, for  $\frac{1}{4}$  Sec.  
 corner, as per instructions,  
 79.65 Corner to Secs. 2, 3, 10 and 11,  
 Land rolling. Soil 2 $\frac{1}{4}$  rate. Prairie.

North on Random between Secs.  
 2 and 3. Var. 16° East

31.25 Dry creek, course N.W.  
 40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
 66.00 A sand stone bluff, bears E. N.E.  
 80.40 Intersect North Boundary of  
 Township 30 lks. East of cor.  
 to Secs. 2, 3, 34 and 35,

Then S. 13° East on True Line.  
 Var. 16° East,

40.40 Set charred post, built mound  
 and dug pits for  $\frac{1}{4}$  Sec. cor.  
 as per instructions,  
 80.40 corner to Secs. 2, 3, 10 & 11,  
 Land rolling. Soil 2 $\frac{1}{4}$  rate.  
 Prairie.

North between Secs. 33 and 34,  
 Var. 15° 45' E.

40.00 Set sand stone, 14 x 10 x 5, for  $\frac{1}{4}$  Sec.  
 corner, as per instructions,  
 80.00 Deposited marked stone, set  
 charred post, marked, built  
 mound and dug pits, as per  
 instructions, for the corner  
 to Secs. 27, 28, 33 & 34,  
 Land rolling, Soil 2 $\frac{1}{4}$  rate, Prairie.

Easton Random between Secs. 27 & 34  
Var. 15° 45' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. Corner  
79.60 Intersect N&S line 25 lks S. of cor to secs.  
26, 27, 34 and 35.

Then S. 89° 45' west  
on a True Line. Var. 15° 45' E.

39.80 Set charred post, built mound and  
dug pits for  $\frac{1}{4}$  Sec. Cor. as per instructions.  
79.60 Corner to secs. 27, 28, 33 and 34.  
Land broken, Soil 2 $\frac{1}{4}$  rate. Prairie.

North between Secs. 27 and 28,  
Var. 15° 30' E.

40.00 Set sand stone, 14 x 12 x 3, for  $\frac{1}{4}$  Sec.  
Corner, as per instructions.

80.00 Set sand stone, 14 x 12 x 4, marked  
as per instructions. for Corner  
to Secs. 21, 22, 27 and 28,  
Land rolling. Soil 2 $\frac{1}{4}$  rate.  
Prairie.

Easton Random between Secs. 22  
and 27. Var. 15° 30' E.

21.00 A sand stone bluff, bears NW. 78° E.  
40.00 Set temporary  $\frac{1}{4}$  Sec. Corner  
52.20 Ravine, course North,  
79.75 Intersect North and South line  
12 lks, South of Corner to  
secs. 22, 23, 26 and 27.

Then S. 89° 35' West on True Line  
Var. 15° 30' E.

39.87 $\frac{1}{2}$  Set sand stone, 16 x 12 x 3, for  $\frac{1}{4}$   
Sec. corner, as per instructions.  
79.75 Corner to secs. 21, 22, 27 and 28.  
Land rolling. Soil 3 $\frac{1}{4}$  rate  
Prairie.

North between Secs. 21 & 22,  
Var. 15° 30' E.

40.00 Set sand stone, 15 x 12 x 3, for  $\frac{1}{4}$

189 Chains

BOOK 1954

65.00 Sec. corner, as per instructions.  
A sand stone bluff, bears East and West.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs, 15, 16, 21 and 22.  
Land rolling. Soil 3<sup>rd</sup> rate, Prairie.  
November 24<sup>th</sup> 1869.  
measuring chain compared with standard and found correct.

Easton Random between Secs, 15 and 22. Var. 15° 30' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner, 69.50 Ravine, course North, 19.90 Intersect North and South line 25 lks, South of corner to Secs, 14, 15, 22 and 23.

Then S. 59° 49' West on True line. Var. 15° 30' E.

39.95 Set sand stone, 14 x 11 x 4, for  $\frac{1}{4}$  Sec. cor, as per instructions, 79.90 corner to Secs, 15, 16, 21 and 22.  
Land broken. Soil 3<sup>rd</sup> rate, Prairie.

North between Secs, 15 and 16. Var. 15° 45' E.

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec. corner, as per instructions.  
80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for corner to Secs, 9, 10, 15 & 16.  
Land rolling. Soil 2<sup>nd</sup> rate, Prairie.

Easton Random between Secs, 10 and 15. Var. 15° 45' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner

Chains

- 74.50 Ravine, course North.
- 80.20 Intersect North and South line 27 links North of corner to Secs. 10, 11, 14 and 15.

Then N.  $89^{\circ} 49'$  West on True Line.

Var.  $15^{\circ} 45'$  East.

- 40.10 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec. corner, as per instructions.
- 80.20 Corner to Secs. 9, 10, 15 and 16. Land rolling. Soil  $2^{\frac{1}{2}}$  rate. Prairie.

North between Secs. 9 and 10.

Var.  $15^{\circ} 45'$  E

- 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec. cor. as per instructions.
- 80.00 Set sand stone,  $18 \times 10 \times 8$ , as per instructions, for corner to Secs. 3, 4, 9 and 10. Land rolling. Soil  $2^{\frac{1}{2}}$  rate. Prairie.

East on Random between Secs. 3 and 10.

Var.  $16^{\circ}$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 57.00 Ravine, course North.
- 80.35 Intersect North and South line 10 links South of corner to Secs. 2, 3, 10 and 11.

Then S.  $89^{\circ} 56'$  West on True Line

Var.  $16^{\circ}$  East.

- 40.17 $\frac{1}{2}$  Set charred post, built mound and dug pits for  $\frac{1}{4}$  Sec. cor. as per instructions.
- 80.35 Corner to Secs. 3, 4, 9 & 10. Land rolling. Soil  $2^{\frac{1}{2}}$  rate. Prairie.

# Field Notes of the Subdivision Lines of Township

BOOK 1954  
Chains

North on Random between Secs. 3 & 4.  
Var. 15° 50' East.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
47.00 Dry Creek, course West,  
80.40 Intersect North Boundary of Town-  
ship 43 links West of Corner to  
Sections 3, 4, 33 and 34.

Then S. 19' West on True Line.  
Var. 15° 50' E.

40.40 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  Sec. corner, as per  
instructions.  
80.40 Corner to Secs. 3, 4, 9 and 10.  
Land rolling. Soil 2 $\frac{1}{2}$  rate.  
Prairie.

North between Secs 32 and 33.  
Var. 15° 45' E

27.50 Cañon, course West. 250 lks. wide.  
40.00 Set sand stone, 16x12x4. for  $\frac{1}{4}$  sec.  
corner, as per instructions,  
80.00 Deposited marked stone, and built  
mound as per instructions, for  
corner to Secs. 28, 29, 32 and 33.  
Land broken. Soil 2 $\frac{1}{2}$  rate.  
Prairie.

East on Random between Secs.  
28 and 33. Var. 15° 45' E,

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
80.20 Intersect North and South line  
20 lks. South of Corner to Secs.  
27, 28, 33 and 34.

Then S. 89° 51' W. on True Line.  
Var. 15° 45' E.

40.10 Set sand stone, 16x14x3, for  $\frac{1}{4}$   
Sec. cor. as per instructions,  
80.20 Corner to Secs. 28, 29, 32 & 33.  
Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.

Chains

BOOK 1954

North between Secs. 28 and 29,  
Var.  $15^{\circ} 30' E.$

- 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec. corner, as per instructions.
- 80.00 Set sand stone,  $16 \times 12 \times 3$ , marked as per instructions, for corner to Secs. 20, 21, 28 and 29,  
Land rolling, Soil 2<sup>d</sup> rate, Prairie.

East on Random between Secs. 21 and 28,  
Var.  $15^{\circ} 30' East,$

- 40.00 Set temporary  $\frac{1}{4}$  Sec. corner.
- 43.00 At sand stone bluff, bears North and South, East.
- 80.45 Intersect North and South line 15 lks. North of corner to Secs. 21, 22, 27 and 28.

Then N.  $89^{\circ} 34'$  West on True Line, Var.  $15^{\circ} 30' E$

- 40.22<sup>2</sup> Set sand stone,  $18 \times 12 \times 6$ , for  $\frac{1}{4}$  Sec. cor, as per instructions.
- 80.45 corner to Secs. 20, 21, 28, and 29,  
Land rolling, Soil 3<sup>d</sup> rate, Prairie.  
November 25<sup>th</sup> 1869.

North between Secs. 20 and 21,  
Var.  $15^{\circ} 30' E.$

- 28.70 Ravine, Course N.E.
- 40.00 Set sand stone,  $20 \times 18 \times 3$ , for  $\frac{1}{4}$  Sec. corner, as per instructions.
- 80.00 Set sand stone,  $15 \times 12 \times 3$ , marked as per instructions, for the corner to Secs. 16, 17, 20 & 21,  
Land rolling, Soil 3<sup>d</sup> rate, Prairie.

East on Random between Secs. 16 and 21,  
Var.  $15^{\circ} 30' E.$

Field Notes of the Subdivision Lines of Township 12 N.

BOOK 1954

143 Chains  
 4.30 Ravine, course North.  
 40.00 Set temporary  $\frac{1}{4}$  Sec. Corner.  
 80.30 Intersect North and South line  
 25 lks. South of Corner to  
 Secs. 15, 16, 21 and 22.  
 Then S.  $89^{\circ}49'$  West, on True  
 Line, Var.  $15^{\circ}30'$  East.  
 40.17<sup>2</sup> Set charred post, built mound and  
 dug pits, for  $\frac{1}{4}$  Sec. Cor. as per  
 instructions.  
 80.35 Corner to Secs. 16, 17, 20 and 21.  
 Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

North between Secs. 16 and 17.  
 Var.  $15^{\circ}15'$  E.

40.00 Set sand stone,  $14 \times 12 \times 3$ , for  $\frac{1}{4}$   
 Sec. Corner, as per instructions.  
 80.00 Deposited marked stone, ~~set~~  
 and built mound as per in-  
 structions, for corner to Secs.  
 8, 9, 16 and 17.  
 Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

Easton Random between Secs. 9  
 and 16. Var.  $15^{\circ}15'$  E.

40.00 Set temporary  $\frac{1}{4}$  Sec. Corner.  
 49.70 Ravine, course North.  
 80.20 Intersect North and South  
 line 15 lks. South of Corner  
 to Secs. 9, 10, 15 and 16.

Then S.  $89^{\circ}34'$  West on True  
 Line, Var.  $15^{\circ}15'$  East,

40.10 Set charred post, built mound  
 and dug pits for  $\frac{1}{4}$  Sec. Cor.,  
 as per instructions.  
 80.20 Corner to Secs. 8, 9, 16 and 17.  
 Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

North between Secs. 8 and 9.

Var.  $15^{\circ} 15'$  East.

- 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.
- 74.00 Ravine, running water.
- 80.00 Set sand stone,  $24 \times 14 \times 2$ , marked as per instructions, for corner to Secs. 4, 5, 8 and 9.
- Land rolling, Soil 2<sup>d</sup> rate, Prairie.
- 

East on Random between Secs. 4 and 9.

Var.  $15^{\circ} 30'$  E.

- 90 Ravine, course North, running water.
- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 74.50 Ravine, course West by North.
- 79.80 Intersect North and South line 25 lks. North of corner to Secs. 3, 4, 9 & 10.

Then W.  $89^{\circ} 49'$  West on True Line.Var.  $15^{\circ} 30'$  East.

- 39.90 Set sand stone,  $15 \times 14 \times 3$ , for  $\frac{1}{4}$  sec. cor. as per instructions.
- 79.80 Corner to Secs. 4, 5, 8 and 9.
- Land rolling, Soil 2<sup>d</sup> rate, Prairie.
- 

North on Random between Secs. 4 and 5.

Var.  $15^{\circ} 30'$  E.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 78.30 Dry creek, course NW.
- 79.35 Intersect N & S. line 25 lks. East of corner to Secs. 4, 5, 32 and 33.

Then S.  $11'$  East on True Line.Var.  $15^{\circ} 30'$  E.

- 39.75 Set charred post, built mound & dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.
- 79.75 Corner to Secs. 4, 5, 8 and 9.
- Land rolling, Soil 2<sup>d</sup> rate, Prairie.
-



Field Notes of the Subdivision Lines of Township 12

145 Chains

BOOK 1954

North between Secs. 31 and 32,  
Var.  $15^{\circ} 30' E$ .  
40.00 Set charred post, built mound and  
dug pits for  $\frac{1}{4}$  sec. corner, as  
per instructions.

80.00 Deposited marked stone, set charred  
post, marked, built mound and  
dug pits, as per instructions, for  
the corner to Secs. 29, 30, 31  
and 32.  
Land rolling, Soil 2<sup>nd</sup> rate. Prairie.

East on Random between Secs. 29  
and 32. Var.  $15^{\circ} 30' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.70 Intersect north and south line 20 lks.  
south of corner to Secs. 28, 29, 32  
and 33.

Then S.  $89^{\circ} 51'$  West on  
True line. Var.  $15^{\circ} 30' East$ .

39.85 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.  
79.70 corner to Secs. 29, 30, 31 and 32,  
Land rolling, Soil 2<sup>nd</sup> rate, Prairie.

West on Random between Secs. 30  
and 31. Var.  $15^{\circ} 30' E$

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
81.15 Intersect West Boundary of Township  
10 lks. South of corner to Secs.  
28, 30, 31 and 36.

Then S.  $89^{\circ} 56'$  East on True line  
Var.  $15^{\circ} 30' E$ .

41.15 Set charred post, built mound and dug  
pits, as per instructions, for  $\frac{1}{4}$  sec. cor.,  
80.15 corner to Secs. 29, 30, 31 & 32.

Chairs

- North between Secs, 29 and 30. Var.  $15^{\circ}30' E$ .
- 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.
- 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs, 19, 20, 29 and 30.
- Land rolling. Soil  $2\frac{1}{2}$  rate. Prairie.

- East on Random between Secs, 20 and 29. Var.  $15^{\circ}30' E$ .
- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 79.70 Intersect North and South line 20 lks. South of corner to Secs, 20, 21, 28 and 29.

- Then S.  $89^{\circ}51'$  West on True Line, Var.  $15^{\circ}30' E$  East.
- 39.85 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.
- 79.70 corner to Secs, 19, 20, 29 & 30.
- Land rolling. Soil  $2\frac{1}{2}$  rate. Prairie.
- November, 26<sup>th</sup> 1889.

- West on Random between Secs, 19 and 30. Var.  $15^{\circ}30' E$ .
- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 81.85 Intersect West Boundary of Township 25 lks. north of corner to Secs, 19, 24, 25 & 30.

- Then N.  $89^{\circ}49'$  East on True Line, Var.  $15^{\circ}30' E$ .
- 41.85 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner as per instructions.
- 81.85 corner to Secs, 19, 20, 29 & 30.

Field Notes of the Subdivision Lines of Township

Chains Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

BOOK 1954

North between Secs. 19 and 20.  
Var. 15° 30' E.

- 40.00 Set sand stone, 16 X 10 X 3. for 1/4 Sec. corner. as per instructions.
  - 71.50 Ravine, course N.E.
  - 80.00 Set sand stone, 14 X 14 X 12, marked as per instructions, for the corner to secs. 17, 18, 19 and 20.
- Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

Easton Random between Secs. 17 and 20,  
Var. 15° 30' E.

- 4.75 Ravine, course North.
- 40.00 Set temporary 1/4 Sec. corner.
- 80.12 Intersect N.S. line 25 lks. N. of corner to Secs. 16, 17, 20 & 21.

Then N. 89° 49' West on True Line.  
Var. 15° 30' E.

- 40.06 Set charred post, built mound and dug pits for 1/4 Sec. corner, as per instructions.
- 80.12 corner to Secs. 17, 18, 19 & 20,  
Land rolling. Soil 2<sup>nd</sup> rate.  
Prairie.

Weston Random between Secs. 18 and 19.  
Var. 15° 30' E.

- 40.00 Set temporary 1/4 Sec. corner.
- 87.70 Intersect West Boundary of Township 15 lks. North of cor. to Secs. 13, 18, 19 and 24.

Then N. 89° 34' E. on True Line.  
Var. 15° 30' E.

- 41.70 Set charred post, built mound and dug pits for 1/4 Sec. corner, as per instructions.
- 87.70 corner to Secs. 17, 18, 19 & 20

Chains

BOOK 1954

148

Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

North between Secs. 17 and 18.

Var. 15° 30' E.

40.00 Set sand stone, 16 X 12 X 8. for  $\frac{1}{4}$  sec. corner, as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 7, 8, 17 and 18.

Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

East on Random between Secs. 8 and 17.

Var. 15° 30' E.

21.50 Ravine, course North,

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

80.22 Intersect North and South line 30 lks. North of cor. to Secs. 8, 9, 16 and 17.

Then N. 89° 47' W. on True Line. Var. 15° 30' E.

40.11 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.

80.22 Corner to Secs. 7, 8, 17 and 18.

Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

West on Random between Secs. 7 &amp; 18. Var. 15° 30' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

81.60 Intersect West Boundary of Township 25 lks. N. of corner to Secs. 7, 12, 13 and 18.

Then N. 89° 49' East, on True Line. Var. 15° 30' E.

41.60 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.

81.60 Corner to Secs. 7, 8, 17 and 18.

Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

North between Secs. 7 and 8.

Field Notes of the Subdivision Lines of Township 12

110  
BOOK 1954

Chains

40.00 Set charred post and built mound, for <sup>Var. 15° 30' E.</sup> <sup>& dug pits</sup> for 1/4 sec, corner, as per instructions,  
80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs, 5, 6, 7 and 8, Land rolling. Soil 2<sup>nd</sup> rate, Prairie.

Easton Random between Secs. 5 and 8,  
Var. 15° 30' E.

13.00 Ravine, course north, running water,  
24.00 Ravine, course north,  
40.00 Set temporary 1/4 sec, corner,  
80.30 Intersect Tr. S. line 12 lks. N. of corner to Secs, 4, 5, 8 and 9.

Then N. 89° 35' West on True Line,  
Var. 15° 30' E.

40.15 Set sand stone, 18 x 10 x 3, for 1/4 sec, corner, as per instructions,  
80.30 Corner to Secs, 5, 6, 7 and 8, Land rolling. Soil 2<sup>nd</sup> rate, Prairie.

Weston Random between Secs, 6 & 8,  
Var. 15° 30' E.

40.00 Set temporary 1/4 sec, corner,  
62.75 Ravine, course north,  
81.70 Intersect West Boundary of Township 14 links North of corner to Secs, 1, 6, 7 and 8,

Then N. 89° 54' East on True line,  
Var. 15° 30' E.

41.70 Set charred post, built mound and dug pits, for 1/4 sec, corner, as per instructions,  
81.70 Corner to Secs, 5, 6, 7 & 8, Land rolling. Soil 2<sup>nd</sup> rate, Prairie.

Chains

North on Random between Secs. 5 & 6,  
Var.  $15^{\circ} 30' E.$

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,

62.00 Ravine, course N. E.

80.25 Intersect North Boundary of Town-  
ship 35 lks. East of corner to Secs.  
5, 6, 31 and 32,

Then S.  $15^{\circ}$  East, on True Line. Var.  $15^{\circ} 30' E.$

40.25 Set charred post, built mound and dug  
pits, for  $\frac{1}{4}$  Sec. corner, as per  
instructions

80.25 Corner to Secs. 5, 6, 7 and 8,  
Land rolling. Soil 2<sup>nd</sup> rate,  
Prairie.

Nov. 27<sup>th</sup> 1869,

---

General Description of Township  
12 N. Range 9 west,

Lands in this Township are mostly  
2<sup>nd</sup> rate. There is some timber  
in the Southern portion also two  
springs in sec. 8, and one in sec.  
12, pure water. Some portion of  
this Township is well adapted  
to agriculture,

Measuring chain compared with  
standard, and found one six  
teenth of an inch too long, and  
adjusted.

---

Field Notes of the Subdivision Lines of Township 13

BOOK A  
1954

Chains  
37.00 North between Secs. 35 and 36,  
40.00 Var. 15° 45' E.  
Set sand stone bluff, bears E & West,  
40.00 Set sand stone, 14 x 12 x 4, for 1/4  
see, corner, as per instructions,  
80.00 Deposited marked stone, set charred  
post, marked, built mound and  
dug pits, as per instructions, for  
the corner to Secs. 25, 26, 35 & 36,  
Land broken, Soil 3<sup>rd</sup> rate,  
Prairie.

East on Random between Secs. 25  
and 36. Var. 15° 45' E.  
14.50 Small canon, course South,  
40.00 Set temporary 1/4 Sec. corner,  
67.00 Leave timber, bears North & South,  
82.35 Intersect 1 Guide meridian 25 lks,  
North of corner to Secs. 25, 30, 31  
and 36,  
Then North 89° 49' West  
on True Line, Var. 15° 45' East,  
41.17<sup>1/2</sup> Set charred post, built mound and  
dug pits, for 1/4 sec, corner, as per  
instructions,  
80.35 Corner to Secs. 25, 26, 35 & 36,  
Land rolling, Soil 3<sup>rd</sup> rate,  
Prairie.

North between Secs. 25 and 26,  
Var. 15° 45' E.  
40.00 Set sand stone, 14 x 12 x 3, for 1/4  
see, corner, as per instructions,  
47.50 Leave scattering timber, bears E & West,  
80.00 Deposited marked stone, set charred  
post, marked, built mound and dug  
pits, as per instructions, for corner  
to Secs. 23, 24, 25 and 26,  
Land rolling, Soil 2<sup>nd</sup> rate, prairie  
and scattering prairie timber,

Chains

Easton Random between Secs. 24 & 25,  
Var.  $15^{\circ}45'$  East,

40.00 Set temporary  $\frac{1}{4}$  Sec. Corner.

80.20 Intersect 1 Guide Meridian 10 lks.  
North of Corner to secs. 19, 24, 25  
and 30.

Then N.  $89^{\circ}516'$  West on True  
Line. Var.  $15^{\circ}45'$  East,

40.10 Set charred post, built mound and dug  
pits, for  $\frac{1}{4}$  Sec. Corner, as per  
instructions,

80.20 Corner to Secs. 23, 24, 25 and 26,  
Land rolling. Soil 2 $\frac{1}{4}$  rate. Prairie.

North between Secs. 23 and 24.  
Var.  $15^{\circ}45'$  E.

40.00 Set sand stone, 16 X 14 X 4, for  $\frac{1}{4}$  Sec. Cor.  
as per instructions.

80.00 Deposited marked stone, set charred  
post and built mound and dug  
pits, as per instructions, for the  
Cor. to secs. 13, 14, 23 and 24.  
Land rolling. Soil 3 $\frac{1}{4}$  rate. Prairie.

Easton Random between Secs. 12 & 24.  
Var.  $15^{\circ}45'$  E.

40.00 Set temporary  $\frac{1}{4}$  Sec. Corner,

79.80 Intersect Guide Meridian 25 lks. S.  
of Corner to Secs. 13, 18, 19 and 24.

Then S.  $89^{\circ}49'$  West on True Line.  
Var.  $15^{\circ}45'$  E.

39.90 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  Sec. Corner, as per  
instructions.

79.80 Corner to Secs. 13, 19, 23 & 24,  
Land rolling. Soil 2 $\frac{1}{4}$  rate.  
Prairie.



Field Notes of the Subdivision Lines of Township 13 N,

Chains 153 BOOK 1954		
14.80 40.00 80.00	<p>North between Secs. 13 and 14, Var. <math>15^{\circ} 45' E</math>.</p> <p>Dry Creek, Course West.</p> <p>Set sand stone, <math>18 \times 16 \times 2</math>, for <math>\frac{1}{4}</math> sec. corner, as per instructions.</p> <p>Set sand stone, <math>16 \times 14 \times 3</math>, marked as per instructions, for corner to Secs. 11, 12, 13 and 14.</p> <p>Land rolling. Soil 2<sup>d</sup> rate. Prairie.</p>	
40.00 79.75 39.87 <sup>2</sup> 79.75	<p>East on Random between Secs. 12 and 13, Var. <math>15^{\circ} 45' E</math>.</p> <p>Set temporary <math>\frac{1}{4}</math> sec. corner,</p> <p>Intersect Guide Meridian 30 lks. South of corner to Secs. 7, 12, 13 and 18.</p> <p>Then S. <math>89^{\circ} 47'</math> West on True Line. Var. <math>15^{\circ} 45' East</math>.</p> <p>Set charred post, built mound and dug pits, for <math>\frac{1}{4}</math> sec. corner, as per instructions.</p> <p>Corner to Secs. 11, 12, 13 &amp; 14, Land rolling. Soil 2<sup>d</sup> rate. Prairie.</p>	
13.10 40.00 80.00	<p>North between Secs. 11 and 12, Var. <math>15^{\circ} 45' E</math>.</p> <p>Ravine, course S.W.</p> <p>Set sand stone, <math>14 \times 12 \times 3</math>, for <math>\frac{1}{4}</math> sec. cor, as per instructions.</p> <p>Set sand stone, <math>14 \times 10 \times 3</math>, marked as per instructions, for the corner to Secs. 1, 2, 11 and 12.</p> <p>Land rolling. Soil 2<sup>d</sup> rate, Prairie.</p>	
40.00 46.50	<p>East on Random between Secs. 1 and 12, Var. <math>15^{\circ} 30' E</math>.</p> <p>Set temporary <math>\frac{1}{4}</math> sec. corner,</p> <p>Ravine, course South,</p>	

Chains

BOOK 1954

79.65 Intersect Guide Meridian 15 lks,  
North of Corner to Secs. 1, 6, 7 & 12,

Then N.  $89^{\circ} 53'$  W, on True Line.

Var.  $15^{\circ} 30' E$ .

39.82<sup>2</sup> Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec, corner, as  
per instructions.

79.65 Corner to Secs. 1, 2, 11 and 12,  
Land rolling. Soil 2<sup>4</sup>/<sub>5</sub> rate,  
Prairie.

North on Random between Secs. 1  
and 2. Var.  $15^{\circ} 30' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec, corner,

80.30 Intersect North Boundary of  
Township 40 links East of corner  
to Secs. 1, 2, 35 and 36.

Then S.  $17'$  East on True Line.

Var.  $15^{\circ} 30' East$ .

40.30 Set sand stone,  $12 \times 13 \times 2$ , for  $\frac{1}{4}$   
sec, cor, as per instructions.

80.30 Corner to Secs. 1, 2, 11 and 12,  
Land rolling. Soil 3<sup>4</sup>/<sub>5</sub> rate. Prairie.  
November, 28<sup>th</sup>

North between Secs. 34 and 35.

Var.  $15^{\circ} 45' East$ .

40.00 Set sand stone,  $15 \times 12 \times 3$ . for  $\frac{1}{4}$  sec.  
Corner, as per instructions.

80.00 Set sand stone,  $18 \times 14 \times 3$ . marked  
as per instructions, for corner  
to Secs. 26, 27, 34 and 35.

Land rolling. Soil 2<sup>4</sup>/<sub>5</sub> rate.  
Prairie.

East on Random between Secs.  
26 and 35, Var.  $15^{\circ} 45' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec, corner,

71.00 Enter timber, bears N & South.

Chains

155  
BOOK 1954

79.70 Intersect North and South line 25  
lks. North of Corner to Sees, 25,  
26, 35 and 36,

Then N. 89°49' Weston True Line. Var.  
15°48' East.

39.85 Set sand stone, 14 x 10 x 4. for  $\frac{1}{4}$  sec.  
corner, as per instructions.

79.70 Corner to sees, 26, 27, 34 and 35,  
Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.

North between Sees. 26 and 27.  
Var. 15°30' E.

40.00 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec, cor, as per  
instructions.

80.00 Set sand stone, 16 x 8 x 6, marked as  
per instructions, for corner  
to Sees, 22, 23, 26 and 27,  
Land rolling. Soil 2 $\frac{1}{2}$  rate.  
Prairie.

Easton Random between Sees. 25  
and 26. Var. 15°30' E.

40.00 Set temporary  $\frac{1}{4}$  sec, corner,  
79.85 Intersect North and South line  
12 links North of Corner to Sees,  
23, 24, 25 and 26.

Then N. 89°35' Weston True Line.  
Var. 15°30' E.

39.92 $\frac{1}{2}$  Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec, corner, as  
per instructions.

79.85 Corner to Sees, 26, 27, 22 and 23.  
Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.

North between Sees. 22 and 23.  
Var. 15°30' E.

Chains

40.00 Set charred post, built mound and dug pits for  $\frac{1}{4}$  Sec. corner, as per instructions.

80.00 Set sand stone, 16 X 8 X 4, marked as per instructions, for corner to Secs. 13, 14, 23 and 24.

Land rolling, Soil 2<sup>nd</sup> rate, Prairie.

East on Random between Secs. 14 and 23.

Var. 15° 30' E.

28.00 Ravine, course North.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,

80.15 Intersect North and South line 20 lks. North of corner to Secs. 13, 14, 23 and 24.

Then N. 89° 31' West on True Line.

Var. 15° 30' E.

40.07<sup>1/2</sup> Set sand stone, 15 X 8 X 6, for  $\frac{1}{4}$  Sec. corner, as per instructions.

80.15 Corner to Secs. 14, 15, 22 and 23.  
Land rolling, Soil 2<sup>nd</sup> rate, Prairie.

North between Secs. 14 and 15.

Var. 15° 30' E.

4.20 Dry Creek, course West.

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec. cor. as per instructions.

80.00 Set sand stone, 18 X 16 X 3, marked as per instructions, for cor. to Secs. 10, 11, 14 & 15.  
Land rolling, Soil 2<sup>nd</sup> rate, Prairie.

East on Random between Secs. 11 and 14.

Var. 15° 30' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner

69.00 Ravine, course S West

Field Notes of the Subdivision Lines of Township 13 N.

157 Chains  
80.30  
BOOK 1954

Intersect North and South line 17  
lks. North of Corner to Secs,  
11, 12, 13 and 14.

Then N. 89° 03' 2" West on True  
Line. Var. 15° 30' East.

40.15 Set charred post, built mound and  
dug pits for  $\frac{1}{4}$  Sec. corner, as per  
instructions.

80.30 Corner to Secs. 10, 11, 14 and 15.  
Land rolling. Soil 2 $\frac{1}{4}$  rate. Prairie.

North between Secs. 10 and 11.  
Var. 15° 30' E.

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  Sec. corner,  
as per instructions.

80.00 Set sand stone, 16 x 14 x 3. marked  
as per instructions, for corner  
to Secs. 2, 3, 10 and 11.  
Land rolling. Soil 2 $\frac{1}{4}$  rate.  
Prairie.

East on Random between Secs.  
2 and 11. Var. 15° 30' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner  
80.20 Intersect N+S. line 25 lks. N.  
of corner to Secs. 1, 2, 11 & 12.

Then N. 89° 49' West on True Line  
Var. 15° 30' East.

40.12 $\frac{1}{2}$  Set sand stone, 14 x 12 x 3, for  $\frac{1}{4}$   
Sec. corner, as per instructions.

80.25 Corner to Secs. 2, 3, 10 & 11.  
Land rolling. Soil 2 $\frac{1}{4}$  rate.  
Prairie.

North on Random between Secs.  
2 and 3. Var. 15° 30' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner

Chains

79.65 Intersect North Boundary of Township 35 links west of corner to Secs. 2, 3, 34 and 35.

Then S. 15' West on True Line.

Var. 15° 30' E.

39.65 Set sand stone, 16 X 15 X 3, for 1/4 Sec, corner, as per instructions.

79.65 Corner to Secs. 2, 3, 10 & 11.

Land rolling, soil 2 1/2 rate.

Prairie.

November. 29<sup>th</sup> 1889.

Measuring chain compared with Standard and found correct.

North between Secs. 33 and 34.

Var. 15° 45' E.

27.35 Ravine, course S.W.

40.00 Set sand stone, 12 X 10 X 5, for 1/4 Sec, corner, as per instructions.

45.00 A sand stone bluff, bears N. E. & S. W.

56.00 Line leaves bluff, bears " " " " "

80.00 Set sand stone, 16 X 10 X 6, marked as per instructions, for corner to Secs. 27, 28, 33 and 34.

Land rolling, soil 2 1/2 rate.

Prairie.

Easton Random between Secs. 27 and 34. Var. 15° 45' E.

10.50 A bluff, bears North and South.

40.00 Set temporary 1/4 Sec, corner

80.30 Intersect N & S. line 25 links South of corner to Secs. 26, 27, 34 and 35.

Then S. 89° 49' West on True Line, Var. 15° 45' E.

80.15 Set sand stone, 16 X 12 X 6, for 1/4 Sec, corner, as per instructions.

Field Notes of the Subdivision Lines of Township

159 Chains

BOOK 1954

80.30 Corner to Secs. 27, 28, 33 & 34.  
Land rolling. Soil 3 $\frac{1}{2}$  rate.  
Prairie.

North between Secs. 27 and 28,  
Var. 15 $^{\circ}$  45' E.

40.00 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  Sec. corner,  
as per instructions.

74.25 Ravine, course N.W.

80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, as per  
instructions, for corner to  
Secs. 21, 22, 27 and 28.  
Land rolling. Soil 2 $\frac{1}{2}$  rate.  
Prairie.

East on Random between Secs.  
22 and 27. Var. 15 $^{\circ}$  45' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner.

47.50 A sand stone bluff, bears  
East and West by North,

80.45 Intersect N. & S. line 15 $\frac{1}{2}$  lks.  
N. of cor. to Secs. 22, 23, 26  
and 27.

Then N. 89 $^{\circ}$  31' 3" west on True Line.  
Var. 15 $^{\circ}$  45' E.

40.22 $\frac{1}{2}$  Set sand stone, 24 x 14 x 9. for  $\frac{1}{4}$   
Sec. cor. as per instructions.

80.45 Corner to Secs. 21, 22, 27 and 28,  
Land rolling. Soil 2 $\frac{1}{2}$  rate.  
Prairie.

North between Secs. 21 & 22,  
Var. 15 $^{\circ}$  45' E.

40.00 Set sand stone, 10 x 12 x 5, for  
 $\frac{1}{4}$  Sec. cor. as per instructions.

80.00 Deposited marked stone, set  
charred post, marked and built

Chains

BOOK 1954

1990

mound and dug pits, as per instructions, for the corner to sections 15, 16, 21 and 22.  
Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

East on Random between Secs. 15 and 22. Var. 15° 45' E.

- 40.00 Set temporary 1/4 sec. corner
- 41.00 A sand stone bluff. bears W.E. + S.W.
- 80.30 Intersect North and South line 12 links South of corner to Secs. 14, 15, 22 and 23.

Then S. 89° 53' West. on True Line  
Var. 15° 45' East

- 42.15 Set sand stone, 24 x 18 x 2. for 1/4 sec. cor. as per instructions.
- 80.30 Corner to Secs. 15, 16, 21 and 22.  
Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

North between Secs. 15 and 16.

Var. 15° 45' East.

- 25.00 Dry Creek, course West.
- 18.50 A sand stone bluff, bears East West.
- 40.00 Set sand stone, 16 x 14 x 3. for 1/4 sec. corner, as per instructions.
- 80.00 Set sand stone, 16 x 14 x 6. marked as per instructions, for the corner to Secs. 9, 10, 15 and 16.  
Land rolling. Soil 3<sup>rd</sup> rate. Prairie.

East on Random between Secs. 10 and 15. Var. 15° 45' E.

- 40.00 Set temporary 1/4 sec. corner.
- 53.00 Ravine, course South.
- 79.83 Intersect N. & S. line 25 lks. S. of corner to Secs. 10, 11, 14 and 15.



Field Notes of the Subdivision Lines of Township 13

161  
 Chauis  
 BOOK 1954

Then S. 89°49' W. on True Line.  
 Var. 15°45' E.

39.92<sup>1/2</sup> Set Charred post, built mound and dug pits for 1/4 Sec, Cor, as per instructions.  
 79.85 Corner to sees, 9, 10, 15 and 16.  
 Land rolling, Soil 2<sup>1/2</sup> rate, Prairie.

North between sees, 10 and 9.  
 Var. 15°45' E.

40.00 Set Charred post, built mound and dug pits, for 1/4 Sec, corner, as per instructions.

80.00 Set sand stone, 16 X 12 X 8, marked as per instructions, for corner to sees, 3, 4, 9 and 10.  
 Land rolling, Soil 2<sup>1/2</sup> rate, Prairie.

East on Random between sees, 2 and 10.  
 Var. 15°45' E.

40.00 Set temporary 1/4 Sec, corner, course South, Ravine.

79.90 Intersect N & S. line 16 links South of corner to sees, 2, 3, 10 and 11.

Then, S. 89°53' West on True Line.  
 Var. 15°45' E.

39.95 Set Charred post, built mound and dug pits for 1/4 Sec, corner, as per instructions.

79.90 Corner to sees, 3, 4, 9 and 10.  
 Land rolling, Soil 2<sup>1/2</sup> rate, Prairie.

North on Random between sees, 3 and 4.  
 Var. 15°45' E.

40.00 Set temporary 1/4 Sec, corner, intersect North Boundary of Township 27 lks, west of cor.

Chains

BOOK 1954

to secs. 3, 4, 33 and 34.

Then S. 12' West on True Line.

Var. 15° 45' E.

40.30 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.30 Corner to Secs. 3, 4, 9 and 10.  
Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.  
November, 30 $\frac{1}{4}$

North between Secs. 32 and 33,

Var. 15° 45' E.

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.

80.00 Set sand stone, 16 x 14 x 3, marked as per instructions, for corner to Secs. 27, 28, 33 and 34.  
Land rolling. Soil 1 $\frac{1}{2}$  rate. Prairie.

East on Random between Secs. 28 and 33.

Var. 15° 45' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

79.85 Intersect sec. line 24 links S. of corner to Secs. 27, 28, 33 & 34.

Then S. 89° 50' West on True Line.

Var. 15° 45' E.

39.92 $\frac{1}{2}$  Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. cor. as per instructions.

79.85 Corner to Secs. 28, 29, 32 & 33.

North between Secs. 28 & 29,

Var. 15° 45' East.

40.00 Set sand stone, 14 x 12 x 3, for  $\frac{1}{4}$  sec. corner, as per instructions.

Field Notes of the Subdivision Lines of Townships

168

Chains

BOOK 1954

80.00

Set sand stone, 14 X 14 X 3, marked as per instructions, for corner to Secs, 20, 21, 28 and 29, Land rolling, Soil 1<sup>st</sup> rate, Prairie.

Easton Random between Secs, 21 and 28, Var. 15° 45' E.

40.00

Set temporary  $\frac{1}{4}$  Sec, corner,

63.50

Ravine, course N. west,

79.70

Intersect Sec, line 16 lks, South of corner to Secs, 21, 22, 27 & 28,

Then S. 89° 33' West on True Line.

Var. 15° 45' East,

39.80

Set Charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec, cor, as per instructions,

79.70

corner to Secs, 20, 21, 28 and 29, Land rolling, Soil 1<sup>st</sup> rate, Prairie.

North between Secs, 20 and 21,

Var. 15° 45' E.

40.00

Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec, corner, as per instructions,

56.50

Dry creek, course west,

80.00

Deposited marked stone, set charred post, built mound and dug pits, as per instructions, for corner to Secs, 16, 17, 20 and 21, Land level, Soil 1<sup>st</sup> rate, Prairie.

Easton Random between Secs, 16 and 21, Var. 15° 45' E.

40.00

Set temporary  $\frac{1}{4}$  Sec, corner,

70.00

Dry creek, course S.W.

79.80

Intersect Sec, line 15 lks, North of corner to Secs, 15, 16, 21 & 22,

BOOK 1954

4-874.

Township 14 N., R. 9 W.,  
Navajo Special Base and Meridian

6	192	5	186	4	182	3	179	2	175	1
<del>191</del>	<del>191</del>	<del>186</del>	<del>182</del>	<del>178</del>	<del>175</del>					
7	191	8	185	9	182	10	178	11	174	12
<del>190</del>	<del>190</del>	<del>185</del>	<del>181</del>	<del>178</del>	<del>174</del>					
18	189	17	185	16	181	15	177	14	174	13
<del>189</del>	<del>189</del>	<del>184</del>	<del>181</del>	<del>177</del>	<del>173</del>					
19	189	20	184	21	180	22	177	23	173	24
<del>188</del>	<del>188</del>	<del>183</del>	<del>180</del>	<del>176</del>	<del>173</del>					
30	187	29	183	28	180	27	176	26	172	25
<del>187</del>	<del>187</del>	<del>183</del>	<del>179</del>	<del>176</del>	<del>172</del>					
31	186	32	183	33	179	34	175	35	172	36

4-874.

Township 14 N., R. 8 W.  
Navajo Special Base and Meridian

6	217	5	206	4	203	3	199	2	196	1
<del>211</del>	<del>211</del>	<del>206</del>	<del>202</del>	<del>199</del>	<del>195</del>					
7	211	8	206	9	202	10	199	11	195	12
<del>210</del>	<del>210</del>	<del>205</del>	<del>202</del>	<del>198</del>	<del>195</del>					
18	210	17	205	16	201	15	198	14	194	13
<del>209</del>	<del>209</del>	<del>205</del>	<del>201</del>	<del>198</del>	<del>194</del>					
19	209	20	204	21	201	22	197	23	194	24
<del>208</del>	<del>208</del>	<del>204</del>	<del>200</del>	<del>197</del>	<del>193</del>					
30	208	29	204	28	200	27	197	26	193	25
<del>207</del>	<del>207</del>	<del>203</del>	<del>200</del>	<del>196</del>	<del>193</del>					
31	207	32	203	33	200	34	196	35	193	36

7919b5m4-08

BOOK 1954

4-674.

Township 15 N., R. 8 W.  
Navajo Special Base and Meridian.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
<i>Utah</i>					
31	2/4	32	2/4	33	2/3
34	2/3	35	2/3	36	

BOOK 1954

4-674.

Township 15 N., R. 9 W.,  
Navajo Special Base and Meridian

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
<i>Utah</i>					
31	216	32	216	33	215-34
				215-35	215-36

7919b5m4-08

BOOK 1954

4-874.

Township 15 N., R. 10 W.  
Navajo Special Base and Meridian.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
<i>Utah</i>					
31	218	32	218	33	217
			34	217	35
				217	36



BOOK 1954

4-674.

Township 11 N., R. 10 W.,

Navajo Special Base and Meridian

6	238	5	232	4	229	3	225	2	222	1
<del>238</del>		<del>237</del>		<del>232</del>		<del>228</del>		<del>225</del>		<del>221</del>
7	237	8	231	9	228	10	224	11	221	12
<del>236</del>		<del>236</del>		<del>231</del>		<del>228</del>		<del>224</del>		<del>221</del>
18	236	17	231	16	227	15	224	14	220	13
<del>235</del>		<del>235</del>		<del>230</del>		<del>227</del>		<del>223</del>		<del>220</del>
19	<del>235</del>	20	230	21	227	22	223	23	220	24
<del>234</del>		<del>234</del>		<del>230</del>		<del>226</del>		<del>223</del>		<del>219</del>
30	234	29	229	28	226	27	222	26	219	25
<del>233</del>		<del>233</del>		<del>229</del>		* <del>226</del>		<del>222</del>		<del>219</del>
31	232	32	229	33		34	222	35	219	36

7919b5m4-08

4-674.

Township 11 N. R. 11 W.  
Navajo Special Base and Meridian.

6	5	4	3	2	1
					241
7	8	9	10	11	12
					241
18	17	16	15	14	13
					240
19	20	21	22	23	24
					240
30	29	28	27	26	25
					240
31	32	33	34	35	36

*St. Leger of Reservation*

BOOK 1954

4-674.

Township 12 N., R. 10 W.

*Mauvo Special Base and Meridian*

6	261	5	257	6	4	252	3	249	2	245	1
<del>261</del>	<del>261</del>	<del>257</del>	<del>257</del>	<del>252</del>	<del>252</del>	<del>249</del>	<del>249</del>	<del>245</del>	<del>245</del>	<del>244</del>	<del>244</del>
7	260	8	255	9	252	10	248	11	244	12	
<del>260</del>	<del>260</del>	<del>255</del>	<del>255</del>	<del>252</del>	<del>252</del>	<del>248</del>	<del>248</del>	<del>244</del>	<del>244</del>	<del>244</del>	<del>244</del>
18	259	17	250	16	251	15	247	14	244	13	
<del>259</del>	<del>259</del>	<del>259</del>	<del>254</del>	<del>254</del>	<del>251</del>	<del>251</del>	<del>247</del>	<del>247</del>	<del>244</del>	<del>243</del>	<del>243</del>
19	258	20	254	21	250	22	247	23	243	24	
<del>258</del>	<del>258</del>	<del>258</del>	<del>254</del>	<del>254</del>	<del>250</del>	<del>250</del>	<del>247</del>	<del>247</del>	<del>243</del>	<del>243</del>	<del>243</del>
30	257	29	253	28	250	27	246	26	242	25	
<del>257</del>	<del>257</del>	<del>257</del>	<del>253</del>	<del>253</del>	<del>250</del>	<del>250</del>	<del>246</del>	<del>246</del>	<del>242</del>	<del>242</del>	<del>242</del>
31	256	32	253	33	249	34	245	35	242	36	
	<del>256</del>	<del>256</del>	<del>253</del>	<del>253</del>	<del>249</del>	<del>249</del>	<del>245</del>	<del>245</del>	<del>242</del>	<del>242</del>	<del>242</del>

7019b5m4-08

BOOK 1954

4-674.

Township 12 N. R. 11 W.  
Navajo Special Base and Meridian

6	5	4	3	2	1
					<del>264</del>
7	8	9	10	11	12
					<del>264</del>
18	17	16	15	14	13
					<del>263</del>
19	20	21	22	23	24
					<del>263</del>
30	29	28	27	26	25
					<del>263</del>
31	32	33	34	35	36

*West boundary of Reservation.*

BOOK 1954

4-674.

Township 13 N., R. 10 W.,

Navajo Special Base and Meridian

6	285	5	279	4	276	3	272	2	268	1
<del>284</del>	<del>284</del>	<del>279</del>	<del>275</del>	<del>271</del>	<del>268</del>					
7	284	8	279	9	275	10	271	11	267	12
<del>283</del>	<del>283</del>	<del>278</del>	<del>275</del>	<del>271</del>	<del>267</del>					
18	283	17	278	16	274	15	270	14	267	13
<del>282</del>	<del>282</del>	<del>276</del>	<del>274</del>	<del>270</del>	<del>266</del>					
19	282	20	277	21	274	22	270	23	266	24
<del>281</del>	<del>281</del>	<del>277</del>	<del>273</del>	<del>269</del>	<del>266</del>					
30	281	29	277	28	273	27	269	26	265	25
<del>280</del>	<del>280</del>	<del>276</del>	<del>273</del>	<del>269</del>	<del>265</del>					
31	280	32	276	33	272	34	269	35	265	36

4-674.

Township 14 N., R. 10 W.,

Navajo Special Base and Meridian.

6	306	5	300	4	297	3	293	2	289	1
<del>306</del>	<del>305</del>	<del>300</del>	<del>296</del>	<del>293</del>	<del>289</del>					
7	305	8	300	9	296	10	292	11	288	12
<del>305</del>	<del>304</del>	<del>299</del>	<del>296</del>	<del>292</del>	<del>288</del>					
18	304	17	299	16	295	15	292	14	288	13
<del>303</del>	<del>303</del>	<del>299</del>	<del>295</del>	<del>291</del>	<del>287</del>					
19	303	20	298	21	295	22	291	23	287	24
<del>302</del>	<del>302</del>	<del>298</del>	<del>294</del>	<del>291</del>	<del>287</del>					
30	302	29	298	28	294	27	290	26	286	25
<del>301</del>	<del>301</del>	<del>297</del>	<del>294</del>	<del>290</del>	<del>286</del>					
31	301	32	297	33	293	34	290	35	286	36

307A

BOOK 1954

4-674.

Township 13 N., R. 11 W.

Navajo Special Base and Meridian

6	5	4	3	2	1
					<del>309</del>
7	8	9	10	11	12
					<del>309</del>
18	17	16	15	14	13
					<del>308</del>
19	20	21	22	23	24
					<del>308</del>
30	29	28	27	26	25
					<del>308</del>
31	32	33	34	35	36

West Boundary of Reservation

79195m4-08

4-674.

Township 14 N., R. 11 W.,  
Navajo Special Base and Meridian.

6	5	4	3	2	1
					311
7	8	9	10	11	12
					311
18	17	16	15	14	13
					310
19	20	21	22	23	24
					310
30	29	28	27	26	25
					310
31	32	33	34	35	36

West Boundary of Reservation



ChainsThen N.  $89^{\circ} 53'$  West on True Line.Var.  $15^{\circ} 45'$  East.

- 39.90 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.
- 79.80 Corner to Secs. 16, 17, 20 and 21.  
Land level. Soil  $1\frac{1}{2}$  rate. Prairie.
- 

North between Secs. 16 and 17.

Var.  $15^{\circ} 45'$  E.

- 27.50 A sand stone bluff, bears E & West.
- 40.00 Set sand stone,  $16 \times 14 \times 4$ . for  $\frac{1}{4}$  Sec. cor. as per instructions.
- 80.00 Set sand stone,  $16 \times 14 \times 3$ . marked as per instructions, for the corner to Secs. 8, 9, 16 and 17.  
Land rolling. Soil  $2\frac{1}{2}$  rate. Prairie.
- 

East on Random between Secs. 9 and 16.

Var.  $15^{\circ} 45'$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 80.25 Intersect Sec. line 30 lks. north of corner to Secs. 9, 10, 15 and 16.

Then N.  $89^{\circ} 47'$  West on True Line.Var.  $15^{\circ} 45'$  E.

- 40.12 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.25 Corner to Secs. 8, 9, 16 and 17.  
Land rolling. Soil  $2\frac{1}{2}$  rate. Prairie.
- 

North between Secs. 8 and 9. Var.  $15^{\circ} 45'$  E.

- 38.00 A sand stone bluff, bears N.E. & S.W.
- 40.00 Set sand stone,  $18 \times 12 \times 3$ . for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.00 Set sand stone,  $24 \times 12 \times 4$ . marked as per instructions, for the corner to Secs. 4, 5, 8 and 9.  
Land rolling. Soil  $3\frac{1}{2}$  rate. Prairie.

Field Notes of the Subdivision Lines of Township 13 N. Range

195  
BOOK

Chains

1954

East on Random between Secs. 4 and 9,  
Var.  $15^{\circ} 45' E$ .

14.75 A sand stone bluff, bears North and South,

46.00 Set temporary  $\frac{1}{4}$  sec, corner,

80.30 Intersect Sec. line 25 lks, South  
of corner to Secs. 3, 4, 9 & 10.

Then S.  $89^{\circ} 49'$  West on True Line.  
Var.  $15^{\circ} 45' E$ .

40.15 Set charred post, built mound and  
dug pits for  $\frac{1}{4}$  Sec, corner, as per  
instructions,

80.30 Corner to Secs. 4, 5, 8 and 9.  
Surface rolling. Soil 3<sup>d</sup> rate, Prairie.

North on Random between Secs. 4 & 5,  
Var.  $15^{\circ} 45' E$ .

46.00 Set temporary  $\frac{1}{4}$  Sec, corner,

79.80 Intersect North Boundary of Township,  
18 lks, west of corner to Secs. 4, 5, 32  
and 33.

Then S.  $8'$  West on True Line.

Var.  $15^{\circ} 45' E$ .

39.80 Set charred post, built mound and  
dug pits for  $\frac{1}{4}$  Sec, corner, as per  
instructions,

79.80 corner to Secs. 4, 5, 8 and 9,  
Land rolling, Soil 2<sup>d</sup> rate, Prairie.

Dec, 1<sup>st</sup> / 86 9,

measuring chain compared with  
Standard and adjusted.

North between Secs. 31 and 32,

Var.  $16^{\circ}$  East,

40.00 Set charred post, built mound and  
dug pits, as per instructions, for  $\frac{1}{4}$  sec,  
corner, to ~~secs~~, as per instructions.

80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, as per

Chains

instructions, for corner to secs.  
29. 30. 31 and 32.

Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

---

East on Random between Secs. 29  
and 32. Var. 16° East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

61.20 Dry creek, course North.

80.30 Intersect Sec. line 25 lks. South of  
corner to Secs. 28. 29. 32 and 33.

Then S. 89° 49' west on True Line.  
Var. 16° East.

40.15 Set Charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec. corner, as per  
instructions.

80.30 Corner to secs. 29. 30. 31 and 32,  
Land broken. Soil 2<sup>nd</sup> rate. Prairie.

---

West on Random between Secs. 30 and 31.  
Var. 16° East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

81.20 Intersect Range line 17 links South of  
corner to Secs. 28. 30. 31 and 36.

Then S. 89° 52' East on True Line, Var. 16° East.

41.20 Set Charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec. cor. as per  
instructions.

81.20 Corner to secs. 29. 30. 31 and 32,  
Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

---

North between Secs. 29 and 30.

Var. 16° East.

40.00 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec. corner, as per  
instructions.

80.00 Set sand stone, 16 X 14 X 4. marked as

Field Notes of the Subdivision Lines of Township 13 N,

167  
 Chains  
 BOOK 1954

per instructions, for the corner to  
 Secs. 19, 20, 29 and 30,  
 Land rolling. Soil 2<sup>d</sup> rate. Prairie.

East on Random between Secs. 20 and 29,  
 Var. 16° East,

31.50 Dry Creek, course North.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,

80.15 Intersect Sec. line 12 links S. of  
 corner to Secs. 20, 21, 28 and 29,

Then S. 89° 55' West on True Line.

Var. 16° East,

40.08 Set Charred post, built mound and  
 dug pits, for  $\frac{1}{4}$  sec. cor. as per  
 instructions,

80.15 Corner to Secs. 19, 20, 29 and 30,  
 Land level, Soil 1<sup>st</sup> rate. Prairie.

West on Random between Secs. 19  
 and 30. Var. 16° East,

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,

81.09 Intersect West Boundary of  
 Township 25 lks. N of the cor.  
 to Secs. 19, 24, 25 and 30.

Then S. 89° 49' E. on True Line.

Var. 16° East.

41.09 Set Charred post, built mound and  
 dug pits, for  $\frac{1}{4}$  Sec. corner, as per  
 instructions,

81.09 Corner to Secs. 19, 20, 29 & 30,  
 Land rolling, Soil 2<sup>d</sup> rate. Prairie.

North between Secs. 19 and 20,

Var. 16° East,

40.00 Set Charred post, built mound and  
 dug pits for  $\frac{1}{4}$  Sec. cor. as per instructions,

80.00 Deposited marked stone, set

Range 9 West of the Starvo's Special Meridian.

Chains

BOOK 1954

Charred post, marked, built mound  
and dug pits, as per instructions,  
for cor. to sees, 17, 18, 19 and 20,  
Land level, Soil 1<sup>st</sup> rate, Prairie.

---

Easton Random between Sees, 17 and 20,  
Var. 16<sup>th</sup> East.

2.60 Dry Creek, course N. West.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

79.70 Intersect Sec. line 20 lks, north of  
corner to sees, 16, 17, 20 and 21,

Then N.  $89^{\circ} 51'$  West on True Line Var. 16<sup>th</sup> East,

39.85 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec. corner, as per  
instructions.

79.70 corner to sees, 17, 18, 19 and 20,  
Land level, Soil 1<sup>st</sup> rate, Prairie.

---

West on Random between Sees, 18  
and 19. Var. 16<sup>th</sup> East,

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

48.20 Ravine, course North.

80.80 Intersect West Boundary of Town-  
ship 16 links north of the corner  
to sees, 13, 18, 19 and 24.

Then N.  $89^{\circ} 53'$  East on True Line,  
Var. —

40.80 Set Charred post and built mound  
for  $\frac{1}{4}$  sec. corner, as per instructions,

80.80 corner to sees, 17, 18, 19 and 20,  
Land level, Soil 1<sup>st</sup> rate, Prairie.

---

North between Sees, 17 and 18,  
Var.  $15^{\circ} 45' E$ .

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,

Field Notes of the Subdivision Lines of Township 13

chains

150  
BOOK 1954

as per instructions.  
80.00 Set sand stone, 14 x 12 x 3. for cor. to sees.  
7. 8. 17 & 18, <sup>marked</sup> as per instructions,  
Land level. Soil 1<sup>st</sup> rate. Prairie.

East on Random between Sees. 8 & 17.  
Var. 15° 45' East.

40.00 Set temporary  $\frac{3}{4}$  sec. corner,  
47.50 A sand stone bluff, bears N.E. & S.W.  
79.65 Intersect Sec. line 15 links North  
of corner to sees. 8. 9. 16 & 17.

Then N. 89° 34' West on True Line.  
Var. 15° 45' East.

39.86 Set sand stone, 16 x 14 x 4. for  $\frac{3}{4}$  sec.  
corner, as per instructions,  
79.65 Corner to sees. 7. 8. 17 and 18.  
Land rolling. Soil 2<sup>nd</sup> rate. Prairie.  
Dec. 2<sup>nd</sup> 1869.

West on Random between Sees. 7 & 18.  
Var. 15° 45' East

40.00 Set temporary  $\frac{3}{4}$  sec. corner,  
80.70 Intersect Range line 15 lks. North  
of corner to sees. 7. 12. 13 and 18.

Then N. 89° 34' East on True Line  
Var. 15° 45' E.

40.70 Set sand stone, 16 x 12 x 3. for  $\frac{3}{4}$  sec.  
cor. as per instructions,  
80.70 Corner to sees. 7. 8. 17 & 18.  
Land rolling. Soil 1<sup>st</sup> rate. Prairie.

North between Sees. 7 and 8.  
Var. 15° 45' E.

40.00 Set charred post, built mound  
& dug pits for  $\frac{3}{4}$  sec. cor. as per instructions,  
80.00 Deposited marked stone, set  
Charred post, marked, built

Chains

BOOK 1954

mound and dug pit, as per instructions, for corner to secs, 5, 6, 7 & 8.  
Land rolling, Soil 2<sup>d</sup> rate. Prairie.

---

East on Random between Secs, 5 and 8. Var. 15° 45' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
79.80 Intersect Sec. Line 25 lks. North  
of corner to Secs, 4, 5, 8 and 9.

Then N. 89° 49' West on True Line.

Var. 15° 45' E.

39.90 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  Sec. corner, as  
per instructions.  
79.80 Corner to Secs, 5, 6, 7 and 8,  
Land rolling, Soil 2<sup>d</sup> rate.  
Prairie.

---

West on Random between Secs, 6 and 7. Var. 15° 45' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
80.40 Intersect West Boundary of  
Township 27 links North of  
corner to Secs, 1, 6, 7 and 12.

Then N. 89° 48' East on True Line.

Var. 15° 45' E.

40.40 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  Sec. cor. as per  
instructions.  
80.40 Corner to secs, 5, 6, 7 and 8.  
Land rolling, Soil 2<sup>d</sup> rate.  
Prairie.

---

North on Random between Secs, 5 and 6. Var. 15° 45' E.

40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
79.60 Intersect North Boundary  
of Township 35 lks. west

BOOK

1954

Chains

of corner to secs. 5, 6, 31 and 32.

Then S 15' West on True Line Var,  
15° 43' East.

39.60 Set sand stone, 14 X 12 X 5, for  $\frac{1}{4}$  sec, corner  
as per instructions.

79.60 Corner to secs, 5, 6, 7 and 8.  
Land rolling. Soil 2<sup>nd</sup> rate. Prairie.  
Dec. 5<sup>th</sup>

measuring chain compared with  
Standard and adjusted.

General Description

of Township 13 N.

Range 9 West.

Land in this Township is  
mostly 2<sup>nd</sup> rate,  
along creek bottoms there are  
some 1<sup>st</sup> rate farming lands, ~~and~~ <sup>in</sup>  
secs. 16, 17, and 20, there is an  
old cornfield containing about  
200 acres.

There is some timber in S.E.  
corner, and a few scattering  
trees along bluffs.

There is also a spring of  
pure water.



Chains

North between Secs 25 and 36.

Var.  $15^{\circ}48' E$ .

40.00 Set sand stone,  $18 \times 12 \times 3$ , for  $\frac{1}{4}$  Sec.  
corner, as per instructions.

71.00 Leave mesa, bears East and west.

80.00 Set sand stone,  $16 \times 12 \times 4$ , marked as  
per instructions, for the corner to  
secs. 25, 26, 35 and 36.

Land broken, Soil 3<sup>rd</sup> rate, Prairie.

---

East on Random between Secs. 25  
and 36.

Var.  $15^{\circ}48' East$

24.50 Ravine, course North,

40.00 Set temporary  $\frac{1}{4}$  Sec. corner

57.00 Ravine, course North,

79.80 Intersect East Boundary of  
Township 35 lks. South of  
corner to Secs. 25, 30, 31 and 36,

Then S.  $89^{\circ}45'$  West on True Line.

Var.  $15^{\circ}45' East$ .

39.80 Set sand stone,  $16 \times 12 \times 3$ , for  $\frac{1}{4}$  sec.  
corner, as per instructions.

79.80 corner to Secs. 25, 26, 35 and 36,  
Land rolling, Soil 3<sup>rd</sup> rate, prairie  
and scattering piñon timber.

---

North between Secs. 25 and 26,

Var.  $15^{\circ}45' East$ .

40.00 Set sand stone,  $18 \times 10 \times 4$ , for  $\frac{1}{4}$   
Sec. corner, as per instructions.

72.00 Leave timber bears N.E. and S.W.

80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, as per  
instructions, for the corner  
to Secs. 23, 24, 25 and 26.

Land rolling, Soil 3<sup>rd</sup> rate,  
Prairie.

Field Notes of the Subdivision Lines of Township.

Chains  
 OK 1954  
 2.50 East on Random between Secs. 24 and 25. Var. 15°45' E.  
 Enter timber, bears N.E. and S.W.

18.35 Ravine, course North,  
 40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
 79.70 Intersect Range line 30 lks. South of corner to Secs. 19, 24, 25 and 30.

Then S. 89°47' west on True Line. Var. 15°45' E.

29.85 Set granite, 12 x 12 x 8, for  $\frac{1}{4}$  Sec. corner, as per instructions,  
 79.70 Corner to Secs. 23, 24, 25 and 26. Land rolling. Soil 3 $\frac{1}{2}$  rate. Prairie.

North between Secs. 23 and 24, Var. 15°45' East,

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec. cor. as per instructions.  
 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for corner to Secs. 13, 14, 23 and 24. Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.

East on Random between Secs. 13 and 24. Var. 15°45' E.

14.50 Ravine, course North,  
 40.00 Set temporary  $\frac{1}{4}$  Sec. corner,  
 79.85 Intersect Range line 10 lks. South of corner to Secs. 13, 18, 19 and 24.

Then S. 89°31'6" west on True Line. Var. 15°45' East,

39.90 Set charred post, built mound

Chains

and dug pit for  $\frac{1}{4}$  sec. cor. as per instructions.

- 79.85 Corner to secs. 13, 14, 23 & 24.  
Land rolling. Soil 2<sup>nd</sup> rate Prairie.
- 

North between Secs. 13 and 19,

Var. 15° 45' East.

- 39.00 Ravine, course N. west.
  - 40.00 Set sand stone, 12x12x3, for  $\frac{1}{4}$  sec. corner, as per instructions.
  - 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions for the corner to Secs. 11, 12, 13 and 14.  
Land rolling. Soil 2<sup>nd</sup> rate Prairie.
- 

East or Random between Secs. 12 and 13.

Var. 15° 45' East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 80.10 Intersect Range line 16 lks. north of corner to secs. 12, 13 and 18.

Then N. 89° 53' west on True Line.

Var. 15° 45' East.

- 40.05 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.
  - 80.10 Corner to Secs. 11, 12, 13 and 14.  
Land rolling. Soil 1<sup>st</sup> rate Prairie.
- 

North between Secs. 11 & 12,

Var. 15° 45' East.

- 40.00 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.00 Deposited marked stone, set charred post, built mound and dug pit, as per instructions, for

Field Notes of the Subdivision Lines of Township 14

175 Chains

BOOK 1954

Corner to secs, 1, 2, 11 and 12,  
Land level, Soil 1<sup>st</sup> rate, Prairie.

East on Random between Secs. 1  
and 2, Var. 15° 45' East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.25 Intersect Range line 20 lks. N.  
of the corner to secs, 1, 2, 11 and 12.

Then N. 89° 51' West on True Line,  
Var. 15° 45' East.

40.13 Set Charred post, built mound and  
dug pit, as per instructions,  
for  $\frac{1}{4}$  sec. corner,  
80.25 Corner to secs, 2, 3, 10 and 11.  
Land level, Soil 1<sup>st</sup> rate, Prairie.

North on Random between Secs,  
1 and 2, Var. 15° 45' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.30 Intersect North Boundary of  
Township 20 lks. East of corner  
to secs, 1, 2, 3 and 36,

Then S. 9' East on True Line  
Var. 15° 45' E.

40.30 Set Charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec. corner as  
per instructions,  
80.30 Corner to secs, 1, 2, 11 and 12,  
Land rolling, Soil 2<sup>nd</sup> rate,  
Prairie.

Sec. 4<sup>th</sup>

North between Secs. 34 and 35,  
Var. 15° 30' East.

40.00 Set sand stone, 16 X 12 X 4, for  $\frac{1}{4}$   
sec. cor. as per instructions,  
80.00 Set sand stone, 18 X 16 X 8, marked  
as per instructions, for

N. Range 9 West of the N. Special Meridian.

BOOK 1954

Chains

corner to secs. 26, 27, 34 and 35,  
Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

Easton Random between Secs. 26 and 35,  
Var.  $15^{\circ}30'$  E.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner  
40.00 mesa, bears N.E. and S.W. Timber.  
64.50 Leave mesa, bears N.W. and S.E.  
80.45 Intersect sec. line 25 lks. North  
of corner to Secs. 25, 26, 35 & 36.

Then N.  $89^{\circ}49'$  West on True Line  
Var.  $15^{\circ}30'$  East,

- 40.23 Set sand stone,  $14 \times 12 \times 3$ . for  $\frac{1}{4}$  sec.  
corner, as per instructions,  
80.45 Corner to Secs. 26, 27, 34 and 35,  
Land broken, Soil 3<sup>rd</sup> rate. Prairie.

North between Secs. 26 and 27,  
Var.  $15^{\circ}30'$  E.

- 40.00 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec. corner,  
as per instructions,  
80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, as per  
instructions, for the corner  
to Secs. 22, 23, 26 and 27,  
Land rolling. Soil 2<sup>nd</sup> rate.  
Prairie.

Easton Random between Secs.  
23 and 26. Var.  $15^{\circ}30'$  E.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.29 Intersect sec. line 12 lks.  
N. of cor. to Secs. 23, 24, 25 & 26.

Then N.  $89^{\circ}35'$  West on True Line,  
Var.  $15^{\circ}30'$  East.

- 40.10 Set charred post, built mound

Field Notes of the Subdivision Lines of Township

Chains  
BOOK 1954  
80.20

and dug pit, for  $\frac{1}{4}$  sec, corner, as per instructions.  
corner to sections 22, 23, 26 and 27.  
Land rolling. Soil 2<sup>nd</sup> rate, Prairie.

North between Secs. 22 and 23,  
Var.  $15^{\circ} 30'$  East

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec, corner, as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions. for the corner to secs, 14, 15, 22 and 23,  
Land rolling. Soil 1<sup>st</sup> rate, Prairie

East on Random between Secs. 19 and 23,  
Var.  $15^{\circ} 30'$  E

40.00 Set temporary  $\frac{1}{4}$  sec, corner.  
79.90 Intersect sec, line 6 lks, South of corner to secs, 13, 14, 23 and 24.

Then S.  $89^{\circ} 57'$  West on True Line. Var.  $15^{\circ} 30'$  East,

39.95 Set charred post & built mound and for  $\frac{1}{4}$  sec, cor, as per instructions.  
79.90 Corner to Secs, 14, 15, 22 and 23,  
Land level. Soil 1<sup>st</sup> rate, Prairie.

North between Secs. 14 and 15,  
Var.  $15^{\circ} 30'$  E,

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec, corner, as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for Cor. to secs, 10, 11, 14 and 15.

Chains

BOOK 1954

Land level. Soil 1<sup>st</sup> rate. Prairie.

East on Random between Secs. 11 and 19,  
Var. 15°-30' E.

- 19.00 Ravine, course N. west
- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,
- 79.80 Intersect Sec. line 24 lks, South  
of corner to Secs. 11, 12, 13 and 19.

Then S. 89°50' West on True Line. Var. 15°30' E.

- 39.90 Set charred post, built mound and dug  
pits, for  $\frac{1}{4}$  sec. cor. as per instructions.
- 79.80 Corner to Secs. 10, 11, 14 and 18,  
Land level. Soil 1<sup>st</sup> rate. Prairie.

North between Secs. 10 and 11. Var. 15°45' E.

- 22.00 Ravine, course N. E.
- 40.00 Set charred post, built mound and  
dug pit, for  $\frac{1}{4}$  sec. corner, as per  
instructions.
- 80.00 Deposited marked stone, set charred  
post, marked, built mound and dug  
pits, as per instructions, for the  
corner to Secs. 2, 3, 10 and 11,  
Land level. Soil 1<sup>st</sup> rate. Prairie.

East on Random between Secs. 2  
and 11. Var. 15°45' E.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,
- 79.80 Intersect Sec. line 14 links South  
of corner to Secs. 1, 2, 11 and 12.

Then S. 89°54' West on True Line.

- 39.90 Set charred post, built mound and dug pits  
for  $\frac{1}{4}$  sec. cor. as per instructions.
- 79.80 Corner to Secs. 2, 3, 10 and 11,  
Land level. Soil 1<sup>st</sup> rate.  
Prairie.

Field Notes of the Subdivision Lines of Township 14 N.

Chains

BOOK 1954

North on Random between Secs. 2 & 3.  
Var.  $15^{\circ}45'$  East,

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
50.35 Intersect North Boundary of Township  
40 links East of corner to secs. 2, 3,  
35 and 39.

Then S.  $17'$  East on True Line, Var.  $10^{\circ}45'$  E

40.35 Set charred post, built mound and dug  
pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.35 Corner to secs. 2, 3, 10 and 11.

Land level, soil  $1\frac{1}{2}$  rate. Prairie.

See 5<sup>th</sup>

measuring chain compared with  
standard and found correct.

North between Secs. 33 and 34.

Var.  $15^{\circ}45'$  East,

40.00 Set charred post, built mound and dug  
pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.00 Deposited marked stone, set charred  
post, marked, built mound and  
dug pits, ~~for  $\frac{1}{4}$  sec. corner,~~ as per  
instructions, for corner to secs.  
27, 28, 33 and 34.

Land rolling, soil  $2\frac{1}{2}$  rate. Prairie.

East on Random between Secs.  
27 and 34. Var.  $15^{\circ}30'$  E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
49.80 Intersect Sec. line 12 lks, S.  
of the corner to secs. 26, 27, 34  
and 38.

Then S.  $89^{\circ}55'$  West on True Line,

Var.  $15^{\circ}30'$  E.

39.90 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec. corner, as  
per instructions.



Chains  
79.80

BOOK 1954

Corner to secs. 27, 28, 33 and 34,  
Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.

North between Secs. 27 and 28,

Var. 15° 30' East.

40.00 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec. corner, as per  
instructions.

80.00 Deposited marked stone, set charred  
post, built mound and dug pit, as  
per instructions, for corner to  
secs. 21, 22, 27 and 28,  
Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.

East on Random between Secs. 22  
and 27.

Var. 15° 30' East,

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

79.95 Intersect sec. line 7 lks. North  
of corner to secs. 22, 23, 26 & 27.

Then N. 89° 57' West on True Line

Var. 15° 30' E.

39,97 $\frac{1}{2}$  Set sand stone, 14 x 12 x 3. for  $\frac{1}{4}$  sec.  
corner, as per instructions,

79.95 Corner to secs. 21, 22, 27 and 28.  
Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.

North between Secs. 21 and 22,

Var. 15° 30' E,

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. cor,  
as per instructions.

80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pit, as per  
instructions, for corner to  
Secs. 15, 16, 21 and 22,  
Land rolling. Soil 2 $\frac{1}{2}$  rate,  
Prairie.

Field Notes of the Subdivision Lines of Township 14 N. Range

181  
 Chains  
 BOOK 1954  
 40.00 Easton Random between Secs. 15  
 and 22, Var. 15° 30' East,  
 80.15<sup>0</sup> Set temporary  $\frac{1}{4}$  sec. corner,  
 intersect sec. line 23 links North  
 of corner to Secs. 14, 15, 22 and 23,  
 Then N. 89° 52' West on True Line  
 Var. 15° 30' East,  
 40.08 Set sand stone, 22 x 16 x 2, for  $\frac{1}{4}$   
 sec. cor. as per instructions,  
 80.15<sup>0</sup> corner to Secs. 15, 16, 21 and 22,  
 Land rolling, Soil 2 $\frac{1}{2}$  rate, Prairie.

North between Secs. 15 and 16.  
 Var. 15° 30' E,  
 40.00 Set charred post, built mound  
 and dug pits, for  $\frac{1}{4}$  sec. corner,  
 as per instructions,  
 80.00 Deposited marked stone, set  
 charred post, ~~marked~~, built mound  
 and dug pits, as per instructions,  
 for corner to Secs. 9, 10, 15 & 16,  
 Land level, Soil 1 $\frac{1}{2}$  rate, Prairie.

Easton Random between Secs.  
 10 and 15, Var. 15° 30' E,  
 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
 80.30 intersect sec. line 30 lks. N. of cor. to  
 Secs. 10, 11, 14 and 15,  
 Then N. 89° 47' West on True Line  
 Var. 15° 30' E,  
 40.15 Set charred post, built mound  
 and dug pits for  $\frac{1}{4}$  sec. cor.  
 as per instructions,  
 80.30 corner to Secs. 9, 10, 15 & 16,  
 Land level, Soil 1 $\frac{1}{2}$  rate,  
 Prairie.

7. West of the Navajo Special Meridian.

Chains

BOOK 1954

North between Secs. 9 and 10.

Var.  $15^{\circ} 15' E$ .

40.00 Set charred post, built mound and dug pit for  $\frac{1}{4}$  sec. cor. as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pit as per instructions, for corner to Secs. 3, 4, 9 and 10.

Land level. Soil 1 $\frac{1}{4}$  rate. Prairie.

---

East on Random between Secs. 3 & 10.

Var.  $15^{\circ} 15' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

83.70 Ravine, course North.

80.10 Intersect Sec. line 15 lks. North of corner to Secs. 2, 3, 10 and 11.

Then N.  $89^{\circ} 54'$  West on True Line.

Var.  $15^{\circ} 15' East$ .

40.05 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.

80.10 Corner to Secs. 3, 4, 9 and 10.

Land level. Soil 1 $\frac{1}{4}$  rate.

Prairie.

---

North on Random between Secs. 3 and 4.

Var.  $15^{\circ} 15' East$ .

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

79.75 Intersect North Boundary of Township 35 lks. East of corner to Secs. 3, 4, 33 and 34.

Then S.  $15'$  East on True Line.

Var.  $15^{\circ} 15' East$ .

39.75 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner as per instructions.

79.75 Corner to Secs. 3, 4, 9 and 10.

Land level. Soil 1 $\frac{1}{4}$  rate. Prairie. Sec 6

Field Notes of the Subdivision Lines of Township 19

188  
 Chain  
 BOOK 1954

North between Secs. 32 and 33.  
 Var.  $15^{\circ} 45'$  East.

- 40.00 Set sand stone,  $16 \times 12 \times 3$ . for  $\frac{1}{4}$  sec, corner, as per instructions.
- 80.00 Deposited marked stone, set charred post, built mound and dug pit, as per instructions, for corner to secs. 28, 29, 32 & 33. Land rolling. Soil  $2^{\frac{1}{4}}$  rate Prairie.

East on Random between Secs. 28 and 33. Var.  $15^{\circ} 45'$  East.

- 28.50 Bluff, bears North and South,
- 40.00 Set temporary  $\frac{1}{4}$  sec, corner,
- 79.60 Intersect sec. line 23 links N. of corner to sections 27, 28, 33 & 34.

Then N.  $89^{\circ} 49'$  West on True Line, Var.  $15^{\circ} 45'$  East.

- 39.80 Set sand stone,  $18 \times 14 \times 4$ . for  $\frac{1}{4}$  sec, corner, as per instructions.
- 79.60 Corner to secs. 28, 29, 32 & 33. Land broken, Soil  $3^{\frac{1}{4}}$  rate. Prairie.

North between Secs. 28 and 29. Var.  $15^{\circ} 45'$  E.

- 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec, cor, as per instructions.
- 80.00 Set sand stone,  $24 \times 18 \times 3$ . marked as per instructions, for the corner to secs. 20, 21, 28 & 29. Land broken, Soil  $3^{\frac{1}{4}}$  rate Prairie.

East on Random between Secs. 21 and 28. Var.  $15^{\circ} 45'$  E.

- 12.00 Bluff, bears N.W. and S.E.
- 40.00 Set temporary  $\frac{1}{4}$  sec, corner,

N. Range 9 west of the Navajo Special M.

BOOK 1954

Chains

79.45 Intersect section line 30 links N. of corner to sections 21, 22, 27 and 28.

Then N. 89°47' West on True Line. Var. 15°45' East,

39.76 Set sand stone, 14 x 12 x 3. for  $\frac{1}{4}$  sec. corner, as per instructions,

79.45 Corner to secs, 20, 21, 28 and 29.  
Land broken, Soil 3<sup>rd</sup> rate, Prairie.

---

North between Secs, 20 and 21,  
Var. 15°45' East,

14.75 A sand stone Bluff, bears E & W.

40.00 Set granite, 14 x 10 x 8. for  $\frac{1}{4}$  sec. corner, as per instructions.

50.00 Set sand stone, 16 x 12 x 3, marked as per instructions, for cor. to secs, 16, 17, 20 and 21.

Land broken, Soil 3<sup>rd</sup> rate, Prairie.

---

East on Random between Secs, 16 and 21.

Var. 15°45' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner, as per instructions.

79.75 Intersect section line 30 lks, South of corner to Secs, 15, 16, 21 and 22.

Then S. 89°47' West on True Line.

Var. 15°45' E.

39.88 Set charred post, built round and dug pit, for  $\frac{1}{4}$  sec. corner, as per instructions.

79.75 Corner to sections 16, 17, 20 and 21.

Land rolling, Soil 2<sup>nd</sup> rate  
Prairie

---

Field Notes of the Subdivision Lines of Township 18 N.

195  
Chains  
BOOK 1954

North between Secs. 16 and 17.  
Var.  $15^{\circ}45' E.$

40.00 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for the corner to Secs. 8, 9, 16 and 17.  
Land rolling, Soil 2 $\frac{1}{2}$  rate.  
Prairie.

East on Random between Secs. 9 and 16.  
Var.  $15^{\circ}45' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.20 Intersect Sec. line 25 links S. of corner to Secs. 9, 10, 18 and 16,

Then  $\theta. 89^{\circ}49'$  West on True Line.  
Var.  $15^{\circ}45' E.$

40.10 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.20 Corner to Secs. 8, 9, 16 and 17.  
Land level, Soil 1 $\frac{1}{2}$  rate Prairie.

North between Secs. 8 and 9,  
Var.  $15^{\circ}45' E.$

40.00 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.

80.00 Deposited marked stone, set charred post, built mound and dug pits as per instructions, for corner to Secs. 4, 5, 8 and 9.  
Land level, Soil 1 $\frac{1}{2}$  rate.  
Prairie

Chains

- Easton Random between Secs. 4 and 9. Var.  $15^{\circ}30'$  East,  
 40.00 Set temporary  $\frac{1}{4}$  sec. corner  
 80.50 Intersect sec. line 15 links S. of corner to Secs. 3, 4, 9 & 10.
- Then S.  $89^{\circ}54'$  West on True Line.  
 Var.  $15^{\circ}45'$  E,  
 40.15 Set Charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor., as per instructions.  
 80.30 Corner to Secs. 4, 5, 8 and 9. Land level. Soil 1<sup>st</sup> rate. Prairie.
- 
- North on Random between Secs 4 & 5. Var.  $15^{\circ}30'$  E,  
 40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
 80.25 Intersect North Boundary of Township 30 links west of corner to Secs. 4, 5, 32 & 33.
- Then S.  $13'$  West on True Line.  
 Var.  $15^{\circ}30'$  East,  
 40.25 Set Charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.  
 80.25 Corner to Secs. 4, 5, 8 and 9. Land level. Soil 1<sup>st</sup> rate. Prairie.  
 Sec. 6<sup>th</sup>
- Measuring Chain compared with Standard and found correct,
- 
- North between Secs. 31 and 32,  
 Var.  $15^{\circ}45'$  E,  
 40.00 Set Charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. corner, as per instructions.  
 80.00 Deposited marked stone, set charred post, marked, built mound and dug pit, as per

Field Notes of the Subdivision Lines of Township 19 S.

197  
Chains  
BOOK 1954

instructions, for the corner to  
secs, 28, 29, 32 and 33.  
Land rolling. Soil 2<sup>1</sup>/<sub>2</sub> rate. Prairie.

Easton Random between secs. 29 and 32,  
Var. 15° 45' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

80.30 Intersect sec. line 20 lks. South  
of corner to secs, 28, 29, 32 & 33.

Then S. 89° 49' West on True Line.

Var. 15° 45' E

40.15 Set charred post, built mound and  
dug pit, as per instructions, for  $\frac{1}{4}$  sec.  
corner.

80.30 Corner to secs, 29, 30, 31 and 32,  
Land rolling. Soil 2<sup>1</sup>/<sub>2</sub> rate. Prairie.

Weston Random between secs 30  
and 31. Var. 15° 45' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

79.68 Intersect Range line 20 lks. S.  
of corner to secs, 29, 30, 31 and  
36.

Then S 89° 51' East on True Line.

Var. 15° 45' E.

39.68 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. cor.  
as per instructions.

79.68 Corner to secs, 29, 30, 31 & 32,  
Land rolling. Soil 2<sup>1</sup>/<sub>2</sub> rate.  
Prairie.

North between secs. 29 & 30.

Var. 15° 45' E.

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. cor.  
as per instructions.

80.00 Deposited marked stone, set



Range 9 west of the Navajo Special Meridian.

Chains

BOOK 1954

charred post, marked, built mound and dug pits, as per instructions, for corner to sees. 19, 20, 29 and 30, Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

---

East on Random between sees. 20 and 29. Var. 13° 45' E.

40.00 Set temporary  $\frac{1}{4}$  see. corner,  
80.20 Intersect see, line 15 lks, south of corner to sees. 20, 21, 28 & 29.

Then S. 89° 39' West on True Line. Var. 13° 45' East,

40.10 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  see. corner, as per instructions,  
80.20 corner to sees. 19, 20, 29 & 30, Land rolling. Soil 3<sup>rd</sup> rate. Prairie.

---

West on Random between sees. 19 and 30.

Var. 13° 45' E.  
40.00 Set temporary  $\frac{1}{4}$  see. corner,  
79.75 Intersect Range line 10 lks. south of corner to sees. 19, 29, 28 and 30.

Then S. 89° 36' East on True Line. Var. 13° 45' East,

39.75 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  see. cor, as per instructions,  
79.75 corner to sees. 19, 20, 29 & 30, Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

---

North between sees. 19 and 20, Var. 13° 45' E.

37.00 Bluff, bears East and west,

Field notes of the Subdivision Lines of Township 14

189 Chains  
 40.00 Set sand stone, 16 X 12 X 3. for  $\frac{1}{4}$  sec,  
 corner, as per instructions.  
 BOOK 1954 80.00 Deposited marked stone, set charred  
 post, marked, built mound and  
 dug pit, as per instructions for cor.  
 to sees. 17. 18. 19 and 20.  
 Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.

Easton Random between sees.  
 17 and 20. Var. 15° 45' East  
 40.00 Set temporary  $\frac{1}{4}$  sec, corner,  
 79.80 Intersect sec. line 15 links  
 N. of corner to sees. 16. 17.  
 20 and 21.

Then N. 89° 53' West  
 on True Line, Var. 15° 45' East,  
 39.90 Set charred post, built mound  
 and dug pits, for  $\frac{1}{4}$  sec, cor.,  
 as per instructions  
 79.80 corner to sections 17. 18. 19 & 20,  
 Land rolling, Soil 2 $\frac{1}{2}$  rate. Prairie.

Weston Random between sees. 18  
 and 19. Var. 15° 45' East,  
 40.00 Set temporary  $\frac{1}{4}$  sec, corner,  
 79.30 Intersect Range line 17 lks. N.  
 of the corner to sees. 18. 19  
 and 20.

Then N. 89° 53' East on True Line.  
 Var. 15° 45' East,  
 39.30 Set granite, 16 X 12 X 8. for  $\frac{1}{4}$  sec,  
 corner, as per instructions,  
 79.30 corner to sees. 17. 18. 19 & 20,  
 Land rolling, Soil 3 $\frac{1}{2}$  rate. Prairie.

North between sees. 17 and 18,  
 Var. 15° 45' East,

N. Range 9 west of the Navajo Special Meridian.

Chains

BOOK 1954

100

- 40.00 Set Charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.00 Deposited marked stone, set Charred post, <sup>built</sup> mound and dug pits, as per instructions, for corner to sees, 7. 8. 17 and 18.  
Land rolling. Soil 2 $\frac{1}{4}$  rate, prairie.

Easton Random between sees, 8 and 17. Var. 15° 45' E.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 79.80 Intersect see, line 18 links North of corner to sees, 8. 9. 16 and 17.  
Then N. 89° 54' West on True Line.  
Var. 15° 48' E.

- 39.90 Set Charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.
- 79.80 Corner to sees, 7. 8. 17 and 18.  
Land level, Soil 1 $\frac{1}{4}$  rate. Prairie.  
See, 7 $\frac{1}{4}$   
measuring chain compared with standard and adjusted.

Weston Random between sees, 7 and 18. Var. 15° 45' East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 78.80 Intersect Range line 25 links N. of the corner to sees, 7. 12. 13 & 18.  
Then N. 89° 49' East on True Line.  
Var. 15° 48' E.
- 38.80 Set Charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.
- 78.80 Corner to sees, 7. 8. 17 and 18.  
Land rolling. Soil 2 $\frac{1}{4}$  rate, Prairie.

Field Notes of the Subdivision Lines of Township 4

Chains

North between sections 7 and 8.

Var.  $15^{\circ} 45'$  East

BOOK 1954  
40.00

Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.00

Deposited marked stones, set charred post, marked, built mound and dug pits, for the corner to secs. 5, 6, 7 and 8. as per instructions. Land level, Soil 1<sup>st</sup> rate. Prairie.

Easton Random between Secs. 5 & 8,

Var.  $15^{\circ} 45'$  E.

40.00

Set temporary  $\frac{1}{4}$  sec. corner,

79.70

Intersect sec. line 30 lks. north of corner to secs. 4, 5, 8 and 9,

Then N.  $89^{\circ} 47'$  West on True Line

Var.  $15^{\circ} 45'$  E.

39.85

Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

79.70

Corner to Secs. 5, 6, 7 and 8. Land level, Soil 1<sup>st</sup> rate. Prairie.

Weston Random between Secs. 6 and 7.

Var.  $15^{\circ} 45'$  E.

40.00

Set temporary  $\frac{1}{4}$  sec. corner,

78.45

Intersect Range line 18 lks. N. of corner to Secs. 1, 6, 7 & 12,

Then N.  $89^{\circ} 52'$  East on True Line.

Var.  $15^{\circ} 45'$  East,

38.45

Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. cor. as per instructions.

78.45

Corner to Secs. 5, 6, 7 and 8. Land level. Soil 1<sup>st</sup> rate. Prairie.

Chains

BOOK 1954

103

North on Random between Secs, 5 and 6. Var.  $15^{\circ} 45'$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,
- 80.10 Intersect North Boundary of Township 35 links West of Corner to Secs, 5, 6, 31 and 32,

Then S.  $15^{\circ}$  West on True Line.

Var.  $15^{\circ} 45'$  E.

- 40.10 Set charred post, built mound and dug pit for  $\frac{1}{4}$  sec. cor. as per instructions,
- 80.10 Corner to Secs, 5, 6, 7 and 8. Land gently rolling. Soil  $1\frac{1}{2}$  rate, Prairie.

Dec. 8<sup>th</sup> 1869.

measuring chain compared with standard and adjusted.

General Description  
of Township  
14 N. Range 9 west.

Largest portion of this township is  $1\frac{1}{2}$  and  $2\frac{1}{2}$  rate prairie land, well adapted to grazing or agriculture. There is a mesa in southern portion that is covered with  $2\frac{1}{2}$  rate cedar and Pinon and timber.

Field Notes of the Subdivision Lines of Township 14

1954  
BOOK  
Chains

North between Secs, 35 and 36,  
Var. 15° 30' E.

40.00 Set sand stone, 15 x 12 x 3. for  $\frac{1}{4}$  sec.  
corner, as per instructions.

80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pit, as per  
instructions, for corner to secs,  
25, 26, 35 and 36.

Land rolling. Soil 3<sup>d</sup> rate. Prairie.

East on Random between Secs,  
25 and 36, Var. 15° 30' East

40.00 Set temporary  $\frac{1}{4}$  sec, corner,

69.50 Ravine, course North,

79.80 Intersect Range line 25 lks,  
North of corner to Sections  
25, 30, 31, and 36.

Then N. 89° 49' West on True Line.  
Var. 15° 30' E.

39.90 Set sand stone, 14 x 12 x 3. for  $\frac{1}{4}$   
sec, corner, as per instructions,

79.80 Corner to secs, 25, 26, 35 and 36.  
Land rolling. Soil 2<sup>d</sup> rate.  
Prairie.

North between Secs. 25 and 26,  
Var. 15° 30' E.

40.00 Set sand stone, 18 x 16 x 3. for  $\frac{1}{4}$   
sec, corner, as per instructions,

80.00 Set sand stone, ~~set charred post~~  
14 x 8 x 6, marked as per instructions,  
for the corner to secs, 23, 24,  
25 and 26.

Land rolling. Soil 2<sup>d</sup> rate.  
Prairie.

East on Random between  
Secs, 24 and 25, Var. 15° 30' E.

N. Range 8 West of the Navajo Special Meridian.

Chains

BOOK 1954

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.30 Intersect Range line 17 lks. N.  
of the corner to secs. 19. 24. 25 and 30.

Then N.  $89^{\circ} 52'$  West on True Line,  
Var.  $15^{\circ} 30'$  East,

- 40.15 Set charred post, built mound and dug  
pit for  $\frac{1}{4}$  sec. corner, as per instructions,  
80.30 corner to secs. 23. 24. 25 and 26.  
Land rolling, Soil 2<sup>d</sup> rate. Prairie.

North between Secs. 23 and 24,  
Var.  $15^{\circ} 45'$  E.

- 40.00 Set charred post, built mound and  
dug pit, for  $\frac{1}{4}$  sec. cor. as per instructions,  
80.00 set sand stone,  $16 \times 10 \times 3$ , marked as  
per instructions, for the cor. to  
secs. 13. 14. 23 and 24.  
Land rolling, Soil 2<sup>d</sup> rate. Prairie.

East on Random between Secs.  
13 and 24. Var.  $15^{\circ} 45'$  E.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.15 Intersect Range line 10 lks,  
North of corner to secs. 13. 18,  
19 and 24.

Then N.  $89^{\circ} 36'$  West on True  
Line, Var.  $15^{\circ} 45'$  East,

- 40.08 Set charred post, built mound  
and dug pit, for  $\frac{1}{4}$  sec. cor.  
as per instructions,  
80.15 corner to secs. 13. 14. 23 & 24.  
Land rolling, Soil 1<sup>st</sup> rate.  
Prairie.

North between Secs. 13 and 14,  
Var.  $15^{\circ} 45'$  E.

- 40.00 Set charred post, built mound

# Field Notes of the Subdivision Lines of Townships

Chains	
BOOK 1954	and dug pit, for $\frac{1}{4}$ sec. corner as per instructions.
80.00	Set sand stone, 15 x 14 x 3. marked as per instructions, for corner to secs. 11, 12, 13 and 14. Land rolling. Soil 1 <sup>st</sup> rate. Prairie.
	East on Random between Secs. 12 and 13. Var. 15° 45' East.
40.00	Set temporary $\frac{1}{4}$ sec. corner,
79.85	Intersect Range line 12 lks. South of corner to secs. 7, 12, 13 and 18. Then S. 89° 55' West on True line. Var. 15° 45' East.
39.93	Set charred post, built mound and dug pit, for $\frac{1}{4}$ sec. corner, as per instructions.
79.85	Corner to secs. 11, 12, 13 & 14. Land rolling. Soil 1 <sup>st</sup> rate. Prairie.
	North between Secs. 11 and 12. Var. 15° 45' E.
40.00	Set sand stone, 18 x 12 x 3. for $\frac{1}{4}$ sec. corner, as per instructions.
80.00	Set sand stone, 16 x 10 x 4. marked as per instructions, for the corner to Secs. 1, 2, 11 and 12. Land rolling. Soil 1 <sup>st</sup> rate. Prairie.
	East on Random between Secs. 1 and 12. Var. 15° 45' E.
40.00	Set temporary $\frac{1}{4}$ sec. corner,
79.75	Intersect Range line 20 lks. South of corner to secs. 1, 6, 7 and 12.



Chains

BOOK 1954

196

Then S.  $89^{\circ}51'$  West on True Line.  
Var.  $13^{\circ}45'$  East,

- 39.88 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec, corner, as per instructions,  
79.75 Corner to sees. 1, 2, 11 and 12.  
Land rolling. Soil 1 $\frac{1}{2}$  rate. Prairie.
- 

North on Random between sees. 1 and 2.  
Var.  $16^{\circ}$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec, corner.  
80.30 Intersect North Boundary of Township 27 lks. East of corner to sees. 1, 2, 35 and 36.

Then S.  $12'$  East on True Line.

Var.  $16^{\circ}$  East,

- 40.30 Set sand stone,  $20 \times 16 \times 3$ . for  $\frac{1}{4}$  sec, corner, as per instructions.  
80.30 Corner to sees. 1, 2, 11 and 12.  
Land rolling. Soil 2 $\frac{1}{2}$  rate.  
Prairie.

Dec. 9 $^{th}$

measuring chain compared with standard and found correct.

---

North between sees. 34 and 35.

Var.  $15^{\circ}30' E$ .

- 40.00 Set sand stone,  $16 \times 12 \times 3$ . for  $\frac{1}{4}$  sec, corner, as per instructions.  
80.00 Deposited marked stone, set charred post, built mound and dug pit, as per instruction for cor. to sees. 26, 27, 34 & 35.  
Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.
- 

East on Random between sees. 26 and 35.

Var.  $15^{\circ}30' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  sec, corner.  
79.50 Intersect Sec. line 27 lks. South

Field Notes of the Subdivision Lines of Township 18

107

BOOK

Chains

1954

of corner to secs. 25, 26, 35 and 36,

Then S.  $89^{\circ} 48'$  West on True Line,  
Var.  $15^{\circ} 30'$  E.

39.80 Set charred post, built mound  
and dug pit, for  $\frac{1}{4}$  sec, corner  
as per instructions.

79.60 Corner to secs. 26, 27, 34 & 35,  
Land rolling. Soil  $2^{\frac{1}{2}}$  rate,  
Prairie.

North between Secs. 26 and 27,  
Var.  $15^{\circ} 30'$  E.

40.00 Set sand stone, 16 X 13 X 4, for  $\frac{1}{4}$  sec,  
cor, as per instructions.

80.00 Deposited marked stone, set charred post  
marked, built mound and dug pits, as per in-  
structions, for corner to secs. 22, 23, 26 and 27,  
Land rolling. Soil  $2^{\frac{1}{2}}$  rate, Prairie.

Easton Random between Secs. 25 and 26,  
Var.  $15^{\circ} 30'$  E.

40.00 Set temporary  $\frac{1}{4}$  sec, corner.

79.75 Intersect sec, line 20 lks, South of cor.  
& Secs. 23, 24, 25 and 26.

Then S.  $89^{\circ} 51'$  West on True Line, Var.  
 $15^{\circ} 30'$  East.

39.88 Set sand stone, 18 X 16 X 4, for  $\frac{1}{4}$  sec,  
corner, as per instructions.

79.75 Corner to secs. 22, 23, 26 & 27.  
Land rolling, Soil  $2^{\frac{1}{2}}$  rate, Prairie.

North between Secs. 22 & 23.

Var.  $15^{\circ} 30'$  E.

40.00 Set charred post, built mound  
and dug pit, for  $\frac{1}{4}$  sec, corner,  
as per instructions.

80.00 Set sand stone 14 X 12 X 4, marked  
as per instructions, for the

Chains

BOOK 1954

108

corner to sees. 14, 15, 22 and 23,  
Land broken, Soil 2<sup>nd</sup> rate, Prairie

Easton Random between sees. 14 and 23,  
Var. 15° 45' East

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.70 Intersect sec. line 6 lks. south  
of corner to sees. 13, 14, 23 & 24.

Then S. 89° 57' West on True Line.  
Var. —

39.85 Set sand stone, 12 x 10 x 3, for  $\frac{1}{4}$  sec.  
cor. as per instructions.

79.70 Corner to sees. 14, 15, 22 & 23.  
Land broken, Soil 1<sup>st</sup> rate, Prairie.

North between sees. 14 and 15, Var. 15° 45' E

40.00 Set sand stone, 18 x 12 x 3, for  $\frac{1}{4}$  sec.  
corner, as per instructions.

80.00 Set sand stone, 14 x 12 x 3, marked  
as per instructions, for corner  
to sees. 10, 11, 14 and 15.

Land rolling, Soil 1<sup>st</sup> rate, Prairie.

Easton Random between sees. 11  
and 14. Var. 15° 45' E

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.20 Intersect sec. line 18 links N.  
of corner to sees. 11, 12, 13 & 14.

Then N. 89° 52' West on True Line.  
Var. 15° 45' E

40.10 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. cor.  
as per instructions.

80.20 Corner to sees. 10, 11, 14 & 15.  
Land rolling, Soil 1<sup>st</sup> rate,  
Prairie.

Field Notes of the Subdivision Lines of Township 14

100  
BOOK 1954

Chains  
North between Secs. 10 and 11.  
Var.  $15^{\circ} 45' E$ .

- 40.00 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. corner, as per instruction.
- 80.00 Deposited marked stone, set charred post, marked, built mound and dug pit, as per instruction, for corner to Secs. 2, 3, 10 and 11.  
Land rolling, Soil 1<sup>st</sup> rate, Prairie.

Easton Random between Secs. 2 & 11.  
Var.  $15^{\circ} 48' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,
- 80.35 Intersect Sec. line 20 lks. North of corner to Secs. 1, 2, 11 and 12.

Then N.  $89^{\circ} 49'$  West on True Line  
Var.  $15^{\circ} 45' E$ .

- 40.18 Set sand stone,  $16 \times 14 \times 4$ , for  $\frac{1}{4}$  sec. corner, as per instructions,
- 80.35 corner to Secs. 2, 3, 10 and 11,  
Land broken, Soil 2<sup>nd</sup> rate, Prairie.

North on Random between Secs. 2 and 3.  
Var.  $15^{\circ} 45' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,
- 79.80 Intersect N. Boundary of Township 30 lks. West of corner to Secs. 2, 3, 34 and 35.

Then S.  $13'$  West on True Line.  
Var.  $15^{\circ} 48' E$ .

- 39.80 Set sand stone,  $14 \times 10 \times 4$ , for  $\frac{1}{4}$  sec. cor. as per instructions,
- 79.80 corner to Secs. 2, 3, 10 & 11.  
Land rolling. Soil 2<sup>nd</sup> rate, Prairie. Dec. 10<sup>th</sup>

Chains

North between Secs. 33 and 34,  
Var.  $15^{\circ} 30' E$ .

- 40.00 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. cor. as per instructions.
- 80.00 Deposited marked stone, set charred post marked, built mound and dug pits, for  ~~$\frac{1}{4}$  sec. corner~~, as per instructions, for corner to secs. 27, 28, 33 and 34.  
Land broken, Soil  $2^{\frac{1}{2}}$  rate. Prairie.

East on Random between Secs. 27 and 34,  
Var.  $15^{\circ} 30' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 80.30 Intersect sec. line 25 lks. north of corner to Secs. 26, 27, 34 and 35.  
Then N.  $89^{\circ} 49'$  West on True line, Var.  $15^{\circ} 30' East$ .
- 40.15 Set sand stone,  $14 \times 14 \times 4$ , for  $\frac{1}{4}$  sec. cor. as per instructions.
- 80.30 Corner to secs. 27, 28, 33 & 34.  
Land broken, Soil  $2^{\frac{1}{2}}$  rate. Prairie.

North between Secs. 27 and 28,  
Var.  $15^{\circ} 30' E$ .

- 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.
- 80.00 Set sand stone,  $16 \times 12 \times 3$ , marked as per instructions, for corner to secs 21, 22, 27 and 28.  
Land broken, Soil  $2^{\frac{1}{2}}$  rate.  
Prairie.

East on Random between Secs. 22 and 27,  
Var.  $15^{\circ} 30' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.

Field Notes of the Subdivision Lines of Township

Chains  
201 80.25  
BOOK 1954

Intersect Sec. line 30 links North  
of corner to secs. 22, 23, 26 and 27.

Then N.  $89^{\circ}47'$  West on True Line  
Var.  $15^{\circ}30' E$ ,

40.12 Set sand stone,  $15 \times 10 \times 4$ , for  $\frac{1}{4}$  sec.  
corner, as per instructions.

80.25 Corner to secs. 21, 22, 27 and 28,  
Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

North between Secs. 21 and 22,  
Var.  $15^{\circ}30' E$ .

40.00 Set charred post, built mound and  
dug pit, for  $\frac{1}{4}$  sec. corner, as per  
instructions.

80.00 Set sand stone,  $14 \times 12 \times 4$ , marked  
as per instructions, for corner to  
secs. 15, 16, 21 and 22.  
Land broken, Soil 1<sup>st</sup> rate, Prairie.

Easton Random between Secs. 15  
and 22, Var.  $15^{\circ}43' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

80.10 Intersect sec. line 20 lks. N.  
of corner to secs. 14, 15, 22 & 23.

Then N.  $89^{\circ}51'$  West on True Line.  
Var.  $15^{\circ}45' E$ .

40.05 Set sand stone,  $18 \times 16 \times 3$ , for  $\frac{1}{4}$   
sec. corner, as per instructions.

80.10 Corner to secs. 15, 16, 21 and 22,  
Land rolling, Soil 1<sup>st</sup> rate,  
Prairie.

North between Secs. 15 and 16,  
Var.  $15^{\circ}40' E$ .

40.00 Set charred post, built mound  
and dug pit, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

Chains

80.00 Set sand stone, 15x12x3, marked as  
per instructions, for corner to secs,  
9, 10, 15 and 16,  
Land broken, Soil 1 $\frac{1}{4}$  rate. Prairie.

---

East on Random between Secs. 10  
and 15, Var. 15°30' E.

40.00 Set temporary  $\frac{1}{4}$  sec, corner,  
79.80 Intersect Sec, line 15 links south  
of corner to secs, 10, 11, 14 & 15,

Then S. 89°34' West on True Line  
Var. 15°40' E.

39.90 Set sand stone, 18x12x4, for  $\frac{1}{4}$   
sec, corner, as per instructions,  
79.80 Corner to secs, 9, 10, 15 and 16,  
Land rolling, Soil 1 $\frac{1}{4}$  rate. Prairie.

---

North between Secs, 9 and 10,  
Var. 15°30' East,

40.00 Set sand stone, 18x10x4, for  $\frac{1}{4}$  sec,  
corner, as per instructions,  
80.00 Set sand stone, 16x12x3, marked  
per instructions, for the corner  
to secs, 3, 4, 9 and 10,  
Land rolling, Soil 1 $\frac{1}{4}$  rate. Prairie.

---

East on Random between Secs,  
3 and 10, Var. 15°45' E.

40.00 Set temporary  $\frac{1}{4}$  sec, corner,  
79.70 Intersect Sec, line 25 lks, south  
of corner to secs, 2, 3, 10 & 11.

Then S. 89°49' West on True Line.  
Var. 15°45' East,

39.85 Set charred post, built mound  
and dug pit, as per instructions,  
for  $\frac{1}{4}$  sec, corner,

Field notes of the Subdivision Lines of Township 14 N.

203 Chains  
79.70  
BOOK 1954

Corner to Secs. 3, 4, 9 and 10.  
Land rolling. Soil 1<sup>st</sup> rate, Prairie.

North on Random between Secs.  
3 and 4. Var. 15° 45' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
79.75 Intersect of North Boundary of  
Township 35 lks. East of corner  
to Secs. 3, 4, 33 and 34.

Then S. 15° East on True Line.

Var. 15° 45' E.

39.75 Set sand stone, 20 x 16 x 4. for  $\frac{1}{4}$  sec.  
corner, as per instructions.

79.75 Corner to Secs. 3, 4, 9 and 10.  
Land rolling. Soil 1<sup>st</sup> rate,  
Prairie. Sec. 11<sup>th</sup>

measuring chain compared with  
Standard and found correct.

North between Secs. 32 and 33.  
Var. 15° 30' E.

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. cor.,  
as per instructions.

80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, as per  
instructions, for corner to  
Secs. 28, 29, 32 and 33.  
Land rolling. Soil 2<sup>nd</sup> rate,  
Prairie.

East on Random between Secs.  
28 and 33. Var. 15° 30' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
80.35 Intersect sec. line 31 lks. W.  
of corner to Secs. 27, 28, 33  
and 34.



Chains

BOOK 1954

294

Then N. 89° 47' West on True  
Line. Var. 15° 30' East.

40.18 Set sandstone, 18x10x8, for  $\frac{1}{4}$  sec,  
corner, as per instructions.

80.35 Corner to sees, 28, 29, 32x33,  
Land broken, Soil  $2\frac{1}{4}$  rate, Prairie.

North between sees. 28 and 29.

Var. 15° 30' E.

40.00 Set Charred post, built mound  
and dug pit, for  $\frac{1}{4}$  sec, cor, as  
per instructions.

80.00 Deposited marked stone, set  
Charred post, marked, built  
mound and dug pit, as per  
instructions, for corner to  
sees, 20, 21, 28 and 29.

Land rolling, Soil  $2\frac{1}{4}$  rate,  
Prairie.

East on Random between sees, 21  
and 28.

Var. 15° 30' E.

40.00 Set temporary  $\frac{1}{4}$  sec, corner,

80.35 Intersect sec, line 25 links N.  
of corner to sees, 21, 22, 27 & 28.

Then N. 89° 49' West on True Line.

Var. 15° 30' E.

40.18 Set sand stone, 15x12x3, for  $\frac{1}{4}$   
sec, corner, as per instructions.

80.35 Corner to sees, 20, 21, 28 & 29.  
Land broken, Soil  $1\frac{1}{4}$  rate, Prairie.

North between sees, 20 and 21.

Var. 15° 30' E.

40.00 Set Charred post, built mound  
and dug pit, as per instructions,  
for  $\frac{1}{4}$  sec, corner,

80.00 Set sandstone, 14x12x4, marked

Field notes of the Subdivision Lines of Township 14

295  
BOOK 1954  
Chains

as per instructions, for the corner to Secs, 16, 17, 20 and 21.  
Land rolling. Soil 1 $\frac{1}{2}$  rate. Prairie.

East on Random between Secs. 16 and 21. Var. 15 $^{\circ}$  40' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.10 Intersect sec. line 15 lks. N. of the corner to Secs. 15, 16, 21 and 22,

Then N. 89 $^{\circ}$  54' West on True Line  
Var. 15 $^{\circ}$  40' East

40.05 Set charred post, built mound and dug pit. for  $\frac{1}{4}$  sec. corner as per instructions,  
80.10 Corner to Secs. 16, 17, 20 and 21.  
Land rolling. Soil 1 $\frac{1}{2}$  rate. Prairie.

North between Secs. 16 and 17.  
Var. 15 $^{\circ}$  30' E.

40.00 Get sand stone, 16 X 10 X 8, for  $\frac{1}{4}$  sec. corner, as per instructions.  
80.00 Deposited marked stone, set charred post, marked, built mound and dug pit. as per instructions for corner to Secs. 8, 9, 16 and 17.  
Land rolling. Soil 1 $\frac{1}{2}$  rate. Prairie.

East on Random between Secs. 9 and 16. Var. 15 $^{\circ}$  30' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.85 Intersect sec. line 20 lks. South of corner to Secs. 9, 10, 15 & 16

Then S. 89 $^{\circ}$  31' West on True Line. Var. 15 $^{\circ}$  30' East

Cabana

- 39.93 Set charred post, built mound and dug pit, for 4 sec, cor, as per instructions.  
 79.85 Corner to secs. 8, 9, 16 and 17.  
 Land rolling. Soil 1<sup>st</sup> rate. Prairie.
- 

- North between Secs. 8 and 9. Var. 15°30'E.  
 40.00 Set sand stone, 16x14x3. for 4 sec, corner, as per instructions.  
 80.00 Deposited marked stone set charred post, marked, built mound and dug pit, as per instructions, for corner to Secs. 4, 5, 8 and 9.  
 Land rolling. Soil 1<sup>st</sup> rate. Prairie.
- 

East on Random between Secs. 4 & 9.  
 Var. 15°30'E.

- 40.00 Set temporary 4 sec, corner.  
 79.75 Intersect Sec. line 30 lks, South of corner to Secs. 3, 4, 9 & 10.

Then S. 89°47' West on True Line.  
 Var. 15°30'E.

- 39.88 Set sand stone, 16x10x5. for 4 sec, corner, as per instructions.  
 79.75 Corner to Secs. 4, 5, 8 and 9.  
 Land rolling. Soil 1<sup>st</sup> rate. Prairie.
- 

North on Random between Secs. 4 and 5.  
 Var. 15°45'E.

- 40.00 Set temporary 4 sec, corner.  
 79.60 Intersect North Boundary of Township 40 links East of corner to Secs. 4, 5, 32 & 33.

Then S. 17' East on True Line. Var. 15°45'E.

- 39.60 Set charred post, built mound and dug pit, for 4 sec, corner, as per instructions.

Field Notes of the Subdivision Lines of Township 19

Chains  
207 79.60

BOOK 1954

Corner to sees. 4, 5, 8 and 9.  
Land rolling. Soil 1<sup>st</sup> rate. Prairie.

Dec. 12<sup>th</sup>

measuring chs. compared with  
standard and adjusted.

North between Sees. 31 and 32  
Var. 15° 15' E.

40.00 Set sand stone, 15 x 16 x 4. for  $\frac{1}{4}$  sec,  
corner, as per instructions.

62.00 Timber, bears N. west

80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pit, as per  
instructions, for corner to sees.  
29, 30, 31 and 32.  
Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

Easton Random between Sees. 29  
and 32. Var. 15° 15' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.70 Intersect Sec. line 35 lks. S. of cor.  
to sees, 28, 29, 32 and 33.

Then S. 89° 45' West on True Line Var.  
15° 15' East.

39.85 Set sand stone, 15 x 12 x 4. for  $\frac{1}{4}$  sec,  
corner, as per instructions.

79.70 Corner to Sees, 29, 30, 31 & 32,  
Land broken, Soil 2<sup>nd</sup> rate. Prairie.

Weston Random between Sees,  
30 and 31. Var. 15° 30' E.

12.20 Enter timber, bears NW, mostly  
pinon.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.25 Intersect Range line 20 lks S. of  
Corner to sees. 19, 24, 25 and 30.

Then S. 89° 49' East on True Line

Chains

BOOK 1954

208

Var. 15° 30' E.

- 40.25 Set sand stone, 15 x 10 x 6, for  $\frac{1}{4}$  sec corner, as per instructions.
- 80.25 Corner to secs, 29, 30, 31 and 32, Land broken, Soil 2 $\frac{1}{4}$  rate. Prairie.

North between Secs. 29 and 30.

Var. 15° 30' E.

- 40.00 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec, corner, as per instructions.
- 80.00 Set sand stone, 20 x 18 x 3, marked as per instructions, for the corner to Secs. 19, 20, 29 & 30. Land broken, Soil 2 $\frac{1}{4}$  rate. Prairie.

East on Random between Secs. 20 & 29,

Var. 15° 30' E.

- 40.00 Set temporary  $\frac{1}{4}$  sec, corner.
- 79.85 Intersect sec. line 20 lks, South of corner to Secs. 20, 21, 28 & 29.

Then S. 89° 49' West on True Line

Var. 15° 30' E.

- 39.93 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec, corner, as per instructions.
- 79.85 Corner to Secs. 19, 20, 29 & 30. Land rolling. Soil 2 $\frac{1}{4}$  rate. Prairie.

West on Random between Secs. 19 and 30. Var. 15° 30' E.

- 40.00 Set temporary  $\frac{1}{4}$  sec, corner.
- 67.50 Enter timber, bears NW.
- 79.60 Intersect Range line 15 lks. South of corner to Secs. 19, 29, 25 and 30.

Field Notes of the Subdivision Lines of Township 14 N.

209 Chains  
BOOK 1954

Then S.  $89^{\circ} 54'$  East on True Line  
Var.  $15^{\circ} 30' E.$

- 39.60 Set sand stone,  $14 \times 12 \times 3$ . for  $\frac{1}{4}$  sec.  
Cor. as per instructions.  
79.60 Corner to secs. 19. 20. 29 & 30.  
Land rolling. Soil 2<sup>nd</sup> rate.  
Prairie.

North between Secs. 19 and 20.  
Var.  $15^{\circ} 45' E.$

- 40.00 Set sand stone,  $15 \times 10 \times 6$ . for  $\frac{1}{4}$  sec.  
corner, as per instructions.  
80.00 Deposited marked stone, set charred  
post, marked, built mound and  
dug pit, as per instructions. for  
Corner to Secs. 17. 18. 19 & 20.  
Land rolling. Soil 1<sup>st</sup> rate. Prairie.

East on Random between Secs.  
17 and 20. Var.  $15^{\circ} 30' E.$

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner  
80.10 Intersect sec. line 15 lks. S.  
of Cor. to secs. 16. 17. 20 & 21.

Then S.  $89^{\circ} 54'$  West on True Line.  
Var.  $15^{\circ} 30' E.$

- 40.00 Set sand stone,  $20 \times 14 \times 3$ . for  $\frac{1}{4}$   
sec. corner, as per instructions.  
80.10 Corner to secs. 17. 18. 19 & 20.  
Land rolling. Soil 1<sup>st</sup> rate. Prairie.

West on Random between Secs.  
18 and 19. Var.  $15^{\circ} 45' E.$

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner  
78.75 Intersect Range line 8 lks. W.  
of corner to secs. 13. 18. 19  
and 24.

Then  $15^{\circ} 45'$  E. on True Line.  
Var.  $15^{\circ} 45' E.$

Chains

- 38.75 Set sand stone, 15x10x5, for  $\frac{1}{4}$  sec, corner, as per instructions.
- 78.75 Corner to Secs, 17, 18, 19 and 20. Land rolling. Soil 1 $\frac{1}{4}$  rate. Prairie.

North between Secs. 17 and 18.

Var. 15° 45' E.

- 40.00 Set charred post, built mound and dug pit, as per instructions, for  $\frac{1}{4}$  sec, cor.
- 80.00 Deposited marked stone, set charred post, marked, built mound and dug pit as per instructions, for the Corner to Secs. 17, 18, 19 and 20. Land broken. Soil 1 $\frac{1}{4}$  rate. Prairie.

East on Random between Secs. 8 and 17.

Var. 15° 30' E.

- 40.00 Set temporary  $\frac{1}{4}$  sec, corner.
- 80.25 Intersect Sec. line 20 lks. North of corner to Secs. 8, 9, 16 & 17.

Then N. 89° 51' West on True Line.

Var. 15° 30' E.

- 49.12 Set sand stone, 14x12x4, for  $\frac{1}{4}$  sec, corner, as per instructions.
- 80.25 Corner to Secs. 7, 8, 17 & 18. Land broken, Soil 1 $\frac{1}{4}$  rate. Prairie. Dec. 13<sup>th</sup> 1869.

West on Random between Secs. 7 and 18.

Var. 15° 30' E.

- 40.00 Set temporary  $\frac{1}{4}$  sec, corner.
- 78.20 Intersect Range line 25 lks. North of corner to Secs. 7, 12, 13 and 18.

Then N. 89° 49' East on True Line.

Var. 15° 30' E.

Field Notes of the Subdivision Lines of Township 14

BOOK	Chains 1954	
211	38.20	Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner as per instructions.
18.20		Corner to Secs. 7, 8, 17 and 18, Land broken, Soil 1 <sup>st</sup> rate. Prairie.
North between Secs. 7 and 8, Var. 15° 30' E,		
40.00		Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner as per instructions.
80.00		Set sand stone, 17 x 10 x 4. marked as per instructions, for corner to Secs. 5, 6, 7 and 8, Land broken, Soil 1 <sup>st</sup> rate. Prairie.
East on Random between Secs. 8 & 9, Var. 13° 45' E		
40.00		Set temporary $\frac{1}{4}$ sec. corner,
80.30		Intersect old line 35 lks. N. of corner to Secs. 4, 5, 8 & 9.
Then N. 89° 45' West on True Line, Var. 15° 45' East,		
40.15		Set sand stone, 16 x 10 x 5, for $\frac{1}{4}$ sec. cor. as per instructions.
80.30		Corner to Secs. 5, 6, 7 and 8, Land rolling, Soil 1 <sup>st</sup> rate. Prairie.
West on Random between Secs. 6 and 7, Var. 15° 45' E.		
40.00		Set temporary $\frac{1}{4}$ sec. corner,
77.50		Intersect sec. line 30 lks. North of corner to Secs. 1, 6, 7 & 12
Then N. 89° 47' East on True Line. Var. 15° 45' E.		
87.50		Set sand stone, 18 x 16 x 4, for $\frac{1}{4}$ sec. corner as per instructions.



Chains

77.50 Corner to sees. 5, 6, 7 and 8.  
Land rolling. Soil 1<sup>st</sup> rate Prairie.

---

North on Random between sees.  
5 and 6. Var. 15° 45' E.

4000 Set temporary  $\frac{1}{4}$  sec. corner  
79.65 Intersect North Boundary of Town-  
ship 40 links East of corner to  
sees. 5, 6, 31 and 32.

Then S, 17° East on True Line. Var. 15° 45' E.

39.65 Set charred post, built mound and  
dug pit, for  $\frac{1}{4}$  sec. corner as per  
instructions.

79.65 Corner to sees. 5, 6, 7 and 8.  
Land rolling. Soil 1<sup>st</sup> rate.  
Prairie.

---

General Description of Township  
14 North, Range 8 West of the  
Navajo Special Meridian.

Land of this Township is nearly  
all 1<sup>st</sup> rate prairie, well adapted to  
agriculture and grazing.

There are some few scattering  
pinon and cedar trees in the  
Southern portion of this township.

December, 14<sup>th</sup> 1869.

Measuring chain compared  
with standard, found one eighth  
of an inch too long, and ad-  
justed.

---

Field Notes of the Subdivision Lines of Township 15 <sup>fractional</sup>

218A  
BOOK 1954

Chains  
North on True Line between Secs. 35 and 36.  
Var.  $15^{\circ} 20' E$ ,  
40.00 Set charred post built mound and  
dog pits, for  $\frac{1}{4}$  sec. cor, as per instructions.  
63.60 Intersect North Boundary of Reservation,  
and the  $37^{\frac{1}{2}}$  Parallel of North Latitude,  
that being the Boundary Line between  
Utah and Arizona, 37.10 East of  $14^{\frac{1}{2}}$  mile  
corner, and set charred post, built mound  
and dog pits, for the closing corner to  
secs. 35 and 36, as per instructions.  
Surface gently rolling. Prairie. Soil 2 $\frac{1}{2}$  rate.

North on True Line between Secs. 24 and 35,  
Var.  $15^{\circ} 20' E$ ,  
34.05 "Foot mesa Colorado" bears S.S. W + Utah E.  
40.00 Set sand stone, 16 X 10 X 4, for  $\frac{1}{4}$  sec, cor, as per  
instructions.  
50.00 Top of same, bears N.E. and S.W.  
64.20 Intersect N. Boundary of Reservation, and  
the  $37^{\frac{1}{2}}$  Parallel of North Latitude, that being  
the Boundary Line between Utah and  
Arizona, 37.00 chs. East of  $15^{\frac{1}{2}}$  mile cor,  
& set sand stone 14 X 12 X 3, marked "C.C." for  
closing corner to secs. 34 & 35.  
Surface broken. Prairie. Soil 3 $\frac{1}{2}$  rate.

North on True Line between Secs. 33 and 34,  
Var.  $15^{\circ} 30' E$ ,  
6.70 Ravine, 25 lks. wide, course west,  
33.40 Ravine 30 " " " S. West,  
40.00 Set sand stone, 16 X 10 X 4, for  $\frac{1}{4}$  sec, cor,  
as per instructions,  
65.00 Intersect North Boundary of Reserva-  
tion, 36.90 chs. East of  $16^{\frac{1}{2}}$  mile cor,  
and set sand stone, 15 X 10 X 7, marked  
"C.C." for closing cor. to 33 and 34,  
Surface rolling. Prairie.  
Soil 2 $\frac{1}{2}$  rate.

Cohavias

North on True Line between Secs. 32 and 33. Var. 15° 20' E.

- 20.65 Ravine, 40 lks. wide, course west.
- 40.00 Set charred post, built mound and dug pits, for 3<sup>rd</sup> sec. corner, as per instructions.
- 65.60 Intersect North Boundary of Reservation, and the 37<sup>th</sup> Parallel of North Latitude, that being the Boundary Line between Utah and Arizona, 37.10 chs. East of 17<sup>th</sup> mile corner, and set sand stone, 18 x 10 x 4, marked "C. C." for the closing cor. to secs. 32 & 33, surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

North on True Line between Secs. 31 & 32, Var. 15° 15' East.

- 40.00 Set charred post, built mound and dug pits for 3<sup>rd</sup> sec. corner, as per instructions.
- 44.00 Ravine, 70 lks. wide, course west.
- 66.10 Intersect North Boundary of Reservation, and the 37<sup>th</sup> Parallel of North Latitude, that being the Boundary line between Utah and Arizona, 37.20 chs. East of 18<sup>th</sup> mile cor. and set sand stone, 16 x 10 x 4, marked "C. C." for closing corner to secs. 31 and 32, surface level. Prairie. Soil 1<sup>st</sup> rate.

General Description.

The land in this Township is mostly 2<sup>nd</sup> rate well adapted to farming or grazing purposes.

The Mesa Colorado is about 250 feet high, sides almost perpendicular and of sandstone formation.

There are a few cedar trees on top.

Field Notes of the Subdivision Lines of Township 15

Chains  
2154  
BOOK 1954

4000 North on True Line between sees, 35 and 36, Var.  $15^{\circ} 40' E.$   
 48.30 Set charred post, built mound and dug pits, for 4 see. cor. as per instructions, Ravine, 80 lks. wide, course West,  
 66.50 Intersect North Boundary of Reservation and the  $37^{\frac{1}{4}}$  Parallel of North Latitude, that being the Boundary Line between Utah and Arizona, 41.30 chs. East of <sup>20<sup>th</sup> mile</sup> corner, and set sand stone,  $20 \times 16 \times 6$ , marked "C.C." for closing corner to sees, 35 & 36, Surface rolling. Prairie Soil 2<sup>th</sup> rate.

40.00 North on True Line between sees. 34 & 35, Var.  $15^{\circ} 45' East$   
 58.50 Set charred post, built mound and dug pits, for 4 see. cor. as per instructions, Ravine, 75 lks. wide, course N.W.  
 66.75 Intersect North Boundary of Reservation and the  $37^{\frac{1}{4}}$  Parallel of North Latitude, that being the Boundary Line between Utah and Arizona, 41.50 chs. East of  $21^{\frac{1}{4}}$  mile corner, and set sand stone  $14 \times 12 \times 3$ , marked "C.C." for closing corner to sees, 34 and 35. Surface level. Prairie Soil 1<sup>th</sup> rate.

40.00 North on True Line between sees, 33 and 34. Var.  $15^{\circ} 45' E.$   
 Set charred post, built mound and dug pit, for 4 see. corner, as per instructions,  
 66.70 Intersect North Boundary of Reservation and the  $37^{\frac{1}{4}}$  Parallel of North Latitude, that being the Boundary Line between Utah and Arizona, 41.40 chs. East of  $22^{\frac{1}{4}}$

Chains

BOOK 1954 253

mile corner, and set sand stone, 14 x 13 x 3. marked "C.C." for closing corner to secs. 33 and 34. Surface level. Prairie. Soil 1<sup>st</sup> rate. Dec. 15, 1869.

North on True Line between Secs. 32 and 33, Var. 16<sup>2</sup> East,

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

66.85 Intersect North Boundary of Reservation and the 37<sup>th</sup> Parallel of North Latitude, that being the Boundary Line between Utah and Arizona, 41.60 chains East of <sup>23<sup>3</sup>/<sub>4</sub> mile</sup> corner, and set sand stone, 14 x 12 x 3, marked "C.C." for closing corner to secs. 32 & 33, surface level. Prairie. Soil 1<sup>st</sup> rate.

North on True Line between Secs. 31 and 32, Var. 16<sup>4</sup> East,

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

66.75 Intersect North Boundary of Reservation and the 37<sup>th</sup> Parallel of North Latitude, 41.65 chs. East of 24<sup>th</sup> mile corner, and set sand stone, 12 x 12 x 3, marked "C.C." for the closing corner to secs. 31 and 32, surface level. Prairie. Soil 1<sup>st</sup> rate.

General Description.

The land in this Township is all prairie, and nearly all 1<sup>st</sup> rate land, well adapted to farming and grazing purposes.

217A  
BOOK 1954  
Chains

North on True Line between Secs. 35 and 36. Var.  $15^{\circ}45' E$ ,

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.  
67.00 Intersect North Boundary of Reservation and the  $37^{\frac{1}{4}}$  Parallel of North Latitude, that being the Boundary Line between Utah and Arizona. 44.00 Chs. East of  $26^{\frac{1}{4}}$  mile corner, and set sand stone,  $16 \times 14 \times 4$ , marked "c.c." for the closing corner to Secs. 35 and 36, Surface rolling. Prairie Soil 2<sup>nd</sup> rate.

North on True Line between Secs. 34 & 35, Var.  $15^{\circ}45' E$ ,

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.  
66.40 Intersect N. Boundary of Reservation, 44.10 Chs. East of Corner to  $27^{\frac{1}{4}}$  mile, and set granite,  $16 \times 10 \times 4$ , marked "c.c." for the closing Cor. to Secs. 34 and 35. Surface level. Prairie Soil 1<sup>st</sup> rate.

North on True Line between Secs. 33 and 34. Var.  $15^{\circ}45' E$ ,

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.  
66.00 Intersect N. Boundary of Reservation and the  $37^{\frac{1}{4}}$  Parallel of N. Latitude, that being the Boundary line between Utah and Arizona, 44.20 chs. East of 28 mile corner, and set granite,  $14 \times 12 \times 4$ , marked "c.c." for the closing corner to Secs. 33 & 34, Surface level. Prairie Soil 1<sup>st</sup> rate.

Chains

North on True Line between Secs.  
32 and 33. Var.  $15^{\circ}45'$  E.

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec. Cor. as per instructions.

65.85 Intersect North Boundary of Reservation and the  $37^{\text{th}}$  Parallel of North Latitude, that being the Boundary line between Utah and Arizona, 44.25 chs East of  $29^{\text{th}}$  mile corner, and set sand stone,  $16 \times 10 \times 6$ , marked "c.c." for the Closing corner to secs. 32 and 33.  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

North on True Line between Secs.  
31 and 32. Var.  $15^{\circ}45'$  E.

23.50 Ravine, 70 lks. wide, course SW.

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  Sec. corner, as per instructions.

66.10 Intersect North Boundary of Reservation, and the  $37^{\text{th}}$  Parallel of North Latitude, that being the Boundary Line between Utah and Arizona, 44.36 chs. East of  $30^{\text{th}}$  mile corner and set granite  $14 \times 12 \times 10$ , marked "c.c." for the closing corner to secs. 31 & 32.  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.  
Dec. 16. <sup>th</sup> 1869.

General Description.

The land in this Township is generally 7<sup>th</sup> rate, prairie, well adapted to either farming or grazing purposes.

Field notes of the Subdivision Lines of Township

Chains  
210A  
1954  
BOOK

North between Secs. 35 and 36.  
Var.  $14^{\circ}45' E$ .

23.00 Dry Creek, course West.  
40.00 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. corner, as per instructions.  
80.00 Deposited marked stone, set charred post, marked, built mound and dug pit, per instructions, for cor. to secs. 25, 26, 35 & 36, Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

Easton Random between Secs. 25 & 36,  
Var.  $14^{\circ}45' E$ ,

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.20 Intersect Range line 15 lks. N. of corner to Secs. 25, 30, 31 & 36.

N.  $89^{\circ}53'$  West on True Line, Var.  $14^{\circ}45' E$ .

40.10 Set sand stone,  $14 \times 12 \times 3$ , for  $\frac{1}{4}$  sec. corner, as per instructions.  
80.20 Corner to secs. 25, 26, 35 and 36, Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

North between Secs. 25 and 26,  
Var.  $14^{\circ}45' E$ ,

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.  
80.00 Set sand stone,  $16 \times 12 \times 6$ , marked per instructions, for corner to Secs. 23, 24, 25 and 26, Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

Easton Random between Secs. 24 and 25,  
Var.  $14^{\circ}45' E$ ,

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
57.27 Sand stone Bluff, bears N.W. & S.E.



Chains

BOOK 1954 270

80.35 Intersect Range line 23 links North of  
Corner to Secs. 19, 24, 25 and 30.

N. 89° 50' West on True Line, Var. Same,  
40.17 1/2 Set charred post, built mound and dug  
pit, for 1/4 sec, corner, as per instructions.

80.35 Corner to Secs. 23, 24, 25 & 26,  
Land broken, Soil 3/4 rate, Prairie.

North between Secs. 23 and 24,  
Var. 15° 45' E.

28.00 Sand stone Bluff, bears East & West,

40.00 Impossible to establish cor. on side  
of bluff,

50.00 Leave sand stone Bluff, bears N.W.

80.00 Set sand stone, 18 x 12 x 3. marked  
per instructions, for corner to  
secs. 13, 14, 23 and 24.

Land broken, Soil 3/4 rate, Prairie.

East on Random between Secs. 13 & 24,  
Var. 14° 45' E.

40.00 Set temporary 1/4 sec, corner,

80.10 Intersect sec, line 7 links N.  
of corner to secs. 13, 14, 19 & 24.

N. 89° 37' West on True Line, Var. 14° 45' E.

40.05 Set sand stone, 14 x 12 x 3. for 1/4 sec,  
corner, as per instructions.

80.10 Corner to secs. 13, 14, 23 & 24.

Land rolling. Soil 3/4 rate, Prairie.

North between Secs. 13 and 14,

Var. 14° 45' E.

40.00 Set charred post, built mound and  
dug pit, for 1/4 sec, cor. as per instructions.

80.00 Set sand stone, 16 x 12 x 3,  
marked as per instructions,

Field notes of the Subdivision Lines of Township 11

221 Chains  
BOOK 1954

for corner to sees. 11, 12, 13 & 14.  
Land rolling. Soil 3<sup>rd</sup> rate. Prairie.

East on Random between sees. 12 & 13,  
Var.  $15^{\circ}45'$  E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.85 Intersect Range Line 7 links S.  
of cor. to sees. 7, 12, 13 and 18,

S.  $89^{\circ}57'$  West on True Line Var.  $15^{\circ}45'$  E.  
39.92<sup>±</sup> Set Charred post, built mound  
for  $\frac{1}{4}$  sec. corner, as per instructions.  
79.85 Corner to sees. 11, 12, 13 and 14,  
Land rolling, soil 3<sup>rd</sup> rate. Prairie.

North between sees. 11 and 12,  
Var.  $14^{\circ}45'$  E.

30.50 Cañon, course West, 450 lks. wide  
40.00 Set sand stone,  $16 \times 8 \times 7$ . for  $\frac{1}{4}$  sec.  
corner, as per instructions.  
80.00 Deposited marked stone, set  
charred post, marked, built mound  
and dug pit, per instructions -  
for cor. to sees. 1, 2, 11 & 12,  
Land broken, soil 3<sup>rd</sup> rate.  
Prairie.

East on Random between sees. 1,  
and 12, Var.  $14^{\circ}45'$  E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.80 Intersect Range line 18 lks,  
S. of cor. to sees. 1, 6, 7 and 12,

Then S.  $89^{\circ}52'$  West on True Line  
Var. same,

39.90 Set charred post, built mound  
and dug pit, for  $\frac{1}{4}$  sec. corner,  
as per instructions.  
79.80 Corner to sees. 1, 2, 11 & 12,  
Land rolling, soil 3<sup>rd</sup> rate. Prairie.

N. Range 10 West of the Navajo Special Meridian.

Chains

BOOK 1954

222

North on Random between Secs. 1 & 2,  
Var.  $14^{\circ} 45' E$ .

40.00 Set temporary  $\frac{3}{4}$  sec. corner,  
80.15 Intersect North Boundary of  
Township 14 lks. East of Cor.  
& Secs. 1, 2, 35 and 36.

S.  $6'$  East on True Line. Var. same.

40.15 Set charred post, built mound  
and dug pit, for  $\frac{3}{4}$  sec. corner,  
as per instructions,  
80.15 Corner to Secs. 1, 2, 11 and 12,  
Land rolling. Soil  $3^{\frac{1}{4}}$  rate. Prairie.  
Dec. 17<sup>th</sup> 1869.

North between Secs. 34 and 35,  
Var.  $14^{\circ} 45' East$ ,

26.50 Line leaves Bluff, bears N.  $88^{\circ} E$ .  
40.00 Set sand stone,  $14 \times 12 \times 3$ , for  $\frac{3}{4}$  sec.  
corner, as per instructions,  
80.00 Deposited marked stone, set  
Charred post, marked, built mound  
and dug pits, per instructions,  
for corner to Secs. 26, 27, 34 & 35,  
Land broken. Soil  $3^{\frac{1}{4}}$  rate. Prairie.

East on Random between Secs. 26 & 35,  
Var.  $14^{\circ} 45' E$ ,

40.00 Set temporary  $\frac{3}{4}$  sec. corner,  
79.85 Intersect Sec. line 17 lks. North  
of Cor. & Secs. 25, 26, 35 & 36.

N.  $89^{\circ} 53'$  West on True Line. Var. same,

39.85 Set Charred post, built mound and  
dug pits, for  $\frac{3}{4}$  sec. cor. as per instructions,  
79.85 Corner to Secs. 26, 27, 34 and 35.  
Land rolling. Soil  $2^{\frac{1}{4}}$  rate. Prairie.

North between Secs. 26 and 27,  
Var.  $14^{\circ} 45' E$ .

Field Notes of the Subdivision Lines of Township 11

223  
chains  
BOOK 1954

40.00 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.  
80.00 Deposited marked stone, set charred post, marked, built mound and dug pit per instructions, for cor. to secs. 22, 23, 26 & 27.  
Land rolling, Soil 2 $\frac{1}{2}$  rate, Prairie.

East on Random between secs. 23 & 26,  
Var. 140° 45' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner  
79.95 Intersect Sec. line 8 lks, North of corner to secs. 23, 24, 25 & 26,

N. 89° 57' West on True Line. Var. same  
39.97 $\frac{1}{2}$  Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. cor. as per instructions.

79.95 Corner to secs. 22, 23, 26 and 27.  
Land rolling. Soil 2 $\frac{1}{2}$  rate, Prairie.

North between secs. 22 and 23,  
Var. 150° East,

40.00 Set sand stone 14 x 12 x 6. for  $\frac{1}{4}$  sec. corner, as per instructions.  
54.00 Sand stone, Bluff, bears N.W. & S.E.  
80.00 Set sand stone 18 x 12 x 3, marked per instructions, for corner to secs. 14, 15, 22 and 23.  
Land broken, Soil 3 $\frac{1}{2}$  rate, Prairie.

East on Random between secs. 14 and 23,  
Var. 15° East,

40.00 Set temporary  $\frac{1}{4}$  sec. corner  
80.09 Intersect Sec. line 12 lks, South of corner to secs. 13, 14, 23 & 24,

S 89° 38' West on True Line Var. same

Chains

- 40.04<sup>1/2</sup> Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec, cor, as per instructions.
- 80.09 Corner to secs, 14, 15, 22 and 23, Land broken Soil  $\frac{3}{4}$  rate, Prairie.

North between Secs. 14 and 15, Var. 15<sup>th</sup> East.

- 40.00 Set sand stone, 15 x 12 x 6, for  $\frac{1}{4}$  sec, corner, as per instructions,
- 67.00 Leave sand stone bluff, bears E & W,
- 80.00 Set sand stone, 16 x 12 x 10, marked per instructions, for corner to secs, 10, 11, 14 & 15, Land broken, Soil  $\frac{3}{4}$  rate, Prairie.

East on Random between Secs. 11 & 14, Var. 15<sup>th</sup> East.

- 40.00 Set temporary  $\frac{1}{4}$  sec, corner,
- 47.00 Sand stone Bluff, bears N.E. & S.W.
- 80.25 Intersect sec, line 20 lks, S. of Cor, to secs, 11, 12, 13 & 14,

S. 89°51' W. on True Line. Var, same.

- 40.12<sup>1/2</sup> Set sand stone, 14 x 12 x 8, for  $\frac{1}{4}$  sec, corner, as per instructions,
- 80.20 Corner to secs, 10, 11, 14 and 15, Land broken, Soil  $\frac{3}{4}$  rate, Prairie.

North between Secs. 10 & 11.

Var. 15<sup>th</sup> East.

- 23.00 Dry Creek, course West,
- 40.00 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec, corner, as per instructions,
- 61.00 Sand stone Bluff, bears E & West,
- 80.00 Set sand stone, 16 x 14 x 4, marked as per instructions, for corner to secs. 2, 3, 10 & 11,

225 Chains

Land broken, Soil 3<sup>rd</sup> rate, Prairie.

BOOK 1954

Easton Random between sect. 2 and 11. Var. 15<sup>th</sup> East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
 80.12 Intersect sec. line 16 lks. South of corner to secs. 1, 2, 11 & 12.

S. 89° 53' West on True Line. Var. 15<sup>th</sup> East.

40.06 Set sand stone<sup>22x</sup> 12x3. for  $\frac{1}{4}$  sec. cor. as per instructions.  
 80.12 Corner to secs. 2, 3, 10 & 11.  
 Land broken, Soil 3<sup>rd</sup> rate, Prairie.

North on Random between Secs. 2 and 3. Var. 15<sup>th</sup> East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
 80.10 Intersect N. Boundary of Township 15 links East of Corner to secs. 2, 3, 34 and 35.

S. 7' East on True Line. Var. Same.

40.10 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. corner, as per instructions.  
 80.10 Corner to secs. 2, 3, 10 & 11.  
 Land rolling, Soil 2<sup>nd</sup> rate, Prairie.  
 Dec. 18<sup>th</sup> 1870.

Measuring chains compared with standard and found correct.

As it is impracticable to run the line between Secs. 33 and 34, on account of the high and precipitous bluff, I com-

menced at corner to sees. 26,  
27, 34 and 35.

Thence West on True Line.

Var.  $15^{\circ}$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
56.50 Sand stone bluff, bears N.W. and S.E.  
It being impracticable to run the  
line any farther west on account  
of the precipitous bluff, averaging 250  
feet high: Offset North 16 chs.,  
thence West 24, 50 Chains to sec.  
line between sees. 27 & 28, —  
16 chs N. of place for corner to  
sees. 27, 28, 33 and 34, and set  
Witness corner, sand stone, 18 X 12 X 3.  
Surface, Eastern part rolling, 2<sup>nd</sup> rate,  
balance broken, 3<sup>rd</sup> rate, Prairie.

North between sees. 27 and 28,

Var.  $15^{\circ}$  East.

- 16.00 Line leaves Bluff, bears E and West.  
40.00 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec. corner, as per  
instructions.  
80.00 Deposited marked stone, set  
charred post, marked, built mound  
and dug pit, per instructions,  
for corner to sees. 21, 22, 27 & 28.  
Land broken, Soil 3<sup>rd</sup> rate, Prairie.

East on Random between sees. 22 and 27,

Var.  $15^{\circ}$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.06 Intersect Sec. line 12 links S.  
of corner to sees. 22, 23, 26  
and 27.

S.  $89^{\circ} 55'$  West on True Line.

Var.  $15^{\circ}$  East.

Field Notes of the Subdivision Lines of Township 11 N.

227 <sup>Chains</sup>  
 40.03 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.  
 BOOK 1954  
 80.06 Corner to Secs, 21, 22, 27 & 28,

North between Secs. 21 and 22,  
 Var. 15° East,

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.  
 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, for cor. to Secs, 15, 16, 21 & 22, as per instructions.  
 Land rolling. Soil 2 $\frac{1}{4}$  rate. Prairie

East on Random between Secs, 15 and 22. Var. 15° E.

44.00 Set temporary  $\frac{1}{4}$  sec. corner,  
 52.00 Sand stone Cluff, bears N & South  
 80.24 Intersect Sec. line 15 lks, S. of corner to Secs, 14, 15, 22 and 23,

S. 89° 54' West on True Line. Var. 15° East.

40.12 Set sand stone 15 x 12 x 4. for  $\frac{1}{4}$  sec. cor. as per instructions.  
 80.24 Corner to Secs, 15, 16, 21 & 22, Land broken, Soil 3 $\frac{1}{4}$  rate. Prairie.

North between Secs. 15 & 16, Var. 15° East

40.00 Set charred post, built mound and dug pit for  $\frac{1}{4}$  sec. cor, as per instructions.  
 80.00 Set sand stone, 15 x 14 x 3, marked per instructions, for the cor. to Secs, 9, 10, 15 and 16.



Chains

Land rolling. Soil 3<sup>rd</sup> rate. Prairie.

East on Random between Secs.  
10 and 15. Var. 15<sup>th</sup> East.

- 4000 Set temporary  $\frac{1}{4}$  sec. cor.  
80 08 Intersect sec. line 9 lks. South  
of corner to secs. 10, 11, 14 and 15.

S. 89<sup>th</sup> 56' West on True Line.

Var. 15<sup>th</sup> E.

- 40.09 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec. corner,  
as per instructions.

- 80.08 Corner to Secs. 9, 10, 15 & 16.  
Land rolling. Soil 3<sup>rd</sup> rate.  
Prairie.

North between Secs. 9 and 10.

Var. 15<sup>th</sup> E.

- 3800 Ravine, Running water, course SW.

- 4000 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec. cor. as  
per instructions.

- 80.00 Set sand stone, 16 X 14 X 3. marked  
as per instructions. for corner  
to secs. 3, 4, 9 and 10.

Land rolling. Soil 3<sup>rd</sup> rate. Prairie.

East on Random between Secs. 3 & 10.

Var. 15<sup>th</sup> E.

- 23.50 Ravine, running water, course  
SW.

- 4000 Set temporary  $\frac{1}{4}$  sec. corner.

- 42.50 Sand stone bluff, bears NW. & S. E.

- 79.90 Intersect sec. line 14 lks.  
North of corner to Secs. 2, 3,  
10 and 11.

N. 89<sup>th</sup> 54' West on True Line

Field Notes of the Subdivision Lines of Township 11 N.

229 Chains

BOOK 1954

Var. Same.  
 39.95 Set sand stone, 14 x 12 x 3. for  $\frac{1}{4}$  sec.  
 corner, as per instructions.  
 79.90 Corner to sees. 3, 4, 9 & 10.  
 Land rolling. Soil  $\frac{3}{4}$  rate. Prairie.

North on Random between Sees. 3 & 4.  
 Var. 15° East.

26.80 Sand stone bluff, bears East & West.

40.00 Set temporary  $\frac{1}{4}$  sec. corner

80.20 Intersect North Boundary of  
 Township 16. links East of  
 corner to Sees. 3, 4, 33 & 34.

S. 7' East on True Line. Var. Same.

40.20 Set sand stone, 24 x 12 x 3. for  $\frac{1}{4}$   
 sec. cor. as per instructions.

80.20 Corner to sees. 3, 4, 9 & 10.  
 Land broken, Soil  $\frac{3}{4}$  rate.  
 Prairie.

North between Sees. 32 and 33.  
 Var. 15° E.

40.00 Set charred post, built mound  
 and dug pits, for  $\frac{1}{4}$  sec. cor.  
 as per instructions.

80.00 Set sand stone, 16 x 14 x 4.  
 marked as per instructions,  
 for corner to Sees. 28, 29, 32  
 and 33.  
 Land level, Soil  $1\frac{1}{2}$  rate. Prairie.

East on Random between Sees.  
 28 and 33. Var. 15° East.

6.50 Sand stone bluff, bears N & South.  
 (Impossible to proceed with  
 the line.)

North between Sees. 28 & 29. Var. 15° E.

Chains

BOOK 1954

230

- 40.00 Set charred post, built mound and dug pit for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.00 Set sand stone, 12 x 10 x 10, marked as per instructions, for corner to sees. 20, 21, 28 and 29.  
Land level, Soil 1<sup>st</sup> rate. Prairie.

East on Random between Sees. 21 & 28.  
Var. 15<sup>th</sup> East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 52.00 Sand stone bluff, bears North and South.
- 80.25 Intersect Sec. line 15 links South of corner to Sees. 21, 22, 27 & 28.

S. 89<sup>th</sup> - 54' West on True Line. Var. 15<sup>th</sup> East.

- 40.12 $\frac{1}{2}$  Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.25 Corner to Sees. 20, 21, 28 & 29.  
Land broken, Soil 3<sup>rd</sup> rate. Prairie.  
December 19, 1880.

North between Sees. 20 and 21.  
Var. 15<sup>th</sup> E.

- 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.00 Set sand stone, 15 x 14 x 5, marked per instructions, for the cor. to sees. 16, 17, 20 and 21.  
Land rolling, Soil 2<sup>nd</sup> rate. Prairie.

East on Random between Sees. 21 and 16.  
Var. 15<sup>th</sup> East.

- 75.0 Sand stone bluff, bears N + South.
- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 80.10 Intersect Sec. line 8 lks. South of corner to sections 15, 16, 21 and 22.

Field Notes of the Subdivision Lines of Township 11

BOOK 1954

Chains  
 S.  $89^{\circ} 57'$  West on True Line. Var. Same.  
 40.05 Set sand stone,  $14 \times 12 \times 3$ , for  $\frac{1}{4}$  sec, corner, as per instructions.  
 80.10 Corner to secs. 16, 17, 20 and 21.  
 Land broken, Soil  $3^{\text{rd}}$  rate, Prairie.

North between Secs. 16 and 17,  
 Var.  $15^{\circ} E$ .

24.50 Sand stone bluff, bears,  $14 \times 12 \times 3$ , + S.E.  
 40.00 Set sand stone,  $15 \times 12 \times 3$ , for  $\frac{1}{4}$  sec, corner, as per instructions.  
 58.30 Dry Creek, course S. West.  
 80.00 Set sand stone,  $18 \times 12 \times 6$ , marked per instructions, for corner to secs. 8, 9, 16 and 17.  
 Land broken, Soil  $3^{\text{rd}}$  rate, Prairie.

Easton Random between Secs. 9 and 16,  
 Var.  $15^{\circ} East$ .

40.00 Set temporary  $\frac{1}{4}$  sec, corner,  
 41.50 Dry Creek, course S.W.  
 79.90 Intersect Sec. line 7 lks. N. of corner to secs. 9, 10, 15 & 16.

N.  $89^{\circ} 57'$  West on True Line.  
 Var.  $15^{\circ} E$ .

39.95 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec, corner, as per instructions.  
 79.90 Corner to secs. 8, 9, 16 & 17.  
 Land rolling. Soil  $3^{\text{rd}}$  rate, Prairie.

North between Secs. 8 and 9,  
 Var.  $15^{\circ} East$ .

40.00 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec, corner, as per instructions.

Chains

80.00 Deposited marked stone, set charred post, marked, built mound and dug pit, as per instructions, for the corner to Secs. 4, 5, 8 and 9. Land rolling. Soil 2<sup>d</sup> rate. Prairie.

---

East on Random between Secs. 9 & 9.  
Var. 15° East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.80 Intersect Sec. line 16 lks. N. of cor. to Secs. 3, 4, 9 and 10.

N. 89° 53' west on True line, var. same.

39.92 Set charred post, built mound and dug pit for  $\frac{1}{4}$  sec. corner, as per instructions.

79.80 Corner to Secs. 4, 5, 8 & 9. Land rolling. Soil 2<sup>d</sup> rate. Prairie.

---

North on Random between Secs. 4 and 5. Var. 15° East.

19.50 Dry Creek, course west,  
40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
46.50 Sand stone bluff, bears East and West.

79.80 Intersect N. Boundary of Township 25 lks. E. of corner to Secs. 4, 5, 32 and 33.

N. 11° East on True line, var. same.

39.80 Set sand stone, 14 x 12 x 3, for  $\frac{1}{4}$  sec. corner, as per instructions.  
79.80 Corner to Secs. 4, 5, 8 and 9. Land broken. Soil 3<sup>d</sup> rate. Prairie.

---

North between Secs. 31 & 32, var. 15° 05' E.

Field Notes of the Subdivision Lines of Township

333  
Chains  
36.40  
40.00  
80.00  
BOOK 1954

Rio Carrissa, Course N.W.  
Set charred post, built mound  
and dug pit, for  $\frac{1}{4}$  sec. corner,  
as per instructions.  
Get sand stone, 14 x 12 x 3, marked  
per instructions, for the corners  
to sees, 29, 30, 31 and 32,  
Land level, Soil 1 $\frac{1}{4}$  rate, Prairie.

East on Random between sees,  
29 and 32, Var. 15005' E.  
40.00 Get temporary  $\frac{1}{4}$  sec. corner,  
79.90 Intersect set line 15' lks. N.  
of corner to sees, 28, 29, 32  
and 33.

N. 89°59' West on True Line.  
Var. Same.  
39.95 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec. cor.,  
as per instructions.  
79.90 Corner to sees, 29, 30, 31 & 32  
Land level, Soil 1 $\frac{1}{4}$  rate,  
Prairie.

West on Random between sees,  
30 and 31, Var. 15405' E.  
34.50 Rio Puerto, course N. 55° 0 lks wide.  
40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
80.09 Intersect Range line 25' lks,  
North of corner to sees, 25,  
30, 31 and 36.

N. 89°49' East on True Line -  
Var. Same.  
40.09 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. cor.  
as per instructions.  
80.09 Corner to sees, 29, 30, 31 & 32,  
Land level, Soil 1 $\frac{1}{4}$  rate, Prairie.

Chains

North between Secs. 29 and 30.  
Var. 15° East.

40.00 Set charred post, built mound and dug pit for  $\frac{1}{4}$  sec. corner, as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, <sup>as</sup> per instructions, for the corner to Secs. 19, 20, 29 and 30.  
Land level, Soil 1 $\frac{1}{2}$  rate,  
Prairie.

Easton Random between Secs. 20 and 29.  
Var. 15° E.

29.80 Sand stone peak 350 feet high.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

80.10 Intersect sec. line 7 lks. N. of corner to Secs. 20, 21, 28 and 29.

N. 89° 57' East, on True line. Var. same.

40.00 Set sand stone, 15 x 14 x 4, for  $\frac{1}{4}$  sec. cor. as per instructions.

80.10 Corner to Secs. 19, 20, 29 & 30.  
Land level, Soil 1 $\frac{1}{2}$  rate. Prairie.  
Dec. 20<sup>th</sup> 1869.

measuring chain compared with standard and found correct.

Weston Random between Secs. 19 and 30.  
Var. 15° E.

Puero, course North, 750 lks. wide.

80.19 Intersect Range line 16 lks. North of corner to Secs. 19, 29, 28 and 30.

N. 89° 53' Weston True Line. Var. same.

40.00 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. cor. as per instructions.

Field notes of the Subdivision Lines of Township 11

235

Chains

80.14

Corner to sees, 19, 20, 29 and 30,  
Land level, Soil 1<sup>st</sup> rate, Prairie.

BOOK 1954

North between sees, 19 and 20,  
Var. 15° E,

40.00

Set charred post, built mound and  
dug pits, for  $\frac{3}{4}$  sec, corner, as  
instructions,

80.00

Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, as  
per instructions, for corner  
to sees, 18, 18, 19 and 20,  
Land level, Soil 1<sup>st</sup> rate, Prairie.

East on Random between sees,  
18 and 20, Var. 15° E,

40.00

Set temporary  $\frac{3}{4}$  sec, corner,

79.90

Intersect Sec. line 5 lks S.  
of corner to sees, 16, 17, 20 & 21.

S. 89° 58' West on True Line, Va. same.

39.95

Set charred post, built mound  
and dug pits, for  $\frac{3}{4}$  sec, cor,  
as per instructions,

79.90

Corner to sees, 17, 18, 19 & 20,  
Land level, Soil 1<sup>st</sup> rate, Prairie.

West on Random between  
sees, 18 and 19. Var. 15° E,

40.00

Set temporary  $\frac{3}{4}$  sec, cor,

44.00

Dry Creek, course S.W.

79.95

Intersect Range line 7 lks,  
North of corner to sees, 13, 18,  
19 and 24.

N. 89° 57' East, on True Line.  
Var. same.



N. Range 10 west of the M. Special Meridian.

Lehans

BOOK

236

39.95 Set charred post, built mound and dug pit. for  $\frac{1}{4}$  sec. corner, as per instructions.

BOOK 1954

79.95 Corner to sees. 17, 18, 19 & 20.  
Land level. Soil 1<sup>st</sup> rate. Prairie.

---

North between sees. 17 and 18,  
Var. 15° E.

39.00 Dry Creek, course west,

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pit. as per instructions, for corner to sees. 7, 8, 17, and 18.

Land rolling. Soil 1<sup>st</sup> rate.  
Prairie.

---

Easton Random between sees.  
8 and 17. Var. 15° East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

61.00 Sand stone bluff, bears N. & S.

79.85 Intersect see, line 12 lks South of corner to sees. 8, 9, 16 & 17.

S. 89° 55' West on True Line. Var. Same.

39.92<sup>1/2</sup> Set charred post, built mound and dug pit. for  $\frac{1}{4}$  sec. corner, as per instructions.

79.85 Corner to sees. 7, 8, 17 and 18.

Land level. Soil 1<sup>st</sup> rate. Prairie.

---

Weston Random between sees.  
7 and 18. Var. 15° E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

79.85 Intersect Range line 8 lks, South of corner to sees. 7, 12.

Field Notes of the Subdivision Lines of Township

230 Chains

BOOK 1954

12 and 18,

S.  $89^{\circ} 57'$  East on

True Line. Var. same.

39.85 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. cor. as per instructions.

79.85 Corner to secs. 7, 8, 17 and 18. Land level, Soil 1 $\frac{1}{4}$  rate. Prairie.

~~West on Random between secs. 7 and 18,~~

~~Var.  $15^{\circ}$  East~~

~~40.00 Set temporary  $\frac{1}{4}$  sec. corner.~~

North between secs. 7 and 8,

Var.  $15^{\circ}$  E.

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, per instructions, for corner to secs. 5, 6, 7 and 8. Land level, Soil 1 $\frac{1}{4}$  rate. Prairie.

East on Random between secs. 5 and 8,

Var.  $15^{\circ}$  East,

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

64.00 Sand stone Bluff, bears  $\frac{1}{4}$  S.

79.80 Intersect Sec. line 18 lks. S. of corner to secs. 4, 5, 8 & 9,

S.  $89^{\circ} 52'$  West on True Line.

Var. Same.

29.90 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. corner, as per instructions.

79.80 Corner to secs. 5, 6, 7 and 8. Land level, Soil 1 $\frac{1}{4}$  rate. Prairie.

Chains

West on Random between Secs. 6 and 7.

Var. 15<sup>th</sup> East,

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,
- 79.80 Intersect Range line 20 lks. S. of the corner to Secs. 1, 6, 7 & 12,

S. 89° 51' East, on True Line,

Var. same,

- 39.80 Set charred post, built mound and dog pits, for  $\frac{1}{4}$  sec. corner, as per instructions.
- 79.80 Corner to Secs. 5, 6, 7 and 8, Land level, Soil 1<sup>st</sup> rate, Prairie.

North on Random between Secs. 5 and 6.

Var. 15<sup>th</sup> East,

- 37.00 Dry Creek, course west,
- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,
- 71.00 Sand stone bluff, bears E & W.
- 81.15 Intersect N. Boundary of Township 14 links west of corner to Secs. 5, 6, 31 and 32,

S. 6' west on True Line, var. same,

- 41.15 Set sand stone, 14 x 12 x 3, for  $\frac{1}{4}$  sec. corner, as per instructions,
- 81.15 Corner to Secs. 5, 6, 7 and 8, Land rolling, Soil 2<sup>nd</sup> rate, Prairie.

Dec. 21<sup>st</sup> 1869,

measuring chain compared with standard and adjusted.

General Description of Township 11 N. R. 10. West,

The larger part of this township is upland, well adapted to grazing purposes. The bottom land is level and good for farming.

There are several ridges of sand stone rock and also two or three peaks that rise out of the level valley to the height of several hundred feet.

There is a nice spring in Sec. 3, that runs a short distance. The water is slightly tinged with sulphur.

---

Chain

BOOK 1954 210

From corner to sees. 25, 30, 31 & 36,  
on Range Line, West on Random  
between sees. 25 and 36,

Var. 15° E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
60.70 Intersect West Boundary of  
Reservation 20 lks. N. of cor. to 61 $\frac{1}{2}$  mile.

Then N. 89° 48' East on True Line. Var. 15° E.

29.70 Set sand stone, 20 X 10 X 3, for  $\frac{1}{4}$  sec.  
corner, as per instructions,  
60.70 Corner to sees. 25, 30, 31 & 36.  
Surface rolling. Prairie. Soil 2 $\frac{1}{2}$  rate.

West on Random between Sees.  
24 and 25, Var. 15° East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
60.20 Intersect West Boundary of  
Reservation 8 lks. North of  
62 $\frac{1}{2}$  mile corner.

Then N. 89° 56' E. on True Line.  
Var. same.

20.20 Set sand stone, 16 X 12 X 3, for  
 $\frac{1}{4}$  sec. cor. as per instructions,  
60.20 Corner to sees. 19, 24, 25 & 30.  
Surface rolling. Prairie. Soil 2 $\frac{1}{2}$  rate.

West on Random between Sees.  
13 and 24. Var. 14° E.

12.00 Rio de Chille, course North,  
14.00 Leave same. Low banks, sandy  
bottom,

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
59.70 Intersect West Boundary of  
Reservation 20 lks. North of corner  
to 63 $\frac{1}{2}$  mile.

Then N. 89° 48' E. on True Line.  
Var. 15° East.

19.70 Set sand stone, 14 X 12 X 3, for  $\frac{1}{4}$

Field Notes of the Subdivision Lines of <sup>Macdonald</sup> Township  
11 N. R. 11 W. the N. S. M.

BOOK 1954  
Chains

see, corner, as per instructions.  
Corner to sees. 13. 18. 19 & 24.  
Surface rolling. Prairie. Soil 1<sup>st</sup> rate.

West on Random between sees. 12 & 13.  
Var. 15° 05' E.

24.00 Rio De Schille, course North.  
26.00 Leave same. Low banks, sandy bottom.  
59.60 Intersect West Boundary of Res-  
ervation, 14 lks. N. of Cor. to 69<sup>th</sup> mile.

Then N. 89° 52' E. on True Line. Var. Same.

19.60 Get sand stone, 18 X 10 X 3. for 3<sup>rd</sup> see.  
corner, as per instructions.  
59.60 Corner to sees. 7. 12. 13 & 18.  
Surface level. Prairie. Soil 1<sup>st</sup> rate.

West on Random between sees.  
1 and 12, Var. 15° 05' E.

40.00 Get temporary 3<sup>rd</sup> see. cor.  
40.00 Rio De Schille, course N.W.  
42.50 Leave same.  
59.40 Intersect West Boundary of Res-  
ervation 10 links N. of 65<sup>th</sup>  
mile corner.

Then N. 89° 54' E. on True Line.  
Var. 15° 05' E.

19.40 Get sand stone, 16 X 14 X 3. for 3<sup>rd</sup>  
see, cor. as per instructions.  
59.40 Corner to sees. 1. 6. 7 & 12.  
Surface level. Prairie. Soil 1<sup>st</sup> rate.

General Description of Fractional Town-  
ship 11 N. Range 11 West.  
This Township is mostly prairie  
valley, soil 1<sup>st</sup> rate. - The Rio De Schille  
passes through in nearly a northern  
course, Average width about 250 lks

N. Range 10 west of the N. S. Meridian.  
Chains.

North between Secs. 25 and 26.

Var.  $15^{\circ} - 20' E$ .

40.00 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.00 Set sand stone,  $14 \times 12 \times 3$ , marked per instructions, for corner to secs. 25, 26, 25 and 26.

Land rolling. Soil 2<sup>nd</sup> rate.  
Prairie.

East on Random between Secs. 25 and 26.

Var.  $15^{\circ} - 20' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

79.80 Intersect Range line 20 lks. south of corner to secs. 25, 30, 31 and 26.

Then S.  $89^{\circ} 49'$  west on True Line. Var. same.

39.90 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. cor. as per instructions.

79.80 Corner to Secs. 25, 26, 35 & 26  
Land rolling. Soil 2<sup>nd</sup> rate.  
Prairie.

North between Secs. 25 & 26.

Var.  $15^{\circ} - 30' E$

40.00 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. cor. as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pit, as per instructions, for corner to secs. 23, 24, 25 and 26.

Land rolling, Sandy, Soil 2<sup>nd</sup> rate  
Prairie.

Field notes of the Subdivision Lines of Town

BOOK 1954

Chains

Easton Random between Secs.  
24 and 25. Var.  $15^{\circ}30' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.92 Intersect Range line 18 lks. S.  
of corner to secs. 19, 24, 25 and 30.

Then S.  $89^{\circ}34'$  West on True Line,  
Var. Same,

39.96 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. cor. as  
per instructions.

79.92 Corner to secs. 23, 24, 25 & 26.  
Land rolling, Soil  $2\frac{1}{4}$  rate.  
Prairie.

North between Secs. 23 & 24.  
Var.  $15^{\circ}30' E$

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, as  
per instructions. for cor.  
to secs. 13, 14, 23 & 24.  
Land rolling, Soil  $2\frac{1}{4}$  rate.  
Prairie.

Easton Random between Secs.  
18 and 24. Var.  $15^{\circ}30' E$

40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
80.02 Intersect Range Line 7 lks. S.  
of corner to Secs. 13, 18, 19 & 24

Then S.  $89^{\circ}25'7''$  W. on True Line,  
Var. Same,

40.02<sup>2</sup> Set sand stone,  $14 \times 12 \times 3$ , for  
 $\frac{1}{4}$  sec. corner, as per instruc-  
tions.

80.05 Corner to secs. 13, 14, 23 & 24,  
Land rolling, Soil  $2\frac{1}{4}$  rate, Prairie.



North between Secs. 13 and 14.

Var.  $15^{\circ} 30' E.$

40.00 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. cor. as per instructions.

80.00 Set sand stone,  $16 \times 14 \times 4$ , marked per instructions, for corner to secs. 11, 12, 13 and 14.

Land rolling, Soil 2<sup>d</sup> rate. Prairie.

---

East on Random between Secs. 12 and 13.

Var.  $15^{\circ} 30' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

80.12 Intersect Range line 16 lks. north of corner to secs. 7, 12, 13 and 18.

Then N.  $89^{\circ} 51' 3'' W.$

on True Line. Var.  $15^{\circ} 30' E.$

40.06 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. cor. as per instructions.

80.12 Corner to secs. 11, 12, 13 & 14.  
Land rolling, Soil 2<sup>d</sup> rate.  
Prairie.

---

North between Secs. 11 & 12.

Var.  $15^{\circ} 30' E.$

40.00 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. cor. as per instructions.

80.00 Set sand stone,  $16 \times 10 \times 8$ , marked per instructions, for corner to secs. 1, 2, 11 and 12.

Land rolling, Soil 2<sup>d</sup> rate.

Prairie.

---

East on Random between Secs. 1 and 12.

Var.  $15^{\circ} 30' E.$

Field Notes of the Subdivision Lines of Township 12

BOOK 1954

245

Chains

40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
 80.16 Intersect Range line 21 lks. North  
 of corner to secs. 1, 6, 7 & 12.

Then N.  $89^{\circ}31'$  West on True Line.  
 Var. Same.

40.08 Set charred post, built mound  
 and dug pits, for  $\frac{1}{4}$  sec. corner,  
 as per instructions.

80.16 Corner to Secs. 1, 2, 11 and 12.  
 Land rolling. Soil  $2\frac{1}{4}$  rate. Prairie.

North on Random between Secs.  
 1 and 2, Var.  $15^{\circ}30'E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

79.80 Intersect North Boundary  
 of Township 12 links West  
 of corner to secs. 1, 2, 35 & 36.

Then S.  $5'$  West on True Line.  
 Var. Same.

39.80 Set sand stone,  $14 \times 12 \times 3$ , for  
 $\frac{1}{4}$  sec. corner, as per instruc-  
 tions.

79.80 Corner to secs. 1, 2, 11 and 12,  
 Dec. 22<sup>nd</sup> 1869.

North between Secs. 34 and 35,  
 Var.  $15^{\circ}30'E$ .

40.00 Set charred post, built mound and  
 dug pits, for  $\frac{1}{4}$  sec. corner, as per  
 instructions.

80.00 Set sand stone,  $18 \times 14 \times 3$ , marked  
 per instructions, for corner  
 to secs. 26, 27, 34 and 35,  
 Land rolling. Soil  $2\frac{1}{4}$  rate. Prairie.

East on Random between Secs. 26  
 and 35, Var.  $15^{\circ}30'E$ .

Chains

BOOK 1954

213

4000 Set temporary  $\frac{1}{4}$  sec. corner,  
80.15 Intersect Sec. line 18 lks. N.  
of corner to sees. 25, 26, 35  
and 36.

Then N.  $89^{\circ} 52'$   
West on True Line. Var. Same.  
40.07 $\frac{1}{2}$  Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. cor.  
as per instructions.  
80.15 Corner to sees. 26, 27, 34 & 35.  
Land rolling. Soil 2 $\frac{1}{2}$  rate,  
Prairie.

---

North between sees. 26 and 27,  
Var.  $15^{\circ} - 30' E.$

4000 Set charred post, built mound  
and dug pit for  $\frac{1}{4}$  sec. cor.  
80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pit, per instruc-  
tions, for corner to sees. 22,  
23, 26 and 27.  
Land rolling. Soil 2 $\frac{1}{2}$  rate, Prairie.

---

East on Random between sees. 28  
and 26, Var.  $15^{\circ} - 30' E.$

4000 Set temporary  $\frac{1}{4}$  sec. corner,  
80.09 Intersect Sec. line 12 links  
North of corner to sees. 23,  
24, 25 and 26,

Then N.  $89^{\circ} 55'$  West on True  
Line. Var.  $15^{\circ} - 30' E.$

40.09 $\frac{1}{2}$  Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. cor.  
as per instructions.  
80.09 Corner to sees. 22, 23, 26 & 27.  
Land rolling. Soil 2 $\frac{1}{2}$  rate,  
Prairie.

Field Notes of the Subdivision Lines of Township 12 N.

Chains

North between Secs. 22 and 23.

Var.  $15^{\circ} 30' E$

BOOK 1954

4000 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for corner to secs. 14, 15, 22 and 23.

Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

East on Random between Secs. 14 and 23.

Var.  $15^{\circ} 30' E$

4000 Set temporary  $\frac{1}{4}$  sec. corner  
79.96 Intersect Sec. line 5 lks. N. of corner to secs. 13, 14, 23 & 24.

Then N.  $89^{\circ} 58'$  West on True Line.

Var.  $15^{\circ} 30' E$

39.98 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. cor. as per instructions.

79.96 Corner to Secs. 14, 15, 22 and 23.  
Land rolling - Soil 2<sup>nd</sup> rate. Prairie.

North between Secs. 14 and 15,

Var.  $15^{\circ} 30' E$

4000 Set sand stone, 14 X 12 X 3. for  $\frac{1}{4}$  sec. corner, as per instructions.

8000 Deposited marked stone, set charred post, marked, built mound and dug pits, for corner to secs. 10, 11, 14 & 15, as per instructions.

Land rolling. Soil 2<sup>nd</sup> rate.  
Prairie.

Chains

BOOK 1954

238

Easton Random between Secs. 11 & 14,

Var.  $15^{\circ} 30' E$ ,

- 40.00 Set temporary  $\frac{3}{4}$  sec. corner,
- 79.87 Intersect sec, line 8 lks. S. of corner to Secs. 11, 12, 13 and 14,

Then S.  $89^{\circ} 57'$  West on True Line.

Var. same.

- 39.93 $\frac{1}{2}$  Set charred post, built mound and dug pits, for  $\frac{3}{4}$  sec. corner, as per instructions,

- 79.87 Corner to Secs. 10, 11, 14 & 15.
- Land rolling. Soil 2 $\frac{1}{4}$  rate.  
Prairie.

North between Secs. 10 & 11.

Var.  $15^{\circ} 30' E$ .

- 40.00 Set charred post, built mound and dug pits, for  $\frac{3}{4}$  sec. corner, as per instructions,

- 80.00 Set sand stone, 18 X 16 X 3. marked as per instructions, for corner to Secs. 2, 3, 10 and 11,

Land rolling. Soil 2 $\frac{1}{4}$  rate,  
Prairie.

Easton Random between Secs. 2 and 11.

Var.  $15^{\circ} 30' E$ .

- 40.00 Set temporary  $\frac{3}{4}$  sec. corner,
- 79.85 Intersect sec, line 15 lks. south of corner to Secs. 1, 2, 11 and 12,

Then S.  $89^{\circ} 54'$  west on True Line.

Var.  $15^{\circ} 30' E$ .

- 39.92 $\frac{1}{2}$  Set charred post, built mound and dug pits, for  $\frac{3}{4}$  sec. cor., as per instructions,

- 79.85 Corner to Secs. 2, 3, 10 & 11.
- Land rolling. Soil 2 $\frac{1}{4}$  rate,  
Prairie.

Field Notes of the Subdivision Lines of Township

BOOK 1954

Chains

North on Random between Secs. 2 and 3. Var.  $15^{\circ} 30' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec corner,  
80.18 Intersect North Boundary of Township 20 links East of corner to secs. 2, 3. 34 and 35,

Then S. 9' East on True Line.

Var. Same.

40.18 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor, as per instructions.

80.18 Corner to secs. 2, 3, 10 & 11. Land rolling. Soil  $2\frac{1}{2}$  rate. Prairie.

North between Secs. 33 and 34,

Var.  $15^{\circ} 45' E$ .

40.00 Set sand stone,  $14 \times 12 \times 3$ . for  $\frac{1}{4}$  sec. corner, as per instructions.

80.00 Set sand stone,  $16 \times 14 \times 3$ . marked per instructions, for corner to Secs. 27, 28, 33 and 34. Land rolling. Soil  $3\frac{1}{2}$  rate. Prairie.

East on Random between Secs. 27 and 34. Var.  $15^{\circ} 45' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.20 Intersect sec. line <sup>25 links</sup> South of corner to Secs. 26, 27, 34 and 35.

Then S. 89-49' west on True Line, Var.  $15^{\circ} 45' E$ .

40.10 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.20 Corner to secs. 27, 28, 33 & 34. Land rolling. Soil  $2\frac{1}{2}$  rate. Prairie. See 28<sup>th</sup> 1889.

Behrens

measuring chain compared with standard and found correct.

North between Secs. 27 and 28,  
Var.  $15^{\circ} 45' E.$

40.00 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, per instructions, for corner to secs. 21, 22, 27 and 28.  
Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

---

East on Random between Secs. 22 and 27. Var.  $15^{\circ} 45' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

80.00 Intersect sec. line 5 lks. S. of corner to Secs. 22, 23, 26 and 27.

Then S.  $89^{\circ} 58'$  West on True Line  
Var.  $15^{\circ} 45' E.$

40.02 $\frac{1}{2}$  Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner as per instructions.

80.05 Corner to Secs. 21, 22, 27 & 28.  
Land rolling. Soil 2<sup>nd</sup> rate. Prairie.

---

North between Secs. 21 & 22,  
Var.  $15^{\circ} 30' E.$

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.

80.00 Set sand stone, 24 x 20 x 2, marked as per instructions, for corner to Secs. 15, 16, 21 and 22.

Field Notes of the Subdivision Lines of Township

Ceharus

Land rolling. Soil 2<sup>d</sup> rate. Prairie.

BOOK 1954

East on Random between Secs, 15  
and 22, Var. 15<sup>o</sup> 30' E.

40.00 Set temporary  $\frac{3}{4}$  sec, corner,  
79.95 Intersect sec. line 4 lks. N.  
of the corner to secs. 19, 15,  
22 and 23.

Then N. 89<sup>o</sup> 58' West on True Line.  
Var. Same,

39.97<sup>1/2</sup> Set sand stone, 18 X 16 X 3. for  $\frac{3}{4}$   
sec, corner, as per instructions,  
79.95 Corner to secs. 15, 16, 21 & 22,  
Land rolling. Soil 3<sup>d</sup> rate.  
Prairie.

North between Secs, 15 and 16,  
Var. 15<sup>o</sup> 30' E.

40.00 Set sand stone, 18 X 12 X 4. for  $\frac{3}{4}$   
sec, corner, as per instructions,  
80.00 Deposited marked stone, set  
charred post, marked, built mound  
and dug pit, as per instructions,  
for corner to secs. 9, 10, 15 & 16,  
Land rolling. Soil 3<sup>d</sup> rate. Prairie.

East on Random between Secs, 10  
and 15. Var. 15<sup>o</sup> 30' E.

40.00 Set temporary  $\frac{3}{4}$  sec, corner,  
79.80 Intersect sec. line 15 lks. N.  
of corner to secs. 10, 11, 14 & 15,

Then N. 89<sup>o</sup> 54' West on True  
Line, Var. Same.

39.92<sup>1/2</sup> Set charred post, built mound  
and dug pits, for  $\frac{3}{4}$  sec, cor.  
as per instructions.  
79.85 Corner to secs. 9, 10, 15 & 16,



Chains

BOOK 1954

Land rolling, Soil 2<sup>nd</sup> rate. Prairie. 250

North between Secs. 9 and 10.

Var. 15° 30' E.

4000 Set charred post, built mound and dug pits, for 4 sec. corner, as per instructions.

5000 Set sand stone, 14 x 12 x 3, marked as per instructions, for cor. to secs. 3, 4, 9 and 10.

Land rolling, Soil 2<sup>nd</sup> rate, Prairie.

East on Random between Secs. 3 and 10.

Var. 15° 30' E.

4000 Set temporary 4 sec. corner,

79.90 Intersect sec. line 20 lks. N. of corner to Secs 2, 3, 10 & 11.

Then N. 89° 51' West on True Line.

Var. 15° 30' E.

39.95 Set charred post, built mound and dug pits, for 4 sec. corner, as per instructions.

79.90 Corner to secs. 3, 4, 9 & 10. Land rolling, Soil 2<sup>nd</sup> rate. Prairie.

North on Random between Secs. 3 and 4.

Var. 15° 30' E.

4000 Set temporary 4 sec. corner,

79.80 Intersect North Boundary of Township 15 links West of corner to Secs. 3, 4, 38 and 39.

Then S. 6' W. on True Line. Var. Same.

39.80 Set sand stone, 14 x 14 x 3, for 4 sec. cor. as per instructions.

79.80 Corner to secs. 3, 4, 9 & 10. Land rolling, Soil 2<sup>nd</sup> rate. Prairie.

Field Notes of the Subdivision Lines of Township

273  
BOOK 1954  
Chains

North between Secs. 32 and 33,  
Var.  $15^{\circ} 30' E.$

40.00 Set charred post, built mound  
and dog pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

80.00 Deposited marked stone,  
set charred post, marked,  
built mound and dog pits,  
per instructions, for cor.  
to secs. 28, 29, 32 and 33.  
Land rolling. Soil  $2\frac{1}{2}$  rate.  
Prairie.

Easton Random between  
Secs. 28 and 33. Var.  $15^{\circ} 30' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.75 Intersect sec. line 16 lks. N.  
of corner to secs. 27, 28, 33  
and 34.

N.  $89^{\circ} 53'$  West on True Line,  
Var.  $15^{\circ} 30' E.$

39.87<sup>2</sup> Set sand stone,  $16 \times 12 \times 4$ ,  
for  $\frac{1}{4}$  sec. corner, as per  
instructions.

79.75 corner to secs. 28, 29, 32  
and 33.  
Land rolling. Soil  $2\frac{1}{2}$  rate.  
Prairie.

North between Secs. 28 & 29,  
Var.  $15^{\circ} 30' E.$

40.00 Set charred post, built mound  
and dog pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dog pits, as  
per instructions, for corner to  
Secs. 20, 21, 28 and 29.  
Land rolling. Soil  $2\frac{1}{2}$  rate. Prairie.

Chains

BOOK 1954

East on Random between Secs. 21  
and 28. Var.  $15^{\circ} 30' E.$

- 40.00 Set temporary  $\frac{1}{4}$  sec, corner,
- 78.80 Intersect Sec, line 14 links N.  
of corner to secs, 21, 22, 27 & 28.

N.  $89^{\circ} 54'$  West on True Line.

Var, same.

39.92 $\frac{1}{2}$  Set sand stone, 14 x 12 x 3. for  $\frac{1}{4}$   
sec, corner, as per instructions

- L 79.85 Corner to secs, 20, 21, 28 and 29.  
Land rolling, Soil 2 $\frac{1}{4}$  rate.  
Prairie.

December, 24<sup>th</sup>, 1869.

North between Secs, 20 and 21.

Var.  $15^{\circ} 30' E.$

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec, corner,  
as per instructions.

80.00 Set sand stone, 16 x 12 x 3. marked  
as per instructions. for cor.  
to secs, 16, 17, 20 and 21.  
Land rolling. Soil 2 $\frac{1}{4}$  rate.  
Prairie.

East on Random between  
Secs, 16 and 21.

Var.  $15^{\circ} 30' E.$

40.00 Set temporary  $\frac{1}{4}$  sec, corner  
80.10 Intersect Sec, line 31 lks,  
South of corner to secs, 15,  
16, 21 and 22.

S.  $89^{\circ} 58'$  West on True Line.

Var.  $15^{\circ} 30' E.$

40.05 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec, cor,  
as per instructions.

80.10 Corner to secs, 16, 17, 20 & 21.  
Land rolling. Soil 2 $\frac{1}{4}$  rate. Prairie.

Field Notes of the Subdivision Lines of Township 12

BOOK 1954  
Chains

North between sees, 16 and 17.  
Var.  $15^{\circ} 30'$  East

40.00 Set charred post, built mound and  
and dug pits, for  $\frac{1}{4}$  sec. corner, as  
per instructions.

80.00 Get sand stone,  $20 \times 12 \times 3$ ,  
marked as per instructions,  
for corner to sees, 8, 9, 16  
and 17.

Land rolling. Soil  $2^{\text{d}}$  rate,  
Prairie.

East on Random between sees, 9  
and 16. Var.  $15^{\circ} 30'$  E

40.00 Set temporary  $\frac{1}{4}$  sec. corner

80.20 Intersect Sec line 25 lks,  
South of corner to sees, 9, 10,  
15 and 16.

S.  $89^{\circ} 49'$  West on True Line.  
Var. Same,

40.10 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. cor  
as per instructions.

80.20 Corner to sees, 8, 9, 16 & 17,  
Land rolling. Soil  $2^{\text{d}}$  rate. Prairie.

North between sees, 8 and 9.  
Var.  $15^{\circ} 30'$  E

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. cor,  
as per instructions.

80.00 Set sand stone,  $10 \times 10 \times 8$ ,  
marked per instructions,  
for corner to sections 4,  
5, 8 and 9.

Land rolling. Soil  $2^{\text{d}}$  rate, Prairie.

East on Random between sees

St. Range 10 west of the N. S. meridian.

Chains

BOOK 1954

278

4 and 9.

Var.  $15^{\circ} 30' E$ .

40.00. Set temporary  $\frac{1}{4}$  sec. corner,

80.30. Intersect Sec. line 17 links S. of corner to sees. 3, 4, 9 & 10.

S.  $89^{\circ} 03'$  West on True Line.

Var. Same.

40.17 $\frac{1}{2}$  Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.

80.30. Corner to sections 4, 5, 8 & 9. Land rolling, Soil 2 $\frac{1}{2}$  rate. Prairie.

---

North on Random between Secs. 4 and 5.

Var.  $15^{\circ} 30' E$ .

4.50. Cañon, course N.E. & S.W., 320 chs. wide

40.00. Set temporary  $\frac{1}{4}$  sec. corner.

80.08. Intersect North Boundary of Township 30 lbs. East of corner to sees. 4, 5, 32 and 33.

S. 13' East on True Line. Var.  $15^{\circ} 30' E$ .

40.08. Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner. as per instructions.

80.08. Corner to Secs. 4, 5, 8 and 9. Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.

---

North between Secs. 31 and 32.

Var.  $15^{\circ} 30' E$ .

40.00. Set sand stone, 14 X 17 X 3, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.00. Set sand stone, 16 X 10 X 6, marked as per instructions, for the corner to sees. 29, 30, 31 & 32.

Land rolling, Soil 3 $\frac{1}{2}$  rate. Prairie.

---

East on Random between Secs. 29 & 32.

Field Notes of the Subdivision Lines of Township

BOOK 1954

Rechain

Var.  $15^{\circ} 30'$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 80.20 Intersect Sec. line 25 lks. North of corner to sees. 28, 29, 32 and 33.

N.  $89^{\circ} 49'$  West on True Line.

Var.  $15^{\circ} 30'$  E.

- 40.10 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.20 Corner to sees. 29, 30, 31 & 32, Land broken. Soil  $3^{\text{rd}}$  rate. Prairie.

West on Random between sees. 30 and 31.

Var.  $15^{\circ} 30'$  E.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,
- 57.50 A bluff, bears North & South,
- 80.15 Intersect Range line 16 lks. S. of corner to sees. 29, 30, 31 & 32.

S.  $89^{\circ} 53'$  East on True Line. Var. same.

- 40.15 Set sand stone,  $14 \times 14 \times 3$ , for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.15 Corner to sees. 29, 30, 31 and 32, Land broken. Soil  $3^{\text{rd}}$  rate. Prairie.

North between sees. 29 and 30, Var.  $15^{\circ} 30'$  E.

- 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits per instructions, for cor. to sees. 19, 20, 29 and 30. Land broken. Soil  $3^{\text{rd}}$  rate. Prairie.

Chains

BOOK 1954

253

Easton Random between Secs. 20 &amp; 29.

Var.  $15^{\circ} 30' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.10 Intersect Sec. line 13 links  
North of corner to Secs. 20, 21, 28  
and 29.

N.  $89^{\circ} 54'$  West on True Line.

Var. Same.

- 40.00 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec. corner, as  
per instructions.

- 80.10 Corner to Secs. 19, 20, 29 & 30.  
Land broken, Soil  $3^{\frac{1}{4}}$  rate. Prairie.  
Dec. 25<sup>th</sup> 1867.

measuring chain compared with  
standard and found correct.Weston Random between Secs.  
19 and 30.Var.  $15^{\circ} 30' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.05 Intersect Range line 7 lks. S.  
of corner to Secs. 19, 24, 25  
and 30.

S.  $89^{\circ} 57'$  East on True Line.

Var. Same.

- 40.05 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

- 80.05 Corner to Secs. 19, 20, 29 & 30.  
Land broken, Soil  $3^{\frac{1}{4}}$  rate.  
Prairie.

North between Secs. 19 and 20.

Var.  $15^{\circ} 30' E$ .

- 40.00 Set sand stone,  $18 \times 16 \times 2$ , for  
 $\frac{1}{4}$  sec. corner, as per  
instructions.

- 80.00 Set sand stone,  $15 \times 14 \times 4$ ,  
marked per instructions.

Field notes of the Subdivision Lines of Township.

250  
 BOOK 1954  
 Chains

for cor. to secs. 17, 18, 19 and 20.  
 Land broken, soil 3<sup>rd</sup> rate, Prairie.

Easton Random between Secs. 17  
 and 20. Var. 15° 30' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
 79.85 Intersect Sec. line 6 links South  
 of corner to Secs. 16, 17, 20 & 21.

S. 89° 57' West on True Line.  
 Var. Same.

39.92<sup>2</sup> Set charred post, built mound and  
 dug pit, for  $\frac{1}{4}$  sec. corner, as per  
 instructions.

79.85 Corner to secs. 17, 18, 19 and 20.  
 Land broken, soil 3<sup>rd</sup> rate, Prairie.

Weston Random between Secs. 18 & 19.  
 Var. 13° 30' East.

17.50 Cañon, course S. west, 250 chs. wide.  
 40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
 79.85 Intersect Range line 16 lks. N.  
 of corner to secs. 13, 18, 19 & 29.

N. 89° 53' East on True Line, Var. Same

39.85 Set sandstone, 12 x 12 x 8, for  $\frac{1}{4}$  sec.  
 corner, as per instructions.  
 79.85 Corner to secs. 17, 18, 19 & 20.  
 Land broken, soil 3<sup>rd</sup> rate, Prairie.

North between Secs. 17 and 18,  
 Var. 15° 30' E.

21.00 Canyon, course S.W. 200 lks. wide.  
 40.00 Set charred post, built mound  
 and dug pit, for  $\frac{1}{4}$  sec. corner, as  
 per instructions.  
 80.00 Deposited marked stone, set  
 charred post, marked, built



Chains

BOOK 1954

270

mound and dug pit, per instructions, for corner to secs, 7, 8, 17 and 18.

Land broken, Soil 3/4 rate, Prairie.

---

East on Random between Secs. 8 and 17. Var.  $15^{\circ} 30'$  East,

40.00 Set temporary 1/4 sec. corner.

79.70 Intersect section line 18 lks. S. of corner to secs, 8, 9, 16 and 17.

S.  $89^{\circ} 52'$  west on True Line, Var, same,

39.85 Set charred post, built mound and dug pits, for 1/4 sec. corner, as per instructions.

79.70 Corner to secs, 7, 8, 17 and 18. Land broken, Soil 3/4 rate, Prairie.

---

West on Random between secs, 7 and 18. Var.  $15^{\circ} 30'$  E.

38.00 Cañon 275 links wide, course SW.

40.00 Set temporary 1/4 sec. corner

79.70 Intersect Range line 24 lks. North of corner to secs, 7, 12, 13 and 18.

N.  $89^{\circ} 30'$  East on True Line, Var, same,

39.70 Set sand stone, 16 X 12 X 3, for 1/4 sec. corner, as per instructions.

79.70 Corner to secs, 7, 8, 17 & 18. Land broken, Soil 3/4 rate, Prairie.

---

North between Secs. 7 and 8.

Var.  $15^{\circ} 30'$  E.

40.00 Set charred post, built mound and dug pits, for 1/4 sec. cor, as per instructions.

50.00 Cañon, course SW. 350 lks wide.

Field Notes of the Subdivision Lines of Township 12

BOOK 1954

Chains  
80.00

Set sand stone, 18 x 14 x 4, marked as per instructions, for corner to sections 5, 6, 7 and 8. Land broken, soil 3<sup>rd</sup> rate. Prairie.

Easton Random between Secs. 5 & 8. Var, 15° 30' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
67.00 Canyon, course S.W.  
79.65 Intersect sec, line 28 links south of corner to Secs. 4, 5, 8 and 9.

S. 59° 48' Weston True Line.

Var, Same.

39.82 $\frac{1}{2}$  Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.  
79.65 Corner to Secs. 5, 6, 7 and 8. Land broken, soil 3<sup>rd</sup> rate. Prairie.

Weston Random between Secs. 6 and 7. Var, 15° 30' E.

40.00 Set temporary  $\frac{1}{4}$  sec, cor.  
79.60 Intersect Range line 30 lks, north of corner to Secs. 1, 6, 7 and 12.

N. 89° 47' Easton True Line.

Var, Same.

39.60 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec, cor, as per instructions.  
79.60 Corner to Secs. 5, 6, 7 & 8. Land broken, soil 3<sup>rd</sup> rate. Prairie.

North on Random between Secs. 5 and 6. Var, 15° 30' E.

Chains

BOOK 1954

232

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.18 Intersect N. Boundary of  
Township 30 links East of  
corner to sees. 5, 6, 31 & 32.

S. 13' E. on True Line: Van Sam.

40.18 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

80.18 Corner to sees. 5, 6, 7 and 8.  
Land broken, Soil 3<sup>d</sup> rate. Prairie.

December 26<sup>th</sup> 1869.

measuring chain compared  
with standard and found correct.

---

General Description of Township  
12 North, Range 10, West.

The land in this township is  
mostly upland and 2<sup>d</sup> rate,  
well adapted to grazing and  
is covered with short thick  
grass.

The Western part is broken  
and 3<sup>d</sup> rate.

---

Field Notes of the Subdivision Lines of Township

Chains

BOOK 1954

As there is but a small portion of a Township in Range 11 East of the West Boundary of Reservation, I commenced at the corner to sees. 25, 30, 31 and 36 and run West on Random between sees. 25 and 36. Var. 15° East.

40.00

Set temporary  $\frac{1}{4}$  sec. corner.

58.40

Intersect West Boundary of Reservation 18 links South of 67<sup>th</sup> mile corner.

Then S. 89° 49' E. on True Line Var. 15° E.

18.40

Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

58.40

Corner to sees. 25, 30, 31 & 36. Surface level. Prairie. Soil 1<sup>st</sup> rate.

West on Random between sees. 24 and 25. Var. 15° East.

40.00

Set temporary  $\frac{1}{4}$  sec. corner.

45.00

Enter valley, bears N.W. & S.E.

57.70

Intersect West Boundary of Reservation 12 links North of corner to 68<sup>th</sup> mile.

Then N. 89° 53' E. on True Line. Var. Same.

17.70

Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.

57.70

Corner to sees. 25, 30, 19 & 29. Surface mostly level. Prairie. Soil 1<sup>st</sup> rate.

West on Random between sees. 18 and 29.

Var. 15° East.

Chains

BOOK 1954

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
 57.40 Intersect West Boundary of Res-  
 ervation 20 lks. North of 69<sup>th</sup> mile  
 corner,

Then N.  $89^{\circ}48'$  E. on True Line.Var.  $13^{\circ}$  East

- 17.40 Set sand stone,  $16 \times 13 \times 3$ . for  $\frac{1}{4}$   
 sec. corner, as per instructions.  
 57.40 Corner to sees, 13, 18, 19 and 29.  
 Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

West on Random between sees. 12 & 13.  
 Var.  $15^{\circ}$  East,

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
 57.00 Intersect West Boundary of  
 Reservation at 70<sup>th</sup> mile corner  
 Then East on True Line. Var.  $15^{\circ}$  E.  
 17.00 Set sand stone,  $16 \times 13 \times 3$ . for  $\frac{1}{4}$   
 sec. corner, as per instructions.  
 57.00 Corner to sees, 1, 12, 13 and 18.  
 Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

West on Random between sees,  
 1 and 12. Var.  $15^{\circ}$  East,

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
 56.60 Intersect West Boundary of  
 Reservation 21 links South  
 of Corner to 71<sup>th</sup> mile.

Then S.  $89^{\circ}48'$  E. on True Line.  
 Var. Same

- 16.60 Set charred post and built  
 mound for  $\frac{1}{4}$  sec. corner, as  
 per instructions.

- 56.60 Corner to sees, 1, 6, 7 & 12,

Dec. 26<sup>th</sup> 1869.

Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.  
 This township is all prairie,  
 generally level. Soil 1<sup>st</sup> and 2<sup>nd</sup> rate.

well adapted to farming and grazing purposes.

Field Notes of the Subdivision Lines of Township 12 North, Range 12 West of the Navajo Special Meridian.

Chains. North between Secs. 35 and 36  
Var.  $15^{\circ} 15' E$ .

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, for cor. to secs. 25, 26, 35 and 36. Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.

Easton Random between Secs. 25 & 36,  
Var.  $15^{\circ} 75' East$ .

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.80 Intersect Range line 18 lks. S. of corner to secs. 25, 30, 31 and 36.

S.  $89^{\circ} 32'$  Weston True Line.

Var. Same.

39.90 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

79.80 Corner to secs. 25, 26, 35 & 36. Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.

North between Secs. 25 & 26,  
Var.  $15^{\circ} 75' E$ .

18.00 Ravine, course N.E.

40.00 Set charred post, built mound

Chains

and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

- 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits per instructions, for corner to sees, 23, 24, 25 and 26.  
Land rolling, soil 2 $\frac{1}{2}$  rate, Prairie.

East on Random between sees, 24 and 25,  
Var. 15° 15' E.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,
- 76.00 Ravine, course N.E.
- 80.10 Intersect Range line 7 lks. N. of corner to sees, 19, 24, 25 & 30.  
N. 89° 57' west on True Line, Var. same.
- 40.05 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.10 Corner to sees, 23, 24, 25 and 26,  
Land rolling, soil 2 $\frac{1}{2}$  rate, Prairie.

North between sees, 23 and 24,  
Var. 15° 20' E.

- 40.00 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, per instructions, for corner to sees, 13, 14, 23 and 24.  
Land rolling, soil 2 $\frac{1}{2}$  rate, Prairie.

East on Random between sees, 13 and 24.  
Var. 15° 20' E.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,
- 80.20 Intersect Range line 18 lks. N.

Field Notes of the Subdivision Lines of Township

Chains  
257

BOOK 1954

of corner to sees. 13, 18, 19 & 24.

N.  $89^{\circ}52'$  west on True Line.

Var. Same.

40.12  $\frac{1}{2}$  Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.25 Corner to sees. 13, 14, 23 & 24, Land rolling. Soil  $2\frac{1}{2}$  rate. Prairie.

North between sees. 13 and 14.

Var.  $15^{\circ}20' E$ .

40.09 Set sand stone,  $14 \times 12 \times 3$ . for  $\frac{1}{4}$  sec. corner, as per instructions.

$53.00$  dry creek, course west.

80.00 Set sand stone,  $18 \times 12 \times 6$ . marked as per instructions, for cor. to sees. 11, 12, 13 and 14.

Land broken. Soil  $3\frac{1}{2}$  rate.

Prairie.

December, 27<sup>th</sup> 1869.

Easton Random between sees. 12 and 13.

Var.  $15^{\circ}20' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

80.30 Intersect Range line 19 lks. north of corner to sees. 7, 12, 13 and 18.

N.  $89^{\circ}54'$  west on True Line.

Var.  $15^{\circ}20' E$ .

40.15 Set sand stone,  $16 \times 12 \times 3$ . for  $\frac{1}{4}$  sec. corner, as per instructions.

80.30 Corner to sees. 11, 12, 13 and 14, Land rolling. Soil  $3\frac{1}{2}$  rate.

Prairie.

North between sees. 11 and 12.

Var.  $15^{\circ}20' East$ .

40.00 Set sand stone,  $14 \times 12 \times 3$ .



Chains

BOOK 1954

233

for  $\frac{1}{4}$  sec. corner, as per instructions,  
80.00 Deposited marked stone, set charred  
post, marked, built mound and  
dug pits, per instructions, for cor.  
to sees. 1, 2, 11 and 12,

Land rolling. Soil 3 $\frac{1}{2}$  rate. Prairie.

---

Easton Random between Sees,  
1 and 2, Var. 15 $^{\circ}$  20' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.25 Intersect Range line 30 lks. North  
of corner to Sees. 1, 6, 7 and 12,

N. 89 $^{\circ}$  47' West on True Line.

Var. Same.

40.17 $\frac{1}{2}$  Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec. corner, as per  
instructions.

80.25 Corner to sees. 1, 2, 11 and 12.  
Land rolling. Soil 2 $\frac{1}{2}$  rate.  
Prairie.

---

North on Random between Sees,  
1 and 2, Var. 15 $^{\circ}$  30' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.75 Intersect North Boundary of  
Township 40 lks. West of Cor.  
to sees. 1, 2, 35 and 36.

S. 17' West on True Line, Var. Same.

39.75 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

79.75 Corner to sees. 1, 2, 11 and 12.  
Land rolling. Soil 2 $\frac{1}{2}$  rate.  
Prairie.

---

North between Sees. 34 and 35.

Var. 15 $^{\circ}$  20' E.

40.00 Set charred post, built mound

Field Notes of the Subdivision lines of Township

Chains  
 BOOK 1954

and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.  
 Deposited marked stone, set charred post, marked, built mound and dug pits, for corner to sees, 26, 27, 34 and 35, as per instructions.  
 Land rolling. Soil 2<sup>d</sup> rate, Prairie.

East on Random between Sees, 26 & 35,  
 Var.  $15^{\circ} 20' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
 71.50 Ravine, course North East,  
 19.85 Intersect Sec line 28 lks. South of corner to sees, 28, 26, 35 & 36.

S.  $89^{\circ} 50'$  west on True Line,  
 Var. Same,

39.92<sup>1/2</sup> Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.  
 19.85 Corner to Sees, 26, 27, 34 & 35,  
 Land rolling. Soil 2<sup>d</sup> rate, Prairie.

North between Sees, 26 and 27,  
 Var.  $15^{\circ} 20' E.$

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.  
 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, for corner to sees, 22, 23, 26 and 27, as per instructions.  
 Land rolling. Soil 2<sup>d</sup> rate, Prairie.

East on Random between Sees, 23 and 26. Var.  $15^{\circ} 20' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. corner  
 79.95 Intersect Sec. line 18 lks. South

Chains

BOOK 1954

of corner to secs, 23, 24, 25 and 26,

S.  $89^{\circ} 54'$  West on True Line.

Var. Same,

39.97<sup>2</sup> Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions,

79.95 Corner to secs, 22, 23, 26 & 27,  
Land rolling. Soil 2<sup>d</sup> rate,  
Prairie.

North between Secs, 22 and 23,

Var.  $15^{\circ} 20' E.$

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions,

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, per instructions, for corner to secs, 14, 15, 22 and 23,  
Land broken, Soil 2<sup>d</sup> rate, Prairie.

Easton Randoms between Secs, 14 and 23,

Var.  $15^{\circ} 20' E.$

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

80.10 Intersect Sec. line 8 lks. North of corner to secs, 13, 14, 23 & 24,

N.  $89^{\circ} 57'$  West on True Line. Var. Same,

40.05 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions,

80.10 Corner to secs, 14, 15, 22 and 23,  
Land broken, Prairie. Soil 2<sup>d</sup> rate.

North between Secs, 14 and 15,

Var.  $15^{\circ} 20' E.$

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner,

Field Notes of the Subdivision Lines of Township 13

Chains  
 61.00  
 80.00  
 BOOK 1954

as per instructions.  
 Dry creek, course west,  
 Deposited marked stone set  
 charred post, marked, built mound &  
 dug pits, as per instructions,  
 for corner to secs. 10, 11, 14 & 15.  
 Land broken, Soil  $2\frac{1}{2}$  rate,  
 Prairie.

East on Random between Secs. 11 & 14,  
 Var.  $15^{\circ} 20' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
 80.22 Intersect sec. line 25 links  
 north of corner to secs. 11, 12,  
 13 and 14.

N.  $89^{\circ} 49'$  west on true  
 line, var. same.

40.11 Set charred post, built mound  
 and dug pits, for  $\frac{1}{4}$  sec. corner,  
 as per instructions.  
 80.22 corner to secs. 10, 11, 14 & 15.  
 Land broken, Soil  $2\frac{1}{2}$  rate,  
 Prairie.

North between Secs. 10 and 11,  
 var.  $15^{\circ} 20' E$ .

40.00 Set charred post, built mound  
 and dug pits, for  $\frac{1}{4}$  sec. corner,  
 as per instructions.  
 80.00 Deposited marked stone, set charred  
 post, marked, built mound and  
 dug pit, as per instructions, for  
 corner to secs. 2, 3, 10 & 11.  
 Land rolling, Soil  $2\frac{1}{2}$  rate, Prairie.

East on Random between  
 Secs. 2 and 11, var.  $15^{\circ} 20' E$ .

40.00 Set temporary  $\frac{1}{4}$  sec. cor,  
 80.30 Intersect sec. line 16 lks,  
 north of corner to secs.

N. Range 10 west of the N. S. Meridian.

Chains

BOOK 1954

1. 2, 11 and 12.

N.  $89^{\circ} 5' 3''$  West on True Line.  
Var. Same,

40.15 Set Charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec, corner,  
as per instructions.

80.30 Corner to secs, 2, 3, 10 and 11.  
Land broken, Soil  $2\frac{1}{2}$  rate, Prairie.

---

North on Random between Secs. 2 and 3,  
Var.  $15^{\circ} 20' E.$

23.50 Dry creek, course SW.

40.00 Set temporary  $\frac{1}{4}$  sec, corner,

79.75 Intersect North Boundary of Town-  
ship 18 lks. West of corner to  
secs, 2, 3, 34 and 35.

S.  $8'$  West on True Line. Var. Same.

39.75 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec, corner, as per  
instructions.

79.75 Corner to secs, 2, 3, 10 and 11.  
Land broken, Soil  $2\frac{1}{2}$  rate, Prairie.  
Dec. 28<sup>th</sup> 1869.

measuring chain compared  
with standard and found correct.

---

North between Secs. 33 and 34.

Var.  $15^{\circ} 15' E.$

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec, cor,  
as per instructions.

80.00 Deposited marked stone, set charred  
post, marked, built mound and  
dug pits per instructions,  
for corner to secs, 27, 28, 33  
and 34.

Land rolling, Soil  $2\frac{1}{2}$  rate.  
Prairie.

---

Field Notes of the Subdivision Lines of Township 18 N.

CHAINS  
 BOOK 1954

East on Random between Secs. 27 and 29. Var.  $15^{\circ} 15' E$ .

4 000 Set temporary  $\frac{1}{4}$  sec. corner.  
 80.25 Intersect Sec. line 25 lks. N. of corner to Secs. 26, 27, 34 & 35.

N.  $89^{\circ} 49'$  west on True Line. Var. Same.

40.12 $\frac{1}{2}$  Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.25 Corner to Secs. 27, 28, 33 & 34. Land rolling. Soil  $2\frac{1}{4}$  rate. Prairie.

North between Secs. 27 and 28. Var.  $15^{\circ} 15' E$ .

4 000 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for corner to Secs. 21, 22, 27 and 28. Land broken. Soil  $2\frac{1}{4}$  rate. Prairie.

East on Random between Secs. 22 & 27. Var.  $15^{\circ} 15' E$ .

4 000 Set temporary  $\frac{1}{4}$  sec. corner.  
 80.10 Intersect Sec. line 18 links N. of corner to Secs. 22, 23, 26 & 27.

N.  $89^{\circ} 52'$  west on True Line Var. Same.

40.05 Set charred <sup>post,</sup> built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.10 Corner to Secs. 21, 22, 27 and 28. Land rolling. Soil  $2\frac{1}{4}$  rate. Prairie.

Chains

North between Secs. 21 and 22, 274  
Var.  $15^{\circ} 15' E.$

- 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.
  - 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions for corner to secs. 15, 16, 21 and 22, Land rolling, Soil  $2^{\frac{1}{2}}$  rate. Prairie.
- 

East on Random between Secs. 15 and 22, Var.  $15^{\circ} 15' E.$

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 79.85 Intersect sec. line 8 lks.  $\checkmark$  N. of corner to secs. 14, 15, 22, 23.
- N.  $89^{\circ} 57'$  West on True Line.

- 39.92 $\frac{1}{2}$  Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions. Var. Same.
  - 79.85 Corner to secs. 15, 16, 21 & 22, Land broken. Soil  $2^{\frac{1}{2}}$  rate. Prairie.
- 

North between Secs. 15 and 16, Var.  $15^{\circ} 15' E.$

- 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.
  - 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for corner to secs. 9, 10, 15 and 16, Land rolling, Soil  $2^{\frac{1}{2}}$  rate. Prairie.
-

# Field Notes of the Subdivision Lines of Township

## Chains

BOOK 1954

East on Random between Secs. 10 & 15.  
Var. 15° 15' E.

- 46.00 Set temporary  $\frac{1}{4}$  sec. corner.
  - 70.80 Dry Creek, course N.W.
  - 79.70 Intersect Sec. line 20 lks. S. of corner to Secs. 10. 11. 14 & 15.
- S. 89° 51'. West on True Line. Var. Same.
- 39.80 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.
  - 79.70 Corner to secs. 9. 10. 15 & 16. Land broken. Soil 2<sup>d</sup> rate. Prairie.

North between Secs. 9 and 10.  
Var. 15° 15' E.

- 38.40 Dry Creek, course N.W.
- 40.00 Set sand stone, 15 X 13 X 4. for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.00 Set sand stone, 16 X 14 X 3, marked per instructions. for corner to secs. 3. 4. 9 and 10. Land broken. Soil 2<sup>d</sup> rate. Prairie.

East on Random between Secs. 3 and 10.  
Var. 15° 45' E.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 72.00 Dry Creek, course North.
- 79.80 Intersect Sec. line 30 lks. South of corner to Secs. 2. 3. 10 and 11.

S. 89° 47'. West on True Line.  
Var. Same.

- 39.90 Set sand stone, 18 X 12 X 3. for  $\frac{1}{4}$  sec. corner, as per instructions.



Chains

BOOK 1954

79.80 Corner to sees. 2, 4, 9 and 10,  
Land broken, Soil 2 $\frac{1}{2}$  rate. Prairie.

North on Random between sees. 2  
and 4. Var. 15 $^{\circ}$  45' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

80.20 Intersect North Boundary of  
Township 30 links East of  
Corner to sees. 3, 4, 33 and 34.

S. 13' East on True Line, Var. same,

40.20 Set charred post, built mound  
and dug pits for  $\frac{1}{4}$  sec. corner, as  
per instructions.

80.20 Corner to sees. 3, 4, 9 and 10,  
Land broken, Soil 2 $\frac{1}{2}$  rate. Prairie.

North between sees. 32 and 33.

Var. 15 $^{\circ}$  30' E.

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

80.00 Deposited marked stone, set  
charred post, marked, built mound  
and dug pits, as per instructions,  
for corner to sees. 28, 29, 32  
and 33.

Land rolling. Soil 2 $\frac{1}{2}$  rate.  
Prairie.

December 29<sup>th</sup> 1869.

East on Random between sees.  
28 and 33. Var. 15 $^{\circ}$  30' E

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

79.70 Intersect Sec. line 14 lks.  
South of Corner to sees. 27, 28,  
33 and 34.

S. 89 $^{\circ}$  3' 4" West on True Line

Field notes of the Subdivision Lines of Township 13

BOOK 1954

Chains

39.85 Get sand stone, 20 x 14 x 3. for  $\frac{1}{4}$  sec. corner, as per instructions. var, same.  
 79.70 Corner to secs, 28, 29, 32 and 33. Land broken, Soil  $2\frac{1}{4}$  rate. Prairie.

North between Secs, 28 and 29, var.  $15^{\circ} 30'$  East,

40.00 Get charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.  
 80.00 Get sand stone, 18 x 16 x 3, marked as per instructions, for cor. to secs, 20, 21, 28 and 29. Land broken, Soil  $2\frac{1}{4}$  rate. Prairie.

East on Random between Secs, 21 and 28, var.  $15^{\circ} 30'$  E.

40.00 Get temporary  $\frac{1}{4}$  sec. corner, intersect sec. line 9 lks, S. of corner to secs, 21, 22, 27 and 28.

$\varnothing$   $89^{\circ} 56'$  West on True Line. var, same,

39.92 $\frac{1}{2}$  Get sand stone, 16 x 15 x 3, for  $\frac{1}{4}$  sec. corner, as per instructions.  
 79.85 Corner to secs, 20, 21, 28 and 29. Land broken, Soil  $2\frac{1}{4}$  rate. Prairie.

North between Secs, 20 and 21, var.  $15^{\circ} 30'$  E.

40.00 Get charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.  
 80.00 Get sand stone, 15 x 14 x 6, marked per instructions, for corner to secs, 16, 17, 20 and 21. Land broken, Soil  $2\frac{1}{4}$  rate. Prairie.

Chairs

BOOK 1954

278

Easton Random between Secs. 16 & 21.

Var.  $15^{\circ}30' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,
- 80.20 Intersect del. line 25 lks. S. of corner to Secs. 15, 16, 21 & 22.

S.  $89^{\circ}49'$  west on True Line. Var. Same.

- 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

- 80.20 Corner to Secs. 16, 17, 20 and 21. Land broken, Soil 2<sup>nd</sup> rate. Prairie.

North between Secs. 15 and 16.

Var.  $15^{\circ}30' E$ .

- 40.00 Set sand stone,  $15 \times 14 \times 5$ , for  $\frac{1}{4}$  sec. corner, as per instructions.

- 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, per instructions, for corner to Secs. 9, 10, 15 and 16.

Land broken, Soil 2<sup>nd</sup> rate. Prairie.

Easton Random between Secs. 9 and 16.

Var.  $15^{\circ}30' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,
- 80.35 Intersect del. line 30 lks. N. of corner to Secs. 9, 10, 15 and 16.

N.  $89^{\circ}47'$  West on True Line.

Var. Same.

- 40.17 $\frac{1}{2}$  Set sand stone,  $16 \times 14 \times 3$ , for  $\frac{1}{4}$  sec. corner, as per instructions.

- 80.35 Corner to Secs. 8, 9, 16 & 17. Land broken, Soil 2<sup>nd</sup> rate. Prairie.

Field Notes of the Subdivision Lines of Township

Chains  
1954  
BOOK

North between secs. 8 and 9.  
Var.  $15^{\circ} 35' E$ .

- 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.
  - 80.00 Set sand stone,  $17 \times 14 \times 3$ , marked per instructions, for corner to secs. 4, 5, 8 and 9.
- Land broken, Soil  $2^{\frac{1}{2}}$  rate, Prairie.

East on Random between Secs. 7 and 9. Var.  $15^{\circ} 35' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 41.00 Dry Creek, course N.W.
- 80.10 Intersect sec. line 19 lks S. of corner to Secs. 3, 4, 7 & 10.

S.  $89^{\circ} 52'$  West on True Line.  
Var. Same.

- 44.05 Set sand stone,  $16 \times 15 \times 4$ , for  $\frac{1}{4}$  sec. corner, as per instructions.
  - 80.10 Corner to secs. 4, 5, 8 and 9.
- Land broken, Soil  $2^{\frac{1}{2}}$  rate, Prairie.

North on Random between Secs. 4 and 5. Var.  $15^{\circ} 35' E$

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 64.50 Dry Creek, course N.W.
- 79.75 Intersect North Boundary of Township 25 lks. west of corner to secs. 4, 5, 32 & 33.

S. 11' West on True Line.  
Var. Same.

- 39.75 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.
  - 79.75 Corner to secs. 4, 5, 8 and 9.
- Land rolling; Soil  $2^{\frac{1}{2}}$  rate, Prairie.

Chains

BOOK 1954

North between Secs. 21 and 22.

Var.  $15^{\circ} 30' E.$

40.00 Set sand stone,  $16 \times 14 \times 6$ . for  $\frac{1}{4}$  sec. corner, as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, per instructions, for corner to secs. 29, 30, 31 & 32.  
Land broken. Soil 2 $\frac{1}{2}$  rate. Prairie.

---

Easton Random between Secs. 29 and 32.

Var.  $15^{\circ} 30' East.$

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

80.20 Intersect sec. line 15 lks. N. of corner to secs. 29, 28, 32 & 33.

N.  $89^{\circ} 54'$  Weston True Line. Var.  $15^{\circ} 30' East.$

40.10 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.20 Corner to secs. 29, 30, 31 & 32, Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.

---

Weston Random between Secs. 30 and 31.

Var.  $15^{\circ} 30' East.$

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

80.10 Intersect Range line 20 lks. North of corner to secs. 28, 30, 31 and 36.

var

N.  $89^{\circ} 51'$  Weston True Line. Var. same.

40.10 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

80.10 Corner to sections 29, 30, 31 & 32, Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.

---

Field Notes of the Subdivision Lines of Township 13

BOOK 1954

Chains

North between Secs. 29 and 30.  
Var.  $15^{\circ} 30' E$ .

- 40.00 Set sand stone,  $18 \times 12 \times 9$ . for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, per instructions, for corner to secs. 19, 20, 29 and 30.  
Land rolling, soil 2<sup>d</sup> rate. Prairie.

Easton Random between Secs. 20 and 29, Var.  $15^{\circ} 30' East$

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,
- 80.10 Intersect sec. line & links N. of corner to secs. 20, 21, 28 & 29.

N. 89° 38' Weston True Line.  
Var.  $15^{\circ} 35' E$ .

- 40.05 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions,
- 80.10 Corner to sections 19, 20, 29 and 30.  
Land broken, soil 3<sup>d</sup> rate. Prairie.

Weston Random between Secs. 19 and 30. Var.  $15^{\circ} 30' E$ .

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,
- 80.18 Intersect Range line 14 lks. N. of corner to secs. 19, 24, 25 and 30.

West

N. 89° 34' Weston True Line.  
Var. Same.

- 40.18 Set sand stone,  $15 \times 14 \times 9$ . for  $\frac{1}{4}$  sec. corner, as per instructions,
- 80.18 Corner to secs. 19, 20, 29 & 30.  
Land, soil 2<sup>d</sup> rate. Prairie.

Chains

BOOK 1954

282

North between Secs, 19 and 20,

Var.  $15^{\circ} 35'$  East.

4000 Set charred post, built mound and dug pit, for  $\frac{1}{4}$  sec. corner, as per instructions.

8000 Set sand stone,  $14 \times 12 \times 6$ , marked per instructions, for corner to sections 17, 18, 19 and 20.

Land broken, Soil 2<sup>d</sup> rate. Prairie.

---

Easton Random between Secs, 18 and 20.

Var.  $15^{\circ} 35'$  E.

4000 Set temporary  $\frac{1}{4}$  sec. corner.

79.80 Intersect Sec. line 20 lks. N. of corner to secs, 16, 17, 20 & 21.

N.  $89^{\circ} 34'$  West on True Line. Var. Same.

39.90 Set sand stone,  $18 \times 14 \times 8$ , for  $\frac{1}{4}$  sec. corner, as per instructions.

79.80 Corner to secs, 17, 18, 19 and 20.

Land broken, Soil 2<sup>d</sup> rate. Prairie.

---

Weston Random between Secs, 18 and 19.

Var.  $15^{\circ} 35'$  E.

4000 Set temporary  $\frac{1}{4}$  sec. corner.

79.90 Intersect Range line 6 lks. South of corner to secs, 18, 19 and 24.

S.  $89^{\circ} 57'$  East on True Line.

Var. Same.

39.90 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor., as per instructions.

79.90 Corner to secs, 17, 18, 19 & 20.

Land rolling. Soil 2<sup>d</sup> rate. Prairie.

---

Field Notes of the Subdivision Lines of Township 13

283  
BOOK 1954  
Chains

North between Secs. 17 and 18,  
Var.  $15^{\circ} 35'$  East.

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

80.00 Set sand stone,  $16 \times 15 \times 3$ , marked  
per instructions, for corner  
to sections 7, 8, 17 and 18.  
Land rolling, Soil 2<sup>d</sup> rate, Prairie.

Easton Random between Secs. 8  
and 17, Var.  $15^{\circ} 35'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.75 Intersect section line 18 lks,  
North of corner to sections 8, 9,  
16 and 17.

N.  $89^{\circ} 52'$  West on True Line.

Var. Same.

39.87 $\frac{1}{2}$  Set sand stone,  $16 \times 14 \times 3$ , for  $\frac{1}{4}$  sec.  
corner, as per instructions.

79.75 Corner to secs. 7, 8, 17 and 18,  
Land broken, Soil 2<sup>d</sup> rate,  
Prairie.

Weston Random between Secs. 7  
and 18, Var.  $15^{\circ} 35'$  E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.75 Intersect Range line 20 lks,  
South of corner to secs. 7,  
12, 13 and 18.

S.  $89^{\circ} 51'$  East on True Line.

Var. Same.

39.75 Set charred post, built mound  
and dug pit, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

79.75 Corner to secs. 7, 8, 17 and 18.  
Land broken, Soil 2<sup>d</sup> rate,  
Prairie.

Dec. 31<sup>st</sup> 1869.



Chains

BOOK 1954

284

measuring chain compared with  
standard and adjusted.

North between Secs. 7 and 8.

Var.  $15^{\circ} 35' E.$

40.00 Get charred post, built mound and  
dug pit, for  $\frac{1}{4}$  sec. corner, as per  
instructions.

80.00 Get sand stone,  $17 \times 14 \times 5$ , marked  
per instructions, for corner  
to secs, 5, 6, 7 and 8.  
Land broken, Soil  $2\frac{1}{4}$  rate. Prairie.

Easton Random between Secs. 5  
and 8.

Var.  $15^{\circ} 35' E.$

40.00 Get temporary  $\frac{1}{4}$  sec. corner,

79.70 Intersect Sec. line 25' lks. N.  
of the corner to secs, 4, 5, 8 & 9.

N.  $89^{\circ} 49'$  Weston True Line.

var. same.

39.80 Get charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

79.70 Corner to secs, 5, 6, 7 and 8.  
Land rolling. Soil  $2\frac{1}{4}$  rate.  
Prairie.

Weston Random between Secs.  
6 and 7.

Var.  $15^{\circ} 35' East.$

40.00 Get temporary  $\frac{1}{4}$  sec. corner.

79.45 Intersect Range line 24 lks.  
South of corner to secs, 1, 6,  
7 and 12.

S.  $89^{\circ} 50'$  Easton True Line.

var. same.

39.45 Get charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. cor,  
as per instructions.

Field Notes of the Subdivision Lines of Township  
13 N. R. 70 W. S. M.

Chains  
1895  
79.45  
BOOK 1954

Corner to sections 5, 6, 7 and 8.  
Land rolling, Soil 2<sup>d</sup> rate, Prairie.

North on Random between Secs. 5 & 6.  
Var. 15° 35' East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

79.70 Intersect North Boundary of  
Township 30 lks west of  
corner to secs. 5, 6, 7 and 8.

S. 13' West on True Line. Var. Same.

29.70 Set sand stone, 15 X 14 X 5, for  
 $\frac{1}{4}$  sec. corner, as per instruc-  
tions.

79.70 Corner to secs. 5, 6, 7 and 8.  
Land broken, Soil 2<sup>d</sup> rate, Prairie.  
January 1<sup>st</sup> 1870.

General Description of Township

13 North, Range 70. West of the  
Navajo Special Meridian.

The land in this Township  
is all good, 2<sup>d</sup> rate, upland,  
well adapted to grazing, but  
owing to the scarcity of rain,  
is not tillable.

Field Notes of the Subdivision  
Lines of Township 14 N. R.  
10 West of the N. S. Meridian.

286

Chains.

North between Sections 25 & 26.  
Var.  $15^{\circ} 30'$  East.

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, per  
instructions, for corner to secs  
25, 26, 28 and 26.

Land rolling, Soil 2 $\frac{1}{2}$  rate, Prairie.

---

East on Random between Secs. 25  
and 26. Var.  $15^{\circ} 30'$  E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner.

79.80 Intersect Range line 18 lks. N.  
of corner to secs. 25, 26, 28 & 26.

N.  $89^{\circ} 52'$  west on True Line.

Var. same.

39.90 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

79.80 Corner to secs. 25, 26, 28 & 26.  
Land rolling, Soil 2 $\frac{1}{2}$  rate, Prairie.

---

North between Secs. 25 & 26.

Var.  $15^{\circ} 30'$  East

16.50 Dry Creek, course SW.

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, as per

# Field Notes of the Subdivision Lines of Township

Chains  
BOOK 1954

instructions, for corner to secs.  
23, 24, 25 and 26.  
Land rolling. Soil 2 $\frac{1}{4}$  rate. Prairie.

- 21.00 Ravine, course South,  
Var. 15° 30' E.
- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,
- 78.50 Dry Creek, course S. West,
- 79.75 Intersect Range line 11 lks. N.  
of corner to secs. 19, 24, 25  
and 30.  
N. 89° 55' West on True Line.  
Var. same.
- 39.87 Set charred post, built mound  
and dug pit for  $\frac{1}{4}$  sec. corner,  
as per instructions.
- 79.75 Corner to secs. 23, 24, 25 and 26.  
Land rolling. Soil 2 $\frac{1}{4}$  rate.  
Prairie.

- North between Secs. 23 and 24,  
Var. 15° 30' E.
- 40.00 Set charred post, built mound and  
dug pit, for  $\frac{1}{4}$  sec. corner, as per  
instructions.
- 80.00 Deposited marked stone set  
charred post, marked, built  
mound and dug pits, as  
per instructions, for corner  
to secs. 13, 14, 23 and 24,  
Land rolling. Soil 2 $\frac{1}{4}$  rate. Prairie.

- East on Random between Secs.  
13 and 24. Var. 15° 30' E.
- 40.00 Set temporary  $\frac{1}{4}$  sec. corner
- 67.40 Bluffs bears NW and SE.

Chains

80.10 Intersect Range line 15 links S. of corner to secs, 13, 18, 19 & 24.

S. 89° 54'. West on True Line, Var. Same.

40.00 Set sand stone, 14 x 12 x 3, for 1/4 sec. corner, as per instructions.

80.10 corner to secs, 13, 14, 23 & 24. Land rolling. Soil 3/4 rate. Prairie.

North between Secs, 13 and 14. Var. 15° 30' E.

40.00 Set sand stone, 16 x 14 x 6, for 1/4 sec. corner, as per instructions.

42.50 Bluff, bears N.W. and S.E.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, per instructions, for corner to secs 11, 12, 13 & 14. Land rolling. Soil 3/4 rate. Prairie.

East on Randon between Secs, 12 and 13. Var. 15° 30' E

40.00 Set temporary 1/4 sec. corner,

80.25 Intersect Range line 35 lks. South of corner to secs, 7, 12, 13 and 18.

S. 89° 45'. West on True Line Var. Same.

40.12 1/2 Set charred post, built mound and dug pits, for 1/4 sec. cor, as per instructions,

80.25 corner to sections 11, 12, 13 & 14. Land rolling. Soil 2/4 rate. Prairie.

North between Secs, 11 and 12, Var. 15° 45' E,

40.00 Set charred post, built mound

Field Notes of the Subdivision Lines of Township 19

BOOK 1954

chains

and dug pits for  $\frac{1}{4}$  sec. corner as per instructions.  
 Deposited marked stone, set charred post, marked, built mound and dug pits, per instructions for corner to secs, 1, 2, 11 and 12.  
 Land rolling. Soil 2 $\frac{1}{2}$  rate. Prairie.

80.00

East on Random between Secs. 1 & 12,  
 Var. 15° 45' E.

Set temporary  $\frac{1}{4}$  sec. corner.  
 Intersect Range line 30 lks. E. of corner to Secs, 1, 6, 7 and 12.

40.00  
 79.85

N. 89° 47' West on True Line, var. Same.

Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.

39.92 $\frac{1}{2}$

Corner to secs, 1, 2, 11 and 12.  
 Land rolling. Soil 2 $\frac{1}{2}$  rate.  
 Prairie.

79.85

North on Random between Secs, 1 and 2,  
 Var. 15° 45' E.

Set temporary  $\frac{1}{4}$  sec. corner.  
 Intersect North Boundary of Township 30 links East of corner to secs, 1, 2, 35 and 36.

40.00  
 79.75

Q 13' East on True Line, var. Same.

Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor. as per instructions.

39.75

Corner to secs, 1, 2, 11 and 12.  
 Land rolling. Soil 2 $\frac{1}{2}$  rate.  
 Prairie.

79.75

January 2<sup>nd</sup> 1870.

Measuring chain compared with standard and found correct.

Chains.

BOOK 1954

200

North between Secs, 24 and 25,  
Var. 16° East,

- 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec, corner, as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, per instructions, for corner to secs, 26, 27, 24 and 25.  
Land rolling. Soil 2<sup>nd</sup> rate, Prairie.

---

East on Random between Secs, 26 and 25,  
Var. 16° East,

40.00 Set temporary  $\frac{1}{4}$  sec, corner,

72.00 Dry Creek, course South,

80.00 Intersect sec, line 35 lks, South of corner to secs, 25, 26, 35 and 36.

S. 89° 49' West on True Line.  
Var. same.

40.15 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec, corner, as per instructions.

80.30 Corner to Secs, 26, 27, 24 and 25.  
Land rolling. Soil 2<sup>nd</sup> rate, Prairie.

---

North between Secs, 26 and 27,

Var. 16° East,

40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec, corner, as per instructions.

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for corner to secs, 22, 23, 26 and 27.  
Land rolling. Soil 2<sup>nd</sup> rate, Prairie.

---

Field Notes of the Subdivision Lines of Town-

291 BOOK	Chains 1954	
		Easton Random between Secs. 23 and 26. Var. 16° East.
40.00		Set temporary $\frac{1}{4}$ sec. corner,
80.15		Intersect Sec. line 20 lks. South of corner to secs. 23. 24. 25 and 26.
		S. 89° 51' west on True Line. Var. same.
40.07 $\frac{1}{2}$		Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner, as per instructions.
80.15		Corner to secs. 22, 23, 26 and 27. Land rolling, Soil 2 $\frac{1}{2}$ rate. Prairie.
North between Secs. 22 and 24, Var. 16° East,		
40.00		Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner, as per instructions.
80.00		Deposited marked stone, set charred post, marked, built mound and dug pits, per instructions, for corner to sections 14, 15, 22 and 23. Land rolling, Soil 2 $\frac{1}{2}$ rate, Prairie.
Easton Random between Secs. 14 and 23, Var. 16° E.		
40.00		Set temporary $\frac{1}{4}$ sec. cor,
79.90		Intersect Sec. line 8 lks. N. of corner to secs. 13, 14, 23 and 24.
		Then ct. 89° 57' W. on True Line. Var. same,
39.95		Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner as per instructions,
79.90		Corner to secs. 14, 15, 22 and 23. Land rolling. Soil 2 $\frac{1}{2}$ rate, Prairie.



Chains

North between Secs, 14 and 15,  
Var. 16° East,

- 40.00 Set charred post, built mound and dug pit. for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.00 Deposited marked stone, set charred post, marked, built mound and dug pit, per instructions, for corner to secs, 10, 11, 14 & 15.  
Land rolling. Soil 2 $\frac{1}{4}$  rate, Prairie.

Easton Random between Secs,  
11 and 14. Var. 16° East,

- 23.00 Bluff, bears N.E. and S.W.
- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,
- 80.25 Intersect. Sec. line 25 lks, North of corner to secs, 11, 12, 13 and 14.

N. 89° 49' Weston True Line.

Var. Same,

- 40.17 $\frac{1}{2}$  Set sand stone, 15 x 14 x 6. for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.25 Corner to sections 10, 11, 14 and 15.  
Land broken. Soil 2 $\frac{1}{4}$  rate. Prairie.

North between Secs, 10 and 11.

Var. 15° 45' E.

- 17.50 Bluff, bears N.E. and S.W.
- 40.00 Set sand stone, 16 x 12 x 4. for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, per instructions, for corner to sections 2, 3, 10 and 11.  
Land broken, Soil 2 $\frac{1}{4}$  rate. Prairie.

Field Notes of the Subdivision Lines of Township

208

Chains

BOOK 1954

40.00  
80.15

East on Random between  
Secs. 2 and 11. Var.  $15^{\circ}30' E$ .

Set temporary  $\frac{1}{4}$  sec. corner,  
Intersect sec. line 12 lks.  
north of corner to secs. 1, 2,  
11 and 12.

N.  $89^{\circ}55'$  West on True Line.

Var. Same.

40.00  $\frac{1}{2}$

Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. cor.  
as per instructions.

80.15

Corner to secs. 2, 3, 10, and 11.  
Land rolling. Soil 2<sup>nd</sup> rate Prairie.

North on Random between Secs. 2 and 3,

Var.  $15^{\circ}35' E$ .

40.00

Set temporary  $\frac{1}{4}$  sec. corner,

79.70

Intersect North Boundary of  
Township 20 lks. East of corner  
to secs. 2, 3, 34 and 35.

S.  $9^{\circ}$  East on True Line Var. Same.

39.70

Set charred post, built mound  
and dug pit. for  $\frac{1}{4}$  sec. corner  
as per instructions.

79.70

Corner to secs. 2, 3, 10 and 11.  
Land rolling. Soil 2<sup>nd</sup> rate Prairie.

North between Secs. 33 and 34.

Var.  $15^{\circ}30' E$ .

40.00

Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec. corner, as  
per instructions.

80.00

Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, per  
instructions, for corner to secs.  
26, 27, 33 and 34.

chains

BOOK 1954

291

Easton Random between Secs. 27 and 28. Var. 15° 30' E.

40.00 Set temporary 1/4 sec. corner, 79.90 Intersect sec. line 25 lks. North of corner to secs. 26, 27, 28 & 29.

N. 89° 49' West on True Line.

39.95 Set charred post, built mound and dug pits, for 1/4 sec. corner, as per instructions. Var. same.

79.90 Corner to secs. 27, 28, 29 and 30. Yard rolling. Soil 2 1/2 rate. Prairie. Jan. 24, 1870, measuring chains compared with standard and adjusted.

North between Secs. 27 and 28.

40.00 Set charred post, built mound and dug pits, for 1/4 sec. cor. as per instructions. Var. 15° 30' East

80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, per instructions, for corner to secs. 21, 22, 27 and 28. Yard rolling. Soil 2 1/2 rate. Prairie.

Easton Random between Secs. 22 and 27.

40.00 Set temporary 1/4 sec. corner, 79.70 Intersect sec. line 35 lks. South of corner to secs. 22, 23, 26 and 27. Var. 15° 30' E.

S. 89° 45' West on True Line.

39.55 Set charred post, built mound and dug pits, for 1/4 sec. cor. Var. Same.

Field Notes of the Subdivision Lines of Township

BOOK 1954

Chains

79.70 as per instructions,  
corner to sections 21, 22, 27 and 28.  
Land rolling, Soil 2<sup>d</sup> rate,  
Prairie.

North between Secs. 21 and 22,  
Var. 15° 45' E.

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pits, per  
instructions, for corner to  
secs. 15, 16, 21 and 22,  
Land rolling, Soil 2<sup>d</sup> rate, Prairie.

Easton Random between Secs. 15 and  
22,  
Var. 15° 45' E.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.85 Intersect Sec. line 18 lks, South  
of corner to secs. 14, 15, 22 & 23,

of 89° 52' west on True Line,  
Var. same.

29.92<sup>h</sup> Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. cor,  
as per instructions,

79.85 corner to secs. 15, 16, 21 & 22,  
Land rolling, Soil 2<sup>d</sup> rate, Prairie.

North between Secs. 15 and 16,  
Var. 16° East,

40.00 Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec. corner, as  
per instructions.

80.00 Deposited marked stone, set charred  
post, marked, built mound and  
dug pits, per instructions,

Chains

for corner to sections 9, 10, 15 and 16,  
Land rolling. Soil 2<sup>d</sup> rate, Prairie.

Easton Random between Secs. 10  
and 15. Var. 16° East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.25 Intersect Sec. line 12 lks. North  
of corner to secs. 10, 11, 14 and 15.

N. 89° 55' West on True Line. Var. Same.  
40.12 $\frac{1}{2}$  Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec. corner, as  
per instructions.

80.25 Corner to secs. 9, 10, 15 and 16.  
Land rolling. Soil 2<sup>d</sup> rate, Prairie.

North between Secs. 9 and 10,

Var. 16° East.

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. cor,  
as per instructions.

49.50 Ravine, course West.

80.00 Set sand stone, 18 x 14 x 5, marked  
per instructions, for corner  
to secs. 3, 4, 9 and 10,

Land rolling. Soil 2<sup>d</sup> rate.  
Prairie.

Easton Random between Secs.  
2 and 10. Var. 16° E.

15.00 Bluff, bears N & South,

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

80.35 Intersect Sec. line 25 lks. N. of  
corner to secs. 2, 2, 10 & 11.

N. 89° 45' west on True Line.

Var. Same.

40.17 $\frac{1}{2}$  Set sand stone, 14 x 12 x 3, for  
 $\frac{1}{4}$  sec. corner, as per instructions.

Field Notes of the Subdivision Lines of Township

297  
Chains  
80.35  
BOOK 1954

Corner to secs. 3, 4, 9 and 10.  
Land rolling. Soil 2<sup>d</sup> rate,  
Prairie.

North on Random between  
Secs. 2 and 4. Var. 16° East.

12.50 Bluff, bears East and West,  
40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
80.20 Intersect North Boundary of  
Township 20 lks. west of  
corner to secs. 3, 4, 33 and 34.

S. 9' West on True Line. Var. Same,  
40.20 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.

80.20 Corner to secs. 3, 4, 9 and 10.  
Land rolling. Soil 2<sup>d</sup> rate,  
Prairie.

North between Secs. 22 and 23,  
Var. 15° 45' E.

40.00 Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
per instructions.

80.00 Deposited marked stone, set  
charred post, marked, built  
mound and dug pit, as per  
instructions, for corner to  
secs. 28, 29, 32 and 33.  
Land rolling. Soil 2<sup>d</sup> rate, Prairie.

East on Random between Secs. 28  
and 33. Var. 15° 45' East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
79.80 Intersect Sec. line 15 lks. north  
of corner to secs. 27, 28, 33 and  
34.  
N. 89° 54' west on True Line.  
Var. Same.

Chains

BOOK 1954

208

- 39.90 Set charred post, built mound and dug pits for  $\frac{1}{4}$  sec. corner, as per instructions.
- 79.80 Corner to sees. 28, 29, 32 and 33. Land rolling. Soil 2 $\frac{1}{2}$  rate, Prairie.

North between sees. 28 and 29.  
Var. 15° 45' East.

- 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.
- 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, as per instructions, for corner to sees. 20, 21, 28 and 29. Land rolling, soil 2 $\frac{1}{2}$  rate, Prairie.

East on Random between sees. 21 and 28. Var. 15° 45' East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner, intersect sec. line 15 lks. S. of corner to sees. 21, 22, 27 and 28.

S. 89° 34' west on True line.  
Var. same.

- 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. cor., as per instructions.
- 80.20 Corner to sees. 20, 21, 28 & 29. Land rolling. Soil 2 $\frac{1}{2}$  rate, Prairie. Jan. 4<sup>th</sup> 1870. Measuring chain compared with standard and found correct.

North between sees. 20 and 21.  
Var. 15° 45' E.

Field notes of the Subdivision Lines of Township

Chains  
 200 40.00 Set charred post, built mound  
 and dug pits for  $\frac{1}{4}$  sec. corner,  
 as per instructions.  
 BOOK 1954  
 80.00 Set sand stone, 16 X 12 X 4, marked  
 per instructions, for corner to  
 sections 16, 17, 20 and 21.  
 Land rolling. Soil 2 $\frac{1}{2}$  rate, Prairie.

Easton Random between Secs,  
 16 and 21. Var. 15° 40' E  
 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
 80.35 Intersect sec. line 20 lks. N.  
 of corner to secs, 15, 16, 21  
 and 2.

N. 89° 51' West on True Line.  
 Var. same.  
 40.17 $\frac{1}{2}$  Set charred post, built mound and  
 dug pits for  $\frac{1}{4}$  sec. corner, as  
 per instructions.  
 80.05 Corner to secs, 16, 17, 20 and 21.  
 Land rolling. Soil 2 $\frac{1}{2}$  rate, Prairie.

North between Secs, 16 and 17.  
 Var. 15° 45' E.  
 40.00 Set sand stone, 14 X 12 X 4, for  $\frac{1}{4}$   
 sec. corner, as per instructions.  
 80.00 Deposited marked stone, set  
 charred post, marked, built  
 mound and dug pit, as  
 per instructions. for corner  
 to secs 8, 9, 16 and 17.  
 Land rolling. Soil 2 $\frac{1}{2}$  rate,  
 Prairie.

Easton Random between  
 Secs, 9 and 16. Var. 15° 45' E  
 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
 80.18 Intersect Sec. line 10 lks. N.



Chains

BOOK 1954

370

South of corner to sections 9, 10,  
15 and 16.

- S. 89°34' West on True Line. Var. Same,  
40.09. Set charred post, built mound and  
dug pits, for  $\frac{1}{4}$  sec. corner, as per  
instructions.  
80.18. Corner to sections 8, 9, 15 and 16.  
Land rolling. Soil 2<sup>d</sup> rate, Prairie.
- 

North between Secs. 8 and 9,

Var. 15°45' East.

- 18.00. Ravine, course S. West,  
40.00. Set charred post, built mound  
and dug pits, for  $\frac{1}{4}$  sec. corner,  
as per instructions.  
80.00. Deposited marked stone, set charred  
post, marked, built mound and  
dug pits, per instructions, for  
corner to secs. 4, 5, 8 and 9.  
Land rolling. Soil 2<sup>d</sup> rate, Prairie.
- 

East on Random, between Secs. 4 and 9,

Var. 15°45' East.

- 40.00. Set temporary  $\frac{1}{4}$  sec. corner.  
79.70. Intersect sec. line 25 lks. South  
of corner to secs. 2, 4, 9 and 10.  
S. 89°49' West on True Line, Var. Same.  
29.85. Set sand stone, 14 x 12 x 3, for  $\frac{1}{4}$  sec.  
corner, as per instructions.  
79.80. Corner to secs. 4, 5, 8, and 9.  
Land rolling. Soil 2<sup>d</sup> rate, Prairie.
- 

North on Random between Secs.

4 and 5.

Var. 15°45' E.

- 21.00. Bluff, bears East and West,  
40.00. Set temporary  $\frac{1}{4}$  sec. corner

Field Notes of the Subdivision Lines of Township 14 N.

Chains  
 301 79.80 Intersect North Boundary of Township 20 links west of corner to secs. 4, 5, 8 and 9.  
 BOOK 1954  
 29.80 S. 9' west on True Line, var. Same, Set granite, 14 x 8 x 6, for  $\frac{1}{4}$  sec. cor. as per instructions.  
 79.80 Corner to secs. 4, 5, 8 and 9, Land rolling, Soil 2 $\frac{1}{4}$  rate. Prairie.

North between secs. 21 and 22, var. 16 $^{\circ}$  East,  
 40.00 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions  
 42.00 Dry Creek, course NW,  
 80.00 Deposited marked stone, set charred post, marked, built mound and dug pits, per instructions, for corner to secs. 29, 30, 31 & 32, Land rolling, Soil 2 $\frac{1}{4}$  rate. Prairie.

East on Random between Secs. 29 and 32. var. 16 $^{\circ}$  E.  
 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
 80.20 Intersect sec. line 25 lks. S. of corner to secs. 28, 29, 32 and 33.  
 S. 89 $^{\circ}$  49' west on True Line. var. Same.  
 40.10 Set charred post, built mound and dug pits, for  $\frac{1}{4}$  sec. corner, as per instructions.  
 80.20 Corner to secs. 29, 30, 31 and 32, Land rolling, Soil 2 $\frac{1}{4}$  rate. Prairie.

West on Random between Secs. 30 and 31. var. 16 $^{\circ}$  East

Chains

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
 53.40 Dry creek, course west,  
 78.75 Intersect Range line 18 links  
 South of corner to sections 25, 30,  
 31 and 36.

S.  $89^{\circ} 52'$  East on True Line, Var. same,  
 38.75 Set charred post, built mound and  
 dug pits, for  $\frac{1}{4}$  sec. corner, as per  
 instructions.

78.75 Corner to secs, 29, 30, 21 and 22,  
 Land rolling, Soil  $2\frac{1}{4}$  rate, Prairie.

North Between Secs, 29 and 30,

Var.  $16^{\circ}$  East

40.00 Set charred post, built mound  
 and dug pits, for  $\frac{1}{4}$  sec. corner,  
 as per instructions.

80.00 Set granite, <sup>12x</sup> 20 x 8, marked as per  
 instructions, for corner to secs,  
 19, 20, 29 and 30.  
 Land rolling, Soil  $2\frac{1}{4}$  rate, Prairie.

East on Random between Secs,  
 20 and 29. Var.  $16^{\circ}$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,

80.20 Intersect Sec. line 25 lks, S,  
 of corner to secs, 20, 21, 28 & 29

S.  $89^{\circ} 45'$  west on True Line, Var. same.

40.15 Set Charred post, built mound  
 and dug pit, for  $\frac{1}{4}$  sec. cor. as per instructions.

80.30 Corner to sections 19, 20, 29 and 30.  
 Land rolling, Soil  $2\frac{1}{4}$  rate, Prairie.

January 5<sup>th</sup> 1870.

measuring chain compared with standard  
 and found correct.

West on Random between Secs, 19 and 30.

Field Notes of the Subdivision Lines of Township 14<sup>th</sup>,

BOOK 1954	Chains		
			Var. 16° East
	40.00	Set temporary $\frac{1}{4}$ sec. corner	
	43.60	Dry creek, course North.	
	78.35	Intersect Range line 27 lks. South of corner to secs. 19, 24, 28 and 30.	
		S. 89°48' East on True Line. Var. Same.	
	28.35	Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner, as per instructions.	
	78.35	Corner to secs. 19, 20, 29 and 30. Land rolling. Soil 2 $\frac{1}{2}$ rate. Prairie	
North between Secs. 19 and 20.			
			Var. 16° East
	40.00	Set sand stone, 16X14X8, for $\frac{1}{4}$ sec. cor. as per instructions.	
	80.00	Set sand stone, 18X10X6, marked per instructions, for corner to secs. 17, 18, 19 and 20. Land rolling. Soil 2 $\frac{1}{2}$ rate. Prairie.	
East on Random between Secs. 17 and 20.			
			Var. 16° East
	40.00	Set temporary $\frac{1}{4}$ sec. corner,	
	80.15	Intersect sec. line 20 lks. South of corner to secs. 16, 17, 20 and 21.	
		S. 89°31' West on True Line. Var. Same.	
	40.07 $\frac{1}{2}$	Set charred post, built mound and dug pits, for $\frac{1}{4}$ sec. corner, as per instructions.	
	80.15	Corner to secs. 17, 18, 19 and 20. Land rolling. Soil 2 $\frac{1}{2}$ rate. Prairie.	
West on Random between Secs. 18 and 19.			
			Var. 16° East
	40.00	Set temporary $\frac{1}{4}$ sec. corner,	

Chain

- 44.30 Dry creek, course North,  
 78.00 Intersect Range line 12 links S,  
 of corner to sees, 13, 18, 19 and 21,  
 S.  $89^{\circ}55'$  East on True Line. Var. Same,  
 38.00 Set charred post, built mound and  
 dug pits, for  $\frac{1}{4}$  sec. corner, as per  
 instructions,  
 78.00 Corner to sees, 17, 18, 19 and 20,  
 Land rolling. Soil  $2\frac{1}{2}$  rate Prairie.

North between sees, 17 and 18,  
 Var.  $16^{\circ}$  East,

- 40.00 Set sand stone,  $18 \times 8 \times 4$ , for  $\frac{1}{4}$  sec  
 corner, as per instructions,  
 48.50 Prairie, course S.W.  
 80.00 Deposited marked stone, set  
 charred post, marked, built  
 mound and dug pits, as per  
 instructions, for corner to sees,  
 7, 8, 17 and 18,  
 Land level. Soil  $1\frac{1}{2}$  rate. Prairie.

East on Randon between sees, 8 & 17,  
 Var.  $15^{\circ}45'$  E.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
 47.50 A sand stone bluff, bears N.E. & S.W.  
 79.60 Intersect sec. line 15 lks. N.  
 of corner to sees, 8, 9, 16 & 17.

Then N.  $89^{\circ}54'$  west on True Line  
 Var. Same.

- 39.80 Set sand stone,  $16 \times 14 \times 4$ , for  $\frac{1}{4}$   
 sec. corner, as per instructions,  
 79.60 Corner to sees, 7, 8, 17 and 18,  
 Land rolling. Soil  $2\frac{1}{2}$  rate  
 Prairie.

Dec. 28, 1869.

Field notes of the Subdivision Lines of Township

385  
 CHAINS  
 BOOK 1954

Weston Random between Secs,  
 7 and 18, Var.  $15^{\circ}45' E$

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
 80.70 Intersect Range line 15' lks,  
 north of corner to secs,  
 7, 12, 13 and 18.

Then N. 89°34' East on True  
 Line, Var. same,

40.70 Set sand stone, 16 x 12 x 3. for  $\frac{1}{4}$   
 sec. corner, as per instructions,  
 80.70 corner to secs, 7, 8, 17 x 18,  
 Land rolling, Soil 1 $\frac{1}{2}$  rate, Prairie.

North between Secs, 7 and 8,  
 Var.  $15^{\circ}45' E$ ,

40.00 Set charred post, built mound  
 and dug pits, for  $\frac{1}{4}$  sec. cor,  
 as per instructions,  
 80.00 Deposited marked stone, set  
 charred post, marked, built mound  
 and dug pits, as per instruc-  
 tions, for corner to secs, 5, 6,  
 7 and 8,  
 Land rolling, Soil 2 $\frac{1}{2}$  rate, Prairie.

Easton Random between Secs,  
 5 and 8, Var.  $15^{\circ}45' E$ ,

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
 79.80 Intersect Sec. line 20' lks. N.  
 of corner to secs, 4, 5, 8  
 and 9.

Then N. 89°49' West on True  
 Line, Var. same,

39.90 Set charred post, built mound  
 and dug pits, for  $\frac{1}{4}$  sec. cor  
 as per instructions,  
 79.70 corner to secs, 5, 6, 7 and 8.

74 N Range 10 west of the N.S. M.

Chains

Land rolling. Soil 2<sup>d</sup> rate. Prairie. BOOK 1954 306

West on Random between Secs. 6 & 7.  
Var. 15° 45' E.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner  
76.00 Ravine, course S West.  
77.65 Intersect Range line 2<sup>d</sup> lks,  
North of corner to Secs. 1, 6,  
7 and 12,

N. 89° 48' East on True Line.  
Var. Same.

- 87.65 Set sand stone, 12 x 10 x 10. for  $\frac{1}{4}$  sec.  
corner, as per instructions.  
77.65 Corner to Secs. 5, 6, 7 and 8,  
Land rolling. Soil 2<sup>d</sup> rate.  
Prairie.

North on Random between  
Secs. 5 and 6, Var. 15° 45' E.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.  
47.00 Bluff, bears East and West.  
62.00 Leave bluff, bears E & West.  
79.80 Intersect North Boundary  
of Township 2<sup>d</sup> links west  
of corner to Secs. 5, 6, 31  
and 32,

S. 11' west on True Line,  
Var. Same.

- 89.80 Set sand stone, 16 x 14 x 3. for  
 $\frac{1}{4}$  sec. corner. as per  
instructions  
79.80 Corner to Secs. 5, 6, 7 & 8,  
Land broken. Soil 2<sup>d</sup> rate,  
Prairie.

January 6<sup>th</sup> 1870.

measuring chain compared  
with standard and found  
correct.

General Description of Township  
14 N. Range 10 West of the N.  
S. M.

The land in this Township is mostly 2<sup>d</sup> rate and up-land. There is a bluff of clay and sand stone running through the northern part. Also a creek that is dry the most of the time.

There is no permanent water in the Township, nor any timber.



- West from corner to secs, 25,  
30, 31 and 36, between secs,  
25 and 36, Var. 15° East.
- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
55.80 Intersect West Boundary of  
Reservation 20 links North  
of 73<sup>rd</sup> mile corner.
- Then N. 89° 48' E. on True Line.  
Var. Same.
- 15.80 Set charred post, built mound  
and dog pits, for  $\frac{1}{4}$  sec. corner  
as per instructions.
- 55.80 Corner to sections 25, 30, 31 & 36,  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.
- 

- West on Random between Secs,  
24 and 25, Var. 15° East.
- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
55.52 Intersect West Boundary of  
Reservation 6 lks. North  
of 74<sup>th</sup> mile corner.
- Then N. 89° 34' E. on True Line.  
Var. Same.
- 15.52 Set sand stone, 18x12x8, for  $\frac{1}{4}$  sec.  
corner, as per instructions.
- 55.52 Corner to secs, 19, 24, 25 & 30,  
Surface rolling. Prairie. Soil 1<sup>st</sup> rate.
- 

- West on Random between Secs,  
13 and 14, Var. 15° E.
- 40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
55.60 Intersect West Boundary of  
Reservation, 8 links South  
of 75<sup>th</sup> mile corner.
- Then S. 89° 35' E. on True Line,  
Var. Same.

Chains  
300  
BOOK 1954

15.60 Set sand stone 16 x 14 x 2, for  $\frac{1}{4}$  sec,  
corner, as per instructions,  
55.60 corner to sees, 13, 18, 19 & 24,  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

Weston Random between sees. 12 & 13  
Var. 15° East

4000 Set temporary  $\frac{1}{4}$  sec, corner,  
55.30 intersect West Boundary of  
Reservation 18 links North of  
76 <sup>th</sup> mile corner  
Then N. 89° 49' E. on True Line. Var Same.  
15.30 Set sand stone, 16 x 10 x 4, for  $\frac{1}{4}$  sec,  
corner, as per instructions,  
55.30 corner to sees, 7, 12, 13 and 18,  
Surface rolling. Prairie. Soil 2<sup>nd</sup> rate.

Weston Random between sees, 1  
and 12, Var. 15° East.

4000 Set temporary  $\frac{1}{4}$  sec, corner,  
55.20 intersect West Boundary of  
Reservation 11 lks. North  
of 77 <sup>th</sup> mile corner,  
Then N. 89° 54' E. on True Line. Var. Same,  
15.20 Set charred post, built mound  
and dug pit, for  $\frac{1}{4}$  sec, corner,  
as per instructions,  
55.20 corner to sees, 1, 6, 7 and 12,  
Surface rolling. Prairie.  
Soil 2<sup>nd</sup> rate. Jan. 1<sup>st</sup>, 1870.

General Description,  
The land in this Fractional  
Township is generally rolling  
upland, soil 2<sup>nd</sup> rate,  
It is well adapted to farming  
and grazing purposes, espec-  
ially the latter.

chains

Weston Random between Secs. 25  
and 36. Var.  $15^{\circ} 05' E$ .

- 4000 Set temporary  $\frac{1}{4}$  sec. corner.
- 55.22 Intersect West Boundary of  
Reservation 17 links north of  
corner to  $\frac{1}{4}$  mile

Then N. 89<sup>o</sup>49' E. on True Line.  
Var. Same.

- 15.22 Set sand stone, 12 x 12 x 4, for  $\frac{1}{4}$   
corner, as per instructions,
- 55.22 corner to secs. 25, 30, 31 & 36.  
Surface rolling, Prairie, Soil 2<sup>nd</sup> rate

Weston Random between Secs.  
24 and 25. Var.  $15^{\circ} 10' E$ .

- 4000 Set temporary  $\frac{1}{4}$  sec. corner.
- 55.00 Intersect West Boundary of  
Reservation 21 links South of  
80 <sup>th</sup> mile corner.

Then S. 89<sup>o</sup>48' E. on True Line.  
Var. Same.

- 15.00 Set sand stone, 16 x 12 x 3, for  $\frac{1}{4}$  sec.  
corner, as per instructions,
- 55.00 corner to secs. 19, 24, 25 & 30.  
Surface rolling. Prairie, Soil 3<sup>rd</sup> rate

Weston Random between Secs.  
13 and 24. Var.  $15^{\circ} 10' E$ .

- 4000 Set temporary  $\frac{1}{4}$  sec. corner.
- 54.90 Intersect West Boundary of  
Reservation at 8 <sup>th</sup> mile corner.

Then Easton True Line, Var.  $15^{\circ} 10' E$ .

- 14.80 Set sand stone, 20 x 12 x 3, for  $\frac{1}{4}$   
sec. corner, as per instruc-  
tions.
- 54.70 corner to secs. 13, 18, 19 and 24,

Field Notes of the Subdivision Lines of Township <sup>Track</sup>  
14 N. Range 11 West of the Merajit S. M.

311  
Chains  
BOOK 1954

Surface rolling, Prairie. Soil 2<sup>nd</sup> rate.

West on Random between Secs. 12  
and 13. Var. 15<sup>th</sup> East.

40.00 Set temporary  $\frac{1}{4}$  sec. corner,  
54.40 Intersect West Boundary of  
Reservation 8 links North of  
8 $\frac{3}{4}$  mile corner,

Then N. 89<sup>th</sup> 53' E. on True Line.

Var. Same.

14.40 Set charred post, built mound  
and dog pits, for  $\frac{1}{4}$  sec. cor.,  
as per instructions.

54.40 Corner to sections 7, 12, 13 & 18,  
Surface rolling, Prairie. Soil 2<sup>nd</sup> rate.

West on Random between Secs,  
1 and 12. Var. 15<sup>th</sup> East.

18.00 Dry bed of Creek, 20 lks wide,  
course S.W.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.,  
55.12 Intersect West Boundary  
of Reservation 14 links South  
of 8 $\frac{3}{4}$  mile corner,

Then S. 89<sup>th</sup> 52' E. on True Line, Var. Same.

15.12 Set sand stone, 12 x 12 x 4, for  $\frac{1}{4}$  sec.  
corner, as per instructions.

55.12 Corner to secs. 1, 6, 7 & 12,  
Surface rolling, Prairie. Soil 2<sup>nd</sup> rate.  
January 7<sup>th</sup> 1870

General Description:

The land in this fractional  
Township is all prairie,  
surface rolling, soil generally  
2<sup>nd</sup> rate. It is well adapted  
to farming and grazing purposes,  
but especially to the latter.

We hereby certify that we assisted  
 Chud N. Darling, U.S. Surveyor,  
 in subdividing Townships Nos  
 6, 7, 8, 9, 10, 11, 12, 13 and 14 North,  
 Range 9 west, Township 14  
 North, Range 8 west, Townships  
 11, 12, 13 and 14 N, Range 10 west,  
 Fractional Township 15<sup>th</sup> North,  
 Ranges 8, 9 and 10 west, and  
 Fractional Townships 11, 12, 13  
 and 14 N, Range 11 west of  
 the Navajo Special Meridian,  
 in the Territory of Arizona, and  
 that said Townships have been  
 in all respects to the best  
 of our knowledge and belief,  
 well and faithfully surveyed,  
 and the boundary monuments  
 planted according to the in-  
 structions furnished by the  
 Commissioner of the General  
 Land Office of the United States.

North A Haight, Compassman,  
 William Clark, Chairman,  
 William Burgess Chairman,  
 Pablo <sup>his</sup> <sub>mark</sub> Torres Cornman  
 Phillippe Delgado Cornman.

Subscribed and sworn to by  
 the above named persons,  
 before me, Chud N. Darling,  
 U.S. Surveyor, in Township  
 4 North, Range 6 west of  
 the Navajo Special Merid-  
 ian, in the Territory of Arizona,  
 this 26<sup>th</sup> day of January, 1870.

Chud N. Darling,  
 U.S. Surveyor.

I, Chud N. Darling, U.S. Surveyor, do solemnly swear that in pursuance of a contract with Hon. Jos. S. Wilson, Commissioner of the General Land Office, dated Washington, D.C., April 29<sup>th</sup> 1869, and subsequent special instructions, and in strict conformity to the laws of the United States, and the instructions furnished by the said Commissioner of the Gen. Land Office, I have faithfully subdivided Townships No. 6, 7, 8, 9, 10, 11, 12, 13 and 14 North, Range 9 west, Township 14 N. Range 8 west, Townships 11, 12, 13 and 14 North, Range 10 west Fractional Township 15 N. Ranges 8, 9, and 10 west, and Fractional Townships 11, 12, 13 and 14 North, Range 11 west of the Navajo Special meridian, in the Territory of Arizona, and do further solemnly swear that the foregoing are the true and original field notes of such survey.

Chud N. Darling,  
U.S. Surveyor,  
Subscribed by said Chud N. Darling, U.S. Surveyor, and sworn to before me, this 3<sup>rd</sup> day of May, 1870.  
John C. Cox, J.P.

Department of the Interior.

General Land Office.

May. 7<sup>th</sup> 1870.

The foregoing field notes of the survey of the subdivisional lines of Townships, 6, 7, 8, 9, 10, 11, 12, 13 and 14 N. Range 9 west, Township 14 N. R. 8 W, Townships 11, 12, 13 and 14 N. R. 10 west Fractional Township 15 N. Ranges 8, 9, and 10 west, Fractional Townships 11, 12, 13 & 14

N. Range 11 west of the Navajo Special meridian, in the Territory of Arizona, executed by Chud W. Darling, under his contract of the 29<sup>th</sup> of April, 1869, and subsequent special instructions, having been critically examined, and the necessary corrections and explanations made the said field notes, and the surveys they describe, are hereby approved.

Jos S Wilson  
Commissioner.

Department of the Interior

General Land Office

February 26<sup>th</sup> 1871

A True Copy

A. M. Mearns  
Commissioner