

3  
1981

BOOK 1981

1981

1981

4-6711

1981

**FIELD NOTES**

GENERAL LAND OFFICE

*EXTEIORS*

PAPAGO INDIAN RESERVATION

WEST BOUNDARY T. 15 S. R. 12 E.

RANGE LINE BETWEEN T. 16 S. R. 11 & 12 E.

1981

lampiran

BOOK 1981

30	29	28	27	26	25
<i>S. 15 S. R. 12 E.</i>					
31	32	33	34	35	36

36	6	5	4	3	2	1
33	7	8	9	10	11	12
30	18	17	16	15	14	13
<i>S. 16 S. R. 12 E.</i>						
28	19	20	21	22	23	24
26	30	29	28	27	26	25
9	11	14	17	20	22	
31	32	33	34	35	36	

BOOK 1981

## INDEX

N. Boundary	T. 15	S. R 12 E	1	to	7
South Bdry.	T. 16	S. R 12 E	7	to	24
N. Boundary	T. 16	S. R 12 E	26	to	38



# Field Notes

BOOK 1981

18.

of the Survey of the  
South Boundary of Township  
16 South. Range 12 East and  
West Boundary of Township  
15 South Range 12 East  
in the  
Papago Indian Reservation  
Gila & Salt River Meridian  
of  
Arizona  
Surveyed by  
L. D. Hillson  
U S Deputy Surveyor  
Under his contract No 8  
Dated Nov 30<sup>th</sup> 1887  
Survey commenced Jan 12<sup>th</sup> 1888  
Survey completed Jan 13<sup>th</sup> 1888

f

BOOK 1981

West Boundary D. 15. S. R. 12. E. in

Beginning at Standard Con.  
to Secs. 31. & 36. Tps. 15. S. R's  
11. & 12. E. previously estab-  
lished and described by  
me. I ran North on range  
line between Sec's. 31. & 36.

Van  $13^{\circ} 09' E$

20.00 Set a Post 3ft. long 3 ins Sq. with  
Charred stake 12 ins in the ground  
for  $\frac{1}{4}$  Sec. Con. Marked N.S. on N  
face, dug pits  $18 \times 18 \times 12$  ins <sup>N x S of Post</sup>  $5\frac{1}{2}$   
feet dist and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base  
around Post. from which a  
mesquite tree 6 ins. in diam.  
bears S.  $30^{\circ} E$ , 50 lks. <sup>19 1/2</sup> Marked  $\frac{1}{4}$   
S. B. P.

40.00 Set a Post 3ft long 3 ins Sq. with  
Charred stake 12 ins. in the  
ground. for  $\frac{1}{4}$  Sec. Con.

## Papago Indian Reservation

Marked  $\frac{1}{4}$  S. on N face dug pits  $18 \times 18 \times 12$  ins. <sup>N.E.S. of Post</sup>  $5\frac{1}{2}$  ft. dist and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post, from which a mesquite 8 ins in diam. brs. N.  $20^\circ$  W, 45 lbs dist. Marked  $\frac{1}{4}$  S. B. 9.

60.00 Set a Post 3 ft. long 3 ins Sq with Charred Stake 12 ins in the ground. for  $\frac{1}{16}$  Sec. Cor.

Marked  $\frac{1}{16}$  S on N face dug pits  $18 \times 18 \times 12$  ins. <sup>N.E.S. of Post</sup>  $5\frac{1}{2}$  ft. dist and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft base around Post, from which a Mesquite tree 6 ins in diam. brs. S.  $23^\circ$  42 lbs dist. Marked  $\frac{1}{16}$  S. B. 9.

80.00 Set a Post 4 ft. long 4 ins Sq.



West Boundary T. 15. S. R. 12. E. in

with a charred stake 12 ins  
 in the ground for Cor. to Secs.  
 25, 30, 31, & 36. Marked  
 T. 15. S. S. 30 on N. E.,  
 R. 12. E. S. 31. on S. E.,  
 R. 11. E. S. 36 on S. W. and  
 S. 25. on N. W. faces with 1  
 notch on S. and 5 notches on  
 N. Edges. dug pits 18x18x12  
 ins. in each Sec. 5 1/2 ft dist  
 and raised a mound of  
 Earth 2 ft. high 4 1/2 ft base  
 around Post. from which  
 a Mesquite tree 6 ins. in  
 diam. bro. N. 8° E. 75 lks. dist.  
 Marked T. 15. S. R. 12. E. S. 30 B. 7.  
 Level level  
 Soil 2<sup>nd</sup> Rate  
 Scattering Palo Verde trees  
 Palo Verde & Mesquit Brush so, chis,

## Papago Indian Reservation

Thence N. between <sup>Secs.</sup> 25, & 30.Var.  $13^{\circ} 09' E$ .

- 20.00 Set a Mesquite Post 3ft long 3ins Sq, with a charred stake 12 ins in the ground, for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times 12$  ins  <sup>$\frac{1}{2} \times \frac{1}{2}$  of Post</sup>  $\frac{1}{2}$  ft dist. and raised a mound of Earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around Post.
- 40.00 Set a Mesquite Post 3ft long 3ins Sq, with a charred stake 12 ins in the ground for a  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on N. face, dug pits  $18 \times 18 \times 12$  ins  <sup>$\frac{1}{2} \times \frac{1}{2}$  of Post</sup>  $\frac{1}{2}$  ft dist. and raised a mound of Earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around Post.
- 42.80 Old road bns N.E. & S.W.
- 54.50 Road to Coyote Springs bns E & W



West Boundary T. 15, S. R. 12, E. 11

- 60.00 Set a Mesquite Post 3 ft. long 3 ins. Sq. with charred stake 12 ins. in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on W. face. dug pits 18x18x12 ins N & S of Post 5  $\frac{1}{2}$  ft dist. and raised a mound of Earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around Post
- 65.50 Old Road to Coyote Springs bro E. & W.
- 80.00 Set a Mesquite Post 4 ft long 4 ins. Sq. with a charred stake 12 ins in the ground for cor. to Sec. 19, 24, 25 & 30. Marked T. 15 S. S. 19. on NE. R. 12, E. S 30 @ R on S, E. R. 11, E. S 25 on S, W. and S. 24. on N, W. with 2 notches 2 notches on S. and 4 notches on N edges. dug pits 18x18x12

Papago Indian Reservation


ins. in each sec.  $5\frac{1}{2}$  ft diam.  
and raised a mound of earth  
2 feet high  $4\frac{1}{2}$  ft base around  
Post.

Sand level

Soil 2<sup>nd</sup> Rate

Chollas 80 chp.

Jan 12<sup>th</sup> 1888



# South Boundary Papago Indian

From the Cor. to Secs. 25, 30, 31, & 36  
 Twp. 16. S. R. 12. & 13. E. which is also  
 on Santa Cruz Guide Meridian  
 I run <sup>west</sup> on a random line  
 between Secs. 25. & 36. 26. & 35.  
 27. & 34. 28. & 33. 29. & 32. & 30. & 31  
 The Variation of my Compass  
 being  $13^{\circ} 08' E.$

I found all corners except the  
 one to Secs. 28. 29. 32. & 33.

The falling South of Cor. to  
 Secs. 29. 30. 31. & 32. was 36 lks.

The measurement for the five  
 miles practically agreeing.

The course for the random  
 line part. between Secs. 30.

& 31. practically agrees  
 but the distance was er-  
 roneously reported.

This line I measured twice



Reservation T. 16. S. R. 12. E.

and the old corners with mound  
& pits being plainly visible  
I found the line to be 79.92<sup>ch.</sup>  
with this exception, my line  
and measurement practically  
agrees with the original  
Survey

Hence from the Cor. to Secs.

25, 30, 31, & 36, Tps. 16, S, Rs. 11, &  
12, E, which is a Post 4 ft long  
and 4 ins. sq, 12 ins. in the  
ground with charred stake  
with pits 18x18x12 ins. in each  
Sec. 5 1/2 ft dist. with a mound  
of earth 2 ft high and 4 1/2 ft.  
base around Post  
Marked

T. 16 S. S 30 P. R. 12 E

R. 13, E. S 31 on S. E.

R. 11, E. S. 36 on S. W. and

S. 25. on N. W. faces with 1  
notch on S. and 5 notches  
on N. edges

✓ Iron N.  $89^{\circ} 30' E$ . Set sec  $30 \times 3'$   
Var.  $13^{\circ} 08' E$

19.92 Set a Post: 3 ft. long 3 ins Sq. with  
charred stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{4}$  S. P. R. on N. face dug pits  
 $18 \times 18 \times 12$  ins. E. & W. of Post.  $5\frac{1}{2}$   
ft. dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around Post.

39.92 Set a Post 3 ft. long 3 ins Sq. with  
charred stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{4}$  S. P. R. on  
N. face. dug pits  $18 \times 18 \times 12$  ins E.  
& W. of Post  $5\frac{1}{2}$  ft. distant and  
raised a mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base around Post

- 4.00 Dry wash 60 lbs. wide Course N.
- 9.92 Set a Post 3 ft. long 3 ins. Sq. with charred stake 12 ins in the ground. for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. P. R. on N. face. dug pits 18x18x12 ins E. & W. of Post 5  $\frac{1}{2}$  ft. dit. and raised a mound of Earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around Post
- 4.80 Dry Wash 1.5 chs. wide Course W.
- 9.92 Set a Post 4 ft. long 4 ins Sq. with charred stake 12 ins in the ground for Cor to Secs. 29.30. 31. & 32. Marked  
 S. 16. S. S. 29 P. R. on N. E.  
 R 13 E. S. 32. on S. E.  
 S. 31 on S. W. and  
 S. 30 on N. W. faces with 1 notch on S. and 5 notches on E. Edges dug pits in each



Sec.  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth 2 ft high  
 $4\frac{1}{2}$  ft base around Post.  
 Sand mostly level  
 Soil 2nd rate  
 Good Grass  
 No Timber  
 Scattering Brush rocks  
 ~~~~~

The connection for the true line  
 of the five miles following will  
 be 7 lks. South per mile and  
 its course will be,  $S. 89^{\circ} 54' E.$   
 Thence Town

$S. 89^{\circ} 54' E$  on a true line  
 between Secs. 29 & 32.

Var.  $13^{\circ} 08' E$

Over rolling ground

7.00 Begin ascent of Granite

Mountain 200 ft high

2000 Set a Stone  $2 \times 18 \times 14$  ins 12 ins  
in the ground for  $\frac{1}{16}$  Sec. Cor.  
Marked  $\frac{1}{16}$  S. P. R. on N face  
and raised a mound of  
stone alongside. Rts are  
practicable

2806 Top of Mountain where I build  
mound of stone left high 4  
ft. base and mark stone  $20$   
 $\times 20 \times 30$  ins "P. & R."

Descending

4015 Set a Stone  $20 \times 14 \times 16$  ins 8 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor.  
Marked  $\frac{1}{4}$  S. P. R. on N face  
and raised a mound of  
stone on alongside. Rts  
impracticable.

4200 Base of Mountain

37,65 Dry Wash 40 lbs wide Course N.

- 5500 Begin ascent of small hill  
50 ft. high
- 60.00 Set a Stou 18x12x14 ins 10 ins  
in the ground for  $\frac{1}{16}$  Sec  
Cor Marked  $\frac{1}{16}$  S. P. R. on  
N. face and raised a mound  
of stone alongside, Pits  
impracticable
- 6240 Top of hill 50 ft high
- 68.00 Foot of hill 50 ft high
- 80.30 The old Sec. Cor. I set a Post  
4 ft. long 4 ins sq. with char-  
red stake 12 ins in the ground  
for cor to Secs. 28, 29, 32, & 33,  
Marked  
A. 16, S. S. 28 P. R. on N.E.  
R. 13, E. S. 33 on S.E.  
S. 32 on S.W. and  
S. 29. on N.W. faces with 1 notch  
on S. and 4 notches on



BOOK 1981

E. edges dug pits 18X18X12 ins  
in each sec. 5 1/2 ft dist.  
and raised a mound of  
earth 2 ft. high 4 1/2 ft base  
around Post.

Land mountainous and  
broken, and worthless rocks  
~~~~~

Hence S. 89° 57' E on a  
true line bet. Secs. 28 & 33

Var. 13° 08' E.

3.00 Dry Wash 1 ch. wide Course N

20.00 Set a Post 3 ft. long 3 ins. sq with  
charred stake 12 ins in the  
ground for 1/6 Sec. Cor.

Marked 1/6 S.P. R on N face  
dug pits 18X18X12 ins E & W of  
Post, 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft high

- 3 1/2 ft. base around Post
- 34.00 Dry wash 50 lks wide Course N
- 39.00 Top of low ridge 15 ft. high  
Drs N. & S.
- 40.03 The old 1/4 Sec. Cor. I set a Post  
3 ft. long 3 ins. Sq with Charred  
Stake 12 ins in the ground  
for 1/4 Sec. Cor. Marked 1/4 S. P. R.  
on N face, dug pits 18x18x12 ins  
E & W of Post. 5 1/2 ft. dist. and  
raised a mound of Earth  
1 1/2 ft high 3 1/2 ft base around  
Post.
- 43.00 Dry wash 30 lks. wide Course N
- 60.00 Set a Post 3 ft. long 3 ins Sq with  
Charred Stake 12 ins in the  
ground for 1/16 Sec. Cor. Marked  
1/16 S. P. R. on N. face, dug pits  
18x18x12 ins E & W of Post 5 1/2  
ft. dist and raised a

mound of Earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around Post.

66.00 Dry Wash 50 lks side Course N.E.  
 From this point the drainage  
 is all into Santa Cruz River

80.06 The old Sec Con. 2 set Post 44  
 ft long 4 ins. Sq. with Charred  
 Stake 12 ins in the ground for  
 Con. to Secs. 24, 28, 33, & 34  
 Marked

S. 16 S. S. 27 P.R. on N.E.

R. 13 E. S. 34 on S.E.

S. 33. on S.W. and

S. 28 on N.W. faces with  
 1 notch on S. and 3 notches  
 on E. Edges. dug pits  $18 \times 18 \times$   
 12 ins in each Sec.  $5\frac{1}{2}$  ft  
 dist. and raised a mound  
 of Earth 2 ft high  $4\frac{1}{2}$  ft base  
 around Post. from which



a Mesquite 10 ins in diam. brs.  
 N.  $51^{\circ}$  E. 88 lks dest. Marked  
 T. 16 S. R 13. E. S. 27 B. G.  
 Land Considerably broken  
 Soil 3<sup>rd</sup> Rate  
 No Timber  
 Paloverde Brush 80. chs.

---

Hence S.  $89^{\circ} 54'$  E. on a true  
 line between Secs. 27 & 34  
 over Rolling ground  
 2000 Set a Post 3 ft. long 3 ins sq with  
 charred stake 2 ins in the  
 ground for  $\frac{1}{16}$  Sec. Cor.  
 Marked  $\frac{1}{16}$  S. P. R. on N. face  
 dig pits 18x18x12 ins E & W  
 of Post,  $5\frac{1}{2}$  ft dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around

Post.

1000 The old  $\frac{1}{4}$  Sec. Cor. I set a Post  
3ft long 3 ins. Sq. with charred  
stake 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$   
S. P. R. on N. face, dug pits  
18X18X12 ins E. & W. of Post  
5 $\frac{1}{2}$  ft. dist. and raised a  
mound of Earth 1 $\frac{1}{2}$  ft high  
3 $\frac{1}{2}$  ft base around Post

1000 Set a Post 3ft long 3 ins. Sq with  
charred stake 12 ins. in the  
ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. P. R. on N. face, dug pits  
18X18X12 ins. E & W. of Post 5 $\frac{1}{2}$   
ft dist. and raised a mound  
of earth 1 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft,  
base around Post.

10950 Dry Wash i. ch. wild course N. E.

80.00 The old Sec. Cor. I set a post

4 ft. long 4 ins sq with charred  
 stake 12 ins in the ground  
 for Cor. to Secs. 26, 27, 34, & 35.

Marked

P. 16. S. S. 26 P.R. on N.E.

R. 13. E. S. 35. on S.E.

S. 34. on S.W. and

S. 27. on N.W. faces, with 1  
 notch on S. and 2 notches  
 on E. Edges, dug pits 18x18  
 x 12 ins. in each Sec. 5 1/2 ft  
 deep and raised a mound  
 of earth 2 ft high 4 1/2 ft. base  
 around Post from which  
 a Mesquite 4 ins. in diam.  
 bore S. 76° 30' W. 50 lks dist.

Marked P. 16. S. R. 13. E. S. 34 P.R.

(The old bearing tree)

Sand rolling

Scattering trees



Soil 3<sup>rd</sup> Rate

Mesquite & Palo Verde Bush 80, clus.

---

Thence S.  $89^{\circ} 57'$  E on a true  
line between Secs. 26. & 35.

Var.  $13^{\circ} 08'$  E.

Ground mostly level

20.00 Set a Post 3 ft long 3 ins. Sq. with  
charred stake 12 ins in the  
ground for  $\frac{1}{4}$  Sec. Cor. Marked  
 $\frac{1}{4}$  S. P. R. on N. face. dug pits  
18x18x12 ins E. & W of Post.  $3\frac{1}{2}$   
ft dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around Post.

40.00 Old  $\frac{1}{4}$  Sec Cor. Set a Post 3 ft.  
long 3 ins. Sq with charred  
stake 12 ins in the ground  
for  $\frac{1}{4}$  Sec. Cor. Marked

- 44 S. P. R. on N. face, dug pits 18x18x12 ins. E. & W of Post 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around Post
- 42.60 Road to San Xavier mine bro. N.E. & S.W.
- 60.00 Set a Post 3 ft long 3 ins sq with charred stake 12 ins in the ground for 1/6 Sec. Cor. Marked 1/6 S. P. R. on N. face. dug pits 18x18x12 ins E & W of Post. 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft base around Post.
- 80.00 The old Sec. Cor. Set a Post 4 ft. high 4 ins sq. with charred stake 12 ins in

the ground for cor. to Secs.  
 25, 26, 35, & 36. Marked  
 N. 16. S. S. 25. P.R. on N.E.,  
 R. 13. E. S. 36. on S.E.,  
 S. 35 on S.W., and  
 S. 26. on N.W. faces with 1  
 notch on S. and 1 notch on  
 E. edges, dug pits 18X18X12  
 in in each Sec.  $5\frac{1}{2}$  ft dist.  
 and raised a mound of  
 earth 2 ft high  $4\frac{1}{2}$  ft base  
 around Post. ~~from which~~  
 Land nearly level  
 Scattering trees  
 Soil 2nd Rate  
 Mesquite & Palo Verde Brush 80, chs.

---

Hence S.  $89^{\circ}54'$  E. on a true  
 line between Secs. 25, & 36.



Jan. 13° 08' E,

- 1.05 Old Road to San Xavier  
Mine Course N.E. & W.
- 1600 Dry Wash 10. lks. wide Course N.E.
- 2000 Set a Post 3ft. long 3 ins Sq with  
charred Stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Cor.  
Marked  $\frac{1}{16}$  S.P.R. on N. face  
dug pits 18X18X12 ins E. & W. of  
Post. 5 $\frac{1}{2}$  ft. dist and raised  
a mound of earth 1 $\frac{1}{2}$  ft.  
high 3 $\frac{1}{2}$  ft base around  
Post.
- 39.95 The old  $\frac{1}{4}$  Sec. Cor. Set a Post  
3ft. long 3 ins. Sq. with charred  
Stake 12 ins. in the ground for  
 $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S.P.R.  
on N. face. dug pits 18X18X12  
ins. E. & W. of Post 5 $\frac{1}{2}$  ft dist.

and raised a mound of  
Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft base  
around Post

50.00 Dry Wash 3. chs. wide Course N.E.

60.00 Set a Post 3 ft. long 3 ins Sq. with  
churned stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Con.

Marked  $\frac{1}{16}$  S. P. R. on N. face  
dug pits  $18 \times 18 \times 12$  ins E. & W. of  
Post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of Earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around  
Post.

79.94 The con. to Secs. 25, 30, 31, &  
36. previously established  
and described by me.

Sand mostly level  
Soil 2<sup>nd</sup> Rate

Scattering trees

Palo verde & Mesquite Brush 80. chs.

Field Notes.

BOOK 1981

of the Survey of the  
Range Line Between  
Townships 16 SouthRange 11. <sup>9</sup>d. 12. East.

— in —

Payago Indian Reservation  
Bila and Salt River Meridian

— of —

Arizonaas Surveyed by  
L. D. Phillips on.U S Deputy SurveyorUnder his contract

— No — 8 —

Dated Nov 30<sup>th</sup> 1887Survey commenced July 14<sup>th</sup> 1888  
Survey completed June 14<sup>th</sup> 1888



Range Line bet. Tps. 16. S. R's 11. & 12. E.<sup>26</sup>  
In Pahago Indian Reservations

BOOK 1981

Beginning at Con. to Secs. 25. 30.  
31. & 36. T. 16. S. R's 11. & 12. E. previously  
established and described by  
me from North on Range Line  
between Secs. 25. & 30.

Var.  $13^{\circ} 08' E$

- 8.00 Dry wash 40 lbs. wide Course N.
- 20.00 Road to Sierrita Mountains &  
Set about 3 ft. long 3 ins. sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Con. Marked  $\frac{1}{16}$  Sou W.  
face dug pits 18x18x12 ins. N. & S. of  
Post. 5  $\frac{1}{2}$  ft dist. and raised a  
mound of Earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$   
ft base around Post.
- 40.00 The Old  $\frac{1}{4}$  Sec. Con. I set a Post  
3. ft. long 3. ins. sq. with charred  
stake 12. ins in the ground for  
 $\frac{1}{4}$  Sec. Con. Marked  $\frac{1}{4}$  Sou W. face  
dug pits 18x18x12 ins N. & S. of

- Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around Post.
- 60.00 Set a Post 3 ft. long 3 ins. sq with charred stake 12 ins. in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on W. face. dug pits  $18 \times 18 \times 12$  ins. N. & S. of Post  $5\frac{1}{2}$  ft dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base around Post
- 63.00 Dry Wash 1.5 chs. wide course N.
- 80.00 Set a Post 4 ft. long 4 ins sq. with a charred stake 12 ins. in the ground for Cor. to Secs. 19. 24. 25 & 30. Marked  
 T. 16. S. S. 19. on N.E.  
 R. 12. E. S. 30 on S.E.  
 R. 11. E. S. 25. on S.W. and  
 S. 34. on N.W. with 2 notches on

S. and 4 notches on N. Edges  
 dug pits 18X18X12 ins in Each  
 Sec. 5 1/2 ft dist. and raised  
 a mound of earth 2 ft high  
 4 1/2 ft base around Post  
 Sand Mostly Slat  
 Soil 2<sup>nd</sup> Rate, Good Grass  
 No Timber  
 Palo Verde & Cats Claw Brush 80. Chs.

Thence N. between Secs.

19. & 24.

Var. 13° 08' E.

- 17.00 Dry Wash 1 ch. wide Course N.  
 20.00 Set a Post 3 ft. long 3 ins. Sq. with  
 charred stake 12 ins in the  
 ground for 1/16 Sec. Cor. Marked  
 1/16 S. on N. face dug pits 18X18X  
 12 ins N. & S. of Post. 5 1/2 ft dist. and



raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.  
 40.00 Set a Post 3 ft. long 3 ins. Sq. with charred stake 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on W. face. dug pits  $18 \times 18 \times 12$  ins. N. & S. of Post  $5\frac{1}{2}$  ft. dia. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.

60.00 Dry Wash 40 lbs. solids Course N.  
 85.00 Set a Post 4 ft. long 4 ins. Sq. with charred stake 12 ins. in the ground for Cor. to Secs. 13, 18, 19, & 24, Marked  
 S. 16 S. S. 18 on N. E  
 R 12, E. S. 19 on S. E.  
 R 11, E. S. 24 on S. W. and S. 13. on N. W. faces with 3 notches on N. and 3 notched on S. edges

dug pits 18x18x12 ins. in each  
 Sec. 5 1/2 ft dist. and raised  
 a mound of earth 2 ft high  
 4 1/2 ft base around Post.

Land rolling with decided  
 slope to the North

Soil 2nd rate, good Grass.

No Timber

Mesquite Paloverde & Cateclaw  
 Brush 80. chs.

Thence N. between Secs. 13. & 18.

Var. 13° 08' E.

- 15.50 Dry Wash 50 lks. wide Course W.  
 20.00 Set a Post 3 ft long 3 ins dia. with  
 charred stake 12 ins in the  
 ground for 1/4 Sec. Post  
 marked 1/4 S. on W. face  
 dug pits 18x18x12 ins N. & S.

of Post 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft. high 3 1/2 ft. base around Post.

46.00 A Mesquite 8 ins in diam. which I mark 1/4 S. on W. face for 1/4 Sec. Cor. dug pits 18 X 18 X 12 ins 5 1/2 ft. N + S. of Tree. and raised a mound of Earth around Tree.

57.00 Dry Wash 60 lbs. wide Course W.

60.00 Set a Post 3 ft. long 3 ins. Sq. with charred Stake 12 ins in the ground for 1/6 Sec. Cor. Marked 1/6 S. on W. face. dug pits 18 X 18 X 12 ins. N. & S. of Post. 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft. high 3 1/2 ft. base around Post.

80.00 The Old Sec. Cor. I set a Post 4 ft long 4 ins. Sq. with charred



Stake 12 ins in the ground  
for Cor to Secs. 7, 12, 13, & 18.

Marked

P. 16 S. S. 7. on N. E.

R. 12. E. S. 18. on S. E.

R. 11. E. S. 13. on S. W. and  
S. 12. on N. W. faces. with 2.

Notches on N. and 4 notches  
on S. Edges. dug pits <sup>18 x 15 x 12 in</sup> in each

Sec. 5 1/2 ft. dist. and raised  
a mound of Earth 2 ft high  
4 1/2 ft. base around Post. from

which a Mesquite 8 ins in  
diam. bears. N. 42° W. 100 lbs.  
dist. Marked P. 16 S. R. 11. E. S

12. B. 7.

Land rolling with gentle slope  
to the North

Soil 2<sup>nd</sup> rate. Good Grass

Scattering Trees

Rebar and Mesquite Brush 80. Chs.

---

Hence N. between Secs 7. & 12  
 Var.  $13^{\circ} 08'$  E

- 20.00 Set a Post 3ft. long 3 ins Sq. with  
 channed Stake 12 ins. in the  
 ground. for  $\frac{1}{16}$  Sec. Cor.  
 Marked  $\frac{1}{16}$  S. on W. face, dug  
 pits  $18 \times 18 \times 12$  ins N. & S. of Post  
 $5\frac{1}{2}$  ft dist. and raised a  
 mound of Earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft. base around Post.
- 40.00 The Old  $\frac{1}{4}$  Sec. Cor. I set a Post 3ft.  
 long 3 ins. Sq. with channed  
 Stake 12 ins. in the ground for  
 $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on W.  
 face, dug pits  $18 \times 18 \times 12$  ins N. &  
 S. of Post  $5\frac{1}{2}$  ft dist and  
 raised a mound of Earth

1 1/2 ft. high 3 1/2 ft base around  
Post. from which a Mesquite  
10 ins in diam. brs. S. 32° W,  
1/40 kts. dist. Marked 1/4 S. B. T.

60.00

Set a Post 3 ft. long 3 ins sq.  
with Charred Stake 12 ins in  
the ground for 1/16 S. E. Cor.  
Marked. 1/16 S. on N. face,  
dug pits 18x18x12 ins N. S. of Post  
5 1/2 ft dist. and raised a  
mound of Earth 1 1/2 ft high  
3 1/2 ft base around Post  
from which a Palo verde  
4 ins. in diam. brs N. 85° W.  
30 kts. dist. Marked 1/16 S. B. T.

80.00

The Old Sec. Cor. I set a Post  
4 ft. long 4 ins sq. with char-  
red stake 12 ins in the  
ground for Cor. to Seco.  
1.6. 7. + 12. Marked



T. 16. S. 1. 6. on N.E.

R. 12. E. S. 7 on S E

R. 11 E. S. 12 on S. W. and

S. 1. on N. W. faces. with 5  
notches on S. and 1 notch

on N. Edges. dug pits 18" x 18"  
x 12 in. in each Sec. 5 1/2 feet

dist. and raised a mound  
of earth 7 ft. high 4 1/2 ft. base

around Part. from which  
a Palo Verde 8 ins. in diam. bore

N. 14° E. 81. lbs dist Marked

T. 16. S. R. 12. E. S. 6. B. 9.

Land rolling with gentle slope  
to the North,

Soil 2<sup>nd</sup> Rate, Good Grass

Scattering Trees,

Palo Verde & Mesquite Brush 80. lbs

~~~~~

Thence N between Secs. 1, & 6.

Var.  $13^{\circ} 08'$  E.

5.80 Road to Stevens Ranch Course N.E.  
& S.W.

20.00 Set a Post 3ft. long 3ins Sq. with  
Chopped stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Cor.

Marked  $\frac{1}{16}$  S. on N. face. dug  
pits 18x18x12 ins N. & S. of Post  
 $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around Post.

40.00 Set a Post 3ft long 3ins Sq. with  
Chopped stake 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. Marked  
 $\frac{1}{4}$  S on N. face. dug pits 18x  
18x12 ins N. & S. of Post  $5\frac{1}{2}$  ft.  
dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base  
around Post. from which

a Paloverde 8 ins in diam. br.  
S.  $45^{\circ}$  E. 73 lks. dist. Marked  
 $\frac{1}{4}$  S. B. 7.

60.00 Set a Post 3 ft long 3 ins Sq. with  
charrned stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on  
W. face dug pits 18 X 18 X 12 in N.  
N. of Post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high.  
 $3\frac{1}{2}$  ft base around Post.

89.96 Intersect the 3<sup>rd</sup> Standard  
Parallel South 71 lks. E. of  
Standard Cor. to Tps. 15. S. R's  
11. & 12 E. (The old closing Cor.  
with stake still standing) where  
I set a Post 4 ft. long 4 ins Sq.  
with charrned stake 12 ins in the  
ground for closing Cor. to Secs.  
1. & 6. Tps. 16. S. R's 11 & 12 E.  
Marked



C.C. 9. 16. S. on S.  
 R. 12 E. S. 6 on E. and  
 R. 11. E. S. 1 on W. faces with  
 6 notches on S.E. & W. faces  
 dug pits 24 x 18 x 12 ins.  
 Crosswise on each line S.  
 E. & W. of Post: left dest. and  
 raised a Mound of Earth  
 2 1/2 ft high 3 ft. base around  
 Post.

Land rolling with slope  
 to the North

Soil 2<sup>nd</sup> Rate. Good Grass  
 Scattering trees

Paloverde Brush so. chs.

Jan 14<sup>th</sup> 1888.

I. D. Hillson

U. S. Depy, Surveyor