

No. 17.

15-1-1982

1982

BOOK 1982

1982

*Subs*

1982

1982

4-671

FIELD NOTES

GENERAL LAND OFFICE.

PAPAGO INDIAN RESERVATION.

T.15S.-R.11E.

1982

INDEX.

BOOK 1982

Township 15 South, Range 12 East,

GILA AND SALT RIVER MERIDIAN.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
10	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

56	58	54	23	21
57	53	49	20	18
40	48	44	18	10
41	43	38	15	13
36		34	12	10
31	33	29	9	7
26	29	24	6	4
	24		3	

Referring the lines to the pages of the field notes.


BOOK 1982

Township No. 15 S

Range No. 11 E

Grand Meridian.

BOOK 1982



Crocker's Blank No. 1903.—TOWNSHIP PLAT.—80 CHAINS TO 1 INCH.

H. S. CROCKER & CO., San Francisco and Sacramento, Cal.

Meridian Line,

Base Line,

Standard Line,

Township Lines,



Field Notes  
of the survey of the  
subdivisions lines  
of  
Township No 15 South  
Range 11 East  
in the  
Papago Indian Reservation  
of the  
Gila and Salt River Meridian  
of  
Arizona

As surveyed by  
V L D Shilbon

US Deputy Surveyor  
Under his contract No 8.

Dated No 30<sup>th</sup> 1887

Survey commenced Feby 26<sup>th</sup> 1888  
Survey completed Feby 29<sup>th</sup> 1888



1A  
BOOK 1982

## Sub-divisions In Papago Indian

Preliminary; to commencing this survey  
I run West on a blank line on the  
South boundary of sec 36 and at 19.95  
chs found the  $\frac{1}{16}$  sec cor at 39.94  
chs found the  $\frac{1}{4}$  sec cor at 59.98  
chs found the  $\frac{1}{16}$  sec cor. at 80.04  
chs found the sec cor.

Hence from the cor to secs  
1.6. 31 & 36. I run North on a  
blank line between secs 31 & 36  
and at 20 chs found the  $\frac{1}{16}$ .  
At 40.04 chs found the  $\frac{1}{4}$  sec cor at  
60.03 chs found the  $\frac{1}{16}$  sec cor. at 80.02  
chs found the sec cor.

My compass will therefor run the  
same line as the exterior Bounda-  
ries and the chaining practically  
agrees

Survey commenced Feb 26<sup>th</sup> 1888  
with a Gurley solar Transit.

## Reevaluation

Before commencing the survey of the sub-division lines of this fractional Township I take an observation, using a Gurley Solar Transit and find the Magnetic Variation to be  $13^{\circ} 01' E$ .

I ran West on a blank line on the South Bdy. of Sec. 36, and at 20 chs. found  $\frac{1}{16}$  Sec. Cor, at 40 Chs. found  $\frac{1}{4}$  Sec. Cor, at 60. chs. found  $\frac{1}{16}$  Sec. Cor, and at 80. chs. found the Standard Cor. to Secs. 31 & 36.

I then ran North on a blank line between Secs. 31 & 36 and at 20 chs. found the  $\frac{1}{16}$  Sec. Cor. 40 chs. found the  $\frac{1}{4}$  Sec. Cor. 60 chs found the  $\frac{1}{16}$  Sec. Cor. and at 80 chs found the Cor. to Secs.

25, 30, 31, & 36.

My Compass will therefore run the same line as the exterior boundaries and the Chaining Agrees.

I begin at Standard Cor. to Secs. 35 & 36, T. 15. S. R. 11. E. which is a Post. Marked T. 15. S. R. 11. E. on N.

S. 36 on E, and

S. 35 on W. faces. with 5 notches on W. and 1 notch on E. faces with pits N. E. & W. of Post. 6 ft. dist. and Mound of Earth around Post.

Thence I run North between Secs. 35 & 36.

Var  $13^{\circ} 51'$  E.

20.00 Set a Post 3 ft long 3 ins. Sq. with



charrred Stake 12 ins. in the ground  
 for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N.  
 face. dug pits  $18 \times 18 \times 12$  ins. <sup>N. & S. of Post</sup>  $5\frac{1}{2}$  ft  
 dist and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base  
 around Post.

Thence East on a random  
 line thro  $S\frac{1}{2}$  of Sec 36.

Var.  $13^{\circ} 01' E$ .

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

80.07 Intersect East Sdy of N. <sup>South</sup> 9 lks East  
 of  $\frac{1}{16}$  Sec Cor

Thence Run South  $89^{\circ} 56' N$  on  
 a true line thro S.  $\frac{1}{2}$  of Sec. 36. with  
 same Var

20.01 Set a Post 3 ft. long 3 ins sq with  
 charrred Stake 12 ins in the ground  
 for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N.

## Sub-divisions

face, dug pits  $18 \times 18 \times 12$  ins. E & W.  
 of Post.  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of Earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around Post, from  
 which a mesquite (ins. in diam)  
 brs. S.  $40^\circ$  E. 85 lbs dist. Marked  
 $\frac{1}{16}$  S. B. 7.

40.03 Set a Post 3 ft. long 3 ins Sq. with  
 charred Stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face, dug pits  $18 \times 18 \times$   
 $12$  ins E & W. of Post  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of Earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
 Post.

60.04 Set a Post 3 ft long 3 ins Sq with  
 charred Stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 ...  $\frac{1}{16}$  S. on N. face, dug pits  $18 \times 18$   
 $\times 12$  ins E & W. of Post.  $5\frac{1}{2}$  ft. dist.

T. 15. S. R. 11. E.

and raised a mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base around  
Post: from which a Mesquite  
6 ins in diam. bns. N.  $85^{\circ}$  W.  
25 lks. dist. Marked  $\frac{1}{16}$  S, B, D.

80.07 The  $\frac{1}{16}$  Sec. Con.

Land mostly level

Soil 2nd Rate

Scattering Trees

Palo verde brush &c. chs.

Thence North between Secs 35 &  
36

Var  $13^{\circ} 01'$  E.

20.00 Set a Post 3 ft. long 3 ins sq. with  
charred stake 12 ins. in the  
ground for  $\frac{1}{4}$  Sec Con. Marked  
 $\frac{1}{4}$  S. on W. face dug pits  $18 \times 18 \times 12$  ins  
N. & S. of Post  $5\frac{1}{2}$  ft. dist and raised



## Sub-divisions

a mound of earth 19 1/2 ft high 3 1/2 ft base Around Post, from which a mesquite 5 ins. in diam brs. N. 41° E. 43 lks. dist. Marked 1/4 S. B. T.

Hence East on a random line thro Center of Sec. 36.

Var 13° 01' E.

- 20.00 Set temporary 1/16 Sec. Con.  
 40.00 Set temporary 1/4 Sec. Con.  
 60.00 Set temporary 1/16 Sec. Con.  
 79.98 Intersect - East B'dy. of 1/4 Sec. 13  
 lks S. of 1/4 Sec. Con.

Hence True S. 89° 55' W on a true line thro Center of Sec. 36. with same Var.

- 19.99 Set a Post 3 ft. long 3 ins lg with charred stake 12 ins in the ground, for 1/16 Sec. Con. Marked 1/4 S. on N. face dug pits 18 X 18 X 12

J. 15 S. R 11 E.

ins. E & W. of Post  $5\frac{1}{2}$  ft dist.  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
Post.

39.99 Set a Post 3 ft long 3 ins. sq. with  
charred stake 12 ins. in the  
ground. for  $\frac{1}{4}$  Sec Con. Marked  
 $\frac{1}{4}$  S. on N. face dug pits  $18 \times 18 \times$   
12 ins. E & W. of Post  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
Post.

59.99 Set a Post 3 ft long 3 ins. sq. with  
charred stake 12 ins. in the  
ground. for  $\frac{1}{6}$  Sec Con  
Marked  $\frac{1}{6}$  S. on N. face. dug  
pits  $18 \times 18 \times 12$  ins E & W. of Post  
 $5\frac{1}{2}$  ft dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around Post.

## Sub-divisions

from which a Palo Verde 8 ins  
in diam, brs. S.  $10^{\circ}$  E. 40 lks.  
dist. Marked  $\frac{1}{16}$  S. B.T.

79.98 The  $\frac{1}{4}$  Sec Cor.

Land Mostly level

Soil 2<sup>nd</sup> rate

Scattering Trees

Palo Verde brush 80 chs.



Hence North between Secs.  
35 & 36

Var 13' 01" E.

20.00 Set a Post 3 ft. long 3 ins dg with  
charred stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Cor.  
Marked  $\frac{1}{16}$  S. on W. face clay  
pits 18x18x12 ins. W & S. of  
Post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft.



A 15. S. R. 11. E.

high  $3\frac{1}{2}$  ft base around Post.Thence East, on a random  
thro.  $2\frac{1}{2}$  of Sec. 36.Var  $13^{\circ} 01' E$ .00.00 Set temporary  $\frac{1}{16}$  Sec. Con.00.00 Set temporary  $\frac{1}{16}$  Sec. Con.00.00 Set temporary  $\frac{1}{16}$  Sec. Con.00.04 Intersect East Bdy. of  $\frac{1}{4}$  of  $\frac{1}{16}$  North  
of  $\frac{1}{16}$  Sec. Con.Thence run North  $89^{\circ} 57' W$ . on  
a true thro.  $2\frac{1}{2}$  of Sec. 36. with  
same Var.00.01 Set a Post 3 ft. long 3 in. sq. with  
charred stake 12 in. in the ground  
for  $\frac{1}{16}$  Sec. Con. Marked  $\frac{1}{16}$  S. on N.  
face. dug pits  $18 \times 18 \times 12$  in. E & W.  
of Post.  $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth 19 ft high  $3\frac{1}{2}$   
ft base around Post.

00.02 Set a Post 3 ft. long 3 in. sq. with

## Sub-divisions

charred stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face. dug pits 18x18x12 ins. E. & W of Post  $5\frac{1}{2}$  ft dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around Post. from which a mesquite 8 ins. in diam. brs. N.  $30^{\circ}$  W. 55 lbs dist. Marked  $\frac{1}{16}$  S. B.P.

60.03 Set a Post 3 ft long 3 ins sq. with charred stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face. dug pits 18x18x12 ins E & W of Post  $5\frac{1}{2}$  ft dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft base around Post, from which a mesquite 6 ins in diam. brs. S.  $20^{\circ}$  E. 55 lbs dist. Marked  $\frac{1}{16}$  S. B.P.

80.04 The  $\frac{1}{16}$  Sec Cor

N. 15 S. R. 11 E

Land mostly level

Soil and rate

Scattering Pines

Paloverde brush so. chs.



Thence North between Secs. 35 &amp; 36.

Tan. 13.° 01' E.

20.00 Set a Post 4 ft. long 4 ins. Sq. with  
chained stake 12 ins. in the ground  
for cor. to Secs 25, 26, 35, & 36.

Marked

N. 15 S. S. 25 on N.E.

R. 11 E. S. 36 on S.E.

S. 35 on S.W. and

S. 26 on N.W. faces south 1 notch  
on S. and 1 notch on E. edges  
dig pits 18x18x12 ins in each  
Sec. 5 1/2 ft. dist. and raised a  
mound of earth 2 ft high



## Sub-divisions

4 1/2 ft. base around Post; from  
which a Palo Verde 10 ins. indium,  
bns. N. 84° W. 250 lks. dist. Marked  
P. 15 S. R 11 E. S. 26. B. 7.

Thence East on a random line  
between Secs. 25 & 36.

Var. 13° 05' E.

- 20.00 Set temporary 1/16 Sec, Con.  
40.00 Set temporary 1/4 Sec, Con.  
60.00 Set temporary 1/16 Sec, Con.  
80.11 Intersect East Bdy. of 7/8 4 lks  
North of Con to Secs. 25, 30, 31 & 36.

Thence I run N. 89° 56' W. on a  
true line between Secs 25 & 36.  
with same Var.

- 20 02 Set a Post 3 ft. long 3 ins. Sq. with  
Charned Stake 12 ins. in the  
ground for 1/16 Sec, Con, Marked  
1/16 S. on N. face, dug pits 18 X 18 X  
12 ins. E. & W. of Post 5 1/2 ft. dist.

N 13 S. R. 11. E.

and raised a mound of Earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
 Post.

40.06 Set a Post 3 ft long 3 ins. Sq. with  
 Charred Stake 12 ins in the  
 ground for  $\frac{1}{4}$  Sec. Cor. Marked  
 $\frac{1}{4}$  S. on N. face, dug pits.  $18 \times 18$ .  
 $\times 12$  ins. E & W. of Post  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of Earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base around  
 Post.

40.07 Set a Post 3 ft long 3 ins Sq. with  
 Charred Stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face, dug pits  $18 \times 18$   
 $\times 12$  ins E & W. of Post  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of Earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
 Post, from which a Mesquite tree  
 in view. brs. S.  $20^\circ$  E 135 lbs dist.

## Subdivisions

Marked  $\frac{1}{16}$  S. B. P.

80.11 The Cor to Secs 25, 26, 35, & 36.

Land mostly level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Rato Verde Brush 80, chs.

~~~~~

Hence North between Secs 25, & 26.

Var.  $13^{\circ} 01' E$

20.00 Set a Post 3 ft. long 3 ins. sq. with  
charred Stake 12 in in the  
ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on W. face dug pits  $18 \times 18 \times 12$   
ins. N. & S. of Post  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post,  
from which a Mesquite 4 ins. in  
diam. brs. S.  $49^{\circ} E$ . 100 lks dist.  
Marked  $\frac{1}{16}$  S. B. P.



P. 15. S. R. 11. E.

Thence East on a random line thro.  
the S.  $\frac{1}{2}$  of Sec 25.

Var  $13^{\circ}01' E.$

0.00 Set temporary  $\frac{1}{16}$  Sec. Con

0.00 Set temporary  $\frac{1}{16}$  Sec. Con

0.00 Set temporary  $\frac{1}{16}$  Sec. Con

0.09 Intersect East Bdy. of Tr. 14 lks  
North of  $\frac{1}{16}$  Sec. Con.

Thence S. run N.  $89^{\circ}32' W$  on  
a true line thro. S.  $\frac{1}{2}$  of Sec. 25, with  
same Var.

0.02 Set a Post 3 ft. long 3 ins Sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Con. Marked  $\frac{1}{16}$  S. on  
N. face dug pits  $18 \times 18 \times 12$  ins E. W.  
of Post.  $5 \frac{1}{2}$  ft. dist. cent raised  
a mound of earth  $1 \frac{1}{2}$  ft high  
 $3 \frac{1}{2}$  ft base around Post.

0.04 Set a Post 3 ft. long 3 ins Sq. with  
Charred Stake 12 ins in the ground

## Subdivisions

for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S on N. face, dug pits  $18 \times 18 \times 12$  ins E + W of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around Post.

60.06 Set a Post  $2\frac{1}{2}$  ft long 3 ins. sq. with charred stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face, dug pits  $18 \times 18 \times 12$  ins E + W of Post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base around Post.

80.09 The  $\frac{1}{16}$  Sec. Cor

Sand level

Soil 2nd rate

Scattering Trees

Some grass

Pale Verde brush soles.



N.S. R. 11. E.

BOOK 1982

18

Thence North between Secs 25 & 26.

Var  $13^{\circ} 01' E$ .

17.30 Road to Coyote Springs brs N.E. S.W.

20.00 Set a Post 3 ft. long 3 ins. Sq with charred stake 12 ins in the ground for  $\frac{1}{16}$  Sec Cor. Marked  $\frac{1}{16}$  S. on N. face dug pits  $18 \times 18 \times 12$  ins. N. & S. of Post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. diam around Post.

Thence East on a random line thro. center of Sec. 25.

Var.  $13^{\circ} 01' E$

6.10 Road to Coyote Springs brs N.E. S.W.

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

80.14 Intersect East Bdy. of Tp. 9 lks South of  $\frac{1}{4}$  Sec. Cor.

Thence I run S.  $89^{\circ} 56' W$ .



## Sub-divisions

on a true line thro center of Sec  
25 with same bar.

2003 Set a Post 3ft long zinc sq. with  
charred stake 12 ins in the  
ground, for  $\frac{1}{16}$  Sec. Cor. Marked  
+  $\frac{1}{16}$  S. on N. face. dug pits 18x18x12 ins  
E. & W. of Post  $5\frac{1}{2}$  ft. dist and  
raised a mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base around Post.

40.09 Set a Post 3ft. long zinc sq with  
charred stake 12 ins in the ground  
for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on N.  
face. dug pits 18x18x12 ins. E & W. of  
Post  $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
ft. base around Post.

60.10 Set a Post 3ft. long zinc sq. with  
charred stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N.  
face dug pits 18x18x12 ins E. & W. of

A. 155. R. 11. E.

BOOK 1982

of Post.  $5\frac{1}{2}$  ft dist. and raised  
a mound of Earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft. base around Post.

80.14 The 44 Sec. Cor.

Sand level

Soil 2nd rate

No Trees

Chollas + Bush 80 chs.

Some grass

Thence North between Sec. 25 & 26  
N on  $13^{\circ} 07' E$ .

20.00 Set a Post 3 ft. long 3 ins. Sq. with  
charred stake 12 ins in the ground  
for 44 Sec. Cor. Marked 44 S. on  
W. face deep pits  $18 \times 18 \times 12$  ins  
N. & S. of Post  $5\frac{1}{2}$  ft dist. and  
raised a mound of Earth  $1\frac{1}{2}$   
ft high  $3\frac{1}{2}$  ft base around Post

## Sub-divisions

Thence East on a random line thro North  $\frac{1}{2}$  of Sec 25.

Var  $13^{\circ} 01' E$ ,

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

60.00 Set temporary  $\frac{1}{16}$  Sec. Cor. and junction of old road with road to Coyote Springs brs. E. & W.

80.05 Intersect East Bdy of  $\frac{1}{16}$  Sec. South of  $\frac{1}{16}$  Sec. Cor

Thence I run S.  $89^{\circ} 53' N$ .

on a true line thro. N  $\frac{1}{2}$  of Sec 25. with same Var.

20.01 Set a Post 3 ft. long zinc sq. with charred stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor.

Marked  $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times 12$  in E. & W. of Post.  $5\frac{1}{2}$  ft. dist and raised a mound of Earth  $1\frac{1}{2}$  ft. high



P. 15. S. R. 11. E.

3 1/2 ft base around Post, at junction of roads.

40.02 Set a Post 3 ft. long 3 ins Sq. with Charred Stake 12 ins in the ground for 1/16 Sec. Cor. Marked 1/4 in. on N. face, dug pits 18x18 x 12 ins E. & W. of Post. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft base around Post.

40.03 Set a Post 3 ft. long 3 ins Sq with Charred Stake 12 ins in the ground, for 1/16 Sec Cor. Marked 1/4 in. on N. face, dug pits 18x18 x 12 ins. E. & W. of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around Post.

40.05 The 1/16 Sec. Cor,  
Sand level

## Sub-divisiois

Soil 2nd rate  
 good grass  
 No Timber  
 Cholla + Mesquite brush 80. chs.

---

Hence North on a random  
 line between Secs 25 & 26  
 Var.  $13^{\circ} 01' E.$

10.10 Dry Sand Wash. 8 lks wide Course N.E.  
 19.90 Intersect North Bdy. of Reservation  
 34 lks East of Cor. to Secs 23.  
 24, 25, & 26.

Hence I run S.  $0^{\circ} 59' E$   
 on a true line between Secs  
 25, & 26,

19.90 The 1/16. Sec. Cor

---

P. 15, S. R. 11, E.

BOOK 1982

Thence from the Standard Cor to Secs. 34 & 35, P. 15 S. R. 11, E. previously established and described by our Town North between Secs 34 & 35.

Var 13° 01' E.

20.00 Set a Post 2 ft. long 3 ins sq with charred stake 12 ins in the ground for 1/16 Sec. Cor. Marked 1/16 S. on W. face, dug pits 18x18x12 ins. N + S. of Post 3 1/2 ft. dist and raised a mound of Earth 1 1/2 ft. high 3 1/2 ft. base around Post.

Thence East on a Random line thro S 1/2 of Sec. 35.

Var. 13° 01' E,

- 20.00 Set temporary 1/16 Sec. Cor.
- 32.00 Dry Mark 40 lbs. wide copper S. E.
- 40.00 Set. Temporary 1/16 Sec. Cor.
- 60.00 Set temporary 1/16 Sec. Cor



## Sub divisions

4989 Intersect N. + S. line 7 lks north  
of 1/16 Sec. Cor.

Hence I run N.  $89^{\circ} 57' W.$   
on a true line thro. S.  $\frac{1}{2}$  of Sec  
35. with same bar.

19.49 Set a Post 3 ft. long 3 ins. sq. with  
Charred Stake 12 ins. in the ground  
for 1/16 Sec. Cor. Marked 1/16 S. on N.  
face, dug pits  $18 \times 18 \times 12$  ins. E + W of  
Post.  $5\frac{1}{2}$  ft. dist. and raised a  
mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around Post, from which a  
Palo Verde 6 ins. in diam. was. N.  
 $88^{\circ} 30' W.$  120 lks. dist. Marked 1/16  
S. B. T.

39.95 Set a Post 3 ft. long 3 ins. sq. with  
Charred Stake 12 ins. in the  
ground for 1/16 Sec. Cor. Marked  
1/16 S. on N. face, dug pits  $18 \times 18 \times$   
12 ins. E + W. of Post  $5\frac{1}{2}$  ft. dist.

N. 15 S. R. 11. E.

and raised a mound of earth  
1 1/2 ft high 3 1/2 ft base around  
Post.

59.91 Set a Post 3 ft. long 3 ins. Sq with  
chained Stake 12 ins in the  
ground for 1/16 Sec Con. Marked  
1/16 S. on N. face. Aug pits 18 X 18 X  
12 ins. E. & N. of Post. 5 1/2 ft. dist.  
and raised a mound of earth  
1 1/2 ft high 3 1/2 ft. base around  
Post

59.89 N. 1/16 Sec Con.  
Land mostly level  
Soil 2<sup>nd</sup> Rate  
Scattering Trees  
Palo Verde brush so. chs.

Thence West on a random  
line thro. S 1/2 of Sec. 34.

## Sub divisions

Var.  $13^{\circ} 01' E$ 20.00 Set temporary  $1/16$  Sec. Cor.40.00 Set temporary  $1/16$  Sec. Cor.60.00 Set temporary  $1/16$  Sec. Cor.80.11 Intersect West Belly of Reservoir  
13 lks South of  $1/16$  Sec. Cor.Thence I run South  $89^{\circ} 53' E$ ,  
on a true line thro.  $S 1/4$  of Sec.  
34. with same Var.20.11 Set a Post 3ft long 3ins sq. with  
charred Stake 12 ins in the  
ground for  $1/16$  Sec. Cor. Marked  
 $1/16$  S. on N. face. dug pit  $18 \times 18 \times$   
12 ins E & W. of Post.  $5 1/2$  ft dist.  
and raised a mound of Earth  
 $1 1/2$  ft high  $3 1/2$  ft. base around  
Post40.11 Set a Post 3ft. long 3ins sq. with  
charred Stake 12 ins in the ground  
for  $1/16$  Sec. Cor. Marked  $1/16$  S. on N



X. 15 S. R. 11. E.

face, dug pits 18X18X12 ins E & W. of  
of Post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft high  
3 1/2 ft base around Post. from  
which a mesquite 5 ins in diam.  
bros. S. 60° E. 45 lks. dist. Marked  
1/16 S. B. 9.

60.11 Set a Post 3 ft. long 3 ins sq with  
charred stake 2 ins. in the  
ground for 1/16 Sec. Cor. Marked  
1/16 S. on N. face, dug pits 18X18X  
12 ins E & W. of Post. 5 1/2 ft. dist.  
and raised a mound of earth  
1 1/2 ft. high 3 1/2 ft base around  
Post, from which a Palo Verde  
saw in diam. bro. S. 20° E. 50. lks.  
dist. Marked 1/16 S. B. 9.

80.11 The 1/16 Sec Cor.  
Land monthly level  
Soil 2nd Rate

## Sub divisions

Scattering Trees

Palo Verde brush rocks,



Thence North between Secs. 34 &amp; 35

Van  $13^{\circ} 01' 0''$ 

2000 Set a Post 3 ft long 3 ins sq. with  
 charred stake 12 ins in the ground  
 for  $\frac{1}{4}$  Sec Cor. Marked  $\frac{1}{4}$  S. on W. face,  
 dug pits  $18 \times 18 \times 12$  ins N + S. of Post  
 $5\frac{1}{2}$  ft. dist. and raised a mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. diam around  
 Post.

Thence East on a rounded  
 line thro. center of Sec. 35.

Van  $13^{\circ} 01' E.$ 2000 Set temporary  $\frac{1}{16}$  Sec. Cor.4000 Set temporary  $\frac{1}{4}$  Sec. Cor.6000 Set temporary  $\frac{1}{16}$  Sec. Cor.

8009 Intersect N + S. line 11. lks. South

N. 15 S. R. 11. E.

BOOK 1982

30.

of 114 Sec. Con.

Thence Iron S.  $89^{\circ} 53' W$ . on  
a true line thro. center of Sec.

35-

Var.  $13^{\circ} 01' E$

20.02 Set a Post 3ft long 3ins Sq. with  
churned Stake 12 ins in the ground  
for 116 Sec. Con. Marked 116 S. on N.  
face. dug pits  $18 \times 18 \times 12$  ins. E. of  
Post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around Post.

40.04 Set a Post 3ft long 3ins Sq. with  
churned Stake 12 ins in the ground  
for 14 Sec. Con. Marked 14 S on  
N. face. dug pits  $18 \times 18 \times 12$  ins  
E. of Post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base around Post.  
from which a mesquite 5 ins. in



BOOK 1982

## Sub-divisions

diam. bro. S. 20° W. 53 lks dist.  
 Marked 74 S. B. 9.

60.06 Set a Post 3ft long 3ins sq. with  
 charred stake 12 ins in the ground  
 for 1/16 Sec. Cor. Marked 116 S. on N. face  
 dug pits 18X18X12 ins E & W of Post  
 5 1/2 ft dist. and raised a mound  
 of earth 1 1/2 ft high 3 1/2 ft base  
 around Post.

80.09 The 1/4 Sec Cor.

Land mostly level

Soil 2nd rate

Scattering trees

Palo verde brush 80, chs.

~~~~~

Thence west on a random line  
 thro. center of Sec 34.

Cor. 13° 01' E,

2000 Set temporary 1/16 Sec Cor.

## P. 15 S. R. 1. E.

- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.
- 80.13 Intersect West Bdy. of Reservation  
9 lks north of  $\frac{1}{4}$  Sec. Cor.  
Thence I run North  $89^{\circ} 54' E$   
on a true line thro center of  
Sec 24. with same Var.
- 20.13 Set a Post 3 ft long 3 in sq with  
charred stake 12 in in the ground  
for  $\frac{1}{16}$  Sec Cor. Marked  $\frac{1}{16}$  S. on  
N. face dug pits  $18 \times 18 \times 12$  in E & W.  
of Post. 57 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft high  
3 1/2 ft base around Post.
- 40.13 Set a Post 3 ft long 3 in sq. with  
charred stake 12 in in the  
ground for  $\frac{1}{4}$  Sec Cor. Marked  
 $\frac{1}{4}$  S. on N. face, dug pits  $18 \times 18$   
 $\times 12$  in E. & W. of Post. 57 1/2 ft. dist.  
and raised a mound of earth

## Sub-divisions

1 1/2 ft. high 3 1/2 ft base around Post.

60 13 Set a Post 3 ft long 3 ins sq with charred stake 12 ins. in the ground for 1/4 Sec. Con. Marked 1/4 S. on N. face. dug pits 18x18x12 ins. E & W. of Post 5 1/2 ft. dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft base around Post

80 13 The 1/4 Sec. Con.  
Sand mostly level  
Soil 2nd rate  
Scattering Trees  
Palo Verde Brush so. chs.

Thence North between Secs 3 & 4

35-

Var. 13° 47' E



N. 155. R. 11. E.

BOOK 1982

20.00 Set a Post 3ft. long 3ins Sq. with charred Stake 12 ins. in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on W. face, dug pits 18x18x12 ins. N & S. of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around Post.

Thence East on a random line thro N. 1/2 of Sec. 35-

Var.  $130^{\circ} 01' E.$

0.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

10.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

30.10 Intersect N & S line 10 lks north of  $\frac{1}{16}$  Sec. Cor.

Thence I ran  $\frac{1}{16}$   $89^{\circ} 54' W.$  on a true line thro. N. 1/2 of Sec. 35 with same var.

20.02 Set a Post 3ft. long 3ins Sq. with charred Stake 12 ins in the

## Sub-divisions

ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face dug pits  $18 \times 18 \times$   
 $12$  ins E & W. of Post  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
 Post. from which a Palo Verde  
 runs in diam. bns S.  $70^\circ$  E.  $85$   
 tho. dist. Marked  $\frac{1}{16}$  S. B.D.

4005 Set a Post 3 ft. long 3 ins. Sq. with  
 charred stake 12 ins. in the ground  
 for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S.  
 on N. face, dug pits  $18 \times 18 \times 12$  ins.  
 E & W. of Post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
 Post.

60.06 Set a Post 3 ft. long 3 ins. Sq. with  
 charred stake 12 ins. in the  
 ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face dug pits  $18 \times 18 \times$

T. 15. S. R. 11. E.

12 ins. E x m. of Post. 5 1/2 ft dist.  
and raised a mound of earth  
1 1/2 ft. high 3 1/2 ft. base around  
Post.

20.10 The 1/16 Sec. Con.

Sand level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde Brush &c. chs.

~~~~~

Thence West on random line  
thro 1/4 of Sec 34

Var. 13° 01' E.

20.00 Set temporary 1/16 Sec. Con.

10.00 Set temporary 1/16 Sec. Con.

20.00 Set temporary 1/16 Sec. Con.

19.90 Intersect West Bdy. of Reser-  
vation 8 lks South of 1/16 Sec  
Con.



## Sub-division

Thence Iron S.  $89^{\circ}59' E$ . on  
a true line thro. N.  $\frac{1}{2}$  of Sec.  
34. with same bar.

19.90 Set a Post 3 ft. long 3 ins. Sq. with  
charred stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18x18x  
12 ins. E & W. of Post 5  $\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around  
Post.

39.90 Set a Post 3 ft. long 3 ins. Sq. with  
charred stake 12 ins. in the  
ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18x18x  
12 ins E & W. of Post. 5  $\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around  
Post.

59.90 Set a Post 3 ft long 3 ins Sq. with

T. 15. S. R. 11. E

Charred Stake 12 ins. in the ground  
for  $\frac{1}{16}$  Sec. Con. Marked  $\frac{1}{16}$  S. on N.  
face. dug pits 18x18x12 ins. E & W.  
of Post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around Post.

49.90 The  $\frac{1}{16}$  Sec. Con

Sand level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Ralo Verde Brush so. chs.

~~~~~  
Thence North between Secs. 34 & 35.

Var.  $13^{\circ} 01' E$ .

20.00 Set a Post 4 ft. long 4 ins. sq. with  
Charred Stake 12 ins. in the  
ground. for con to Secs. 26, 27,  
34 & 35. Marked  
T. 15 S. S. 26 on NE

## Sub-divisions

R. 11. E. S. 35 on S.E.

S. 34 on S.W. and

S. 27 on N.W. faces with 1 notch  
on S. and 2 notches on E. edges

Dug pits 18x18x12 ins in each  
Sec. 5 1/2 ft. dist and raised a  
mound of earth 2 ft. high 4 1/2 ft.  
base around Post.

Hence East on random line  
between Secs. 26 & 35

Var 13° 01' E.

20.00 Set temporary 1/6 Sec. Cor.

24.00 Dry Wash 15 lks. wide course W.

40.00 Set temporary 1/4 Sec. Cor.

60.00 Set temporary 1/4 Sec. Cor.

80.14 Intersect N. & S. line 9 lks S. of Cor.

to Secs 25, 26, 35 & 36

Hence Town S. 89° 36' W. on  
a true line between Secs 26 & 35,  
with same Var



D. S. R. E.

- 20.03 Set a Post 3 ft long 3 ins sq. with charred stake 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face, dug pits 18X18X12 ins E & W of Post. 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft base around Post.
- 20.04 Set a Post 3 ft. long 3 ins sq. with charred stake 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on N. face, dug pits 18X18X12 ins E & W of Post. 5  $\frac{1}{2}$  ft dist. and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around Post.
- 20.10 Set a Post 3 ft. long 3 ins sq. with charred stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face, dug pits 18X18X12 ins. E & W of Post 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth

## Sub-divisions

80.14 1/2 ft high 3 1/2 ft base around Post.  
 The. Cor. to Secs. 26, 27, 34, & 35.

Sand level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde Brush 80. chs.

Thence West on a random line  
 between Secs. 27. & 34,

Var.  $13^{\circ}01'E$

20.00 Set temporary 1/4 Sec. Cor.

40.00 Set temporary 1/4 Sec. Cor.

60.00 Set temporary 1/4 Sec. Cor.

70.00 Road to Coyote Springs brs N.E. & S.W.

79.93 Intersect West Bdy. of Survey  
 town 6 lks. South of Cor to Secs.  
 27, 28, 33, & 34.

Thence Iron S.  $89^{\circ}58'E$ ,  
 on a true line between Secs.

27 x 34 with same bar

1993 Set a Post 3ft. long 3 ins. Sq. with charred Stake 12 ins in the ground. for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face. dug pits 18X18X12 ins E & W. of Post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft base around Post.

39.93 Set a Post 3ft. long 3 ins. Sq. with charred Stake 12 ins in the ground. for  $\frac{1}{4}$  Sec Cor. Marked  $\frac{1}{4}$  S. on N. face. dug pits 18X18X12 ins. E & W. of Post.  $5\frac{1}{2}$  ft. dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft base around Post.

59.93 Set a Post 3ft. long 3 ins. Sq. with charred Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. Marked



## Sub divisions

$\frac{1}{16}$  S. on N face dug pits 18x18x12  
ins. E & W of Post  $5\frac{1}{2}$  ft. dist  
and raised a mound of  
Earth 19 ft high  $3\frac{1}{2}$  ft base  
around Post.

7943 The Cor to Secs 26 27 34 & 35

Level level

Soil 2<sup>nd</sup> Rate

Scattering trees

Palo Verde Brush so clo.

Thence North between Secs 26 & 27.

Var  $13^{\circ} 01' E$ ,

14.20 Road to Coyote Springs bridge

20.00 Set a Post 3 ft. long 3 ins Sq with  
Charred Stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on W. face. dug pits 18x18  
x12 ins N. & S. of Post  $5\frac{1}{2}$  ft dist.

T. 15. S. R. 11. E.

and raised a mound of earth  
1<sup>1</sup>/<sub>2</sub> ft. high 37 ft. base around  
Post, from which a Mequite  
Guis in diam. brs. N 45° E  
80 lks. dist. Marked "1/16 S. B. D."

Thence East on a random line  
thro. S. 1/2 of Sec 26.

Var. 13° 05' E.

- 20.00 Set temporary 1/16 Sec Cor  
27.85 Dry Wash 15 lks wide Course N.  
36.70 Road to Coyote Springs brs N, E & S W.  
40.00 Set temporary 1/16 Sec. Cor.  
60.00 Set temporary 1/16 Sec. Cor.  
80.05 Intersect U.S. Line 7 lks North  
of 1/16 Sec. Cor.

Thence I run N. 89° 57' W.  
on a true line thro S. 1/2 of Sec.  
26. with same Var

- 20.01 Set a Post 3 ft long Guis. Sq. with  
Charred Stake 12 ins in the

## Subdivisions

ground for  $\frac{1}{16}$  Sec. Con. Marked  
 $\frac{1}{16}$  S. on N. face, clay pits  $18 \times 18$   
 $\times 12$  ins. E. & W. of Post.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
 around Post. from which  
 a Palo Verde tree in diam.  
 bro. N.  $49^\circ$  E. 120 lks. dist.  
 Marked  $\frac{1}{16}$  S. B. P.

40.02 Set a Post 3 ft. long 3 ins Sq. with  
 Charred Stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec Con  
 Marked  $\frac{1}{16}$  S. on N. face, clay  
 pits  $18 \times 18 \times 12$  ins. E. & W. of Post  
 $5\frac{1}{2}$  ft. dist; and raised a  
 mound of Earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around Post.

60.03 Set a Post 3 ft. long 3 ins Sq. with  
 Charred Stake 12 ins in the ground  
 for  $\frac{1}{16}$  Sec. Con. Marked  $\frac{1}{16}$  S.



N. 15 S. R. 11. E.

on N. face, dug pits 18x18x17 inches  
E. & W. of Post 5 1/2 ft. dist. and  
raised a mound of earth 1 1/2  
ft. high 3 1/2 ft. base around  
Post.

80.05 The 1/16 Sec. Cor.

Land level

Soil 2<sup>nd</sup> Rate. Good Grass

Scattered Trees

Palo Verde Brush so. chs.

Thence west on a random line thro  
S 1/2 of Sec 24.

Var 13° 01' E

4.20 Dry Wash 20 lks wide course N.

20.00 Set temporary 1/16 Sec Cor

40.00 Set temporary 1/16 Sec. Cor.

60.00 Set temporary 1/16 Sec. Cor.

80.07 Intersect West Bdy. of Reservation

## Subdivisions

11/16ths. South of  $\frac{1}{16}$  Sec. Cor

Thence I run S. 89° 45' E on  
a true line thro South  $\frac{1}{2}$  of Sec  
27. with same Var.

20 07 Set a Post 3ft. long 3 ins Sq with  
charrred stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face, dug pits 18X18X12  
ins. E. & W. of Post, <sup>5 1/2 ft. dist.</sup> and raised a  
mound of earth 1 1/2 ft. high  
3 1/2 ft base around Post.

40.07 Set a Post 3ft. long 3 ins Sq. with  
charrred stake 12 ins. in the  
ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18X18  
X12 ins E & W. of Post 5 1/2 ft dist  
and raised a mound of Earth  
1 1/2 ft high 3 1/2 ft base around  
Post.

60.07 Set a Post 3ft. long 3 ins Sq. with

P. 15 S. R. 44 E.

Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on  
N. face. dug pits 18x18x12 ins.  
E. & W. of Post 5  $\frac{1}{2}$  ft. dist. and  
raised a mound of Earth  $\frac{1}{2}$   
ft high 3  $\frac{1}{2}$  ft. base around Post.

8007 The  $\frac{1}{16}$  Sec Cor.

Land level

Soil 2nd Rate

Scattering trees, Good Grass

Pale Verde Brush & Chollas 80 chs.

Thence North between Secs. 26 & 27

Var. 13° 01' E.

8000 Set a Post 3 ft. long 3 ins Sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S on  
N. face and dug pits 18x18x12 ins.  
N. & S. of Post. 5  $\frac{1}{2}$  ft. dist. and



## Subdivisions

raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. Bear around Post from which a mesquite runs in diam. bors. N.  $40^{\circ}$  W. 100 lks dist. Marked  $\frac{1}{4}$  S. B. 7.

Thence East on random line thro center of Sec. 26.

Var.  $13^{\circ} 01'$  E.

20.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

60.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.03 Intersect N. & S. line 9 lks South of  $\frac{1}{4}$  Sec. Cor.

Thence True S.  $89^{\circ} 56'$  W. on a true line thro center of Sec 26 with same Var.

20.00 Set a Post 3 ft. long 3 ins sq. with Charred Stake 12 ins in the ground for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on N. face. dug pits  $18 \times 18 \times$

T. 15. S. R. 11. E.

40.01 12 ins. E & W of Post  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post  
 Set a Post 3 ft. high 3 ins. Sq. with charred Stake 12 ins in the ground for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on N. face, dug pits  $18 \times 18 \times 12$  ins. E & W. of Post  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post. from a Palo Verde 5 ins in diam. brs. N.  $89^{\circ} 30'$  W. 130 lks dist. marked  $\frac{1}{4}$  S.P.P.

60.01 Set a Post 3 ft. long 3 ins Sq. with charred Stake 12 ins in the ground for  $\frac{1}{6}$  Sec. Cor. Marked  $\frac{1}{6}$  S. on N. face dug pits  $18 \times 18 \times 12$  ins E & W. of Post  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post

## Sub divisions

from which a Guajquite six in  
diam. brs.  $N. 30^{\circ} E. 16$  lks. dist.  
marked  $\frac{1}{16}$  S. B. P.

80.03 The  $\frac{1}{4}$  Sec Cor

Land level

Soil 2<sup>nd</sup> rate. Good Grass

Scattering Trees

Chollas & Palo Verde brush 80, chs.

~~~~~

Hence West on a random line  
thro center of Sec. 24

Var.  $13^{\circ} 01' E.$

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

79.94 Intersect West Bdy of Recreation

13 lks. North of  $\frac{1}{16}$  Sec. Cor.

Hence South  $N. 89.55' E.$

on a true line thro. center of Sec



## P. 15 S. R. 11. E.

24. with same bar.
- 19.94 Set a Post 3 ft. long 3 ins Sq. with Charred Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face. dug pit 18x18x12 ins E. & W. of Post 5  $\frac{1}{2}$  ft. dist. and raised a mound of Earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around Post.
- 39.94 Set a Post 3 ft. long 3 ins Sq. with Charred Stake 12 ins in the ground for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on N. face. dug pits 18x18x12 ins. E. & W. of Post. 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around Post
- 59.94 Set a Post 3 ft. long 3 ins Sq. with Charred Stake 12 ins. in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N. face. dug pits 18x18x12. ins. E. & W. of Post. 5  $\frac{1}{2}$  ft. dist

## Subdivisions

and raised a mound of  
Earth 1 1/2 ft. high 3 1/2 ft base  
around Post.

79.94 The 44 Sec. Cor

Sand level

Soil 2nd Rate. Good Grass

No Trees.

Chollas + Palo Verde brush so, ch.



-Thence North between Secs.  
26. & 27.

Var. 13° 01' E.

20.00 Set a Post 3 ft long 2 ins. Sq. with  
charred Stake 12 ins in the ground  
for 46 Sec Cor marked 46 S. on  
W. face, dug pits 18x18x12 ins N.  
& S. of Post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft high  
3 1/2 ft. base around Post. from

P. 15. S. B. 11. E.

which a Palo Verde sinus in  
diam. bro. N.  $20^{\circ}$  E. 22 lks. dist.  
Marked  $\frac{1}{16}$  S. B. P.

A mesquite 4 ins in diam.  
bro S.  $50^{\circ}$  W. 30 lks. dist - Marked  
 $\frac{1}{16}$  S. B. P.

Hence East on a random line  
thro N  $\frac{1}{2}$  of Sec. 26.

Var.  $13^{\circ} 01' E.$

- 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
79.90 Intersect N + S. line 6 lks. South  
of  $\frac{1}{16}$  Sec. Cor.

Hence South S.  $89^{\circ} 58' W.$   
on a true line thro. N.  $\frac{1}{2}$  of  
Sec 26, with same Var.

- 19.97 Set a Post 2 ft. long 3 ins sq. with  
Charred stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec Cor Marked  $\frac{1}{16}$  S. on N



## Sub-divisions

face, dug pits 18X18X12 ins E.S.N. of Post, 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft. high 3 1/2 ft. base around Post.

3994 Set a Post 3 ft. long 3 ins sq. with charred Stake pins in the ground for 1/16 Sec Con. marked 1/16 S. on N.

face, dug pits 18X18X12 ins E.S.N. of Post, 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft. high 3 1/2 ft. base around Post.

3991 Set a Post 3 ft. long 3 ins sq. with charred Stake 12 ins. in the ground for 1/16 Sec. Con. marked 1/16 S. on

face, dug pits 18X18X12 ins. E.S.N. of Post 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft. high 3 1/2 ft. base around Post.

4990 The 1/16 Sec Con

∴ Land level

T. 15. S. R. 11. E.

Soil 2<sup>nd</sup> Rate, Good Grass.

No Trees

Chollas + Palo Verde brush 80, chs.

Thence West on a random line  
thro. N  $\frac{1}{2}$  of Sec. 29

Var.  $130^{\circ} 01' E$ 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.80.04 Intersect West Pdy. of Reservation  
wks N. of  $\frac{1}{16}$  Sec. Cor.

Thence True N.  $89^{\circ} 58' E$  on  
a true line thro. N  $\frac{1}{2}$  of Sec 29  
with same Var.

20.04 Set a Post 3 ft. long 3 in. Sq. with  
Shard Stake 12 in. in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked "16 S. on  
N. face, dug pits  $18 \times 18 \times 12$  in

## Sub-divisions

E. 1/4 of Post 5 1/2 ft. dia. and raised  
 a mound of earth 1 1/2 ft. high  
 3 1/2 ft. base around Post. from  
 which a Mesquite 8 ins. diam.  
 bro. S. 40° E. 25 lks. dist. Marked  
 1/16 S. B. N.

40.04 Sepa Post 3 ft. long 3 ins. sq. with  
 Charred Stake 12 ins. in the ground  
 for 1/16 Sec. Cor. Marked 1/16 S. on N.  
 face. dug pits 18x18x12 ins. E. & W.  
 of Post 5 1/2 ft. dia. and raised  
 a mound of earth 1 1/2 ft. high  
 3 1/2 ft. base around Post.

60.04 Sepa Post 3 ft. long 3 ins. sq. with  
 Charred Stake 12 ins. in the ground  
 for 1/16 Sec. Cor. Marked 1/16 S. on N.  
 face. dug pit 18x18x12 ins. E. & W. of  
 Post. 5 1/2 ft. dia. and raised a  
 mound of earth 1 1/2 ft. high  
 3 1/2 ft. base around Post.



T. 15. S. R. 11. E.

8004 The 416 Sec. Con.  
Land level

Soil 2<sup>nd</sup> Rate. Good Grass

No Trees

Chollas & Palo Verde Brush rocks.

~~~~~

Thence north on a Random line  
between Secs. 26 & 29.

Var.  $13^{\circ} 01' E$

19.40 Intersect North Bdy. of Reser-  
vation 22 lks East of Con. to  
Secs. 22, 23, 26 & 29.

Thence from S.  $0^{\circ} 39' E$ . on  
a true line between Secs 26 & 29.  
with same Var.

19.40 The 416 Sec. Con.

~~~~~

## Subdivisions

2 1/2 miles in this fractional Township run through mesquite and Palo Verde timber, and brush, and 3 1/2 miles through Palo Verde brush & Chollas.

---

The land in this fractional Township is nearly level, soil 2<sup>nd</sup> Rate throughout with good grass in northern half. The ground has a gentle slope to the north, and the Dry Washes mentioned are comparatively even with the ground.

With water all the land could be cultivated

There are no settlers or improvements of any kind

*S. R. U. E.*

BOOK 1982

*in this fractional Township*

*J. D. Chilsan*

*U. S. Dep'y, Surveyor*



Final Oath of Assistants. 61

BOOK 1982

We hereby certify that we assisted L. D. Chiles

U. S. Deputy Surveyor, in surveying

the parts or portions of

Yapago Indian Res-  
ervation

and are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the corner monuments established according to the instructions furnished by the United States Surveyor-General for Arizona.

Francis William Chainman.

Thomas Mill Chainman.

Axeman.

Joseph Morton Summer Flagman.

Sworn to and subscribed before me, this 20th day of

June, 1888

Euclid Mealy

61A

# List of Names.

BOOK 1982

A List of the Names of Individuals employed by  
*L. W. Chillson* U. S. deputy  
 surveyor, to assist in running, measuring, or marking the lines  
 and corners described in the foregoing Field Notes of the survey  
 of *Papago Indian Reserration*

Showing the respective capacities in which they acted.

*Thomas Wise* Chairman.

*Francis William Perry* Chairman.

..... Axeman.

*Joseph Masters* Flagman.



Final Oaths of Assistants.

We hereby certify that we assisted L. D.

Phillson

U. S. Deputy Surveyor, in surveying

(The San Xavier)

Papago Indian Reservoir

of the principal base and meridian in the Territory of Arizona,  
 as are represented in the foregoing field notes as having been  
 surveyed by him and under his direction; and that said Survey  
 has been in all respects, to the best of our knowledge and belief,  
 well and faithfully surveyed, and the corner monuments es-  
 tablished according to the instructions furnished by the U. S.  
 Surveyor-General for Arizona.

Mateyo <sup>his</sup> Cruz  
 Pedro <sup>mark</sup> Quisavia  
 Antonio <sup>mark</sup> Garcia  
<sup>mark</sup>

Subscribed and sworn to before me this

27<sup>th</sup>

day of

Febey

1888

John D. Dine

Notary Public



*Final Oaths for Surveys.*

LIST OF NAMES.

BOOK 1982

*A List of the Names of Individuals employed by*  
*U. S. Deputy Surveyor to*  
*assist in running, measuring and marking the lines and*  
*corners described in the foregoing Field Notes of the survey of*  
*the*

*of the principal base and meridian in the Territory of Arizona,*  
*showing the respective capacities in which they acted.*



62

I ~~we~~ hereby certify that we assisted L. W. Chiles

U. S. Deputy Surveyor, in surveying

(the San Xavier) Papago Indian Reservation

BOOK 1882

of the principal base and meridian in the Territory of Arizona, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the U. S. Surveyor-General for Arizona.

Lucas <sup>his</sup> Matuaco  
mark Axeman.

Subscribed and sworn to before me this 27<sup>th</sup>

day of July

1888

John H. Wise

Notary Public.

*Final Oaths for Surveys.*

LIST OF NAMES.

BOOK 1982 \_\_\_\_\_

*A List of the Names of Individuals employed by  
..... U. S. Deputy Surveyor to  
assist in running, measuring and marking the lines and  
corners described in the foregoing Field Notes of the survey of  
the .....*

*of the principal base and meridian in the Territory of Arizona,  
showing the respective capacities in which they acted.*

.....  
.....  
.....  
.....  
.....  
.....





# Final Oath of Assistants.

63

BOOK 1982

We hereby certify that we assisted L. D.

Chilson U. S. Deputy Surveyor, in surveying

all those parts or portions of The San

avien (Papago) Indian  
Reservation

as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey as been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the corner monuments established according to the instructions furnished by the United States Surveyor-General for Arizona.

A. E. Sprague Chainman.

Chainman.


Axeman.

Flagman.


Sworn to and subscribed before me, this 27 day of

Feb  
188

J. H. Hine



# List of Names.



*A List of the Names of Individuals employed by  
U. S. deputy  
surveyor, to assist in running, measuring, or marking the lines  
and corners described in the foregoing Field Notes of the sur*

*as of* .....

*co.* .....

*th.* .....


*Showing the respective capacities in which they acted.*

*of* ..... *Chainman.*  
*sh.* .....

..... *Chainman.*

..... *Axeman.*

..... *Flagman.*



# Final Oath of Assistants.

64

We hereby certify that we assisted

*S. D. Chillum*

U. S. Deputy Surveyor, in surveying

all those parts or portions of

*San Xavier Indian  
Reservation,*

as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the corner monuments established according to the instructions furnished by the United States Surveyor-General for Arizona.

..... Chairman.

..... Chairman.

..... Axeman.


..... Flagman.

*his  
Luthigo Roman  
mark*

Sworn to and subscribed before me, this *29<sup>th</sup>* day of

....., 188*8*

*John H. Scise*





BOOK 1982

A List of the Names of Individuals employed by  
..... U. S. deputy  
surveyor, to assist in running, measuring, or marking the lines  
and corners described in the foregoing Field Notes of the survey  
of .....

Showing the respective capacities in which they acted.

..... Chainman.

..... Chainman.

..... Axeman.

..... Flagman.



# Final Oath of Assistants.

65

BOOK 1982

We hereby certify that we assisted *F. Schickel*

U. S. Deputy Surveyor, in surveying

all those parts or portions of

*Sau Xavier Indian Reservation*

as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the corner monuments established according to the instructions furnished by the United States Surveyor-General for Arizona.

*Levi Howie Manning* Topograph  
Chainman.

Chainman.

Axeman.

Flagman.

Sworn to and subscribed before me, this *27* day of

*Feb*, 188*8*.

*John H. Hise*



List of Names.

BOOK 1982



A List of the Names of Individuals employed by  
U. S. deputy  
surveyor, to assist in running, measuring, or marking the lines  
and corners described in the foregoing Field Notes of the survey  
of


Showing the respective capacities in which they acted.

..... Chainman.

..... Chainman.

..... Axeman.

..... Flagman.





Final Oath of Assistants.

BOOK 1982

67

We hereby certify that we assisted L D Chilson

U. S. Deputy Surveyor, in surveying

all those parts or portions of

San Xavier Indian  
Reservation;

as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the corner monuments established according to the instructions furnished by the United States Surveyor-General for Arizona.

Jose Escobedo Chainman.

Chainman.

Axeman.

Flagman.

Sworn to and subscribed before me, this 27 day of

February, 1888

John S. Die



# List of Names.



*A List of the Names of Individuals employed by*  
..... *U. S. deputy*  
*surveyor to assist in running, measuring, or marking the lines*  
*and corners described in the foregoing Field Notes of the survey*  
*of* .....

*Showing the respective capacities in which they acted.*

..... *Chainman.*

..... *Chainman.*

..... *Axeman.*

..... *Flagman.*



Final Oath of Deputy Surveyor.

I, L. D. Chelton

U. S. Deputy Surveyor, do solemnly swear that in pursuance of instructions received from John Wasson, United States Surveyor-General for Arizona, bearing date the 27th

day of December 1887, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Surveying Manual, and the laws of the United States, surveyed all those parts or portions of

San Xavier Papago  
Indian Reservation.

as are represented

in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific manner described in the



69

field notes, and that the foregoing are true and correct  
such survey, and should any fraud be detected I will suffer  
penalty of perjury, under the provisions of an act of Congress  
approved August 8, 1846

*I. D. Chillson*

U. S. Deputy Surveyor.

Sworn to and subscribed before me this 30<sup>th</sup> day of  
March, 1888

*John Abise*



U. S. Surveyor-General's Office,

TUCSON, A. T., July 11<sup>th</sup> 1888

The foregoing Field Notes of the Surveys of  
Subdivisions T 15 S R 11 E,  
in Papago Indian  
Reservation

Gila and Salt River Meridian  
in Arizona Terr. executed by  
L. D. Cheison

U. S. Deputy Surveyor, under his contract dated  
November 30<sup>th</sup> 1887,  
having been critically examined, the necessary correc-  
tions and explanations made, the said Field Notes and  
the surveys they describe are hereby approved.

John Wise  
U. S. Surveyor-General  
for the Territory of Arizona.