

No. 1
1983

1983

BOOK 1983

1983

4-671

1983

FIELD NOTES
GENERAL LAND OFFICE.
SUBDIVISIONS

PAPAGO INDIAN RESERVATION.
T. 15 S. - R. 12 E.

1983

BOOK 1983
INDEX.

Township 15 South, Range 12 East.

GILA AND SALT RIVER MERIDIAN.



	6	5	4	3	2	1
	—	+	+	+	+	+
7	8	9	10	11	12	
	+	+	+	+	+	
18	17	16	15	14	13	
	+	+	+	+	+	
19	20	21	22	23	24	
	+	+	+	+	+	
110	108 114.	82 80	83 80	60	43 40	23. 21
111	113 109	79 77	60 58	37	40 38	20 18
100	105 103	77 75	58 55	37 25	18 15	15 15
101	103 98	74 73	55 53	35 33	11. 9	
95	97 95	72 69	52 50	31 29	9 7	
99	92 88	69 67	49 47	24 22	6 4	
85	87 85	66 64	46 44	21 24	6 4	
	83	63	43	24	4	

Index for } BOOK 1983
BOOK 1984

Referring the lines to the pages of the field notes.

Township No. 15 S Range No. 12 E 9 and 10 Meridian.

BOOK 1983



Cr. & Co.'s Blank No. 1903.—TOWNSHIP PLAT.—80 CHAINS TO 1/4 INCH. H. S. Crocker & Co., San Francisco and Sacramento, Cal.

Meridian Line,
Base Line,
Standard Line,
Township Lines,

M. Field Notes.

of the Survey of the
Subdivisions Lines
of
Township No 15 South
Range 12 East
in the
Papago Indian Reservation
of the
Gila and Salt River Meridian
of
Arizona
As Surveyed by
L. D. Phillips.
U. S. Deputy Surveyor
under his contract

No 8 -

Dated Nov 30th 1887Survey commenced Feb 22nd 1888Survey completed Feb 26th 1888

'A BOOK 1983

Sub-Divisions In Papago Indian

Preliminary to commencing
this survey I run west on a blank line
on the South Boundary of sec 36 and
at 19.95 chs found the $\frac{1}{16}$ sec cor at
40.01 chs found the $\frac{1}{4}$ sec cor at 59.98
chs found the $\frac{1}{16}$ sec cor at 80.04
chs found the sec cor.

Thence from the corner to secs
1.6. 31 & 36. I run North on a blank
line between secs 31 & 36 and at
20.02 chs found the $\frac{1}{16}$ sec cor at
40.03 chs found the $\frac{1}{4}$ sec cor at
59.96. chs found the $\frac{1}{16}$ sec cor at
79.98 chs found the sec cor

My compass will therefore run
the same line as the exterior
boundaries and the chaining
Practically agrees

Survey commenced Feb 22nd
1888 with a Gurley solar Transit

T. 15. S. R. 12 E.
Reservation

BOOK 1983

2

Before commencing the survey of the subdivisions lines of this fractional ^{ownership} stake an observation using a Gurlay Solar Transit and find the Magnetic Variation to be $15^{\circ}10'$ E.

I ran West on a blank line on the South Body of Sec. 36. and at 20 chs. found $\frac{1}{16}$ Sec. Cor, at 40 chs. found $\frac{1}{4}$ Sec. Cor, at 60 chs. found $\frac{1}{16}$ Sec. Cor, and at 80 chs. found the Standard Cor. to Secs. 31 & 36

I then ran North on a blank line between Secs. 31 & 36 and at 20 chs found the $\frac{1}{16}$ Sec. Cor, 40 chs found the $\frac{1}{4}$ Sec. Cor, 60 chs found the $\frac{1}{16}$ Sec. Cor, and at 80 chs found the Cor to Secs. 25, 30, 31, & 36.
My compass will therefore run

BOOK 1983

Subdivisions

run the same line as the
 Exterior boundaries, and
 the chaining agrees

I begin at Standard Cor. to
 Secs. 35, & 36. T. 15 S. R. 12 E.
 which is a Post Marked
 T. 15 S. R. 12 E. on N.

S. 36. on E. and

S 35. on W. faces. with 5 notches
 on W. and 1 notch on E. faces
 with pits N. E. & W. of Post left
 dist. and mound of earth around
 Post.

T. 15 S. R. 12 E.

Thence north between Secs. 35 & 36
Var. $13^{\circ} 10'$ E.

20.00 Set a Post 3 ft. long 3 ins. Sq. with
charred Stake 12 ins in the ground
for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on W.
face. dig pits $18 \times 18 \times 12$ ins N. & S. of
Post; $5\frac{1}{2}$ ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around Post.

Thence East on a random
line thro $\frac{1}{2}$ of Sec. 36.
Var $13^{\circ} 10'$ E.

5.00 Old road N. & S.
12.50 Dry wash 40 lks. wide course N.E.
20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
21.00 Dry Wash 30 lks wide course N.
40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
42.00 Ascend broken foothills of
Black Mt.
56.00 Gulch 40 lks wide course W.

Sub divisions

- 60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 80.09 Intersect East Side of Twp. 4th Co
 South of $\frac{1}{16}$ Sec. Cor.
 Thence Run S. 89° 54' W.
 on a true line thro. S $\frac{1}{2}$ of
 Sec 36. with same var.
- 20.02 Set a Stone 12x14x18 ins 10 ins in
 the ground for $\frac{1}{16}$ Sec. Cor.
 marked $\frac{1}{16}$ S. on north face
 and raised a mound of Stone
 alongside. Pits impracticable
- 40.04 Set a Stone 20x10x18 ins 10 ins.
 in the ground for $\frac{1}{16}$ Sec. Cor. &
 marked $\frac{1}{16}$ S. on north face
 raised a mound of Stone
 alongside Pits impracticable
- 60.06 Set a Post 2ft. long 3 ins sq. with
 charred Stake 12 ins. in the ground
 for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ South
 face. dug pits 18x18x12 ins E. & W.
 of Post 5 $\frac{1}{2}$ ft. dist. and raised
 a mound of Earth 1 $\frac{1}{2}$ ft high

P. 15 S. R. 12 E.

8009 3 1/2 ft base around Post
 The 1/4 Sec. Cor.
 Sand 40 chs. mostly level and
 2nd Rate. 40 chs. rocky, broken,
 and worthless.
 No Timber
 Greasewood Brush 80 chs.



Thence North between Sec: 35, & 36.
 Van 13° 10' E.

20.00 Set a Post 3 ft. long 3 in. sq. with
 charred stake 12 in. in the ground
 for 1/4 Sec. Cor. Marked 1/4 S. on N
 face. dug pits 18x18x12 in N. & S.
 of Post. 5 1/2 ft. dist and raised
 a mound of Earth 1 1/2 ft high
 3 1/2 ft base around Post, from
 which a Palo Verde 5 in in diam
 bro. S. 60° E 89 lbs. dist. Marked

Subdivisions

$\frac{1}{4}$ S. B. 7.

Thence East on a random line thro. center of Secs 36.

Var $13^{\circ} 10'$ E.

9.00 old Road course N. & S.

17.00 Dry wash 40 lks wide Course N. E.

20.00 Set temporary $\frac{1}{16}$ Sec Cor.

40.00 Set temporary $\frac{1}{4}$ Sec Cor.

44.00 Dry Wash 45 lks wide Course N. W. and ascend foot hills of Black Mt.

60.00 Set temporary $\frac{1}{16}$ Sec. Cor.

80.10 Intersect East Bdy. of Tp. 44. lks South of $\frac{1}{4}$ Sec. Cor.

Thence I run S. $89^{\circ} 54'$ W. on a true line thro center of Sec. 36 with same Var.

2002 Set a Stone $20 \times 10 \times 14$ ins for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face, and raised a mound of Stone alongside. It's impracticable

P. 15. S. R. 12. E

40.05 Set a Stone 12X15X18 ins, 10 ins,
in the ground for $\frac{1}{4}$ Sec. Cor,
Marked $\frac{1}{4}$ S. on N. face. and
raised a mound of Stone
along side. Pits impracticable

60.07 Set a Post 3 ft. long 3 ins sq. with
churned stake 12 ins in the ground
for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on
N. face. dug pits 18X18X12 ins,
E & W. of Post. $5\frac{1}{2}$ ft dist. and
raised a mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around Post.

80.10 The $\frac{1}{4}$ Sec. Cor.

Sand 40 chs. mostly level and
2nd Rate. 36 chains rocky,
broken & worthless.
Scattering trees 40 chs.
Greenwood & Palo Verde brush 80 chs.

Sub divisions

Thence North between Secs 35.
and 36.

Var $13^{\circ} 10' E$

20.00 Set a Post 3ft. long 3 ins sq. with
churned stake driven into
ground for $\frac{1}{16}$ Sec. Cor.
Marked $\frac{1}{16}$ S. on W. face,
dug pits $18 \times 18 \times 12$ ins. N. & S.
of Post $5\frac{1}{2}$ ft. dist. and raised
a mound of Earth $19\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around
Post

Thence East on a random
line thro $\frac{1}{4}$ of Sec. 36.

Var. $13^{\circ} 10' E$

17.00 Old Road brs. N. & W.
20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
22.50 Dry Wash 50 lks. wide Course N.
38.10 Dry Wash 40 lks. wide Course N.
46.00 Set temporary $\frac{1}{16}$ Sec. Cor.

P. 15. S. R. 12. E.

BOOK 1983

- 49.00 Begin Ascent of foot hills of Black
Creek
- 60.00 Set Temporary $\frac{1}{16}$ Sec. Cor
- 80.11 Intersect East Bdy. line of
Twp. 7 lks north of $\frac{1}{16}$ Sec. Cor.
Thence I run N. $89^{\circ} 53' W.$
on a true line thro the N. $\frac{1}{2}$
of Sec 36. with same Var.
- 20.02 Set a Stone $18 \times 14 \times 12$ ins. 10 ins
in the ground for $\frac{1}{16}$ Sec. Cor.
Marked $\frac{1}{16}$ S. on N. face, and
raised a mound of Stone
along side Pits impracticable
- 40.05 Set a Post $3\frac{1}{2}$ ft long 3 ins Sq. with
Charred Stake 12 ins in the ground
for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on
N. face. dug pits $18 \times 18 \times 12$ ins E
W. of Post $5\frac{1}{2}$ ft. dirt. and raised
a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
ft. base around Post.

Sub divisions

60.07 Set a Post 3ft. long 3/4 in Sq. with charred stake 12 in. in the ground for 416 Sec. Cor. Marked 416 S. on N. face. dug pits 18x18x12 ft. E & W. of Post. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around Post.

80.11 The 416 Sec. Cor.

Land 49 Chs. Mostly level and soil 2nd rate, 31 Chs. rocky & worthless

No timber

Greenwood and Palo verde brush 80 Chs

Thence North between Secs 35 & 36.

Var 13° 10' E.

16.90 old Road bro N, W.

T. 15 S. R. 17 E.

20.00 Set a Post 4ft. long 4 in Sq.
with charred Stake 2 ins. in
the ground. for Cor to Secs
35, 26, 35, & 36. Marked
T. 15 S. S. 25 on N.E.
R. 12 E. S. 36. on S.E.
S. 35 on S.W. and
S. 26 on N.W. faces. with 1
notch on S. and 1 notch
on E. faces. dug pits 18x
18x12 ins in each Sec. 5 1/2
ft. dist. and raised a mound
of earth 1 1/2 ft high 3 1/2 ft. base
around Post.

Sound for 80 chs. between Secs.
35 & 36. mostly level & 2nd Rate
Scattering trees

Palo Verde Brush 80 chs.

Subdivisions

Thence East on a random
line between Secs. 25. + 36,
Var $13^{\circ} 10' E$,

20.00 Set temporary $\frac{1}{16}$ Sec Cor

25.30 Dry wash 40 lks. wide course N.

31.00 Dry wash 50 lks. wide course N.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor

53.00 Begin Ascent of foot hills of
Black Mts.

60.00 Set temporary $\frac{1}{16}$ Sec. Cor,

80.07 Intersect E. Bdy. of T₁. 9 lks North
of cor. to Secs. 25. 30 31 + 36.

Thence I run S. $89^{\circ} 54' N$. on
a true line between Secs 25 + 36
with same var.

20.01 Set a stone $12 \times 12 \times 14$ ins 10 ins
in the ground for $\frac{1}{16}$ Sec Cor.
Marked $\frac{1}{16}$ S. on N. face. and
visible a circle of stone
along side. Pets impracticable

P. 15 S. R. 17 E.

BOOK 1983

24

40.03 Set a Post 3 ft long 3 ins Sq. with charred stake 2 ins. in the ground for $\frac{1}{4}$ Sec Cor. Marked $\frac{1}{4}$ S. on N. face. dug pits 18x18x12 ins E & W of Post. 5 $\frac{1}{2}$ ft dist and raised a mound of Earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft base around Post.

60.04 Set a Post 3 ft long 3 ins Sq with charred stake 1 2 ins in the ground. for $\frac{1}{6}$ Sec. Cor. Marked $\frac{1}{6}$ S. on N. face. dug pits 18x18x12 ins. E & W of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around Post.

80.07 The Cor to Secs 25, 26, 35 & 36. Land 53 chs mostly level and 2nd Rate. 29 chs. rocky and worthless

Sub divisions

Scattering trees
 Palo Verde & Greasewood
 brush & cobs.
 B.G. observation taken this day & gives the
 magnetic var to be $13^{\circ} 10' E$.

Thence North between Secs.
 25 & 26.

Var. $13^{\circ} 10' E$

20.00 Set a Post 3 ft. long 3 ins sq. with
 charred stake 12 ins into the ground
 for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on
 n. face dug pits $18 \times 18 \times 12$ ins
 N. & S. of Post $5\frac{1}{2}$ ft. dist and
 raised a mound of Earth $1\frac{1}{2}$
 ft high $3\frac{1}{2}$ ft. base around
 Post.

Thence East on a Runclow
 line thro $3\frac{1}{2}$ of Sec. 25.

Var $13^{\circ} 10' E$.

18.00 Dry Wash 50 lks wide Course N.

T. 15 S. R. 13 E.

BOOK 1983

16

- 20.00 Set temporary $\frac{1}{16}$ Sec Cor
- 32.00 Dry Wash 40k wide course N.
- 40.00 Set temporary $\frac{1}{16}$ Sec. Cor,
- 49.00 Begin to ascend foothills of the Black Mt.
- 60.00 Set temporary $\frac{1}{16}$ Sec. Cor
- 80.12 Intersect East Bdy of Tp,
9k North of $\frac{1}{16}$ Sec. Cor.
Hence I run N $89^{\circ}56'20$.
on a true line thro S $\frac{1}{2}$ of Sec.
25. with same Van
- 20.03 Set a Stone 12x14x18 ins 10 ins.
in the ground for $\frac{1}{16}$ Sec Cor,
Marked $\frac{1}{16}$ S. on N. face, and raised
a mound of stone along side,
Pits impracticable
- 40.06 Set a Post 3ft. long 3 ins Sq. with
chained stake 12 ins in the
ground, for $\frac{1}{16}$ Sec Cor. Marked
 $\frac{1}{16}$ S. on N. face. clay pits 18x18x

Subdivisions

12 ins E & W of Post 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft high 3 1/2 ft base around Post.

60.09 Set a Post 3 ft. long 3 ins Sq. with charred stake 12 ins in the ground for 1/16 Sec Cor. Marked 1/16 S on N. face. dig pits 18x18x12 ins E & W of Post. 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft high 3 1/2 ft base around Post.

80.12 The 1/16 Sec. Cor
Land mostly level 59 chs. and
2nd rate. 11 chs. rocky & worthless
Scattering Trees
Grease wood & Palo Verde brush 80 chs.

~~~~~  
Thence north between Secs.

P. 15. S. R. &amp; E.

25+26

Var.  $13^{\circ} 10'$  E.

20.00 Set a Post 3 ft. long 3 ins sq with charred stake 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on W. face deep pits  $18 \times 18 \times 12$  ins U.S. of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around Post.

Thence East on a random line thro center of Sec. 25

Var  $13^{\circ} 10'$  E.

16.00 Dry Wash 50 lks wide Course N.  
 20.00 Set temporary  $\frac{1}{16}$  Sec Cor  
 30.00 Dry Wash 50 lks. wide Course N.  
 40.00 Set temporary  $\frac{1}{4}$  Sec Cor  
 57.00 Dry Wash 30 lks wide Course N & E  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 76.00 Foot-hills Black Hills  
 79.94 Intersect. East Bdy. of Tps

## Subdivisions

$\frac{1}{4}$  lks South of  $\frac{1}{4}$  Sec. Cor.

Thence 1 run S.  $89^{\circ}57'40''$ .  
on a true line thro. the center  
of Sec 25. with same Var.

19.98 Set a Post 3 ft. long 3 ins sq with  
charred stake 12 ins in the  
ground. for  $\frac{1}{16}$  Sec Cor marked  
 $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times$   
12 ins. E & W. of Post  $5\frac{1}{2}$  ft. dist.  
and raised a mound of Earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
Post.

39.97 Set a Post 3 ft. long 3 ins sq with  
charred stake 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S. on N. face dug pits  $18 \times 18$   
 $\times 12$  ins E & W. of Post  $5\frac{1}{2}$  ft. dist.  
and raised a mound of Earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
Post.



T. 13<sup>th</sup> S. R. 11<sup>th</sup> E.

9.95 Set a Post 3 ft. long 3 ins Sq. with  
 Charred Stake 12 ins in the  
 ground for 416 Sec. Cor. Marked  
 4/16 S. on N. face. Clag pits 18 x 18  
 x 12 ins E. & W. of Post. 5 1/2 ft. dist.  
 and raised a mound of Earth  
 1 1/2 ft. high 3 1/2 ft. base around  
 Post.

9.94 The 44 Sec. Cor

Sand 75 chs mostly level and  
 2<sup>nd</sup> rate. 5 chs. rocky & worthless  
 Scattering Trees.

Grease wood & Palo Verde brush  
 80 chs

Thence North between a Sec.

25726,

Var. 13° 10' E.

2000 Set a Post 3 ft. long 3 ins Sq. with

## Subdivisions

Charred Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face dug pits  $18 \times 18 \times 12$  ins N. & S. of Post  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft. base around Post.

Thence East on a random line thro.  $\frac{1}{4}$  of Sec 25.

Var  $13^{\circ} 10' E.$

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

80.04 Intersect East Bdy. of Twp. 9 lks. north of  $\frac{1}{16}$  Sec Cor

Thence True N.  $89^{\circ} 56' W.$  on a true line thro.  $\frac{1}{4}$  of Sec 25. with same var.

20.01 Set a Post 3 ft. long 3 ins Sq. with Charred Stake 12 ins in the

T. 15 S. R. 12 E.

ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face, dug pits  $18 \times 18 \times$   
 $12$  ins. E. & W. of Post.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
 Post.

40.02 Set a Post 3 ft. long 3 ins. sq. with  
 Charned Stake 12 ins. in the ground  
 for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S.  
 on N. face. dug pits  $18 \times 18 \times 12$  ins  
 E & W. of Post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  $1\frac{1}{2}$   
 feet high  $3\frac{1}{2}$  ft. base around Post.

60.03 Set a Post 3 ft. long 3 ins. sq. with  
 Charned Stake 12 ins. in the  
 ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face, dug pits  $18 \times 18$   
 $\times 12$  ins. E & W. of Post  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around



## Subdivisions

Past

80 041 The 416 Sec. Cor.

Land mostly level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde & Greasewood  
brush so. chs.

---

 Thence North on a random  
line between Secs. 25 & 26  
Var.  $13^{\circ} 10' E.$ 

 19.92 Intersect North Bdy. of  
Reservation 21 lks. East of  
Cor. to Secs. 23, 24, 25, & 26.

 Thence from S.  $0^{\circ} 36' E.$   
on a true line between Secs.  
25 & 26. with same Var.

19.92 The 416 Sec. Cor.

Land so. chs. between Secs.

T. 15. S. R. 12. E.

25 &amp; 26. Mostly level

Soil 2<sup>nd</sup> Rate

Scattering trees

Palo Verde &amp; Greasewood brush

80. chs.

~~~~~

Hence from the Cor. to Secs.
34 & 35 T. 15. S. R. 12. E. 2 run
North between Sec 34 & 35
Tan. $13^{\circ} 10' E.$

20.00 Set a Post, 3 ft. long 3 in. Sq. with
chained stake 2 in. in the ground
for 1/16 Sec. Cor. Marked 1/16 S on
W. face. dug pits 18 X 18 X 12 in N.
S. of Post. 5 1/2 ft. dist. and
raised a mound of earth
1 1/2 ft. high 3 1/2 ft. base around
Post.

Hence East on a random line

Subdivisions

thro. S $\frac{1}{2}$ of Sec. 35.Var. $13^{\circ} 10'$ E.

- 20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 52.50 Dry Wash 30 lks. wide Course N.
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 80.07 Intersect U.S. line 5 lks. South
 of $\frac{1}{16}$ Sec. Cor.

Thence True S. $89^{\circ} 38'$ W. on
 a true line thro. S $\frac{1}{2}$ of Sec 35,
 with same Var.

- 20.01 Set a Post 3 ft. long 3 ins Sq. with
 charred Stake 12 ins. in the ground
 for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on N.
 face. dig pits $18 \times 18 \times 12$ ins E & W. of
 Post. 5 $\frac{1}{2}$ ft. dist. and raised a
 Mound of Earth 1 $\frac{1}{2}$ ft. high $3 \frac{1}{2}$
 ft. base around Post.
- 40.03 Set a Post 3 ft. long 3 ins Sq. with
 charred Stake 12 ins. in the ground

N. 5. S. R. 12. E.

for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on N.
 face, dug pits $18 \times 18 \times 12$ ins E. & M. of
 Post $5\frac{1}{2}$ ft. dist. and raised
 a mound of Earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft. base around Post. from
 which a Palo Verde Lewis in
 diam. bro. S. 75° E. 43 lks dist.
 Marked $\frac{1}{16}$ S. P. 9.

60.05 Set a Post 3 ft. long 3 ins sq. with
 charred Stake 12 ins in the ground
 for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on
 N. face, dug pits $18 \times 18 \times 12$ ins.
 E. & M. of Post. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth $1\frac{1}{2}$
 ft. high $3\frac{1}{2}$ ft. base around Post.

80.07 The $\frac{1}{16}$ Sec. Cor.

Lead level

Soil 2nd Rate

Scattering Trees

Palo Verde brush 80 chs.

Subdivisions

Hence North between Secs. 34 & 35

Var. $13^{\circ} 10'$ E.

- 20.00 Set a Post 3 ft. long 3 ins. Sq. with charred stake 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$ S. on N. face. dug pits $18 \times 18 \times 12$ ins. N. & S. of Post. $5\frac{1}{2}$ ft. dist. and raised a mound of Earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. Base around Post

Hence East on a random line thro center of Sec. 35.

Var $13^{\circ} 10'$ E.

- 20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
40.00 Set temporary $\frac{1}{4}$ Sec. Cor.
60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
80.09 Intersect N & S. line to the South of $\frac{1}{4}$ Sec. Cor.

Hence True South $89^{\circ} 58'$ N. on a true line thro. center of Sec. 35 with same var.

T. 15. S. R. 12. E.

- 20.02 Set a Post 3 ft. long 3 ins Sq. with Charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on N. face. dug pits 18X18X12 ins E & W. of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around Post.
- 40.04 Set a Post 3 ft. long 3 ins Sq. with Charred Stake 12 ins in the ground for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ S. on N. face. dug pits 18X18X12 ins. E & W. of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around Post.
- 60.06 Set a Post 3 ft long 3 ins. Sq. with Charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on N. face, dug pits 18X18X12 ins. E & W of Post 5 $\frac{1}{2}$ ft dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high

Sub. divisions

3 1/2 ft base around Post.
80.09 The 44 S.E. Cor.

Land mostly level

Soil 2nd Rate

Scattering Trees

Palo Verde brush so clo.



Thence North between Secs 34 & 35.

Var. 130 10' E.

20.00 Set a Post 3 ft. long 3 ins. Sq. with
chained Stake 12 ins in the ground
for 4/6 S.E. Cor. Marked "168. on
W. face, deep pits 18X18X12 ins. N.W.S.
of Post 5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft. high 3 1/2
ft. base around Post.

Thence East on a random
line thro N 1/2 of Sec 35.

Var. 130 10' E.

T. 15. S. R. 12. E.

BOOK 1983

30

- 20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
80.05 Intersect U. & S. line. of lks North
of $\frac{1}{16}$ Sec Cor

Hence I run N. $89^{\circ} 57' W$.
on a true line thro N $\frac{1}{4}$ of Sec
35. with same par.

40.01 Set a Post 3 ft. long 3 ins sq. with
chained stake 12 ins in the ground
for $\frac{1}{16}$ Sec Cor. marked $\frac{1}{16}$ S. on
N. face, dug pits $18 \times 18 \times 12$ ins E &
W. of Post. 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft high
3 $\frac{1}{2}$ ft. base around Post.

40.02 Set a Post 3 ft. long 3 ins sq. with
chained stake 12 ins in the ground
for $\frac{1}{16}$ Sec. Cor, marked $\frac{1}{16}$ S. on
N. face, dug pits $18 \times 18 \times 12$ ins
E & W of Post 5 $\frac{1}{2}$ ft. dist and

Sub-division

raised a mound of Earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around Post.
 60.03 Set a Post 3 ft. long 3 ins Sq. with
 charred stake 62 ins. in the
 ground for $\frac{1}{16}$ Sec. Cor. marked
 $\frac{1}{16}$ S. on N. face, deep pits $18 \times 18 \times$
 12 ins. E. & W. of Post. $5\frac{1}{2}$ ft. dist.
 and raised a mound of Earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
 Post.

80.05 The $\frac{1}{16}$ Sec. Cor.

Sand level:

Soil 2nd Rate

Scattering Trees

Palo Verde brush 80. chs.

~~~~~

Thence North between Secs 34 & 35

Var.  $13^{\circ} 10'$  E.

20.00 Set a Post, 4 ft. long 4 ins Sq. with



T. 13 S. R. 17 E. BOOK 1983

Charred Stake 12 ins in the  
ground for Cor to Secs. 26 27,  
34, & 35. Marked

P. 15 S. S. 26 on N.E.

R. 12 E. S. 35, on S.E.

S. 34, on S.W. and

S. 27, on N.W. faces with 1

notch on S. and 2 notches on

E. edges. dug pits 18X18X12

ins in each Sec. 5 1/2 ft. dist.

and raised a mound of

Earth 2 ft. high 4 1/2 ft. base

around Post.

Sand so. chs. between Secs.

34 & 35: level and Soil 2<sup>nd</sup>

rate

Scattering Trees.

Palo Verde brush so. chs.

## Sub divisions

Thence East on a random line  
between Secs 26, & 35.

Var.  $13^{\circ} 10' E.$

20.00 Set temporary  $1/16$  Sec Cor

40.00 Set temporary  $1/4$  Sec. Cor,

60.00 Set temporary  $1/16$  Sec. Cor,

73.00 Old Road, bns N.W.

80.02 Intersect N & S. line 10 lks. South  
of Cor. to Secs. 25, 26, 35, & 36.

Thence Iron S.  $89^{\circ} 56' N.$   
on a true line between Secs  
26, & 35. with same var.

20.00 Set a Post 3 ft. long 3 ins. Sq. with  
charred stake 12 ins in the ground  
for  $1/16$  Sec. Cor. marked  $1/16$  S. on  
N. face, dug pits  $18 \times 18 \times 12$  ins E &  
W. of Post 5 1/2 ft. disk and raised  
a mound of earth 1 1/2 ft high  
3 1/2 ft. base around Post.

40.01 Set a Post 3 ft. long 3 ins Sq. with

T. 15. S. R. 12. E.

BOOK 1083

34

chained stake 12 ins in the ground  
for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on  
N. face. dug pits 18x18x12 ins  
E. W. of Post 5  $\frac{1}{2}$  ft. dist. and  
raised a mound of Earth 1  $\frac{1}{2}$   
ft. high 3  $\frac{1}{2}$  ft. base around  
Post.

60.01 Set a Post 3 ft. long 3 ins Sq. with  
chained stake 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on  
N. face dug pits 18x18x12 ins.  
E. W. of Post 5  $\frac{1}{2}$  ft. dist. and  
raised a mound of earth 1  $\frac{1}{2}$   
ft. high 3  $\frac{1}{2}$  ft. base around  
Post.

80.02 The cor. to Secs. 26, 29, 34, & 35.  
Sand level  
Soil 2<sup>nd</sup> Rate  
Scattering Trees  
Bals Verde brush so. chs.  
~~~~~


Subdivisions

Thence North between Secs. 26, & 27.

Var. $13^{\circ} 10'$ E.

- 18.00 Foot of small hill
 19.10 Summit of small hill and descend
 20.00 Set a stone 12, X 14, X 16, ins. 10 ins.
 in the ground, for $\frac{1}{16}$ Sec Cor,
 Marked $\frac{1}{16}$ S. on N. face, and
 raised a mound of stone
 alongside. Pits impracticable

Thence East on a random
 line thro S. $\frac{1}{2}$ of Sec. 26.

Var. $13^{\circ} 10'$ E.

- 20.00 Set temporary $\frac{1}{16}$ Sec Cor
 40.00 Set temporary $\frac{1}{16}$ Sec. Cor,
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor,
 65.00 Old Road bro N. W.
 79.90 Intersect N. & S. line at the $\frac{1}{16}$
 Sec. Cor.

Thence I run West on a
 true line thro S. $\frac{1}{2}$ of Sec 26

T. 15. S. R. 12. E.

with same Var.

19.907 Set a Post 3ft. long 3ins Sq. with charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on N. face dug pits 18x18x12 ins E. & W. of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around Post.

39.95 Set a Post 3ft. long 3ins Sq. with charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on N. face. dug pits 18x18x12 ins. E. & W. of Post 5 $\frac{1}{2}$ ft dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft base around Post.

59.92 Set a Post 3ft long 3ins Sq. with charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec Cor. marked

BOOK 1983

Sub. divisions

416 S. on N. face, dug pits 18X18
X12 ins. E & W. of Post. 5 1/2 ft. dist.
and raised a mound of earth
3 1/2 ft. high 3 1/2 ft. base around
Post.

479.90 The 416 Sec. Cor.

Land level

Soil 2nd Rate

Scattering Trees

Ralo Verde brush 80. chs.

Feb 22nd 1888.

Thence North between Secs 26, & 27

Var. 13° 10' E.

16.10 Dry Wash 50 lbs wide course N.E.

20.00 Set a Post 3 ft. long 3 ins. sq. with
charred stakes 12 ins. in the ground
for 44 Sec. Cor. marked 44 S. on
N. face dug pits 18X18X12 ins
E & W. of Post 5 1/2 ft. dist and

N. 15. S. R. 12. E.

raised a mound of earth
1 1/2 ft high 3 1/2 ft base around
Post.

Thence East on random line
thro center of Sec. 26.

Var. $13^{\circ} 10' E.$

30.00 Set Temporary 1/16 Sec Cor

40.00 Set temporary 1/4 Sec Cor

52.00 Old Road bro N.W.

60.00 Set temporary 1/16 Sec. Cor.

79.98 Intersect N & S. line of N.W.
South of 1/4 Sec. Cor.

Thence I run S. $89^{\circ} 56' W.$
on a true line thro ^{center of} Sec 26.

(with same Var.)

19.99 Set a Post 3 ft long 2 in. Sq. with
charred stake 12 in in the
ground for 1/16 Sec. Cor. marked
1/16 S. on N. face, dug pits 18 X 18
X 12 in. E x W of Post. 5 1/2 ft. dist.

Sub-divisions

and raised a mound of Earth
1 1/2 ft high 3 1/2 ft. base around
Post.

39.99 Set a Post 3 ft. long 3 ins. Sq. with
Charred Stake 12 ins in the ground
for 1/4 Sec. Cor. marked 1/4 S. on
N. face, dug pits 18 X 18 X 12 ins
E. & W. of Post 5 1/2 ft. dist. and
raised a mound of Earth 1 1/2
ft. high 3 1/2 ft. base around Post.

39.99 Set a Post 3 ft. long 3 ins. Sq. with
Charred Stake 12 ins in the
ground for 1/6 Sec. Cor. marked
1/6 S. on N. face, dug pits 18 X 18 X
12 ins. E. & W. of Post. 5 1/2 ft. dist.
and raised a mound of Earth
1 1/2 ft high 3 1/2 ft. base around
Post.

39.98 The 1/4 Sec. Cor.
Sand level

N. 15. S. R. 12. E.

Soil 2nd Rate

Scattering Trees

Palo Verde brush so, etc.

~~~~~

Hence North between Secs.

26 & 27.

Var 13° 10' E.

17.30 Road to Stevens Ranch on NE & S. W.

20.00 Set a Post 3 ft long 3 ins Sq. with  
charred Stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on W. face. dug pits 18x  
18x12 ins. W. & S. of Post 5 ft. dist.  
and raised a mound of Earth  
14 ft high 3 1/2 ft base around  
Post.

Hence East on a random  
line thro. N.  $\frac{1}{2}$  of Sec. 26,

Var. 13° 10' E.



## Subdivisions

- 4.10 Road to Stevens Ranch brs. N.E. & S.W.  
 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 41.09 Old Road brs. N.W.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 80.05 Intersect N. & S. line 13. lks. South  
 of  $\frac{1}{16}$  Sec. Cor.

Hence Iron S.  $89^{\circ}55'$  m. on  
 a true line thro  $\frac{1}{2}$  of Sec. 26.  
 with the same var.

- 20.01 Set a Post 3 ft. long 3 ins. Sq. with  
 channeled stake 12 ins in the ground  
 for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
 N. face. dug pits  $18 \times 18 \times 12$  ins  
 E & W of Post 5  $\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  $1\frac{1}{2}$   
 ft high 3  $\frac{1}{2}$  ft base around  
 Post.  
 40.02 Set a Post 3 ft. long 3 ins. Sq. with  
 channeled stake 12 ins in the ground

T. 13. S. R. 12. E.

for  $\frac{1}{16}$  Sec Cor. marked  $\frac{1}{16}$  S. on  
n. face. dug pits  $18 \times 18 \times 17$  ins  
E & W of Post.  $5\frac{1}{2}$  ft. dia. and  
raised a mound of Earth  $7\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around Post.

60.02

Set a Post. 3 ft. long 3 ins Sq. with  
chained stake chain in the ground  
for  $\frac{1}{16}$  Sec Cor. marked  $\frac{1}{16}$  S. on  
n. face. dug pits  $18 \times 18 \times 12$  ins.  
E & W of Post.  $5\frac{1}{2}$  ft. dia. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
Post.

80.05

The  $\frac{1}{16}$  Sec Cor.  
Sand level  
Soil 2<sup>nd</sup> Rate  
Scattering Trees  
Pale Verde brush so chs.

## Sub divisions

Thence North on a random  
line between Sees 26. + 27.

Var  $13^{\circ} 10'$  E.

19.88 Intersect North Bdy. of Reservation  
16 lbs. East of Cor to Sees. 22. 23.  
26. + 27.

Thence True South  $0^{\circ} 28'$  E.  
on a true line between See 26.  
+ 27. with same Var

19.88 The 416 Sec. Cor.  
Land for 80 Chs. between See. 26  
+ 27. Mostly level and soil 2<sup>nd</sup>  
Rate

Scattering Trees

Rat Verde Brush 80 Chs.

Thence from the Cor to Sees.  
33. + 34. N 15 S. R 12 E. True North  
between Sees. 33. + 34



T. 15. S. R. 12. E

Tan. 13° 10' E.

- 11.00 Dry Wash 40 lks. wide course 2 E.  
 20.00 Set a Post 3 ft. long 3 ins. sq. with  
 charred stake 12 ins. in eter  
 ground for  $\frac{1}{16}$  Sec. Cor. marked  
 $\frac{1}{16}$  S. on W. face. dug pits 18x18x  
 12 ins. N. & S. of Post. 5  $\frac{1}{2}$  ft. dist.  
 and raised a mound of earth  
 14 ft. high 3  $\frac{1}{2}$  ft. base around  
 Post, from which a mesquite 8 ins.  
 in diam. bears N. 53° E. 65 lks  
 dist. Marked  $\frac{1}{16}$  S. B.P.

Thence East on a random  
 line thro. S  $\frac{1}{2}$  of Sec 34

Tan. 13° 10' E.

- 18.20 Dry Wash 40 lks wide Course W.  
 20.50 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 40.50 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 66.60 Dry Wash 50 lks wide Course W.

## Subdivisions

79.98 Intersect U.S. line 3 lks N. of  $\frac{1}{16}$  Sec. Cor.

Hence Town N.  $89^{\circ}59'$   
W. on a true line thro Sec  $\frac{3}{4}$ .  
with same var.

19.99 Set a Post 3 ft. long 3 ins. Sq. with  
channed stake 12 ins. in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
N. face. dug pits 18X18X12 ins E & W  
of Post. 5  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth 1  $\frac{1}{2}$  ft high  
3  $\frac{1}{2}$  ft. base around Post.

39.99 Set a Post 3 ft long 3 ins Sq. with  
channed stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec Cor. marked  $\frac{1}{16}$  S on  
N. face. dug pits 18X18X12 ins  
E. & W of Post. 5  $\frac{1}{2}$  ft. dist. and  
raised a mound of earth 1  $\frac{1}{2}$   
ft high 3  $\frac{1}{2}$  ft. base around  
Post.

T. 15. S. R. 11. E.

59.99 Set a Post 8ft. long 3 ins Sq. with  
 charred stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec. Cor. marked  
 $\frac{1}{16}$  S. on N. face, dug pits 18x18x  
 12 ins. E & W. of Post. 5 1/2 ft dist  
 and raised a mound of Earth  
 1 1/2 ft high 3 1/2 ft base around  
 Post.

79.98 The  $\frac{1}{16}$  Sec. Cor.  
 Sand level  
 Soil 2<sup>nd</sup> rate  
 Scattering Trees  
 Palo Verde brush & such

Feb 23<sup>rd</sup> 1888.

Thence North between Secs.  
<sup>33</sup>  
 32 & 34

Var. 13° 10' S.

20.00 Set a Post 8ft. long 3 ins Sq. with  
 charred stake 12 ins in the



## Subdivisions

ground for  $\frac{1}{4}$  Sec. Cor. marked  
 44 s. on W. face. clay pits 18X18X  
 12 ins N. & S. of Post.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of earth  
 1 $\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
 Post.

Thence East on random line  
 thro. center of Sec. 34.

Var  $130^{\circ}10'$  E;

- 19.00 Dry Wash 30 lks. wide course N,  
 30.00 Set Temporary  $\frac{1}{16}$  Sec. Cor.  
 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 69.40 Dry Wash 40 lks. wide course N.  
 80.00 Intersect E. & S. line 9 lks. North of  
 $\frac{1}{4}$  Sec. Cor.

Thence South North  $89^{\circ}56'$   
 W. on a true line thro center of  
 Sec 34 with same var.

- 20.01 Set a Post 3 ft. long 3 ins. Sq. with

T. 15. S. R. 12. E.

charrred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
N. face, dug pits 18X18X12 ins.  
E + W of Post: 5  $\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft. base around  
Post.

40.03 Set a Post 3 ft. long 3 ins. Sq. with  
charrred Stake 12 ins in the  
ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. and N. face, dug pits 18X18X  
12 ins. E + W of Post 5  $\frac{1}{2}$  ft. dist  
and raised a mound of earth  
1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around  
Post.

60.04 Set a Post 3 ft. long 3 ins. Sq. with  
charrred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
N. face, dug pits 18X18X12 ins  
E + W of Post 5  $\frac{1}{2}$  ft. dist. and

## Sub divisions

raised a mound of earth 1 1/2 ft.  
high 3 1/2 ft. base around Post.  
8005 The 1/4 Sec. Cor.  
Land level  
Soil 2<sup>nd</sup> Rate  
Scattering Trees  
Palo Verde Brush 80. chs.

---

Thence North between Secs

33. & 34

Var 13° 10' E.

20.00 Set a Post 3 ft long 3 ins. sq with  
churned stake 12 ins in the  
ground for 1/4 Sec. Cor. marked  
1/4 S. on W. face. dug pits 18x18x  
12 ins. N. & S. of Post 5 1/2 ft. dist.  
and raised a mound of earth  
1 1/2 ft. high 3 1/2 ft. base around  
Post.



T. 15. S. R. 12. E.

BOOK 1983

50

Thence on a random line  
thro. north  $\frac{1}{2}$  of Sec. 34.

Var  $13^{\circ} 10'$  E.

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

32.00 Dry wash 30 lks. wide course N.E.

40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

41.00 Dry wash 40 lks. wide course N.

80.07 Intersect N. & S. line of lks. South  
of  $\frac{1}{16}$  Sec. Cor.

Thence True S.  $89^{\circ} 54'$  W.

on a true line thro. north  $\frac{1}{2}$  of  
Sec 34. with same Var.

20.01 Set a Post 3ft long 3ins. sq. with  
chained stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
N. face, clay pits  $18 \times 18 \times 12$  ins.  
E & W of Post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of Earth  $1\frac{1}{2}$   
ft high 3 ft base around Post

## Sub divisions

40.03 Set a Post 3ft long 3ins Sq. with Charred Stake 12ins in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N. face, dug pits 18x18x12ins E. & W. of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around Post.

60.04 Set a Post 3ft long 3ins. Sq. with Charred Stake 12ins in the ground for  $\frac{1}{16}$  Sec Cor marked  $\frac{1}{16}$  S. on N. face. dug pits 18x18x12ins E. & W. of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft. base around Post.

80.07 The  $\frac{1}{16}$  Sec Cor  
 Sand level  
 Soil 2<sup>nd</sup> Rate  
 Scattering Trees

Ralo Verde brush 80 cho

T. 15. S. R. 12. E.

Thence North between Secs 23 &amp; 34

Var.  $13^{\circ} 10'$  E

19.80 Road to Stevens Ranch brs N, E, &amp; S, W

20.00 Set a Post 4 ft long 4 ins sq with  
churned stake 12 ins in the ground  
for Cor to Secs. 27, 28, 33, & 34.

Marked

T. 15 S. S. 29. on N. E.

R. 11 E. S 34. on S. E.

S. 33. on S. W. and

S. 28. on N. W. faces with 1 notch

on S. and 3 notches on E. edge

dug pits 18 X 18 X 12 ins in each

Sec. 5 1/2 ft. dist. and raised

a mound of earth 2 ft high

4 1/2 ft base a round Post.

Land 80 chs. between Secs. 33 &amp; 34

mostly level

Soil 2nd Rate

Scattering Trees



## Subdivisions

Ralo Verde Brush rocks



Thence East on a sandstone  
line between Secs 27 & 34.

Var.  $13^{\circ} 10' E.$

- 5.50 Road to Stevens Ranch hrs. N.E. & S.W.  
20.00 Set temporary  $1/16$  Sec, Cor.  
40.00 Set temporary  $1/4$  Sec, Cor.  
57.00 Dry Wash 50 lks. wide Course N.E.  
60.00 Set temporary  $1/16$  Sec, Cor.  
69.00 Dry Wash 40 lks wide Course N.  
80.09 Intersect N. & S. line 3 lks S. of cor  
to Secs. 26, 27, 34, & 35.

Thence I run South  $89^{\circ} 59'$   
W. on a true line between Secs.  
27 & 34 with same Var

- 20.02 Set a Post 3ft long 3 ins. Sq. with  
Charred Stake 12 ins. in the  
ground for  $1/16$  Sec. cor. marked

T. 15. S. R. 12. E

BOOK 1983

54

4003 1/4 c. s. on N. face. dug pits 18X18X12 ins. E & W of Post. 5 1/2 ft dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

4004 Set a Post 3 ft. long 3 ins sq. with Charrad Stake 1 1/2 ins in the ground for 1/4 Sec. Cor. marked 1/4 c. s. on N. face. dug pits 18X18X12 ins. E & W of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

60.06 Set a Post 3 ft. long 3 ins sq. with Charrad Stake 1 1/2 ins in the ground for 1/4 Sec. Cor. marked 1/4 c. s. on N. face. dug pits 18X18X12 ins E & W of Post. 5 1/2 ft. dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

## Subdivisions

80.09 The Cor. to Secs. 27, 28, 33 & 34  
 Sand mostly level  
 Soil 2<sup>nd</sup> Rate  
 Scattering Trees  
 Palo Verde Brush so chs.  
 ~~~~~

Hence North between Secs. 27 & 28
 Var $13^{\circ} 10' E.$

20.00 Set a Post 3 ft. long 3 ins sq. with
 Charred Stake 12 ins in the
 ground for $\frac{1}{16}$ Sec. Cor. marked
 $\frac{1}{16}$ ft. on N. face. dug pits 18 X 18 X
 12 ins. N. & S. of Post 5 $\frac{1}{2}$ ft. dist.
 and raised a mound of earth
 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around
 Post.

Hence East on a random line
 thro. S $\frac{1}{2}$ of Sec. 27.
 Var. $13^{\circ} 10' E.$

T. 15. S. R. 12. E

- 20.00 Set temporary $\frac{1}{16}$ Sec Cor
 33.30 Road to Stevens Ranch bro. N, E, & S, W
 40.00 Set temporary $\frac{1}{16}$ Sec, Con
 60.00 Set temporary $\frac{1}{16}$ Sec, Cor.
 64.00 Dry Wash 50 lks. wide, course N, E.
 78.70 Foot of hill
 80.10 Intersect N & S. line 9 lks. north of
 $\frac{1}{16}$ Sec. Con

Thence Iron North $89^{\circ} 56' W$.
 on a true line thro S $\frac{1}{2}$ of Sec. 27
 with same var.

- 20.02 Set a Post. 3ft. long 3ins. Sq. with charred
 Stake 2ins in the ground for $\frac{1}{16}$
 Sec. Con. marked $\frac{1}{16}$ Sou $\frac{1}{4}$ face
 dug pits 18x18x12 ins. E & W of
 Post 5 $\frac{1}{2}$ ft. dia. and raised
 a mound of earth 1 $\frac{1}{2}$ ft high
 3 $\frac{1}{2}$ ft base around Post.
 40.00 Set a Post 3ft. long 3ins Sq. with
 charred Stake 12 ins in the ground

Sub divisions

for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on
N. face, dug pits $18 \times 18 \times 12$ ins.
E & W of Post. $5\frac{1}{2}$ ft. dist. and
raised a mound of Earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
Post

60 07 Sepa Post 3 ft. long 3 ins sq. with
sharred Stake 15 ins in the ground
for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on
N. face, dug pits $18 \times 18 \times 12$ ins
E & W of Post. $5\frac{1}{2}$ ft. dist and
raised a mound of earth $1\frac{1}{2}$
ft. high $3\frac{1}{2}$ ft. base around Post.

80.10 The $\frac{1}{16}$ Sec Cor

Sand level

Soil 2nd Rate

Scattering Trees

Ralo Verde Brush 80 chs.



T. 15. S. R. 12. E.

Thence North between Secs. 27 & 28,
Var. $13^{\circ} 10'$ E.

20.00 Set a Post 3 ft. long, 3 ins sq. with
charred Stake 12 ins in the ground
for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W.
face, dug pits $18 \times 18 \times 12$ ins N.E.S.
of Post 5 ft. dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$
ft base around Post.

Thence East on a random line
thro. center of Sec. 27.Var. $13^{\circ} 10'$ E.

20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
40.00 Set temporary $\frac{1}{4}$ Sec. Cor.
57.00 Road to Stevens Ranch brd N.E.S.W.
60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
80.04 Intersect - N.E.S. line 7 lks. S. of $\frac{1}{4}$
Sec. Cor.

Thence True S. $89^{\circ} 54' 70''$ on a
true line thro. center of Sec. 27, with

Sub divisions

Survey Van.

- 20.01 Set a Post 3ft. long 3ins Sq. with charred Stake 12ins in the ground for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on N. face. dug pits 18X18X12ins E & W. of Post. 5 $\frac{1}{2}$ ft. dist and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft. base around Post.
- 40.02 Set a Post 3ft. long 3ins Sq. with charred Stake 12ins. in the ground for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ S. on N. face. dug pits 18X18X12ins E & W. of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft base around Post.
- 60.03 Set a Post 3ft long 3ins Sq. with charred Stake 12ins in the ground for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on N. face. dug pits 18X18X12ins E & W. of Post. 5 $\frac{1}{2}$ ft. dist. and

A. 15. S. R. 12. E.

BOOK 1983

raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around Post.

80.04 The $\frac{1}{4}$ Sec. Cor.

Sand level

Soil 2nd Rate

Scattering Trees

Ralo Verde brush so chs

~~~~~

Thence north between Secs. 27 &amp; 28

Var  $130^{\circ} 10'$  E.

80.00 Set a Post 3 ft long 3 ins sq. with  
sharred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on W  
face. dug pits  $18 \times 18 \times 12$  ins. N. & S.  
of Post  $5\frac{1}{2}$  ft. dist. and raised a  
mound of Earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft.  
base around Post.

Thence East on a random  
line thro. N  $\frac{1}{4}$  of Sec 27.

## Subdivisions

Var  $13^{\circ} 10'$  E.

- 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 80.09 Intersect N. & S. line of lks North  
 of  $\frac{1}{16}$  Sec. Cor.

Thence Iron N.  $89^{\circ} 57'$  W.  
 on a true line thro the  $\frac{1}{16}$  of  
 Sec. 2  $\frac{1}{16}$  with same var.

- 20.02 Set a Post 3ft. long 3ins sq. with  
 Churned Stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec. Cor. marked  
 $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18$   
 12 ins E & W. of Post.  $5 \frac{1}{2}$  ft. dist.  
 and raised a mound of earth  
 $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft. base around  
 Post.

- 40.04 Set a Post 3ft. long 3ins sq. with  
 Churned Stake 12 ins in the ground  
 for  $\frac{1}{16}$  Sec Cor. marked  $\frac{1}{16}$  S. on N.



A. 15. S. R. 12 E

face. dug pits 18X18X12 ins E & M  
of Post. 5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft high 3 1/2  
ft. base around Post.

60.06 Set a Post 3 ft. long 3 ins Sq. with  
chained stake 12 ins in the  
ground. for 1/16 Sec. Cor. Marked  
1/16 S. on N. face. dug pits 18X18  
X12 ins E & M. of Post 5 1/2 ft dist.  
and raised a mound of earth  
1 1/2 ft. high 3 1/2 ft base around  
Post.

80.09 The 1/16 Sec. Cor.  
Land level  
Soil 2nd Rate  
No Trees

Palo Verde brush & Chollas. Rocks