

No 2,

1984

BOOK 1984

1984

4-671

1984

FIELD NOTES

1984

GENERAL LAND OFFICE.

SUBDIVISIONS

PAPAGO INDIAN RESERVATION.

T.15 S. R.12 E.

1984

BOOK 1984

Subdivisions  
In Papago Indian

Thence North on a random  
line between Secs 27. & 28.  
Var.  $13^{\circ} 10' E$ .

19.92 Intersect North Bdy. of Reser-  
vation 14 lks. East of Cor. to  
Secs. 21. 22. 27. & 28.

Thence Iron  $50^{\circ} 24' E$ . on  
a true line between Secs 27.  
& 28. with same var.

19.93 The 4th Sec. Cor.

Land for 80chs. between Secs  
27 & 28. Mostly level  
Soil 2nd Rate

Scattering Trees.

Palo Verde brush 80chs

~~~~~

Thence from Cor. to Secs. 32 & 33  
 $N. 15 S. N. 12. E$ . Iron North between  
Secs. 32. & 33.

T. 15. S. R. 12. E.  
Reservation

BOOK 1984

64

Var.  $13^{\circ} 10' E.$

- 4.90 Road to Stevens Ranch br. N.E. & S.W.  
20.00 Set a Post 2 ft. long 3 ins. sq. with  
charred stake 12 ins. in the  
ground for  $\frac{1}{16}$  Sec. Cor. marked  
 $\frac{1}{16}$  S. on W. face. dug pits  $18 \times 18 \times 12$   
ins. N. & S. of Post.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
Post.

Thence East on a random  
line thro. S.  $\frac{1}{2}$  of Sec. 33.

Var  $13^{\circ} 10' E.$

- 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
21.30 Road to Stevens Ranch br. N.E. & S.W.  
40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
44.00 Dry Wash 30 lks. wide course N.W.  
46.10 Dry Wash 40 lks. wide course N.E.  
60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
80.04 Intersects U.S. line 3 lks. south of

## Sub divisions

$\frac{1}{16}$  Sec. Cor.

Thence Iron S.  $89^{\circ} 58' 70''$   
on a true line thro.  $\frac{1}{16}$  of Sec.  
33. with same bar,

20.01 Set a Post 3ft long 3ins Sq. with  
Charred Stake 12ins in the  
ground for  $\frac{1}{16}$  Sec. Cor. marked  
 $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times$   
12ins E. & W. of Post  $5\frac{1}{2}$ ft dist.  
and raised a mound of Earth  
 $1\frac{1}{2}$ ft high  $3\frac{1}{2}$ ft. base around  
Post.

40.02 Set a Post 3ft long 3ins Sq. with  
Charred Stake 12ins in the  
ground for  $\frac{1}{16}$  Sec Cor. marked  
 $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times$   
12ins E. & W. of Post  $5\frac{1}{2}$ ft dist.  
and raised a mound of Earth  
 $1\frac{1}{2}$ ft high  $3\frac{1}{2}$ ft. base around  
Post, from which a meagrite

N15. S. R 13 E

5 ins in diam. brs.  $2,45^{\circ}$  E. 54 lbs.  
 dist. marked  $\frac{1}{16}$  S. B. T.

80003 Set a Post 3 ft long 3 ins sq with  
 Charred Stake 12 ins. in the ground  
 for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
 N. face. dug pits  $18 \times 18 \times 12$  ins  
 E & W of Post.  $5\frac{1}{2}$  ft dist. and  
 raised ce around of earth  $1\frac{1}{2}$   
 ft high  $3\frac{1}{2}$  ft. base around  
 Post.

80004 The  $\frac{1}{16}$  Sec. Cor.  
 Sand mostly level  
 Soil 2<sup>nd</sup> Rate  
 Scattering Trees  
 Palo Verde brush rocks.

Thence north between Secs 32  
 & 33.

Var.  $13^{\circ} 10'$  E.

## Subdivisions

20.00 Set a Post 3 ft. long 3 ins. sq with Charred Stake 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits 18x18x12 ins. N. + S. of Post 5 ft. dist. and raised a mound of earth 14 ft. high 3 ft. base around Post.

Thence East on a random line thro. center of sec. 33.

Var.  $13^{\circ} 10'$  E,

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 36.00 Dry Wash 50 lks. wide Course N.  
 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.  
 43.50 Road to Stevens Ranch brs. N.E. + S.W.  
 53.00 Dry Wash 50 lks. wide Course N.E.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 80.11 Intersect N + S. line 9 lks. north of  $\frac{1}{4}$  Sec. Cor.

Thence South N.  $89^{\circ} 56'$  W. on

N15. S. R. 12. E.

- a true line with same van
- 20.02 Set a Post 3ft. long 3 ins Sq. with charred Stake 12 ins. in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N. face, dug pits 18X18X12 ins. E & W. of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.
- 40.05 Set a Post 3ft. long 3 ins Sq. with charred Stake 12 ins in the ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S. on N. face. dug pits 18X18X12 ins E & W of Post  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft base around Post.
- 60.07 Set a Post 3ft. long 3 ins Sq. with charred Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N. face. dug pits 18X18X12 ins E & W of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft

## Sub divisions

base around Post  
 80.11 The  $\frac{1}{4}$  Sec. Cor  
 Sand mostly level  
 Soil 2<sup>nd</sup> Rate  
 Scattering Trees  
 Palo Verde brush 80. chs.

Thence North between Secs. 32 & 33.  
 Var.  $13^{\circ} 10' E$ .

20.00 Set a Post 3 ft. long 3 ins Sq. with  
 charred stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec. Cor. marked  
 $\frac{1}{16}$  S. on W. face. dig pits  $18 \times 18 \times 12$   
 ins. N. & S. of Post.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth 14 ft.  
 high  $3\frac{1}{2}$  ft. base around Post.

Thence East on a random line  
 thro. N.  $\frac{1}{2}$  of Sec. 33.

Var.  $13^{\circ} 10' E$ .



## N.S. R. 12. E.

- 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.
- 36.00 Dry Wash 30 lks wide Course N.
- 40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.
- 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.
- 65.00 Road to Stevens Ranch bas N & S, W.
- 75.00 Dry Wash 50 lks wide Course N.
- 80.00 Intersect U.S. line 5 lks South of  
 $\frac{1}{16}$  Sec. Cor.

Thence Run S.  $89^{\circ}58'$  W. on a true  
line thro. the N  $\frac{1}{2}$  of Sec. 33. with  
same Var.

- 20.00 Set a Post 3ft. long 3 ins Sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked "N.E. on  
N. face, dug pits 18X18X12 ins E &  
W. of Post  $5\frac{1}{2}$  ft dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$   
ft base around Post.
- 40.00 Set a Post 3ft. long 3 ins Sq. with  
Charred Stake 12 ins in the ground

## Subdivisions

for 1/16 Sec. Cor. marked 1/16 S. on N.  
face. dug pits 18x18x12 ins. E. & W. of  
Post 5 1/2 ft. diam. and raised a  
mound of Earth 1 1/2 ft. high 3 1/2  
ft. base around Post, from  
which a mesquite bins in diam  
bro N. 50. E. 95 lbs diam marked  
1/16 S. B.T.

60.00 Set a Post 3 ft. long 3 ins sq. with  
charred Stake 12 ins. in the ground  
for 1/16 Sec. Cor. marked 1/16 S. on N.  
face. dug pits 18x18x12 ins. E. & W.  
of Post 5 1/2 ft. diam. and raised  
a mound of earth 1 1/2 ft. high 3 1/2  
ft. base around Post.

80.01 The 1/16 Sec. Cor.  
Sand mostly level  
Soil 2<sup>nd</sup> Rate  
Scattering Trees  
Palo Verde brush rocks

Feb 24<sup>th</sup> 1888

P. 15. S. R. 12. E.

Thence North between Secs 32 & 33,  
 Var  $13^{\circ} 10' E$ .

20.00 Set Post 4 ft. long 4 ins. sq. with  
 charred stake 12 ins. in the  
 ground for Cor. to Secs 28, 29,  
 32 & 33. Marked

P. 15. S. S. 28. on N.E.

R. 12. E. S. 33 on S.E.

S. 32, on S.W. and

S. 29. on N.W. faces with 1 notch on  
 S. and 4 notches on E. edges.  
 dug pits 18x18x12 ins in each  
 Sec. 5-7/2 ft. dist and raised a  
 mound of earth 2 ft. high 4 1/2  
 ft base around Post.

Land for 80 chs. between Secs 32 &  
 33. Mostly level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde brush 80 chs.

Observation  
 taken this day &  
 found the magnetic  
 line to be  $13^{\circ} 10' E$

## Sub divisions

Thence East on a random line  
between Secs. 28 & 33.

Var  $130^{\circ} 10'$  E.

- 20.00 Set temporary  $1/16$  Sec. Cor.  
40.00 Set temporary  $1/4$  Sec. Cor.  
60.00 Set temporary  $1/16$  Sec. Cor.  
80.00 Intersect U.S. line 6 lks. North of  
Cor to Secs 27, 28, 33, & 34.

Thence True N.  $89^{\circ} 58'$  W. on a  
true line between Secs. 28 & 33  
with same Var.

- 20.01 Set a Post 3 ft. long 3 ins sq. with  
charrad Stake 12 ins in the ground  
for  $1/16$  Sec. Cor. marked  $1/16$  S. on  
N. face. dug pits  $18 \times 18 \times 12$  ins E. & W.  
of Post 5 ft. dist. and raised a  
mound of Earth  $14$  ft. high 3 ft  
d. base around Post.  
40.02 Set a Post 3 ft. long 3 ins sq. with  
charrad Stake 12 ins in the

T. 15. S. R. 12. E.

ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pits 18X18X12  
 ins E. & W. of Post 5  $\frac{1}{2}$  ft. dist. and  
 raised a mound of earth 1  $\frac{1}{2}$  ft.  
 high 3  $\frac{1}{2}$  ft. base around Post.

60,03 Set a Post 3 ft. long 3 ins Sq. with  
 charred Stake 12 in the ground  
 for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on  
 N. face. dug pits 18X18X12 ins E. & W.  
 of Post. 5  $\frac{1}{2}$  ft. dist. and raised a  
 mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$   
 ft. base around Post.

80,04 The Cor. to Secs. 28, 29, 32, & 33:

Land level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Ralo Verde brush & rocks

~~~~~

Thence North between Secs. 28 & 29

## Sub divisions

Var.  $13^{\circ} 10' E$ .

20.00 Set a Post 3ft. long 3 in. Sq. with charred Stake 12 in. in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on W. face. dug pits  $18 \times 18 \times 12$  ins. W.D.S. of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 1  $\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.

Thence East on a random line thro. S.  $\frac{1}{2}$  of Sec. 28.

Var.  $13^{\circ} 10' E$ .

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

80.00 Intersect U.S. line at lks South of  $\frac{1}{16}$  Sec. Cor.

Thence I run S.  $89^{\circ} 58' W$ . on a true line thro. S.  $\frac{1}{2}$  of Sec. 28. with same var.

20.02 Set a Post 3ft. long 3 in. Sq. with

P. 15, S. R. 12, E.

charred stake 12 ins in the ground  
 for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
 N. face. dug pits 18X18X12 ins.  
 E & W. of Post.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of Earth  $1\frac{1}{2}$   
 ft. high  $3\frac{1}{2}$  ft. base around  
 Post.

40.04 Set a Post. 3 ft. long 3 ins Sq with  
 charred stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec. Cor. marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18X18  
 X12 ins E & W. of Post  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of Earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
 Post.

60.06 Set a Post 3 ft. long 3 ins. Sq. with  
 charred stake 12 ins in the ground  
 for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
 N. face. dug pits 18X18X12 ins E &  
 W. of Post.  $5\frac{1}{2}$  ft. dist. and

## Sub-divisions

raised a mound of earth  $1\frac{1}{2}$   
ft high  $3\frac{1}{2}$  ft. base around Post.  
80.09 The '16 Sec. Cor. ...

Sand level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde brush sochs

~~~~~

Thence North between Secs 28 & 29.

Var  $13^{\circ} 10'$  E.

20.00 Set a Post 3 ft long 3 in  $\varnothing$  with  
charrred stake 12 in in the ground  
for '14 Sec. Cor. Marked '14 S. on  
W. face. dug pit  $18 \times 18 \times 12$  in N, E,  
S. of Post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around Post.

Thence <sup>East</sup> on random line thro.  
center of Sec. 28.



T. 15. S. R. 12. E.

Var.  $13^{\circ} 10' E.$ 

- 20.00 Set temporary  $1/16$  Sec. Cor.  
 40.00 Set temporary  $1/4$  Sec. Cor.  
 60.00 Set temporary  $1/16$  Sec. Cor.  
 80.00 Intersect U.S. line 6000. north  
 of  $1/4$  Sec. Cor.

Thence true N.  $89^{\circ} 58' W.$  on  
 a true line thro. Center of Sec. 28,  
 with same var.

- 20.00 Set a Post 3ft long 3ins. Sq. with  
 charred stake 12 ins in the ground  
 for  $1/16$  Sec. Cor. marked  $1/16$  S. on  
 N. face. dug pits  $18 \times 18 \times 12$  ins E.  
 + W. of Post  $5 \frac{1}{2}$  ft dist. and  
 raised a mound of earth  $1 \frac{1}{4}$   
 ft high  $3 \frac{1}{2}$  ft base around  
 Post.
- 40.00 Set a Post 3ft long 3ins. Sq. with  
 charred stake 12 ins in the ground  
 for  $1/4$  Sec. Cor. marked  $1/4$  S. on N.

## Sub divisions

- face dug pits 18X18X12 ins E & W  
of Post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft high  
3 1/2 ft base around Post,
- 60.00 Scha Post 3 ft. long 3 ins. sq. with  
charred stake 12 ins. in the ground  
for 1/4 Sec. Cor. marked 1/4 S. on  
N. face. dug pits 18X18X12 ins.  
E & W of Post. 5 1/2 ft dist. and  
raised a mound of earth 1 1/2  
ft high 3 1/2 ft. base around Post.
- 80.00 The 1/4 Sec Cor  
Sand level  
Soil 2nd Rate  
No trees  
Palo Verde brush & Challas 80. ch.
- 

Thence North between Secs. 28 & 29  
Var. 13° 10' E.

T. 15. S. R. 12. E.

20.00 Set a Post 3ft long 3ins Sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N.  
line. dug pits 18X18X12 ins N. & S.  
of Post. 5  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth 1  $\frac{1}{2}$  ft. high  
3  $\frac{1}{2}$  ft. base around Post.  
Thence East on random line  
thro. N.  $\frac{1}{2}$  of Sec. 28.

Var.  $13^{\circ} 10'$  E.

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

40.00 Set temporary  $\frac{1}{16}$  Sec. Cor

60.00 Set temporary  $\frac{1}{16}$  Sec Cor

80.02 Intersect U.S. line 7 lks north  
of  $\frac{1}{16}$  Sec Cor.

Thence Iron North  $89^{\circ} 57'$  W.  
on a true line thro N.  $\frac{1}{2}$  of Sec.  
28. with same bar

20.00 Set a Post 3ft long 3ins Sq. with  
Charred Stake 12 ins in the ground

## Sub divisions

for 1/16 Sec. Cor. marked 1/16 S. on  
N. face. dug pits 18X18X12 ins. E. & W.  
of Post 5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft. high 3 1/2  
ft. base around Post.

40.01 Set a Post 3 ft. long 3 ins Sq. with  
charred Stake 12 ins. in the ground  
for 1/16 Sec. Cor. marked 1/16 S. on  
N. face, dug pits 18X18X12 ins E,  
& W. of Post. 5 ft. dist. and raised  
a mound of earth 1 1/2 ft high  
3 1/2 ft base around Post.

60.01 Set a Post 3 ft. long 3 ins Sq. with  
charred Stake 12 ins in the ground  
for 1/16 Sec. Cor. marked 1/16 S. on  
N. face, dug pits 18X18X12 ins E,  
& W. of Post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft high 3 1/2  
ft base around Post.

80.02 The 1/16 Sec. Cor.

T. 15 S. R. 12. E.

Sand level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde brush & Cholla. 80 chs.



Hence North on a random line  
between Secs 28 & 29

Var.  $13^{\circ} 10' E.$

19.95 Intersect North Bd 4. of Reservoir  
17 lks East of Car. to Secs. 20, 21,  
28, & 29.

Hence True S.  $0^{\circ} 28' E.$  on a true  
line between Secs. 28, & 29.

19.95 - The 46 Sec. Corn

Sand for 80 chs. - between Secs 28  
& 29. level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde brush & Cholla 80 chs.



## Sub-division

Hence from Cor. to Secs. 31, & 32.  
 T. 15 S. R. 12 E. Iron North between  
 Secs 31. & 32.

Var.  $13^{\circ} 10'$  E.

20.00 Set a Post 3 ft. long 3 in Sq. with  
 charred Stake 12 in in the ground  
 for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on W.  
 face. dug pits  $18 \times 18 \times 12$  in. N.S. of  
 Post  $5\frac{1}{2}$  ft. dist. and raised a  
 mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
 ft. base around Post.

Hence East on a random line  
 thro S.  $\frac{1}{2}$  of Sec 32.

Var  $13^{\circ} 10'$  E.

20.00 Set temporary  $\frac{1}{16}$  Sec Cor  
 40.00 Set temporary  $\frac{1}{16}$  Sec. Cor  
 58.10 Dry Wash 50 lks wide Course N.E.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 80.01 Intersect N. & S. line 4 lks North  
 of  $\frac{1}{16}$  Sec. Cor.

T. 15. S. R. 12. E.

Hence from  $9189^{\circ}58'9''$  on a true line thro.  $S \frac{1}{2}$  of Sec. 32, with same var,

20.00 Set a Post 3 ft. long 3 ins. Sq. with charred Stake 12 ins. in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N. face. dig pits  $18 \times 18 \times 12$  ins. E & W. of Post. 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around Post.

40.00 Set a Post 3 ft. long 3 ins. Sq. with charred Stake 12 ins. in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N. face. dig pits  $18 \times 18 \times 12$  ins. E & W. of Post. 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around Post.

60.00 Set a Post. 3 ft. long 3 ins. Sq. with charred Stake 12 ins. in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N.

## Sub. divisions

face, dug pits 18X18X12 in E. 8 m  
of Post 54 ft. dist. and raised  
a mound of earth 1 1/2 ft. high 3 1/2  
ft base around Post;

80.01 The 1/16 Sec Cor

Sand mostly level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde brush 80 chs.



Thence West on a random line thro.

3/4 of Sec. 31

Var. 130° 10' E.

20.00 Set temporary 1/16 Sec. cor.

40.00 Set temporary 1/16 Sec. Cor.

60.00 Set temporary 1/16 Sec. Cor.

80.09 Intersect the West Side of Sp. 11, lks.  
South of 1/16 Sec. Cor.

Thence from S. 89° 53' E. on a



G. 15. S. R. 12. E.

BOOK 1984

town line thro  $\frac{1}{4}$  of Sec. 31,  
with same var

20.09 Set a Post 3ft. long 3ins. Sq. with  
charred Stake 12ins in the  
ground for  $\frac{1}{16}$  Sec. Con. Marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18X18X  
12ins E & W. of Post  $5\frac{1}{2}$ ft dist,  
and raised a mound of earth  
1 $\frac{1}{2}$ ft. high  $3\frac{1}{2}$ ft base around  
Post, from which a mesquite  
5ins. in diam. brs. S.  $30^{\circ}$  W. 38  
tho. dist marked  $\frac{1}{16}$  S. B. P.

40.09 Set a Post 3ft. long 3ins. Sq. with  
charred Stake 12ins in the  
ground for  $\frac{1}{16}$  Sec. Con. Marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18X18X  
12ins. E & W. of Post  $5\frac{1}{2}$ ft dist,  
and raised a mound of earth  
1 $\frac{1}{2}$ ft. high  $3\frac{1}{2}$ ft base around  
Post

## Sub divisions

60.00 Set a Post 3 ft. long 3 ins Sq. with  
charred Stake 12 ins. in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N.  
face. dug pits 18x18x12 ins E & W  
of Post.  $5\frac{1}{2}$  ft. dist and raised  
a mound of earth  $2\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
ft. base around Post

80.00 The  $\frac{1}{16}$  Sec. Cor.

Land mostly level

Soil 2nd Rate

Scattering Trees

Palo Verde brush sochs.

Feb 25<sup>th</sup> 1888.

Thence North between Secs 31 & 32

Var.  $130^{\circ} 10'$  E.

20.00 Set a Post 3 ft. long 3 ins Sq. with  
charred Stake 12 ins in the ground  
for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S. on  
W. face. dug pits 18x18x12 ins. N.

J. 15. S. R. 12. E.

1/2 S. of Post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/4 ft high 3 1/2  
ft. diam around Post.

Hence East on a random line  
thro. center of Sec. 32.

Var 13° 10' E.

20.00 Set temporary 1/16 Sec Cor

40.00 Set temporary 1/4 Sec Cor

60.00 Set temporary 1/16 Sec. Cor.

62.50 Dry Wash 50 lks wide course N, W.

80.00 Intersect U. & S. line of Mrs. North of  
1/4 Sec. Cor.

Hence I run N. 89° 58' W. on  
a true line thro. center of Sec. 32  
with same Var.

20.01 Set a Post 3 ft long 3 ins sq. with  
chained stake 12 ins in the ground  
for 1/16 Sec. cor. marked 1/16 S. on N.  
face. dug pits 8 X 18 X 12 ins. E. & W.  
of Post 5 1/2 ft. dist. and raised

## Sub-divisions

a mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around  
Post

40.03 Set a Post 3 ft. long 3 ins Sq. with  
charred stake 12 ins in the  
ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. on N. face. dug pits  $18 \times 18$   
 $\times 12$  ins E. & W. of Post.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
Post.

60.04 Set a Post 3 ft. long 3 ins Sq. with  
charred stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Cor. marked  
 $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times 12$   
ins E. & W. of Post.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base around  
Post.

80.06 The  $\frac{1}{16}$  Sec. Cor.

P. 15. S. R. 12. E.

Sand mostly level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde brush so, chs.

Thence West on a random line  
thro. center of Sec. 31.

Var.  $13^{\circ}10'$  E,

- 3.00 Dry wash 30 lks wide Curve N.  
20.00 Set temporary  $1/16$  Sec. Cor.  
40.00 Set temporary  $1/4$  Sec. Cor.  
60.00 Set temporary  $1/16$  Sec. Cor.  
80.12 Intersect West Bdy. of Tr. 4 lks  
South of  $1/4$  Sec. Cor.

Thence I run S.  $89^{\circ}58'$  E. on a  
true line thro. center of Sec 31.  
with same Var.

- 20.12 Set a Post 3 ft. long 3 in Sq. with  
Charred Stake 12 in in the ground

## Sub divisions

for 416 Sec. Cor. marked 416 S. on N. face. dug pits 18X18X12 ins. E. & W. of Post. 5 1/2 ft. dist. and raised a mound of earth 19 ft. high 39 1/2 ft. base around Post, from which a mesquite 8 ins. in diam. bro. S. 80° E. 45 lks. dist. marked 416 S. B. P.

40.12 Set a Post 3 ft. long 3 ins. sq. with Charred Stake 12 ins in the ground for 44 Sec. Cor. marked 44 S. on N. face dug pits 18X18X12 ins E. & W. of Post 5 1/2 ft. dist. and raised a mound of earth 19 ft. high 39 1/2 ft. base around Post, from which a Palo Verde 4 ins in diam. bro S. 38° W. 10 lks. dist. Marked 44 S. B. P.

60.12 Set a Post 3 ft. long 3 ins. sq. with Charred Stake 12 ins in the ground for 46 Sec. Cor. marked 46 S. on N. face dug pits 18X18X12 ins. E. & W. of Post

T. 15. S. R. 12, E.

80.12

5 1/2 ft. dirt: and raised a mound  
of earth 1 1/2 ft. high 3 1/4 ft. base  
around Post. from which a Palo  
Verde 8 ins. in diam. bro. S. 77°  
E. 40 lbs. dist. Marked 1/4 S. 139

The 1/4 Sec. Cor.

Land mostly level

Soil 2<sup>nd</sup> rate

Scattering Trees

Palo Verde Brush rocks.



Thence north between Secs. 31 &amp; 32

Tan. 13° 10' E.

26.00

Set a Post 3 ft. long 3 ins. sq. with  
charred Stake 12 ins. in the  
ground for 1/4 Sec Cor. marked  
1/4 S. on W. face dug pits 18x18x  
12 ins. N. & S. of Post - 5 1/2 ft. dirt  
and raised a mound of earth

## Sub. divisions

14 1/2 ft. high 3 1/2 ft base around  
Post. from which a Palo Verde  
10 ins in diam brs N. 7° W. 35  
lks. dist. Marked 46 S. B. P.

Thence East on a random  
line thro N 1/2 of Sec. 32,  
Var. 13° 10' E.

- 13.30 Dry Wash 40 lks wide Course N.  
20.00 Set temporary 46 Sec. Cor.  
26.00 Dry Wash 30 lks wide Course N.  
34.00 Dry Wash 30 lks wide Course N.E.  
40.00 Set temporary 46 Sec. Cor.  
47.00 Dry Wash 40 lks wide Course N.W.  
60.00 Set temporary 46 Sec. Cor.  
80.00 Intersect U.S. line 9 lks South  
of 46 Sec Cor.

Thence I run S. 89° 56' W. on a  
true line thro. N 1/2 of Sec 32 with  
Var. Var.

- 20.01 Set a Post 3 ft. long 3 ins Sq. with



Q. 15. S. R. 12. E.

charred stake 12 ins. in the ground  
for 416 Sec. Cor. marked 416 S. on N.  
face. dug pits 18x18x12 ins E & W of  
Post. 5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft. high 3 1/2  
ft. base around Post.

40.02 Set a Post 3 ft. long 3 ins. Sq. with  
charred stake 12 ins in the ground  
for 416 Sec. Cor. marked 416 S. on  
N. face. dug pits 18x18x12 ins  
E & W. of Post. 5 1/2 ft. dist. and  
raised a mound of earth 1 1/2  
ft. high 3 1/2 ft. base around Post.

60.03 Set a Post 3 ft. long 3 ins. Sq. with  
charred stake 12 ins in the ground  
for 416 Sec. Cor. marked 416 S. on  
N. face. dug pits 18x18x12 ins E &  
W. of Post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high  
3 1/2 ft. base around Post.

## Sub-divisions

80.04 The  $\frac{1}{4}$  Sec. Cor.

Sand mostly level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde brush 80. ch.



Thence West on a sandstone line  
thro  $\frac{1}{4}$  of Sec 31.

Var  $13^{\circ}10'$  E.

3.40 Dry wash 30 lks. wide course N.E.

20.00 Set temporary  $\frac{1}{4}$  Sec. Cor.40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.60.00 Set temporary  $\frac{1}{4}$  Sec. Cor.80.15 Intersect West Rdy. of T. 6 lks.  
North of  $\frac{1}{4}$  Sec. Cor.

Thence South  $N 89^{\circ}57' E$ . on  
a true line thro.  $\frac{1}{4}$  of Sec 31. with  
same Var.

20.15 Set a Post 3 ft. long 3 in. sq. with

Charred Stake 12 ins. in the ground  
for 416 Sec. Cor. marked 416 S. on N.  
face. dug pits 18X18X12 ins. E & W  
of Post 5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft. high 3 1/2 ft.  
base around Post, from which  
a Palo Verde 10 ins. in diam. bro.  
N. 45° E. 80 lbs. dist. marked 416 S.  
B.F.

40.15 Set a Post 3 ft. long 3 ins. Sq. with  
Charred Stake 12 ins. in the ground  
for 416 Sec. Cor. marked 416 S. on  
N. face. dug pits 18X18X12 ins. E &  
W of Post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high  
3 1/2 ft. base around Post.

60.15 Set a Post 3 ft. long 3 ins. Sq. with  
Charred Stake 12 ins. in the ground  
for 416 Sec. Cor. marked 416 S. on  
N. face. dug pits 18X18X12 ins. E & W.

## Sub-divisions

of Post 5 1/2 ft. dia. and raised  
a mound of earth 1 1/2 ft. high  
3 1/2 ft. base around Post.

80.15 The 416 Sec. Cor.

Land mostly level  
Soil 2nd Rate  
Scattering Trees  
Ralo Verde brush so. ch.



Thence North between Secs. 31, 32,  
Var  $13^{\circ} 10' E$ .

9 20 Dry wash 30 lks wide course N.E.

20.00 Set a Post 4 ft. long 4 ins dia with  
charred Stake 12 ins. in the ground  
for cor to Secs. 29, 30, 31, & 32.

Marked

P. 15, S. S. 29 on N.E.

P. 12, S. S. 32 on S.E.

S. 31 on S.W. and

T. 15. S. R. 12. E.

S. 30 on N. W. face with 1 notch  
 on S. and 5 notches on E. edge  
 dug pits 18x18x12 ins in each  
 Sec. 31 & 32. dist. and raised a  
 mound of earth 2 ft. high 4 1/2  
 ft. base around Post.  
 Land for sochs. between Secs.  
 31 & 32. Mostly level.

Soil 2<sup>nd</sup> Rate

Scattered grass

Rain Verde brush sochs.

Thence East on a random line  
 between Secs. 29 & 32.

Turn 130 10' E.

8.70 Dry Wash 30 lks. wide course N.E.  
 14.50 Dry Wash 40 lks. wide course N.W.  
 20.00 Set temporary 1/16 Sec. Cor.  
 38.40 Dry Wash 30 lks wide course N.E.

## Sub divisions

- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 46.70 Dry wash 40 lks. wide course  $\frac{1}{4}$  Sec.
- 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.
- 80.09 Intersect U.S. line 5 lks north  
of Cor. to Secs. 28, 29, 32, & 33.  
Thence run N.  $89^{\circ}58'$  W. on  
a true line between Secs 29. &  
32, with same var.
- 20.02 Set a Post 3 ft long 3 ins sq. with  
charred stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
N. face. dug pits 18x18x12 ins.  
E. & W. of Post: 5  $\frac{1}{2}$  ft. dist. and  
raised a mound of earth  $1\frac{1}{2}$   
ft. high 5  $\frac{1}{2}$  ft base around Post.
- 40.04 Set a Post 3 ft long 3 ins, sq. with  
charred stake 12 ins in the ground  
for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on  
N. face. dug pits 18x18x12 ins  
E. & W. of Post 5  $\frac{1}{2}$  ft. dist. and

T. 15. S. R. 12. E.

raised a mound of Earth 19ft. high 3 1/2 ft. base around Post.  
 6006 Set a Post 3ft long 3ins sq. with charred stake 12ins in the ground for 1/16 Sec. Corn marked 1/16 S. on N. face. dug pits 18x18x12 ins E. & W. of Post 5 1/2 ft. dist. and raised a mound of Earth 19ft. high 3 1/2 ft. base around Post. from which a Palo Verde 6ins in diam. has N. 20° W. 50 lks dist. Marked 1/16 S. B. 7.

8009 The cor to Secs. 29, 30, 31, & 32.

Sand mostly local

Soil 2nd Rate

Scattering Trees

Palo Verde brush rocks



## Sub-divisions

Thence West on a random line  
between Secs. 30 & 31

Var.  $13^{\circ} 10' E.$

- 2000 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 2170 Dry Wash 30 lks. with course N, E.  
 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 80.26 Intersect West Bdy. of Twp. 4 lks.  
 north of Cor to Secs. 25, 30, 31,  
 & 36.

Thence I run N.  $89^{\circ} 58' E.$  on  
a true line between Secs 30,  
& 31, with same Var.

- 2026 Set a Post 3 ft. long 3 ins. sq with  
charred stake 12 ins. in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
N. face. dug pit 18 X 18 X 12 ins  
E & W. of Post 5  $\frac{1}{4}$  ft. dist. and  
raised a mound of earth 1  $\frac{1}{2}$   
ft. high 3  $\frac{1}{4}$  ft. base around



T. 15. S. R. 12. E.

Post

40.26 Set a Post 3 ft. long 3 ins. sq. with charred stake 12 ins in the ground for 44 Sec. Con. marked 44 S. on N. face. dug pits 18 X 18 X 12 ins E & W. of Post 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft. high 3 1/2 ft. base around Post. from which a merquite 5 ins in diam. bears S. 23° W. 40 lks. dist. Marked 44 S. B. 9

60.26 Set a Post 3 ft. long 3 ins. sq. with charred stake 12 ins in the ground for 46 Sec. Con. marked 46 S. on N. face. dug pits 18 X 18 X 12 ins E & W. of Post. 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft. high 3 1/2 ft. base around Post.

80.26 The cor to Secs. 29, 30, 31, & 32.

## Sub divisions

Land mostly level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde Brush so. chs.



Thence North between Secs 29 &  
30.

Var  $13^{\circ} 10'$  E.

30.00 Set a Post 3ft. long 3ins Sq. with  
Charred Stake 12ins in the ground  
for 1/4 Sec Cor. marked 46.1 on  
N. face, dug pits 18x18x12ins W.  
S. of Post. 5 1/2ft. dist and  
raised a mound of earth  
1 1/2ft. high 3 1/2ft. base around  
Post.

Thence East on a random  
line thro. the S 1/4 of Sec 29.

Var  $13^{\circ} 10'$  E.

T. 13. S. R. 12. E.

- 11.00 Dry Wash 50 lks. with course N.W.  
 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 52.50 Dry Wash 50 lks. wide course N.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 80.04 Intersect. U.S. line 11 lks.  
 north of  $\frac{1}{16}$  Sec. Cor.

Thence Down N.  $89^{\circ}55'$  M. on  
 a true line thro S.  $\frac{1}{2}$  of Sec.  
 29. with saw var.

- 20.01 Set a Post 3 ft. long 3 ins. Sq. with  
 Channad Stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec. Cor. marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18 X 18  
 X 12 ins E. & W. of Post 5 ft. dist.  
 and raised a mound of earth  
 14 ft. high 3 ft. base around  
 Post. from which a mequito  
 5 ins in diam. bears. N  $40^{\circ}$   
 E. 88 lks dist. marked  $\frac{1}{16}$  S. B. 9

## Sub divisions

40.02 Set a Post 3ft. long 3ins. Sq. with charred stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N. face. dug pits 18X18X12 ins E. & W. of Post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 14ft. high  $3\frac{1}{2}$  ft. base around Post.

60.03 Set a Post 3ft. long 3ins. Sq. with charred stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N. face. dug pits 18X18X12 ins. E. & W. of Post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 14ft. high  $3\frac{1}{2}$  ft. base around Post

80.04 The  $\frac{1}{16}$  Sec. Cor.

Land mostly level

Soil 2<sup>nd</sup> Rate

Scattering Trees

T. 15. S. R. 12. E.

BOOK 1984

106.

Ralo Verde brush socks.  
By observation taken this day & found the  
magnetic var to be  $13^{\circ} 10' E.$

Hence West on a random line  
thro.  $S \frac{1}{2}$  of of Sec 30.

Var.  $13^{\circ} 10' E.$

- 11.70 Dry wash 50 lks. wide course N.W.  
20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
24.00 Dry wash 30 lks. wide course N.E.  
40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
80.35 Intersect West Bdy. of  $\frac{1}{4}$ . 3 lks  
north of  $\frac{1}{16}$  Sec. Cor.

Hence I run north  $89^{\circ} 59'$   
E. on a true line thro  $S \frac{1}{2}$  of  
Sec 30 with same Var.

- 20.35 Set a Post 3 ft long 3 ins sq. with  
charred stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
surface. dug pits  $18 \times 18 \times 12$  ins

## Sub-divisions

E & M. of Post. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post, from which a Palo Verde lens in diam. brs. S. 45° W. 70 lbs dist. Marked 416 S. 18A

40.35 Set a Post 3 ft. long 3 ins. Sq with charred stake 12 ins in the ground for 416 Sec. Cor. marked 416 S. on N face. dug pits 18 X 18 X 12 ins E. & M. of Post. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

60.35 Set a Post 3 ft. long 3 ins. Sq. with charred stake 12 ins in the ground for 416 Sec. Cor. marked 416 S. on N face. dug pits 18 X 18 X 12 ins. E & M of Post. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post, from

A. S. R. 12, E.

which a mesquite 8 ins in  
diam. brs. N.  $30^{\circ}$  W. 60 lks dist.  
marked  $\frac{1}{16}$  S. B. T.

80.35 The  $\frac{1}{16}$  Sec. Cor

Sand mostly level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Ralo Verde brush rocks.

~~~~~

Hence North between Secs 29 & 30,  
Var.  $13^{\circ} 10'$  E,

18.90 Dry Wash 60 lks. wide Course N.W.

20.00 Set a Post 3 ft. long 3 ins sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on  
W. face. dug pits  $18 \times 18 \times 12$  ins  
N. & S. of Post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of Earth  $1\frac{1}{2}$   
feet high 3 ft. base around Post.

## Sub divisions

Thence East on a random line  
thro center of Sec. 29.

Var  $13^{\circ} 10'$  E.

20.00 Set temporary  $1/16$  Sec Cor

40.00 Set temporary  $1/4$  Sec Cor

56.00 Dry Wash 40 lks wide course N.

60.00 Set temporary  $1/16$  Sec. Cor.

80.09 Intersect N. & S. line 6 lks South of  
 $1/4$  Sec Cor.

Thence True S.  $89^{\circ} 50'$  N. on  
a true line thro. center of Sec. 29,  
with same var.

30.02 Set a Post 2 ft. long 3 ins sq. with  
chained Stake 12 ins in the ground  
for  $1/16$  Sec. Cor. marked  $1/16$  S. on  
N. face. clay pits  $18 \times 18 \times 12$  ins  
E. & W. of Post 5 ft. apart. and  
raised a mound of earth 19  
ft. high  $3 \frac{1}{2}$  ft. base around Post.  
from which a mequits wire in



G. 15. S. R. 12. E.

diam. brs.  $N. 8^{\circ} E.$ , 69 lks dist.  
Marked  $\frac{1}{16}$  S. B. T.

40.04 Set a Post 3 ft. long 3 in. sq. with  
charred stake 12 in. in the ground  
for 44 Sec. Cor. marked  $\frac{1}{16}$  S. on  
N. face. dug pits  $18 \times 18 \times 12$  in  
E. & W. of Post.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
Post.

60.06 Set a Post 3 ft. long 3 in. sq. with  
charred stake 12 in. in the ground  
for 46 Sec. Cor. marked  $\frac{1}{16}$  S. on  
N. face dug pits  $18 \times 18 \times 12$  in  
E. & W. of Post.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
Post.

80.09 The 44 Sec. Cor.  
Sand mostly level

## Sub divisions

Soil 2nd rail

Scattering trees

Palo Verde Brush rocks

~~~~~

Thence West on a pseudoar line  
thru. center of Sec. 30.

Var  $13^{\circ} 10' E.$ 

1.60 Dry Wash 40 lks wide Course S.W.

18.20 Dry Wash 30 lks wide Course N.E.

20.00 Set temporary  $1/16$  Sec. Con.40.00 Set temporary  $1/4$  Sec. Con.60.00 Set temporary  $1/16$  Sec. Con.80.48 Intersect West Bdy. of Twp. 8 lks  
north of  $1/4$  Sec. Con.

Thence True N.  $89^{\circ} 57' E.$   
on a true line thru. center of  
Sec. 30. with same var

20.48 Set a Post 3 ft long 3 ins dg with  
channel stake 12 ins in the ground

9.15. S. R. 12, E.

for 46 Sec. Cor. marked 46 S. on  
N. face. dug pits 18X18X12 ins. E.  
+ W. of Post. 5 1/2 ft. dist. and  
raised a mound of Earth 1 1/2 ft high  
3 1/2 ft. base around Post, from which  
a Mesquite 5 ins in diam. bro N. 50° W.  
30 lbs dist. Marked 46 S. B. 9.

10.48 Set a Post 3 ft. long 3 ins Sq. with  
Charred Stake 12 ins in the ground  
for 44 Sec. Cor. marked 44 S. on  
N. face. dug pits 18X18X12 ins  
E. + W. of Post. 5 1/2 ft. dist. and  
raised a mound of Earth 1 1/2  
ft. high 3 1/2 ft base around Post,  
from which a mesquite 4 ins in  
diam bro N 80° E. by the dist.  
Marked 44 S. B. 9.

10.48 Set a Post 3 ft. long 3 ins Sq. with  
Charred Stake 12 ins in the ground  
for 46 Sec. Cor. marked 46 S. on

## Sub. divisions

U. face, dug pits  $18 \times 18 \times 12$  ins  
E. & W. of Post.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of Earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around Post.

80.48 The 44 Sec. Cor.

Land Mostly level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde Brush & cobs

~~~~~

Thence North between Secs 29 & 30.

Var  $130^{\circ} 10'$  E,

2000 Set a Post 3 ft. long 3 ins Sq. with  
charred Stake 12 ins in the ground  
for 46 Sec. Cor. marked 46 S. on W.  
face, dug pits  $18 \times 18 \times 12$  ins U. & S. of  
Post  $5\frac{1}{2}$  ft dist and raised a  
mound of Earth  $1\frac{1}{2}$  ft high

T. 15. S. R. 12. E.

34 ft. base around Post

Thence East on a random  
line thro' N  $\frac{1}{2}$  of Sec 29

Var  $18^{\circ} 10'$  E

20.00 Set temporary  $\frac{1}{16}$  Sec Cor

40.00 Set temporary  $\frac{1}{16}$  Sec Cor

60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

80.00 Intersect N & S. line 3 lks South  
of  $\frac{1}{16}$  Sec. Cor.

Thence Turn S.  $89^{\circ} 58'$  W. on  
a true line thro' N  $\frac{1}{2}$  of Sec 29  
with same var.

20.01 Set a Post 3 ft. long 3 ins Sq. with  
charred Stake 2 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  Sec  
N. face. dug pits  $18 \times 18 \times 12$  ins  
E & W. of Post 5  $\frac{1}{2}$  ft. dist. and  
raised a mound of earth  $1 \frac{1}{2}$   
ft. high 3 ft. base around  
Post

## Sub-divisions

40.02 Set a Post 3ft. long 3ins Sq with Charred Stake 12 ins in the ground for 416 Sec. Cor. marked 416 S on n. face. dug pits 18X18X12 ins E & W of Post. 5 1/2 ft. dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft base around Post.

60.03 Set a Post 3ft. long 3ins Sq. with Charred Stake 12 ins in the ground for 416 Sec. Cor. marked 416 S. on n. face. dug pits 18X18X12 ins E & W. of Post. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

80.05 The 416 Sec. corner

Sand level

Soil 2nd Rate

No Trees

Palo Verde brush & cholla rocks

Q. 15. S. R. 12. E.

Thence West on a random line  
thru  $N \frac{1}{2}$  of Sec. 30  
Var.  $13^{\circ} 10' E.$

- 4.60 Dry Sand deposit 80 lks wide  
20.00 Set temporary  $\frac{1}{16}$  Sec. cor.  
24.00 Road to Coyote Springs brs. E & W.  
40.00 Set temporary  $\frac{1}{16}$  Sec. cor.  
46.00 Old Road brs. E & W.  
60.00 Set temporary  $\frac{1}{16}$  Sec. cor.  
80.54 Intersect West Body of T. P. 9 lks.  
North of  $\frac{1}{16}$  Sec. Cor.

Thence I run North  $89^{\circ} 56' E.$  on  
a true line thro. the  $N \frac{1}{2}$  of Sec. 30  
with the same var.

- 20.54 Set a Post 3 ft. long 3 ins Sq. with  
charred stake 12 ins. in the ground  
for  $\frac{1}{16}$  Sec. cor. marked  $\frac{1}{16}$  S. on N  
face dug pits  $18 \times 18 \times 12$  ins E. & W. of  
Post  $5 \frac{1}{2}$  ft. dist. and raised a  
mound of Earth  $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$

## Sub-divisions

ft. base around Post.

40.54 Set a Post 3 ft. long 3 ins Sq. with Charred Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N. face, dug pits 18X18X12 ins. E. & W. of Post. 5  $\frac{1}{2}$  ft. dist. and raised a mound of Earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around Post. from which a Palo Verde 5 ins. in diam. bore, S. 87° E. 70 lks. dist. Marked  $\frac{1}{16}$  S. P. 9.

60.54 Set a Post 3 ft. long 3 ins Sq with Charred Stake 12 ins. in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N. face, dug pits 18X18X12 ins E & W. of Post. 5  $\frac{1}{2}$  ft. dist. and raised a mound of Earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around Post.

80.54 The  $\frac{1}{16}$  Sec. Cor.  
Sand level



P. 15 S. R. 12. E.

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde brush & Chollas so. chs.

Thence North on a road or line  
between Secs. 29. & 30.

Tan  $13^{\circ} 10' E.$

14.40 Road to Coyote Springs brs 2 E. & S. m.

20.04 Intersect North Bdy. of Reservation  
13 lks East of Cor. to Secs. 19. 20. 29.  
& 30.

Thence True  $S 0^{\circ} 22' E.$  on a  
traceline between Secs. 29. & 30.  
with same bar.

20.04 The 4/6 Sec. Cor.

Land for 80 chs. between Secs 29 &

30 Mostly level

Soil 2<sup>nd</sup> Rate

Scattering Trees

## Sub divisions

Palo Verde brush & Cholla socks

Feb'y 26<sup>th</sup> 1888.

The land in this fractional Township is mostly level. The North West portion has a gentle slope to the North, toward the Baboquivora Valley. The Dry Sand Washes mentioned are nearly sand deposits, being nearly even with the ground. The Soil throughout is 2<sup>nd</sup> Rate and with water would be suitable for Agriculture. There are no settlers, or improvements of any kind in this fractional Township

J. D. Chilson

U. S. Dep'y. Surveyor

BOOK 1984

U. S. Surveyor-General's Office,

TUCSON, A. T. July 11<sup>th</sup> 1888.

The foregoing Field Notes of the Surveys of  
Subdivisions T 15 S R  
12 E, in Papago Indian  
Reservation

Gila and Salt River Meridian  
in Arizona Terr. executed by  
L. D. Chilson

U. S. Deputy Surveyor, under his contract dated  
November 30<sup>th</sup> 1887,  
having been critically examined, the necessary correc-  
tions and explanations made, the said Field Notes and  
the surveys they describe are hereby approved.

John Hise  
U. S. Surveyor-General  
for the Territory of Arizona.