

No 2.

1986

BOOK 1986

1986

1986

4-671

1986

FIELD NOTES
GENERAL LAND OFFICE.
SUBDIVISIONS.

PAPAGO INDIAN RESERVATION
T.15S. R.13E.

1986

64

INDEX.

Township 15 South, Range 13 E

GILA AND SALT RIVER MERIDIAN.

6		5		4		3		2	
						143			
7		8				142		10	11
						140			
						139			
						137			
18		17				135		15	14
						134			
						132		138	
						130	132	128	85 82
19		20				126	127	123	81 79
						121	123	119	78 76
						116	118	115	75 73
	175	173	173	169	170	112	109	77	68
x	x	x	x	x	x	108	105	67	58
					168	105	102	64	61
					167	101	98	60	57
					156	97	94	58	55
					155	93	90	52	50
					153	89	86	49	46
					152	86			
					149				
					146				
					145				
					140				
					139				
					138				
					135				
					134				
					132				
					130				
					127				
					123				
					121				
					119				
					118				
					115				
					112				
					109				
					108				
					105				
					102				
					98				
					97				
					94				
					93				
					90				
					89				
					86				
					86				
					85				
					82				
					82				

Referring the lines to the pages of the field notes.

Subdivisions. ² T 15 S. R 13 E.

Thence East on random
line thro centre of sec 26
Var $13^{\circ} 10' E$.

In scattering timber & brush.

20. Set temporary $\frac{1}{16}$ Sec cor

34.35 Spring Branch, 60 lks wide
running water course N.W.

37.50 Enter prairie.

40. Set temporary $\frac{1}{4}$ Sec cor

60. Set temporary $\frac{1}{16}$ Sec cor

63.60 Leave Bottom, ascend mesa
and enter mesquite thickets.

80.01 Intersect N & S line 13 lks
S of the $\frac{1}{4}$ Sec cor.

Thence Run $S^{\circ} 89^{\circ} 55' W$
on a true line thro center of
sec 26 with same var

20. Set a post 3 ft long 3 ins dia
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor

Subdivisions

marked $\frac{1}{6}$ P on N face
 dug pits $18 \times 18 \times 12$ in
 E + W of post $5\frac{1}{2}$ ft dist
 and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post

40.

Set a post 3 ft long 3 in of
 with charred stake 12 in
 in ground for $\frac{1}{4}$ sec cor
 marked $\frac{1}{4}$ P on N face
 dug pits $18 \times 18 \times 12$ in E
 + W of post $5\frac{1}{2}$ ft dist
 and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post

60.

Set a post 3 ft long 3 in of
 with charred stake 12 in in
 ground for $\frac{1}{6}$ Sec cor marked
 $\frac{1}{6}$ P on N face dug pits 18
 $\times 18 \times 12$ in E + W of post

T 15 S. R 13 E.

5½ ft dist and raised a
mound of earth 1½ ft high
3½ ft base around post

80.01 The ¼ Sec cor.

Land level bottom, Soil
1st rate and grass good for
63 chs: level mesa and soil
2nd rate for 17 chs.

Scattering timber and brush
for 58 chs, prairie for 22 chs

Thence North bet secs
26 + 27

Var 13° 10' E

11.70 Brush fence and water ditch
bears E + W, and enter Indian
fields.

20. Set a post 3 ft long 3 ins off
with charred stake 12 ins in
ground for ¼ 16 Sec cor ^{marked}

BOOK 1986
Subdivisions

$\frac{1}{16}$ S on W face dug pits
18 x 18 x 12 ins N 75 of
post $5\frac{1}{2}$ ft dist ^{and raised}
mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base around
post, which is in cultivated
field.

Thence East on random
line thro N $\frac{1}{2}$ of Sec 26
Var $13^{\circ} 10' E$.

- 1.10 Leave cultivated field
20. Set tempy $\frac{1}{16}$ Sec cor
30.50 Spring Branch 75-100 wide
course N.W.
40. Set tempy $\frac{1}{16}$ Sec cor
58.50 South end of Kurl 15 ft
high.
60. Set tempy $\frac{1}{16}$ Sec cor
64. Leave bottom ^{and ascend}
mesa,
70. were found

T 13 S. R 13 E.

- 80.06 Intersect N + Shue 8 lks
North of $\frac{1}{16}$ Sec cor
Thence run N $89^{\circ} 57' W$
on a true line thro N $\frac{1}{2}$ of
Sec 26 with same var
- 20.01 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits 18 x 18 x 12 ins E
+ W of post $3\frac{1}{2}$ ft dist and
raised a mound of earth
 $1\frac{1}{2}$ ft high and $3\frac{1}{2}$ ft base
around post, which is in
an open space.
- 40.03 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits 18 x 18 x 12 ins E

Subdivisions

+ w of post $5\frac{1}{2}$ ft dist
 and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post from
 which a mesquite 7 ms in
 diam bears $S 45^\circ E 40$
 lks dist marked $\frac{1}{16}$ S.B.T.
 A mesquite 9 ms diam
 bears $N 7^\circ E 27$ lks dist
 marked $\frac{1}{16}$ S.B.T.

60.04 Set a post 3 ft long 3 in ϕ
 with charred stake 12 ms
 in ground for $\frac{1}{16}$ Sec or
 marked $\frac{1}{16}$ S on N face
 dug pits $18 \times 18 \times 12$ ms E
 + w of post $5\frac{1}{2}$ ft dist and
 raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base a-
 round post, from which
 a mesquite 14 ms diam

T 15 S, R 13 E

bears S 89° W q. l. R. dist.
marked 1/16 S. B. T.

80.06 The 1/16 Sec. cor

Land for 64 chs level
bottom, Soil 1st rate and
good grass, for 16 chs
level mesa, and soil
somewhat rocky.

Scattering Timber and
Brush for 40 chs, and open
prairie for 40 chs

Thence North bet sees
26 + 27

Var 13° 10' E.

4.20 Brush fence bears E + W

17.55 Cross Berger's wire fence
and water ditch bears E + W

20. Set a post 4 ft long 4 ins of
with charred stake 12 ins in

Subdivisions

Ground for cor trees 22,
 23, 26 + 27 marked
 T 15 S S 23 on NE
 R 13 E S 26 on SE
 S 27 on SW. and
 S 22 on N.W. faces, with
 2 notches on S and 2
 notches on E edges, dug
 pits 18 x 18 x 12 in in
 each section 5 1/2 ft dist
 and raised a mound of
 earth 2 ft high 4 1/2 ft
 base around post.

Land for rocks bet
 secs 26 + 27 level bottom
 and soil 1st rate

Use gates timber and
 Brush for 51.70 chs, cul-
 tivated fields for 28.30 chs.

T I S S R I B E

Thence East on random
line bet sees 23 + 26

Var $13^{\circ} 10' E$

9. Begin ascent of South Slope of
Martinez Mountain.
20. Set tempy $1/16$ Sec cor
40. Set tempy $1/4$ Sec cor
60. Set tempy $1/16$ Sec cor
61. Leave Mountain
- 74.20 Cross wire fence bears NW + SE
75. Old Road ^{bears} NW + SE.
- 80.11 Intersect N + S line 5 lks
South of cor to sees 23, 24, 25 + 26
Thence Run $S 89^{\circ} 58' W$
on a true line bet sees 23 +
26 with same var
- 20.02 Set a stone $12 \times 14 \times 16$ ins 10
ins in ground for $1/16$ Sec cor
marked $1/16$ S on N face and
raised a mound of stones

Subdivisions

- alongside. Pits impracticable.
- 40.05 Set a stone $10 \times 18 \times 20$ ins
10 ins in ground for $\frac{1}{4}$ Sec
cor, marked $\frac{1}{4}$ S on N face
and raised a mound of stone
alongside. Pits impracticable.
The old corner obliterated.
- 60.07 Set a stone $12 \times 14 \times 16$ ins
10 ins in ground for $\frac{1}{16}$ Sec
cor marked $\frac{1}{16}$ S on N face
and raised a mound of
stone alongside. Pits im-
practicable.
- 80.11 The cor to secs 22, 23, 26 + 27
Land for 9 chs level bottom
and soil fertile, for 52 chs
rocky mountainous and soil
worthless, for 9 chs rolling
mesa and soil worthless
No trees

T 15 S, R 13 E.

BOOK 1986

75

Greasewood and Palo Verde
Brush on mountain.

Thence North bet sees
22 + 23.

Var $13^{\circ} 10' E$.

In Berger's field.

6. Road to Berger's bears E + W

11.54 Cross Berger's fence and
water ditch bears E + W

18.85 Water ditch bears E + W

20. Set a post 3 ft long 3 ins dia
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on W face
dug pits $18 \times 18 \times 12$ ins N +
S of post $5\frac{1}{2}$ ft dist and
raised a mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around
post.

Subdivisions

Thence East on railroad
line thro S $\frac{1}{2}$ of Sec 23

Var $13^{\circ} 10' E$,

18. Road to Bergers ranch bears
N.E. & S.W. and commence
ascent of Martinez Mt.

20. Let tempy $\frac{1}{16}$ Sec cor

40. Let tempy $\frac{1}{16}$ Sec cor

60. Let tempy $\frac{1}{16}$ Sec cor

72. Leave Martinez Mountain

73.55 Crossroad fence bears N
W + S.E. + Road N + S

80. Intersect N + S line 15th R
N of $\frac{1}{16}$ Sec cor.

Thence Run $N 89^{\circ} 54'$
W on a true line thro S $\frac{1}{2}$ of
Sec 23 with same var

20. Put a stone $14 \times 16 \times 18$ ins
10 ins in ground for $\frac{1}{16}$ Sec
cor marked $\frac{1}{16}$ S on N face

T 15 S. R 13 E

and raised a mound of stones alongside. Sets unpracticable.

40. Set a stone $12 \times 15 \times 18$ ins
10 ins in ground for $\frac{1}{16}$ Sec
cor marked $\frac{1}{16}$ S on N face
and raised a mound of
stones alongside. Sets unpracticable.

60. Set a stone $10 \times 12 \times 20$ ins
10 ins in ground for $\frac{1}{16}$ Sec
cor marked $\frac{1}{16}$ S on N face
and raised a mound of
stones alongside. Sets unpracticable.

80. The $\frac{1}{16}$ Sec cor.

Land for 18 chs level bottom and soil 1st rate and cultivated fields, for 54 chs rocky, mountainous

Subdivision

and worthless, for 8 chs
rolling mesa and soil
3rd rate.

No trees

Yucca and Palo
Verde Bush on Mountain

Thence North bet sees

22 + 23

Var $13^{\circ} 10'$ E

- 13.46 Water ditch. bears E + W.
- 19.40 Water ditch. bears E + W.
20. Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ S on W face
dug pits $18 \times 18 \times 12$ in N
& S of post $5\frac{1}{2}$ ft dist
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft

T 15 S, R 13 E.

base around post, which
is in a cultivated field.

The old cor obliterated.

Thence East on random
line thro centre of sec 23

Var $13^{\circ} 10' E.$

- 9.15 Water ditch bears N + S
20. Set tempy $1/16$ Sec cor
Road to Quarry N E + S. W.
- 34.12 Ascend mesa
40. Set tempy $1/4$ Sec cor
- 59.70 Cross wire fence bears
NW + SE.
60. Set tempy $1/16$ Sec cor
- 64.10 Old road bears NW +
S.E.
- 80.09 Intersect N + S line 13
E. of South of $1/4$ sec cor.
Thence I run $S 89^{\circ} 55' W$
on a tree line thro center
of sec 23 with same var

Subdivision

20.02 Set a post 3 ft long 3 ins off
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits 18 x 18 x 12 ins E
& W of post 5 $\frac{1}{2}$ ft dist ^{used}
raised mound of earth
1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base a-
round post.

40.04 Set a post 3 ft long 3 ins off
with charred stake 12 ins
in ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ S on N face
dug pits 18 x 18 x 12 ins E
& W of post 5 $\frac{1}{2}$ ft dist
and raised a mound of
earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft
base around post.

60.06 Set a post 3 ft long 3 ins off
with charred stake 12 ins

T 15 S R 13 E

in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on N face
 dug pits $18 \times 18 \times 12$ in \pm
 + w of post $5\frac{1}{2}$ ft dist
 and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post, which
 is in a cultivated field.

80.09 The $\frac{1}{4}$ Sec cor

Land for $3\frac{1}{4}$ chs level bot-
 tom, soil 1st rate and cul-
 tivated fields, for 66 chs
 level mesa and soil 2nd rate.

No trees.

Greasewood and Mesquite
 Brush 66 chs

Thence North bet sees

22 + 23

Var $13^{\circ} 10'$ E

Subdivision

20. Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ Pow W face
dug pits $18 \times 18 \times 12$ in N
& S of post $5\frac{1}{2}$ ft dist ^{and}
raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base a-
round post, which is in
cultivated field.

Thence East on railroad
line thro N $\frac{1}{2}$ of Sec 23
Var $13^{\circ} 10' E$.

20. Set tempy $\frac{1}{16}$ Sec cor
36.50 Road to Berger's bears N
& S.W.

40. Set tempy $\frac{1}{16}$ Sec cor
and leave bottom

45.65 cross wire fence bears
NW & SE

- 4.60 Old Road bears NW + SE
60. Set temporary $\frac{1}{16}$ Sec cor
- 61.50 Arroyo 2 chs wide course
N.W.
- 80.04 Intersect. N + S line 13 LR
N of $\frac{1}{16}$ Sec cor
Thence Run N $89^{\circ} 55'$ W
on a true line thro N $\frac{1}{2}$ of
Sec 23 with same var
- 20.01 Set a post 3 ft long 3 ins ϕ
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits 18 x 18 x 12 ins E
& W of post $5\frac{1}{2}$ ft dist
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.
- 40.02 Set a post 3 ft long 3 ins ϕ
with charred stake 12 ins

Subdivisions

in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ Pow N face
 dug pits $18 \times 18 \times 12$ ins E
 + W of face $5\frac{1}{2}$ ft dist
 and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post

60.03 Set a post 3 ft long 3 ins $\frac{1}{4}$
 with charred stake 12 ins
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ Pow N face
 dug pits $18 \times 18 \times 12$ ins E
 + W of post $5\frac{1}{2}$ ft dist
 and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
 ft base around post,
 which is in cultivated
 field

80.04

The $\frac{1}{16}$ Sec cor

Land for 40 chs, level

T 15 S. R 13 E.

bottom, Soil 1st rate and
cultivated fields, for 40
ch level mesa and soil
2nd rate

No trees

mesquite Bush 40 chs

Thence North on random
line bet secs 22 + 23

Var 13' 10' E.

19.35 Intersect North Boundary
Township at the cor to secs
14, 15, 22 + 23

Thence Run South
on a true line bet secs 22 +
23 with same var.

19.35 The 1/16 Sec cor

Land for 80 chs bet secs
22 + 23 level bottom + soil
first rate + cultivated fields.

Subdivisions

No trees or Bush.

Feb 17th 1888

Thence from the Standard
Coo to Secs 33 & 34 T 15 S
R 13 E I run North betsecs
33 & 34

Var $13^{\circ} 10' E$,

20. Set a post 3 ft long 3 in of
with charred stake 12 in in
ground for $\frac{1}{16}$ Sec cor marked
 $\frac{1}{16}$ S on W face dug pits ^{18 x 18 x 12 in} N
& S of post $5\frac{1}{2}$ ft dist and
raised mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft ^{circumfer 11 in} base from which
a merquite 8 in diam bear
 $S 89^{\circ} 30' W$ 93 lks dist marked
 $\frac{1}{16}$ S.B.T.

Thence East on a random
line thro $S\frac{1}{2}$ of sec 34
Var $13^{\circ} 10' E$.

T 15 S R 13 E

20. Set tempy $\frac{1}{16}$ Sec cor
- 21.10 New Road to Tucson, bears
N + S.
40. Set tempy $\frac{1}{16}$ Sec cor
- 57.60 Old Road to Tucson, bears
NW + SE and enter Santa
Cruz Bottom.
60. Set tempy $\frac{1}{16}$ Sec cor
- 80.05 Intersect N + S line 8 lks
S of $\frac{1}{16}$ Sec cor.
Thence run $S 89^{\circ} 57' W$
on a true line thro $S \frac{1}{2}$ of
Sec 34 with same var
- 20.01 Set a post 3 ft long 3 ins of
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor marked
 $\frac{1}{16}$ S on N face dug pits E
 $18 \times 18 \times 12$ ins
& W of post $5 \frac{1}{2}$ ft dist and
raised mound of earth $1 \frac{1}{2}$
ft high $3 \frac{1}{2}$ ft base around

Subdivisions

post, from which a mesquite
5 ins in diam bears $S 1^{\circ} W$
40 lbs dist marked $\frac{1}{16} S$
B.T.

40.02 Set a post 3 ft long 3 ins of
with charred stake 12 ins in
ground for $\frac{1}{16}$ See cor ^{marked}
 $\frac{1}{16} S$ on N face dug pits
 $18 \times 18 \times 12$ ins E + W of post
 $5\frac{1}{2}$ ft dist and raised mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

60.03 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ See cor
marked $\frac{1}{16} S$ on N face
dug pits $18 \times 18 \times 12$ ins E
+ W of post $5\frac{1}{2}$ ft dist and
raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base a-

round post from which a
mesquite tree 11 ins diam
bears N 22° E 12 cks dist
marked $\frac{1}{16}$ S.B.T.

80.05 The $\frac{1}{16}$ Sec cor.

Land for 57 cks level
mesa soil 2nd rate, for
23 cks level bottom soil
1st rate.

Scattering trees ^{and} mesquite
Brush for 57 cks, mesquite
trees ^{and} brush for 23 cks

Thence North bet secs
33 & 34

Var 13° 10' E

20.

Set a post 3 ft long 3 ins dia
with charred stake 12 ins in
ground for $\frac{1}{4}$ Sec cor marked
 $\frac{1}{4}$ low W face dug pits

Subdivisions

18 X 18 X 12 vis N + S of post
 5 1/2 ft dist and raised a
 mound of earth 1 1/2 ft high
 3 1/2 ft base around post,
 from which a mesquite 10
 vis drain bears N 23° E
 50 lks dist marked 1/4 S.B.T.
 A mesquite 5 vis drain bears
 S 74° W 28 lks dist marked
 1/4 S.B.T. The old cor obliterated.

Thence East on a random
 line thro center of sec 34

18.40 New Road to Tucson bears
 NW + SE.

20. Set tempy 1/16 Sec cor

40. Set tempy 1/4 Sec cor

46.20 Old Lime Kiln 15 lks dist
 bears S 90° E

55. Old Lime Kiln 2.50 chs dist
 bears North

58.20 Old Road bears N + S.

T 15 S, R 13 E

60. Set temporary $\frac{1}{16}$ Sec cor and enter Santa Cruz Bottom
63. Old Ruins 1 ch dist bears S.
- 80.07 Intersect N + S line 4 cRs North of $\frac{1}{4}$ Sec cor.
Thence Run $N 89^{\circ} 58' W$ on a true line thro center of Sec 34 with same var
- 20.01 Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for $\frac{1}{16}$ Sec cor marked $\frac{1}{16}$ S on N face dug pits $18 \times 18 \times 12$ ins E + W of post $5\frac{1}{2}$ ft dist and raised a mound of each $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post from which a mesquite 10 ins diam bears $N 87^{\circ} E$ 67 cRs dist marked $\frac{1}{16}$ S.B.T.

Subdivisions

40.03 Set a post 3 ft long 3 ins of
with charred stake 12 ins in
ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ S on N face dry
pits $18 \times 18 \times 12$ ins E + W
of post $5\frac{1}{2}$ ft dist, and
raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base a
round post.

60.05 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face dry
pits $18 \times 18 \times 12$ ins E + W
of post $5\frac{1}{2}$ ft dist and
raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post from which a mesquite
tree 5 ins diam bears $N 5^\circ$
E 10 lrs dist marked $\frac{1}{16}$ S.B.T.

T I S R I B E

80.07 The $\frac{1}{4}$ Sec cor.

Land for 60 chs level mesa and soil 2nd rate, for 20 chs level bottom and soil 1st rate.

mesquite Trees and Brush for 20 chs, Scattering trees and mesquite Brush 60 chs

Thence North between

33 + 34

Var $13^{\circ} 10'$ E.

1.10 Drywash 30 lks wide course N. E.

20. Set a post 3 ft long 3 in of with charred stake 12 in in ground for $\frac{1}{16}$ Sec cor marked $\frac{1}{16}$ Low W face deep pits $18 \times 18 \times 12$ in N + S of post $5\frac{1}{2}$ ft dist and

raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base a-
 round post from which a
 mesquite 12 ris drain bears
 $S^{\circ} 27^{\circ} 30' W$ 38 lbs dist marks
 $\frac{1}{16}$ S.P.T.

Thence East on random
 line thro $N\frac{1}{2}$ of sec 34
 Var $13^{\circ} 10' E$.

- 11.70 New Road to Tucson bears
 $NW + SE$.
20. Lettempy $\frac{1}{16}$ Sec cor
40. Lettempy $\frac{1}{16}$ Sec cor
58. old Road bears $N + S$.
60. Lettempy $\frac{1}{16}$ Sec cor
63. Enter Santa Cruz Bottom.
77. Santa Cruz River 50 lbs wide
 course North.
- 80.01 Intersect $N + S$ line of lbs
 S of $\frac{1}{16}$ Sec cor.

T 15 S, R 13 E

Thence Iron S 89° 56' W
 on a true line thro N 1/2 of
 sec 34 with same as.

20. Set a post 3 ft long 3 in of
 with charred stake 12 in
 in ground for 1/16 Sec cor
 marked 1/16 S on N face
 dug pits 18 1/4 x 18 1/4 x 12 in E
 + W of post 5 1/2 ft dist
 and raised a mound of
 earth 1 1/2 ft high 3 1/2 ft
 base around post.

32.80 A mesquite tree 6 in diam

40. Set a post 3 ft long 3 in of
 with charred stake 12 in
 in ground for 1/16 Sec cor
 marked 1/16 S on N face
 dug pits 18 1/4 x 18 1/4 x 12 in E
 + W of post 5 1/2 ft dist and
 raised a mound of earth

Subdivisions

$1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base a-
 rounded post from which
 a mesquite tree 6 ins in
 diam bears $S^{\circ} 5^{\circ} E$ 28
 lks dist marked $\frac{1}{16}$ S.B.T.

60. Set a post 3 ft long 3 ins ϕ
 with charred stake 12 ins
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ Pow N face
 dug pits $18 \times 18 \times 12$ ins E
 + W of post $5\frac{1}{2}$ ft dist
 and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post.

80.01 The $\frac{1}{16}$ Sec cor.

Land for 63 chs level
 mesa and soil 2nd rate, for
 17 chs level bottom soil 1st rate
 mesquite trees & brush
 for 17 chs, Statterments and

T 15 S R 13 E

Brush for 67 chs

Thence North between

33 & 34

Var $13^{\circ} 10' E$ 5.70 New Road to Tucson
bears NW & SE20. The old sec cor. I set a post
4 ft long 4 in off with
charred stake 12 in in
ground for cor to secs
27, 28, 33 & 34 marked

T 15 S S 27 on NE

R 13 E S 34 on SE

S 33 on SW and

S 28 on NW faces, with
1 notch on S and 3 notches
on E edges, dug pits 18×18
 $\times 12$ in in each sec $5\frac{1}{2}$ ft
dist and raised a mound

Subdivisions

of earth 2 ft high $4\frac{1}{2}$ ft
base around post. The old
cor obliterated.

Land for 80 chs bet
secs 33 + 34 level mesa.

Soil 2nd rate

Scattering trees

mesquite Brush 80 chs

Thence East on random
line bet secs 27 + 34

Var $13^{\circ} 10' E$

20. Set tempy $\frac{1}{16}$ Sec cor.
40. Set tempy $\frac{1}{4}$ Sec cor.
43. Old Road bears NW + SE
45.60 Old Road bears NW + SE +
enter Santa Cruz Bottom.
52. Wire fence about 2 chs N
60. Set tempy $\frac{1}{16}$ Sec cor
71.50 Santa Cruz River 40 chs wide
course N.W.

T 15 S R 13 E

80.04 Intersection N + S line to LR
 N of cor to secs 26, 27, 34 + 35
 Thence Run N $89^{\circ} 57' W$
 on a true line bet secs 27
 + 34 with same var

20.01 Set a post 3 ft long 3 ins ϕ
 with charred stake 12 ins in
 ground for $\frac{1}{16}$ Sec cor marked
 $\frac{1}{16}$ Pow N face dug pits 18
 \times 18 \times 12 ins E + W of post $5\frac{1}{2}$
 ft dist and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post from
 which a mesquite 5 ins diam
 bears N $2^{\circ} E$ 11 lbs dist
 marked $\frac{1}{16}$ S.B.T.

A mesquite 7 ins diam bears
 S $15^{\circ} E$ 30 lbs dist marked
 $\frac{1}{16}$ S.B.T.

40.02 Set a post 3 ft long 3 ins ϕ

Subdivisions

with charred stake 12 ins in
ground for $\frac{1}{4}$ Sec cor marked
 $\frac{1}{4}$ S on N face dug pits $18 \times$
 18×12 ins E + W of post $5\frac{1}{2}$
ft dist and raised mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post, from
which a mesquite 10 ins diam
bears $S 5^\circ E$ 51 lks dist
marked $\frac{1}{4}$ S. B. T.
A mesquite ^{in diam bears} $18\frac{1}{2}$ N 45° W 110
lks dist marked $\frac{1}{4}$ S. B. T.
The old $\frac{1}{4}$ Sec cor.

60.03 Set a post 3 ft long 3 ins apr
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor marked
 $\frac{1}{16}$ S on N. face dug pits $18 \times$
 18×12 ins E + W of post $5\frac{1}{2}$ ft
dist and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base

T 15 S . R 13 E

around post.

80.04 The corner to secs 27.28.33 + 34

Land for 45.60 chs level
mesa, soil 2nd rate; for 34.40
chs level bottom, and soil 1st rate

Scattering trees and mesquite
Birch 80 chs

Hence North bet secs
27 + 28

Var $13^{\circ} 10' E$.

20. Set a post 3 ft long 3 ins of
with charred stake 12 ins in
ground for $1/16$ Sec cor marked
 $1/16$ P on W face dug pits 18
 \times 18 \times 12 ins N + S of post
 $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft high,
 $3\frac{1}{2}$ ft base around post, from
which a mesquite tree 6 ins in

Subdivisions

draw bears $N 87^{\circ} E 73$ lks
dist marked $\frac{1}{16}$ S.B.T.

A mesquite 10 ins in diam
bears $S 16^{\circ} E 48$ lks dist
marked $\frac{1}{16}$ S.B.T.

Thence East on random
line thro $S \frac{1}{2}$ of sec 27
Var $13^{\circ} 10' E$

20. Lettempy $\frac{1}{16}$ Sec cor
38. Enter Santa Cruz Bottom
- 39.28 Old Road bears $NW + SE$
- 39.35 Wire fence bears $NW + SE$
40. Lettempy $\frac{1}{16}$ Sec cor
46. Marshy Branch 5 chs wide
52. Enter Scattering timber
- 59.82 Santa Cruz River 40 lks wide
course N.
60. Lettempy $\frac{1}{16}$ Sec cor
- 80.06 Intersect $N + S$ line 7 lks S
of the $\frac{1}{4}$ Sec cor

T 15 S, R 13 E.

Thence I run $S 89^{\circ} 57' W$
on a true line thro $5\frac{1}{2}$ of sec
27 with same as

20.01 Set a post 3 ft long 3 in dia of
with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ in E
& W of post $5\frac{1}{2}$ ft dist
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

40.03 Set a post 3 ft long 3 in dia of
with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ in E
& W of post $5\frac{1}{2}$ ft dist
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base

Subdivisions

around post, which is on
W side of fence in open space.

60.04 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits 18 x 18 x 12 ins E
& W of post $5\frac{1}{2}$ ft dist,
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post, from
which a mesquite 6 ins diam
bears $N 88^\circ W 28$ dbrs
dist marked $\frac{1}{16}$ S B T.

80.06 The $\frac{1}{16}$ Sec cor

Said for 40 chs level
mess, soil 2nd class, for
40 chs level Bottoms soil
1st rate Good Grass

Scattered trees & mesquite brush

T 15 S, R 13 E.

for 40 chs

Thence North bet secs

27 & 28

20.

Set a post 3 ft long 3 in dia
with chared stake 12 in in
ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ S on W face
dug pits 18 x 18 x 12 in N
& S of post 5 $\frac{1}{2}$ ft dist
and raised a mound of
earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft
base around post from
which a mesquite 8 in dia
bears S 1° E 22 lbs dist
marked $\frac{1}{4}$ P. B. T. The
old cor obliterated.

Thence East ^{Ray} this center
of sec 27

Var 13 $^{\circ}$ 10' E

Subdivisions

20. Set tempy $\frac{1}{16}$ Sec cor
- 30.45 Road bears NW + SE.
31. Enter Santa Cruz Bottom
- 32.10 Wire fence ^{bear} NW + S.E
40. Set tempy $\frac{1}{4}$ Sec cor
45. Santa Cruz River 30 l.R.
mid course. N
60. Set tempy $\frac{1}{16}$ Sec cor
- 80.02 Intersect the N + S line 12
l.Rs S of $\frac{1}{4}$ Sec cor
Thence run $S 89^{\circ} 55'$
W on a true line thro cent
of sec 27 with same var
20. Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ Sec N face
dug pits $18 \times 18 \times 12$ ins E
& W of post $5\frac{1}{2}$ ft dist
and raised a mound of

T 15 S R 13 E

earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post, from
which a mesquite tree 5
mils diam bear $N 7^{\circ} E$
23 lbs dist marked $\frac{1}{16}$
P.B.T.

40.01

Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ on N face
dug pits $18 \times 18 \times 12$ in
E + W of post $5\frac{1}{2}$ ft dist
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post which
is in an open space.

60.01

Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ P on N face

Subdivisions

dig pits 18 x 18 x 12 ins E
+ W of post 5 1/2 ft dist
and raised a mound of
earth 1 1/2 ft high 3 1/2 ft
base around post.

80.02 The 1/4 Sec cor

Land for 31 chs level
mesa soil 2nd rate, for 49
chs level bottom soil 1st
rate.

Scattering trees and brush
for 40 chs

Thence North bet sees
27 + 28

Var 13° 10' E.

2.50 Ascend small hill 100 ft high

16.50 The Top of small hill and
descend.

20. Let a stone 12 x 14 x 16 ins

T 15 S. R 13 E

10 mi in ground for the
 $\frac{1}{16}$ Sec cor marked $\frac{1}{16}$ S
 on W face, and raised
 a mound of stones alongside
 Pets impracticable. The
 cor on North side of hill.

Thence East on random
 line thro N $\frac{1}{2}$ of sec 27
 Var $13^{\circ} 10'$ E.

Descending N slope of hill
 leave hill.

- 3.50
 20. Let tempy $\frac{1}{16}$ Sec cor
 27.85 Road bears NW + SE and
 enter Santa Cruz Bottom.
 28.20 Wire fence bears NW + SE
 35.20 Water ditch bears N + S
 40. Let tempy $\frac{1}{16}$ Sec cor
 47.20 Water ditch bears N + S
 60. Let tempy $\frac{1}{16}$ Sec cor
 70. Brush fence bears N + S.

Subdivisions

80.07 Intersect N + Plane 7 LR
 P of $\frac{1}{16}$ Sec cor

Thence Drive $S 89^{\circ} 57' W$
 on a true line thro $N \frac{1}{2}$ of
 Sec. 27 with same var

20.01 Set a post 3 ft long 3 in of
 with charred stake 12 in
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ P on N face
 dug pits $18 \times 18 \times 12$ in E
 + W of post $5 \frac{1}{2}$ ft dist
 and raised a mound of
 earth $1 \frac{1}{2}$ ft high $3 \frac{1}{2}$ ft
 base around post, which
 is in cultivated field.

40.03 Set a post 3 ft long 3 in of
 with charred stake 12 in
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ P on N face
 dug pits $18 \times 18 \times 12$ in E

T 15 S. R 13 E

4 or of post $5\frac{1}{2}$ ft dist
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post, which
is in cultivated field.

60.05 Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ P on N face
dug pits $18 \times 18 \times 12$ in E
4 or of post $5\frac{1}{2}$ ft dist
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

80.07 The $\frac{1}{16}$ Sec cor

Land for 28 chs level
mesa and soil 2nd rate, for
52 chs level bottom soil
1st rate and cultivated fields.

Scattering trees and mesquite

Subdivision

Brush for 28 chs.

Thence North let secs

27 + 28

Var $13^{\circ} 10'$ E,

6.50 Leave hill.

17.50 Road bears NW + SE

20. The old sec cor. Set a post
4 ft long 4 ins off with chained
stake 12 ins in ground for
cor to secs 21, 22, 27 + 28
marked.

T 15 S, S 22 on NE

R 13 E, S 27 on SE

S 28 on SW and

S 21 on NW faces,

with 2 notches on S and 3

notches on E edges, dug

pts 18 x 18 x 12 ins in each

sec $5\frac{1}{2}$ ft dist, and raised

T 15 S. R 13 E.

a mound of earth 2' ft
high 4 1/2 ft base around
post.

Land bet secs 27 +
28, for 27 chs Blocky and
soil worthless for 53 chs
level mesa soil 2nd rate

Scattered trees, mesquite
and Greasewood Bush
for 80 chs

Thence East on random
line bet secs 22 + 27

Var 13° 10' E

2. Road bears NW + SE. The
Papago settlement 4 chs N.
- 7.35 South Side of Kroll
- 12.10 Road bears N + S
20. Pettempy 1/16 Sec cor
- 20.08 Road bears N + S.

Subdivisions

- 20.90 Cross wire fence bearing
N + S to cultivated field,
Trojel's house bears N about
4 chs.
- 39.90 Cross Brush fence bearing
NW + SE
40. Set tempy $\frac{1}{4}$ Sec cor
- 41.80 Cross wire fence of Ber-
ger's field.
42. Berger's house bears S
about 3 chs.
- 46.80 Water Ditch bears N + S.
60. Set tempy $\frac{1}{16}$ Sec cor
- 74.60 Water Ditch bears N + S
- 80.05 Intersect N + S line 15' LR
S of cor to secs 22, 23, 26 + 27
Thence Iron S $89^{\circ} 54' W$
on a true line bet ^{secs} 22 + 27
with same var
- 20.01 Set a post 3 ft long 3 ins of

T 15 S R 13 E

with charred stake 12 in in
ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ P on N face
dug pits $18 \times 18 \times 12$ in E
& W of post $5\frac{1}{2}$ ft dist
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post

40.02 Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ P on N face
dug pits $18 \times 18 \times 12$ in E
& W of post $5\frac{1}{2}$ ft dist
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post. The old
cor obliterated.

60.03 Set a post 3 ft long 3 in of
with charred stake 12 in in

Subdivisions

ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on N face
 dug pits $18 \times 18 \times 12$ ins E
 + W of post $5\frac{1}{2}$ ft dist
 and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post, from
 which the Bell tower of
 San Jacinto Church bears
 $N 11^{\circ} 50' W$ about 30 chs dist

80.05 The cor to secs 21, 22, 27 + 28

Land for 20 chs rolling
 mesa soil 2nd rate, for 60
 chs cultivated fields and
 soil 1st rate.

No trees

Greasewood and Mesquite
 Bush for 20 chs

Thence West on a random

T 15 S. R 13 E

line bet secs 21 + 28

Var $13^{\circ} 10' E$

2.20 Road bears N + S

14. Drywash 30 lbs wide
course N. E.20. Let temporary $\frac{1}{16}$ Sec cor34.86 Road to San Jacinto mine
bears N. E. + S. W.40.02 Intersect West Boundary
Reservation 4 lbs N of
 $\frac{1}{4}$ Sec cor.Thence Run $N 89^{\circ} 57' E$
on a true line bet secs 21 +
28 with same var20.01 Let a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ in E
+ W of post $5\frac{1}{2}$ ft dist

Subdivisions

and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post

40.02 The cor to secs 21, 22, 27 + 28

Land for 40 chs Rolling mesa soil 2nd rate.

No trees.

mesquite and Greenwood
Brush 40 chs

Thence North bet secs.

21 + 22

Var $13^{\circ} 10'$ E.

Through Papago settlement

10.75 Road bears N.W. + S.E

17.30 Road bears N.W. + S.E

18.28 Cross river fence bearing E + W and into cultivated field

20. Set a post 3 ft long 3 ins of with charred stake 12 ins

T I S S R I B E

in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on W face
 dug pits $18 \times 18 \times 12$ ins N
 + S of post $5\frac{1}{2}$ ft dist
 and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post.

Thence East on random
 line thro $5\frac{1}{2}$ of Sec 22

Var $13^{\circ} 10' E$

In cultivated field

18. Pine Grove Church bears
 South about 9 chs.
20. Set tempy $\frac{1}{16}$ Sec cor
- 29.20 Old adobe Ruins.
40. Set tempy $\frac{1}{16}$ Sec cor
- 42.15 Water Ditch bears N + S
58. Water Ditch bears N + S
60. Set tempy $\frac{1}{16}$ Sec cor
- 80.03 Intersect N + S line 11 LR N

Subdivisions

of $\frac{1}{16}$ Sec cor

Thence Iron N $89^{\circ} 55' W$
on a true line the $5\frac{1}{2}$ of sec
22 with same var

20.

Set a post 3 ft long 3 ins of
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor marked
 $\frac{1}{16}$ S on N face dug pits
 $18 \times 18 \times 12$ ins E + W of
post $5\frac{1}{2}$ ft dist and raised
a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post.

40.01

Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ ins E
+ W of post $5\frac{1}{2}$ ft dist and
raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base a-

T. 15 S. R. 13 E

round post.

60.01 Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits 18 x 18 x 12 in E
& W of post $5\frac{1}{2}$ ft dist and
raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post.

80.03 The $\frac{1}{16}$ Sec cor
Laid for 80 chs level
Bottom, Post frustrate and
cultivated fields.

Feb 18th 1888

Thence West on random
line thro $S\frac{1}{2}$ of sec 21

11. Cross wire fence bearing N
W & S E

11. 30 Road bears NW & SE

Subdivisions

20. Set temporary $\frac{1}{16}$ Sec cor
 31.10 Road to San Jacinto mesa
 bears N + S
 39.96 Intersect West Boundary
 Reservation 3 lks S of $\frac{1}{16}$
 Sec cor

Thence Run $S 89^{\circ} 57' E$
 on a true line thro the S $\frac{1}{2}$
 of sec 21 with same cor

- 19.98 Set a post 3 ft long 3 ins $\frac{1}{2}$
 with charred stake 12 ins
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on N face
 dug pits $18 \times 18 \times 12$ ins E
 + W of post $5\frac{1}{2}$ ft dist ^{and}
 raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base a
 round post

- 39.96 The $\frac{1}{16}$ Sec cor
 Land rolling mesa

T 15 S. R 13 E.

No trees

Greasewood and Mesquites
Brush for ~~40~~²⁹ chs

Thence North between

21 & 22

Var $13^{\circ} 10' E$.

20.

Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ S on W face
dug pits $18 \times 18 \times 12$ in N
& S of post $5\frac{1}{2}$ ft dist and
raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post. The old cor obliterated.

Thence East on random
line thro center of sec 22

Var $13^{\circ} 10' E$.

10.50

Cross Brush fence bearing N & S.

124

Subdivisions

- 10.85 Water ditch bears N + S
20. Set tempy $\frac{1}{16}$ Sec cor
40. Set tempy $\frac{1}{4}$ Sec cor
- 56.30 Water ditch bears N + S
60. Set tempy $\frac{1}{16}$ Sec cor
- 80.06 Intersect N + S line 14 lbs.
 P of $\frac{1}{4}$ Sec cor
 Thence S run $S 89^{\circ} 54' W$
 on a true line thro center of
 Sec 22 with camera
- 20.01 Set a post 3 ft long 3 ins of
 with charred stake 12 ins in
 ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ P on N face
 dug pits $18 \times 18 \times 12$ ins E
 + W of post $5\frac{1}{2}$ ft dist and
 raised a mound of earth.
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
 post.
- 40.03 Set a post 3 ft long 3 ins of

T 15 S R 13 E

125,

with charred stake 12 in in
ground for $\frac{1}{4}$ Sec cor marked
 $\frac{1}{4}$ Pon N face dug pits 18 x
18 x 12 in E + W of post $5\frac{1}{2}$
ft dist and raised mound
of earth, $\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post

60.04

Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ Pon N face
dug pits, 18 x 18 x 12 in E
+ W of post $5\frac{1}{2}$ ft dist and
raised a mound of earth
 $\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post.

80.06

The $\frac{1}{4}$ Sec cor

Land for 80 chs level
Bottom, soil first rate and
cultivated fields.

These West on random
line this center of sec 21

Var $13^{\circ} 10' E$

14. cross wire fence bearing
NW + SE

14.30 Road bears NW + SE

20. Set temporary $\frac{1}{16}$ Sec cor at
about the cut Papago settle-
ment.

28. Road to San Jacinto mines
bears NW + SE

40.04 Intersect N + S line of
S of $\frac{1}{4}$ Sec cor

These Iron $S 89^{\circ} 54' E$
this center of sec 21 on a true
line with same as

20.02 Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face

T 15 S R 13 E

dug pits 18x18x12 ins E +
W of post 5 1/2 ft dist and
raised a mound of earth 1 1/2
ft high 3 1/2 ft base around
post (in Papago settlement)

40.04 The 1/4 Sec cor

Land for 14 chs level
Bottom, soil first class +
cultivated fields; for 26 chs
level mesa soil second class
mesquite and mesquite
Brush for 15 chs

Thence North bet secs

21 + 22

Var 13° 10' E

Set a post 3 ft long 3 ins of
with charred stake 12 ins in
ground for 1/16 Sec cor marked
1/16 S on W face dug pits 18

Subdivisions T15S R13E

X18X12 ins N+S of post 5 1/2 ft dirt and raised mound of earth 1/2 ft high 3 1/2 ft base around post.

Thence East on random line thro N 1/2 of sec 22

7. 15 Water Ditch bears N+S

8. Cross Brush fence bearing N+S.

20. Let tempy 1/16 Sec cor

40. Let tempy 1/16 Sec cor

46. Water Ditch bears N+S.

60. Let tempy 1/16 Sec cor

80. Intersect N+S line 11 lks N of 1/16 Sec cor

Thence Run N 89° 55' W on a true line thro N 1/2 of sec 22 with same var.

20. Let a post 3 ft long 3 ins of with charred stake 12 ins w

Concluded, Book 1987.

22 miles