

No. 1
1988

BOOK 1988

BOOK 1988

BOOK 1988

BOOK 1988

1988

4-671

1988

FIELD NOTES 1988

GENERAL LAND OFFICE.


SUBDIVISIONS.

T. 16 S. - R. 11 E.

PAPAGO INDIAN RESERVATION.

1988

Township No. 16 S. Range No. 11 E. 9 & L. R. Meridian.



Crocker's Blank No. 1903.—TOWNSHIP PLAT.—80 CHAINS TO 1 INCH. H. S. CROCKER & Co., San Francisco and Sacramento, Cal.

Meridian Line,
Base Line,
Standard Line.

88

Field Notes
of the Survey of the
Subdivision Lines
of
Township No 16 South
Range 11 East
in the
Papago Indian Reservation
of the
Gila and Salt River Meridian
of
Arizona
As Surveyed by
L. D. Hillson
U. S. Deputy Surveyor
Under his Contract No. 8,-
Dated - Nov 30th 1887
Survey commenced Jan. 17th 1888
Survey completed Jan 22nd 1888

Sub-divisions In Papago Indian

Preliminary to commencing this survey I run West on a blank line on the South Boundary of Sec 25 and at 19.96 chs found the $\frac{1}{16}$ sec cor at 39.94 chs found the $\frac{1}{4}$ Sec Cor. at 60.03 chs found the $\frac{1}{16}$ Sec Cor at 80.05 chs found the Sec Cor. Thence from the cor to Secs 25. 30 31 & 36 I run North on a blank line and at 20. 40. 60. 80 chs found the $\frac{1}{16}$. $\frac{1}{4}$. $\frac{1}{16}$ and Sec Cor.

My compass will therefor run the same line as the exterior boundaries and the chaining practically agrees.

Survey commenced Jan 17th
1888 with a Gurley Solar Transit

T. 16. S. R. 11. E.
Reservations

BOOK 1988

3

chains

I begin at the Cor. to Secs 25, 26
35, & 36. which is a post. 4 ft. long
4 ins. Sq. Set firmly in the ground
Marked

T. 16. S. S. 25 P. R. on N.E.

R. 11. E. S. 36. on S.E.

S. 35. on S.W.

S. 26 on N.W. faces with 1 notch
on S. and 1 notch on E. Edges
with mound of earth 2 ft high
4 1/2 ft. base around Post.

Hence I run North between
Secs. 25 & 26.

Var $13^{\circ} 04' E.$

over rolling ground

20.00 Set a Stone $12 \times 14 \times 16$ ins. 8 ins. in
the ground for $1/16$ Sec. Cor. Marked
 $1/16$ on W. face, dig pits $18 \times 18 \times 12$ ins.
N. & S. of Post $5 \frac{1}{2}$ ft. dist. and raised
a mound of earth alongside

Sub-divisions

Chains

Thence I run East on random
line thro. S. $\frac{1}{2}$ of Sec. 25
Var. $13^{\circ} 04' E.$

over rolling ground

- 20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
41.00 Dry Wash 50 lks. wide Course N.E.
60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
78.50 Road to Sierrita Mts. brs. N.E. & S.W.
79.92 Intersect East Boundary of Tr.
11 lks North of $\frac{1}{16}$ Sec. Cor.

Thence I run N. $89^{\circ} 55' W.$ on a
true line thro. S. $\frac{1}{2}$ of Sec. 25. ^{with same Var.}

- 19.98 Set a Post 3 ft. long 3 in. Sq with
charred Stake 12 ins in the
ground for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins
E & W of Post $5\frac{1}{2}$ ft. dist. and raised
a mound of Earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft. base around Post.

A. 16. S. R. 11. E.

chains

39.96 Set a Post 3 ft. long 3 ins sq. with Charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face dug pits 18X18X12 ins E. & W. of Post $5\frac{1}{2}$ ft. dist. and raised a mound of Earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base around Post.

59.94 Set a Post 3 ft. long 3 ins sq. with Charred Stake 12 ins. in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face. dug pits 18X18X12 ins E. & W. of Post $5\frac{1}{2}$ ft. dist. and raised a mound of Earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base around Post.

79.92 The $\frac{1}{16}$ Sec. Cor.
Sand Somewhat Broken
Soil 4th Rate
No Timber
catclaw-Brush 80, chs.

Hence North between Secs. 25 & 26

Sub-divisions

chains

Var. $13^{\circ} 04' E.$

- 20.00 Set a Post 3 ft. long 3 ins. Sq. with Char-
red Stake 12 ins. in the ground for
 $\frac{1}{4}$ Sec. Cor. Marked '4 S. on N. face
dug pits 18X18X12 ins. N. & S. of Post
5 $\frac{1}{2}$ ft. dist. and raised a mound
of Earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base
around Post.

Fence East on a random line
thro. center of Sec. 25.

Var. $13^{\circ} 04' E.$

- 20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
40.00 Set temporary $\frac{1}{4}$ Sec. Cor.
46.00 Dry Wash 60 lbs. wide Course N.E.
60.00 Set. temporary $\frac{1}{16}$ Sec. Cor.
68.00 Dry Wash 1 ch. wide Course N.E.
79.90 Intersect East Boundary of Tp.
4 ths South of $\frac{1}{4}$ Sec. Cor.

Fence I run S. $89^{\circ} 58' N.$ on
a true line thro. center of Sec. 25.

K. 16. S. R. 11. E.

chains

with same Var.

19.97 Set a Post 3 ft. long 3 ins Sq with Charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face. dug pits 18X18X12 ins. E. & M of Post. 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft base around Post.

39.94 Set a Post 3 ft. long 3 ins Sq with Charred Stake 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$ S. on N. face. dug pits 18X18X12 ins. E. & M of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around Post.

59.91 Set a Post. 3 ft. long 3 ins Sq. with a Charred Stake 12 ins. in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face. dug pits 18X18X12 ins. E. & M. of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around

Sub-divisions

chains

Post,

79.90

New 1/4 Sec. Con

Sand somewhat rolling

Soil 4th Rate

No Timber

Patlaw. + Palo Verde Brush 80, Chs.

Thence I run north between
Secs. 25 & 26.

Var 13° 04' E.

Over broken ground

14.10

Dry Wash 80 lks. wide course N.E.

20.00

Set a Post 3 ft. long 3 ins. sq with
charred stake 12 ins. in the ground
for 1/4 Sec Con, marked 1/4 Sec N.
face, dig pits 18x18x12 ins. N. & S. of
Post 5 1/2 ft. dist. and raise a
mound of earth 1 1/2 ft. high 3 1/2
ft. base around Post.

N. 16 S. R. 11 E.

chains

Hence I run East on a random
line thro. N. $\frac{1}{2}$ of Sec 25
Var. $13^{\circ} 04' E.$

over rolling ground

11.00 Dry Wash 80 lks. wide, Course N. E.

20.00 Set temporary $\frac{1}{16}$ Sec. Con

40.00 Set temporary $\frac{1}{16}$ Sec. Con

60.00 Set temporary $\frac{1}{16}$ Sec. Con

78.00 Dry Wash 1 ch. wide course N.

80.02 Intersect East Boundary of T.
8 lks. North of $\frac{1}{16}$ Sec. Con.

Hence I run N. $89^{\circ} 56' N.$
on a true line thro. N. $\frac{1}{2}$ of Sec. 25.
with same Var.

20.00 Set a Post 3 ft. long 3 ins Sq. with Charred
Stake 12 ins. in the ground for $\frac{1}{16}$
Sec. Con. Marked $\frac{1}{16}$ S. on N. face, dug
pits $18 \times 18 \times 12$ ins E & W. of Post $5\frac{1}{2}$ ft.
dist. and raised a mound of Earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base Around Post.

Chains

40.01

Set a Post 3ft long 3ins sq with charred stake 12ins in the ground for $\frac{1}{16}$ Sec. Con. Marked $\frac{1}{16}$ S. on N. face, dug pits 18x18x12 ins E & W of Post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base around Post.

60.01

Set a Post 3ft long 3ins sq with charred stake 12ins in the ground for $\frac{1}{16}$ Sec. Con. Marked $\frac{1}{16}$ S. on N. face, dug pits 18x18x12 ins E & W of Post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base around Post.

80.02

The $\frac{1}{16}$ Sec. Con.
Sand Rolling
Soil 4th Rate
No Timber

Catclaw and Palo Verde Brush rocks

T. 16. S. R. 11. E

chains

Thence North between Secs. 25 & 26.

Var. $13^{\circ} 04' E$.

20.00 Set a Stone $20 \times 14 \times 16$ ins. 8 ins in the ground for Cor. to Secs. 23, 24, 25 & 26
 Marked with 2 notches on S. and 1 notch on E. edges, and raised a mound of Stone alongside, pits impracticable

Thence Iron East on a random line between Secs 24 & 25.

Var. $13^{\circ} 04' E$.

Over broken ground

20.00 Set temporary $1/16$ Sec. Cor.

30.30 Dry Wash 1 ch. wide Course N.E.

40.00 Set temporary $1/16$ Sec. Cor.60.00 Set temporary $1/16$ Sec. Cor.

74.00 Dry Wash 85 lks. wide Course North

80.10 Intersect East Boundary of T₁₆.

14 lks. N. of Cor. to Secs 19, 24, 25 & 30

Thence Iron N. $89^{\circ} 54' W$. on a

Sub-divisions

chains

- true line between Secs. 24 & 25;
with same Var.
- 20.02 Set a Post 3 ft. long 3 ins Sq. with Charred
Stake 12 ins. in the ground for $\frac{1}{16}$ Sec
Cor. Marked $\frac{1}{16}$ S. on N. face, dug pits
18X18X12 ins. E. & W. of Post $5\frac{1}{2}$ ft. dist.
and raised a mound of Earth
1 $\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around Post.
- 40.05 Set a Post 3 ft. long 3 ins Sq. with Charred
Stake 12 ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. Marked $\frac{1}{4}$ S. on N. face, dug pits
18X18X12 ins. E. & W. of Post $5\frac{1}{2}$ ft. dist.
and raised a mound of Earth
1 $\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around Post
- 60.07 Set a Stone 20X14X12 ins. 10 ins. in
the ground, Marked $\frac{1}{16}$ S. on N. face
dug pits 18X18X12 ins. E. & W. of Stone, ^{5 $\frac{1}{2}$ ft. dist.}
and raised a mound of Earth
alongside
- 80.10 The Cor. to Secs 23 24, 25 & 26

D. H. S. R. H. E.

BOOK 1988

13

chains

Sand in this section is broken and worthless being an extension of the foot hills of the Sierrita Mts. Scattering trees, Catclaw, Palo Verde and Mesquite Brush brought Section

Some grass

Thence I run North between Seco

23 & 24

Var. $13^{\circ}04' E.$

Over rolling ground

20.00

Set a Stow $12 \times 14 \times 18$ ins, 10 ins, in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins. N. & S. of Stow $5 \frac{1}{2}$ ft dist. and raised a mound of earth alongside

Thence I run East on a random line thro. S. $\frac{1}{2}$ of Sec. 24.

Var. $13^{\circ}04' E.$

Ground rolling

Sub-divisions

- | chains | |
|--------|--|
| 12.50 | Dry Wash 40 lks wide Course N.W. |
| 20.00 | Set temporary $\frac{1}{16}$ Sec. Cor |
| 22.50 | Dry Wash 90 lks. wide Course N. |
| 46.00 | Set temporary $\frac{1}{16}$ Sec, Cor, |
| 60.00 | Set temporary $\frac{1}{16}$ Sec, Cor, |
| 66.00 | Dry Wash 1. Ch. wide Course N. |
| 80.05 | Intersect East Boundary of Tr.
at the $\frac{1}{16}$ Sec. Cor, |
| | Thence I run so. on a true line
with same var. |
| 20.01 | Set a Post 3 ft long 3 ins sq with
Charred Stake 12 ins in the ground
for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on
N. face, dug pits 18x18x12 ins E &
W. of Post. 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$
ft base around Post. |
| 40.02 | Set a Post 3 ft. long 3 ins sq with
charred stake 12 ins in the
ground for $\frac{1}{16}$ Sec. Cor, |

T. H. S. R. 11. E.

Chains

Marked $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins. E & W. of Post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base around Post.

60.03 Set a Post 3 ft long 3 ins Sq with Charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins. E. & W. of Post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around Post.

80.05 The $\frac{1}{16}$ Sec. Cor
Sand Broken
Soil 4th Rate
No. Pinbar
Palo Verde & Catclaw Brush 80. chs.

Subdivisions

chains

Hence north between Secs 23, & 24,
Var $13^{\circ} 04' E.$

over rolling ground

20.00 Set a Post 3 ft. bay 3 ins sq with
charred stake 12 ins in the ground
for $\frac{1}{4}$ Sec Con. Marked "S.S." on
N. face dug pits $18 \times 18 \times 12$ ins N.
& S. of Post. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around Post.

Hence I run East on a ran-
dom line thro. center of Sec. 24,
 $Var 13^{\circ} 04' E.$

12.10 Dry Wash 1 ch. wide Course U

20.00 Set temporary $\frac{1}{16}$ Sec Con

40.00 Set temporary $\frac{1}{4}$ Sec Con

54.00 Dry Wash 1.50 chs. wide Course N.

60.00 Set temporary $\frac{1}{16}$ Sec. Con

68.00 Dry Wash 1 ch wide Course U,

79.84 Intersect East Boundary of Twp.

13 chs. S. of $\frac{1}{4}$ Sec. Con

chains

Hence Iron S. $89^{\circ} 54' 70''$ on a true line thro. center of Sec. 24 with same bar.

19.96 Set a Post 3ft long 3 ins. Sq with charred stake 12 ins. in the ground for $\frac{1}{16}$ Sec. Cor. Marked 'K6 S. on N. face, dug pits 18X18X12 ins E & W of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around Post.

39.92 Set a Post 3ft. long 3 ins Sq. with charred stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked 'L S on N. face dug pits 18X18X12 ins E & W of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around Post.

59.88 Set a Post 3ft. long 3 ins Sq. with charred stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked 'K6 S.

Sub-divisions

chains

on N. face dug pits 18x18x12 ins
E. of Post 5 1/2 ft dist. and
raised a mound of earth 1 1/2
ft high 3 1/2 ft base around
Post.

7984 The 44 Sec. Con.

Soil Broken

Soil 4th Rate

No Timber

Palo Verde & Catclaw Brush 80. Chs.

Thence I run north between
Secs. 23. & 24.

Var. 13° 04' E.

10.20 Dry Wash 40 lks wide course N.E.

2000 Set a Post 3 ft. long 3 ins sq with
charred stake 12 ins in the
ground for 1/16 Sec. Con.
Marked 1/16 S. on N. face
dug pits 18x18x12 ins N. & S.

X 16. S. R 11. E.

BOOK 1988

19

chains

of Post: $5\frac{1}{2}$ ft. dist.: and raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around Post.

Thence I run East on a
random line thro. N. $\frac{1}{2}$ of
Sec. 24.

Var. $13^{\circ} 04' E.$

5.00 Dry Wash 50 lks wide Course N.E.

20.00 Set temporary $\frac{1}{16}$ Sec. Con

24.00 Dry Wash 40 lks wide Course N.E.

40.00 Set temporary $\frac{1}{16}$ Sec. Con

44.15 Dry Wash 1.40 Chs. wide Course N.

56.00 Dry Wash 80 lks wide Course N.W.

60.00 Set temporary $\frac{1}{16}$ Sec. Con.

76.00 Dry Wash 40 lks wide Course N.E.

80.07 Intersect East Boundary of
N. 6. lks. S. of $\frac{1}{16}$ Sec. Con.

Thence I run S. $89^{\circ} 59' 7''$
on a true line thro. N. $\frac{1}{2}$ of
Sec. 24. with same Var.

Subdivisions

chains

2001

W.M.

Set a Post 3ft. long 3ins. Sq. with Charred Stake 12ins. in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face dug pits 18x18x12 ins E & W. of Post. 5 $\frac{1}{2}$ ft dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around Post.

40.03

Set a Post 3ft. long 3ins Sq. with Charred Stake 12ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S on N. face dug pits 18x18x12 ins E & W. of Post 5 $\frac{1}{2}$ ft dist and raised a mound of Earth 1 $\frac{1}{2}$ ft. High 3 $\frac{1}{2}$ ft base around Post.

60 04

Set a Post 3ft. long 3ins Sq. with Charred Stake 12ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S on N. face dug

T. 16 S. R. 11 E.

chains

pile 18x18x12 ins E & M. of Post
5 1/2 ft. dist, and raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. base around Post.

80.00 The 1/16 Sec. Cor,
Ground broken

Soil 4th Kate

Scattering Trees

Catalaw & Palo Verde Brush 80.00

Jan 17th 1888

Hence north between Secs 23 & 24
Var. 13° 04' E.

2000 Set a Post 4 ft. long 4 ins sq. with
charred stake 12 ins in the
ground for Cor. to Secs. 13, 14,
23 & 24. Marked

T. 16 S. S 13. on N. E.

R. 11 E. S. 24 on S. E.

S. 23 on S. W. and

Subdivisions

chains

S. 14. on N. W. faces with 3 notches on S. and 1 notch on E. Edges dug pits 18x18, x12 in in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft base around Post.

Thence S. on East on a random line between Secs. 13 & 24.

Var. 13° 04' E.

Ground rolling

- 2000 Set temporary 1/4 Sec. Cor.
- 2200 Dry Wash 5 lks wide Course N.E.
- 4000 Set temporary 1/4 Sec. Cor.
- 4400 Dry Sand Wash 3 lks wide Course N.
- 6000 Set temporary 1/4 Sec. Cor.
- 79.80 Intersect East Boundary of Tr. 11. lks. S. of Cor. to Secs 13. 18. 19. & 24

P. 16. S. R. 11. E.

BOOK 1988

23

chains
Thence I run S. $89^{\circ}55'$ W. on
a true line between Secs. 13 & 24
with same Van,

19.95 Set a Post 3 ft. long 3 ins Sq. with
Charred Stake 12 ins in the ground
for $\frac{1}{16}$ Sec Cor. Marked $\frac{1}{16}$ S. on
N. face dug pit 18x18x12 ins E. & W.
of Post. $5\frac{1}{2}$ ft. dist and raised a
mound of Earth 1 $\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around Post.

39.90 Set a Post 3 ft. long 3 ins Sq. with
Charred Stake 12 ins in the
ground for $\frac{1}{4}$ Sec Cor. Marked
 $\frac{1}{4}$ S. on N. face. dug pit 18x18x12
ins. E. & W. of Post $5\frac{1}{2}$ ft. dist
and raised a mound of Earth
1 $\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
Post.

49.85 Set a Post 3 ft. long 3 ins. Sq. with
Charred stake 12 ins in the

Sub divisions

Chains

ground for $\frac{1}{16}$ Sec, Con, Marked
 $\frac{1}{16}$ S. on N. face dug pits 18x18
 x12 ins E. & W. of Post 5 $\frac{1}{2}$ ft
 dist. and raised a mound of
 earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
 around Post.

79.80 The Con. to Secs 13, 14, 23, & 24
 Ground rolling
 Soil 3rd Rate
 Some Grass
 Scattering Trees
 Paloverde & Catclaw Brush & chs

Thence north between Secs 13 & 14

Var. 13° 04' E.

6.40 Dry Wash 30 lks wide Course N.E.
 20.00 Set a Post 3 ft. long 3 in Sq with
 charred stake 12 ins in the ground
 for $\frac{1}{16}$ Sec Con Marked $\frac{1}{16}$ S. on

P. 16 S. R. 11. E

Chains

N. face deep pits 18x18x12 ins
 N. S. of Post. $5\frac{1}{2}$ ft dist and
 raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
 Post from which a Merquite
 10 ins. in diam bro. N 55° W.
 43. lks dist. Marked $\frac{1}{16}$ S. B. P.

Hence East on a random line
 thro. the S. $\frac{1}{2}$ of Sec. 13.

Var. $130^{\circ} 04'$ E.

- 1.46 Dry Wash 30 lks wide Course N E
 30.00 Set temporary $\frac{1}{16}$ Sec Cor
 40.00 Set Temporary $\frac{1}{16}$ Sec. Cor
 42.50 Dry Wash 50 lks. wide Course W.
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor,
 80.00 Intersect East Boundary of T₁
 7 lks S. of $\frac{1}{16}$ Sec. Cor.

Hence Run South $89^{\circ} 57'$
 W. on a true line thro. S $\frac{1}{2}$ of
 Sec 13. with same Var.

Sub-divisions

Chains

20.00

Set a Post 3 ft. long 3 ins Sq. with charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face. dug pits 18x18x12 ins E. & W. of Post 5 $\frac{1}{2}$ ft dist. and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around Post

40.00

Set a Post 3 ft long 3 ins Sq. with charred Stake 12 ins. in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face. dug pits 18x18x12 ins E. & W. of Post. 5 $\frac{1}{2}$ ft dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around Post

60.00

Set a Post 3 ft long 3 ins. Sq. with charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face dug pits 18x18x12

Q. 16. S. R. 11. E.

BOOK 1988

27

chains

110. E + M of Post 5 1/2 ft. dist. and
raised a mound of earth 1 1/2
ft. high 3 1/2 ft. base around
Post, from which a merquite
7 ins in diam. brs. S 78° 15'

8000

M. 54 lbs. dist. Marked 1/16 S. B. T.

The 1/16 Sec. Cor.

Sand Rolling

Soil 3rd Rate

Scattering trees

Palo Verde Catclaw and Mesquite

Brush 80, chs.

Thence North between Secs. 13 & 14,

Var 15° 04' E.

2000

Set a Post 3 ft. long 3 ins sq with
charred stake 12 ins in the
ground for 1/4 Sec Cor.
Marked 1/4 S. on W. face

Subdivisions

Chains

dug pits 18x18x12 ins N + S. of
 Post 5 1/2 ft. dist and raised
 a mound of earth 1 1/2 ft.
 high 3 1/2 ft base around
 Post. from which a Mesquite
 7 ins in diam. bro S. 25° W.
 73 lks dist Marked 1/4 S. B. P.

Thence East on a random
 line thro. center of Sec. 13.

Var 13° 04' E,

20.00 Set temporary 1/16 Sec. Cor,

24.50 Dry Wash 40 lks wide Course 2,

40.00 Set temporary 1/4 Sec. Cor,

43.00 Dry Wash 50 lks. wide Course 2,

56.00 Dry Wash 30 lks. wide Course 2

60.00 Set temporary 1/16 Sec. Cor,

80.05 Intersect East Boundary of Tr.

9 lks. S. of 1/4 Sec. Cor

Thence I run S. 89° 56' W.
 on a true line thro. center

D. 16, S. R. 11, E.

Chairs

- 20.01 of Sec. 13. with same Var.
Set a Post 3ft. long 3ins sq with
charrad stake 12 ins in the
ground for $\frac{1}{16}$ Sec. Cor.
Marked $\frac{1}{16}$ South face. dug
pits 18x18x12 ins E & W of Post
 $5\frac{1}{2}$ ft dist and raised a
mound of earth 1 $\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft. base around
Post.
- 4002 Set a Post 3ft. long 3ins sq with
charrad stake 12 ins in the
ground for $\frac{1}{4}$ Sec. Cor. Marked
 $\frac{1}{4}$ South face. dug pits
18x18x12 ins E. & W. of Post $5\frac{1}{2}$
ft. dist. and raised a
mound of earth 1 $\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft. base around
Post.
- 60.03 Set a Post 3ft long 3ins sq. with

chains

Sub-divisions

charrred stake 12 ins in
the ground for $\frac{1}{16}$ Sec
Cor. Marked $\frac{1}{16}$ S on N face
dug pits 18x18x12 ins E & W of
Post 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft high
3 $\frac{1}{2}$ ft base around Post.

80.03 - The $\frac{1}{4}$ Sec Cor.

Sand rolling
Soil 3rd Rate

Scattering Trees

Palo Verde & Mesquite Brush 80.03

Jan 18th 88

Thence North between Secs 13 & 14

Var. 15° 04' E,

2000 Set a Post 3 ft. long 3 ins sq with
charrred stake 12 ins in the
ground for $\frac{1}{16}$ Sec. Cor.
Marked $\frac{1}{16}$ S. on W. face. dug

T. 16. S. R. 11. E.

chains

pit's 18X18X12 ins. N. & S. of Post
5 1/2 ft dist. and raised a
mound of earth 1 1/2 ft high
3 1/2 ft base around Post

Thence I run E. on a random
line thro. N. 1/2 of Sec. 13.

Var. 13° 04' E.

- 2000 Set temporary 1/16 Sec. Cor
20.45 Dry Wash 40 lks. Course W
40.00 Set temporary 1/16 Sec. Cor.
42.85 Dry Wash 80 lks wide Course W,
53.50 Dry Wash 50 lks wide Course W
60.00 Set temporary 1/16 Sec Cor.
66.50 Dry Wash 40 lks wide Course W,
79.98 Intersect - E. Boundary of 1/4
4 lks. North of 1/16 Sec Cor.
Thence I run N. 89° 58' 30".
on a true line thro. N. 1/2 of
Sec. 13 with same var.
19.99 Set a Post 3 ft. long 3 ins sq. with

Sub-divisions

chains

- chained stake 12 ins. in the ground for $\frac{1}{16}$ Sec. Con. Marked $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins. E & W. of Post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around Post.
- 39.98 Set a Post 3 ft. long 3 ins Sq. with chained stake 12 ins in the ground for $\frac{1}{16}$ Sec. Con. Marked $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins. E & W. of Post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around Post
- 59.97 Set a Post 3 ft. long 3 ins Sq. with chained stake 12 ins in the ground for $\frac{1}{16}$ Sec. Con. Marked $\frac{1}{16}$ S. on N. face. dug pits $18 \times 18 \times 12$ ins E & W. of Post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high

T. 16. S. R. 11. E.

chains

3 1/2 ft base around Post.

79.98 The 1/16 Sec. Cor.

Sand rolling

Soil 3rd rate

Scattering Palo Verde & Mesquite Trees

Palo Verde Brush so, cho.

~~~~~  
 Thence North between Secs 13, & 14  
 Var. 13° 04' E.

11.20 Dry wash 60 lks wide Course N. E.

16.90 Road to Stearns Ranch bro N. E. & S. W.

20.00 Set a Post 4 ft. long 4 in Sq. with  
 charred Stake 12 in in the ground  
 for cor. to Secs, 11, 12, 13, & 14.

Marked

T. 16. S. S 12 on N E

R. 11. E. S 13 on S E

S. 14. on S. W. and

S. 11. on N W. faces with it.

## Sub-divisions

chains

notches on S. and 1 notch on E.  
Edges, dug pits 18X18X12 ins in  
Each Sec. 5 1/2 ft. dist. and  
raised a mound of Earth  
2 ft. high 4 1/2 ft. base around  
Post, from which a Palo Verde  
10 ins in diam. bro. N 67° W 94  
lks. dist. Marked T. 16 S. R. 11. E. S. 11  
B. 7.

A Palo Verde 8 ins in diam. bro. S.  
45° W. 80 lks. dist. Marked  
T. 16 S. R. 11. E. S. 14. B. 7.

Hence I run E. on a ran-  
dom line between Secs 12 & 13.

Var. 13° 04' E.

2.80 Road to Stevens Ranch bro N.E.  
& S. W.

15.50 Dry Wash 1 ch. wide Course N.E.

26.00 Set temporary 1/16 Sec. Corn

38.00 Dry Wash 90 lks. wide Course N.

T. 16 S. R. 14 E.

BOOK 1988

35

- Chains  
40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.  
54.00 Dry Wash 50 lks. wide Course N.  
60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
80.01 Intersect East Boundary line  
of  $\frac{1}{4}$  Sec. 5 lks North of Cor. to Secs.  
7, 12, 13, & 18.

Hence run North  $89^{\circ} 58' 30''$   
on a true line between Secs.  
12 & 13, with same var.

- 20.00 Set a Post 3 ft. long 3 ins Sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on  
N face dug pits 18x18x12 ins. Ex  
top of Post  $5\frac{1}{2}$  ft dist. and  
raised a mound of earth  
1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base around  
Post.  
40.00 Set a Post 3 ft long 3 ins Sq. with  
Charred Stake 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. Cor Marked  $\frac{1}{4}$  S. on



## Sub. divisions

chains

4. face dug pits 18. X 18 X 12 ins E & W. of Post 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft. high 3 1/2 ft base around Post
- 60.00 Set a Post 3 ft long 3 ins Sq. with Chopped Stake 12 ins in the ground for 1/6 Sec. Cor. Marked 1/6 S. on N. face dug pit 18 X 18 X 12 ins E & W. of Post 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft. high, 3 1/2 ft. base around Post, from which a Palo verde 9 ins. in diam. brs. N. 48° E. 43 lks. dist. Marked 1/6 S. B. 9
- 80.01 The cor. to Secs. 11. 12. 13. & 14.  
Land rolling  
Soil 3<sup>rd</sup> Rate  
Scattering Palo Verde & Mesquite trees  
Palo Verde & Mesquite brush 80. chs.

A. 16. S. R. 11. E.

chains

Thence Down North between  
Secs 11. + 12.

Var.  $13^{\circ} 04' E.$

Ground not much broken

20.00

Set a Post 3 ft. long 2 in Sq with  
Curved Stake 12 in in the  
ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S on W. face dug pits  $18 \times 18 \times 12$   
in. N + S. of Post.  $5 \frac{1}{2}$  ft dist. and  
raised a mound of Earth  $1 \frac{1}{2}$   
ft. high  $2 \frac{1}{2}$  ft. diam around  
Post. from which a Palo Verde  
Huis in diam. brs. S.  $46^{\circ} E.$   
114 lbs. dist. Marked  $\frac{1}{16}$  S. B. P.

Thence Down East on a  
pseudoc line thro. S.  $\frac{1}{2}$  of Sec.  
12.

Var.  $13^{\circ} 04' E.$

20.00

Set temporary  $\frac{1}{16}$  Sec. Cor.

20.54

Road to Stevens Ranch brs. N E + S W

## Sub-divisions.

Chains  
 30.60 Dry Wash 1 ch. wide Course N.  
 40.00 Set temporary  $\frac{1}{16}$  Sec. Con.  
 53.25 Dry Wash 70 lks wide Course N.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Con.  
 79.94 Intersect East Boundary of N  
 at  $\frac{1}{16}$  Sec. Con.

Hence Run West on a true  
 line thro. S.  $\frac{1}{2}$  of Sec. 12 with  
 same Var.

1998 Set a Post 3 ft. long 3 ins. Sq. with Charred  
 Stake 12 ins in the ground for  $\frac{1}{16}$  Sec  
 Con. Marked  $\frac{1}{16}$  S on N. face dug pits  
 18X18X12 ins E. & W. of Post  $5\frac{1}{2}$  ft. dist  
 and raised a mound of Earth  $\frac{1}{2}$   
 ft high  $3\frac{1}{2}$  ft. base around Post  
 29.96 Set a Post 3 ft long 3 ins Sq. with Charred  
 Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Con.  
 Marked  $\frac{1}{16}$  S. on N. face dug pits  
 18X18X12 ins E. & W. of Post  $5\frac{1}{2}$  ft dist  
 and raised a mound of Earth



T. 16. S. R. 11. E.

BOOK 1988

39

Chains

1 1/2 ft. high 3 1/2 ft. base around Post, from which a Palo Verde 12 ins in diam brs. S. 88° W. 40 lks dist. Marked 1/16 S. B. 9.

54.94

Set a Post 3 ft. long 3 ins sq with charred Stake 12 ins in the ground, for 1/16 Sec Cor. Marked 1/16 South. face dug pits 18 X 18 X 12 ins E. & W. of Post. 3 1/2 ft. dia. and raised a mound of Earth 1 1/2 ft. high 3 1/2 ft. base around Post.

79.94

The 1/16 Sec. Cor.

Land somewhat rolling  
Soil 2nd Rate

Scattering Palo Verde & Mesquite Trees  
Palo Verde & Mesquite brush and  
Suastras 80. Chs.

---

Line North between Secs  
11. & 12.

Sub-divisions

Chains

Var.  $13^{\circ} 04' E.$

26.00 Set a Post 3 ft. long 3 ins sq. with charred Stake 12 ins in the ground for  $\frac{1}{4}$  Sec Cor. Marked  $\frac{1}{4}$  S. on N. face deep pits  $18 \times 18 \times 12$  ins N. & S. of Post.  $5\frac{1}{2}$  ft. dist and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post. from which a Palo Verde 8 ins in diam. bar N.  $58^{\circ} E.$  90 lks. dist. Marked  $\frac{1}{4}$  S. B. 9.

Hence I run East on a random line thro. center of Sec. 12,

Var.  $13^{\circ} 04' E.$

- 30.00 Set temporary  $\frac{1}{16}$  Sec. Cor.
- 29.70 Dry Wash 50 lks wide course N.
- 32.00 Dry Wash 1 ch. wide course N.
- 38.20 Road to Stevens Ranch br. N E & S. W.
- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 60.00 Set temporary  $\frac{1}{16}$  Sec Cor

## T. 16 S. R. 11. E.

- Chains  
62.20 Dry Wash 80 lks wide course N.  
79.80 Intersect East Boundary T. 16  
lks. South. of  $\frac{1}{4}$  Sec. Cor.  
Thence I ran S.  $89^{\circ} 53' 11''$   
on a true line thro center of  
Sec. 12. with same Cor.
- 19.95 Set a Post 3 ft. long 3 ins sq with charred  
Stake 12 ins in the ground for  $\frac{1}{4}$  Sec  
Cor. Marked  $\frac{1}{4}$  S. on N. face dug  
pits 18X18X12 ins. E. & W. of Post  
 $5\frac{1}{2}$  ft dist. and raised a mound  
of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft base  
around Post.
- 39.90 Set a Post 3 ft. long 3 ins sq. with  
Charred Stake 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor. Marked  
 $\frac{1}{4}$  S. on N. face dug pits 18X18X12 ins  
E. & W. of Post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of Earth  $1\frac{1}{2}$   
ft. high.  $3\frac{1}{2}$  ft. base Around Post



## Sub. divisions

Chains  
59.85

Set a Post 3ft. long 3 ins sq. with Charred  
Stake 12 ins in the ground for  $\frac{1}{16}$  Sec.  
Cor. Marked  $\frac{1}{16}$  S. on N. face. dug pits  
18X18X12 ins E. & W. of Post  $5\frac{1}{2}$  ft. dist.  
and raised a mound of Earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft base around Post,  
from which a Palo Verde 11. ins in  
diam. bns, N.  $80^{\circ} 30'$  W. 43 lbs. dist.  
Marked  $\frac{1}{16}$  S. B. P.

79.80

The  $\frac{1}{4}$  Sec. Cor.

Soil mostly level with Slope  
to the north

Soil 2<sup>nd</sup> Rate

Scattering trees

Palo Verde & Mesquite brush 80. chs.  
By observation taken this day 2 feet a  
the magnetic var to be 13 $^{\circ}$  42'

Thence North between Secs. 11. &amp; 12.

Var.  $13^{\circ} 04'$  E.

20.00

Set a Post 3ft long 3 ins sq with

A. H. S. R. S. E.

BOOK 1988

43

Chains

Charred Stake 12 ins. in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on W. face dug pits 18x18x12 ins N. & S. of Post. 5  $\frac{1}{2}$  ft. dist. and raised a mound of Earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around Post.

Hence I run East on a random line thro N.  $\frac{1}{2}$  of Sec 12  
Var. 13° 04' E,

- 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
24.00 Dry Wash 50 lks wide Course N.  
37.00 Dry Wash 80 lks wide Course N. & E.  
40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
54.15 Road to Stevens Ranch thro N. E. & S. W.  
60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
62.50 Dry Wash 40 lks wide Course N.  
79.84 Intersect East Boundary of Tp.  
9 lks. S. of  $\frac{1}{16}$  Sec. Cor.  
Hence I run S. 89° 56' W.

## Sub-divisions

Chains

on a true line thro.  $\frac{1}{2}$  of Sec  
12. with same Var.

19.96 Set a Post 3ft. long 3 ins sq. with char-  
red Stake 12 ins. in the ground  
for  $\frac{1}{16}$  Sec. Con. Marked  $\frac{1}{16}$  S. on  
N. face dug pits 18X18X12 ins E. & W.  
of Post. 5  $\frac{1}{2}$  ft. dist. and raised a  
mound of Earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft.  
base around Post.

39.92 Set a Post 3ft. long 3 ins sq. with charred  
Stake 12 ins in the ground. for  $\frac{1}{16}$  Sec. Con.  
Marked  $\frac{1}{16}$  S. on N. face dug pits  
18X18X12 ins E. & W. of Post. 5  $\frac{1}{2}$  ft. dist.  
and raised a mound of Earth  
1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around Post.

59.88 Set a Post 3ft. long 3 ins sq. with charred  
Stake 12 ins. in the ground for  $\frac{1}{16}$  Sec  
Con. Marked  $\frac{1}{16}$  S. on N. face dug pits  
18X18X12 ins E. & W. of Post 5  $\frac{1}{2}$  ft. dist.  
and raised a mound of Earth



T. 16 S. R. 11. E.

chains  
 1 1/2 ft high 3 1/2 ft. base around Post  
 49.84 The 1/16 Sec. Cor.  
 Sand mostly level with  
 Slope to the North  
 Soil 2nd Rate  
 Scattering trees  
 Palo Verde & Mesquite brush 80, chs.  
 ~~~~~

Hence North between Secs. 11. & 12.

Var. 13° 34' E.

11.20 Dry wash 1 ch. wide course N.E.
 20.00 Set a Post 4 ft. long 4 ins Sq. with
 Charred Stake 12 ins in the ground
 for Cor. to Secs. 1, 2, 11, & 12.

Marked

T. 16. S. S. 1. on N.E.

R. 11. E. S. 12 on S.E.

S. 11, on S.W. and

S. 2. on N.W. faces. with 5-

Sub-divisions.

Chains

notches on the S. and 1 notch on E. edges dug pits 18x18x12 ins in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base around Post, from which a Palo Verde 10 ins in diam. bns. S. 20° E 96 lbs dist. Marked G. 16 S. R. 11. E. S. 12. B. A

Hence I. run East on a Random line between Secs. 1 & 12.

Var. 13° 04' E,

- 14.50 Dry Wash 80 lks wide Course W.
 20.00 Set temporary 1/16 Sec. Cor.
 40.00 Set temporary 1/4 Sec. Cor.
 60.00 Set temporary 1/16 Sec. Cor.
 61.00 Dry Wash 40 lks Course W.
 45.20 Road to Stevens Ranch bns. N, E, & S, W.
 24.90 Intersect the East Boundary of Tr. 21. lks. S. of Cor. to Secs.

P. 16. S. R. 11. E.

chains

1. 6. 7. 12.

Hence Iron S. $89^{\circ} 51' W$.
on a true line between Secs.
1 & 12. with same base,

19.97 Set a Post 3 ft. long 3 ins sq. with char-
red Stake 12 ins in the ground for
1/16 Sec. Cor. Marked 1/16 S. on E. face
dug pits 18X18X12 ins E. & W. of
Post $5\frac{1}{2}$ ft. dist. and raised a
mound of Earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
ft. base around Post.

39.95 Set a Post 3 ft. long 3 ins sq. with charred
Stake 12 ins in the ground for 1/4
Sec. Cor. Marked 1/4 S. on N. face
dug pits 18X18X12 ins E. & W. of Post
 $5\frac{1}{2}$ ft. dist. and raised a mound
of Earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around Post.

59.91 Set a Post 3 ft. long 3 ins sq. with
charred Stake 12 ins in the

Sub divisions.

Chains

ground for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on N. face dug pits
 18X18X12 ins E & W of Post $5\frac{1}{2}$ ft
 dist. and raised a mound
 of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
 around Post

4990 The Cor. to Secs. 1, 2, 11, & 12.

Land mostly level with
 slope to the North

Soil 2nd Rate

Scattering Trees

Palo Verde & Misquite brush soles.

Hence North between Secs. 1 & 2,

Var $13^{\circ}04' E$,

2000 Set a Post 3 ft. long 3 ins sq with
 charred stake 12 ins. in the ground
 for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on
 N. face dug pits 18X18X12 ins

P. 16 S. R. 11. E.

Chains

N. & S. of Post $5\frac{1}{2}$ ft. dist. and raised a mound of Earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base around Post, from which a Palo Verde 12 ins in diam. brs. S. 42° W. 85° the dist. Marked $\frac{1}{16}$ S. B.P.

Steps

Hence I run East on a random line thro. S. $\frac{1}{2}$ of Sec. 1.

Var. 13° 04' E.

- 17.00 Dry Wash 40 lks. wide Course N.
 20.00 Set temporary $\frac{1}{16}$ Sec. Cor
 40.00 Set temporary $\frac{1}{16}$ Sec. Cor
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor
 80.07 Intersect East Boundary of Sp.
 at the $\frac{1}{16}$ Sec. Cor.

Hence I run West on a true line thro. S. $\frac{1}{2}$ of Sec. 1. with same Var.

- 20.01 Set a Post 3 ft. long 3 ins Sq. with charred Stake 12 ins in the

Sub-divisions.

Chains

ground for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on N. face, dug pits 18x18
 x12 ins. E & W. of Post $5\frac{1}{2}$ ft. dist.
 and raised a mound of Earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
 Post; from which a Palo Verde
 8 ins. in diam. brs. N. 45° W. 21
 lks. dist. Marked $\frac{1}{16}$ S. B. P.

4603 Set a Post 3 ft. long 3 ins. Sq. with
 charred stake 12 ins in the
 ground for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on N. face. dug pits 18x18x12
 ins. E & W of Post $5\frac{1}{2}$ ft. dist. and
 raised a mound of Earth $1\frac{1}{2}$
 ft high $3\frac{1}{2}$ ft. base around
 Post; from which a Palo Verde
 8 ins in diam. bears, S 44° 30'
 E. 75 lks. dist. Marked $\frac{1}{16}$ S. B. P.

60. 04 Set a Post 3 ft. long 3 ins Sq. with
 charred stake 12 ins in the

T. H. S. R. 11 E.

chains

ground for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on N. face, dug pits 18x18
 x12 ins E. & W. of Post 5 $\frac{1}{2}$ ft. dist.
 and raised a mound of earth
 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around Post.

8009 The $\frac{1}{16}$ Sec. Cor.

Land level

Soil 2nd Rate

Scattering Palo Verde trees

Palo Verde brush so cho.

~~~~~

Hence Iron North between Sec.

1 & 2.

Var. 13.° 04' E.

2000 Set a Post 3 ft. long 3 ins sq. with  
 charred Stake 12 ins in the ground  
 for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on  
 N. face, dug pits 18x18x12 ins.  
 N. & S. of Post. 5 $\frac{1}{2}$  ft. dist. and

## Sub-divisions

Chains

raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base around Post.

Thence I run East on a random line thro. the center of Sec. 1.

Var.  $13^{\circ} 04'$  E.

- 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 21.50 Dry Wash 30 lks. wide Course W.  
 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 80.09 Intersect East Boundary of Tp.  
 11 lks. S. of  $\frac{1}{4}$  Sec. Cor.

Thence I run S.  $89^{\circ} 55'$  W.  
 on a true line thro. center of  
 Sec. 1. with same Var.

- 20.02 Set a Post 3 ft. long 3 ins Sq. with  
 charred stake 12 ins. in the  
 ground for  $\frac{1}{16}$  Sec Cor. Marked  
 $\frac{1}{16}$  S. on N. face dug pits  $18 \times 18 \times 12$  ins.

Chains.

E. & W. of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.

40.04

Set a Post 3 ft. long 3 ins. sq. with charred stake 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on N. face dug pits  $18 \times 18 \times 12$  ins. E. & W. of Post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.

60.06

Set a Post 3 ft. long 3 ins. sq. with charred stake 12 ins. in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face dug pits  $18 \times 18 \times 12$  ins. E. & W. of Post  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.



## Sub-divisions

Chains  
80.09The  $\frac{1}{4}$  Sec. Cor.

Sand level

Soil 2<sup>nd</sup> Rate

Scattering Palo Verde trees

Palo Verde brush 80. chs.

Thence Iron North between a  
Secs. 1 & 2.

Var.  $13^{\circ} 04' E.$ 

20.00 Set a Post 3 ft. long 3 ins sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on  
N. face dug pits  $18 \times 18 \times 12$  ins N. & S.  
of Post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of Earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around Post.

Thence Iron East on a  
random line thro. the N.  $\frac{1}{2}$  of  
Sec. 1.

P. 16 S. R. 11. E.

BOOK 1988

55

chains

Var  $13^{\circ}04' E.$

- 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
80.04 Intersect East Boundary of  $\frac{1}{16}$  Sec.  
13 links South of the  $\frac{1}{16}$  Sec.  
Cor.

Thence I run S.  $89^{\circ}54' 71.$   
on a true line thro. the  $2\frac{1}{2}$  of  
Sec 1. with same Var.

- 20.01 Set a Post 3 ft. long 3 ins sq with  
charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16} S.$  on  
N. face clay pits  $18 \times 18 \times 12$  ins  
E. & W. of Post  $5\frac{1}{2}$  ft dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around Post.

- 40.02 Set a Post 3 ft. long 3 ins sq with  
charred Stake 12 ins in the

## Sub-divisions

Chains

ground for  $\frac{1}{16}$  Sec. Cor  
 Marked  $\frac{1}{16}$  S. on N. face, dug  
 pits 18X18X12 ins E & W. of Post  
 $5\frac{1}{2}$  ft. dist. and raised  
 a mound of Earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft base around  
 Post.

60.03 Set a Post 3 ft long 3 ins Sq. with  
 charred stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec. Cor.

Marked  $\frac{1}{16}$  S. on N. face dug  
 pits 18X18X12 ins E & W. of Post  
 $5\frac{1}{2}$  ft. dist. and raised a  
 mound of Earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft. base around Post

80.04 The  $\frac{1}{16}$  Sec Cor

Sand Level

Soil 2<sup>nd</sup> Rate

Scattering Palo Verde trees

Palo Verde brush so. Slo.



T. 16. S. R. 11. E.

chains

Thence I run North between  
Secs. 1 & 2,

Cor. 13° 04' E.

2985-

Intersect 3<sup>rd</sup> Standard  
Parallel South 6400 ft East  
of Standard Cor. to Secs.  
35 & 36. T. 15. S. R. 11. E. where  
I set Post 4 ft. long 4 ins sq  
with charred stake 12 ins  
in the ground for Clos-  
ing Corner, to Secs 1 & 2.

T. 16. S. R. 11. E. Marked  
C.C. T. 16. S. R. 11 E. on S.

S. 1. on E. and

S. 2 on W faces, with 1  
notch on E. and 5 notches  
on W faces. Dug pits 24 x  
18 x 12 ins. Crosswise on  
Each line S. E. & W. of Post  
4 ft dist. and raised a

58,

BOOK 1988

Sub-divisions.

chains

mound of Earth 2 1/2 ft.  
high 5 ft. base around  
Post. Gary 19<sup>th</sup> 1888.

---

P. H. S. R. H. E.

Chains

BOOK 1988