

Sub-divisions
In Papago Indian

chains

Thence from the Cor. to Secs.
26, 27, 34, & 35. previously
Established and described
by me I run North between
Secs. 26, & 27.

Var. $13^{\circ} 04' E.$

Over broken rocky ground

20.00

Set Stone $20 \times 14 \times 12$ in
the ground for $\frac{1}{16}$ Sec. Cor.
Marked $\frac{1}{16}$ S. on W. face and
raised a mound of Stone
Alongside. Pits impracticable

Thence I run East on a
random line thro. S. $\frac{1}{2}$ of Sec
26.

Var. $13^{\circ} 04' E.$

Over broken rocky ground

20.00

Set temporary $\frac{1}{16}$ Sec. Cor.

40.00

Set temporary $\frac{1}{16}$ Sec. Cor.

45.00

Begin Ascent of hill 125 ft. high

9.16, S. R. 11. E.,
Reservation

BOOK 1989 60.

57.00 Summit of hill 125 ft high

60.00 Set temporary $\frac{1}{16}$ Sec. Cor.

July Descending

70.00 Foot of hill

80.06 Intersect N. & S. line 16 lks S. of $\frac{1}{16}$
Sec. Cor.

Thence I run S. $89^{\circ}53'N.$ on
a true line thro. S $\frac{1}{2}$ of Sec. 26. with
same Var.

20.01 Set a Stone $12 \times 18 \times 16$ ins. 8 ins in
the ground for $\frac{1}{16}$ Sec. Cor.

Marked $\frac{1}{16}$ S. on N. face and
raised a mound of Stone along
side. Rits impracticable.

40.03 Set Stone $18 \times 20 \times 14$ ins. 10 ins in
the ground for $\frac{1}{16}$ Sec. Cor. Marked

Marked $\frac{1}{16}$ S. on N. face and
raised a mound of Stone
alongside Rits impracticable

60.04 Set a Stone $12 \times 15 \times 16$ ins 10 ins in

Sub-divisions

the ground for $\frac{1}{16}$ Sec. Cor.
 Marked $\frac{1}{16}$ S. on N. face and
 raised a mound of stone
 alongside. Pits impracticable

80.06 The $\frac{1}{16}$ Sec. Cor.

Sand rocky, broken & worthless
 No Timber

Catclaw & Greasewood brush rocks,

Hence I run West on random
 line thro. S $\frac{1}{2}$ of Sec. 27.

Var $13^{\circ}04'$ E.

Over rocky broken ground

11.00 Dry Wash 40k wide Course N.E.

20.00 Set temporary $\frac{1}{16}$ Sec. Cor.

37.80 Dry Wash 1. ch. wide Course N.E.

40.00 Set temporary $\frac{1}{16}$ Sec. Cor.

41.00 Road to Antonio Canas Ranch
 brs. N.E.

116 S. R. 11. E.

- 56.00 Dry Wash 50 lks wide course N.
 60.00 Set Temporary 116 Sec. Cor.
 74.00 Road to Stevens Ranch Drs. N.E. & S.W.
 80.10 Intersect West Bdy of Reservation
 13 lks. North of 116 Sec. Cor
 Thence I run $N 89^{\circ} 54' E$,
 on a true line thro. S. $\frac{1}{2}$ of Sec 24
 with same Cor.
- 20.10 Set a Stone 14X18X16 ins 10 ins in
 the ground for 116 Sec. Cor
 Marked 116 S. on N. face and
 raised a mound of stone
 alongside Pits impracticable
- 40.10 Set a Stone 12X14X16 ins 8 ins in
 the ground for 116 Sec. Cor.
 Marked 116 S. on N. face. and
 raised a mound of stone
 alongside Pits impracticable
- 60.10 Set a Stone 14X18X20 ins 10 ins
 in the ground for 116 Sec. Cor.

Sub-divisions

Marked $\frac{1}{16}$ S. on N. face and
 raised a mound of stone
 alongside. Pits impracticable
 80.10 The $\frac{1}{16}$ Sec. Cor.
 Sand rocky broken & worthless
 No timber
 Catclaw and Mesquite brush rocks
 ~~~~~

Thence North between Secs.  
 26 & 27

Var.  $13^{\circ} 04' E.$

14.40 Dry Wash 40 lks. wide Course NE.  
 20.00 Set Stone  $18 \times 12 \times 14$  in 10 ins. in  
 the ground for  $\frac{1}{4}$  Sec. Cor.  
 Marked  $\frac{1}{4}$  S. on W. face and  
 raised a mound of stone  
 alongside. Pits impracticable  
 Thence East on a random  
 line throo center of Sec. 26.



P. 16. S. R. 11. E.

Var  $13^{\circ} 04' E$ .

- 3.00 Dry Wash 1 ch. wide Course N.  
 20.00 Set temporary  $1/16$  Sec. Cor.  
 40.00 Set temporary  $1/4$  Sec. Cor.  
 60.00 Set temporary  $1/16$  Sec. Cor.  
 63.00 Dry Wash 80 lks wide Course N.E.  
 80.07 Intersect N.S. line 14 lks North  
 of  $1/4$  Sec. Cor.

Hence I ran N.  $89^{\circ} 54' W$ .  
 on a true line thro Center of  
 Sec 26. with same Var.

- 20.01 Set Stone  $14 \times 18 \times 20$  ins 10 ins  
 in the ground for  $1/16$  Sec. Cor.  
 - Marked  $1/16$  S. on N. face and  
 raised a mound of Stone along  
 side. Rts impracticable  
 40.03 Set a Stone  $12 \times 15 \times 18$  ins 8 ins in  
 the ground. for  $1/4$  Sec. Cor.  
 Marked  $1/4$  S. on N. face and  
 raised a mound of Stone

## Sub-divisions

- Along side. Rts impracticable.  
 60.04 Set Stone 20x20x14 ins 10 ins  
 in the ground for  $\frac{1}{16}$  Sec. Cor.  
 Marked  $\frac{1}{16}$  S on N. face and  
 raised a mound of stone  
 alongside. Rts impracticable
- 80.04 The  $\frac{1}{4}$  Sec. Cor.  
 Sand broken rocky & worthless  
 No timber  
 Palo Verde & Catalpa brush 80. chs.
- 
- Thence I run <sup>with</sup> on a random  
 line thro. center of Sec 27  
 Var  $13^{\circ} 04'$  E.
- 11.00 Dry Wash 1 ch. wide Course N.E.  
 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 39.00 Road to Pava's Ranch Crs. N. & S.  
 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.  
 57.00 Dry Wash 1 ch. wide Course N.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.



N. 16. S. R. 11. E.

- 6600 Road to Stevens Ranchors N.E. & S.W.
- 80.12 Intersect the West Side of Reservation 22 lks. North of  $\frac{1}{4}$  Sec Con  
 Thence I run N.  $89^{\circ} 57' E$ .  
 on a true line thro center of  
 Sec 27. with same Var.
- 20.12 Set a Stone 12 X 12 X 14 ins 8 ins  
 in the ground for  $\frac{1}{16}$  Sec Con  
 Marked  $\frac{1}{16}$  South face and  
 raised a mound of Stone  
 along side. Pits impracticable
- 40.12 Set a Stone 14 X 18 X 20 ins 10 ins  
 in the ground for  $\frac{1}{4}$  Sec. Con.  
 - Marked  $\frac{1}{4}$  South face and  
 raised a mound of Stone along  
 side. Pits impracticable
- 60.12 Set Stone 20 X 20 X 30 ins 10 ins  
 in the ground for  $\frac{1}{16}$  Sec Con  
 Marked  $\frac{1}{16}$  South face and  
 raised a mound of Stone

## Sub-divisions

80.12 alongside Pit's impracticable  
The  $\frac{1}{4}$  Sec. Cor.  
No Laurel Broken rocks and  
worthless

No Timber

Palo Verde & Catclaw brush rocks.

Thence north between Secs,  
26 & 27.

Var  $13^{\circ} 04' E$ .

20.00 I set a Stone  $12 \times 14 \times 16$  ins 10 in  
in the ground for  $\frac{1}{16}$  Sec.  
Cor. Marked  $\frac{1}{16}$  S. on W. face  
and raised a mound of Stone  
alongside Pit's impracticable

Thence East on a random  
line thro  $\frac{1}{2}$  of Sec 26

Var  $13^{\circ} 04' E$ .

18.20 Dry Wash 60 kowide Course N.

20.00 Set temporary  $\frac{1}{16}$  Sec Cor

P. 16. S. R. 11. E.

BOOK 1989

68.

40.00 Set temporary  $\frac{1}{16}$  Sec. Con.

60.00 Set temporary  $\frac{1}{16}$  Sec. Con.

49.84 Intersect N & S. line 13 lks S. of  
 $\frac{1}{16}$  Sec Con

Thence I run S.  $89^{\circ} 55' M$   
on a true line thro N.  $\frac{1}{2}$  of  
Sec 26. with same Cor

19.96 Set Stone 10 X 12 X 14 ins 10 ins in  
the ground for  $\frac{1}{16}$  Sec. Con.

Marked  $\frac{1}{16}$  South face and  
raised a mound of Stone  
alongside Pit is impracticable

39.92 Set a Stone 20 X 14 X 16 ins 8 ins in  
the ground for  $\frac{1}{16}$  Sec. Con.

Marked  $\frac{1}{16}$  S. on N. face and  
raised a mound of Stone  
alongside Pit is impracticable

59.88 Set a Stone 12 X 14 X 16 ins 10 ins  
in the ground for  $\frac{1}{16}$  Sec. Con.

Marked  $\frac{1}{16}$  South face and



## Sub-divisions

raised a mound of Stouts  
 alongside. Pits impracticable  
 79.84 The  $\frac{1}{16}$  Sec Cor.  
 Sand broken rocky & worthless  
 No Timber

Catalaw & Mesquite brush 80 ch.

~~~~~  
 Thence I run west on a ran-
 dom line thro. the N. $\frac{1}{2}$ of Sec.
 24. Var $13^{\circ} 04' E$.

6.00 Dry wash 600 ft wide course N.E.
 20.00 Set temporary $\frac{1}{16}$ Sec Cor.
 32.00 Road to Leanos Ranch brs N.E.S.
 40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 54.00 Dry Wash 1 ch. wide Course N.
 58.00 Road to Stevas Ranch brs N.E. & W.
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 80.06 Intersect West Side of Res-
 Evation 19 lks N. of $\frac{1}{16}$ Sec
 Cor.

N. 16. S. R. 11. E.

BOOK 1989

70

Hence I run $N 89^{\circ} 52' E$. on
a true line thro $N \frac{1}{2}$ of Sec
27 with same Var.

2006 Set a Post 3 ft long 3 ins sq with
Charred Stake 12 ins in the
ground for $\frac{1}{16}$ Sec Cor. Marked
 $\frac{1}{16}$ S. on N. face dug pits 18 X 18
X 12 ins. E x W of Post. 5 $\frac{1}{2}$ ft dist
and raised a mound of
Earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
around Post.

4006 Set a Post 3 ft. long 3 ins sq with
Charred Stake 12 ins in the
ground for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on N. face. dug pits 18 X 18
X 12 ins E x W. of Post 5 $\frac{1}{2}$ ft dist.
and raised a mound of Earth
1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around
Post.

6006 Set a Stone 12 X 14 X 16 ins 10 ins

Subdivisions

in the ground for $\frac{1}{16}$ Sec Cor.
 Marked $\frac{1}{16}$ S on N. face and
 raised a mound of stone
 alongside. Rets. in practicable
 8006 The $\frac{1}{16}$ Sec. Cor.

Sand broken rocky & worthless
 E. $\frac{1}{2}$. and rolling N. $\frac{1}{2}$

Soil 3rd Rate

Scattering trees W $\frac{1}{2}$

Palo Verde and Mesquite brush & ckn



Hence North between Secs 26 & 27

Var $13^{\circ} 02'$ E.

400 Dry Wash 40 lbs wide Course N.E.

2000 Set a Post 4 ft. long 4 in Sq. with
 charred stake 12 in in the
 ground for Cor to Secs 22,
 23, 24, & 27. Marked
 $\frac{1}{16}$ S. S. 23 on N.E.

T. 16. S. R. 11. E.

R 11 E S. 26 on S. E.

S. 27 on S. W. and

S. 22 on N. W. faces with
2 notches on S. and 2 notches
on E. edges. dug pits 18X18
X12 ins. in each sec. 5 1/2 ft.
dist. and raised a mound
of earth 2 ft. high 1 1/2 ft base
around Post, from which
a mesquite 5 ins. in diam.
bns S. 48° E, 5 1/2 lks. dist
Marked T. 16. S. R. 11. E. S. 26.
B. P.

Hence East on a random
line between Secs 23 & 26

Var. 13° 04' E.

Our rolling ground

- 8,90 Dry Wash 80 links wide Course N.
2000 Set temporary 1/6 Sec. Cor.
4000 Set temporary 1/4 Sec. Cor.

Sub-divisions

- 60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 80.14 Intersect U.S. line 3 lks N. of
 Cor. to Secs. 23, 24, 25 & 26
 Hence I run N $89^{\circ}59' 77''$
 on a true line between Secs. 23
 & 26. with same Var.
- 20.03 Set Post 3ft. long 3ins Sq. with
 charred stake 12 ins in the
 ground for $\frac{1}{16}$ Sec Cor. Marked
 $\frac{1}{16}$ S. on N. face, dug pits 18x18
 x12 ins. E & W. of Post $5\frac{1}{2}$ ft. dist.
 and raised a mound of
 Earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
 around Post.
- 40.04 Set a Post 3ft. long 3ins Sq. with
 charred stake 12 ins in the ground
 for $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$ S. on
 N. face dug pits 18x18x12 ins E &
 W. of Post $5\frac{1}{2}$ ft. dist. and raised
 a mound of Earth $1\frac{1}{2}$ ft. high

T. 16. S. R. 11. E.

BOOK 1989

74

3 1/2 ft base around Post
60,10 Set a Post 3 ft long 3 in Sq. with
charred stake 12 in in the
ground for 1/16 Sec Cor. Marked
1/16 Sec N. face. dug pits 18 X 18
X 12 in E. & W. of Post 5 1/2 ft
dist. and raised a mound
of earth 1 1/2 ft high 3 1/2 ft base
around Post. from which
a Mesquite 5 in in diam.
brs. S. 40° E. 40 lks dist.
Marked 1/16 S. B. P.

80,14 The Cor to Secs. 22, 23, 24, & 29.
Sand rolling and somewhat
broken
Soil 4 to rate
Some few trees
Palo Verde & Mesquite Bush 80, chs.

Sub-divisions

Hence West on a random
line between Secs. 22 + 27
Var. $13^{\circ} 04' E$

- 20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
24.60 Road to Canas Ranch bro. N.W.
39.00 Dry Wash 1 ch. wide course N.E.
40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
49.50 Road to Stevens Ranch bro N.E. S.W.
60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
79.92 Intersect the West Bdy of the
Reservation $\frac{1}{16}$ mls north of
Cor to Secs 21 22 27 + 28

Hence I run North $89^{\circ} 55'$
E. on a true line between
Secs. 22 + 27 with same
var.

- 19.92 Set a Post 3ft. long 2 in Sq. with
charred stake 2 in in the
ground for $\frac{1}{16}$ Sec Cor
Marked $\frac{1}{16}$ S. on N. face dug

N. 16. S. R. 11. E.

Dug pits $18 \times 18 \times 12$ ins E. & W. of Post
 $5\frac{1}{2}$ ft dist. and raised a
 mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft. base around Post.

3992 Set a Post 3 ft. long 3 ins sq. with
 charred stake 12 ins in the
 ground for $\frac{1}{4}$ Sec Cor.

Marked $\frac{1}{4}$ S. on N. face dug
 pits $18 \times 18 \times 12$ ins E & W of Post
 $5\frac{1}{2}$ ft dist. and raised a
 mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around Post.

5992 Set a Post 3 ft. long 3 ins sq. with
 charred stake 12 ins in the
 ground for $\frac{1}{16}$ Sec Cor. Marked
 $\frac{1}{16}$ S. on N. face. dug pits 18×18
 $\times 12$ ins. E & W of Post. $5\frac{1}{2}$ ft. dist.
 and raise a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base around
 Post.

Sub-divisions

79.93 The Cor of Secs 22, 23, 26 & 27.
 Land $7\frac{1}{2}$. not so broken
 and soil 3rd Rate. E $\frac{1}{2}$ rolling
 & Soil 4th Rate
 Scattering trees
 Palo Verde & Mesquite brush 80, chs.

Hence North between Secs 22 & 23
 Var $13^{\circ} 04' E$.

20.00 Set Post 3ft long 3 in. Sq. with
 charred stake 12 in in the
 ground for $\frac{1}{16}$ Sec Cor.
 Marked $\frac{1}{16}$ S. on N. face.
 dug pits $18 \times 18 \times 12$ in N. & S. of
 Post. $5\frac{1}{2}$ ft dia and raised
 a mound of Earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft base around
 Post.

Hence East on a road

T. 16. S. R. 11. E.

BOOK 1989

75

line thro. S. $1/2$ of Sec 23.

Var. $13^{\circ} 04' E.$

4.00 Dry wash ch. wide Course $1/4 W E$

12.00 Dry Wash 1 ch. wide Course $N. E.$

20.00 Set temporary $1/16$ Sec. Cor

40.00 Set temporary $1/16$ Sec Cor

44.00 Dry Wash 80 lks. wide Course $N. E.$

60.00 Set temporary $1/16$ Sec. Cor.

80.11 Intersect $N. S.$ line 19 lks
North of $1/16$ Sec. Cor.

Thence I ran $189^{\circ} 53' 75''$
on a true line thro. S $1/2$ of Sec.
23. with same Var.

2062 Set a Post 3 ft long 3 ins sq with
Charred Stake 12 ins in the ground
for $1/16$ Sec Cor Marked $1/16 S.$
on $N.$ face deep pits $18 \times 18 \times 12$ ins
E & W. of Post $5 1/2$ ft dist and
raised a mound of earth
 $1 1/2$ ft high $3 1/2$ ft base around Post.

Sub-divisions

- 4005 Set a Post 3ft. long 3ins Sq with charred Stake 12ins in the ground for $\frac{1}{16}$ Sec Cor
Marked $\frac{1}{16}$ S. on N. face dug pits 18X18X12 ins E & W of Post 5 $\frac{1}{2}$ ft dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around Post.
- 6009 Set a Post 3ft. long 3ins Sq with charred Stake 12ins in the ground for $\frac{1}{16}$ Sec Cor.
Marked $\frac{1}{16}$ S on N. face dug pits 18X18X12 ins. E & W of Post 5 $\frac{1}{2}$ ft dist and raised a mound of Earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft. base around Post.
- 80.11 The $\frac{1}{16}$ Sec. Cor
Land rolling & somewhat broken

A. 16. S. R. 11. E.

BOOK 1989

80.

Soil 3rd Rate
Scattering trees
Palo Verde & Mesquite brush
80 chs.

Thence west on a pull down
line thro. S. $\frac{1}{2}$ of Sec 22.

20.00 Set temporary '16 Sec. Con. ^{Var 13° 04' E}

21.50 Road to Cairns Ranch brs N.E.S.W

22.15 Dry Wash 1 ch. wide Course N.E.

36.70 Road to Stevens Ranch brs S.E. 88° W

40.00 Set temporary '16 Sec. Con.

60.00 Set temporary '16 Sec. Con.

79.90 Intersect West Body of Reser-
vation 6 lks N. of '16 Sec. Con.

Thence I run N. 89° 54' E.
on a true line thro S. $\frac{1}{2}$ of
Sec. 22. with same Bar

1994 Set a Post 3ft Long 3ins Sq. with
charred stake 12 ins. in the ground

Sub divisions

for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins E & W of Post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around Post.

39.94 Set a Post 3 ft long 3 ins Sq. with charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins E & W. of Post $5\frac{1}{2}$ ft dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around Post.

59.94 Set a Post 3 ft long 3 ins Sq with charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins E & W. of Post and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around Post.

T. 16. S. R. 11. E.

BOOK 1989

82,

79.94 The $\frac{1}{16}$ Sec. Con

N 60 chs. mostly level and
Soil 2nd Rate

E. 20 chs. rolling & Broken and
Soil 3rd Rate

Scattering Trees

Palo Verde Mesquite & Calceolaria brush 80 chs

~~~~~  
Thence North between Secs 22 & 23.

Var  $13^{\circ} 04' E$ .

11.00 Dry Wash 1 ch. wide Course N. E.

20.00 Set a Post 3 ft. long 3 ins sq with Charred  
Stake 12 ins in the ground for  $\frac{1}{4}$  Sec.  
Con.

Thence East on a random line  
thro. center of Sec 23.

Var  $13^{\circ} 04' E$

20.00 Set temporary  $\frac{1}{16}$  Sec. Con

35.00 Dry Wash 1 ch. wide Course N.

40.00 Set temporary  $\frac{1}{4}$  Sec. Con

## Sub-divisions

- 6000 Set temporary  $\frac{1}{4}$  Sec. Cor.  
 64.00 Dry Wash 80 lks. wide Course N.  
 68.00 Dry Wash 50 lks. wide Course N.E.  
 80.04 Intersect N & S. line 13 lks South of  
 $\frac{1}{4}$  Sec. Cor.

Thence Town S.  $89^{\circ}54'$  W. on  
 a true line thro center of Sec.  
 23 with same Var.

- 2001 Set a Post 3 ft. long 3 ins sq with  
 Charred Stake 12 ins in the ground  
 for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S on N  
 face dug pits  $18 \times 18 \times 12$  ins E & W of Post  
 $5\frac{1}{2}$  ft. dist. and raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft base  
 around Post.

- 4002 Set a Post 3 ft. long 3 ins sq with charred  
 Stake 12 ins. in the ground for  $\frac{1}{4}$   
 Sec. Cor. Marked  $\frac{1}{4}$  S. on N. face  
 dug pits  $18 \times 18 \times 12$  ins E & W of Post  
 $5\frac{1}{2}$  ft dist. and raised a mound



G. 16. S. R. 11. E.

BOOK 1989

89

of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base  
around Post.

60.03 Set a Post 3 ft. long 3 ins sq. with  
charrad stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face dug pit 18x18  
x12 ins E 89. of Post  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
Post.

80.04 The  $\frac{1}{4}$  sec cor. Sand rolling.  
Soil 3<sup>rd</sup> state  
Scattering Trees  
Palo Verde brush rocks  
July 20<sup>th</sup> 1885

Hence West on a random  
line thro. Center of Sec 22  
Var.  $13^{\circ} 04'$  E.

5.00 Dry Wash 4000. wide Course NE

## Sub-divisions

- 15.50 Road to Cañas Ranch bns N. & S.
- 20.50 Set temporary  $\frac{1}{16}$  Sec. Cor.
- 26.00 Road to Stevens Ranch bns N, E, S, W.
- 40.60 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.
- 72.00 Dry Wash 1 ch. wide Course N, E.
- 74.42 Intersect West Side of Reser-  
vation 9 Mi North of  $\frac{1}{4}$  Sec. Cor.  
Thence I run N.  $89^{\circ}36' E$   
on a true line thro. center of  
Sec. 22 with same var.
- 19.92 Set a Post 3 ft. long 3 ins Sq. with  
Churned Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on  
N. face. dug pits 18X18X12 ins  
E & W of Post 5 1/2 ft dist. and  
raised a mound of Earth  
1 1/2 ft high 3 1/2 ft base around  
Post
- 39.42 Set a Post 3 ft. long 3 ins Sq with

N. 6. S. R. 11. E.

BOOK 1989

Charred stake 12 ins in the ground for 44 Sec. Cor. Marked  $\frac{1}{4}$  S. on N. face dug pits 18X18X12 ins. E. & W. of Post.  $5\frac{1}{2}$  ft dist. and raised a mound of Earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around Post.

59.92 Set a Post 3 ft long 3 ins sq with Charred Stake 12 ins in the ground for 46 Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face dug pits 18X18X12 ins E & W of Post.  $5\frac{1}{2}$  ft dist. and raised a mound of Earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around Post. from which a Mesquite 6 ins in diam br.  $287.0^{\circ}$  E. 67 ths dist marked  $\frac{1}{16}$  S. B. P.

79.92 The 44 Sec. Cor.  
Land mostly level.



## Sub-divisions

Soil 3<sup>rd</sup> Rate

Scattering Trees

Mesquite &amp; Palo verde brush &amp; cks

x

Thence North between Secs 22. &amp; 23.

Var.  $13^{\circ} 04' E.$ 

20.00 Set a Post 3 ft. long 3 ins sq with  
 Charred Stake 12 ins in the ground  
 for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  South.  
 face dug pits 18X18X12 ins N. & S of  
 Post. 5  $\frac{1}{2}$  ft dist and raised a  
 mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$   
 feet base around Post.

Thence E. on a random line  
 thro N.  $\frac{1}{2}$  of Sec 23.

Var.  $13^{\circ} 04' E.$ 

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 32.30 Dry Wash 1 ch. wide Course N.  
 40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

## T.M.S.R. 11. E.

- 6000 Set temporary  $\frac{1}{16}$  Sec. Cor.
- 68.00 Dry Wash 1.5 chs. wide Course W.
- 80.10 Intersect N. & S. line of lks  
south of  $\frac{1}{16}$  Sec. Cor.
- Thence down  $89^{\circ}54'$  W.  
on a true line thro. N  $\frac{1}{2}$  of  
Sec. 23. with same bear.
- 20.02 Set a Post 3ft long 3ins Sq with  
charred stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face dug pits  $18 \times 18 \times 12$   
ins. E & W of Post  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
Post.
- 40.05 Set a Post 3ft long 3ins Sq. with  
charred stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on  
N. face dug pits  $18 \times 18 \times 12$  ins  
E & W of Post  $5\frac{1}{2}$  ft dist. and

## Sub-divisions

well raised a mound of  
Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around Post.

60.07 Set a Post 2 ft long 3 ins sq with  
Charred Stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Con. Marked  
 $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times$   
12 ins E & W of Post  $5\frac{1}{2}$  ft. dist.  
well raised a mound of Earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
- Post.

8010 The  $\frac{1}{16}$  Sec Con  
Land somewhat rolling  
Soil 3<sup>rd</sup> Rate  
Scattering Trees.  
Palo Verde brush so. cho.

---

Thence West on a railroad line  
thro N  $\frac{1}{2}$  of Sec. 22

Jan. 13<sup>o</sup> 04<sup>o</sup> E.



T. 16. S. R. 11. E.

- 1.60 Road to Stevens Ranch br. N.E. & S.W.
- 5.00 Dry Wash 3 chs. wide Course N.W.
- 26.00 Dry Sand Wash 1 ch. wide Course N.W.  
and set temporary  $1/16$  Sec. Cor.
- 40.00 Set temporary  $1/16$  Sec. Cor.
- 60.00 Set temporary  $1/16$  Sec. Cor.
- 64.00 Dry Wash 1 ch. wide Course N.E.
- 80.04 Intersect West Bdy of Reunion  
town 8 lks. North of  $1/16$  Sec. Cor.  
Thence I run N.  $89^{\circ} 57'$  E. on  
a true line thro.  $N 1/2$  of Sec  
22. with same var.
- 20.04 This Cor. coming in Dry Sand Wash  
I set a Post 3 ft. long 3 ins. Sq. with  
Charred Stake 12 ins. in the ground  
for witnesses onto  $1/16$  Sec. Cor.  
50 lks East. Marked  $1/16$  S. N.E. on  
N. face. dug pits  $18 \times 18 \times 12$  ins. E & W  
of Post.  $5 1/2$  ft. dia. and raised  
a mound of earth  $1 1/2$  ft high  
 $2 1/2$  ft base around Post.

## Sub-divisions

40.04 Set a Post 3ft long 3ins sq with  
 charred stake 12 ins. in the  
 ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face, dug pits 18x18x  
 12 ins. E & W of Post 5 $\frac{1}{2}$  ft dist  
 and raised a mound of  
 Earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft base  
 around Post.

60.04 Set a Post 3ft long 3ins sq. with  
 charred stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face dug pits 18x18.  
 x12 ins. E & W of Post 5 $\frac{1}{2}$  ft dist  
 and raised a mound of  
 Earth 1 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft base  
 around Post.

80.04 The  $\frac{1}{16}$  Sec. Cor.  
 Land mostly level  
 Soil 3<sup>rd</sup> Rate.  
 Some Grass

P. 16. S. R. 11. E.

Scattering Trees

Palo Verde & Mesquite brush socha

---

Mine north between Secs 22 & 23.

Var.  $13^{\circ} 14'$  E.

3.10 Road to Stevens Ranch brook, E & S, W.

20.00 Set a Post 4 ft. long 4 ins. sq with  
charred stake 12 ins in the  
ground for con to Secs. 14.

15. 22. & 23. Marked

P. 16. S. S. 14. on U. E.

R. 11. E. S. 23 on S. E.

S. 22. on S. W. and

S. 15. on U. W. faces with 3  
notches on S. and 2 notches on  
E. edges. dug pits 18x18x12 ins  
in each Sec. 5 1/2 ft. dist. and  
raised a mound of earth 2  
ft. high 4 1/2 ft. base around Post.



## Sub-divisions

from which a Palo Verde silt.  
in Sec. 16 br. N. 68° E. 45 lks.  
dist. Marked T. 16 S. R. 11, E. S. 14,  
B. 9.

By an observation taken this day  
I find my magnetic Variation  
to be 13° 06' E.

Thence I run East on a  
random line between Secs.  
14. & 23.

Var. 13° 06' E.

- 9.45 Road to Stevens Ranch br. N, E, & S, W.  
20.00 Set temporary 1/4 Sec. Cor.  
23.30 Dry Wash 70 lks wide course N, W.  
40.00 Set temporary 1/4 Sec. Cor.  
60.00 Set temporary 1/4 Sec. Cor.  
61.90 Dry Wash 15 chs. wide course N.  
80.17 Intersect N. & S. line 11 lks South

T. 16 S. R. 11. E.

of Cor to Secs. 13, 14, 23, &amp; 24.

Thence I run S.  $89^{\circ} 55' W$  on  
a true line between Secs 14, & 23,  
with same Van,

2004 Set a Post 3ft. long 3ins Sq with  
Charred Stake 12ins in the  
ground for  $\frac{1}{4}$  Sec Cor. Marked  
 $\frac{1}{4}$  S. on N. face, dug pits 18X18X12  
ins E & W of Post  $5\frac{1}{2}$ ft. dist. and  
raised a mound of earth  $1\frac{1}{2}$   
ft high &  $1\frac{1}{2}$ ft base around  
Post. from which a Mesquite  
5ins. in diam. brs. S.  $5^{\circ} W$ . 30  
lbs. dist. Marked  $\frac{1}{4}$  S. B. 9

410.08 Set a Post 3ft. long 3ins. Sq, with  
Charred Stake 12ins in the  
ground for  $\frac{1}{4}$  Sec. Cor. Marked  
 $\frac{1}{4}$  S. on N. face dug pits 18X18  
X12ins E & W of Post  $3\frac{1}{2}$ ft dist.  
and raised a mound of earth

## Sub-divisions

1 1/2 ft high 3 1/2 ft. base around Post, from which a Mesquite 5 ins. in diam. brs. S. 53° W. 80 lks dist marked 1/4 S. B. G.

80.12 Set a Post 3 ft. long 3 ins Sq. with sharpened Stake 12 ins in the ground for 1/4 Sec. Cor. Marked 1/4 S. on N. face, deep pits 18x18x12 ins E+W. of Post 3 1/2 ft. dist and raised a mound of Earth 1 1/2 ft high 3 1/2 ft base around Post

80.17 The Cor. to Sec. 14, 15, 22, & 23.

Land somewhat rolling  
Soil 3rd rate

Scattering Trees

Palo Verde & Mesquite brush 80. chs.

Hence west on a random



P. 16. S. R. 11. E.

line between Secs. 15. &amp; 22.

Var.  $13^{\circ} 06' E$ ,20.00 Set temporary  $\frac{1}{16}$  Sec. Con.

24.00 Dry Wash 1.5 chs. wide Course N, W.

40.00 Set temporary  $\frac{1}{4}$  Sec. Con.

56.00 Dry Wash 1 ch. wide Course N, E.

60.00 Set temporary  $\frac{1}{16}$  Sec. Con.79.91 Intersect the West Bdy line of Res-  
ervation 9 lks. north of Cor. to  
Secs. 15. 16. 21. & 22.

Thence I run N.  $89^{\circ} 56' E$  on  
a true line bet. Secs. 15, & 22,  
with same variation

79.91 Set a Post 3 ft long 3 in. sq with  
Sharred Stake 12 in in the ground  
for  $\frac{1}{16}$  Sec. Con. Marked  $\frac{1}{16}$  C. S. on  
N. face, dug pits  $18 \times 18 \times 12$  in E. & W.  
of Post.  $5 \frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1 \frac{1}{2}$  ft high  
 $3 \frac{1}{2}$  ft base around Post

## Sub-divisions

3991 Set a Post 3ft long 3ins Sq. with charred stake 12ins in the ground for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on N. face, dug pits 18X18X12 ins E & W of Post 3 $\frac{1}{2}$  ft dist. and raised a mound of Earth 1 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft base around Post. from which a mesquite 10ins in diam. brs. N. 88° W. yolks dist. Marked  $\frac{1}{4}$  S. B.T.

5491 Set a Post 3ft long 3ins Sq. with charred stake 12ins in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S on N. face, dug pits 18X18X12 ins E & W of Post 3 $\frac{1}{2}$  ft dist. and raised a mound of earth 1 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft base around Post.

599.91 The con to Secs. 14, 15, 22, & 23.  
Sand mostly level

T. 16. S. R. 11. E

Soil 3<sup>rd</sup> state

Scattering Trees

Ralo Verde & Mesquite brush 80 chs.

Thence North between Secs. 14 & 15.

Var  $13^{\circ} 06' E$ .

20.00 Set a Post 3 ft. long 3 ins. Sq. with  
churned stake for  $\frac{1}{16}$  Sec. Cor.  
Marked  $\frac{1}{16}$  S. on N. face, dug  
pits  $18 \times 18 \times 12$  ins. N. & S. of Post  
 $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around Post.

Thence East on a random  
line thro S.  $\frac{1}{2}$  of Sec 14.

Var.  $13^{\circ} 06' E$ .

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
23.50 Dry Wash 1 ch. with Course N. W.  
28.34 Road to Steven Rouch bro, N. E. & S. W.



100

BOOK 1989

## Sub-divisions

- 40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 65.00 Dry Wash 1 ch. wide Course N.E.  
 72.00 Dry Wash 30 lks wide Course N.  
 79.94 Intersect U.S. line 10 lks north  
 of  $\frac{1}{16}$  Sec. Cor.

Thence I run North  $89^{\circ}56'W$ .  
 on a true line thro. S.  $\frac{1}{2}$  of Sec  
 14 with same var.

- 19.98 Set a Post 3 ft. long 3 ins sq. with  
 Charred Stake 12 ins in the ground  
 for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on  
 N. face. dug pits 18X18X12 ins  
 E & W of Post. 5  $\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  $1\frac{1}{2}$   
 ft. high 3  $\frac{1}{2}$  ft. base around  
 Post.

- 39.97 Set a Post 3 ft. long. 3 ins sq. with  
 Charred Stake 12 ins in the  
 ground. for  $\frac{1}{16}$  Sec. Cor.

## T. 16. S. R. 4. E.

Marked  $\frac{1}{16}$  Sec. on N. face. dug  
 pits  $18 \times 18 \times 12$  ins. E. & W. of Post  
 $5\frac{1}{2}$  ft. dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around Post.

59.95 Set a Post 3 ft. long 3 ins Sq. with  
 charred stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec. Con. Marked  
 $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18$   
 $\times 12$  ins E. & W. of Post.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of Earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
 Post

49.94 The  $\frac{1}{16}$  Sec. Con  
 Sand rolling and somewhat  
 broken.  
 Soil 3<sup>rd</sup> Rate  
 Scattering Trees  
 Palo Verde & Mesquite brush &c, etc

## Sub-divisions

Thence to a random line  
thro. S. half of Sec. 15

Var.  $13^{\circ} 06' E.$

20.00 Set temporary  $1/16$  Sec. Cor.

24.80 Dry Wash 80 lks wide course N.W.

40.00 Set temporary  $1/16$  Sec. Cor.

60.00 Set temporary  $1/16$  Sec. Cor.

80.04 Intersect the West Bd'y. of Res-  
ervation 13 lks North of  $1/16$   
Sec. Cor.

Thence to run N.  $89^{\circ} 55' E.$   
on a true line thro. S.  $1/2$  of  
Sec 15. with same Var.

2004 Set a Post 3 ft. long 3 ins. Sq. with  
charred Stake 12 ins in the  
ground. for  $1/16$  Sec. Cor. Marked  
 $1/16$  S. on N. face. dug pits  $18 \times 18$   
 $\times 12$  ins E. & W. of Post  $5 1/2$  ft. dist.  
and raised a mound of  
Earth  $1 1/2$  ft high  $3 1/2$  ft base



A. 16. S. R. 11. E.

around Post.

410.04 Set a Post 3 ft. long 3 ins. Sq. with charred stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face. dug pits 18x18 x 12 ins E. & W. of Post. 5  $\frac{1}{2}$  ft. dist and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around Post.

60.04 Set a Post 3 ft. long 3 ins. Sq. with charred stake 12 ins in the ground, for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face. dug pits 18x18 x 12 ins E. & W. of Post 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around Post from which a Palo Verde Cens. in diam. brs. N. 89° 30' W. 48 lbs. dist Marked  $\frac{1}{16}$  S. B. P.

8004 The  $\frac{1}{16}$  Sec Cor.

## Subdivisions

Land mostly level

Soil 3rd Rate

Scattering Trees

Palo Verde & Mesquite brush 80. chs.

~~~~~

Thence North between Secs.

14 & 15.

Var $13^{\circ} 06' E.$

20.00 Set a Post 3 ft. long 3 in. sq. with
 Cherrad Stake 12 in. in the
 ground for $\frac{1}{4}$ Sec. Cor.
 Marked $\frac{1}{4}$ S. on W. face, dug
 pits 18 X 18 X 12 in. N. & S. of Post
 $5\frac{1}{2}$ ft. dist. and raised a
 mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around Post,
 from which a Palo Verde 4
 in. in diam. bro. S. 82° W. 13
 chs. dist. Marked $\frac{1}{4}$ S. B. P.

T. 16. S. R. 11. E.

Thence East on a random line
thro. center of Sec. 14,

Var. $13^{\circ} 06'$ E.

- 18.20 Dry Wash 1 ch. wide course N.W.
- 20.00 Set temporary $1/16$ Sec. Cor.
- 40.00 Set temporary $1/4$ Sec. Cor.
- 48.76 Road to Stevens Ranch bro, N.E. & S.W.
- 57.20 Dry Wash 40 lks wide Course N.E.
- 60.00 Set temporary $1/16$ Sec Cor
- 70.40 Dry Wash 1 ch. wide Course North
- 79.97 Intersect N. & S. line 11 lks South
of $1/16$ Sec. Cor.

Thence True S. $89^{\circ} 55'$ W. on
a true line thro. center of
Sec. 14. with same Var.

- 19.99 Set a Post 3 ft long 3 ins Sq with
charred Stake 12 ins in dia
ground for $1/16$ Sec Cor. marked
 $1/16$ S. on N. face, dug pits 18x
18x12 ins E.W. of Post $5\frac{1}{2}$ ft dist.

1506

BOOK 1989

Sub-divisions

and raised a mound of Earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
 Post, from which a Palo Verde
 5 ins in diam. bears N. $84^{\circ} 30'$
 W. 50 lks dist. Marked $\frac{1}{16}$ S. B. P.

3998 Set a Post 3 ft long 3 ins Sq. with
 charred Stake 2 ins in the ground
 for $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$ S. on
 N. face, dug pits $18 \times 18 \times 12$ ins E
 W. of Post $5\frac{1}{2}$ ft. dist. and
 raised a mound of Earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
 Post.

3999 Set a Post 3 ft. long 3 ins Sq. with
 Charred Stake 12 ins in the
 ground for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on N. face, dug pits 18×18
 $\times 12$ ins E W. of Post $5\frac{1}{2}$ ft. dist.
 and raised a mound of Earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ feet base

A. B. S. R. 11. E.

around Post.

4999 The $\frac{1}{4}$ Sec. Con.

Land rolling & somewhat broken
Soil good rate

Scattering Trees

Palo Verde Brush 80, chs.

Thence West on a random line
thro. center of Sec 15

Var $13^{\circ} 06' E$.

2000 Set temporary $\frac{1}{4}$ Sec. Con.

39.90 Dry wash 90 lks. wide Course N, W.

4000 Set temporary $\frac{1}{4}$ Sec. Con.

60.00 Set temporary $\frac{1}{4}$ Sec. Con.

80.07 Intersect West Side of Reser-
vation 13 lks. South of $\frac{1}{4}$ Sec. Con

Thence True South $89^{\circ} 55' E$ on
a true line thro. center of
Sec. 15. with same Var.

Sub-divisions

20.07 Set a Post 3ft long 3ins sq. with Charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face, dug pits 18X18X12 ins E of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft. base a round Post

40.07 Set a Post 3ft. long 3ins sq. with Charred Stake 12 ins in the ground for $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$ S. on N. face dug pits 18X18X12 ins E of Post. 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base a round Post

60.07 Set a Post 3ft long 3ins sq with Charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S on N face, dug pits 18X18X12 ins, E of

A. 16. S. R. 11. E.

of Post $5\frac{1}{2}$ ft dist and raised
a mound of Earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around Post.

80.07 The $\frac{1}{16}$ Sec. Con.

Land mostly level

Soil 3rd Rate

Scattering Trees

Palo Verde & Mesquite brush 80 chs.

Thence North between Secs 14 & 15.

Var. $13^{\circ} 06'$ E.

2000 Set a Post 3 ft. long 3 in sq. with
charred stake 12 ins. in the ground
for $\frac{1}{16}$ Sec. Con. Marked $\frac{1}{16}$ S on 20.

Face dug pits $18 \times 18 \times 12$ ins N. & S. of
Post. $5\frac{1}{2}$ ft. dist. and raised a
mound of Earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
ft base around Post.

Thence East on a random line

Sub-divisions

thro $\frac{1}{2}$ of Sec. 14Var $13^{\circ} 06' E.$

- 10.50 Dry Wash 40 lks wide course N.E.
 20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 52.00 Dry Wash 30 lks wide course S.W.
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 67.30 Road to Stevens Ranch brn N.E. & S.W.
 70.50 Dry Wash 75 lks wide course N.E.
 75.80 Dry Wash 100 lks wide course N.E.
 79.87 Intersect N. & S. line 3 lks. North
 of $\frac{1}{16}$ Sec. Cor.

Thence I run N. $89^{\circ} 55'$ W. on
 a true line thro. North $\frac{1}{2}$ of Sec.
 14. with same Var,

- 19.97 Set a Post 3 ft long 3 ins sq with
 Charred Stake 12 ins. in diam.
 ground for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on N face, dug pits 18X18X
 12 ins. E & W. of Post. $5\frac{1}{2}$ ft dist.

N.W. S. R. 11. E.

and raised a mound of Earth
 1 1/2 ft high 3 1/2 ft base Around Post
 39.90 Set a Post 3 ft. long. 3 ins Sq. with
 charred stake 12 ins in the
 ground for 1/16 Sec. Con. Marked
 1/16 S. on N. face, dug pits 18 X 18
 X 12 ins. E & W of Post 5 1/2 ft dist
 and raised a mound of Earth
 1 1/2 ft high 3 1/2 ft base around Post.

39.91 Set a Post 3 ft long 3 ins Sq. with
 charred stake 12 ins in the
 ground for 1/16 Sec. Con. Marked
 1/16 S. on N. face, dug pits 18 X 18 X 12
 ins. E & W of Post. 5 1/2 ft. dist.
 and raised a mound of Earth
 1 1/2 ft high 3 1/2 ft base around
 post.

49.80 The 1/16 Sec Con
 Sand mostly level
 Soil 2nd Rate

Sub-divisions

Scattering Trees

Palo Verde Brush rocks,

~~~~~

Thence West on a random line  
thro. N.  $\frac{1}{2}$  of Sec 15

Var  $13^{\circ}06' E$ .2000 Set temporary  $\frac{1}{16}$  Sec. Cor.4000 Set temporary  $\frac{1}{16}$  Sec. Cor.

4400 Dry Wash 1 ch. wide Course N.W.

6000 Set temporary  $\frac{1}{16}$  Sec. Cor.8000 Intersect West Bdy. of Reser-  
vation 19 lks. North of  $\frac{1}{16}$  Sec  
Cor.

Thence I run North  $89^{\circ}58' E$   
on a true line thro N.  $\frac{1}{2}$  of  
Sec. 15. with same Var.

\*2000 Set a Post 3 ft. long 3 in Sq. with  
charred Stake 12 in in the  
ground for  $\frac{1}{16}$  Sec. Cor. Marked

N. 1/2 S. R. 11 E.

BOOK 1989

173

1/16 S. on N. face, dug pits 18x18x  
12 ins E & W of Post 5 1/2 ft. dist  
and raised a mound of earth  
1 1/2 ft high & 1/2 ft base around  
Post. from which a Palo Verde  
8 ins in diam. brs. S. 40° E 60  
lbs. dist. - Marked 1/16 S. P. A.

4006 Set a Post 3 ft. long 3 ins Sq. with  
charred stake 12 ins in the  
ground for 1/16 Sec Cor. Marked  
1/16 S. on N. face, dug pits 18x18  
x12 ins E & W of Post 5 1/2 ft. dist.  
and raised a mound of earth  
1 1/2 ft high & 1/2 ft base around  
Post.

6006 Set a Post 3 ft long 3 ins Sq. with  
charred stake 12 ins. in the  
ground. for 1/16 Sec, Cor. Marked  
1/16 S on N face, dug pits 18x18x  
12 ins E & W. of Post 5 1/2 ft. dist.

## Sub-divisions

and raised a mound of  
Earth  $1\frac{1}{2}$  ft high  $2\frac{1}{2}$  ft base  
around Post

80.06 The 46 Sec On  
Sand Mostly Coral  
Soil 2<sup>nd</sup> rate  
Scattering Trees  
Palo Verde brush 80 chs.

Thence North between Secs. 14, 15.  
Var  $13^{\circ} 06' E$

20.00 Set a Post 4 ft. long 4 in Sq. with  
Charred Stake 12 in in the  
ground for cor. to Secs. 10, 11.  
14, & 15. Marked  
P. 16 S. S. 11, on N.E.  
N. 11, E. S. 14 on S. E.  
S. 15, on S. W. and  
S. 10, on N. W. faces with 4



T.H.S. R. 11 E.

notches on S. and 2 notches on the E. edges. dry pits 18X18X12 ins. in each sec. 5 1/2 ft. dist and raised a mound of earth 2 ft high 4 1/2 ft. base around post. from which a mesquite 8 ins. in diam. brs. S. 55° W. 89 lks dist. Marked N 6 S, R. 11, E. 15, 13, 9.

Hence East on a random line between Secs. 11. & 14.  
Var 13° 06' E.

- 2000 Set temporary 1/16 Sec. Cor.  
39.00 Dry Wash 30 lks. wide Course N.E.  
40.00 Set temporary 1/4 Sec. Cor.  
60.00 Set temporary 1/16 Sec. Cor.  
80.11 Intersect N.S. line 15 lks S. of Cor. to Secs. 11, 12, 13, & 14.

Hence I run S. 89° 54' W. on a true line between Secs

## Sub-divisions

11 x 14 with same Van

2002 Set a Post 3 ft long 3 ins Sq with Charred Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face, dug pits 18 x 18 x 12 ins. E. W. of Post 5  $\frac{1}{2}$  ft. dist. and raised a mound of Earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around Post.

4005 Set a Post 3 ft long 3 ins Sq. with Charred Stake 12 ins in the ground for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12 ins E. W. of Post. 5  $\frac{1}{2}$  ft. dist. and raised a mound of Earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around Post.

6009 Set a Post 3 ft long 3 ins Sq. with Charred Stake 12 ins in the ground for  $\frac{1}{16}$  Sec Cor. Marked

N. 1/6 S. R. 11. E.

1/16 S. out. face. dug pits 18X18X12  
 in E. M. of Post 5 1/2 ft. dist.  
 and raised a mound of earth  
 19 1/2 ft high 3 1/2 ft base around  
 Post.

8011 The Cor. of Secs. 10, 11, 14, & 15.  
 Level mostly level  
 Soil 3rd Rate  
 Scattering Trees  
 Palo Verde & Mesquite brush 80. chs.

Thence West on a random  
 line between Sec 10 & 15

Var. 13° 56' E.

2000 Set temporary 1/16 Sec. Cor.  
 40.00 Set temporary 1/4 Sec. Cor.  
 52.10 Dry wash 1.25 chs. wide corner N.  
 60.00 Set temporary 1/16 Sec. Cor.  
 80.04 Intersect west Bdy. of Reservation



## Sub-divisions

4. lks North of cor. to Secs. 9, 10,  
15, & 16.

Thence South  $N. 89^{\circ} 54' E.$   
on a true line between Secs  
10, & 15, with same bar.

20.04 Set a Post 3ft. long 3ins sq. with  
chained stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times$   
12 ins E & W of Post  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base around  
Post, from which a Palo Verde  
8 ins in diam. bro.  $S. 4^{\circ} E.$  60  
lks dist Marked  $\frac{1}{16}$  S. B. 9.

40.04 Set a Post 3ft long 3ins sq. with  
chained stake 12 ins in the ground  
for  $\frac{1}{4}$  Sec Cor. Marked  $\frac{1}{4}$  S. on  
N. face. dug pits  $18 \times 18 \times 12$  ins.  
E & W of Post.  $5\frac{1}{2}$  ft. dist and

A. H. S. R. 11. E.

raised a mound of Earth  
1 1/2 ft high 3 1/2 ft base around  
Post.

60,04 Set a Post 3 ft long 3 ins sq. with  
Charred Stake 12 ins in the  
ground for 1/16 Sec. Cor. Marked  
1/16 S. on N. face. dug pits 18x18x  
12 ins E & W of Post 5 1/2 ft. dist.  
and raised a mound of Earth  
1 1/2 ft high 3 1/2 ft base around  
Post.

80,04 The Cor to Sec. 10, 11, 14, & 15.  
Land mostly Level  
Soil 2nd Rate  
Scattering Trees  
Palo Verde brush & c. c.  
Jan 25<sup>th</sup>. 1888