

No 3

1990

BOOK 1990

1990

1990

4-671

1990

FIELD NOTES

GENERAL LAND OFFICE.

SUBDIVISIONS

PAPAGO INDIAN RESERVATION

T. 16 S. R. 11 E.

1990

Township 16 South, Range 11 East,

GILA AND SALT RIVER MERIDIAN.

			152 142	154 150	57 55
6	5	4	147	149 145	54 52
			142	144 140	57 49
			137	140 135	48 46
			132	134 130	45 43
7	8	9	127	129 125	42 40
			122	124 120	39 37
			117	120 115	37 34
			112	114 109	35 31
16	17	18	107	109 105	30 28
			102	104 99	28 25
			97	99 95	26 22
			92	94 91	24 19
19	20	21	87	89 85	18 16
			82	84 79	16 13
			77	79 74	13 11
			72	74 69	11 9
30	29	28	67	69 65	8 8
			62	64 59	5 3
			57		3
31	32	33	34	35	36

Referring the lines to the pages of the field notes.

# Sub divisions Papago Indian

Hence North between Secs.  
10. & 11.

Var.  $13^{\circ} 06' E$ .

2000 Set a Post 3 ft. long 3 ins. Sq. with  
Charred Stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Cor.

Marked  $\frac{1}{16}$  S. on W. face, dug  
pits 18x18x12 ins. N. & S. of Post  
 $5\frac{1}{2}$  ft. dist. and raised a

mound of earth 19 $\frac{1}{2}$  ft. high  
3 $\frac{1}{2}$  ft. base around Post

Hence East on random line  
thro S  $\frac{1}{2}$  of Sec. 11.

Var.  $13^{\circ} 06' E$ .

6.50 Dry Wash 60 lks. wide Course W.

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

55.00 Dry Wash 50 lks. wide Course N.E.

60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

80.09 Intersect N. & S. line 4 lks. South

N. 16. S. R. 11. E.  
Reservation

BOOK 1990 12X

of  $\frac{1}{16}$  Sec. Cor.

Hence Down S. 89° 58' 91.6  
a true line thro. S  $\frac{1}{2}$  of Sec. 11.  
with same var

20.02 Set a Post 3ft. long 3ins. Sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N.  
face. dig pits 18X18X12 ins E & W of  
Post 5  $\frac{1}{2}$  ft. dist. and raised a  
mound of Earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft.  
base around Post.

40.04 Set a Post 3ft. long 3ins. Sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face  
dig pits 18X18X12 ins E & W of Post  
5  $\frac{1}{2}$  ft. dist. and raised a mound  
of Earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base  
around Post.

60.06 Set a Post 3ft. long 3ins. Sq. with  
Charred Stake 12 ins in the ground

## Sub-divisions

for 416 Sec. Cor. Marked 416 S. on W. face. dug pits 18X18X12 ins. E. W. of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft. base around Post.

8009

The 416 Sec Cor.

Land mostly level

Soil 2nd Rate

Scattering Trees

Palo Verde Brush 80 cho

~~~~~

Hence West on a random line thro. S 1/2 of Sec. 10.

Var 13° 06' E.

20.00

Set temporary 416 Sec. Cor

40.00

Set temporary 416 Sec. Cor.

60.00

Set temporary 416 Sec. Cor

64.00

Dry Wash 1.40 ch. wide corner W.

80.05

Intersect West. Bdy. of Reservation

10 lks. South of  $\frac{1}{16}$  Sec. Con.

Thence Iron S.  $89^{\circ} 56' E$ ,  
on a true line thro S.  $\frac{1}{2}$  of Sec.  
10. with same var.

20.05 Set a Post 3ft long 3ins Sq. with  
Charred Stake 12ins in the ground  
for  $\frac{1}{16}$  Sec. Con. Marked  $\frac{1}{16}$  S. on N.  
face. dug pits  $18 \times 18 \times 12$  ins. E. & W. of  
Post  $5\frac{1}{2}$  ft. dist. and raised a  
mound of Earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft.  
base around Post.

40.05 Set a Post 3ft long 3ins. Sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Con. Marked  $\frac{1}{16}$  S. on N.  
face. dug pits  $18 \times 18 \times 12$  ins E & W. of  
Post.  $5\frac{1}{2}$  ft. dist. and raised a  
mound of Earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around Post.

60.05 Set a Post 3ft. long 3ins. Sq. with  
Charred Stake 12ins in the ground

## Sub-divisions

for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  South  
face, dug pits  $18 \times 18 \times 12$  ins E. W. of  
Post.  $5\frac{1}{2}$  ft. dist. and raised a  
mound of Earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$   
ft base around Post.

80.85 The  $\frac{1}{16}$  Sec. Cor.  
Land mostly level  
Soil 2nd Rate  
Scattering Trees  
Palo Verde Brush rocks.

Thence North between Seco. 10, & 11,  
Var.  $130^{\circ} 06' E$ .

80.00 Beta Post 3 ft. long 3 ins. Sq. with  
charred stake 12 ins in blue  
ground for  $\frac{1}{4}$  Sec. Cor. Marked  
 $\frac{1}{4}$  S. on W. face, dug pits  $18 \times 18 \times 12$  ins  
N. & S. of Post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of Earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft

T. 16. S. R. 11. E.

bare around Post.

Thence East on a random line  
thro center of Sec. 11.Var.  $13^{\circ} 06' E$ .

- 5.70 Dry Wash 1 ch. wide Course W.  
 26.00 Set temporary  $1/16$  Sec. Cor.  
 46.00 Set temporary  $1/4$  Sec. Cor.  
 49.00 Dry Wash 40 lks. wide course W.  
 60.00 Set temporary  $1/16$  Sec. Cor.  
 69.60 Dry Wash 60 lks. wide course W.  
 80.00 Intersect W & S. line 4 lks. South  
 of  $1/4$  Sec. Cor.

Thence S. ran S.  $89^{\circ} 57'$  west on  
 a true line thro. center of Sec.  
 11. with same var.

- 20.00 Set a Post 3 ft. long 3 ins Sq. with  
 charred stake 12 ins. in the ground  
 for  $1/16$  Sec. Cor. Marked  $1/16$  S. on W.  
 face. dug pits  $18 \times 18 \times 12$  ins. E. & W  
 of Post. 3  $1/2$  ft. dist and raised



126

BOOK 1990

## Subdivisions

- a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.
- 4000 Set a Post 3 ft. long 3 ins. sq. with charred stake 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on N. face, dug pits  $18 \times 18 \times 12$  ins. E & W of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post. from which a Palo Verde 10 ins. in diam. bro. S.  $89^\circ$  E. 108 lks. dist. Marked  $\frac{1}{4}$  S. B. T.
- 60.00 Set a Post 3 ft. long 3 ins. sq. with charred stake 12 ins. in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face, dug pits  $18 \times 18 \times 12$  ins. E & W of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.
- 80.00 The  $\frac{1}{4}$  Sec. Cor

A. 16. S. R. 11. E

Sand mostly level

Soil 2<sup>nd</sup> rate

Scattering Trees

Palo Verde Brush so. cho.



Hence West on a random line  
thro. center of Sec. 10.

Var.  $13^{\circ} 06' E$ .

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

78.10 Dry Wash looks wide course N.E.

80.14 Intersect West B'dry. of Reserva-  
tion 13 lts. North of  $\frac{1}{4}$  Sec. Cor.

Hence I run N.  $89^{\circ} 55' E$ . on  
a true line thro. center of Sec. 10.

20.14 Set a Post. 3 ft. long 3 ins Sq. with  
Charred Stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Cor. Marked

## Subdivisions

- $\frac{1}{16}$  S. on N. face, dug pits  $18 \times 18 \times 12$  ins. E & W. of Post  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.
- 28.28 Palo Verde 10 ins in diam.
- 40.14 Set a Post 3 ft long 3 ins. Sq. with charred stake 12 ins in the ground for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on N. face, dug pits  $18 \times 18 \times 12$  ins. E & W. of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post. from which a Mesquit 10 ins in diam. brs. S.  $90^\circ$  E. 35 lbs. dist. Marked  $\frac{1}{4}$  S. B. A.
- 60.14 Set a Post 3 ft long. 3 ins. Sq. with charred stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face, dug pits  $18 \times 18 \times 12$

N. 16. S. R. 11. E.

12 ins E & W. of Post 5 1/2 ft. dist.  
and raised a Mound of Earth  
1 1/2 ft high 3 1/2 ft base Ground  
Post.

20.14 The 44 Sec. Con  
Sand mostly level  
Soil 2nd Rate  
Scattering Trees  
Ralo Verde brush 80. chs.

Thence North between Secs.  
10 & 11.

Var 13° 06' E.

20.00 Set a Post 3 ft long 3 ins Sq. with  
Charned slate 12 ins in the ground  
for 1/4 Sec. Con. Marked 1/4 Sec. Con.  
face. dug pits 18 X 18 X 12. ins W & S.  
of Post. 5 1/2 ft. dist. and raised  
a mound of Earth 1 1/2 ft. high

## Sub-divisions

3 1/2 ft. base around Post.

Thence East on a random  
line thro. N. 1/2 of Sec. 11.

Var.  $13^{\circ}06' E$ .

1.50 Dry wash 1 ch. wide Course N.

20.00 Set temporary 1/16 Sec. Cor.

40.00 Set temporary 1/16 Sec. Cor.

60.00 Set temporary 1/16 Sec. Cor.

78.00 Dry Wash 1 ch. wide Course N. E.

80.09 Intersect U. & S. line 5 lks North  
of 1/16 Sec. Cor

Thence I. run N.  $89^{\circ}58' W$ .  
on a true line thro. N. 1/2 of  
Sec. 11. with same Var.

20.02 Set a Post 3 ft. long 3 ins sq. with  
charred stake 12 ins. in the  
ground for 1/16 Sec Cor Marked  
1/16 S. on N. face, dug pits 18 x 18 x  
12 ins. E. & W. of Post 5 1/2 ft. dist.

N. 1/2 S. R. 11. E.

BOOK 1990

131

and raised a mound of Earth  
1 1/2 ft. high 3 1/2 ft. base around  
Post.

40.04 Set a Post 3 ft. long 3 ins. Sq. with  
churned stake 12 ins in the  
ground, for 1/16 Sec. Cor. Marked  
1/16 S. on N. face, dug pits 18 X 18  
X 12 ins E. & W. of Post 5 1/2 ft. dist.  
and raised a mound of  
Earth 1 1/2 ft. high 3 1/2 ft. base  
around Post

60.06 Set a Post 3 ft. long 3 ins. Sq. with  
churned stake 12 ins in the  
ground, for 1/16 Sec. Cor. Marked  
1/16 S. on N. face, dug pits 18 X 18  
X 12 ins E. & W. of Post. 5 1/2 ft. dist.  
and raised a mound of  
Earth 1 1/2 ft. high 3 1/2 ft. base  
around Post

80.09 The 1/16 Sec. Cor

## Sub-divisions

Sand Mostly level  
 Soil 2nd rate  
 Scattering Trees  
 Palo Verde Bush 80. chs.  
 ~~~~~

Thence West on a random line  
 thro. North  $\frac{1}{2}$  of Sec. 10

Var.  $13^{\circ}06'$  E

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

40.00 Set temporary  $\frac{1}{16}$  Sec. Cor

60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

80.19 Intersect West Boundary of Reser-  
 vation 19 lks. South of  $\frac{1}{16}$  Sec. Cor.

Thence True S.  $89^{\circ}52'$  E on

a true line thro. N  $\frac{1}{2}$  of Sec. 10.  
 with Same Bar

20.19 Set a Post 3 ft. long 3 ins. sq. with  
 channeled Stake 12 ins. in the  
 ground for  $\frac{1}{16}$  Sec. Cor. Marked

A. H. S. R. H. E.

BOOK 1990 133

$\frac{1}{16}$  S. on N. face dug pits  $18 \times 18 \times 12$  ins. E & W. of Post  $5\frac{1}{2}$  ft dist. and raised a mound of Earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around Post.

40.19 Set a Post 3 ft long 3 ins Sq. with Charred Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face dug pits  $18 \times 18 \times 12$  ins. E & W. of Post  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base around Post.

60.19 Set a Post 3 ft. long 3 ins, Sq. with Charred Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times 12$  ins. E & W. of Post.  $5\frac{1}{2}$  ft dist. and raised a mound of Earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around



## Sub divisions

Post.

80.19 The  $\frac{1}{16}$  Sec. Cor.,

Sand level

Soil 2nd Rate

Scattering Trees

Palo Verde brush 80. chs.

~~~~~

Thence North between Sees 10 & 11  
 Var.  $13^{\circ} 06' E$ .

20.00 Set a Post 4 ft. long 4 ins sq. with  
 Charred Stake 12 ins in the  
 ground for Cor. to Sees. 2, 3, 10,  
 & 11. Marked

P. 16. S. S. 2. on N.E.

R. 11. E. S. 11. on S.E.

S. 10. on S.W. and

S. 3. on N.W. faces with 5  
 notches on S. and 2 notches  
 on E. Edges, dug pits 18 x

T. 16. S. R. 11. E.

18x12 ins in each Sec. 5 1/2 ft.  
 dist. and raised a mound  
 of earth 2 ft. high 4 1/2 ft base  
 around Post. from which a  
 mesquit 5 ins in diam bro S.  
 35° E. 115 lks dist. Marked  
 T. 16. S. R. 11. E. S. 11. B. 9.

A Mesquit 8 ins in diam. bro S.  
 25° W. 40 lks. dist. Marked  
 T. 16. S. R. 11. E. S. 10. B. 9.

Thence East on a random line  
 between Secs. 2, & 11.

Var 13° 06' E.

- 20.00 Set temporary 1/16 Sec. Cor.
- 40.00 Set temporary 1/4 Sec. Cor.
- 60.00 Set temporary 1/6 Sec. Cor.
- 80.07 Intersect U. & S. line 3 lks. north  
 of Cor to Secs. 1, 2, 11, & 12.

Thence run N. 89° 59' W.  
 on a true line between Secs. 2, & 11.

## Subdivisions

with same Van,

- 20.01 Set a Post 3ft. long 3 ins Sq. with Charred Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face. dug pits 18x18x12 ins. E & W. of Post. 5  $\frac{1}{2}$  ft. dist. and raised a mound of Earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around Post. from which a Palo Verde 8 ins in diam. brs S.  $75^{\circ}$  E. 40 lks dist Marked  $\frac{1}{16}$  S. P. 1.
- 40.03 Set a Post 3ft long 3 ins Sq. with Charred Stake 12 ins in the ground for  $\frac{1}{4}$  Sec. Cor. Marked  $\frac{1}{4}$  S. on N. face. dug pits 18x18x12 ins E & W. of Post 5  $\frac{1}{2}$  ft. dist. and raised a mound of Earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around Post, from which a Mesquite 6 ins in diam. brs. S  $78^{\circ}$  E. 100

A. H. S. R. 11. E.

BOOK 1990

137,

80.04 Set a Post 2 ft long 3 ins sq. with  
chopped Stake 12 ins in the  
ground for  $\frac{1}{4}$  Sec. Con.  
Marked  $\frac{1}{4}$  S. on N. face. dug  
pits 18 X 18 X 12 ins E. & W. of Post  
5  $\frac{1}{2}$  ft apart. and raised a  
mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$   
ft. base around Post.

80.07 The Con to Secs 3, 3, 10, & 11.

Sand level

Soil 2nd Rate

Scattering Trees

Ralo Verde brush 80 chs.

Thence West on a random line  
between Secs. 3, & 10.

Van, 13° 06' E.

20.00 Set temporary  $\frac{1}{4}$  Sec. Con.

4000 Set temporary  $\frac{1}{4}$  Sec. Con.

## Sub divisions

- 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 80.11 Intersect the West Bdy. of Res-  
 ervation 13 lks. South of Cor.  
 to Secs. 3, 4, 9, & 10.

Hence I run S.  $89^{\circ}53'$  E. on  
 a true line between Secs. 3  
 & 10 with same Var.

- 20.11 Set a Post 3 ft. long 3 ins. Sq. with  
 charred Stake 12 ins. in the  
 ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times 12$   
 ins. E. & W. of Post  $3\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft base around Post,  
 from which a musquit 9 ins. in  
 diam. brs. S.  $43^{\circ}$  W. 120 lks. dist.  
 Marked  $\frac{1}{16}$  S. B. P.

- 40.11 Set a Post 3 ft. long 3 ins. Sq. with  
 charred Stake 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. Marked

A. H. S. R. 11. E.

BOOK 1990

139

1/4 S. on N. face dug pits 18X18X12 ins  
 E & W. of Post 5 1/2 ft dist. and  
 raised a mound of Earth 1 1/2  
 ft. high 3 1/2 ft. base around Post.  
 60.11 Set a Post 3 ft. long 3 ins sq with  
 Charred Stake 12 ins in the ground  
 for 1/4 Sec. Cor. Marked 1/4 S. on  
 N. face, dug pits 18X18X12 ins. E & W.  
 of Post 5 1/2 ft. dist. and raised  
 a mound of Earth 1 1/2 ft high  
 3 1/2 ft. base around Post. from  
 which a Palo Verde 11 ins. in  
 diam. brs. N. 42° W. 80 lks. dist.  
 Marked 1/4 S. B. P.

70.11 The Cor. to Secs. 2, 3, 10, & 11.  
 Land level  
 Soil 2nd Rate  
 Scattering Trees  
 Palo Verde brush & cho



## Sub-divisions

Thence North between Secs. 2, & 3.

Var.  $13^{\circ}06' E$ .

- 20.00 Set a Post 3ft long 3ins sq. with  
 Chained Stake 12ins in the  
 ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18 X 18  
 X 12 ins. N & S. of Post 5  $\frac{1}{2}$  ft  
 dist. and raised a mound  
 of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base  
 around Post. from which  
 a Palo Verde 5 ins in diam.  
 bore S.  $20^{\circ} E$ . 100 lks. dist.  
 Marked  $\frac{1}{16}$  S. B.P.

Thence East on a random  
 line thro. S  $\frac{1}{2}$  of Sec. 2.

Var.  $13^{\circ}06' E$ .

- 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 80.07 Intersect N & S. line 13 lks S.

A. 16. S. R. 1. E.

BOOK 141.  
1990

of 1/4 Sec. Cor.

890.55' W.  
Thence Iron S. on a true line thro.  
S 1/2 of Sec. 2. with same var.

20.01 Set a Post 3ft. long 3 ins Sq. with  
charred Stake 12 ins in the ground  
for 1/4 Sec. Cor. Marked 1/4 S. on N.  
face. dug pits 18X18X12 ins. E & W. of  
Post. 5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft high & 1/2  
ft. base around Post.

40.03 Set a Post. 3ft. long 3 ins Sq. with  
charred Stake 12 ins in the ground  
for 1/4 Sec. Cor. Marked 1/4 S. on N.  
face. dug pits 18X18X12 ins. E & W.  
of Post. 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft high  
& 1/2 ft base around Post.

60.04 Set a Post 3ft long 3 ins Sq. with  
charred Stake 12 ins in the ground  
for 1/4 Sec. Cor. Marked 1/4 S. on N. face



142

BOOK 1990

## Sub-Divisions

dug pits 18X18X12 ins E & W. of Post  
 5 1/2 ft. dist. and raised a mound  
 of earth 1 1/2 ft. high 3 1/2 ft base  
 around Post, from which a  
 Palo Verde runs in diam. Cor S 85°  
 E. 90 lks. dist. Marked 1/16 S. B. 9.

80.00 y

The 1/16 Sec. Cor.

Sand level

Soil 2nd Rate

Scattering Trees

Palo Verde brush 80. chs.



Thence West on a random line  
 thro. S 1/2 of Sec. 3.

Var 13° 06' E.

4.30 Dry wash 15 lks. wide course N.

20.00 Set temporary 1/16 Sec. Cor.

40.00 Set temporary 1/16 Sec. Cor.

60.00 Set temporary 1/16 Sec. Cor.

## A. 16. S. R. 11. E.

- 20.11 Intersect West Bdy. of Reserva-  
tion 9 lks South of  $\frac{1}{16}$  Sec. Con  
Hence I ran S.  $89^{\circ} 56'$  E. on  
a true line thro S.  $\frac{1}{2}$  of Sec 3.  
with same Var,
- 20.11 Set a Post 3ft long 3ins sq. with  
charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Con Marked  $\frac{1}{16}$  South.  
fac. dug pits 18X18X12 ins E & W  
of Post:  $5\frac{1}{2}$ ft dist. and raised  
a mound of earth 1 $\frac{1}{2}$ ft high  
 $3\frac{1}{2}$ ft. base around Post
- 40.11 Set a Post 3ft long 3ins. sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Con Marked  $\frac{1}{16}$  S. on W.  
fac. dug pits 18X18X12 ins E & W of  
Post  $5\frac{1}{2}$ ft. dist. and raised a  
mound of earth 1 $\frac{1}{2}$ ft. high  $3\frac{1}{2}$ ft.  
base around Post
- 60.11 Set a Post 3ft. long 3ins sq with

Sub-divisions

Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on  
N face, dug pits 18x18, x12 ins.  
E. & W. of Post 5  $\frac{1}{2}$  ft. dist. and  
raised a mound of earth 1  $\frac{1}{2}$   
ft high 3  $\frac{1}{2}$  ft. base around Post.  
from which a mesquite 6 ins  
in diam. bears. N. 50° E. 75.  
lks. dist. Marked  $\frac{1}{16}$  S. B. T.

80.11 Dec  $\frac{1}{16}$  Sec. Cor.  
Level Mostly level  
Soil 2<sup>nd</sup> Rate  
Scattering Trees  
Ralo Verde brush rocks

Thence North between Secs. 2 & 3.  
Var. 13° 06' E.

20.00 Set a Post 3 ft. long 3 ins sq. with charred  
stake 12 ins. in the ground. for  $\frac{1}{4}$  Sec.

A. B. S. R. 11. E.

Cor. Marked  $\frac{1}{4}$  H. S. on N. face. dug  
 pits  $18 \times 18 \times 12$  ins N. E. S. of Post  
 $5\frac{1}{2}$  ft dist. and raised a  
 mound of Earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$   
 ft base around Post. From  
 which a Mesquit 9 ins in diam.  
 bns. S.  $89^{\circ} 30'$  W. 90 lks dist.  
 Marked  $\frac{1}{4}$  S. B. A.

Thence East on a random  
 line thro. Center of Sec. 2.

Var.  $13^{\circ} 06'$  E.

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

80.13 Intersect N. & S. line 7 lks South  
 of  $\frac{1}{4}$  Sec. Cor.

Thence True S.  $89^{\circ} 54'$  W. on  
 a true line thro. center of Sec. 2.  
 with same Var.

20.03 Set a Post 3 ft long 3 ins sq with

## Sub-divisions

Charred Stake 12 ins in the ground for  $\frac{1}{16}$  Sec Cor.

Marked  $\frac{1}{16}$  S. on N. face. dug pits 18X18X12 ins. E. & W. of Post  $5\frac{1}{2}$  ft dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft base around Post. from which a Palo Verde 10 ins in diam. bns S.  $70^\circ$  E. 50 lks dist. Marked  $\frac{1}{16}$  S. B.P.

40.09 Set a Post 3 ft long, 3 ins sq. with Charred Stake 12 ins in the ground for  $\frac{1}{4}$  Sec Cor. Marked  $\frac{1}{4}$  S. on N. face. dug pits 18X18X12 ins E. & W. of Post  $5\frac{1}{2}$  ft dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft base around Post. from which a Palo Verde 8 ins in diam. bns. S.  $54^\circ$  W. 87. lks dist. Marked  $\frac{1}{4}$  S. B.P.

60.09 Set a Post 3 ft long 3 ins sq. with Charred Stake 12 ins. in the

N. 1/4 Sec. 11, E.

BOOK 1990

147

ground for 1/4 Sec. Cor. Marked  
1/4 S. on N. face, dug pits 18x18x12  
ins. E. & W. of Post, 5 1/2 ft. dist.  
and raised a mound of earth  
1 1/2 ft. high 3 1/2 ft. base around Post  
from which a Palo Verde line is  
diam. brs. S. 60° W. 102 lks dist.  
marked 1/4 S. B. P.

80.13 The 1/4 Sec. Cor

Sand level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde brush 80. chas.

---

Thence West on a random line  
thro center of Sec. 3,

Var. 13° 06' E.

20.00 Set temporary 1/4 Sec. Cor.

40.00 Set temporary 1/4 Sec. Cor.

## Sub divisions

- 60.00 Set Temporary  $\frac{1}{16}$  Sec. Cor.
- 80.12 Intersect the West Bdy, of  
Reservation 5 lks S. of  $\frac{1}{4}$  Sec. Cor.  
Thence I run  $S 89^{\circ} 58' E$ , on  
a true line thro center of Sec. 3,  
with same Var.
- 20.12 Set a Post 3 ft long 3 ins Sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face  
dug pits  $18 \times 18 \times 12$ . E. & M. of Post.  $5\frac{1}{2}$  ft.  
dist. and raised a mound of earth  
14 ft. high  $3\frac{1}{2}$  ft. base around Post,  
from which a Palo Verde runs in  
diam brs.  $N. 81^{\circ} E$ . 59. lks. dist  
Marked  $\frac{1}{16}$  S. B. P.
- 40.12 Set a Post 3 ft long 3 ins. Sq. with Charred  
Stake 12 in in the ground for  $\frac{1}{4}$  Sec.  
Cor. Marked  $\frac{1}{4}$  S. on N. face. dug pits  
 $18 \times 18 \times 12$  ins E. & M. of Post.  $5\frac{1}{2}$  ft  
dist and raised a mound of earth

A. H. S. R. 11. E.

BOOK 1990

149,

60.12 1 1/2 ft high 3 1/2 ft base around Post  
Set a Post 3 ft. long 3 ins sq. with  
Charned Stake 12 ins in the ground  
for 1/4 Sec. Con. Marked 1/4 C. S. on  
N. face, dug pits 18x18x12 ins E. &  
W. of Post. 5 1/2 ft dist. and raised  
a mound of Earth 1 1/2 ft. high 3 1/2  
ft base around Post.

80.12 The 1/4 Sec. Con.  
Level level  
Soil 2<sup>nd</sup> Rate  
Scattering Trees  
Palo Verde Brush 80. Chs.

Thence north between Secs 2 & 3.  
Var. 13° 06' E,

20.00 Set a Post 3 ft. long 3 ins sq. with  
Charned Stake 12 ins in the ground  
for 1/4 Sec. Con. Marked 1/4 C. S. on



## Sub-divisions

W. face, dug pits 18X18X12 ins N.  
 S. of Post 5 1/2 ft. dist. and  
 raised a mound of earth 5 1/2  
 ft high. 3 1/2 ft base around Post.  
 Thence East on a random line  
 thro N 1/2 of Sec. 2.

Var. 13° 06' E.

18.10 Dry Wash 20 lks wide Course N, E.

20.00 Set temporary 1/16 Sec Con. Marked

40.00 Set temporary 1/16 Sec. Con

60.00 Set temporary 1/16 Sec. Con

80.04 Intersect N. S. line 6 lks. North  
 of 1/16 Sec Con

Thence 2 run North 89° 54' W.  
 on a true line thro N. 1/2 of Sec  
 2. with same Van

20.01 Set a Post 3 ft. long 3 in. Sq. with  
 skarrad stake 13 ins. in the ground  
 for 1/16 Sec. Con. Marked 1/16 S. on N. face  
 dug pits 18X18X12 ins E & W. of Post

P. 16. S. R. 11. E.

BOOK 151  
1990

5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around Post

40.02 Set a Post 3 ft long 3 ins Sq. with Charred Stake 12 ins in the ground for 1/4 Sec. Con. Marked 1/16 S. on N. face. dug pits 18 X 18 X 12 ins E & W. of Post 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around Post

60.03 Set a Post 2 ft long 3 ins Sq. with Charred Stake 12 ins in the ground for 1/4 Sec. Con. Marked 1/16 S. on N. face. dug pits 18 X 18 X 12 ins, E & W. of Post 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around Post.

80.04 The 1/16 Sec. Con

## Sub-divisions

Sand level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Rolo Verde brush &amp; c. chs.

~~~~~

Thence West on a random line  
thru. N.  $\frac{1}{2}$  of Sec. 3.

Var.  $13^{\circ} 06' E$ ,20.00 Set temporary  $\frac{1}{16}$  Sec. Con,40.00 Set temporary  $\frac{1}{16}$  Sec. Con,60.00 Set temporary  $\frac{1}{16}$  Sec. Con80.16 Intersect West B'd'y of Reservation  
15 lks. South of  $\frac{1}{16}$  Sec. Con,

Thence Iron S.  $89^{\circ} 54' E$ . on  
a true line thru. N.  $\frac{1}{2}$  of Sec. 3.  
with same Var.

20.16 Set a Post 3 ft. long 3 in sq with Charred  
Stake 12 in in the ground on  $\frac{1}{16}$  Sec.  
Con. Marked  $\frac{1}{16}$  S. on N. face, dug

puts 18X18X12 ins. E & W. of Post  
 5 1/2 ft. dist. and raised a  
 mound of Earth 1 1/2 ft. high  
 3 1/2 ft. base around Post.

40.16 Set a Post 3 ft. long 3 ins. sq. with  
 charred stake 12 ins. in the  
 ground for 1/16 Sec. Cor. Marked  
 1/16 S. on N. face. dug pits 18X18X  
 12 ins. E & W. of Post. 5 1/2 ft. dist.  
 and raised a mound of  
 Earth 1 1/2 ft. high 3 1/2 ft. base  
 around Post.

60.16 Set a Post 3 ft. long 3 ins. sq. with  
 charred stake 12 ins. in the  
 ground for 1/16 Sec. Cor. Marked  
 1/16 S. on N. face. dug pits 18X18X  
 12 ins. E & W. of Post. 5 1/2 ft. dist.  
 and raised a mound of earth  
 1 1/2 ft. high 3 1/2 ft. base around  
 Post.

## Sub-divisions


80.16 *Tru 416 Sec. Cox*

Sand level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Pale Verde brush 80. chs.


 Jan'y 22<sup>nd</sup> 1888

Thence North between Secs. 2 & 3.

Var.  $13^{\circ} 06' E.$

29.93 Intersect 3<sup>rd</sup> Standard Parallel

South 72 lks East of Standard Con

to Secs. 34 & 35. T<sub>p</sub>. 15 S. R. 11. E.

where I set a Post 4 ft. long 4 ins  
sq. with charred stake 12 ins in  
the ground for closing corner

to Secs. 2 & 3. T<sub>p</sub>. 16 S. R. 11. E.

Marked

C. C. T. 16 S. R. 11. E. on S.

S. 2. on E. and

S. 3. on W. faces with 2 notches

A. L. S. R. 11. E.

BOOK 1990

155,

on E. and 4 notches on W. face  
dug pits  $24 \times 18 \times 12$  ins. Cross-  
roads on each line S. E. & W.  
of Post 6 ft. dist. and raised  
a mound of earth  $2 \frac{1}{2}$  ft high  
5 ft. base around Post.

---

$9 \frac{1}{2}$  miles of the sub-division lines  
in sections 25, 26, & 27, run over  
the foot hills of the Sierrita Mts.  
and are over broken, rocky,  
and worthless land  
 $58 \frac{1}{2}$  miles over through Palo  
Verde, mesquite & catclaw  
brush

---

## Sub-divisions

The S. 1/2 of this fractional Township is broken, rocky and worthless, and is worthless for Agriculture. There are many Dry sand Washes that come from the foot hills of the Sierrita Mts. depositing vast quantities of sand on comparatively level ground. The N. 1/2 contains good grass and with water would be suitable for Agriculture Scattering Trees and Brush throughout township. There are no settlers or improvements of any kind in this Township.

J. D. Chilsan

U. S. Dep'y. Surveyor

U. S. Surveyor-General's Office,

TUCSON, A. T. July 11<sup>th</sup> 1888

The foregoing Field Notes of the Surveys of  
Subdivision T 16 S R 11 E  
Papago Indian  
Reservation

Gila and Salt River Meridian  
in Arizona Terr., executed by  
L. D. Chilson

U. S. Deputy Surveyor, under his contract dated  
November 30<sup>th</sup> 1887,  
having been critically examined, the necessary correc-  
tions and explanations made, the said Field Notes and  
the surveys they describe are hereby approved.

John Arce  
U. S. Surveyor-General  
for the Territory of Arizona.