

No. 1

1991

BOOK 1991

1991

4-671

1991

1991

FIELD NOTES

GENERAL LAND OFFICE.

*SUBDIVISIONS.*

*PAPAGO INDIAN RESERVATION.*

*T. 16 S. - R. 12 E.*

1991

BOOK 1991  
 BOOK 1992  
 BOOK 1993  
 BOOK 1994  
 BOOK 1995  
 BOOK 1996

*Index for*

INDEX.

Township 16 South, Range 12 East.

GILA AND SALT RIVER MERIDIAN.

318	314	223. 221	167. 166	172. 110	58. 56
318	316 313	220 218	165. 162	109 107.	55 53
309	311 307	218 216	162. 160	107. 105	53 51.
304	306 302.	215 213	159. 157.	104 102.	50 48.
298	301 296	212 210	156 154	101 99	48. 45-
294	296 291	209 207	153 151	98 96	44. 42
289	291 287	206 204	151 149	96 94	41 39
284	286 282	204 201	148 146	93. 91	38. 36
278	281 276	200 198	145. 143.	90 87	35. 33.
273	276 271	197 195	142. 140	87. 85.	32 30
268	271 266	195 192	139. 137	84 82.	29 27
264	266 261	192 190	137. 135	82. 80	27. 24


258	260	256	188	186	38	131	78	76	25	21
253 10	255	257 90	186	184 81	130	128	75	73 90	20	18 24
248	250	245	183	181	128	125	73	70	18	15
244	245	241	180	178	124	122	70	68	15	13
238	240	235	177	174	122	118	67	65	11	9
232 90	235	230 90	174	172 86	118	115	64	62 90	8	6 93
228	230	225	174	169	115	113	62	60	6	4
	225		168		113		61		3	
31	32	33	34	35	36					

Referring the lines to the pages of the field notes.



Township No. 16 S. Range No. 12 E. G. & S. R. Meridian.

BOOK 1991



Crocker's Blank No. 1903.—TOWNSHIP PLAT.—80 CHAINS TO 1 INCH.

H. S. CROCKER & Co., San Francisco and Sacramento, Cal.

Meridian Line,

Base Line,

Standard Line,

Township Lines,

Section Line

∞

Field Notes  
of the Survey of the  
Subdivision Lines  
of  
Township No 16 South  
Range 12 East  
in the  
Papago Indian Reservation  
of  
Arizona  
As Surveyed by  
L. D. Whillson.  
U. S. Deputy Surveyor  
under his Contract  
No 8.

Dated Nov 30<sup>th</sup> 1887  
Survey commenced Jan 23<sup>rd</sup> 1888  
Survey completed Feb. 2<sup>nd</sup> 1888.

Preliminary to commencing this survey I run west on blank line on the south boundary of section 25 and at 19.97 chs found  $\frac{1}{16}$  sec cor. at 39.96 chs found  $\frac{1}{4}$  sec cor at 60.04 chs found the  $\frac{1}{16}$  sec cor. at 80.03 chs found the sec cor.

Thence from the corner to sections 25 30 31 & 36. I run north on a blank line between sections 25 & 30 and at 20.01 chains found the  $\frac{1}{16}$  sec cor. at 40.00 chs found the  $\frac{1}{4}$  sec cor at 70.06 chs found the  $\frac{1}{16}$  sec cor and at 90.05 chs found the sec corner.



my compass will therefore  
run the same line as the  
exterior boundaries  
and the closing practically  
agrees.

Survey commenced Jan 23<sup>rd</sup> 1888  
with a Gurley Solar Transit

# Sub-divisions In Papago Indian

Beginning at Cor to Secs. 25, 26  
35, & 36. on South Boundary of  
Reservation which is a  
Post 4 ft. long 4 ins. Sq. Set  
firmly in the ground and Marked  
T. 16. S. S. 25. P. R. on N. E.,  
R. 12, E. S. 36. on S. S.  
S. 35 on S. W. and  
S. 26 on N. W. faces with 1  
notch on S. and 1 notch on  
E. edges.

Iron North between  
Secs. 25, & 26.

Var.  $13^{\circ}$  05' E.

20.00 Set a Post 3 ft. long 3 ins. Sq. with  
Charred Stake 12 ins. in the ground  
for 1/6 Sec. Cor. marked 1/6 S. on W.  
face. dug pits 18. x 18. x 12 ins N. & S. of  
Post. 5/4 ft. dist. and raised a  
mound of Earth 1 1/2 ft. high



X. 16. S. R. 12. E.

BOOK 1991

4

# Reservoir

3 1/2 ft base around Post.

Thence East on a random  
line thro. S. 1/2 of Sec. 25.

Var.  $13^{\circ} 08' E$ .

17.40 Old Road bro U. & S.

20.00 Set temporary 1/16 Sec. Cor.

40.00 Set temporary 1/16 Sec. Cor.

54.20 Dry Wash 120 lks wide Course U.

60.00 Set temporary 1/16 Sec. Cor.

79.94 Intersect E. Bdy. of Tn. 8 lks S  
of 1/16 Sec. Cor.

Thence I run  $S 89^{\circ} 57' W$ ,  
on a true line thro S 1/2 of Sec 25  
with same var.

19.98 Set a Post 3 ft. long 3 ins sq. with  
charred stake 12 ins in the ground  
for 1/16 Sec. Cor. marked 1/16 S. on  
N. face clay pits  $18 \times 18 \times 12$  ins. E.  
1 m. of Post. 5 1/2 ft. dist. and raised  
a mound of Earth 1 1/2 ft. high

# Sub divisions In Papago Indian

39.96

$3\frac{1}{2}$  ft. base around Post  
Set a Post 3 ft. long 3 ins. Sq. with  
charred stake 12 ins. in the  
ground for  $\frac{1}{16}$  Sec. Cor. marked  
 $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times$   
12 ins. E. & W. of Post.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of Earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
Post.

59.94

Set a Post 3 ft. long 3 ins. Sq. with  
charred stake 12 ins. in the  
ground for  $\frac{1}{16}$  Sec. Cor. marked  
 $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times$   
12 ins. E. & W. of Post  $5\frac{1}{2}$  ft. dist.  
and raised a mound of Earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.

79.94

The  $\frac{1}{16}$  Sec. Cor.  
Land somewhat rolling  
Soil 3<sup>rd</sup> Rate  
Scattering Trees

T. 16. S. R. 12. E.

6.

BOOK 1991

Reservations

Palo Verde & Mesquite brush rocks.

---

Thence North between Secs. 25, & 26.  
Var.  $13^{\circ} 08' E$ .

20.00 Set a Post 3 ft. long 3 ins sq. with  
charred stake 12 ins in the  
ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. on W. face, dug pits  $18 \times 18 \times$   
12 ins E. & S. of Post  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base around  
Post. Old  $\frac{1}{4}$  sec cor not found.

Thence East on a random  
line thro. center of Sec. 25.

Var.  $13^{\circ} 08' E$ .

15.30 Old Road brs, N.

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor

56.00 Dry Wash 70 lbs with corner N.



## Subdivisions

- 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.
- 79.90 Intersect East Bdy, of Twp. 7 lks N,  
of  $\frac{1}{4}$  Sec. Cor.  
Thence I run N  $89^{\circ} 57'$  W,  
on a true line thro center of Sec  
25. with same Var.
- 19.97 Set a Post 3ft. long 3 ins Sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
N. face dug pits 18X18X12 ins  
E. & W. of Post.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of Earth  $1\frac{1}{2}$   
ft. high  $5\frac{1}{2}$  ft. base around  
Post.
- 39.94 Set a Post 3ft. long 3 ins Sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on  
N. face. dug pits 18X18X12 ins  
E. & W. of Post  $5\frac{1}{2}$  ft. dist.  
and raised a mound of Earth.

D. 16. S. R. 12. E.

1 1/2 ft. high 3 1/2 ft base around Post.

59.91 Set a Post 2 ft. long 3 ins sq. with charred Stake 12 ins in the ground for 1/16 Sec. Cor. marked 1/16 S. on N. face. dug pits 18x18 x 12 ins. E. & W. of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post. from which a Palo Verde line in diam. bns. N. 70° W. 43 lks dist. marked 1/16 S. B. A.

79.90 The 1/4 Sec. Cor.

Land somewhat rolling  
Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde brush rocks.

Thence North between Secs. 25 & 26.

## Subdivisions

Var.  $13^{\circ} 08' E.$ 

- 17.60 Road to San Xavier Mines brs. N.E. & S.W.
- 20.00 Set a Post 3ft. long zinc Sq. with Charred stake 12 ins in the ground. for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on W. face. deep pits  $18 \times 18 \times 12$  ins. N. & S. of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. ball around Post. from which a mesquite 5 ins. in diam. brs.  $N. 1^{\circ} 30' E.$  33 lbs. dist. Marked  $\frac{1}{16}$  S. B.P.

Thence East on a random line thro N.  $\frac{1}{2}$  of Sec. 25.

Var.  $13^{\circ} 08' E.$ 

- 4.50 Road to San Xavier Mines brs N.E. & S.W.
- 14.60 Old Road brs. N. & S.
- 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor
- 40.00 Set temporary  $\frac{1}{16}$  Sec. Cor
- 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor



T. 162 S. R. 17. E.

- 71.00 Dry Wash 90 kts. wide Course N.  
 74.00 Dry Wash 1 ch. wide Course N.  
 79.95 Intersect East B dry. of T. 1003 kts.  
 S of  $\frac{1}{16}$  Sec. Cor.

Thence I run S  $82^{\circ} 51' W$ .  
 on a true line thro. N.  $\frac{1}{2}$  of Sec. 25,  
 with same Var.

- 20.10 Set a Post 3 ft. long 3 ins Sq. with  
 channed stake 12 ins in the ground  
 for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N  
 face. dug pits  $18 \times 18 \times 12$  ins. E. &  
 W. of Post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  $1\frac{1}{2}$   
 ft. high  $3\frac{1}{2}$  ft. base around  
 Post. from which a Palo Verde  
 line in clear. N.  $45^{\circ} W$ . 62 kts  
 dist. marked  $\frac{1}{16}$  S. P. 7.

- 40.21 Set a Post 3 ft. long 3 ins. Sq. with  
 channed stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec. Cor.

## Sub-divisions

marked  $\frac{1}{16}$  S. on N. face, dug pits  $18 \times 18 \times 12$  ins. E. of Post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.

60, 31

Set a Post 3 ft. long 3 ins. sq. with charred Stake 12 ins. in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N. face, dug pits  $18 \times 18 \times 12$  ins. E. of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.

80, 42

The  $\frac{1}{16}$  Sec. Cor.

Land somewhat Rolling

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde Brush socks.

~~~~~

Hence North between Secs. 25 & 26.

T. 16. S. R. 17. E.

Var  $13^{\circ} 08' E$ .

20.00 Set a Post 4 ft. long 4 in Sq. with  
charred Stake 12 in in the ground  
for Cor. to Secs. 23, 24, 25, & 26.  
Marked

T. 16 S. S. 24. on N.E.

R. 12 E. S. 25. on S. E.

S. 26. on S.W. and

S. 23. on N.W. faces, with 2  
notches on S. and 1 notch on  
E. Edges. dug pits 18X18X12 in  
in each Sec.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of Earth 2 ft.

high  $4\frac{1}{2}$  ft. base around Post.

The pits are cor. mark found.

Land for rocks. between Secs.  
25 & 26. Somewhat rolling

Soil 2<sup>nd</sup> Rate

Scattering Trees

Ralo Verde Branch rocks.

~~~~~



## Sub divisions

Thence East on a random line  
between Secs 24. & 25.

Var.  $13^{\circ} 08' E$ .

14.00 Road to San Xavier minus Bro. N.E. &  
S.W.

20.00 Set temporary  $\frac{1}{16}$  Sec Cor.

40.00 Set temporary  $\frac{1}{4}$  Sec Cor

49.00 Dry Wash 20 lks wide course N.

60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

75.00 Dry Wash 60 lks. wide course N.

79.94 Intersect East Bdy. of Tp. 9.95 Chs S  
of Cor. to Secs. 19. 24. 25 & 30.

Thence Town  $S 82^{\circ} 54' W$   
on a true line between Secs. 24 &  
25. with same Var.

20.10. Set a Post 3 ft. long 3 ins Sq. with  
charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N.  
face. dug pits  $18 \times 18 \times 12$  ins E. & W. of  
Post.  $5\frac{1}{2}$  ft dist. and raised 5

P. 16. S. R. 11. E.

mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base around Post, from which a mesquite 3 ins in diam. brs. S.  $28^{\circ}$  E. 12 lks dist. Marked  $\frac{1}{16}$  S. B. T.

40, 20 Set a Post 3 ft long 3 ins sq. with Charcoal Stake 12 ins in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on N. face. dug pits  $18 \times 18 \times 12$  ins E. & W. of Post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post. Old  $\frac{1}{4}$  sec cor. mark found.

60, 30 Set a Post 3 ft. long 3 ins sq. with Charcoal Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times 12$  ins E. & W. of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around Post.

## Sub divisions

from which a mesquite 3 ins in  
diam. bro S.  $50^{\circ}$  E. 57 lks, dist  
marked  $\frac{1}{16}$  S. 137.

80,40

The Cor. to Secs 23, 24, 25, & 26.  
Land somewhat rolling  
Soil 2<sup>nd</sup> Rate  
Scattering Trees  
Palo Verde Brush so. Chs.

Thence North between Secs 23, & 24.  
Var.  $13^{\circ}$   $08'$  E.

80.00

Set a Post 3 ft. long 3 ins sq with  
charred stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on W.  
face. dug pits  $15 \times 18 \times 12$  ins. N. & S. of  
Post.  $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth 14 ft. high  $3\frac{1}{2}$   
ft base around Post.

Thence East on a random



N. 1/2 S. R. 17. E.

Line thro S. 1/2 of Sec 24.  
Var  $13^{\circ} 08' E.$

- 20.00 Set temporary 1/16 Sec. Con.
- 22.35 Road to San Xavier Mines. N  $25^{\circ} 1/2$
- 40.00 Set temporary 1/16 Sec. Con
- 58.00 Dry Wash 30 lks wide Course N. E.
- 60.00 Set temporary 1/16 Sec. Con
- 79.90 Intersect East 1/2 di. of Twp. 9. 93 Chs.  
S of 1/16 Sec. Con  
Hence I ran S  $82^{\circ} 55' W$   
on a true line thro. S. 1/2 of Sec 24  
with same Var.
- 21.09 Set a Post 3ft. long 3ins Sq. with  
Charred Stake 12ins in the ground  
for 1/16 Sec. Con marked 1/16 S. on  
N. face. dug pits  $18 \times 18 \times 12$  ins.  
E. & W. of Post  $5 1/2$  ft. dist. and  
raised a mound of Earth  $1 1/2$   
ft high 3 ft. base around  
Post.

## Sub-Divisions

- 40,18 Set a Post 3ft. long 3ins Sq. with charred Stake 12 ins. in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face. dug pits 18x18x12 ins. E. & W. of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$ ft. base around Post.
- 60,27 Set a Post 3ft. long 3ins Sq. with charred Stake 12 ins. in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on N. face. dug pits 18x18x12 ins. E. & W. of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around Post.
- 80,38 The  $\frac{1}{16}$  Sec. Cor.  
Land somewhat Rolling  
Soil 2<sup>nd</sup> Rate  
Scattering Trees

T. 16. S. R. N. E.

Palo Verde Brush 80, chs.

Thence North between Secs 23 & 24  
 Var.  $13^{\circ} 08' E.$

20.00 Set a Post 2 ft. long 3 ins sq. with  
 charred stake 12 ins in the  
 ground. for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S. on W. face dry pits 18X18X12 ins  
<sup>N.T.S.</sup>  
~~S. & W.~~ of Post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of Earth 4 ft.

high  $3\frac{1}{2}$  ft base around Post.  
 The  $\frac{1}{4}$  sec <sup>cor</sup> not found.

Thence East on a random  
 line thro center of Sec. 24

Var.  $13^{\circ} . 08' E.$

20.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

10.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

11.70 Road to San Xavier Luis bro N.T.S.

20.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

28.00 Dry Wash 130 lks. wide course NE



## Subdivisions

- 79.88 Intersect East Bdy. of T<sub>2</sub> 992 Chs.  
S of 1/4 Sec Cor  
Thence I run S 82° 55' W,  
on a true line thro. center of  
Sec. 24 with same Var
- 20.08 Set a Post 3ft. long 3ins Sq. with  
Charred Stake 12 ins. in the ground  
for 1/16 Sec. Cor. marked 1/16 S. on  
N. face. dug pits 18x18x12 ins  
E. W. of Post. 5 1/2 ft. dist. and  
raised a mound of Earth 1 1/2  
ft. high 3 1/2 ft. base around  
Post
- 40.16 Set a Post 3ft. long 3ins Sq. with  
Charred Stake 12 ins in the ground  
for 1/4 Sec. Cor. marked 1/4 S. on  
N. face dug pits 18x18x12 ins  
E. W. of Post. 5 1/2 ft. dist. and  
raised a mound of Earth 1 1/2  
ft. high 3 1/2 ft. base around

N. 16. S. R. 12. E.

Post.

80.24 Set a Post 3 ft long 3 ins Sq with  
chained stake 12 ins in the  
ground for 1/16 Sec. Cor. marked  
1/16 S. on N. face dug pits 18 x 18  
x 12 ins. E. & W. of Post. 5 1/2 ft dist  
and raised a mound of Earth  
1 1/2 ft. high 3 1/2 ft. base around  
Post.

80.33

The 1/4 Sec Cor

Land somewhat Rolling

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde Broush rocks

Then a North between Secs 23 & 24

Var. 13° 08' E.

2.55 Dry Wash 90 k wide course N.E.

20.00 Set a Post 3 ft. long 3 ins Sq. with

## Sub divisions

Charred Stake 12 ins in the  
ground, for  $\frac{1}{16}$  Sec Cor, marked  
 $\frac{1}{16}$  S. on W. face. dug pits 18 X 18 X 12  
ins. N. & S. of Post. 5 1/2 ft dist, and  
raised a mound of Earth 1 1/2  
ft high 3 1/2 ft base around Post

Thence East on a random  
line thro  $\frac{1}{4}$  of Sec. 24

Var  $13^{\circ} 08' E$ .

- 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor  
31.30 Dry Wash 75 lks wide course N. E.  
40.00 Set temporary  $\frac{1}{16}$  Sec. Cor  
43.10 Road to San Xavier Mine bro. N. & S.  
60.00 Set temporary  $\frac{1}{16}$  Sec Cor  
79.86 Intersect East-Redy. of Sp. 10, 02 chs  
S. of  $\frac{1}{16}$  Sec. Cor.

Thence Iron S.  $82^{\circ} 51' W$ ,  
on a true line thro.  $\frac{1}{4}$  of Sec. 24.  
with same Var.

- 20.09 Set a Post 3 ft long 3 ins Sq with



M. S. R. 17. E.

Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
N. face, dug pits 18X18X12 ins. E. &  
W. of Post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of Earth 1  $\frac{1}{2}$  ft high  
3  $\frac{1}{2}$  ft base around Post.

40.18

Set a Post 3 ft. long 3 ins Sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
N. face. dug pits 18X18X12 ins E. & W.  
of Post.  $5\frac{1}{2}$  ft. dist. and raised a  
mound of Earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$   
ft. base around Post

60.27

Set a Post 3 ft. long 3 ins Sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
N. face, dug pits 18X18X12 ins  
E. & W. of Post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of Earth  
1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around Post

## Subdivisions

80.37 The 1/16 Sec. Cor.  
 Sand Mostly Rolling  
 Soil 2<sup>nd</sup> Rate  
 Scattering Trees  
 Palo Verde Brush & csh.

Thence North between sees  
 23 + 24

Var.  $13^{\circ} 08' E.$

2.75 Dry Wash 60 to wide course N.E.

20.00 The Old Sec Cor. Set a post 4 ft  
 long 4 ins sq. with channed  
 stake 12 ins in the ground for  
 Cor to Sees. 13, 14, 23, & 24,  
 Marked

P. 16 S. S 13 on N.E.

R. 12 E. S. 24 on S.E.

S. 23 on S.W. and

S. 14. on N.W. face. with 3

T. 16 S. R. 17 E.

notches on S. and 1 notch on  
E. edges. clay pits 18X18X12  
ins in each Sec. 5 1/2 ft. dist  
and raised a mound of earth  
2 ft high 4 1/2 ft. base around  
Post.

Sand for sochs between Sec 23 &  
24. Somewhat rolling

Soil 2<sup>nd</sup> Rate

Scattering Trees

Ralo Verde Brush sochs.

Thence East on Road on line  
between Secs. 13 & 24

Var. 13° 08' E.

- 18.10 Dry Wash 70 lks. wide course N.E.  
20.00 Set temporary 1/16 Sec, Cor.  
40.00 Set temporary 1/4 Sec, Cor.  
43.70 Road to San Xavier de los Indios.



## Sub divisions

- 44.10 Dry Wash 40 lks wide Course N.E.
- 56.00 Dry Wash 20 lks. wide Course N.E.
- 60.00 Set temporary 1/6 Sec. Cor.
- 79.87 Intersect East Bdy. of Sp. 9.97  
 chs S. of Cor to Secs. 13, 18, 19, 24.  
 Thence Town S.  $82^{\circ} 54' W$ ,  
 on a true line, between Secs.  
 13, & 24, with same var.
- 20.08 Set a Post 3 ft. long 3 ins Sq. with  
 Charred Stake 12 ins in the ground  
 for 1/6 Sec Cor. marked 1/6 S. on N.  
 face. dug pits 18 X 18 X 14 ins E. & W.  
 of Post. 5 1/2 ft. dist. and raised  
 a mound of earth 19 1/2 ft high  
 3 1/2 ft. base around Post.
- 40.16 Set a Post 3 ft. long 3 ins. Sq. with  
 Charred Stake 12 ins in the  
 ground for 1/4 Sec Cor. marked  
 1/4 S. on N. face dug pits 18 X 18 X 12  
 ins E & W. of Post. 5 1/2 ft. dist.

P. 16. S. R. 12. E.

and raised a mound of Earth  
 1 1/2 ft. high 3 1/2 ft. base around  
 Post. Old 46 S. brs. S. 1077. 11 lbs.  
 I destroy all marks of same  
 and place old stake in mound  
 with new one.

60,24 Set a Post 3 ft. long 3 ins sq. with  
 Charred Stake 12 ins in the ground  
 for 46 Sec. Cor. marked 46 S. on  
 N. face day pits 18 X 18 X 12 ins  
 E. W. of Post. 5 1/2 ft. dist. and  
 raised a mound of Earth  
 1 1/2 ft. high 3 1/2 ft. base around  
 Post.

60,33 The Cor to Secs. 13, 14, 23 & 24  
 Land somewhat Rolling  
 Soil 2<sup>nd</sup> Rate  
 Scattering Trees  
 Palo Verde brush so on.

## Subdivisions

Thence North between Secs. 13 & 14,

Var.  $13^{\circ} 08' E$ .

- 4.10 Dry Wash 40 lks. wide course N.E.  
 20.00 Set a Post 2 ft. long 3 ins. sq. with  
 Charred Stake 12 ins. in the ground  
 for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  on  
 W. face. dug pits  $18 \times 18 \times 12$  ins.  
 N.E.S. of Post.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  $1\frac{1}{2}$   
 ft. high  $3\frac{1}{2}$  ft. base around  
 Post.

Thence East on a random  
 line thro. S  $\frac{1}{2}$  of Sec 13.

Var.  $13^{\circ} 08' E$ .

- 19.30 Dry Wash 40 lks. wide course N.E.  
 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 26.40 Dry Wash 60 lks wide course N.  
 40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 44.60 Road to San Xavier Mines brs. N.E.S.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.



## N 1/4 Sec. 12, E.

62.40 Dry Wash 40 lks wide course N.O

79.92 Intersect East Bdry. of Tr. 9.95  
chs. S. of 1/16 Sec Con.

Thence Down S.  $82^{\circ} 54' W$ ,  
on a true line thro. S. 1/2 of Sec 13.  
with same Var.

20.09 Set a Post 3ft. long 3ins. sq. with  
Charred Stake 12ins in the  
ground. for 1/16 Sec. Con. marked  
1/16 S. on N. face. dug pits 18X18X  
12ins E. & W. of Post.  $5\frac{1}{2}$ ft. dist.  
and raised a mound of Earth  
14ft. high  $3\frac{1}{2}$ ft. base around  
Post.

40.18 Set a Post 3ft. long 3ins. sq. with  
Charred Stake 12ins in the ground  
for 1/16 Sec. Con. marked 1/16 S. on  
N. face dug pits 18X18X12ins  
E. & W. of Post  $5\frac{1}{2}$ ft. dist.  
and raised a mound of Earth

## Subdivisions

- 14 ft. high 3 1/2 ft. base around Post.
- 60,27 Set a Post 3 ft. long 3 ins. Sq. with Charred Stake 12 ins. in the ground for 416 Sec. Cor. marked 416 S. on N. face. dug pits 18 X 18 X 12 ins. E. & W. of Post 5 ft. dist. and raised a mound of Earth 14 ft. high 3 1/2 ft. base around Post.
- 80,38 The 416 Sec. Cor.  
 Sand somewhat rolling  
 Soil good Rate  
 Scattering Trees  
 Palo Verde brush sochs.

Thence North between Secs. 13 & 14

Var. 13° 08' E.

- 20,00 Dry Wash 30 lks wide course N. E.  
 This corner coming in dry

N. 16. S. R. 12, E.

wash I mark a Mesquite Tree  
 4 ins. in diam, <sup>1 mkd</sup> 45 lbs. E. for  
 1/4 Sec. Cor. dug pits 18 X 18 X 12  
 ins N & S. <sup>tree 5 1/2 ft dist</sup> and raised a mound  
 of earth around Tree.

Old Cor. not found.

Thence East on a random line  
 thro. center of Sec. 13.

Var. 13' 08" E.

- 2000 Set temporary 1/16 Sec. Cor.  
 4000 Set temporary 1/4 Sec Cor.  
 56.50 Dry Wash 150 lks wide, Course N, E.  
 58.50 Road to San Xavier ruins bnd N.E. & S.W.  
 60.00 Set temporary 1/16 Sec. Cor.  
 79.88 Intersect East Bdy of Tr. 9, 94  
 chs. S. of 1/4 Sec. Cor.

Thence I run S. 82° 54' W,  
 on a true line thro center of Sec  
 13. with same var

- 20.08 Set a Post. 3 ft. long 3 ins by with



## Subdivisions

Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
N. face. dug pits 18X18X12 ins.

Ext. of Post:  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base around  
Post.

# 0.17 Set a Post 3 ft long 3 ins sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on  
N. face dug pits 18X18X12 ins  
Ext. of Post:  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base around  
Post.

60.205 Set a Post 3 ft long 3 ins sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
N. face dug pits 18X18X12 ins

N. 16. S. R. 12. E.

80,34

E. & W. of Post: 5 1/2 ft. dist. and  
raised a mound of Earth 1 1/2  
ft. high 3 1/2 ft. base around Post.

The 1/4 Sec. Cor.

Soil Somewhat Rolling  
Soil 2nd Rate

Scattering Trees

Palo Verde brush socho

Jan 23<sup>rd</sup> 1888.

~~~~~

Thence North between Secs 13 & 14,

Var 13° 08' E.

2000

Set a Post 3 ft. long 2 ins. sq. with  
Charred Stake 12 ins. in the  
ground. for 1/4 Sec Cor. marked  
1/4 S. on W. face, dug Pits 18x  
18x12 ins N. & S. of Post 5 1/2 ft.  
dist and raised a mound of  
Earth 1 1/2 ft. high 3 1/2 ft. base  
around Post.

## Sub divisions

Thence East on a random line  
thro  $2\frac{1}{2}$  of Sec. 13.

Var.  $13^{\circ} 08' E.$

- 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 34.50 Dry Wash 30. lks. wide Course N. E.  
 46.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 79.85 Intersect East Bdy. of Tr. 9,94  
 Ch. S. of  $\frac{1}{16}$  Sec. Cor.

Thence True S.  $82^{\circ} 54' W.$   
 on a true line thro.  $2\frac{1}{2}$  of Sec  
 13. with same var.

- 20.09 Set a Post 3 ft. long 3 in  $\phi$  with  
 Charred Stake 12 in in the ground  
 for  $\frac{1}{16}$  Sec Cor. marked  $\frac{1}{16}$  S. on  
 N. face. dug pits  $18 \times 18 \times 12$  in  
 E. & W. of Post.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of Earth 14 in  
 ft high.  $3\frac{1}{2}$  ft base around  
 Post



N. 16. S. R. 12. E.

40,18 Set a Post 3 ft. high 3 ins. sq. with  
charred Stake 12 ins. in the  
ground. for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18x  
18x12 ins E & W of Post. 5  $\frac{1}{2}$   
ft. dist. and raised a mound  
of earth 17 ft. high 3  $\frac{1}{2}$  ft  
bar around Post.

60,27 Set a Post 3 ft. long 3 ins sq. with  
charred Stake 12 ins in the  
ground. for  $\frac{1}{16}$  Sec Cor. Marked  
 $\frac{1}{16}$  S. on N. face dug pits 18x18x12  
ins. E & W of Post 5  $\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
17 ft high 3  $\frac{1}{2}$  ft bar around  
Post

80,35 <sup>the  $\frac{1}{16}$  sec cor.</sup>  
Land somewhat Rolling

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde brush & cks.

## Subdivisions

Thence North between Secs.  
13. & 14.

Var.  $13^{\circ} 08' E.$

20.00 Set a Post 4 ft. long 4 ins. Sq. with  
charred Stake 12 ins in the ground  
for cor to Secs. 11. 12. 13. & 14.

Marked

Q. 16 S. S. 12. on NE

R. 12. E. S. 13 on S. E

S. 14 on S. W. and

S. 11. on NW. faces with 4 notches  
on S. and 1 notch on E. edges

dug pits 18x18x12 ins in each  
Sec.  $5\frac{1}{2}$  ft. dist. and raised a

mound of Earth 2 ft high 4 ft  
base around Post. from which  
a mesquite 6 ins. in diam. bro.

N  $78^{\circ} W.$  47 lks. dist. marked

Q. 16 S. R. 12. E. S. 11. B. T

A Mesquite 4 ins in diam. bro.

T. 16. S. R. 12. E.

BOOK 1991

36.

S.  $53^{\circ}45'$  W. 44 lks dist. Marked  
T. 16. S. R. 12. E. S 14. B. A.

The old Corner Obliterated  
Sand for 80. chs. between  
Secs 13. & 14. Somewhat Rolling  
Soil 2<sup>nd</sup> Rate  
Scattering Trees.  
Palo Verde brush rocks

~~~~~  
Thence East on a sandow line  
between Secs, 12, & 13.

Var  $13^{\circ}08'$  E.

20.00 Set temporary  $\frac{1}{16}$  Sec. Con.

40.00 Set temporary  $\frac{1}{16}$  Sec Con.

60.00 Set temporary  $\frac{1}{16}$  Sec. Con.

79.92 Subsect East Bdy. of Sp. 10.04  
chs. S. of Conto Secs 9, 12, 13, & 18.

Thence Run S.  $82^{\circ}50'$  W,  
on a true line between Secs.



12 x 13, with same var.

20,10 Set a Post 3ft. long 3ins Sq. with Charred Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  in. S. on N. face, dug pits 18x18x12 ins. E. & W. of Post.  $5\frac{1}{2}$  ft. dist; and raised a mound of earth 1 $\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.

40,21 Set a Post 3ft. long. 3ins Sq. with Charred Stake 12 ins in the ground, for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  in. on N. face, dug pits 18x18x12 ins. E. & W. of Post  $5\frac{1}{2}$  ft. dist and raised a mound of earth 1 $\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post, Old Cor. bns N.  $78^{\circ}$  E. of the dist. To destroy same and place old Stake in mound with new one

60,31 Set a Post 3ft. long 3ins Sq. with

chained Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked.  $\frac{1}{16}$  S. on  
N. face dug pits 18X18X12 ins.  
E. & W. of Post  $5\frac{1}{2}$  ft. dist, and  
raised a mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base around  
Post.

80.42

The Cor. to Secs. 11. 12. 13 & 14.  
Land somewhat Rolling  
Soil 2nd rate  
Scattermy Trees  
Palo Verde brush so. chs.

~~~~~

Thence North between Secs 11. & 12  
Var.  $13^{\circ} 08' E.$

19.80

Road to Sierrita Mts. hrs. N.E. & S.W.

20.00

Set a Post 3 ft. long 3 ins Sq. with  
chained Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on

## Subdivisions

m. face dug pits 18x18x12 ins.  
 n. & s. of Post. 5 1/2 ft. dist. and  
 raised a mound of Earth 1 1/2  
 ft. high 3 1/2 ft. base around  
 Post. North Side of Road

Thence East on random line  
 thro. S 1/2 of Sec. 12.

Var. 13° 08' E.

0.14 Road to Sierra Mts br. N.E. & S.W.

20.00 Set temporary 1/16 Sec. Cor.

40.00 Set temporary 1/16 Sec. Cor.

60.00 Set temporary 1/16 Sec. Cor.

79.82 Intersect East Bdy. of Tr. 10,05  
 s. s. of 1/16 Sec. Cor.

Thence I run. 82° 49' W.  
 on a true line thro S 1/2 of Sec 12.  
 with same Var.

20.08 Set a Post 3 ft long 2 1/2 in Sq. with  
 charred stake 12 ins in the ground  
 for 1/16 Sec. Cor. marked 1/16 S. on



T. 16. S. R. 12. E.

2. face dug pits 18X18X12 ins  
E. & W. of Post: 5 1/2 ft. dist. and  
raised a mound of earth 1 1/2  
ft. high 3 1/2 ft. base around  
Post. from which a Palo Verde  
tree, in diam. bns. S. 52° W. 15 lbs  
Dist. marked 1/16 S. B. T.

40, 16

Set a Post 3 ft. long 3 ins sq. with  
Charred Stake 12 ins in the ground  
for 1/16 Sec. Cor. marked 1/16 S. on  
N. face. dug pits 18X18X12 ins  
E & W of Post 5 1/2 ft. dist. and  
raised a mound of earth 1 1/2  
ft. high 3 1/2 ft. base, around  
Post.

60, 24

Set a Post 3 ft. long 3 ins sq. with  
Charred Stake 12 ins in the ground  
for 1/16 Sec. Cor. marked 1/16 S. on  
N. face. dug pits 18X18X12 ins E & W  
of Post 5 1/2 ft. dist. and raised.

## Subdivisions

a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post

80,314 The 1/4 Sec. Con

Land mostly level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Ralo Verde brush & cchs.

~~~~~

Thence North between Secs. 11. & 12,

Var. 13° 08' E.

20,000 Set a Post 3 ft. long 3 ins sq. with charred Stake 12 ins in the ground for 1/4 Sec. Con. marked 1/4 S. on W. face. dug pits 18 x 18 x 12 ins N. & S. of Post. 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft. high 3 1/2 ft. base around Post.

Old Corner obliterated

@ Mesquite 6 ins in diam. bro.

P. 16. S. R. 12. E.

N.  $58^{\circ} 7'$ . 39 lks dist (The old B. P.)

Hence East on a random  
line thro. center of Sec. 17.

Var.  $13^{\circ} 08'$  E.

1845 Road to Siroita Mts. bro. N.E. & S.W.

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

52.20 Dry Wash 30 lks route Course N.E.

60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

79.89 Intersect East Body of Tr. 9.97  
chs. S. of  $\frac{1}{4}$  Sec Cor.

Hence Iron S.  $82^{\circ} 53'$  W.  
on a true line thro. center of  
Sec. 12. with same var.

20.07 Set a Post 3 ft long 3 ins. sq with  
chopped stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec cor. marked  
 $\frac{1}{16}$  S. on N. face clay pits 18X18X  
12 ins. E & W of Post 5 ft dist  
and raised a mound of Earth



## Sub divisions

1 1/2 ft. high 3 1/2 ft. base around Post.

40, 14 Set a Post 3 ft. long, 3 in. sq. with charred stake 12 in. in the ground for 1/4 Sec. Cor. marked 1/4 S. on N. face. dug pits 18 X 18 X 12 ins E & W. of Post 5 1/2 ft. dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

60, 21 Set a Post 3 ft. long 3 in. sq. with charred stake 12 in. in the ground for 1/4 Sec Cor. marked 1/4 S. on N. face. dug pits 18 X 18 X 12 ins, E & W. of Post. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

80, 32 The 1/4 Sec Cor.  
Soil mostly level

P. 16. S. R. 12. E.

Soil 2nd Rate  
 Scattering Trees  
 Palo Verde brush rocks.

Thence North between Secs 11 & 12  
 Var.  $13^{\circ} 08' E$ .

20.00 Set a Post 3ft long 3ins Sq with  
 charred Stake 12 ins in the ground  
 for  $1/16$  Sec Cor. marked  $1/16 S$ .  
 on W. face dug pits  $18 \times 18 \times 12$  ins  
 N & S. of Post  $5 \frac{1}{2}$  ft. dist. and  
 raised a mound of Earth 1" ft.  
 high  $3 \frac{1}{2}$  ft base around Post.

Thence East on a random line  
 thro. N.  $1/2$  of Sec 12

Var  $13^{\circ} 08' E$ .

20.00 Set temporary  $1/16$  Sec Cor.  
 24.00 Road to Serrita Mts. Cns N.E. & S.W.  
 40.00 Set temporary  $1/16$  Sec. Cor.

## Subdivisions

- 60.00 Set temporary 416 Sec. Cor.  
 78.10 Dry Wash 40 ft. wide course N.E.  
 79.92 Intersect East Bdy. of Tr. 9, 92  
 Chs. S. of 416 Sec. Cor.

Hence Iron S.  $82^{\circ} 55' W$ ,  
 on a true line thro' N. 1/2 of Sec. 12,  
 with same Var.

- 20,10 Set a Post 3 ft. long 3 ins. sq. with  
 Charred Stake 12 ins. in the ground  
 for 416 Sec. Cor. marked 416 S. on  
 N. face. dig pits  $18 \times 18 \times 12$  ins  
 E. & W. of Post. 5 1/2 ft. dia., and  
 raised a mound of earth 7 1/2 ft.  
 high 3 1/2 ft. base around Post,  
 40,20 Set a Post 3 ft. long 3 ins. sq. with  
 Charred Stake 12 ins. in the ground  
 for 416 Sec. Cor. marked 416 S. on  
 N. face. dig pits  $18 \times 18 \times 12$  ins.  
 E. & W. of Post. 5 1/2 ft. dia., and  
 raised a mound of earth



T. 16. S. R. 12. E.

14 1/2 ft. high 3 1/2 ft. base around  
Post.

60,30 Set a Post 2 ft. long 3 in. sq. with  
blurred stake 12 in. in the ground  
for 1/4 Sec. Cor. marked 1/4 Sec. on  
N. face. dug pits 18x18x12 in  
E & W of Post. 5 1/2 ft. dist. and  
raised a mound of Earth 14 1/2  
ft high 3 1/2 ft. base around  
Post.

80,41 The 1/4 Sec. Cor.  
Land mostly level  
Soil 2<sup>nd</sup> Rate  
Scattering Trees  
Palo Verde brush sochs.

Thence North between Secs 11. & 12  
Var. 13° 08' E.

20,00 Set a Post 4 ft. long 4 in. sq. with

## Subdivisions

Charred Stake 12 ins in the ground  
for Cor to Secs. 1, 2, 11, & 12.

Marked

P. 16. S. 1. on N.E.

R 12. E. S. 12. on S.E.

S. 11. on S.W. and

S. 2. on N.W. faces with 5 notches

on S. and 1 notch on E. edges

dug pits 18 X 18 X 12 ins in each

Sec. 5 1/2 ft. dist. and raised

a mound of earth 2 ft. high

4 1/2 ft. base around Post.

The Old Cor. bro S. 88° W. 13. lks

dist. I destroy same and place

old Stake in mound with new

one

Land for 80. chs. between Secs.

11. & 12. Mostly level

Soil 2<sup>nd</sup> Rate

Scattering Trees.

T. 16. S. R. 12. E.

Palo Verde brush rocks.

Hence East on a random line  
between Secs 1 & 12.

Jan,  $13^{\circ} 08' E$ .

- 26.00 Set temporary  $\frac{1}{16}$  Sec Cor.  
 37.50 Dry Wash 30 lks wide Course N.E.  
 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor  
 57.85 Road to Sierrita Mts. broad N.E. & S.W.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 79.96 Intersect East Bdy of T<sub>16</sub>, 9, 94  
 chs S. of Cor to Secs. 16, 9 & 12

Hence I run S.  $82^{\circ} 55' W$ ,  
 on a true line between Secs 1 &  
 12, with same var.

- 20.11 Set a Post 3 ft. long 3 ins sq. with  
 charred Stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec Cor marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18 X 18 X



## Subdivisions

12 ins E & W of Post. 5 1/2 ft. dist  
and raised a mound of earth  
1 1/2 ft. high 3 1/2 ft base around  
Post

40.22 Set a Post 3 ft. long 3 ins sq with  
charred Stake 12 ins in the  
ground. for 44 Sec Cor. Marked  
1/4 S. on N. face. dug pits 18x18  
x 12 ins E & W of Post. 5 1/2 ft. dist.  
and raised a mound of  
Earth 1 1/2 ft. high 3 1/2 ft base  
around Post. from which  
a Palo Verde 8 ins in diam.  
bore S. 10° W. 10 lks dist marked  
1/4 S. B. T.

Old Corner not found

60.33 Set a Post 3 ft long 3 ins sq with  
charred Stake 12 ins in the  
ground. for 46 Sec Cor. Marked  
1/4 S. on N. face dug pits 18x

T. 16. S. R. 12. E.

18x12 ins E. & W. of Post 5 1/2 ft.  
dist. and raised a mound  
of earth 1 1/4 ft high 3 1/2 ft.  
base around Post.

80,45

The Cor. to Secs. 1, 2, 11, & 12.

Land mostly level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde brush rocks.



Thence North between Secs 1. & 2.

19.9.11.12.13.14.15.16.17.18.19.20.21.22.23.24.25.26.27.28.29.30.31.32.33.34.35.36.37.38.39.40.41.42.43.44.45.46.47.48.49.50.51.52.53.54.55.56.57.58.59.60.61.62.63.64.65.66.67.68.69.70.71.72.73.74.75.76.77.78.79.80.81.82.83.84.85.86.87.88.89.90.91.92.93.94.95.96.97.98.99.100.101.102.103.104.105.106.107.108.109.110.111.112.113.114.115.116.117.118.119.120.121.122.123.124.125.126.127.128.129.130.131.132.133.134.135.136.137.138.139.140.141.142.143.144.145.146.147.148.149.150.151.152.153.154.155.156.157.158.159.160.161.162.163.164.165.166.167.168.169.170.171.172.173.174.175.176.177.178.179.180.181.182.183.184.185.186.187.188.189.190.191.192.193.194.195.196.197.198.199.200.201.202.203.204.205.206.207.208.209.210.211.212.213.214.215.216.217.218.219.220.221.222.223.224.225.226.227.228.229.230.231.232.233.234.235.236.237.238.239.240.241.242.243.244.245.246.247.248.249.250.251.252.253.254.255.256.257.258.259.260.261.262.263.264.265.266.267.268.269.270.271.272.273.274.275.276.277.278.279.280.281.282.283.284.285.286.287.288.289.290.291.292.293.294.295.296.297.298.299.300.301.302.303.304.305.306.307.308.309.310.311.312.313.314.315.316.317.318.319.320.321.322.323.324.325.326.327.328.329.330.331.332.333.334.335.336.337.338.339.340.341.342.343.344.345.346.347.348.349.350.351.352.353.354.355.356.357.358.359.360.361.362.363.364.365.366.367.368.369.370.371.372.373.374.375.376.377.378.379.380.381.382.383.384.385.386.387.388.389.390.391.392.393.394.395.396.397.398.399.400.401.402.403.404.405.406.407.408.409.410.411.412.413.414.415.416.417.418.419.420.421.422.423.424.425.426.427.428.429.430.431.432.433.434.435.436.437.438.439.440.441.442.443.444.445.446.447.448.449.450.451.452.453.454.455.456.457.458.459.460.461.462.463.464.465.466.467.468.469.470.471.472.473.474.475.476.477.478.479.480.481.482.483.484.485.486.487.488.489.490.491.492.493.494.495.496.497.498.499.500.501.502.503.504.505.506.507.508.509.510.511.512.513.514.515.516.517.518.519.520.521.522.523.524.525.526.527.528.529.530.531.532.533.534.535.536.537.538.539.540.541.542.543.544.545.546.547.548.549.550.551.552.553.554.555.556.557.558.559.560.561.562.563.564.565.566.567.568.569.570.571.572.573.574.575.576.577.578.579.580.581.582.583.584.585.586.587.588.589.590.591.592.593.594.595.596.597.598.599.600.601.602.603.604.605.606.607.608.609.610.611.612.613.614.615.616.617.618.619.620.621.622.623.624.625.626.627.628.629.630.631.632.633.634.635.636.637.638.639.640.641.642.643.644.645.646.647.648.649.650.651.652.653.654.655.656.657.658.659.660.661.662.663.664.665.666.667.668.669.670.671.672.673.674.675.676.677.678.679.680.681.682.683.684.685.686.687.688.689.690.691.692.693.694.695.696.697.698.699.700.701.702.703.704.705.706.707.708.709.710.711.712.713.714.715.716.717.718.719.720.721.722.723.724.725.726.727.728.729.730.731.732.733.734.735.736.737.738.739.740.741.742.743.744.745.746.747.748.749.750.751.752.753.754.755.756.757.758.759.760.761.762.763.764.765.766.767.768.769.770.771.772.773.774.775.776.777.778.779.780.781.782.783.784.785.786.787.788.789.790.791.792.793.794.795.796.797.798.799.800.801.802.803.804.805.806.807.808.809.810.811.812.813.814.815.816.817.818.819.820.821.822.823.824.825.826.827.828.829.830.831.832.833.834.835.836.837.838.839.840.841.842.843.844.845.846.847.848.849.850.851.852.853.854.855.856.857.858.859.860.861.862.863.864.865.866.867.868.869.870.871.872.873.874.875.876.877.878.879.880.881.882.883.884.885.886.887.888.889.890.891.892.893.894.895.896.897.898.899.900.901.902.903.904.905.906.907.908.909.910.911.912.913.914.915.916.917.918.919.920.921.922.923.924.925.926.927.928.929.930.931.932.933.934.935.936.937.938.939.940.941.942.943.944.945.946.947.948.949.950.951.952.953.954.955.956.957.958.959.960.961.962.963.964.965.966.967.968.969.970.971.972.973.974.975.976.977.978.979.980.981.982.983.984.985.986.987.988.989.990.991.992.993.994.995.996.997.998.999.1000.

2000 Set a Post 3 ft long 2 ins Sq with  
charred Stake 12 ins in the ground  
for 1/16 Sec cor. marked 46 S. on  
N. face deep pits 18x18x12 ins. N. & S.  
of Post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft high 5 1/2  
ft. base around Post

## Subdivisions

Thence East on a random line  
thro. S  $\frac{1}{2}$  of Sec 1.

Var.  $13^{\circ} 08' E$ .

- 18.90 Old Road brs. N.W. & S.E.,  
20.00 Set temporary  $\frac{1}{16}$  Sec Cor.,  
40.00 Set temporary  $\frac{1}{16}$  Sec Cor  
60.00 Set temporary  $\frac{1}{16}$  Sec. Cor  
79.87 Intersect East Bdy. of Tr. 9,96  
chs S. of  $\frac{1}{16}$  Sec. Cor.

Thence True S.  $82^{\circ} 54' W$ ,  
on a true line thro. S  $\frac{1}{2}$  of Sec 1  
with same Var.

- 20.09 Set a Post 3ft long 3ins sq. with  
sharred stake 12ins in the  
ground for  $\frac{1}{16}$  Sec Cor. marked  
 $\frac{1}{16}$  S on N. face. dug pits 18X18X  
12 ins SW of Post 5  $\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around  
Post



## T. 16. S. R. 12. E.

40,18 Set a Post 3ft. long 3ins Sq. with  
channel stake 12ins in the ground  
for 416 Sec. Cor. marked 416 S. on  
N. face dug pits 18X18X12 ins E. & W.  
of Post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high  
3 1/2 ft. base around Post.

60,27 Set a Post 3ft. long 3ins Sq. with  
channel stake 12ins in the ground  
for 416 Sec. Cor. marked 416 S. on  
N. face. dug pits 18X18X12 ins  
E. & W. of Post. 5 1/2 ft. dist. and  
raised a mound of earth 1 1/2  
ft high 3 1/2 ft. base around  
Post.

80,37 The 416 Sec Cor  
Land mostly level

Soil 2nd Rate

Scattering Grass

Pale Verde brush so ch

## Subdivisions

Thence North between Secs. 1 & 2,  
 Van  $13^{\circ} 08' E$

- 20.00 The Old Cor. Set a Post 3ft long  
 3ins sq. with charred stake 12ins  
 in the ground for  $\frac{1}{4}$  Sec. Cor.  
 marked  $\frac{1}{4}$  S. on W. face. dig  
 pits  $18 \times 18 \times 12$  ins N.E. of Post  
 $5\frac{1}{2}$ ft. dia. and raised a  
 mound of earth  $1\frac{1}{2}$ ft high  
 $3\frac{1}{2}$ ft base around Post  
 from which a Mesquite 12ins in  
 diam. br. S.  $32^{\circ} W$ . 28. lks dia.  
 marked  $\frac{1}{4}$  S. B. P.

Thence East on a random line  
 thro. center of Sec. 1.

Van  $13^{\circ} 08' E$ .

- 14.00 Old Road brs. N.W. & S.E.  
 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 40.00 Set temporary  $\frac{1}{4}$  Sec Cor  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

## T. 16. S. R. 12. E.

- 79.89 Intersect East Bde. of Tp. 9.91  
 ch. S. of 46 Sec. Cor.  
 Thence I run S  $82^{\circ} 55' W$   
 on a true line thro. center of Sec. 1  
 with same bar.
- 20.06 Set a Post 3 ft. long 3 ins Sq. with  
 Charred Stake 12 ins in the ground  
 for 46 Sec. Cor. marked 46 S. on  
 N. face. dig pits  $18 \times 18 \times 12$  ins  
 E & W. of Post.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  $1\frac{1}{2}$   
 ft high  $3\frac{1}{2}$  ft base around  
 Post.
- 40.12 Set a Post 3 ft. long 3 ins Sq. with  
 Charred Stake 12 ins in the ground  
 for 44 Sec. Cor. marked 44 S. on  
 N. face dig pits  $18 \times 18 \times 12$  ins  
 E & W. of Post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  $1\frac{1}{2}$   
 ft. high  $3\frac{1}{2}$  ft base around Post.



## Subdivisions

60.18 Set a Post 2ft long 3ins Sq. with  
 channal stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec. Cor. marked  
 $\frac{1}{16}$  S. on N. face dug pits 18x18x  
 12 ins. E of Post. 5  $\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 Earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base  
 around Post

80.20 The  $\frac{1}{4}$  Sec. Cor  
 Sand somewhat rolling  
 Soil 3rd Rate  
 Scattering Trees  
 Palo Verde & Greasewood brush & chs

Thence North between Secs 1 & 2.  
 Van  $13^{\circ} 08' E$ .

20.00 Set a Post. 2ft. long 3ins. Sq. with  
 channal stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec Cor.

N. 16. S. R. 12. E.

marked  $\frac{1}{16}$  S. on W. face clay  
 pits  $18 \times 18 \times 12$  ins N. & S. of Post  
 $5\frac{1}{2}$  ft. dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around Post.

Thence East on a random  
 line thro. N  $\frac{1}{2}$  of Sec. 1.

Var.  $13^{\circ} 08' E$ ,

8.90 Old Road bns. N. & S.

11.40 Ascend S. W. Slope of Black Mts.

26.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

42.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

79.93 Intersect East Bdy. of Tp. 9, 90  
 Chs. S. of  $\frac{1}{16}$  Sec. Cor.

Thence True S.  $82^{\circ} 56' W$ ,  
 on a true line thro. N  $\frac{1}{2}$  of Sec.  
 1. with same Var.

20.10 Set a Stake  $12 \times 14 \times 18$  ins in  
 in the ground for  $\frac{1}{16}$  Sec. Cor.

## Subdivisions

- marked  $\frac{1}{16}$  S. on N. face, and raised a mound of Stone alongside. Pits impracticable
- 40, 21 Set a Stone  $14 \times 12 \times 20$  ins. 10 ins in the ground for  $\frac{1}{16}$  Sec Cor. marked  $\frac{1}{16}$  S. on N. face and raised a mound of Stone alongside. Pits impracticable
- 60, 31 Set a Stone  $12 \times 14 \times 18$  ins 10 ins in the ground for  $\frac{1}{16}$  Sec, Cor. marked  $\frac{1}{16}$  S. on N. face, and raised a mound of Stone alongside. Pits impracticable
- 80, 42 The  $\frac{1}{16}$  Sec. Cor.  
 This line runs along S. slope of Black Mts. for 68. 60 chs.  
 Soil Broken  
 Soil Rocky & worthless  
 No timber  
 Grease wood brush 80 chs.



T. 16. S. R. 12. E.

Thence North between Secs. 1. & 2.  
Var  $13^{\circ} 08' E$ .

29.89 Intersect the 3<sup>rd</sup> Standard Par-  
allel South. 22 lks east of the  
Standard Cor. to Secs 35. & 36  
T. 15 S. R. 12. E. at which point I  
set a Post 4 ft. long 4 ins sq. with  
charred Stake 12 ins in the ground  
for clearing cor. to sec 2,  
Marked

P.C. T. 16. S. R. 12. E. on S.

S. 1. on E. and

S. 2 on W. faces with 1 notch  
on E. and 5 notches on W. faces  
dug pits 24 X 18 X 12 ins <sup>gross</sup>wise on  
each line S. E. & W. of Post. left. dist.  
and raised a mound of earth 2 ft.  
high 4 1/2 ft. base around Post  
Land for 90 chs. between Secs.  
1. & 2. Mostly level  
Soil 2<sup>nd</sup> rate

## Subdivisions

Scattering Trees

Palo Verde Brush 80, chs.

Jan. 24<sup>th</sup> 1888.

Thence from Cor to Secs. 26, 27, 34  
 & 35 on South Bdy. of Reservations  
 from North between Secs. 26 & 27.  
 Var.  $13^{\circ} 08' E.$

11.40 Dry Wash 85 lbs wild corn U.E.

12.00 Set a Post 3 ft. long 3 in Sq. with  
 charred Stake 1 in in the ground  
 for 1/6 Sec. Cor. marked 1/6 S. on  
 W. face dug pits 18 X 18 X 12 in.  
 N. & S. of Post. 3 1/2 ft. diam. and  
 raised a mound of earth 1 1/2  
 ft. high 3 1/2 ft. base around  
 Post.

Thence East on a random line  
 thro. S. 1/2 of Sec. 26.

Var.  $13^{\circ} 08' E.$

## T. 16. S. R. 12. E.

- 19.90 Dry Wash 45 lks wide Course N.  
 20.00 Set temporary  $\frac{1}{16}$  Sec Cor  
 40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 63.00 Road to San Xavier Min. bns. N & S.  
 80.05 Intersect N. & S. line 9 lks N. of  $\frac{1}{16}$   
 Sec Cor.

Thence Iron N.  $89^{\circ} 56'$  W. on  
 a true line thro.  $\frac{1}{2}$  of Sec. 26  
 with same bar.

- 2001 Set a Post 3 ft. long 3 ins Sq. with  
 charred stake 12 ins in the ground  
 for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
 N. face dug pits  $18 \times 18 \times 12$  ins E & W.  
 of Post  $5\frac{1}{2}$  ft. dist and raised a  
 mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
 ft. base around Post.
- 21002 Set a Post 3 ft. long 3 ins Sq. with  
 charred stake 12 ins in the ground  
 for  $\frac{1}{16}$  Sec Cor. marked  $\frac{1}{16}$  S. on the



## Sub divisions

face dug pits  $18 \times 18 \times 12$  in. E. of Post. 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft. high 3 1/2 base around Post.

60.03 This corner coming in a Dry Wash 75 lks wide. I set a Witness Corner 60 lks. East which is a Post 3 ft. long 3 in sq. with Churned Stake 12 in. in the ground for witness. Con dug pits  $18 \times 18 \times 12$  in. E. of Post 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft. high 3 1/2 ft. base around Post. Marked M.C. 1/6 S. on N. face

80.05 The 1/6 Sec. Con.

Land somewhat Rolling

Soil 2nd rate

Scattering trees

Palo Verde brush soaks



N. 16 S. R. 17 E.

Hence North between Secs. 26. & 27

Var.  $13^{\circ} 08' E.$

- 20.00 The Old Con. Set a Post 3 ft. long 3 ins. sq. with charred Stake 13 ins. in the ground for  $\frac{1}{4}$  Sec. Con. marked  $\frac{1}{4}$  S. on N. face dug pits  $18 \times 18 \times 12$  ins. N. & S. of Post  $5\frac{1}{2}$  ft. dist and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.

Hence East on a random line thro. center of Sec 26.

Var.  $13^{\circ} 08' E.$

- 20.00 Set temporary  $\frac{1}{16}$  Sec. Con.  
 39.00 Dry Wash 1 ch. wide course N.  
 40.00 Set temporary  $\frac{1}{4}$  Sec. Con.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Con.  
 70.80 Road to San Xavier ruins  
 bro. n. e. & s. w.  
 80.02 Intersect N. & S. line 4 thro. South  
 of  $\frac{1}{4}$  Sec Con  
 Hence from S.  $89^{\circ} 58' W.$  on a



## Subdivisions T. 16. S. R. 12. E.

true line thro. center of Sec. 26.  
with same var.

20.00 Set a Post 3ft. long 3 ins. Sq. with  
charrad Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
face. dug pits 18X18X12 ins. E of  
of Post. 5  $\frac{1}{2}$  ft. dist. and raised  
mound of Earth 1  $\frac{1}{2}$  ft. high  
3  $\frac{1}{2}$  ft. base around Post.

40.01 Set a Post 3ft. long 3 ins. Sq. with  
charrad Stake 12 ins in the ground  
for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on  
face. dug pits 18X18X12 ins. E of  
of Post 5  $\frac{1}{2}$  ft. dist. and raised  
mound of Earth 1  $\frac{1}{2}$  ft. high  
3  $\frac{1}{2}$  ft. base around Post.

60.01 Set a Post. 3ft. long 3 ins. Sq.  
with charrad Stake 12 ins in  
the ground for  $\frac{1}{16}$  Sec. Cor.  
marked  $\frac{1}{16}$  S. on N. face.



Continued, Books { 1992, 1993,  
1994, 1995,  
and 19

Concluded, Book 1996