

No. 2  
1992

1992

1992

4-671

1992

FIELD NOTES  
GENERAL LAND OFFICE.

*SUBDIVISIONS*

PAPAGO INDIAN RESERVATION.

*T.16 S. - R.12 E.*

1992

63

Index for

# INDEX.

E  
 BO  
 BO  
 BO  
 BO

Township 16 South, Range 12 East

GILA AND SALT RIVER MERIDIAN.

|     |         |          |           |           |        |
|-----|---------|----------|-----------|-----------|--------|
| 318 | 316     | 223. 221 | 167. 166  | 112. 110  | 58. 56 |
| 314 | 316 312 | 220 215  | 165. 163  | 109. 107. | 55 53  |
| 309 | 311 307 | 218 216  | 162. 160  | 107. 105  | 53 51. |
| 304 | 308 302 | 215 213  | 159. 157. | 104 102.  | 50 48  |
| 298 | 301 296 | 212 210  | 158 154   | 101 99    | 48 45  |
| 294 | 298 291 | 209 207  | 153 151   | 99 98     | 44. 42 |
| 289 | 291 287 | 206 204  | 157 149   | 96 94     | 41 39  |
| 284 | 286 282 | 204 201  | 148 146   | 93. 91    | 38. 36 |
| 278 | 281 276 | 200 198  | 145. 143. | 90 87     | 35 33. |
| 273 | 276 271 | 197 195  | 142. 140  | 87. 85.   | 32 30  |
| 268 | 271 266 | 195 192  | 139. 137  | 84. 82    | 29 27  |
| 264 | 268 261 | 192 190  | 137. 135  | 82. 79    | 27. 24 |
| 258 | 260 256 | 188. 186 | 133 131   | 78 76     | 25 21  |
| 253 | 255 251 | 186 184  | 130 128   | 75 73     | 20 18  |
| 248 | 250 245 | 183 181  | 128. 125  | 73 70     | 18. 15 |
| 244 | 246 241 | 180 178  | 124 122   | 70 68.    | 15 13  |
| 238 | 240 235 | 177 174  | 122. 118  | 67 65.    | 11 9   |
| 233 | 235 230 | 174 172  | 118 116   | 64. 62    | 8 6    |
| 228 | 230 225 | 172 169  | 115 113   | 62. 60    | 6 4    |
|     | 225     | 168      | 113       | 60.       | 3      |

31

32

33

34

35

36

Referring the lines to the pages of the field notes.

Subdivisions T. 16. S. R. 12. E. <sup>64</sup>

In Pahago Indian Reservation BOOK 1992

dig pits 18X18X12 ins. E. & W. of Post.  
5 1/2 ft. dist. and raised a mound  
of Earth 1 1/2 ft. high 3 1/2 ft. base  
around Post.

80.02 The 1/4 Sec. Con.

Land somewhat Rolling  
Soil 2<sup>nd</sup> Rate

Scattering Trees.

Palo Verde brush so. chs.

---

Thence North between Secs, 26 & 24.

Var. 13° 08' E

20.00 Set a Post. 3 ft. long 3 ins Sq. with  
Charred Stake 12 ins in the ground  
for 1/4 Sec. Con marked 1/4 S. on  
W. face. dig pits 18X18X12 ins.  
N. & S. of Post. 5 1/2 ft. dist. and  
raised a mound of Earth 1 1/2  
ft. high 3 1/2 ft. base around Post.

BOOK 1992

Sub-divisions  
In Papago Indian

Thence East on a random line  
thro. N  $\frac{1}{2}$  of Sec. 26.

Var.  $13^{\circ} 08' E.$

- 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 39.10 Dry Wash 40 lks wide course N.  
 40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 80.06 Intersect N. & S. line of lks N. of  
 $\frac{1}{16}$  Sec. Cor.

Thence Down N.  $89^{\circ} 57' W.$  on  
a true line thro N  $\frac{1}{2}$  of Sec <sup>26</sup> 22  
with same Var.

- 20.01 Set a Post 3 ft. long 3 ins Sq. with  
chained stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Cor. marked  
 $\frac{1}{16}$  S. on N. face. Dig pits  $18 \times 18 \times$   
12 ins E. & W. of Post  $5\frac{1}{2}$  ft. dirt  
and raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
Post.

## Reservation

40.03 Set a Post 3ft. long 3ins Sq. with  
 Channed Stake 2ins in the ground  
 for 1/16 Sec. Cor. marked 1/16 S. on  
 N. face. dug pits 18X18X12ins  
 E & W. of Post. 5 1/2 ft. dist. and  
 raised a mound of earth 1 1/2  
 high 3 1/2 ft. base around Post.

60.04 Set a Post 3ft. long 3ins Sq. with  
 Channed Stake 2ins in the ground  
 for 1/16 Sec. Cor. marked 1/16 S. on  
 N. face. dug pits 18X18X12ins  
 E & W. of Post. 5 1/2 ft. dist. and  
 raised a mound of earth 1 1/2  
 ft high 3 1/2 ft. base around  
 Post.

80.06 The 1/16 Sec Cor

Land Somewhat Rolling  
 Soil 2<sup>nd</sup> Rate

Scattering trees

Palo Verde Brush so. chs.  
 ~~~~~

## Sub divisions

Thence North between Secs 26 & 27.

Var.  $13^{\circ} 08' E.$

- 7.70 Dry Wash 90 lks wide Course N.E.  
 20.00 Set a Post 4 ft. long 4 ins sq. with  
 charred Stake 12 ins in the  
 ground for cor to Secs 22, 23,  
 26 & 27. Marked.

R. 16. S. S. 23. on N.E.

R. 12. E. S. 26. on S.E.

S. 27. on S.W. and

S. 22 on N.W. faces. with 2  
 notches on S. & 2 notches on E.

edges. dug pits  $18 \times 18 \times 12$  ins,  
 in each Sec.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth 2 ft.  
 high  $4\frac{1}{2}$  ft. base around Post.  
 Old Cor. not found

Land 80 chs. between Secs.  
 26 & 27, somewhat rolling  
 Soil 2nd Rate

T. 16. S. R. 12. E.

Scattering Trees

Palo Verde Brush 80, chs.

Thence East on a random line  
between Secs. 23. & 26.

Var  $13^{\circ} 58' E$

9.50 Dry Wash 90 lks. wide Course N.E.

20.00 Set temporary  $1/16$  Sec Con

39.40 Dry Wash 80 lks. wide Course N.E.

40.00 Set temporary  $1/4$  Sec. Con

60.00 Set temporary  $1/16$  Sec Con

72.20 Dry Wash 30 lks wide Course N.

80.06 Intersect N.S. line 5 lks S. of Con  
to Secs 23, 24, 25, & 26.

Thence True S.  $89^{\circ} 58' W.$  on a  
true line between Secs. 23 & 26  
with same Var.

20.01 Set a Post 3 ft long 3 ins Sq. with  
charred stake 12 ins in the ground

## Subdivisions

for  $\frac{1}{16}$  Sec. Con. marked  $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times 12$  ins E. & W. of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.

40.03 This Corner Being in a Dry wash I set a Post  $3\frac{1}{2}$  ft. long 3 ins Sq. with charred stake 12 ins in the ground 30 lks East. for Witness Corner. dug pits  $18 \times 18 \times 12$  ins E. & W. of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post. marked  $\frac{1}{16}$  C.  $\frac{1}{16}$  S. on N. face.

60.04 Set a Post  $3\frac{1}{2}$  ft. long 3 ins Sq. with charred Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Con. marked  $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times 12$  ins E. & W. of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth



P. 16. S. R. 12. E.

1 1/2 ft. high 3 1/2 ft. base around  
Post.

80.06 The Cor to Secs 22, 23, 26 & 27.  
Land somewhat rolling  
Soil 2nd Rate  
Scattering Trees  
Paloverde brush so chs

Thence North between Secs 22 & 23,  
Tan. 13° 08' E.

20.00 Set a Post 3 ft. long 3 ins. sq. with  
chained stake 12 ins. in the ground  
for 1/4 sec Cor marked 1/4 sec. on  
W. face. dug pits 18 X 18 X 12 ins  
N. & S. of Post 5 1/2 ft. dist. and  
raised a mound of earth 1 1/2  
ft. high 3 1/2 ft. base around Post  
Thence East on a random  
line thro S. 1/2 of Sec. 23.

## Subdivisions

Var.  $13^{\circ} 08' E$ .

- 20.00 Set temporary  $\frac{1}{16}$  Sec Cor  
 22.00 Dry Wash 1 ch. wide Course S.  
 40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 60.00 Set temporary  $\frac{1}{16}$  Sec Cor.  
 70.60 Dry Wash 1 ch. wide Course N.  
 79.99 Intersect N. & S. line 4 lks north  
 of  $\frac{1}{16}$  Sec Cor.

Hence Run N.  $89^{\circ} 58' W$   
 on a true line thro  $\frac{1}{4}$  of Sec 23  
 with same Var.

- 19.99 Set a Post 3 ft. long 3 ins sq with  
 charred stake 12 ins in the ground  
 for  $\frac{1}{16}$  Sec. Cor, marked  $\frac{1}{16}$  S. on  
 N. face. clay pits 18 X 18 X 12 ins.  
 Exposed Post  $5\frac{1}{2}$  ft. dia, and  
 raised a mound of earth  
 19 ft. high  $3\frac{1}{2}$  ft base around  
 Post  
 39.99 Set a Post 3 ft long 3 ins sq. with

A 16. S. R. 12. E.

Charred stake 12 ins in the ground  
for 1/16 Sec. Cor. marked 1/16 S. on  
N. face. dug pits 18X18X12 ins  
E. & W. of Post 5 1/2 ft. dist. and  
raised a mound of earth  
1 1/2 ft high 3 1/2 ft base around  
Post.

59.99 Set a Post 3 ft. long 2 ins Sq with  
Charred Stake 12 ins in the ground  
for 1/16 Sec. Cor. marked 1/16 S. on  
N. face. dug pits 18X18X12 ins  
E & W of Post. 5 1/2 ft. dist. and  
raised a mound of earth 1 1/2  
ft high 3 1/2 ft. base around  
Post.

49.99 The 1/16 Sec Cor.  
Sand somewhat rolling  
Soil 2<sup>nd</sup> Rate  
Scattering Trees  
Palo Verde Brush rocks.

## Sub divisions

Thence North between Secs.  
22 & 23.

Var.  $13^{\circ} 08' E.$

- 20.00 Set a Post 3 ft. long 3 ins sq with  
Cherrod Stake 12 ins in the  
ground for  $\frac{1}{4}$  Sec. Cor. mark-  
ed  $\frac{1}{4}$  S. on N. face. dug pits 18 X 18  
X 12 ins N. & S. of Post  $5\frac{1}{2}$  ft dist.  
and raised a mound of Earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
Post.

Thence East on a random  
line thro center of sec 23.

Var  $13^{\circ} 08' E.$

- 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
40.00 Set temporary  $\frac{1}{4}$  Sec. Cor  
60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
74.60 Dry Wash 90 lks wide course  $\frac{1}{2} E.$   
80.03 Intersect  $\frac{1}{4}$  S. line 5 lks north  
of  $\frac{1}{4}$  Sec. Cor.

N. 16. S. R. 12. E. 11

Hence True N  $89^{\circ}58'$  W. on a true line thro center of Sec. 20 with same var.

20.00 Set a Post 2 ft. long 3 ins Sq. with Charred Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times 12$  ins E  $\frac{1}{2}$  W. of Post  $5\frac{1}{2}$  ft. dia. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around Post.

40.01 Set a Post 2 ft long 3 ins Sq. with Charred Stake 12 ins in the ground for  $\frac{1}{4}$  Sect. Cor. marked  $\frac{1}{4}$  S. on N. face. dug pits  $18 \times 18 \times 12$  ins E  $\frac{1}{2}$  W. of Post.  $5\frac{1}{2}$  ft. dia. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base around Post.

60.01 Set a Post 2 ft long 3 ins Sq with Charred Stake 12 ins in the

## Subdivisions

ground, for  $\frac{1}{16}$  Sec. cor. marked  
 $\frac{1}{16}$  S. on N. face deep pits 18X18X12  
 ins E & W. of Post 5  $\frac{1}{2}$  ft. dist  
 and raised a mound of earth  
 14 ft high 3  $\frac{1}{2}$  ft. base around  
 Post.

8003 The  $\frac{1}{4}$  Sec. Cor.

Land somewhat rolling  
 Soil 2<sup>nd</sup> Rate

Scattering trees

Palo Verde Brush so chs.



Hence North between Secs 22 & 23

Nor. 13° 08' E

20.00 Set a Post 3 ft long 3 ins Sq with  
 charred stake 12 ins in the ground  
 for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
 N. face. deep pits 18X18X12 ins  
 N. & S. of Post 5  $\frac{1}{2}$  ft. dist. and

N. 1/2 S. R. 12. E.

raised a mound of earth 1 1/2 ft.  
high 3/4 ft. base around Post.  
Thence East on a random line  
thro N 1/2 of Sec 23

Var 13' 08' E.

- 20.00 Set temporary 1/16 Sec. Cor.  
40.00 Set temporary 1/16 Sec. Cor.  
58.00 Ascend small knoll 20 ft. high  
60.00 Set temporary 1/16 Sec. Cor.  
65.00 Foot of Knoll 20 ft. high  
68.00 Dry wash 60 k wide course N E  
80.02 Intersect N & S. line 7 k South  
of 1/16 Sec Cor.

Thence True S 89° 57' 20.00  
a true line thro N 1/2 of Sec 23,  
with same Var.

- 20.00 Set a Stone 10 X 12 X 14 ins 10 in in  
the ground for 1/16 Sec Cor. marked  
1/16 S. on N. face, and raised  
a mound of Stone along side

## Subdivisions

Pits impracticable.

40.01 Set a Post 3ft. long 3ins Sq. with charred Stake 12ins in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N. face dug pits 18X18X12 ins E & W. of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft. base around Post.

60.01 Set a Post 3ft. high 3ins Sq. with charred Stake 12ins in the ground for  $\frac{1}{16}$  Sec Cor marked  $\frac{1}{16}$  S. on N. face. dug pits 18X18X12ins E & W. of Post. 5 $\frac{1}{2}$ ft dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft base around Post.

80.02 The  $\frac{1}{16}$  Sec Cor  
Sand mostly level  
Soil 105 chs. 2<sup>nd</sup> rate 15 chs 3<sup>rd</sup>



P. 16. S. R. 12. E.

Rate -

Scattering Trees

Palo Verde brush 80. chs.



Hence North between Secs 22  
& 23.

Var.  $13^{\circ} 08' E.$

17.00 Dry Wash 30 lks wide Course N. E.

20.00 Set Post 4 ft. long 4 in sq with  
Charred Stake 12 in. in the  
ground. for cor. to Secs. 14, 15  
22 & 23. Marked

P. 16 S. S. 14 on N. E.

R. 12 E. S. 23 on S. E.

S. 22. on S. W. and

S. 15. on N. W. faces. with 3  
notches on S. and 2 notches  
on E. edges. dug pits 18 X 18  
X 12 in in each Sec. <sup>5 1/2 ft high</sup> and

## Sub divisions

raised a mound of Earth  
2 ft. high 4 1/2 ft base around  
Post from which a mesquite  
tree is diam. brs N. 5° W. 61  
lks. dist. Marked

P. 16 S. R. 12 E. S. 15. B. 7.

From this cor. the Old Sec. Cor.  
brs. N. 89° 30' W. 9 lks. dist.

I destroyed some

Sand rocks between Secs 22 &

23. Somewhat rolling

Soil 2nd Rate

Scattering trees

Palo Verde Brush rocks.



Thence East on a raveland line  
between Secs 14, & 23.

Var. 13° 08' E.

3.50 Dry wash 50 lks wide course N.E.

## P. 16. S. R. 12. E.

- 20.00 Set temporary  $\frac{1}{16}$  Sec Cor  
 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.  
 43.00 Dry Wash 40 lks with course  $\text{N.E.}$   
 60.00 Set temporary  $\frac{1}{16}$  Sec Cor  
 65.50 Ascend N. Slope of round Knoll  
 69.00 Foot of round Knoll  
 72.00 Dry Wash 35 lks with course  $\text{N.E.}$   
 80.01 The Cor. to Secs. 13, 14, 23, & 24.

Hence I run West on a true line between Secs. 14 & 23, with same bar.

- 20.00 Set a Stone  $10 \times 14 \times 16$  ins  $10$  ins in the ground for  $\frac{1}{16}$  Sec Cor. marked  $\frac{1}{16}$  S. on N. face. and raised a mound of Stone alongside. Pits impracticable  
 40.00 Set a Post. 3 ft. long 3 ins Sq. with chenned Stake  $12$  ins in the ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S. on N. face. dug pits  $18 \times 18$

## Sub-divisions

X12 ins E. & W. of Post. 5 1/2 ft. dist.  
and raised a mound of Earth  
1 1/2 ft. high 3 1/2 ft. base around  
Post.

60.00 Set a Post 3 ft. long 3 ins Sq.  
with charred Stake 12 ins in  
the ground for 1/16 Sec. Cor.  
Mark 1/16 S. on surface. dug  
pits 18 x 18 x 12 ins E. & W. of Post  
5 1/2 ft. dist. and raised a  
mound of Earth 1 1/2 ft. high  
3 1/2 ft. base around Post.

80.01 The Cor to Secs. 14, 15, 22, & 23.  
Land mostly level 60. chs. Some-  
what rolling & broken 20. chs.  
Soil 2<sup>nd</sup> Rate  
Scattering Trees  
Palo Verde brush 80. chs.

P. 16. S. R. 12. E.

Hence North between Secs. 14, & 15.

Var.  $13^{\circ} 08' E$ .

20.00 Set a Post 3 ft. long, 3 ins. dia. with  
 charred Stake 2 ins. in the ground  
 for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
 W. face, dug pits  $18 \times 18 \times 12$  ins.  
 N. & S. of Post,  $5 \frac{1}{2}$  ft. dist. and  
 raised a mound of earth  $1 \frac{1}{2}$   
 ft. high  $3 \frac{1}{2}$  ft. base around  
 Post.

Hence East on a random line  
 thro S.  $\frac{1}{2}$  of Sec. 14.

Var.  $13^{\circ} 08' E$ .

20.00 Set temporary  $\frac{1}{16}$  Sec Cor  
 40.00 Set temporary  $\frac{1}{16}$  Sec, Cor.  
 59.80 Dry Wash 30 lks with course N. E.  
 60.00 Set temporary  $\frac{1}{16}$  Sec, Cor.  
 80.00 Intersect N. & S. line 3 lks north  
 of  $\frac{1}{16}$  Sec. Cor.

Hence I run N.  $89^{\circ} 59' W$ . on

## Sub divisions

a true line thro  $5\frac{1}{2}$  of Sec  
14. with same Cor.

- 26.01 This cor. Coming in Dry Wash,  
at a point 40. lks. East.  
Set a Post 3ft. long. 3 ins Sq. with  
charred Stake 12 ins. in the ground  
for Witness Cor. to  $\frac{1}{16}$  Sec. Cor.  
marked  $\frac{1}{16}$  S. on N. face  
dug pits 18x18x12 ins. E. & W  
of Post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth 17ft high  
 $3\frac{1}{2}$  ft. base around Post.
- 40.02 Set a Post 3ft. long 3 ins Sq. with  
charred Stake 12 ins in the  
ground. for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18x  
18x12 ins. E. & W. of Post.  $5\frac{1}{2}$   
ft. dist. and raised a mound  
of earth 17ft. high  $3\frac{1}{2}$  base  
around Post.
- 60.03 Set a Post 3ft. long 3 ins Sq. with

T. 16 S. R. 12 E.

Charred Stake 12 ins in the  
ground. for 1/4 Sec. Cor. marked  
1/4 S. on N. face. dug pits 18x18x  
12 ins E & M. of Post 5 1/2 ft. dist.  
and raised a mound of Earth  
19 1/2 ft. high 3 1/2 ft. base around  
Post.

80.04 The 1/4 Sec. Cor.

Land somewhat rolling  
Soil 2<sup>nd</sup> Rate

Scattered Trees

Ralo Verde brush sochs.

Thence North between Secs 14 & 15

Var. 13° 08' E.

14.76 Road to Sierrita Mts. bnd N. E. & S. M.

20.00 Set a Post 3 ft long 3 ins Sq. with  
Charred Stake 12 ins in the ground  
for 1/4 Sec. Cor. marked 1/4 S. on

## Sub divisions

W. face dug pits 18x18x12 ins  
 N. & S. of Post 5 1/2 ft. dist and  
 raised a mound of earth 1 1/2  
 ft. high 3 1/2 ft. base around  
 Post.

Hence East on a random line  
 thro center of Sec 14.

Var. 13° 08' E,

- 8.65 Road to Sirohite Mts brs. N.E. & S.W.  
 20.00 Set temporary 1/16 Sec. Cor.  
 40.00 Set temporary 1/4 Sec. Cor.  
 60.00 Set temporary 1/6 Sec. Cor.  
 79.48 Intersect N. & S. line 1/2 mi. south  
 of 1/4 Sec. Cor.

Hence I run S. 89° 58' W. on  
 a true line thro center of  
 Sec 14. with same Var,

- 14.99 Set a Post 3 ft. long 3 in. sq with  
 charred stake 1/2 in. in the  
 ground. for 1/16 Sec. Cor. marked



## P. 16. S. R. 12. E.

$\frac{1}{4}$  Sec. on N. face. dug pits 18x18x12 ins E & W. of Post. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

39.98 Set a Post 3 ft. long 3 ins Sq. with charred Stake 12 ins in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  P. on N. face. dug pits 18x18x12 ins E & W. of Post. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

59.98 Set a Post 3 ft. long 3 ins Sq. with charred Stake 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on N. face. dug pits 18x18x12 ins E & W. of Post. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around

## Sub divisions

Post.

7998 The 44 Sec. Cor.,  
 Sand somewhat rolling  
 Soil 2<sup>nd</sup> Rate  
 Scattering Trees  
 Palotteru Brush 80, Chs.

Thence North between Secs 14, & 15.

Var  $13^{\circ} 08' E$ .

2000 Set a Post 3 ft. long 3 ins sq, with  
 charred stake 12 ins in the  
 ground for 4/16 Sec Cor. marked  
 4/16 S. on W. face. Key pits 18x18x  
 12 ins N. & S. of Post 5 1/2 ft. dist,  
 and raised a mound of earth  
 1 1/2 ft high 3 1/2 ft. base around  
 Post.

Thence East on a random line  
 thro 4. 1/2 of Sec. 14.

P. 16. S. R. 12, E.

Var.  $13^{\circ} 08' E.$ 

- 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 35.80 Dry Wash 30 lks wide Course N,  
 36.30 Road to Simita Mts bro N.E. & S.W.  
 40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 80.00 Intersect N & S. line 5 lks north  
 of  $\frac{1}{16}$  Sec. Cor.

Then I run N  $89^{\circ} 58'$  west  
 on a true line thro  $\frac{1}{4}$  of Sec  
 1st, with same Var.

- 20.00 Set a Post 3 ft. long 3 in. Sq. with  
 channed Stake 2 in. in the  
 ground. for  $\frac{1}{16}$  Sec. Cor. marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18 X 18 X 12  
 in. E & W. of Post. 5  $\frac{1}{2}$  ft. dirt and  
 raised a mound of Earth 1  $\frac{1}{2}$   
 ft. high 3  $\frac{1}{2}$  ft. base around  
 Post.  
 40.00 Set a Post 3 ft long 3 in. Sq. with

## Sub divisions

Charred Stake 12 ins in the ground for 4/6 Sec. Con. marked 4/6 S. on N. face. dug pits 18X18X12 ins E & W of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

60.00 Set a Post 3 ft. long 3 ins Sq. with Charred Stake 12 ins in the ground for 4/6 Sec. Con. marked 4/6 S. on N. face. dug pits 18X18X12 ins. E & W. of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

80.00 The 4/6 Sec. Con.

Land mostly level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Ralo Verdeh Brush socho

June 25th

1888

T. 16. S. R. 12. E.

Thence North between Secs 14, & 15,

Var.  $13^{\circ} 08' E.$

20.00 Set a Post 4 ft. long 4 ins. & with  
<sup>12 in. in the ground</sup>  
 charred stake for cor. to Secs

10, 11, 14, & 15. Marked

T. 16 S. S. 11 on N. E.

R 12 E. S. 14 on S. E.

S. 15 on S. W. and

S. 10. on N. W. faces with 4

notches on S. and 2 notches

on E. edges. dug pits 18 x 18

x 12 ins in each Sec. <sup>5 1/2 ft. deep</sup> and raised

a mound of earth 2 ft. high 4 1/2

ft. base around Post, from

which a Palo Verde 8. ins in

diam. brs. N.  $89^{\circ} 36' W$  19 lbs

dist. Marked T. 16 S. R. 12 E. S.

16 B. 7.

Land for 80 cho. between Secs.

14, & 15. 40 cho. mostly level.

BOOK 1992

## Sub divisions

40 chs somewhat rolling,  
Soil 2<sup>nd</sup> Rate  
Scattering Trees,  
Palo Verde Brush so chs

Thence East on a random line  
between Secs 11. & 14.

Var  $13^{\circ} 08' E$ .

- 20.00 Set temporary  $1/16$  Sec. Cor.,  
40.00 Set temporary  $1/4$  Sec Cor  
56.90 Road to Sierrita Mts. brs N.E. & S.W.  
60.00 Set temporary  $1/16$  Sec Cor.  
80.07 Intersect U.S. line 7 chs South  
of Cor to Secs 11, 12, 13, & 14,

Thence Town S.  $89^{\circ} 59'$  west  
on a true line between Secs.  
11 & 14 with same Var

- 20.01 Set a Post 2 ft. long 2 ins sq with  
Charred Stake 2 ins in the

D. H. S. R. 12. E.

ground for  $\frac{1}{16}$  Sec Cor. marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18x18  
 x12 ins. E & W of Post  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
 Post.

4003 Set a Post 3 ft long 3 ins Sq. with  
 charred stake 12 ins in the  
 ground for  $\frac{1}{4}$  Sec Cor marked  
 $\frac{1}{4}$  S on N. face. dug pits 18x18  
 x12 ins. E & W of Post.  $5\frac{1}{2}$  ft.  
 dist. and raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft  
 base around Post.

6004 Set a Post 3 ft long 3 ins Sq. with  
 charred stake 12 ins in the ground  
 for  $\frac{1}{16}$  Sec Cor marked  $\frac{1}{16}$  S. on  
 N. face. dug pits 18x18x12 ins  
 E & W of Post  $5\frac{1}{2}$  ft. dist and  
 raised a mound of earth  $1\frac{1}{2}$

## Sub divisions

ft. high  $3\frac{1}{2}$  ft. base around  
Post.

80.07 The Cor to Secs 10, 11, 14, & 15

Sand level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde Bush 80, chs.

Thence North between Secs 10, & 11,

Var.  $13^{\circ} 08' E$ ,

20.00 Set a Post 3 ft. long 3 ins sq. with  
charred stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked "16 S. or

N. face. dug pits 18 X 18 X 12 ins

N. & S. of Post.  $5\frac{1}{2}$  ft. dist. and

raised a mound of earth

1 $\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around

Post, from which a Palo Verde

6 ins in diam. bro.  $N. 16^{\circ} W$ ,



T. 16. S. R. 12. E.

13 lks dist. Marked "16. S. B. P."  
Thence East on a random  
line thro S  $\frac{1}{2}$  of Sec 11.

Var  $13^{\circ} 08' E$ .

20.00 Set temporary "16 Sec. Cor.

40.00 Set temporary "16 Sec. Cor.

60.00 Set temporary "16 Sec. Cor.

79.98 Intersect U.S.S. line 9 lks North  
of "16 Sec. Cor.

Thence Down N.  $89^{\circ} 56' W$ ,  
on a true line thro S  $\frac{1}{2}$  of  
Sec. 11, with same var.

19.99 Set a Post 2 ft long 3 ins sq with  
charred Stake 12 ins in the  
ground for "16 Sec. Cor. Marked  
"16 S. on N. face sleep pits 18x18  
x17 ins. E & W of Post: 5  $\frac{1}{2}$  ft.  
dist. and raised a mound  
of earth 19 ft high 3  $\frac{1}{4}$  ft base  
around Post.

## Subdivisions

3999 Set a Post 2ft. long 3ins Sq. with Charred Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N. face. dug pits 18X18X12 ins E & W. of Post. 5  $\frac{1}{2}$  ft. dist. and raised a mound of Earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around Post.

59.99 Set a Post 2ft. long 3ins Sq. with Charred Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on N. face dug pits 18X18X12 ins E & W. of Post 5  $\frac{1}{2}$  ft. dist. and raised a mound of Earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around Post from which a merquite 5 ins. in diam. bns. S. 63° E. 23 lks dist. Marked  $\frac{1}{16}$  S. P. P.

49.98 The  $\frac{1}{16}$  Sec. Cor.  
Sand level  
Soil 2<sup>nd</sup> Rate

D. 16 S. R. 12. E.

Scattering Grass

Palo Verde Brush so chs.



Thence north between Sec 10, & 11.

Var  $13^{\circ} 08' E$ .

20.00 Set a Post 3 ft long, 3 ins sq. with  
chained stake 12 ins into ground  
for  $\frac{1}{4}$  Sec. Cor. marked "N.S. on  
N. face deep pits  $18 \times 18 \times 12$  ins  
N & S. of Post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base around  
Post.

Thence East on a random line  
thro center of Sec 11.

Var  $13^{\circ} 08' E$ .

20.00 Set temporary  $\frac{1}{16}$  Sec Cor.  
40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.  
60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

## Sub divisions

80.07 Intersect N. & S. line 6 lks south  
of 1/4 Sec. Cor

Thence Iron  $91.89^{\circ} 54' N$ ,  
on a true line thro. center of  
Sec. 11. with same var,

2001 Set a Post 3 ft. long 3 ins Sq. with  
chained Stake 12 ins in the  
ground. for 1/4 Sec. Cor. marked  
1/4 S. on N. face. dug pits 18x18x12  
ins. E. & W. of Post 5 1/2 ft. dist.  
and raised a mound of Earth  
1 1/2 ft. high 3 1/2 ft. base around  
Post.

4003 Set a Post 3 ft. long 3 ins. Sq. with  
Chained Stake 12 ins in the ground  
for 1/4 Sec. Cor. marked 1/4 S. on  
N. face dug pits 18x18x12 ins  
E. & W. of Post. 5 1/2 ft. dist. and  
raised a mound of Earth 1 1/2  
ft high 3 1/2 ft. base around Post.

N. 16. S. R. 12. E.

80.04 Set a Post 3ft. long 3ins Sq. with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on  
N. face dug pits 18X18X12. ins  
E & W. of Post.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of Earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base around  
Post.

80.07 The  $\frac{1}{4}$  Sec. Cor.

Sand level

Soil 2<sup>nd</sup> rate

Scattering Trees

Palo Verde Brush 80. chs.

Thence North between Secs. 10. & 11.

Var.  $13^{\circ} 08' E$ .

80.00 Set a Post 3ft. long 3ins Sq. with  
Charred Stake 12 ins in the  
ground for  $\frac{1}{4}$  Sec. Cor. Marked

## Sub divisions

$\frac{1}{16}$  S. on W. face dug pits 18X18X  
12 ins W. & S. of Post.  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base around  
Post.

Hence East on a random  
line thro. N.  $\frac{1}{2}$  of Sec 11,  
Var  $13^{\circ} 08' E$ ,

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor

40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

60.00 Set temporary  $\frac{1}{16}$  Sec Cor.

80.09 Intersect U.S.S. line 5ths S.  
of  $\frac{1}{16}$  Sec Cor.

Hence Iron S  $89^{\circ} 58' W$ . on a  
true line thro N.  $\frac{1}{2}$  of Sec 11,  
with same Var

20.02 Set a Post 3 ft. long 3 ins Sq. with  
Chained Stake 12 ins. in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on W.  
face. dug pits 18X18X12 ins. E. W. of

T. 16. S. R. 12. E.

Post  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.

10.04 Set a Post. 2 ft. long 2 ins Sq. with Churned Stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on W. face. dug pits  $18 \times 18 \times 12$  ins. E. & W. of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.

60.06 Set a Post 2 ft. long 2 ins Sq. with Churned Stake 12 ins in the ground. for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on W. face. dug pits  $18 \times 18 \times 12$  ins E. & W. of Post.  $5\frac{1}{2}$  ft. dist. and raised a mound of Earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base around Post.

80.09  $\frac{1}{16}$  Sec. Cor.  
Sand level

## Subdivisions

Soil 2<sup>nd</sup> Rate

Scattering Trees

Ralo Verde Brush 80, chs.



Thence North between Secs 10 &amp; 11

Cor. 13° 08' E.

20.00 Set a Post 4ft. long 4 in. sq. with  
chained stake 12 in. in the  
ground for cor to Secs. 2, 3.

10, &amp; 11. Marked

N. 16 S. S. 2 on S E.

R. 12, E. S. 11 on S E.

S. 10 on S W. and

S. 3 on W. face with 5  
notches on S. and 2 notches on  
E. edges. dug pits 18 x 18 x 12 in  
in each Sec. 5 1/2 ft. dist. and  
raised a mound of earth  
2 ft. high. 4 1/2 ft. base around



D. H. S. R. 12. E.

Post.

From this Con the old Sec. Con.  
 hrs. N.  $88^{\circ}$  W. 14 lks. dist. I  
 destroy all marks of same  
 Land for 80 chs. between Secs.  
 10. & 11. level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Ralo Verde brush 80 chs.

Thence East. on a random  
 line between Secs. 2 & 11

Nan  $13^{\circ}$   $08'$  E.

20.00 Set temporary  $\frac{1}{16}$  Sec. Con

40.00 Set temporary  $\frac{1}{4}$  Sec. Con

60.00 Set temporary  $\frac{1}{16}$  Sec. Con

80.04 Intersect N. & S. line 4 lks north  
 of Con. to Secs. 1, 2, 11, & 12.

Thence I run N  $89^{\circ}$   $58'$  W.

## Subdivisions

- on a true line between Secs.  
2 & 11, with same bar,
- 20.01 Set a Post 3 ft. long 3 ins Sq. with  
Charred Stake 12 ins in the  
ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. on N. face dug pits 18 X 18  
X 12 ins. E. & W. of Post 5  $\frac{1}{2}$  ft. dist.  
and raised a mound of Earth  
1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around  
Post.
- 40.02 Set a Post 3 ft. long. 3 ins Sq. with  
Charred Stake 12 ins in the  
ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S. on N. face. dug pits 18 X 18  
X 12 ins E. & W. of Post. 5  $\frac{1}{2}$  ft.  
dist. and raised a mound  
of Earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base  
around Post.
- 60.03 Set a Post 3 ft. long 3 ins Sq. with  
Charred Stake 12 ins. in the ground

D. H. S. R. 12 E.

BOOK 1992

104

for 1/16 Sec. cor. marked 46 S. on N. face. dug pits 18x18x12 ins E & W of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft. base around Post.

80,04 The Cor. to Secs. 2, 3, 10, & 11.

Level level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde Brush rocks.



Thence North between Secs 2, & 3.

Var. 13° 08' E.

2000 Set a Post 2 ft. long 3 ins Sq. with charred Stake 12 ins in the ground. for 1/16 Sec. Cor. marked 46 S. on N. face. dug pits 18x18x12 ins. N & S. of Post 5 1/2 ft. dist. and raised a mound of Earth

## Sub divisions

1 1/2 ft. high 3 1/2 ft. base around  
Post

Thence East on a random line  
thro. S 1/2 of Sec. 2.

Var 13° 08' E.

- 20.00 Set temporary 1/4 Sec. Cor.  
40.00 Set temporary 1/4 Sec. Cor.  
46.00 N. point of round knoll. 15 ft. high  
60.00 Set temporary 1/4 Sec. Cor.  
79.96 Intersect N. S. line 7 lks S. of  
1/4 Sec Cor.

Thence True S. 89° 57' W. on  
a true line thro. S 1/2 of Sec. 2  
with same Var

- 19.99 Set a Post 3 ft. long 3 in. dia. with  
charred stake 17 in. in the ground  
for 1/4 Sec. Cor. marked 1/4 S. on  
N. face. dug pits 18 x 18 x 12 in.  
E. S. W. of Post 5 1/4 ft. dia. and  
raised a mound of earth

T. W. S. R. 12. E.

1 1/2 ft. high 3 1/2 ft. base around Post.

39.98 Set a Post 3 ft. long 3 ins sq with channel stake 12 ins in the ground for 1/4 Sec. Cor. marked 1/4 S. on N. face dug pits 18 X 19 X 12 ins E & W of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft. base around Post.

59.97 Set a Post 3 ft. long 3 ins sq with channel stake 12 ins in the ground for 1/4 Sec. Cor. marked 1/4 S. on N. face. dug pits 18 X 19 X 12 ins E & W of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around Post

79.96 The 1/4 Sec. Cor.  
Sand level  
Soil 2<sup>nd</sup> Rule

## Sub divisions

Scattering Trees

Ralo Verde brush rocks.



Thence North between Secs 2 &amp; 3.

Var.  $13^{\circ} 08' E$ .

- 20.00 Set a Post 3 feet Long 3 ins. Sq. with  
chained Stake 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. and W.  
face. dug pits  $18 \times 18 \times 12$  ins U.S.  
of Post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $7\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base around Post.

Thence East on a random  
line thro the center of Sec 2,Var.  $13^{\circ} 08' E$ .

- 20.06 Set temporary  $\frac{1}{16}$  Sec. Cor.  
40.00 Set temporary  $\frac{1}{4}$  Sec. Cor  
60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
80.03 Intersect U.S. line 11 lks North

A. H. S. R. 12. E.

of 94 Sec Cor

Thence True N  $89^{\circ} 53' 00''$  W. on  
a true line thro. the center of  
Sec. 2. with same Var.

20.00 Set a Post 3ft long 3ins Sq. with  
chopped stake 12 ins in the  
ground for 46 Sec. Cor. marked  
46 S. on N. face. dug pits  $18 \times 18 \times$   
 $12$  ins. E & W. of Post.  $5\frac{1}{2}$  ft dist.  
and raised a mound of  
Earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around Post.

40.01 Set a Post 3ft. long 3ins Sq. with  
chopped stake 12 ins in the ground  
for 44 Sec. Cor marked 44 S. on N.  
face. dug pits  $18 \times 18 \times 12$  ins E & W.  
of Post.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of Earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around Post.

60.01 Set a Post 3ft long 3ins Sq. with

## Sub divisions

Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. Marked  $\frac{1}{16}$  S. on  
N. face. dug pits 18X18X12 ins  
E & W. of Post.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  $1\frac{1}{2}$   
ft high  $3\frac{1}{2}$  ft base around  
Post

80.03 The 4<sup>th</sup> Sec. Cor.

Land level

Soil 2<sup>nd</sup> Rate

Scattering Trees

Palo Verde brush rocks.



Hence North between Secs 2 & 3

Var.  $13^{\circ} 08' E$ .

20.00 Set a Post 2 ft long 3 ins sq with  
Charred Stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec cor. marked  $\frac{1}{16}$  S. on  
N. face. dug pits 18X18X12 ins



T. 16. S. R. 12. E.

N. & S. of Post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high 3 1/2  
ft. base around Post.

Thence East on a random line  
thro. N. 1/2 of Sec 2.

Var 13° 08' E.

20.00 Set temporary 1/16 Sec. Cor.

40.00 Set temporary 1/16 Sec. Cor.

60.00 Set temporary 1/16 Sec. Cor.

80.07 Intersect N. & S. line 8 lks. South  
of 1/16 Sec. Cor.

Thence True S 89° 54' mona  
true line thro. N. 1/2 of Sec 2. with  
same Var.

20.01 Set a Post 2 ft. long 3 ins Sq. with  
Sharred Stake 12 ins in the ground  
for 1/16 Sec. Cor. marked 1/16 S. on  
N. face. dug pits 18 X 18 X 12 ins. E. 87 M.  
of Post. 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft. high

## Sub divisions

- 3 1/2 ft. base around Post
- 40.03 Set a Post 3 ft. long 3 ins. Sq. with  
churned stake 12 ins. in the ground  
for 1/16 Sec. Cor. marked. 1/4 S. on  
N. face. dug pits 18 X 18 X 12 ins.  
E. & W. of Post 5 1/2 ft. dist. and  
raised a mound of earth 1 1/2  
ft high 3 1/2 ft. base around Post
- 60.05 Set a Post 3 ft. long 3 ins. Sq. with  
churned stake 12 ins. in the ground  
for 1/16 Sec. Cor. marked. 1/4 S. on  
N. face. dug pits 18 X 18 X 12 ins.  
E. & W. of Post 5 1/2 ft. dist. and  
raised a mound of earth 1 1/2  
ft high 3 1/2 ft. base around Post.
- 80.07 The 1/16 Sec. Cor.  
Sand level  
Soil 2nd Rate  
Scattering Grass  
Palo Verde brush & cactus
- Jan 27<sup>th</sup> 1888

T. 16. S. R. 12. E.

BOOK 1992

112

Thence North between Secs 2. & 3.

Var.  $13^{\circ} 08' E$ .

29.83 Intersect 3<sup>rd</sup> Standard Parallel  
South  $3\frac{1}{4}$  lks E. of Standard Cor.  
to Secs. 35. & 36. where I. Set a Post.  
4 ft. long 4 ins sq. with charred  
Stake 12 ins in the ground, for  
closing Cor. to Secs. 2. & 3. Marked  
C.C. T. 16. S. R. 12 E. on S.

S. 2. on E. end

S. 3. on W. faces with 2 stakes on  
E. end 4 stakes on W. faces. dug  
pits 18 X 18 X 12 ins lengthwise on  
each line S. E. and W. of Post. 3 ft.  
dist. and raised a mound of earth  
2 ft. high 4 ft. base around  
Post.

Land for 90 chs. between Secs  
2 & 3. local

Soil 2<sup>nd</sup> Rate

## Sub divisions

Scattering trees

Palo Verde Brush soles.

~~~~~

Thence from Cor. to Secs. 27, 28.  
33. & 34. on S. Bdy. of Reservation  
From North between Secs. 27 & 28

Var  $13^{\circ} 08' E$

20.00 Set Stake 12x14x18 ins. 10 ins in  
the ground for  $\frac{1}{16}$  Sec. Cor. Marked  
1/16 S. on W. face. and raised a  
mound of stones along side  
Pits impracticable

Thence East on a random  
line thro. S  $\frac{1}{2}$  of Sec. 27

Var  $13^{\circ} 08' E$

20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
80.05 Set end of N & S. line to the N. of  $\frac{1}{16}$

T. 16. S. R. 12. E.

BOOK 1992

114,

See Cor

Hence Iron North  $89^{\circ}58'$  M.  
on a true line thro  $\frac{1}{2}$  of Sec 27  
with same Var.

20.00

Set a Post 2 ft. long 3 ins sq. with  
chained stake 12 ins in the ground  
for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  S. on  
N. face. dug pits  $18 \times 18 \times 12$  ins  
E. & W. of Post.  $5\frac{1}{2}$  ft. dist and  
raised a mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. bar around  
Post

4002

Set a Post 2 ft. long 3 ins sq. with  
chained stake 12 ins in the  
ground for  $\frac{1}{16}$  Sec. Cor. marked  
 $\frac{1}{16}$  S. on N. face. dug pits  $18 \times 18 \times 12$   
ins. E & W. of Post.  $5\frac{1}{2}$  ft. dist and  
raised a mound of earth  $1\frac{1}{2}$   
ft high  $3\frac{1}{2}$  ft. bar around  
Post

## Sub divisions

60 03 Set a Post 3 ft. long 3 ins sq. with  
 Channed Stake 12 ins in the  
 ground. for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18x18x  
 12 ins. E & W. of Post 5 ft dist  
 and raised a mound of  
 earth 1 1/2 ft. high 3 1/2 ft. base  
 around Post.

80 05 The  $\frac{1}{16}$  Sec. Cor.

Land rolling

Soil 2<sup>nd</sup> Rate

Scattering Trees

Ralo Verde Brush sochs.

Thence North between Secs 27 &  
 28.

Var.  $13^{\circ} 08' E$ .

20.00 Set a Post 3 ft. long 3 ins sq. with  
 channed stake 12 ins in the.

N. 16. S. R. 12. E.

BOOK 1992

116.

ground for  $\frac{1}{4}$  Sec Cor marked  
 $\frac{1}{4}$  S. on W. face. dug pits 18X18X12  
ins N. & S. of Post:  $5\frac{1}{2}$  ft. Dist.  
and raised a mound of earth  
19 ft high  $3\frac{1}{2}$  ft base around  
Post. (old con obliterated)

Thence East on a random  
line thro center of Sec 27

Var  $13^{\circ} 08' E$ .

20.00 Set temporary  $\frac{1}{4}$  Sec Cor.

40.00 Set temporary  $\frac{1}{4}$  Sec Cor.

60.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.09 Intersect N. & S. line  $7\frac{1}{2}$  k. S. of  $\frac{1}{4}$  Sec  
Cor.

Thence I run S.  $89^{\circ} 57'$  W. on a  
true line thro. center of Sec 27  
with same var.

20.02 Set a Post. 3 ft. long 3 ins sq. with  
channel stake 12 ins in the ground  
for  $\frac{1}{4}$  Sec Cor. Marked  $\frac{1}{4}$  S. on

## Subdivisions

U. face dug pits 18x18x12 ins  
E & W. of Post 5 1/2 ft. dist. and  
raised a mound of Earth  
1 1/2 ft. high 3 1/2 ft base around  
Post.

40.04 Set a Post 3 ft. long 3 ins Sq with  
charred stake 12 ins in the  
ground for 44 Sec. Cor. Marked  
1/4 S. on N. face. dug pits 18x  
18x12 ins. E & W of Post 5 1/2 ft.  
dist and raised a mound  
of Earth 1 1/2 ft. high 3 1/2 ft  
base around Post.

40.06 Set a Post 3 ft. long 3 ins Sq with  
charred stake 12 ins in the  
ground for 1/16 Sec. Cor. Marked  
1/16 S. on N. face. dug pits 18  
x18x12 ins. E & W. of Post. 5 1/2  
ft dist. and raised a mound  
of Earth 1 1/2 ft. high 3 1/2 ft base



N. 16. S. R. 12. E.

around Post

80.09 The 94 Sec Cor

Land rolling

Soil 2<sup>nd</sup> Rate

Scattering trees

Ralo Vanner Brush rocks.

Thence North between Secs 27 & 28

Var  $13^{\circ} 08' E$

14.00 Dry Wash 31 lks wide course N E,

20.00 Set a Post 3 ft long 3 ins sq. with  
chained stake 12 ins in the ground

for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  Sec. on

W. face dug pits 18x18x12 ins  $\frac{1}{16}$

W. of Post. 5  $\frac{1}{2}$  ft dist. and raised

a mound of earth 1  $\frac{1}{2}$  ft high

3  $\frac{1}{2}$  ft. base around Post

Thence East on a random  
line thro. N  $\frac{1}{2}$  of Sec 27

## Sub divisions

Var.  $13^{\circ} 08' E$ ,

- 7.00 Dry Wash 30 lks wide Course NE  
 26.00 Set temporary  $\frac{1}{16}$  Sec Cor  
 34.00 Dry Wash 30 lks wide Course NE  
 40.00 Set Temporary  $\frac{1}{16}$  Sec. Cor.  
 42.11 Dry Wash 30 lks wide Course NE,  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 71.00 Dry wash 90 lks wide Course NE,  
 80.04 Intersect N+S. line 7 lks N. of  
 $\frac{1}{16}$  Sec. Cor.

Thence Iron. N.  $89^{\circ} 57' W$ .  
 on a true line thro N.  $\frac{1}{2}$  of Sec  
 27. with same var.

- 20 01 Set a Post 3 ft. long 3 ins sq. with  
 charred stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec Cor.  
 Marked  $\frac{1}{16}$  S. on N. face. dug  
 pits  $18 \times 18 \times 12$  ins E & W. of Post  $5\frac{1}{2}$   
 ft. dist. and raised a mound  
 of earth  $1\frac{1}{2}$  ft high  $5\frac{1}{2}$  ft base

T. 16. S. R. 12: E.

around Post:

40.02 Set a Post 3 ft. long, 3 ins  $\frac{1}{2}$  with charred stake 12 ins in the ground for  $\frac{1}{16}$  Sec Cor. Marked  $\frac{1}{16}$  S. on N. face dug pits 18X18X12 ins. E. & W. of Post 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft. base around Post.

60.03 Set a Post 3 ft. long 3 ins  $\frac{1}{2}$  with charred stake 12 ins in the ground for  $\frac{1}{16}$  Sec. Cor marked.  $\frac{1}{16}$  S. on N. face. dug pits 18X18X12 ins E & W of Post. 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around Post.

80.04 The  $\frac{1}{16}$  Sec Cor

Land rolling  
Soil 2<sup>nd</sup> rate  
Scattering Trees

## Subdivisions

Ralo Verde brush socks



Thence North between Secs. 27, 28 & 28.

Var  $13^{\circ} 08' E$ .

19. 10 Dry wash 15 lks wide course N.E.  
 20. 00 The old Sec. Cor. Set a Post left,  
 long 4 ins sq. with Charred  
 Stake 12 ins in the ground for  
 Cor. to Secs. 21, 22, 27, & 28.

Marked

S. 16 S. & 22 on N.E.

R 12 E. S. 27 on S.E.

S. 28 on S.W. and

S. 21 on N.W. faces. with  
 2 notches on S. and 3 notches  
 on E. edges. dug pits 18x18x

12 ins in each sec. <sup>5 1/2 ft</sup> <sup>dish</sup> and  
 raised a mound of earth  
 2 ft high 4 1/2 ft. wide around

T. 16. S. R. 12. E

Post I placed old stake in  
mound with new one  
Sand for 80 chs. between  
secs. 27 & 28. rolling and  
somewhat broken

Soil 2<sup>nd</sup> Rate

Scattering Grass

Palo Verde brush 80 chs

By observation taken this day I find  
the magnetic var to be  $13^{\circ} 08' E$

Thence East on a random  
line between Sec 22 & 27

Var  $13^{\circ} 08' E$ .

- 1.10 Dry Wash 20 lks wide Course E  
15.60 Dry Wash 50 lks wide Course W.  
20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
40.00 Set temporary  $\frac{1}{4}$  Sec Cor  
41.00 Dry Wash 50 lks wide Course W.  
58.50 Dry Wash 20 lks wide Course W.  
60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.

## Subdivisions

- 80.03 Intersect N & S. line 4 lks N. of  
Cor to Secs 22, 23, 26, & 27.  
Thence I run  $N 89^{\circ} 58'$  from  
a true line between Secs 22,  
& 27 with same Var,
- 20.00 Set a Post 3 ft. long 2 ins sq. with  
charrad stake 12 ins in the  
ground. For  $\frac{1}{16}$  Sec Cor. Marked  
 $\frac{1}{16}$  l. on N. face. dug pits  $18 \times 18$   
 $\times 12$  ins E & W of Post 5 1/2 ft.  
dist. and raised a mound  
of earth  $1 \frac{1}{2}$  ft high  $3 \frac{1}{4}$  ft base  
around Post.
- 40.01 Set a Post 3 ft. long 2 ins sq. with  
charrad stake 12 ins in the  
ground for  $\frac{1}{4}$  Sec. Cor. Marked  
 $\frac{1}{4}$  l. on N. face. dug pits  $18 \times 18 \times$   
 $12$  ins. E & W of Post. 5 1/2 ft. dist  
and raised a mound of earth  
 $1 \frac{1}{2}$  ft. high  $3 \frac{1}{4}$  ft base around

N. 16. S. R. 12. E.

60.01 Post. (old corner obliterated)  
 Set a Post 3 ft long 3 ins Sq. with  
 charred stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N face. dug pits 18x18x  
 12 ins E & W of Post. 5 ft. diam  
 and raised a mound of earth  
 1 ft high 3 ft base around  
 Post.

80.03 The cor to Secs. 21, 22, 27, & 28.  
 Land rolling  
 Soil 2nd Rate  
 Scattering trees  
 Palo Verde brush & chis.

Thence North between Secs 21, & 22.  
 Var.  $13^{\circ} 08'$  E.

20.00 Set a Post 3 ft. long 3 ins. Sq. with  
 charred stake 12 ins in the

## Sub divisions

ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face dug pits  $18 \times 18 \times$   
 $12$  ins N & S. of Post  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 Earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base  
 around Post.

Thence East on a random  
 line thro  $S\frac{1}{2}$  of Sec 22.

Var.  $13^{\circ} 08' E$

- 19.00 Dry Wash 50 ft wide course N.  
 20.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 40.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 60.00 Set temporary  $\frac{1}{16}$  Sec. Cor.  
 79.98 Intersect N.S. line 3 lks S. of  
 $\frac{1}{16}$  Sec. Cor.

Thence I run S.  $89^{\circ} 59'$  W. on  
 a true line thro.  $S\frac{1}{2}$  of Sec  
 22 with same var.

- 19.99 Set a Post 3 ft. long 3 ins sq. with  
 charred stake 10 ins in the



N. 16. S. R. 13. E.

ground for  $\frac{1}{16}$  Sec. Cor. Marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18X18  
 X12 ins. E & W of Post 5 1/2 ft dist.  
 and raised a mound of earth  
 14 ft high 3 1/2 ft base around  
 Post.

39.99 Set a Post 3 ft long 3 ins sq. with  
 charred stake 12 ins in the  
 ground. for  $\frac{1}{16}$  Sec Cor. marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18X18X  
 12 ins. E & W of Post 5 1/2 ft dist  
 and raised a mound of earth  
 14 ft high 3 1/2 ft base around  
 Post.

59.98 Set a Post 3 ft long 3 ins sq. with  
 charred stake 12 ins in the  
 ground for  $\frac{1}{16}$  Sec Cor. Marked  
 $\frac{1}{16}$  S. on N. face. dug pits 18X18X  
 12 ins. E & W. of Post 5 1/2 ft dist.  
 and raised a mound of

## Subdivisions T. 16. S. R. 12. E.

Center 19 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft base  
around Post, from which a  
Mesquite tree 4 ins in diam.  
brs. S. 89° 45' E. marked 1/16 S.

B.T.

79 98 The 1/16 Sec. Cor.

Sand rolling

Soil 2nd Rate

Scattering trees

Mesquite & Palo Verde brush socks



Continued, Books 1993, 1994, 1995.

Concluded, Book 1996