

No 3

1993

BOOK 1993

1993

4-671

1993

1993

FIELD NOTES

GENERAL LAND OFFICE.

SUBDIVISIONS

PAPAGO INDIAN RESERVATION.

T. 16 S. R. 12 E.

1993

127

INDEX

Township 16 South, Range 1 E

GILA AND SALT RIVER MERIDIAN.

318	316	222	221	167	166	112	110
314	316 312	220	218	168	168	109	107
309	311 307	208	216	162	160	107	105
304	308 302	215	213	159	157	104	102
298	301 296	212	210	158	154	101	99
294	298 291	209	207	153	151	98	96
289	291 287	206	204	157	149	96	94
284	286 282	204	201	148	148	93	91
278	281 276	200	198	145	143	90	87
273	276 271	197	195	142	140	87	86
268	271 266	195	192	139	137	84	82
264	266 261	192	190	137	135	82	79
258	260 256	188	186	138	131	78	76
253	255 251	186	184	130	128	75	75
248	260 245	183	181	128	125	73	70
244	246 241	180	178	124	122	70	68
238	240 235	177	174	122	118	67	65
233	235 230	174	172	118	116	64	62
228	230 225	170	169	115	113	62	60
	225	168		113		60	

31

32

33

34

35

Subdivisions T. 16. S. R. 12. E. (128)

In Papago Indian Reservation

BOOK 1993

Hence North between Secs. 21 & 22

Var. $13^{\circ} 08' E$.

20.00 Set a Post 3 ft. long 3 ins. sq. with
channeled stake 12 ins. in the ground
for $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$ S. on N.
face. clay pits 18 X 18 X 12 ins N. & S.
of Post. 5 $\frac{1}{2}$ ft. diam. and raised
a mound of earth 1 $\frac{1}{2}$ ft high
3 $\frac{1}{2}$ ft. base around Post. (old
corner obliterated and tree cut
down)

Hence East on random line
thro. center of Sec. 22.

Var. $13^{\circ} 08' E$.

20.00 Set temporary $\frac{1}{16}$ Sec cor
21.10 Dry Wash 90 kso wide course N.
40.00 Set temporary $\frac{1}{4}$ Sec Cor
60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
80.05 Intersect U. & S. line 2 kso S. of $\frac{1}{4}$
Sec. Cor

Subdivisions

Thence True S. $89^{\circ}57'$ W. on a true line thro. center of Sec. 22. with same var.

- 20.01 Set a Post 3ft. long 3ins Sq. with charred stake 12ins in the ground for $\frac{1}{16}$ Sec. Corn marked $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins. E & W of Post $5\frac{1}{2}$ ft. dist. and raised a mound of Earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around Post.
- 40.02 Set a Post 3ft. long 3ins Sq. with charred stake 12ins in the ground. for $\frac{1}{4}$ Sec. Corn marked $\frac{1}{4}$ S. on N. face dug pits $18 \times 18 \times 12$ ins E & W of Post $5\frac{1}{2}$ ft. dist. and raised a mound of Earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.
- 60.03 Set a Post 3ft. long 3ins Sq. with

T. 16. S. R. 12. E.

Charred Stake 12 ins in the ground
for 46 Sec. Con marked 46 S. on N
face. dug pits 18x18x12 ins ESW
of Post. 5 1/2 ft. dirt and raised
a mound of earth 1 1/2 ft high
3/4 ft base around Post.

80.00 Thi 44 Sec. Con,

Land ralling

Soil 2nd Kate

Scattering Trees

mesquites & Palo Verde brush socks



Thence North between Secs. 21, & 22.

Var. 13° 08' E.

5.15 Road to Surita Mts bis. N.E. & S.W.

20.00 Set a Post 3 ft long 3 ins Sq. with
charred Stake 12 ins in the ground
for 46 Sec. Con marked 46 S. on N.
face. dug pits 18x18x12 ins. N.E.S.

Subdivisions

of Post: 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft.
base around Post: from
which a merquite line in
dive. bns. S. 58° 30' W. 26 lks
dist. Marked 1/16 S. B. T.

Thence East on a random
line thro. N 1/2 of Sec. 22.

Var 13° 08' E.

- 20.00 Set temporary 1/16 Sec cor.
21.20 Road to Summit Mt. bns N.E. + S.W.
38.50 Dry Wash 1 Ch. wide Course N.E.
40.00 Set temporary 1/16 Sec. Cor.
60.00 Set temporary 1/16 Sec cor
74.00 Dry Wash 20 lks wide Course N.E.
79.98 Intersect N.S. line 6 lks S. of 1/16
Sec. Cor.

Thence I run S. 89° 53' W on
a true line thro. N 1/2 of Sec 22
with same bns.

7.16. S. R. 12, E.

- 19.99 Set a Post 3 ft. long 3 ins sq. with charred stake 12 ins in the ground for 1/16 Sec. Cor. Marked 1/16 S. on N. face. dug pits 18x18x12 ins. E & W of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.
- 39.99 Set a Post 3 ft. long 3 ins sq. with charred stake 12 ins in the ground for 1/16 Sec. Cor. Marked 1/16 S. on N. face. dug pits 18x18x12 ins E & W. of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.
- 59.98 Set a Post 3 ft. long 3 ins sq. with charred stake 12 ins in the ground for 1/16 Sec. Cor. Marked 1/16 S. on N. face. dug pits 18x18x

Sub Divisions

12 ins E & W. of Post 5 1/2 ft dist.
and raised a mound of
Earth 1 1/2 ft. high 3 1/2 ft base
around Post.

79.98 The 46 Sec. Cor.

Sand rolling

Soil 2nd rate

Scattering trees

Palo Verde & Mesquite brush rocky

Thence North between Secs. 21 & 22,
Var. 13° 08' E.

30.00 Set a Post 4 ft. long 4 ins Sq. with
chained Stake 12 ins in the ground
for cor to Secs 15, 16, 21, & 22. Marked
P. 16 S. S. 15 on N.E.
R 12 E. S. 22 on S.E.
S. 21 on S.W. and
S. 16 on N.W. faces. with 3

N. 16 S. R. 12, E.

patches on S. and 3 patches on
E. edges. dug pits 18x18x12 ins
in each sec. 5 1/2 ft. dist and
raised a mound of earth 2
ft high 4 1/2 ft. base around
Post. (The old corner obliterated)
from which a mesquite tree 8 ins
in diam. brs. S. 42° W. 48 lks.
dist. Marked T. 16 S. R. 12, E. S. 21.

B. P. A mesquite tree 10 ins in
diam. brs. N. 69° E. 57 lks, dist.
marked T. 16 S. R. 12, E. S. 15, B. P.

Land for sochs. between Secs
21. & 22. somewhat rolling
Soil 2nd Rate

Scattering Trees

Palo Verde & Mesquite brush sochs

Thence eastward narrow

Sub divisions

line between Secs 15 & 22

Var $13^{\circ} 08' 01$

- 1300 Dry Wash 30 lks wide course N.
 20.00 Set temporary $\frac{1}{16}$ Sec Cor
 40.00 Set temporary $\frac{1}{4}$ Sec Cor
 42.80 Road to front of gate bro N E & S W.
 52.10 Dry Wash 120 lks wide course N E.
 60.00 Set temporary $\frac{1}{16}$ Sec Cor.
 80.02 Intersect U.S. line $\frac{3}{4}$ lks N of
 Cor to Secs 14, 15, 22, & 23.

Thence I run N. $89^{\circ} 54' 27$ W on
 a true line between Secs 15 &
 22 with same Var

- 20.00 Set a Post 3 ft long 3 ins sq. with
 channed stake 1 1/2 ins in the
 ground for $\frac{1}{16}$ Sec Cor. Marked
 N.E. on N. face dug pits 18x18x
 12 ins E & W of Post 5 1/2 ft. dist.
 and raised a mound of earth
 1 1/2 ft. high $\frac{3}{4}$ ft base around Post

T. 16. S. R. 12. E.

40.01 Set a Post 3 ft. long 3 in sq with charred Stake 12 in in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N. face, dug pits 18x18x12 in. E & W of Post 5 ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around Post.

60.01 Set a Post 3 ft. long 3 in sq with charred Stake 12 in in the ground for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on N. face dug pits 18x18x12 in. E & W of Post 5 ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft base around Post.

80.02 The Cor to Secs. 15, 16, 21 & 22.
 Sand Rolling
 Soil 2nd Rate
 Scattering Grass

Sub divisions

Ralo Verde & Mesquite brush 80 ch

Thence North between Secs. 15, & 16.

Var $13^{\circ} 08' E$.

20.00 Set a Post 2 ft. long 3 ins sq. with
channeled stake 12 ins in the
ground for $\frac{1}{16}$ Sec Cor. marked
 $\frac{1}{16}$ S. on N. face dug pits 18×18
 $\times 12$ ins. N & S. of Post $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
14 ft high $3\frac{1}{2}$ ft. base around
Post.

Thence East on a random
line thro. $S\frac{1}{2}$ of Sec. 15.

Var. $13^{\circ} 08' E$.

19.10 Dry wash 40 lks. with course N.
20.00 Set temporary $\frac{1}{16}$ Sec Cor.
40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
60.00 Set temporary $\frac{1}{16}$ Sec. Cor.

T. 16. S. R. 12 E

64.00 Road to Serrita Mts. Trs. N.E. & S.W.
80.00 Intersect N. & S. line 7 lks N. of
1/16 Sec. Cor.

Thence I run N. $89^{\circ} 57' 17''$ on
a true line thro. S. 1/2 of Sec
15. with same Cor.

20.01 Set a Post 3 ft. long 3 ins Sq. with
churned Stake 12 ins in the
ground for 1/16 Sec. Cor. Marked
1/16 S. on N. face dug pits 18 X 18
X 12 ins. E & W. of Post 3 1/2 ft. dist.
and raised a mound of Earth
19 ft. high 3 1/2 ft. base around
Post.

40.02 Set a Post 3 ft. long 3 ins Sq. with
churned Stake 12 ins in the
ground for 1/16 Sec. Cor.
Marked 1/16 S. on N. face, dug
pits 18 X 18 X 12 ins. E & W of Post
3 1/2 ft. dist and raised a

Sub divisions

mound of Earth 1 1/2 ft high
 3 1/2 ft. base around Post.
 Ev. 03 Set a Post 3 ft long 3 ins sq.
 with charred stake 1 1/2 ins in
 the ground for 1/6 Sec Cor Marked
 1/6 S. on N. face dug pits 18 x 18
 x 1 1/2 ins E & W of Post: 5 1/2 ft. dist.
 and raised a mound of
 Earth 1 1/2 ft high 3 1/2 ft base
 around Post

So. 04 The 1/6 Sec. Cor.

Sand Rolling

Soil 2nd Rate

Scattering Trees

Ralo Verde & Mesquite brush rocks

Thence North between Secs 15 & 16.
 Var. 13° 08' E.

20.00 Set a Post 3 ft long 3 ins sq. with

N. 1/2 Sec. 12, E.

chained stake 12 ins in the ground, for $\frac{1}{4}$ Sec Cor. Marked $\frac{1}{4}$ ft. on W. face. dug pits 18x18x12 ins W & S. of Post. $\frac{1}{4}$ ft. dist. and raised a mound of earth 18 ft. high & $\frac{1}{4}$ ft. base around Post.

Thence East on a random line thro. center of Sec 15.

Var $13^{\circ} 08' E.$

- 20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 21.00 Dry Wash 45 lks wide course N.E.
 40.00 Set temporary $\frac{1}{4}$ Sec Cor
 60.00 Set temporary $\frac{1}{16}$ Sec Cor
 80.00 Intersect N & S. line 7 lks S. of $\frac{1}{4}$ Sec. Cor.

Thence I run S. 89 $^{\circ}$ 57' W. on a true line thro center of Sec 15. with same var.

- 20.00 Set a Post 3 ft long 3 ins dia with

Sub divisions

Charred stake 12 ins in the ground for $\frac{1}{16}$ Sec Cor.

Marked $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins. E $\frac{1}{2}$ of Post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around Post.

40.00 Set a Post 3 ft. long 3 ins sq with Charred stake 12 ins in the ground for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ S. on N. face dug pits $18 \times 18 \times 12$ ins. E $\frac{1}{2}$ of Post: $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around Post.

60.00 Set a Post 3 ft long 3 ins sq. with Charred stake 12 ins in the ground for $\frac{1}{16}$ Sec Cor marked $\frac{1}{16}$ S. on N. face dug pits $18 \times$

N. 16. S. R. 12, E.

18x12 ins E & W of Post. 57 ft.
dirt and raised a mound
of earth 14 ft high 34 ft base
around Post.

80.00 The 1/4 Sec Cor.

Land rolling

Soil 2nd Rate

Scattering Trees

Palo Verde & Mesquite brush 80 chs.

Jan 27th 1888.

Thence North between Secs 15 & 16

Var 13° 08' E.

20.00 Set a Post 3 ft. long 3 ins Sq. with
charr'd Stake 12 ins in the
ground for 1/4 Sec Cor.

marked 1/4 S. on W. face, dug

pits 18x18x12 ins N & S. of

Post 57 ft. dist. and raised

a mound of earth 14 ft high

Sub divisions

3 1/2 ft. burr around Post.
Thence East on a random
line thro. N 1/2 of Sec. 15.

Var. 13° 08' E,

20.00 Set temporary 1/16 Sec cor.

40.00 Set temporary 1/16 Sec. Cor.

57.80 Dry Wash 50 lks wide Course N.

60.00 Set temporary 1/16 Sec Cor

79.96 Intersect N. & S. line 8 lks. N.
of 1/16 Sec. Cor.

Thence Iron North 89° 57' W.
on a true line thro. N 1/2 of
Sec 15. with same var.

19.49 This cor. coming in a Dry Wash,
at a point 60 lks East. I set a
Post 3 ft. long 3 ins sq. with charred
Stake 12 ins in the ground for
Witness Cor. to 1/16 Sec Cor. Marked
M.C. 1/16 S. on N. face. dug pits
18 X 18 X 12 ins. E. W. of Post 5 1/2

T. 16 S. R. 17 E.

ft. dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft base around Post.

39.98 A mesquite tree 3 ins in diam, I marked same $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins E & W. of tree $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high around tree

59.99 Set a Post 3 ft. long 3 ins sq. with charred stake 2 ins in the ground for $\frac{1}{16}$ Sec Cor. Marked $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins E & W of Post $5\frac{1}{2}$ ft. dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft base around Post.

49.96 The $\frac{1}{16}$ Sec. Cor

Land somewhat rolling
Soil 2nd Rate

Subdivisions

Scattering Trees

Ralo Verde & Mesquite brush rocks.



Thence North between secs. 15 & 16

Var. 13° 08' E.

20.00 Set a Post 4 ft. long 4 in. sq. with
chained stake 1/2 in. in the
ground for cor. to Secs. 9, 10,
15, & 16. Marked

T. 16 S. S. 10 and N. E.

R. 12 E. S. 15 on S E

S. 16 on S. W. and

S. 9 on N. W. faces. with 4
notches of S. and 3 notches
on E. edges. dug pits 18 X
18 X 12 in. in each Sec. 5 1/2
ft. dist. and raised a mound
of earth 2 ft. high 4 ft. base
around Post. (The old

P. 16. S. R. 12. E.

(con obliterated)

Land for rocks between Secs
15. & 16. Somewhat rolling
Soil 2nd Rate

Scattering trees

Palo Verde & Mesquite brush rocks.

Thence East on a random line
between Secs. 10. & 15.

Var. $13^{\circ} 08'$ E.20.00 Set temporary $\frac{1}{16}$ Sec cor40.00 Set temporary $\frac{1}{4}$ Sec. Cor

^{60.00}
79.96 Intersect "E. & S. line" 3/4th of
Cor. to Secs. 10. 11. 14 & 15.

Thence True N. $89^{\circ} 59'$ W. on
a true line between Secs 10 &
15. with same Var.

19.99 Set a Post 3 ft. long 3 ins Sq. with
churned Stake 12 ins in the

Subdivisions

ground for 1/4 Sec. Cor.
marked 1/4 S. on N. face dug
pits 18x18x12 ins. E 8 W of Post
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft high
3 1/2 ft base around Post.

39.98 Set a Post 3 ft. long 3 ins Sq. with
charred stake 1 1/2 ins in the
ground for 1/4 Sec. Cor. Marked
1/4 S. on N. face. dug pits 18x18x
12 ins. E 8 W of Post 5 1/2 ft. dist.
and raised a mound of
earth 1 1/2 ft high 3 1/2 ft base
around Post. from which
a Palo Verde tree 12 ins in
diam. bns S. 45° E. 12 lks dist.
marked 1/4 S. P. (The old Cor.
obliterated)

39.97 Set a Post 3 ft. long 3 ins Sq. with
charred stake 1 1/2 ins in the

T. 16. S. R. 12. E.

ground for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins E & W of Post $5\frac{1}{2}$ ft. dist. and raised a mound of Earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around Post.

79.96 The Cor. to Secs. 9, 10, 15, & 16.
 Land Mostly level
 Soil 2nd Rate
 Scattering Trees
 Palo Verde & Mesquite brush so chs

Thence North between Secs. 9 & 10
 On $13^{\circ} 08' E$:

20.00 Set a Post 3 ft. long 3 in sq. with Charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins. N & S. of Post. $5\frac{1}{2}$ ft. dist.

Subdivisions

and raised a mound of
Earth 14ft high 34ft base
around Post.

Thence East on random line
thro. S. $\frac{1}{2}$ of Sec. 10.

Var $13^{\circ} 08' E$.

20.00 Set temporary $\frac{1}{4}$ Sec Cor

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

60.00 Set temporary $\frac{1}{4}$ Sec Cor

80.04 Intersect N + S. line 6ths S. of
 $\frac{1}{4}$ Sec. Cor

Thence True S. $89^{\circ} 57' 7''$ on
a true line thro. S. $\frac{1}{2}$ of Sec
10. with same var,

26.01 Set a Post 3ft. long 3ins sq with
chained stake 12ins in the
ground for $\frac{1}{4}$ Sec cor. Marked
 $\frac{1}{4}$ S. on N face clay pits 18x18
x12 ins E of Post 5ft. dist.
and raised a mound of

N. 16 S. R 12. E.

Earth 19 ft. high 39 ft base
around Post.

10.02 Set a Post 3 ft long 3 ins sq. with
charred stake 12 ins in the
ground for 1/4 Sec. Cor
Marked 1/4 S. on N. face. dug
pit 18x18x12 ins E & W of Post 5 1/2
ft dist and raised a mound
of earth 19 ft high 39 ft base
around Post.

10.03 Set a Post 3 ft long 3 ins sq. with
charred stake 12 ins. in the
ground for 1/4 Sec Cor Marked
1/4 S. on N. face. dug pit 18x18x
12 ins E & W. of Post 5 1/2 ft dist,
and raised a mound of earth
19 ft high 39 ft base around
Post.

80.04 The 1/4 Sec Cor.

Level mostly level

Sub divisions

Soil 2nd Rate

Scattered trees

Ralo Verde & Mesquite brush rock

Thence North between Secs 9 & 10

Var. $13^{\circ} 08' E$

20.00 Set a Post 3 ft. long 3 in. Sq. with
Charred Stake 12 in. in the
ground. for $\frac{1}{4}$ Sec Cor. Marked
 $\frac{1}{4}$ S. and W. face. deep pits 18x18x
12 in. N. & S. of Post. 54 ft. dist.
and raised a mound of Earth
14 ft. high 34 ft. base around
Post. (old cor. obliterated)

Thence East on a random
line thro center of Sec. 10.

Var. $13^{\circ} 08' E$

20.00 Set Temporary $\frac{1}{16}$ Sec Cor
46.00 Set temporary $\frac{1}{4}$ Sec Cor

T. 16. S. R. 12. E.

60.00 Set temporary 1/4 Sec. Cor.

79.98 Intersect U.S. line 4 lks N. of
1/4 Sec. Cor.

Thence Iron N. $89^{\circ}58'$ Iron
a true line thro center of Sec
10. with same bar,

19.99 Set a Post 3ft. long 3/4 in Sq with
chained stake 12 in in the
ground. for 1/4 Sec. cor.

Marked. 1/4 S. on N. face dug
pits 18x18x12 in E & W of Post
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. base around Post.

39.99 Set a Post 3ft. long 3/4 in Sq with
chained stake 12 in in the
ground for 1/4 Sec Cor. Marked
1/4 S. on N. face dug pits 18x
18x12 in E & W of Post 5 1/2 ft. dist.
and raised a mound of earth

Subdivisions

1 1/2 ft. high 3 1/2 ft. base around Post

59.98 Set a Post 3 ft. long 3 ins Sq. with Chained Stake 1 1/2 ins in the ground for 46 Sec. Con. Marked 46 S. and face dug pit 18X18X12 ins. E of Post. 5 1/2 ft. dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

79.98 The 44 Sec. Con.

Land level

Soil 2nd Class

Scattering trees

Palo Verde & Mesquite brush rocks

Thence North between Secs 9 & 10,

Var 13° 08' E.

20.00 Set a Post 3 ft long 3 ins Sq. with

A. 16. S. R. 12. E.

Churned stake 12 ins in the ground, for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on W. face, dug pits 18x18x12 ins N. & S. of Post. 5 1/2 ft. dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

Thence East on a pseudocircle line thro. $\frac{1}{2}$ of Sec. 10.

Var $13^{\circ} 08' E$.

- 20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 46.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 80.08 Intersect N. & S. line 3 1/2 S. of $\frac{1}{16}$ Sec. Cor.

Thence True S. $89^{\circ} 59' W$ on a true line thro. $\frac{1}{2}$ of Sec. 10. with same Var.

- 20.00 Set a Post 3 ft. long 3 ins Sq. with churned stake 12 ins in the

Subdivisions

- ground for $\frac{1}{16}$ Sec. Cor.
 marked $\frac{1}{16}$ S. on N. face. dug
 pits 18X18X12 ins. E & W of Post.
 5 1/2 ft. dist. and raised a
 mound of earth 1 1/2 ft. high
 3 1/2 ft. base around Post
- 40.01 Set a Post 3 ft. long 3 ins. Sq. with
 chearred stake 12 ins in the
 ground. for $\frac{1}{16}$ Sec. Cor. marked
 $\frac{1}{16}$ S. on N. face. dug pits 18X18X12
 ins. E & W. of Post. 5 1/2 ft. dist.
 and raised a mound of earth
 1 1/2 ft. high 3 1/2 ft. base around
 Post.
- 60.01 Set a Post 3 ft. long 3 ins. Sq. with
 chearred stake 12 ins in the
 ground. for $\frac{1}{16}$ Sec. Cor. marked
 $\frac{1}{16}$ S. on N. face dug pits 18X18X12
 ins. E & W. of Post 5 1/2 ft. dist. and
 raised a mound of earth 1 1/2

T. 16. S. R. 12. E.

ft. high 3 1/2 ft base around
Post.

80.03 The 1/4 Sec. Cor.

Sand mostly level

Soil 2nd Rate

Scattering Trees

Palo Verde & Mesquite brush & rocks

Fence North between Secs 9 & 10.

Var 13° 08' E.

20.00 The Old Sec Cor. Set a Post 4 ft. long
4 ins sq. with charred stake 12 in
in the ground for Cor to Secs.

3 4 9 & 10 Marked

T. 16 S. S. 3. on N.E.

R. 12 E. S. 10 on S.E.

S. 9 on S.W. end

S. 4 on N.W. face with 5
notches on S. and 3 notches

Subdivisions

on E. Edges dug pits 18x18
x12 ins in each Sec. 5 1/2 ft
diam. and raised a mound
of earth 2ft high 4 1/2 ft base
around Post.

Land for 80 chs between
Secs 9 & 10 mostly level

Soil 2nd Rate

Scattering Trees

Palo Verde & Mesquite brush & rocks.

Thence East on a random
line between Secs. 3, & 10.

Var 13° 08' 0.

20.00 Set temporary 1/4 Sec. Cor

40.00 Set temporary 1/4 Sec Cor

60.00 Set temporary 1/4 Sec. Cor

80.07 Intersect U.S. line 1/4 Sec. of Cor
to Secs. 2, 3, 10, & 11.

N. 16. S. R. 12. E.

Thence True S. $89^{\circ}58'10''$ on
a true line between Secs.

3 & 10. with same Var,

26.01

Set a Post, 3 ft long 3 ins Sq
with Charred Stake 12 ins in
the ground for $\frac{1}{16}$ Sec. Cor.
Marked $\frac{1}{16}$ S. on N. face, dug
pits 18 X 18 X 12 ins E & W. of Post
 $5\frac{1}{2}$ ft dist. and raised a
mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft base around Post.

40.03

Set a Post 3 ft long 3 ins Sq. with
Charred Stake 12 ins in the ground
for $\frac{1}{4}$ Sec Cor. Marked. $\frac{1}{4}$ S. on
N. face. dug pits 18 X 18 X 12 ins
E & W of Post $5\frac{1}{2}$ ft. dist. and
raised a mound of Earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base around
Post. from which a Palo Verde
gins in decim. hrs. S. 45° W.

BOOK 1993

Subdivisions

53 lks dest. Marked 1/4 S, 13, 9,

(The old cor. obliterated)

60.04 Seta Post 3ft long 3ins Sq. with
 Charred Stake 12ins in the
 ground for the Sec Cor. marked
 the S. on N. face. dug pits 18x18x
 12ins. E & W. of Post. 5 1/2 ft dist.
 and raised a mound of earth
 1 1/2 ft high 3 1/2 ft base around
 Post.

8007 The Cor. to Secs. 3, 4, 9, & 10.


Land mostly level

Soil 2nd Rate

Scattering trees

Palo Verde & Mesquite brush 80 chs

January 28th 1888



Thence North between Secs. 3 & 4.

Var. 13° 08' E.

20.00 Seta Post 3ft long 3ins Sq with

N. H. S. R. 12. E.

Chained Stake 12 ins in the ground. for $\frac{1}{16}$ Sec. Cor
 Marked $\frac{1}{16}$ S. on W. face. day.
 pits 18x18x12 ins N + S. of Post
 5 $\frac{1}{2}$ ft. dia. and raised a mound
 of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base
 around Post.

Thence East on a random
 line thro. S $\frac{1}{2}$ of Sec. 3.

Var. $13^{\circ} 08' E.$

- 20.00 Set temporary $\frac{1}{16}$ Sec Cor
 40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 60.00 Set temporary $\frac{1}{16}$ Sec Cor
 79.96 Intersect N + S. line 3 lks N. of $\frac{1}{16}$
 Sec Cor.

Thence True N. $89^{\circ} 59' W.$ on
 a true line thro. S. $\frac{1}{2}$ of Sec.
 3. with same bars

- 19.99 Set a Post 3 ft. long 3 ins dia. with
 chained Stake 12 ins in the

Subdivisions

ground for $\frac{1}{4}$ Sec. Cor. Marked
 $\frac{1}{4}$ Sec. on N. face dug pits 18X18X
 12 ins. E & W. of Post 5 1/2 ft. dist.
 and raised a mound of
 Earth 1 1/2 ft high 3 1/2 ft base
 around Post

39.98 Set a Post 3 ft. long 3 ins Sq. with
 Charred Stake 12 ins in the
 ground for $\frac{1}{4}$ Sec. Cor. Marked
 $\frac{1}{4}$ Sec. on N. face dug pits 18X18
 X12 ins E & W. of Post 5 1/2 ft. dist
 and raised a mound of earth
 1 1/2 ft high 3 1/2 ft base around
 Post

59.97 Set a Post 3 ft long 3 ins Sq. with
 Charred Stake 12 ins in the
 ground for $\frac{1}{4}$ Sec. Cor. Marked
 $\frac{1}{4}$ Sec. on N. face dug pits 18X18X
 12 ins E & W. of Post 5 1/2 ft. dist
 and raised a mound of earth

T. 16. S. R. 2. E.

14 ft. high 3 1/2 ft. base around
Post

49.96 The 1/4 Sec. Con

Sand mostly level

Soil 2nd Rate

Scattering Trees.

Palo Verde brush rocks



Thence North between Secs. 3, & 4

Var 13° 08' E.

20.00 Set a Post 3 ft long 3 ins Sq. with
charred stake 17 ins in the
ground. for 1/4 Sec. Con. Marked
44 S. on W. face dug pits 18 X 18 X
12 X ins N. & S. of Post 5 1/2 ft. dist.
and raised a mound of earth
14 ft. high 3 1/2 ft. base around
Post. (Old Con. obliterated)

Thence East on a random

Sub divisions

line thro. center of Sec 3.

Var $13^{\circ} 08' 00''$

- 20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 40.00 Set temporary $\frac{1}{4}$ Sec Cor.
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 80.05 Intersect U.S. line 3 lks S. of
 $\frac{1}{4}$ Sec. Cor

Thence I run S. $89^{\circ} 59' 00''$ on
 a true line thro. Center of
 Sec. 3. with same Var.

- 20.01 Set a Post 3ft. long 3ins Sq. with
 charred stake 12ins in the
 ground. for $\frac{1}{16}$ Sec. Cor.
 Marked. $\frac{1}{16}$ S. on N. face. clay
 pits $18 \times 18 \times 12$ ins. E & W of Post.
 $5\frac{1}{2}$ ft. dist. and raised a
 mound of earth 19ft high
 39ft base around Post
 40.02 Set a Post 3ft long 3ins Sq with
 charred stake 12ins in the

P. H. S. R. 15 E.

ground. for $\frac{1}{4}$ Sec. Cor. Marked
 $\frac{1}{4}$ S. out. face. dug pits 18X18
 X12 ins E & W. of Post: 5 7/8 ft.
 dist. and raised a mound
 of earth 1 7/8 ft. high 3 1/4 ft. base
 around Post.

60.03 Set a Post 3 ft. high 3 ins sq. with
 charred stake 12 ins in the
 ground for $\frac{1}{16}$ Sec. Cor.
 Marked $\frac{1}{16}$ S. out. face. dug
 pits 18X18X12 ins. E & W of
 post. 5 7/8 ft. dist. and raised
 a mound of earth 1 7/8 ft.
 high 3 1/4 ft. base around
 Post.

80.05 The $\frac{1}{4}$ Sec. Cor.

Sand Mostly level

Soil 2nd rate

Scattering trees

Palo Verde Mesquite brush rocks

Sub divisions

Thence North between Secs 3 & 4,

Var $13^{\circ} 08' E$,

20.00 Set a Post 3 ft long zinc sq. with
sharpened stake 12 ins in the
ground, for $\frac{1}{16}$ Sec. Cor.

Marked $\frac{1}{16}$ S. on W. face dug
pit (9 X 18 X 12 ins N + S. of Post
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft high
3 1/2 ft base around Post.

Thence East on a random
line thro $N. \frac{1}{2}$ of Sec 3.

Var $13^{\circ} 08' E$,

20.00 Set temporary $\frac{1}{16}$ Sec Cor

40.00 Set temporary $\frac{1}{16}$ Sec Cor

60.00 Set temporary $\frac{1}{16}$ Sec Cor

78.90 Dry Wash 10 lks wide course N.

80.07 Intersect N + S. line 6 lks S. of
 $\frac{1}{16}$ Sec Cor.

Thence $\frac{1}{4}$ run S. $89^{\circ} 57' 14''$ on

T. 16. S. R. 12. E.

a true line thro $1/4$ of Sec 3,
with same Var.

20.01 Set a Post 3ft long 3ins sq with
charred stake 12 ins. in the
ground, for $1/4$ Sec Cor. Marked
 $1/4$ S. on N. face. dug pits 18x
18x12 ins. E & W of Post 5 1/2 ft
dist. and raised a mound
of earth 1 1/2 ft high 3 1/2 ft base
around Post.

40.03 Set a Post 3ft long 3ins sq with
charred stake 12 ins in the
ground, for $1/4$ Sec. Cor. Marked
 $1/4$ S. on N. face. dug pits 18x18
x12 ins. E & W of Post. 5 1/2 ft dist.
and raised a mound of
Earth 1 1/2 ft high 3 1/2 ft base
around Post.

60.01 Set a Post 3ft long 3ins sq
with charred stake 12 ins

Subdivisions

in the ground for 46 Sec
 Cor. Marked 46 S. on N. face
 dug pits 18X18X12 in E. of
 Post 57 ft. dist and raised
 a mound of earth 14 ft. high
 34 ft. base around Post.

8007 The 46 Sec Cor.

Land mostly level

Soil 2nd Rate

Scattering Trees

Palo Verde & Mesquite brush rocks

Thence North between Secs 33 & 34
 Var 13° 08' E.

2981
 29.81

Intersect 3rd Standard Parallel
 South 37' E. of Standard
 Cor to Secs 33. + 34. T. 15 S. R.
 12. E. where I set a Post 4 ft.
 long 4 in sq. with cherrad

T. 16. S. R. 12. E.

Stake 12 ins in the ground for
Closing Corn to Secs 3 & 4.

Marked C.C. T. 16 S. R 12 E. on S.
S. 3 on E, and

S. 4. on W. faces with 3 notches
on E. and 3 notches on W. faces
clay pits. 18 X 18 X 12 ins length
wise on each line 1/2 ft dist.
and raised a mound of
earth 3 1/2 ft high 4 1/2 ft base
around Post.

Same for 80 chs. between
Secs 3 & 4. mostly level
Soil 2nd Rate

Scattering trees
Palo Verde & Mesquite brush rocks

+
Thence from the cor. to Secs 28. 29.
32 & 33. on S. Side, of Recreation

Sub divisions

2 run North between Secs 28 & 29

Var. $13^{\circ} 08' E$.

20.00 Set a Post 3 ft. long 3 in sq. with
charred Stake 12 ins in the ground
for $\frac{1}{16}$ Sec. Con marked $\frac{1}{16}$ S. on W.
face. dug pits $18 \times 18 \times 12$ ins N & S.
of Post $5\frac{1}{4}$ ft. dia. and raised
a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around Post.

Thence East on a random
line thro. $\frac{1}{4}$ of Sec 28.

Var. $13^{\circ} 08' E$.

13.00 Dry Wash 110 lks wide course N.

20.00 Set temporary $\frac{1}{16}$ Sec Con

35.00 Dry Wash 40 lks wide course N.

40.00 Set temporary $\frac{1}{16}$ Sec Con

41.10 Dry Wash 35 lks wide course N.W.

60.00 Set temporary $\frac{1}{16}$ Sec. Con.

66.50 Dry Wash 30 lks wide course N.E.

80.07 Intersect N & S. line 4 lks N. of $\frac{1}{16}$

N. 16. S. R. 12. E.

See Cor

Thence I run $4.89^{\circ} 58'$ W. on a true line thro $\frac{1}{4}$ of Sec 28 with same Var.

20.01 Set a Post 3ft. long 3ins sq. with charred stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins. E & W. of Post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around Post. from which a Mesquite tree 10 ins. in diam. brs. S. 50° E. 57 lks. dist. Marked $\frac{1}{16}$ Sec. B. P.

40.03 Set a Post 3ft. long 3ins sq. with charred stake 12 ins in the ground. for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on N. face. dug pits $18 \times 18 \times 12$ ins. E & W. of Post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$

Subdivisions

ft. high $3\frac{1}{2}$ ft base around Post.
 60.04 Set a Post 3 ft. long 3 ins Sq. with
 churred stake 12 ins in the
 ground. for $\frac{1}{4}$ Sec Cor. marked
 $\frac{1}{4}$ Sec. on N. face. dug pits $18 \times 18 \times$
 12 ins. E & W of Post. $5\frac{1}{2}$ ft dist.
 and raised a mound of
 Earth 17 ft. high $3\frac{1}{2}$ ft base
 around Post.

80.07 The $\frac{1}{4}$ Sec Cor.

Sand somewhat broken

Soil 2nd rate

Scattering Trees

Palo Verde & Mesquite brush rocks

Thence North between Secs 28 & 29

Var. $13^{\circ} 08' E$

20.00 This Cor coming in a dry wash 1 ch. wide
 course N.E. At a point 50 lks S. I set

T. 16. S. R. 12. E.

a Post 3 ft. long 3 ins. Sq. with Charred Stake 12 ins. in the ground. for Northwest Cor. to $\frac{1}{4}$ Sec. Cor. Marked M.C. $\frac{1}{4}$ S. on W. face. dug pits 18x18x12 ins. N. & S. of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{4}$ ft. base around Post.

Thence East on a random line thro. center of Sec. 28.

Var 13° 08' E.

- 14.50 Dry Wash 70 lks. wide course N.
 20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 40.00 Set temporary $\frac{1}{4}$ Sec. Cor.
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 74.00 Dry Wash 30 lks. wide course N.E.
 80.04 Intersect N. & S. line of lks. S. of $\frac{1}{4}$ Sec. Cor.

Thence I run S. 89° 56' W. on a true line thro. center of Sec

Sub divisions

28. with same Var.

20. 01 Set a Post 3ft long 3ins sq with
Charred Stake 12ins in the
ground. for $\frac{1}{16}$ Sec Cor. Marked
 $\frac{1}{16}$ S. on N. face. dug pits 18X18X
12ins. E & W. of Post $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
14ft high $3\frac{1}{2}$ ft. base around
Post.

40. 02 Set a Post 3ft long 3ins sq. with
Charred Stake 12ins in the
ground. for $\frac{1}{4}$ Sec. Cor. Marked
 $\frac{1}{4}$ S. on N. face. dug pits 18X18X
12ins. E & W. of Post $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
14ft. high $3\frac{1}{2}$ ft. base around
Post.

60. 03 Set a Post 3ft. long 3ins sq. with
Charred Stake 12ins. in the
ground for $\frac{1}{16}$ Sec. Cor. Marked

N. 1/6 S. R. 12. E.

1/16 S. on N. face. dug pits 18x18x
12 ins. E & W of Post 5 1/2 ft. dist.
and raised a mound of
earth 19 1/2 ft. high 3 1/2 ft. base
around Post.

000 The 1/4 Sec Cor

Sand rolling

Soil 2nd Rate

Scattering trees

Palo Verde brush & c. c.

Thence North between Secs, 28, & 29.

Var, 13° 08' E.

20.00 Set a Post. 3 ft. long 3 ins Sq. with
charred Stake 12 ins in the
ground. for 1/16 Sec Cor. marked
1/16 S. on W. face dug pits 18x18
x12 ins. N & S. of Post 5 1/2 ft. dist.
and raised a mound of earth

Sub-divisions

14 1/2 ft high 3 1/2 ft base around Post.

Thence East on a random line thro $\frac{1}{2}$ of Sec. 28.

Var $13^{\circ} 08' 0$.

- 6.00 Dry Wash 1 ch. wide Course $\frac{1}{2}$.
 20.00 Set temporary $\frac{1}{16}$ Sec Cor.
 22.30 Dry Wash 60 lks wide Course $\frac{1}{2}$.
 40.00 Set temporary $\frac{1}{16}$ Sec Cor.
 60.00 Set temporary $\frac{1}{16}$ Sec Cor.
 80.05 Intersect $\frac{1}{2}$ S. line $\frac{1}{2}$ lks. $\frac{1}{2}$ of $\frac{1}{16}$ Sec Cor.

Thence True $\frac{1}{2}$ $89^{\circ} 57' 0$ on a true line thro $\frac{1}{2}$ of Sec 28. with same Var.

- 20.01 Set a Post. 3 ft long 3 ins. Sq. with charred Stake Pins in the ground for $\frac{1}{16}$ Sec Cor. Marked $\frac{1}{16}$ on $\frac{1}{2}$ face. dug pits 18 X 18 X 12 ins E & W. of Post 5 1/2 ft dist. and

P. 16. S. R. 17. E.

raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

40.02 Set a Post 3 ft. long 3 ins sq. with charred Stake 12 ins in the ground. for 1/16 Sec. Cor. Marked 1/16 S. on N. face. dug pits 18X18X12 ins. E & W. of Post 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft. high 3 1/2 ft. base around Post.

60.03 Set a Post 3 ft. long 3 ins sq. with charred Stake 12 ins in the ground for 1/16 Sec. Cor. Marked 1/16 S. on N. face. dug pits 18X18X12 ins. E & W. of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

80.05 The 1/16 Sec. Cor.

Subdivisions

Sand rolling
 Soil 2nd Rate
 Scattering trees
 Palo Verde & Mesquite brush so cho.

Thence North between Secs. 28 & 29.
 Var. $13^{\circ} 08' E$.

6. 10 Road to Sierita Mts. bro. N.E. 68. W.
20. 00 The Old Sec. Con. I set a Post 4 ft long
 4 ins Sq. with Charred Stake 12
 ins in the ground for cor. to Secs.
 20, 21, 28 & 29. Marked
 N. 10. S. S. 21 on N.E.
 R. 12. E. S. 28. on S.E.
 S. 29. on S.W. end
 S. 20. on N.W. face with 2
 notches on S. and 4 notches on
 E. edges. dug pits in each Sec.
 5 1/4 ft. dist. and raised a

P. No. S. R. 12. E.

mound of earth 2 ft high 4 1/2 ft.
base around Post. I placed
old stake in mound with new
one.

Sand sochs. between Secs. 38 & 39
rolling

Soil 2nd Rate

Scattering trees

Ralo Yerba & Mesquite brush sochs.

Thence East on a random line
between Secs. 31, & 28.

Var 13° 08' E.

- 6.30 Dry Wash 110 lks wide course N.
10.00 Set temporary 1/16 Sec. Cor.
22.50 Dry Wash 50 lks wide course N.
23.80 Road to Sierrita Mts. from N. E. of M.
40.00 Set temporary 1/4 Sec. Cor.
50.00 Set temporary 1/16 Sec. Cor.

Sub divisions

80.01 Intersect N & S. line 3 lks S. of cor.
to Secs. 21, 22, 27, & 28.

Thence I run S. $89^{\circ}59'$ W. on
a true line between Secs. 21,
& 28, with same Var.

20.00 Set a Post 2 ft. long 3 in Sq. with
charred Stake 12 in in the
ground for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times$
 12 in. E & W of post. $5 \frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base around
Post.

40.00 Set a Post. 2 ft. long 3 in Sq. with
charred Stake 12 in. in the
ground for $\frac{1}{4}$ Sec Cor. Marked
 $\frac{1}{4}$ S. on N. face dug pits $18 \times 18 \times$
 17 in. E & W. of Post. $5 \frac{1}{2}$ ft. dist.
and raised a mound of
Earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base

P. 16. S. R. 12. E.

around Post (The old cor. obliterated)
 60.00 Set a Post 3 ft long 3 ins. sq. with
 charrod stake 12 ins in the ground
 for 1/6 Sec Cor. marked "16 S. on
 the face. dug pits 18 x 18 x 12 ins.
 E & W. of Post. 5 1/2 ft. dist. and
 raised a mound of earth 1 1/2
 ft high 3 1/2 ft base around
 Post.

80.01 The Cor. to Secs. 20, 21, 28, & 29.
 Sand rolling
 Soil 2nd rate
 Scattering trees
 Mesquite & Palo Verde brush rocks

Thence North between Secs 20 & 21.

Var. 13° 08' E.

20.00 Set a stone 10 x 12 x 14 10 ins in
 the ground for 1/6 Sec Cor.

Subdivisions

Marked $\frac{1}{16}$ S. on N. face. and raised a mound of stone alongside. Rits impracticable

Thence East on a random line thro. S $\frac{1}{2}$ of Sec. 21

Var. $13^{\circ} 08' E$

- 17.10 Dry Wash 1 ch. wide course N
 20.00 Set temporary $\frac{1}{16}$ Sec cor
 40.00 Set temporary $\frac{1}{16}$ Sec, Cor
 49.00 Road to Serrita Mts br. N E + S W
 60.00 Set temporary $\frac{1}{16}$ Sec, Cor
 79.99 Intersect N + S. line 6 lks N of $\frac{1}{16}$ Sec, Cor.

Thence South. N. $89^{\circ} 57' W$. on a true line thro S $\frac{1}{2}$ of Sec 21 with same Var.

- 19.99 Set a Post 3 ft. long 3 ins Sq with charred Stake 2 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on

T. 16. S. R. 12. E.

9.99 2. face dug pits 18x18x12 ins
E & W. of Post 5 1/2 ft. dist. and
raised a mound of earth 1 1/2
ft. high 3 1/2 ft base around Post.
Set a Post 3 ft. long 3 ins. sq. with
charred stake 12 ins in the
ground for 1/6 Sec. Cor. Marked
1/6 S. on N. face. dug pits 18x18
x12 ins. E & W. of Post 5 1/2 ft. dist.
and raised a mound of earth
1 1/2 ft. high 3 1/2 ft base around
Post. from which a mesquite
tree 6 ins. in diam. brs. N. 29°
15' E. 31 lks. dist. Marked 1/6 S
B. P.

7.99 Set a Post 3 ft. long 3 ins. sq. with
charred stake 12 ins. in the
ground. for 1/6 Sec Cor. Marked
1/6 S. on N. face. dug pits 18x18x
12 ins. E & W. of Post 5 1/2 ft. dist.

Subdivisions,

and raised a mound of earth
1 1/2 ft. high 3 1/2 ft. base around
Post.

79. 99 The 46 Sec. Cor

Sand Rolling

Soil 2nd Rate

Scattering trees

Ralo Verde & Mesquite brush rocks



Hence north between Secs. 20, & 21,

Var. 13° 08' E.

20.00 Set a Post 3 ft long 3 in. dia. with
cherry stake 12 in. in the
ground for 46 Sec. Cor. Marked
46 on W. face dug pits 18 X 18 X 12
ins. N & S. of Post. 5 1/2 ft. dist
and raised a mound of earth
1 1/2 ft. high 3 1/2 ft. base around
Post, from which a mesquite

X 16 S. R. 17 E.

True line in diam. bro. S. 30° E.
53 lks. dist. marked $\frac{1}{4}$ S. R. T.
(old Cor. Obliterated)

Thence East on a random
line thro. center of Sec 21.

Var. $13^{\circ} 08'$ E.

7.00 Dry Wash 120 lks. wide Course N

00.00 Set temporary $\frac{1}{16}$ Sec. Cor.

00.00 Set temporary $\frac{1}{4}$ Sec. Cor.

00.00 Set temporary $\frac{1}{16}$ Sec. Cor.

4.00 Road to Serrita Mts. bro. N.E. 103 m

5.05 Intersect N.E. line 9 lks S. of $\frac{1}{4}$
Sec. Cor.

Thence I run S. $89^{\circ} 56'$ W. on a
true line thro. center of Sec.
21. with same var.

0.01 Set a Post 3 ft long 3 ins sq with
charred stake 12 ins in the
ground for $\frac{1}{16}$ Sec. Cor. marked
 $\frac{1}{16}$ S. on N. face dug pits 18x18x

185

BOOK 1993

Sub divisions

12 ins E & W. of Post 5 1/2 ft. dist
and raised a mound of
Earth 1 1/2 ft. high 3 1/2 ft base
around Post

40.02 Set a Post 3 ft long 3 ins Sq. with
charred Stake 12 ins in the
ground. for 1/4 Sec Cor. marked

1/4 S. on N. face, dug pits 18X18X
12 ins E & W. of Post. 5 1/2 ft. dist
and raised a mound of Earth
1 1/2 ft high 3 1/2 ft. base around
Post.

40.03 Set a Post 3 ft long 3 ins Sq. with
charred Stake 12 ins in the
ground for 1/4 Sec Cor. marked

1/4 S. on N. face dug pits 18X18X
12 ins E & W. of Post. 5 1/2 ft dist.
and raised a mound of earth
1 1/2 ft high 3 1/2 ft base around
Post.

N. 16. S. R. 12. E.

0.00 The $\frac{1}{4}$ Sec Cor.

Sand Rolling
Soil 2nd Rate
Scattering Trees
Palo Verde & Mesquite Brush rocks.

Thence North between Secs. 20. & 21.

Var. $13^{\circ} 08' E.$

0.00 Set a Post: 3ft. long 3ins sq. with
Charred Stake 2ins in the ground
for $\frac{1}{16}$ Sec Cor. Marked $\frac{1}{16}$ S. on W.
face. dug pits 18x18x12 ins N & S. of
Post $5\frac{1}{2}$ ft. dist. and raised a
mound of earth 14ft. high $3\frac{1}{2}$
ft. base around Post

Thence East on a random line
thro. $\frac{1}{4}$ of Sec. 21

Var. $13^{\circ} 08' E.$

0.00 Set temporary $\frac{1}{16}$ Sec. Cor.

Subdivisions T. 16. S. R. 12. E.

- 24.50 Dry Wash. 125 lks. wide Course N.
 40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 80.09 Intersect N & S. line 4 lks. N. of
 $\frac{1}{16}$ Sec. Cor.

Thence I run N. $89^{\circ}58'$ W. on
 a true line thro. N $\frac{1}{2}$ of Sec.
 21. with same Var.

- 20.02 Set a Post 3 ft. long 3 ins Sq. with
 charred Stake 12 ins in the
 ground for $\frac{1}{16}$ Sec. Cor. marked
 $\frac{1}{16}$ S. on N. face. dug pits 18 X 18,
 X 12 ins E & W. of Post 5 $\frac{1}{2}$ ft. dist.
 and raised a mound of Earth
 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around
 Post.

- 40.04 Set a Post 3 ft. long 3 ins Sq. with
 charred Stake 12 ins in the
 ground for $\frac{1}{16}$ Sec. Cor.
 Marked $\frac{1}{16}$ S. on N. face.

Continued, Books 1994, 1995
Concluded, Book 1996.....