

No 4

1994

BOOK 1994

1994

4-671

1994

1994

FIELD NOTES

GENERAL LAND OFFICE.

SUBDIVISIONS

PAPAGO INDIAN RESERVATION,
T. 16S. R. 12E.

1994

I indexed! Book 1991.

187

Index for

INDEX.

BOOK 19
BOOK 19
BOOK 199
BOOK 199
BOOK 1995
BOOK 1996

Township 16 South, Range 12 East.

GILA AND SALT RIVER MERIDIAN.

318	316	223. 221	167. 166a	112. 110	58. 58
318	316 312	220 215	169. 168 ⁵	109. 107.	55 53
309	311 307	208 216	162. 160	107. 105	53 51.
304	308 302	215 213	159. 157.	104 102.	50 48.
298	301 296	212 210	158 154	101 99	48 45
294	298 291	209 207	153 151 ¹⁰	99 98	44 42
289	291 287	206 204	157 149	96 94	41 39
284	286 282	204 201	148 146	93. 91	38. 36
278	281 276	200 198	145. 143.	90 87	35 33.
273	276 271	197 195	142. 140 ¹⁰	87. 86.	32 30
268	271 266	195 192	139. 137	84. 82	29 27
264	268 261	192 190	137. 135	82. 79	27 24
258	260 256	188. 186	138 131	78 76	23 21
253	255 251 ¹⁰	186 184 ¹⁰	130 128 ¹⁰	75 75 ¹⁰	20 18 ¹⁰
248	253 245	183. 181	128. 125	73 70	18. 15
244	246 241	180 178	124 122	70 68.	15 15
238	240 235	177 174	122. 118	67 65.	11 9
233	235 230 ¹⁰	174 172 ¹⁰	118 116 ¹⁰	64. 62 ¹⁰	8 6 ¹⁰
228	230 225	171 169	115 113	62. 60	6 4
	225	168	113	57.	3.

60 00
80.09

Subdivisions T. 16. S. R. 12. E. 188

BOOK 1994

In Papago Indian Reservation

dug pits 18X18X12 ins. E. & W. of
Post. 5 1/2 ft. dist and raised
a mound of earth 1 1/2 ft. high
3 1/2 ft. base around Post

60.06 Set a Post 3 ft. long 3 in. sq. with
churned stake 1/2 in in the
ground for 1/16 Sec. Cor. marked
1/16 S. on N. face. dug pits 18X18X
12 ins. E. & W. of Post 5 1/2 ft. dist.
and raised a mound of earth
1 1/2 ft. high 3 1/2 ft. base around
Post.

80.09 The 1/16 Sec Cor
Sand Rolling
Soil 2nd Rate
Scattering trees
Palo Verde & Mesquite brush rocks

Thence North between Secs 20 & 21

Sub divisions

Var. 13° 08' E,

20.00 The Old Sec. Cor. I set a Post 4ft
 long 4 ins sq. with charred
 stake 12 ins in the ground for
 cor to Secs. 16, 17, 20, & 21, Marked
 N. 16, S. S. 16. on N.E.
 R 12 E. S. 21. on S.E.
 S. 20 on S.W. and
 S. 17. on N.W. faces with 3
 notches on S. and 4 notches
 on E. edges dug pits 18X18X
 12 ins in each Sec. 3 1/2 ft dist.
 and raised a mound of earth
 2 ft. high 4 1/2 ft. base around
 Post. The Old bearing tree
 has been cut down. The stump
 still remains,
 Land for rocks between Secs,
 20. & 21, Rolling
 Soil 2nd Rate

A. H. S. R. 12. E.

Scattering Trees
 Palo Verde & Mesquite brush & cbs

Thence East on a random line
 between Secs. 16 & 21.

Var $13^{\circ} 08' E$.

- 5.20 Dry Wash 1.10 lks. wide Course W
 20.00 Set temporary $\frac{1}{16}$ Sec. Con.
 30.00 Dry Wash 1.25 lks. wide Course W.
 40.00 Set temporary $\frac{1}{4}$ Sec. Con.
 60.00 Set temporary $\frac{1}{16}$ Sec. Con.
 61.20 Dry Wash 40 lks wide Course N.W.
 80.00 Intersect N. & S. line 7 lks. S. of
 cor. to Secs. 15, 16, 21 & 22.

Thence I run S. $89^{\circ} 57' 41''$ on
 a true line between Secs 16 &
 21. with same Var,

- 20.01 Set a Post 2 ft. long 2 in. Sq. with
 chanced stake 12 in. in the

Subdivisions

ground for $\frac{1}{16}$ Sec cor
 Marked $\frac{1}{16}$ S. on N. face, dug
 pits 18X18X12 ins E & W of Post
 5 $\frac{1}{2}$ ft. dist and raised a mound
 of earth 14 ft. high 3 $\frac{1}{2}$ ft. base
 around Post

40.03 Set a Post 3 ft. long 3 ins Sq. with
 charred stake 12 ins in the
 ground for $\frac{1}{4}$ Sec. Cor. Marked
 $\frac{1}{4}$ S. on N. face. dug pits 18X18
 X12 ins E & W of Post. 5 $\frac{1}{2}$ ft. dist
 and raised a mound of Earth
 14 ft. high 3 $\frac{1}{2}$ ft. base around Post
 The Old Corner not found.

60.05 Set a Post 3 ft long 3 ins Sq. with
 charred stake 12 ins in the ground
 for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N
 face. dug pits 18X18X12 ins E & W
 of Post 5 $\frac{1}{2}$ ft. dist. and raised
 a mound of earth 14 ft high

T. 16. S. R. 12. E

3 1/2 ft. base around Post.

80.07 The cor to Secs 16, 17, 20, & 21.

Sand somewhat rolling
Soil 2nd Rate

Scattering Trees

Palo Verde & Mosquito brush 80 chs.

Thence North between Secs. 16, & 17.

Tan 13° 08' E.

11.14 Dry Wash 90ths wide course N. E.

20.00 Set a Post 2 ft. long 2 ins sq. with
chained stake 12 ins in the
ground, for '16 Sec. Cor. Marked
'16 S. on W. face dug pits 18x18x12
ins 2 x 8 S. of Post 3 1/2 ft. dist. and
raised a mound of earth 1 1/2
ft. high 3 1/2 ft. base around Post.Thence East on a random line
thru. S 1/2 of Sec 16

Subdivisions

Var $13^{\circ} 08' E$.

- 20.00 Set temporary $\frac{1}{16}$ Sec. Con.
 33.00 Dry Wash 140 lks. wide Course N.
 40.00 Set temporary $\frac{1}{16}$ Sec. Con.
 60.00 Set temporary $\frac{1}{16}$ Sec. Con.
 80.06 Intersect N & S. line 9 lks. S $\frac{1}{2}$ of $\frac{1}{16}$
 Sec. Con.

Thence I run S. $89^{\circ} 56'$ W. on
 a true line thro. S $\frac{1}{2}$ of Sec. 16
 with same Var.

- 20.01 Set a Post 3 ft. long 3 in. Sq. with
 charred Stake 12 in. in the
 ground. for $\frac{1}{16}$ Sec. Con. mark-
 ed $\frac{1}{16}$ S. on N face dug pits 18 x 18
 x 12 in. E & W. of Post 5 $\frac{1}{2}$ ft. dist.
 and raised a mound of earth
 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around
 Post. from which a mesquite 8
 in. in diam. brs north 47 lks.
 dist. marked $\frac{1}{16}$ S. B.T.

T. 16. S. R. 12. E.

10.03 Set a Post 3 ft. long 3 ins Sq. with charred stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on N. face. dug pits 18X18X12 ins. E. & N. of Post 5 ft. dist. and raised a mound of earth 19 ft. high $3\frac{1}{2}$ ft. base around Post. from which a merquite 4 ins in diam. brs. N. $89^{\circ} 30'$ E. 9 lks dist. marked $\frac{1}{16}$ S. P. 9.

00.04 Set a Post 3 ft. long 3 ins Sq. with charred stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on N. face. dug pits 18X18X12 ins E & N. of Post 5 ft. dist. and raised a mound of earth 19 ft. high $3\frac{1}{2}$ ft. base around Post.

80.06 The $\frac{1}{16}$ Sec. cor.
 Sand somewhat rolling

Subdivisions

Soil 2nd Rate

Scattering Trees

Palo Verde & Mesquite brush so. chs.

~~~~~  
 Jan'y 29<sup>th</sup> 1888,  
 ~~~~~

Thence North between Secs. 16. & 14.

Var. $13^{\circ} 08' E$,

- 20.00 Set a Post 3 ft. long 3 ins. Sq. with charred Stake 12 ins in the ground for $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$ S. on W. face. dug pits $18 \times 18 \times 12$ ins N & S. of Post. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around Post. Old Cor. obliterated.

Thence East on random line thro. center of Sec. 16.

Var. $13^{\circ} 08' E$

- 20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 34.10 Dry Wash 100 fks. wide course N.

16 S. R. 12 E.

- 40.00 Set temporary $\frac{1}{4}$ Sec Cor.
 47.00 Dry Wash 40 lks wide course N.E.
 20.00 Set temporary $\frac{1}{16}$ Sec Cor.
 80.04 Intersect N+S. line 6 lks N. of $\frac{1}{4}$ Sec
 Cor.

Thence I run N. $89^{\circ}58'$ W. on a
 true line thro center of Sec 16 with
 same Var.

- 10.01 Set a Post 3ft. long 3ins Sq. with
 charred stake 12 ins in the ground
 for $\frac{1}{16}$ Sec Cor. marked $\frac{1}{16}$ S. on N.
 face dug pits 18X18X12 ins ESW of
 Post $5\frac{1}{2}$ ft dist. and raised a
 mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around Post.
- 10.02 Set a Post 3ft. long 3ins Sq. with
 charred stake 12 ins in the
 ground for $\frac{1}{4}$ Sec Cor. marked
 $\frac{1}{4}$ S. on N. face dug pits 18X18X
 12 ins. ESW of Post $5\frac{1}{2}$ ft dist

197

Sub divisions

and raised a mound of earth
14 ft. high 3 1/2 ft. base around
Post.

60.03 Sepa Post 3 ft long 3 ins sq. with
Charred Stake 12 ins in the
ground for 1/16 Sec. Con. Mark-
ed 1/16 S. on N. face. dug pits 18 X 18
X 12 ins E & W. of Post 5 1/2 ft. dist.
and raised a mound of
Earth 14 ft. high 3 1/2 ft base
around Post

80.04 The 1/4 Sec. Con
Sand somewhat rolling
Soil 2nd Rate
Scattering trees
Palo Verde & Mesquite brush & ches

Thence North between Secs 16 & 17.

Var 13° 08' E.

P. 16. S. R. 12 E

20.00 Set a Post 3ft long 2ins sq. with
 Chained Stake 12ins in the
 ground for $\frac{1}{16}$ Sec. Cor.
 Marked $\frac{1}{16}$ S. on W. face. dug pit
 18x18x12ins N. & S. of Post 5 $\frac{1}{2}$ ft.
 dist. and raised a mound of
 earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{4}$ ft. base
 around Post.

Thence East on a random
 line thro. N. $\frac{1}{2}$ of Sec. 16.

Var $13^{\circ} 08' E$.

20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 35.00 Dry Wash 35 lks wide Course N.
 40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 52.40 Dry Wash 50 lks wide Course N.
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 80.09 Intersect N. & S. line 4 lks S. of
 $\frac{1}{16}$ Sec. Cor.

Thence True S. $89^{\circ} 58' W$. on
 a true line thro. N. $\frac{1}{2}$ of Sec.

Subdivisions

16. with same var.
- 20.02 Set a Post 3ft long 3ins Sq. with Charred Stake 12ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face. dug pits 18x18x12ins E & W of Post. 5 1/2 ft. dia. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.
- 40.04 Set a Post 3ft long 3ins Sq. with Charred Stake 12ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face dug pits 18x18x12ins E & W of Post. 5 1/2 ft. dia. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.
- 60.06 Set a Post 3ft long 3ins Sq. with Charred Stake 12ins in the ground for $\frac{1}{16}$ Sec. Cor.

T. 16. S. R. 12. E.

marked 1/16 S. on N. face dug
pits 18x18x12 ins. E. of
Post. 5 1/2 ft. dist and raised
a mound of earth 1 1/2 ft.
high 3 1/2 ft. base around
Post.

80.09 The 1/16 Sec Cor,
Land somewhat rolling
Soil 2nd Rate
Scattering Trees
Palo Verde & Mesquite brush soles

Thence North between Secs. 16 &
17.

Var. 13° 08' E.

14.30 Dry wash 40 lks with course N.E.
20.00 Set a Post 4 ft long 4 ins sq. with
charred stake 12 ins. in the
ground for cor to Secs. 8, 9.

Sub divisions

16.81%. Marked

T. 16 S. S. 9. on N E

R 12 E. S. 16. on S. E.

S. 17 on S. W. and

S. 8. on N. W. faces with 4
notches on S. and 4 notches
on E. Edges dug pits 18x18x
12 ins in each Sec. 5 1/2 ft dist
and raised a mound of
Earth 2 ft. high 4 1/2 ft. base
around Post. The old cor.
obliterated

Sand for 80 chs. below surface.

16.81%. somewhat rolling
Soil 2nd Rate

Scattering Trees

Palo Verde & Mesquite Bush 80 chs.



Hence East on a random line

A. 16. S. R. 12. E

between Secs. 9 & 16

Var $13^{\circ} 08' E$,

- 12.20 Dry Wash 40 lks wide course N.E.
 20.00 Set temporary $\frac{1}{16}$ Sec Cor
 36.10 Dry Wash 35 lks wide course N.
 40.00 Set temporary $\frac{1}{4}$ Sec. Cor,
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor,
 80.12 Intersect N. & S. line 6 lks S. of
 Cor. to Secs 9, 10, 15, & 16.

Hence I run S. $89^{\circ} 58' W$. on
 a true line between Secs. 9 & 16
 with same Var.

- 20.03 Set a Post 3 ft. long 3 ins sq. with
 cleared stake 12 ins in the
 ground for $\frac{1}{16}$ Sec. Cor. marked
 $\frac{1}{16}$ S. on N. face dug pits 18 X 18 X 12
 ins E & W of Post 5 1/2 ft. dist,
 and raised a mound of earth
 14 ft. high 34 ft. base around
 Post.

Subdivisions

40.06 Set a Post 3ft long 3ins. Sq. with charred stake 12ins in the ground for $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$ S. on N. face. dug pits 18x18x12ins. E & W of Post 5 $\frac{1}{2}$ ft. dist and raised a mound of Earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{4}$ ft. base around Post. The old cor. Obliterated.

60.09 Set a Post 3ft long 3ins. Sq. with charred stake 12ins in the ground for $\frac{1}{6}$ Sec. Cor. Marked $\frac{1}{6}$ S. on N. face. dug pits 18x18x12ins E & W of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{4}$ ft. base around Post.

80.12 The Cor to Secs. 8, 9, 16, & 17.
Land somewhat rolling
Soil 2nd Rate
Scattering Grass

A. 16. S. R. 12. E.

Palo Verde & Mesquite Brush 80 chs



Thence North between Secs. 8. & 9.

Var. $13^{\circ} 08' E.$

20.00 Set a Post 3 ft. long 3 ins sq with
chained Stake 12 ins in the
ground for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on N. face. dug pits $18 \times 18 \times$
12 ins N. & S. of Post $5 \frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base around
Post.

Thence East on a random
line thro. S. $\frac{1}{2}$ of Sec. 9.

Var. $13^{\circ} 08' E.$

20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
34.40 Dry Wash 50 lks with course N.
40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
60.00 Set temporary $\frac{1}{16}$ Sec. Cor.

Subdivisions

- 80.01 Intersect N & S. line of lks S. of
 1/16 Sec. Cor.
 Thence I ran S. $89^{\circ} 57'$ W. on
 a true line thro S $1/2$ of Sec. 9,
 with same Var.
- 20.00 Set a Post 3 ft. long 3 ins Sq. with
 charred Stake 12 ins in the
 ground for 1/16 Sec Cor. Marked
 1/16 S. on N. face dug pits $18 \times 18 \times$
 12 ins. E & W of Post: $5 1/2$ ft dist
 and raised a mound of earth
 $1 1/2$ ft high $3 1/2$ ft base around
 Post.
- 40.00 Set a Post 3 ft long 3 ins Sq. with
 charred Stake 12 ins in the
 ground for 1/16 Sec Cor. Marked
 1/16 S. on N. face. dug pits $18 \times 18 \times$
 12 ins E & W of Post: $5 1/2$ ft dist.
 and raised a mound of
 earth $1 1/2$ ft high $3 1/2$ ft base

A. 16. S. R. 12. E.

around Post.

60.00 Set a Post 3ft. long 3ins. sq. with
chained Stake 12ins in the
ground for $\frac{1}{16}$ Sec. Cor. marked
46 S. on N. face dug pits 18x18x
12ins E & W of Post 5 1/2 ft. dist.
and raised a mound of earth
1 1/2 ft high 3 1/2 ft base
around Post.

80.01 The 46 Sec Cor.

Land somewhat rolling
Soil 2nd Rate
Scattering Grass
Palo Verde & Mesquite Brush so cl

Thence North between Secs. 8. & 9;
Var. $13^{\circ} 08' E.$

20.00 Set a Post 3ft. long 3ins. sq. with
chained Stake 12ins in the

Subdivisions

ground for 74 Sec Cor. Marked
 44 S. on W. face dug pits 18x
 18x12 ins N. & S. of Post. 57 1/2 ft.
 dist. and raised a mound
 of earth 1 1/2 ft. high 3 1/2 ft
 base around Post. The Old
 Cor. Obliterated.

Hence East on a random
 line thro. center of Sec 9

Var. $13^{\circ} 08' E$

- 20.00 Set temporary 76 Sec. Cor.
 36.00 Dry Wash 45 lks. wide course N.
 40.00 Set temporary 74 Sec. Cor.
 54.95 Dry Wash 10 lks wide course N. E.
 60.00 Set temporary 76 Sec. Cor.
 80.07 Intersect N. & S. line 4 lks N.
 of 74 Sec. Cor.

Hence Draw N. $89^{\circ} 58' W$.
 on a true line thro. center of
 Sec. 9. with same Var.

T. 16. S. R. 12. E

- 20.01 This Cor. coming in a dry wash, at a point 20 kts. East. Set a Post 3ft. long 3ins Sq. with charred Stake 12 ins. in the ground for Witness Corner to $\frac{1}{16}$ Sec. Cor. Marked W.C. $\frac{1}{16}$ S. on N. face, dug pits 18x18x12 ins E & W. of Post. 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around Post.
- 40.02 Set a Post 3ft. long 3ins Sq. with charred Stake 12 ins in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N. face dug pits 18x18x12 ins. E & W of Post. 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft base around Post.
- 60.03 Set a Post 3ft. long 3ins Sq. with charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S on N. face dug pits 18x18x12 ins

209

Sub divisions

E & W. of Post 5 1/2 ft dist and
raised a mound of earth
1 1/2 ft. high 3 1/2 ft. base around
Post.

80.00 The 1/4 Sec. Cor.

Sand mostly local

Soil 2nd Rate

Scattering Trees

Palo Verde & Mesquite brush rocks.

By observation taken this day I found the
Magnetic var to be 13° 08' E

Hence North between Secs 8 & 9.

Var. 13° 08' E.

20.00 Set a Post 1 ft. long 3 ins. sq. with
chained stake 12 ins. in the
ground. for 1/4 Sec. Cor. Marked
1/4 S. on W. face dug pits 18 X 18 X 12
ins N & S. of Post 5 1/2 ft. dist
and raised a mound of
Earth 1 1/2 ft. high 3 1/2 ft. base

T. 16. S. R. 12. E

around Post.

Thence East on a random
line thro. $\frac{1}{2}$ of Sec. 9.Var. $13^{\circ} 08' E$.20.00 Set temporary $\frac{1}{16}$ Sec. Cor.

38.10 Dry Wash 50 yds wide course N.E.

40.00 Set temporary $\frac{1}{16}$ Sec. Cor.60.00 Set temporary $\frac{1}{16}$ Sec. Cor.79.99 Intersect N. & S. line 3 lks S. of $\frac{1}{16}$
Sec. Cor.Thence I run S. $89^{\circ} 59' N$. on a
true line thro. $\frac{1}{2}$ of Sec. 9. with
same Var.19.99 Set a Post 3 ft. long 3 ins Sq. with
churned stake 12 ins in the
ground for 16th Sec. Cor. Marked
 $\frac{1}{16}$ S. on N. face dug pits 18 X 18 X
12 ins E & W of Post $5\frac{1}{2}$ ft dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around

Subdivisions

Post

- 39.99 Set a Post 3 ft. long 3 ins sq. with charred stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face dug pits 18X18X12 ins E. & W. of Post. 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around Post.
- 59.99 Set a Post 3 ft. long 3 ins sq. with charred stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face dug pits 18X18X12 ins E & W of Post. 5 $\frac{1}{2}$ ft. dist. and raised a mound of Earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around Post.
- 79.99 The $\frac{1}{16}$ Sec. Cor.
Land mostly level
Soil 2nd Rate

T. 16. S. R. 12. E

Scattering Trees
 Palo Verde & Mesquite brush so etc.

Thence North between Secs. 8. & 9.
 Var $13^{\circ} 08' E$.

20.00 Set a Post 4 ft. long 4 ins sq. with
 charred stake 12 ins. in the
 ground, for Cor. to Secs. 4, 5, 8, &
 9. Marked
 T. 16. S. S. 4. on N. E.
 R. 12. E. S. 9. on S. E.
 S. 8. on S. W. and
 S. 5 on N. W. faces with 3 notches
 on S. and 4 notches on E. Edges
 dug pits $18 \times 18 \times 12$ ins in each
 Sec. $5 \frac{1}{2}$ ft. dist. and raised a
 mound of earth 2 ft. high $4 \frac{1}{2}$
 ft. base around Post, from
 which a Palo Verde tree 4 ins.

Subdivisions

in decim. brs. N. 10° E. 18 lks.
 dist marked P. 16. S. R. 12. E.
 S. 4 R. 7. The old Cor obliterated
 Land for rocks between Secs
 8. & 9. nearly level.

Soil 2nd Rate

Scattering Trees

Palo Verde & Mesquite brush 80 lks.

Thence East on a random
 line between Secs 4. & 9.

Var 13° $08'$ E.

- 20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 39.90 Dry Wash 150 lks wide course W.
 40.00 Set temporary $\frac{1}{4}$ Sec Cor.
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 80.53 Intersect N. & S. line 6 lks N. of
 Cor. to Secs. 3. 4. 9 & 10

Thence from N. $89^{\circ} 57'$ W. on

N. 16. S. R. 12. E.

a true line between Secs 4 & 9.
with same Cor.

20.00 Set a Post 3 ft. long 3 ins sq. with
charred stake 12 ins in the
ground for $\frac{1}{4}$ Sec. Cor. Marked
 $\frac{1}{4}$ S. on N. face dug pits 18 X 18 X
12 ins. E & W of Post 5 $\frac{1}{2}$ ft. dist.
and raised a mound of
Earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base
around Post.

40.01 This Cor. Coming in a Dry Wash, at
a point 5 lks W. I set a Post 3
ft long 3 ins sq. with charred
stake 12 ins in the ground for
Witness Cor. to $\frac{1}{4}$ Sec. Cor.
Marked W. C. $\frac{1}{4}$ S. on N. fac. dug
pits 18 X 18 X 12 ins E & W. of Post
5 $\frac{1}{2}$ ft. dist and raised a mound
of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base
around Post. The Old Cor. obliterated.

Subdivisions

60.01 Set a Post 3 ft. long 3 ins Sq. with charred stake 12 ins in the ground for '16 Sec. Cor. Marked '16 S. on N. face. dug pits 18X18X12 ins E. & W. of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

80.03 The Cor. to Secs. 4, 5, 8 & 9.
 Sand mostly level
 Soil 2nd Rate
 Scattering Trees
 Palo Verde & Mesquite brush so cho.

Thence North between Secs 4 & 5
 Var. $13^{\circ} 08' E$

20.00 Set a Post 3 ft. long 3 ins Sq. with charred stake 12 ins in the ground. for '16. Sec. Cor. Marked

T. 16. S. R. 12. E.

BOOK 1994

216.

$\frac{1}{16}$ S. on N. face dug pits 18 X 18 X 12
ins. N & S. of Post 5 $\frac{1}{2}$ ft. dist.
and raised a mound of earth
1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around
Post

Thence East on a random line
thro. S $\frac{1}{4}$ of Sec 4

Var $13^{\circ} 08' E$,

20.00 Set temporary $\frac{1}{16}$ Sec. Cor.

40.00 Set temporary $\frac{1}{16}$ Sec. Cor.

42.15 Dry Wash 60 ft. wide course N.

60.00 Set temporary $\frac{1}{16}$ Sec. Cor.

80.05 Intersect N & S. line 4 lks S. of $\frac{1}{16}$
Sec. Cor.

Thence True S. $89^{\circ} 58' W$. on a
true line thro. S. $\frac{1}{4}$ of Sec 4
with same Var.

20.01 Set a Post 3 ft. long 3 ins sq. with
channeled stake 12 ins in the
ground for $\frac{1}{16}$ Sec. Cor. marked

Subdivisions

$\frac{1}{16}$ Sec. on N. face dug pits $18 \times 18 \times 12$ ins E. & W. of Post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base around Post.

40.02 Set a Post 3 ft. long 3 ins sq. with charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins E. & W. of Post. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base around Post.

60.03 Set a Post 3 ft. long 3 ins sq. with charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. marked $\frac{1}{16}$ S. on N. face dug pits $18 \times 18 \times 12$ ins E. & W. of Post. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base around Post.

80.05 The $\frac{1}{16}$ Sec. Cor.

P. 16 S. R. 12. E.

Level mostly level
Soil 2nd Rate
Scattering Trees
Palo Verde & Mesquite brush so ch.

Thence North between Secs. 4 & 5.
Var $13^{\circ} 08' E$

20.00 Set a Post 3 ft. long 3 in. sq. with
churned stake 12 in. in the
ground for $\frac{1}{4}$ Sec Cor.
Marked $\frac{1}{4}$ S. on W. face dug pit
18 x 18 x 12 in. N + S. of Post. $5\frac{1}{2}$ ft.
dist. and raised a mound
of Earth 14 in. high 34 in. base
around Post. The old cor.
obliterated

Thence East on a random
line thro. center of Sec 4
Var $13^{\circ} 08' E$

Subdivisions

- 20.00 Set temporary $\frac{1}{16}$ Sec Cor
 40.00 Set temporary $\frac{1}{4}$ Sec Cor
 41.85 Dry Wash 50 lbs wide course N.
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 80.00 Intersect N & S. line 3 lbs N. of $\frac{1}{16}$ Sec. Cor.

Thence from N. $89^{\circ}59'$ W. on a true line thro. center of Sec. 4. with same bearing.

- 30.00 Set a Post 3 ft long 3 ins Sq. with charred stake 12 ins in the ground for $\frac{1}{16}$ Sec, Cor. Marked $\frac{1}{16}$ S. on N. face. dug pits 18x18x12 ins. E & W of Post $5\frac{1}{2}$ ft. dist. and raised a mound of earth 4 ft. high $3\frac{1}{2}$ ft. base around Post.
 40.00 Set a Post 3 ft. long 2 ins Sq. with charred stake 12 ins in the ground for $\frac{1}{4}$ Sec Cor. Marked $\frac{1}{4}$ S. on N. face. dug pits 18x18x12 ins

N. 16. S. R 13. E.

E & W. of Post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around Post.

60.00 Set a Post 3 ft. long 3 ins. sq. with charred Stake 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$ Sec. on N. face dug pits $18 \times 18 \times 12$ ins. E & W. of Post. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around Post.

80.00 The $\frac{1}{4}$ Sec. Cor.
Sand mostly level
Soil 2nd Rate

Scattering Trees
Palo Verde brush soaks
Jan 30th 1888.

Thence North between Secs. 4 & 5.

Subdivisions

Var 13° 08' E.

- 20.00 Set a Post 3ft long 3ins sq with
Charred Stake 3ins. in the
ground for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on W. face dry pits 18x18
x12 ins N + S. of Post 5 1/2 ft. dist.
and raised a mound of Earth
1 1/2 ft. high 3 1/2 ft. base around
Post. from which a Polo Hole
true 6 ins in diam. bns. S. 87°
W. 13 lks dist. Marked $\frac{1}{16}$ S.
B.P.

Thence East on a random
line thro. N 1/2 of Sec. 4.

Var 13° 08' E.

- 20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
44.50 Dry Wash 50 lks wide course N.
60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
62.40 Dry Wash 30 lks wide course N

P.M.S.R. 12. E.

79.99 Intersect N x S. line 9 lks S. of
 1/16 Sec. Cor.

Thence I run S. $89^{\circ} 36'$ W. on
 a true line thro. N 1/2 of Sec
 4 with same Var.

19.99 Set a Post 3 ft. long 3 ins Sq. with
 Charred Stake 12 ins in the
 ground for 1/16 Sec. Cor. Marked
 1/16 S. on N. face dug pits 18 X 18
 X 12 ins E & W. of Post. 5 1/2 ft. dist.
 and raised a mound of
 Earth 1 1/2 ft. high 3 1/2 ft. base
 around Post.

39.99 Set a Post 3 ft high 3 ins Sq. with
 Charred Stake 12 ins in the
 ground for 1/16 Sec. Cor
 Marked 1/16 S. on N. face dug
 pits 18 X 18 X 12 ins E & W. of Post
 5 1/2 ft. dist. and raised a
 mound of Earth 1 1/2 ft. high

Subdivisions

- 3 1/2 ft. base around Post.
- 59.99 Set a Post 2 ft. long zinc sq. with charred stake 12 ins in the ground for 1/16 Sec. Cor. Marked 1/16 S. on N. face. dug pits 18 X 18 X 12 ins. E & W of Post. 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft. high 3 1/2 ft. base around Post.
- 79.99 The 1/16 Sec. Cor.
 Sand mostly level
 Soil 2nd rate
 Scattering Trees
 Palo Verde & Mesquite brush rocks.
-

Thence North between Secs. 4, 15,
 Var 13° 08' E.

- 29.78 Intersect 3 Standard Parallel
 South. 35 lks. East of Standard

T. 16. S. R. 12. E.

con to Sees 32 & 33. T. 15 S. R. 12
E. where I set a Post 4 ft long
4 ins sq. with charred stake
12 ins in the ground. for
Closing Con. to Sees. 4 & 5.

Marked

C. C. T. 16. S. R. 12. E. on S.

S. 4 on E. and

S. 5 on W. faces. with 4
notches on E. and 2 notches
on W. faces dug pits: 18 X 18.

12 ins lengthwise on each
line 5 ft. dist. and raised
a mound of Earth 2 1/2 ft.
high 5 1/2 ft. base around
Post


Land for gochs between Sees
4 & 5. 4 mostly level

Soil 2nd rate

Scattering Trees

Subdivisions

Palo Verde brush 80 chs.



Thence from cor to Secs. 29.
30. 31 & 32. on S. Bdy. of Res-
ervation I run North be-
tween Secs. 29. & 30

Var. $13^{\circ} 08' E$

- 14.00 Dry Wash 1 ch wide course N.E.
20.00 Set a Post 3ft. long 2ins Sq. with
charred stake 1/2 ins in the
ground for $\frac{1}{16}$ Sec. Cor. Mark
 $\frac{1}{16}$ S. on W. face dry pits 18x18
x12 ins. N & S. of Post 5 1/2 ft. dist
and raised a mound of earth
1 1/2 ft high 2 1/2 ft base around
Post.

Thence East on a random
line thro S. $\frac{1}{2}$ of Sec 29.

Var. $13^{\circ} 08' E$

T. 16. S. R. 12. E.

- 7.10 Dry Wash 1 ch. wide course N.E.
 26.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 28.20 N.W. Slope of Mountain
 40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 42.30 N.E. Slope of Mountain
 46.90 Dry Wash 60 lks wide Course N.E.
 51.00 Point of Knoll
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 65.00 Leave Knoll
 77.00 Dry Wash 120 lks wide Course N.E.
 80.14 Intersect N. & S. line 7 lks S.
 of $\frac{1}{16}$ Sec. Cor.

Thence Iron S. $89^{\circ} 59' W$.
 on a true line thro. S. $\frac{1}{2}$ of
 Sec. 29 with same Var.

- 20.03 Set a Stone 12 X 14 X 18 ins
 10 ins in the ground for
 $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on
 N. face. and raised a mound
 of stone along side

Subdivisions

Pits impracticable

40.09 Set a Stone 14 X 16 X 70 ins 8 ins
in the ground. for 1/16 Sec. Cor.
Marked 1/16 S. on N. face and
raised a mound of Stone
alongside. Pits impracticable

60.10 Set a Stone 10 X 12 X 14 ins 8 ins
in the ground. for 1/16 Sec
Cor. Marked 1/16 S. on N. face
and raised a mound of
Stone alongside. Pits imprac-
ticable.

80.14 The 1/16 Sec Cor.

Sand rolling & broken

Soil 3rd Rate

Scattering trees

Grease wood & Palo Verde brush
rocks.



T. 16. S. R. 12. E.

BOOK 1994

228.

Thence West on a random
line thro. S $\frac{1}{2}$ of Sec. 30.

Var. $13^{\circ} 08' E$,

20.00 Set temporary $\frac{1}{16}$ Sec. Cor.

23.20 Dry Wash 1 ch. wide Course N. E.

40.00 Set temporary $\frac{1}{16}$ Sec. Cor.

47.50 Dry Wash 50 lks wide Course N.

60.00 Set temporary $\frac{1}{16}$ Sec. Cor.

71.00 Dry Wash 70 lks wide Course N.

79.85 Intersect N. Body of $\frac{1}{16}$ Sec. Cor.

Thence True S. $89^{\circ} 58' E$. on
a true line thro. S $\frac{1}{2}$ of Sec
30. with same var.

19.85. Set a Post 3 ft. long 3 in Sq. with
charred stake 12 in in the
ground for $\frac{1}{16}$ Sec Cor. Marked
 $\frac{1}{16}$ S. on N. face dug pits 18 X 18 X 12
in E W. of Post 5 $\frac{1}{2}$ ft. dist.
and raised a mound of earth

Subdivisions.

1 1/2 ft. high 3 1/2 ft. base around Post.

39.85 Set a Post 3 ft. long 3 in Sq. with Charred Stake 12 in in the ground for 46 Sec Cor. Marked 46 S. on N. face dug pits 18 X 18 X 12 in. E 7/8 of Post. 5 1/2 ft. dist. and raised a mound of Earth 1 1/2 ft high 3 1/2 ft. base around Post.

59.85 Set a Post 3 ft long 3 in Sq. with Charred Stake 12 in in the ground for 46 Sec. Cor. Marked 46 S. on N. face. dug pits 18 X 18 X 12 in E W. of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft. base around Post.

79.85 The 46 Sec. Cor.

Sand somewhat rolling

T. 16. S. R. 12. E.

Soil 2nd rate

Scattering Trees

Greenwood & Palo Verde brush 80 ch.



Thence North between Secs. 29
& 30.

Var. $13^{\circ} 08' E$,

- 16, 30 Road to Serrita Mts base E. & W.
20. Set a Post 3 ft. long 3 in. sq. with
chained stake 12 in. in the
ground. for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on W. face. dug pits $18 \times$
 18×12 in N & S. of Post $5 \frac{1}{2}$ ft.
dist. and raised a mound
of earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base
around Post. The Old Cor.
not found.

Thence East on a random
line thro Center of Sec 29

Sub divisions

Var. $13^{\circ} 08' 60''$

- 20.00 Set temporary $\frac{1}{4}$ Sec. Cor.
 26.00 Dry Wash 125 lks wide course N.E.
 39.50 Road to Serrita Mts. brs. N.E. + S.W.
 40.00 Set temporary $\frac{1}{4}$ Sec. Cor.
 60.00 Set temporary $\frac{1}{4}$ Sec. Cor.
 61.40 Dry Wash 9 lks wide course N.
 80.10 Intersect N. + S. line 6 lks. N of $\frac{1}{4}$
 Sec. Cor.

Thence Run N. $89^{\circ} 54' 70''$ on
 a true line thro. the center of
 Sec 29. with same Var.

- 20.02 Set a Post 3ft. long 3ins Sq. with
 channed Stake Lines in the
 ground for $\frac{1}{4}$ Sec. Cor. Marked
 $\frac{1}{4}$ Sec. on N. face. dug pits $18 \times 18 \times 12$
 ins. E + W. of Post 5 1/2 ft dist and
 raised a mound of earth
 19 ft. high 3 1/2 ft base around
 Post.

P. 16. S. R. 12. E

40.05 Set a Post 3ft long 3ins Sq. with
chained Stake 12ins in the
ground for $\frac{1}{4}$ Sec. Cor. Marked
 $\frac{1}{4}$ S. on N. face dug pits 18X18X
12ins. E & W of Post. 3ft dist.
and raised a mound of
Earth 14ft high 3ft base
around Post.

60.07 Set a Post 3ft long 3ins Sq. with
chained Stake 12ins in the
ground for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on N. face dug pits 18X18X
12ins E & W of Post. 3ft dist.
and raised a mound of Earth
14ft high 3ft base around
Post.

80.10 The $\frac{1}{4}$ Sec. Cor
Land somewhat rolling
Soil 3rd Rate
Scattering Trees

Subdivisions

Palo Verde & Mesquite brush 80 chs.

Thence West on a round line
thro. center of Sec 30.

Var. $13^{\circ} 08' E$,

- 10.60 Dry Wash 1 ch. wide course N.E.
 20.00 Set temporary $\frac{1}{16}$ Sec Cor
 40.00 Set temporary $\frac{1}{4}$ Sec. Cor.
 47.00 Dry Wash 90 chs wide Course N.
 60.00 Set temporary $\frac{1}{16}$ Sec cor.
 75.00 Dry Wash 85 chs wide Course N.
 79.90 Intersect W. Body. of Twp. 9 Th. S. of T4
 Sec. Cor.

Thence True S. $89^{\circ} 56' E$.
 on a true line thro the center
 of Sec 30. with same Var.

- 14.90 Set a Post 2 ft. high 3 ins Sq. with
 Channed Stake 12 ins in the
 ground for $\frac{1}{16}$ Sec. Cor

* 16. S. R. 12. E.

- marked 1/16 S. on N. face. dug pits 18 X 18 X 12 ins E & W of Post. 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around Post.
- 9.90 Set a Post 3 ft long 3 ins Sq. with charred Stake 12 ins in the ground for 1/4 Sec Cor. Marked 1/4 S. on N face. dug pits 18 X 18 X 12 ins E & W. of Post 5 1/2 ft. dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft. base Around Post.
- 7.90 Set a Post 3 ft long 3 ins Sq. with charred Stake 12 ins in the ground. for 1/16 Sec Cor. Marked 1/16 S. on N. face. dug pits 18 X 18 X 12 ins E & W. of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base

Subdivisions

Around Post.

79.90 The 1/4 Sec. Cor.

Land somewhat rolling
Soil 3rd rate

Scattering Trees.

Palo Verde & Mesquite brush etc.



Thence North between Secs. 29 & 30.

Var. $13^{\circ} 08' E$.

20.00 Set a Post 3ft long 3ins. sq. with
sharred Stake 12ins in the
ground. for 1/16 Sec Cor. Marked
1/16 S. on W. face. dig pits 18x18x
12ins N & S. of Post 5 1/2 ft. dist.
and raised a mound of
Earth 1 1/2 ft. high 3 1/2 ft. base
around Post.

Thence East on a random
line thro. the N. 1/2 of Sec 29

T. 16. S. R. 12. E.

Var 13° 08' E.

- 20.00 Set Temporary $\frac{1}{16}$ Sec. Cor.
 40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 43.70 Dry Wash 1 ch. wide course N.E.
 60.00 Set ^{temporary} $\frac{1}{16}$ Sec. Cor.
 64.00 Dry Wash 1 ch. wide course N.W.
 73.20 Road to Sierrita Mts. brs N.E. & S.W.
 80.07 Intersect N & S. line 5 lks S. of $\frac{1}{16}$
 Sec Cor.

Hence I run S. 89° 58' W. on
 a true line thro. the N. $\frac{1}{2}$ of
 Sec 29. with same Var.

- 20.01 Set a Post 3 ft long 3 ins sq. with
 Churned Stake 12 ins in the
 ground for $\frac{1}{16}$ Sec Cor. Marked
 $\frac{1}{16}$ S. on N. face dug pits 18 X 18 X
 12 ins. E & W. of Post 5 ft. dist.
 and raised a mound of earth
 14 ft. high 3 ft. base around
 Post.

Sub divisions

4003 Set a Post 3ft. long 3ins Sq. with charred stake 12 ins. in the ground. for $\frac{1}{16}$ Sec. Cor.

Marked $\frac{1}{16}$ S. on N. face. dug pits 18x18x12 ins. E & W of Post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{4}$ ft. high 3 $\frac{1}{2}$ ft. base around Post.

60.04 Set a Post 3ft. long. 3ins Sq. with charred stake 12 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked

$\frac{1}{16}$ S on N. face dug pits 18x18x12 ins. E & W. of Post. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{4}$ ft. high. 3 $\frac{1}{2}$ ft. base around Post.

80.04 The $\frac{1}{16}$ Sec. Cor.

Sand somewhat rolling

Soil 3rd Rate

Scattering Trees

T. 16. S. R. 12. E.

Salto Verde & Mesquite brush rocks

Thence west on a random line
thro. $N \frac{1}{2}$ of Sec. 30.

Var. $13^{\circ} 08'$ E.

- 4.90 Dry Wash 110 lks wide course N.E.
 30.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 36.00 Top of Knoll 20 ft. high
 40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 41.70 Dry Wash 150 lks wide course N.E.
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 62.50 Dry Wash 70 lks. wide course N.E.
 79.30 Intersect W. Bdy. of Tp. 8 lks S of $\frac{1}{16}$
 Sec Cor.

Thence I run S. 89 56. E. on
a true line thro. $N \frac{1}{2}$ of Sec
30, with same Var.

- 19.30 Set a Post 3ft. long 3 ins Sq. with
charred Stake 12 ins in the

Subdivisions

ground for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on N. face. dug pits 18X18X
 12 ins E. & W. of Post 57 $\frac{1}{2}$ ft. dist.
 and raised a mound of
 earth 19 $\frac{1}{2}$ ft high 34 $\frac{1}{2}$ ft base
 around Post.

59.30 Set a Post 3 ft. long 3 ins Sq with
 charred Stake 12 ins in the
 ground for $\frac{1}{16}$ Sec. Cor.

Marked $\frac{1}{16}$ S. on N. face dug
 pits 18X18X12 ins E. & W. of
 Post. 57 $\frac{1}{2}$ ft. dist. and raised
 a mound of earth 19 $\frac{1}{2}$ ft high
 34 $\frac{1}{2}$ ft. base around Post.

59.30 Set a Post 3 ft. long 3 ins Sq. with
 charred Stake 12 ins in the
 ground for $\frac{1}{16}$ Sec. Cor Marked
 $\frac{1}{16}$ S. on N. face dug pits 18X
 18X12 ins E. & W. of Post. 57 $\frac{1}{2}$ ft.
 dist. and raised a mound

P. 16. S. R. 12. E.

of earth 14 ft. high 3 ft base
around Post

79.30 The 4th Sec. cor.

Land mostly level

Soil 2nd Rate

Scattering Trees

Palo Verde Brush rocks.

Thence North between Secs. 29 & 30

Var. $13^{\circ} 08' 01''$

17.10 Dry Wash 140 lks wide Course N.

20.00 Set Post 4 ft. long 4 ins sq. with
charred stake 12 ins in the
ground for cor to Secs. 19.

20. 29. & 30. Marked

P. 16. S. S. 20. on N E

R. 12. E. S. 29. on S. E.

S. 30. on S W. and

S. 19. on N W. faces with 2

Subdivisions

notches out, and 5 notches
 on the E. edges, dug pits
 18x18x12 ins in each Sec.
 542 ft. dist. and raised a
 mound of earth 2 ft. high
 4 1/2 ft. base around Post
 Old Cor. obliterated.
 Sand for 80 chs. between
 Secs. 29 & 30, somewhat roll-
 ing & broken

Soil 3rd rate

Scattering trees

Palo Verde & Mesquite brush 80 chs.

Thence East on a random
 line between Secs. 20. & 29.

Var. 13° 08' E.

14. 10 Dry Wash 80 lks wide course N.
 19. 60 Dry wash 40 lks wide Course N. E.

T. 16. S. R. 12. E.

- 20.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 40.00 Set temporary $\frac{1}{4}$ Sec. Cor.
 45.50 Dry Wash 1 ch wide course N.
 60.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 80.14 Intersect N vs. line 9 lks N. of
 Cor to Secs. 20, 21, 28, & 29.

Thence I run N. $89^{\circ}56'$ W. on a
 true line between Secs. 20 & 29
 with same Var.

- 20.03 Set a Post 3 ft. long 3 ins Sq. with
 charred Stake 12 ins in the ground
 for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N.
 face dug pits 18X18X12 ins E & W of
 Post $5\frac{1}{2}$ ft. dist. and raised a
 mound of Earth $1\frac{1}{2}$ ft. high 3 ft.
 base around Post.
- 40.07 Set a Post 3 ft. long 3 ins Sq. with
 charred Stake 12 ins in the ground
 for $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$ S. on N. face
 dug pits 18X18X12 ins. E & W. of Post

Subdivisions

5 1/2 ft. diam. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post. The old Cor. obliterated.

60. 10 This Cor. coming in a dry wash, at a point 40 lks East. I set a Post 3 ft. long 3 ins sq. with charred stake 12 ins in the ground for witness corner to 1/6 Sec. Cor. Marked W. C. 1468. on N. face dug pits 18x18 x 12 ins E & W. of Post 5 1/2 ft. diam. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post.

80. 14 The Cor. to Secs. 19, 20, 29, & 30.
 Land somewhat rolling
 Soil 2nd Rate
 Scattering Trees
 Palo Verde & Mesquite brush & cobs

T. 16. S. R. 12. E

Thence West on a random line
between Secs. 19. & 30.

Var. $13^{\circ} 08' E$.

- 8.85 Dry wash 120 lks wide course N.
 0.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 0.00 Set temporary $\frac{1}{4}$ Sec. Cor.
 4.00 Dry Wash 75 lks. wide Course N.
 0.00 Set temporary $\frac{1}{16}$ Sec. Cor.
 8.00 Dry Wash 1.5 chs. wide course N E +
 9.10 Intersect N. Bdy. of $\frac{1}{4}$ 4 lks N. of Cor.
 to Secs. 19, 24, 25, & 30.

Thence True N. $89^{\circ} 58' E$. on a
true line between Secs 19. & 30.
with same var.

- 9.10 Set a Post 3 ft long 3 ins Sq. with
Charred Stake 12 ins in the ground
for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on
N. face. dug pits 18 X 18 X 12 ins E &
W. of Post $5\frac{1}{2}$ ft. dist. and raised
a mound of Earth 19 ft high

Sub divisions

- 3 1/2 ft. base around Post
- 39.10 Set a Post 3 ft. long 3 ins Sq. with charred Stake 12 ins in the ground. for 1/4 Sec. Cor. Marked 1/4 S. on N. face. dug pits 18x18x12 ins E & W. of Post 5 1/2 ft. dist. and raised a mound of Earth 14 ft. high 3 1/2 ft. base around Post.
- 59.10 Set a Post 3 ft. long 3 ins Sq. with charred Stake 12 ins in the ground for 1/6 Sec. Cor. Marked 1/6 S. on N. face. dug pits 18x18x12 ins E & W. of Post. 5 1/2 ft. dist. and raised a mound of Earth 14 ft. high 3 1/2 ft. base around Post.
- 79.10 the cor to Secs 19, 20, 29 & 30
Sand rolling
Soil 2nd Rate

A. 16. S. R. 12. E.

Scattering Trees

Palo Verde & Mesquite brush so. chs.



Thence North between Secs. 19 & 20.

Var. $13^{\circ} 08' E$

20.00 Set a Post 3 ft. long 3 ins sq. with
Charred Stake 12 ins in the
ground for $\frac{1}{16}$ Sec. Cor. Marked
 $\frac{1}{16}$ S. on W. face dug pits 18 X 18 X 12
ins. N & S. of Post. 5 1/2 ft. dist. and
raised a mound of earth
1 1/2 ft. high 3 1/2 ft. base around
Post.

Thence East on a random
line thro' $S \frac{1}{2}$ Sec — 20.

Var. $13^{\circ} 08' E$

3.15 Dry Wash 110 lks wide Course N.
20.00 Set temporary $\frac{1}{16}$ Sec. Cor
27.80 Dry Wash 50 lks wide Course N.E.

Subdivisions T. 16. S. R. 17. E.

- 40.00 Set temporary $\frac{1}{16}$ Sec. Cor.
- 56.00 Dry Wash 1 ch wide Course N.
- 60.00 Top of round Knoll. Set temporary $\frac{1}{16}$ Sec. Cor.
- 80.06 Intersect N. & S. line 3 lks N. of $\frac{1}{16}$ Sec. Cor.
 Thence Run N. $89^{\circ} 59'$ W. on a true line thro S. $\frac{1}{2}$ of Sec 20 with same Var.
- 20.01 Set a Stone 12X14X16 ins 8 ins in the ground for $\frac{1}{16}$ Sec. Cor. Marked $\frac{1}{16}$ S. on N. face and raised a mound of stone alongside. Pits impracticable
- 40.03 Set a Post 3 ft. long 3 ins Sq. with charred Stake 12 ins in the ground for $\frac{1}{16}$ Sec Cor. Marked $\frac{1}{16}$ S. on N. face dug pits 18X18X12 ins. E & W of Post $5\frac{1}{2}$ ft deep and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around Post.

Continued, Book 1995.

Concluded, Book 1996.