

no 2

1998

BOOK 1998

1998

4-671

1998

FIELD NOTES

1998

GENERAL LAND OFFICE.

PAPAGO INDIAN RESERVATION

T. 16 S. R. 13 E.

1998

63 Indexed, Book 1797.

Township 16 South, Range 13 East, 20

GILA AND SALT RIVER MERIDIAN.

391	393. 388.	283 287.	217 214	197.	75	1/5
385	388 383.	280 277	213 211	194. 184	74	71
379	382 377	277 274	210 207	193 190	74	68
374	378 372	275 271	206 204	189 186	67	64
368	370 365	269 267	202 200	185 181	63	60
362	364 359	266 264	199 197	181 178	57	55
356	359 354	263 261	196 195	177. 174	56	53
351	357 352	260 258	192 190	173 170	52	49
345	347 342	256 254	188 185	168 165	47	44
339	342 337	253 250	185 182	164 162	43	39
334	336 332	250 247	181 178	161 159	38	35
328	331 326	246 244	177 174	158 158	35	31
322	324 319	242 240	176 170	154 152	30	27
316	319 314	239 237	170 167	151 150	26	23
311	313 308	236 233	166 163	148 145	22	19
305	307 302	233 231	162 160	144 144	18	15

Subdivision. T16 S R13 E

in each section $5\frac{1}{2}$ ft dist.
and raised a mound of dirt
2 ft high and $4\frac{1}{2}$ ft base around
post, from which a mesquite
20 mi. drain bears $N 30^{\circ} W$
169 lbs dist marked T16 S.
R13 E S 2 B.T. The old
B.T. The other tree has been
burnt down. Land for
80 chs bet secs 11 + 12 level.

Soil 1st rate

Mesquite timber and
Brush 80 chs

Thence East on a random
line bet secs 1 + 12

Var $13^{\circ} 06' E$

20. Set tempy $\frac{1}{16}$ Sec cor
40. Set tempy $\frac{1}{4}$ Sec cor
60. Set tempy $\frac{1}{16}$ Sec cor

- 79.58 Intersect East Boundary Township 16 lbs North of cor to secs 1, 6, 7 + 12
Thence Drw N 89°
53' W on a true line bet
secs 1 + 12 with same var
- 19.89 a mesquite tree 14 vis
Drain which I marked
 $\frac{1}{16}$ S on N face for $\frac{1}{16}$
sec cor dug pits 18 x
18 x 12 vis E + W of tree
5 $\frac{1}{2}$ ft dist and raised
a mound of earth around
tree
- 39.79 The old $\frac{1}{4}$ sec cor. I set
post 3 ft long 3 vis sqs
with charred stake 12
vis in ground for $\frac{1}{4}$ sec
cor marked $\frac{1}{4}$ S on N
face dug pits 18 x 18 x 12

10 vis E + W of post $5\frac{1}{2}$ ft
 dist and raised mound
 of earth $1\frac{1}{2}$ ft high and
 $3\frac{1}{2}$ ft base around Post
 from which a mesquite
 10 vis drain bears $S 11^{\circ}$
 $30'$ W 8 links dist marked
 $\frac{1}{4}$ S. B. T.

A mesquite 10 vis drain
 bears $N 20^{\circ} W$ 20 links
 dist marked $\frac{1}{4}$ S. B. T.

59.68

Set a post 3 ft long 3 vis
 spr with chanced stake
 12 vis in ground for $\frac{1}{16}$
 Sec cor marked $\frac{1}{16}$ S on
^{18 x .18 x 12 vis}
 N face dug pits ^N E + W of
 post $5\frac{1}{2}$ ft dist and
 raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post from which

Var

19.91 Set a post 3 ft long 3 ins
 off with charred stake
 12 ins in ground for $\frac{1}{16}$
 Sec cor marked $\frac{1}{16}$ S on
 N face dug pits 18 x 18
 x 12 ins E + W of post
 $5\frac{1}{2}$ ft and raised mound
 of earth $1\frac{1}{2}$ ft high and
 $3\frac{1}{2}$ ft base around post.
 The corner in mesquite
 thicket.

39.82 Set a post 3 ft long 3 ins
 off with charred stake 12
 ins in ground for $\frac{1}{16}$ sec
 cor marked $\frac{1}{16}$ S on N
 face dug pits 18 x 18 x 12
 ins E + W of post $5\frac{1}{2}$ ft
 dist and raised mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$

ft base around post, from
which a mesquite 10 in's
diameter bears $S 10^{\circ} E 31$
lks dist marked $\frac{1}{16}$ S. B. T.

59.73 a mesquite tree 9 in's diameter
which I marked $\frac{1}{16}$ S on
N face for $\frac{1}{16}$ sec cor
dug pits $18 \times 18 \times 12$ in's
E + W of tree $5\frac{1}{2}$ ft
dist and raised mound
of earth around tree from
which a mesquite 8 in's
diameter bears $N 13^{\circ} W 19$
lks dist marked $\frac{1}{16}$ S
B. T.

79.64 The $\frac{1}{16}$ Sec cor
Land level
Soil 1st rate
mesquite timber and
Brush 80 chs.

Subdivisions

Thence North

1 + 2

Var $13^{\circ} 06' E.$

20.

The old $\frac{1}{4}$ sec cor. I set a post 3 ft long 3 ins off with charred stake 12 ins in ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4} S$ on W face dug pits $18 \times 18 \times 12$ ins N + S of post $5\frac{1}{2}$ ft dist and raised mound of earth $\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post, from which a mesquite 14 ins diam bears $N 76^{\circ} W 89$ lRs dist marked $\frac{1}{4} S$

B. T. The cor is in clear - viz with Sacaton grass

Thence East on random line thro centre Sec 1

Var $13^{\circ} 06' E$.

20. Set tempy $1/16$ Sec cor.
 40. Set tempy $1/4$. Sec cor.
 60. Set tempy $1/16$ Sec cor.
 68.30 Woodroad bears S.E ^{and} N.W.
 79.73 Intersect East Boundary
 Township 13 R 13 S of $1/4$
 Sec cor.

- 19.93 Thence Run $S 89^{\circ} 55'$
 W on a true line thro cent
 of sec 1 with same var
 Set a post 3 ft long 3 ins
 off with charred stake 12
 ins in ground for $1/16$ Sec
 cor marked $1/16 S$ on N
 face dug pits $18 \times 18 \times$
 12 ins E + W of post
 $5\frac{1}{2}$ ft dist and raised
 a mound of earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft base around

Subdivisions

post from which a mesquite 16 mis drain bears $S 18^{\circ} 30' E$ 67 lbs dist marked $\frac{1}{16}$ S.B.T.

39.86

Set a post 3 ft long 3 mis sp with charred stake 12 mis in ground for $\frac{1}{4}$ See cor marked $\frac{1}{4}$ S on N face dug pits $18 \times 18 \times 12$ mis E + W of post $5\frac{1}{2}$ ft dist and raised mound of earth $1\frac{1}{2}$ ft high and $3\frac{1}{2}$ ft base around post, from which a mesquite 12 mis drain bears $S 1^{\circ} W$ 12 lbs dist marked $\frac{1}{4}$ S.B.T.

42.10

A mesquite tree 14 mis drain.

59.79

Set a post 3 ft long 3 mis drain with charred stake

T 16 S, R 13. E

BOOK 1998

74.

12 ins in ground for $\frac{1}{16}$
Sec cor marked $\frac{1}{16}$ S on
N face dug pits $18 \times 18 \times 12$
ins E + W of post $5\frac{1}{2}$ ft
dist and raised mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
ft base around post,
from which a mesquite
9 ins diam bears $S 35^\circ$
W 53 lbs dist marked
 $\frac{1}{16}$ S. B. T.

79.73

The $\frac{1}{4}$ Sec cor

Land level

Soil 1st rate

Mesquite timber and

Brush 80 chs.

Thence North bet secs

1 + 2

Var $13^\circ 06' E$

Subdivisions

1.10² Road ^(Wood) Tucson and Nogales
bears N + S.

20. Set a post 3 ft long 3 ins
dpr with charred stake 12
ins in ground for $\frac{1}{16}$ sec
cor marked $\frac{1}{16}$ S on W
face dug pits 18 x 18 x 12
ins N + S of post $5\frac{1}{2}$ ft
dist and raised mound
of earth $1\frac{1}{2}$ ft high and
 $3\frac{1}{2}$ base around post.

Thence East on a
random line thro N $\frac{1}{2}$ of
Sec 1

Var $13^{\circ} 06' E$.

4.30 Road to Tucson bears N
+ S

20. Set tempy $\frac{1}{16}$ Sec cor

40. Set tempy $\frac{1}{16}$ Sec cor

60. Set tempy $\frac{1}{16}$ Sec cor

61.50 Road to Tucson bears N 45°

79.78 Intersect East Boundary
Township 14 lks S of 1/16
Sec cor

Thence Iron S 89° 54'
W on a true line thro
N 1/2 sec 1 with same var

19.94 Set a post 3 ft long 3 ins
off with charred stake
12 ins in ground for 1/16
Sec cor marked 1/16 S on
N. face dug pits 18 x 18 x
12 ins E + W of post 5 1/2
ft dist and raised mound
of earth 1 1/2 ft high 3 1/2 ft
base around post from
which a mesquite 12 ins
diam bears N 45° E 31
lks dist marked 1/16 S.B.T.

39.89 Set a post 3 ft long 3 ins

Subdivisions

set up with charred stake
 12 ins in ground for $\frac{1}{16}$
 Sec cor marked $\frac{1}{16}$ S
 on N face dug pits 18 x
 18 x 12 ins E + W of post
 5 $\frac{1}{2}$ ft dist and raised
 mound of earth 1 $\frac{1}{2}$ ft
 high 3 $\frac{1}{2}$ ft base around
 post from which mesquite
 12 ins drain bears N 87°
 E 31 lks dist marked
 $\frac{1}{16}$ S.B.T

A mesquite 14 ins drain
 bears S 82° E 35 lks
 dist marked $\frac{1}{16}$ S.B.T.

x 39.83

Set a post 3 ft long 3 ins
 off with charred stake
 12 ins in ground for $\frac{1}{16}$
 Sec cor marked $\frac{1}{16}$ S on
 N face dug pits 18 x 18

T 16 S R 13 E

BOOK 78.
1998

X 12 in E + W of post
5 1/2 ft dist and raised
mound of earth 1 1/2 ft
high 3 1/2 ft base around
post. This cor is in a
mesquite thicket.

79.78 The 1/16 Sec cor
Land level

Soil 1st rate

Mesquite timber and
Brush 80 chs.

Thence north bet Secs 1
+ 2

Var 13° 06' E

²⁹
19.48 Intersect North Boundary
Township, the 3rd Standard
Parallel South, 1.96 chs
West of Standard Corner,
to secs 35 + 36, where I

Subdivisions

set a post 4 ft long 4 ins
 spr with charred stake 12
 ins in ground for closing
 cor to Secs 1 + 2 marked

C. C. T 16 S. R 13 E on S

S 1 on E and

S 2 on W faces with
 1 notch on E and 5
 notches on W faces, dug
 pits 24 x 18 x 12 cross-
 wise on each line 6 ft
 dist and raised mound
 of earth 2 1/2 ft high 5 ft
 base around post. The
 corner is in open space.

Land for 80 chs bet
 Secs 1 + 2 level

Soil 1st rate

mesquite timber and
 Brush 80 chs.

T 16 S. R. 13 E. BOOK 1998 805

Thence from cor to sees
26. 27. 34 + 35 - on South
Boundary of Reservation
Inn North bet sees 26 + 27
Var $13^{\circ} 06' E.$

20. Set a post 3 ft long 3 ins off
with charred stake 12 ins
in ground for $\frac{1}{16}$ sec cor
marked $\frac{1}{16} S$ on W face
dug pits $18 \times 18 \times 12$ ins
N + S of post $5\frac{1}{2}$ ft dist
and raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ base around
post from which a mes-
quite 7 ins diam bears
S. $87^{\circ} W$ 31 lks marked
 $\frac{1}{16} S.B.T.$

Thence East on a ran-
-down line thro S $\frac{1}{2}$ of sec
26

Var $13^{\circ} 06' E$.

20. Let tempy $\frac{1}{16}$ Sec cor
30. Drywash 20 lbs wide
course N.E.
40. Let tempy $\frac{1}{16}$ Sec cor
60. Let tempy $\frac{1}{16}$ Sec cor
- 80.11 Interest N + S line 7 lbs
P of $\frac{1}{16}$ sec cor
Thence draw $P 89^{\circ}$
 $57'$ W on a true line thro
P of $\frac{1}{2}$ sec 26 with same Var
- 20.02 Let a post 3 ft long 3 ins ϕ
with chared stake 12 ins
in ground for $\frac{1}{16}$ sec cor
marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ ins
E + W of post $5\frac{1}{2}$ ft dia
and raised mound of earth
 $1\frac{1}{2}$ ft high and $3\frac{1}{2}$ ft base
around post from which

a mesquite 8 mis drain
bears $S 36^{\circ} E$ 11 lvs dist
marked $\frac{1}{16}$ S.B.T.

40.05 Set a post 3 ft long 3 mis
of with charred stake
12 mis in ground for $\frac{1}{16}$
sec cor marked $\frac{1}{16}$ S on
N face dug pits $18 \times 18 \times$
12 mis E + W of post $5\frac{1}{2}$
ft dist, and raised mound
of earth $1\frac{1}{2}$ ft high and
 $3\frac{1}{2}$ ft base around post

60.07 Set a post 3 ft long 3 mis of
with charred stake 12 mis
in ground for $\frac{1}{16}$ sec cor
marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ mis E
+ W of post $5\frac{1}{2}$ ft dist
and raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base

around post.

70. 11 The $\frac{1}{16}$ sec cor
 Land level mesa
 Soil 2nd rate
 Scattering trees
 Mesquite Bush Rocks
-

Thence North bet secs

26 + 27

Var $13^{\circ} 06' E.$

15. 20 Drywash 40 lbs wide
 course N. E.

20. The old $\frac{1}{4}$ sec corner. Set
 a post 3 ft long 3 ins off
 with chum stake 12 ins
 in ground for $\frac{1}{4}$ sec cor
 marked $\frac{1}{4}$ S on W face
 dug pits $18 \times 18 \times 12$ ins N
 + S of post $5\frac{1}{2}$ ft dist
 and raised mound of

earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post, from which
a mesquite 10 ins diam
bears $N 5^{\circ} W$ 78 lks marked
 $\frac{1}{4}$ S. B. T.

Thence East on a raw
-down line center sec
26

Var $13^{\circ} 06' E$.

14. Drywash. 30 lks wide
Course N
20. Set tempy $\frac{1}{16}$ Sec cor
40. Set tempy $\frac{1}{4}$ Sec cor
- 53.70 Drywash 30 lks wide
course N
60. Set tempy $\frac{1}{16}$ Sec cor
- 80.09 Intersect N & S line 11 lks
N of $\frac{1}{4}$ sec cor

Thence Iron $N 89^{\circ} 55'$
W on a true line thro center

20.02 Sec 26 with same var
 Set a post 3 ft long 3 in of
 with charred stake 12 in
 in the ground for $\frac{1}{16}$ sec
 cor marked $\frac{1}{16}$ S on N
 face dug pits 18 x 18 x 12
 in E + W of post $5\frac{1}{2}$ ft
 dist and raised mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post from
 which a mesquite 7 in
 diam bears N 73° E 102
 lbs dist marked $\frac{1}{16}$ S.B.T

40.04 Set a post 3 ft long 3 in of
 with charred stake 12 in
 in ground for $\frac{1}{4}$ sec cor
 marked $\frac{1}{4}$ S on N face
 dug pits 18 x 18 x 12 in
 E + W of post $5\frac{1}{2}$ ft dist
 and raised mound of earth

1 1/2 ft high 3 1/2 ft base around
 post from which a mesquite
 8 mis down bears S 84° E
 34 lrs Dist marked 1/4
 L.B. T.

60.06 Set a post 3 ft long 3 mis off
 with charred stake 12 mis
 in ground for 1/16 Sec cor
 marked 1/16 S on N face
 dug pits 18 x 18 x 12 mis
 E + W of post 5 1/2 ft dist
 and raised mound of
 earth 1 1/2 ft high 3 1/2 ft
 base around post

80.09 The 1/4 Sec cor
 Land level mesa
 Soil 2nd Rate
 Scattering trees
 mesquite Bush rock

Subdivisions

Thence North bet secs
26 + 27

Var. $13^{\circ} 06' E$.

18.70 Drywash 15 lrs wide
course N.E.

20. Set a post 3 ft long 3 ins dia
with champed stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on W face.
dug pits 18 x 18 x 12 ins N
+ S of post $5\frac{1}{2}$ ft dist, and
raised mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around
post from which a mesquite
5 ins diam bears $S 5^{\circ} W$
76 lrs dist marked $\frac{1}{16}$
S.B.T.

Thence East on random
line through N $\frac{1}{2}$ of sec 26

Var. $13^{\circ} 06' E$

- 3.10 Drywash 15 lks wide
course N.E.
20. Set Tempy $\frac{1}{16}$ Sec cor
40. Set Tempy $\frac{1}{16}$ Sec cor
55. Drywash 20 lks wide
course N.E.
60. Set Tempy $\frac{1}{16}$ Sec cor
64. Drywash 64 lks wide
course N.
- 80.01 Intersect N + Blue 6
lks S of $\frac{1}{16}$ Sec cor
Thence Run $S 89^{\circ} 58' W$
on a true line thro' N $\frac{1}{2}$
of sec 26 with same bar
20. Set a post 3ft long 3 ins
off with a charred stake
12 ins in ground for $\frac{1}{16}$
Sec cor marked $\frac{1}{16}$ S
on N face dug pits 18
 $\times 18 \times 12$ ins E + W of post

Subdivisions

5 1/2 ft dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post

40. Set a post 3 ft long 3 ins ϕ with charred stake 12 ins in ground for 1/16 sec cor marked 1/16 S on N face dug pits ^{18 x 18 x 12 ins} E + W of post 5 1/2 ft dist and raised mound of earth 1 1/2 ft high 3 1/2 ft base around post.

60. Set a post 3 ft long 3 ins ϕ with charred stake 12 ins in ground for 1/16 sec cor marked 1/16 S on N face dug pits 18 x 18 x 12 ins E + W of post 5 1/2 ft dist and raised mound of earth

T 16 S R 13 E

BOOK 1998

92

1/2 ft high 3/2 ft base
around post from which
a mesquite 5 ins diam
bears S 5° E 64 lR
dist marked 1/16 S

B.T.

80.01

The 1/16 Sec cor

Land level mesa

Soil 2nd Rate

Scattering trees

Mesquite brush 80 chs

Thence North bet secs
26 + 27

Var 13° 06' E.

20.

The old sec cor. I set
post 4 ft long 4 ins sp
with charred stake 12 ins
in ground for cor to secs
22, 23, 26 + 27, marked

Subdivisions

T 16 S, S 23 on N.E.

R 13 E, S 26 on S.E.

S 27 on S.W. and

S 22 on N.W. face with
2 notches on S + 2 notches
on E edges, dug pits 18
x 18 x 12 ins in each sec
5 1/2 ft dist and raised
mound of earth 2 ft high
4 1/2 ft base around post
from which a mesquite
6 ins diam bears N 5°
30' E 42 lbs dist marked

T 16 S R 13 E S 23 B.T.

Land for 80 chs bet sec
26 + 27 level mesa

Soil 2nd rate

Scattering trees

Mesquite Bush 80 chs

T 16 S R 13 E

BOOK 1998

92,

Thence East on random
line bet secs 23 + 26

Var $13^{\circ} 06' E$.

20. Set tempy $\frac{1}{16}$ Sec cor
36. Drywash 20 lks wide
course N. E.
40. Set tempy $\frac{1}{16}$ Sec cor
60. Set tempy $\frac{1}{16}$ Sec cor
71. Drywash 20 lks wide
course N. E.
- 80.07 Intersect N + S line 8
lks S of cor to secs 23.
24. 25 + 26

Thence Iron P 89°
57' W on a true line
bet secs 23 + 26 with
same var

- 20.01 Set a post 3ft long 3ins
dfr with charred stake 1/2
ins in ground for $\frac{1}{16}$ sec

Subdivisions

cor marked $\frac{1}{16}$ S on N face dug pits $18 \times 18 \times 12$ ins E + W of post $5\frac{1}{2}$ ft dia and raised mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post.

40.03

Set a post 3 ft long 3 ins dia with a charred stake 12 ins in ground for $\frac{1}{4}$ sec marked $\frac{1}{4}$ S on N face dug pits $18 \times 18 \times 12$ ins E + W of post $5\frac{1}{2}$ ft dia and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post. The old corner obliterated.

60.04

Set a post 3 ft long 3 ins dia with charred stake 12 ins in ground for $\frac{1}{16}$ sec cor marked $\frac{1}{16}$ S on N face

T 16 S R 13 E

BOOK 1998

94.

18 x 18 x 12 in
dug pits ^N E + W of post 5 1/2
ft dist and raised a mound
of earth 1 1/2 ft high 3 1/2 ft
base around post from
which a mesquite 4 in is
Drain bears N 71° E 19
lbs Dist marked 1/6 S
B T.

80.07 The cor to secs 22, 23
26 + 27.

Land level mesa

Soil 2nd rate

Scattering trees

Mesquite Bush 80 chs

Thence North bet secs
22 + 23

Var 13° 06' E.

9.15 Drywash 30 lbs mdi
Course N. E.

Subdivisions

20. Set a post 3 ft long 3 in off with a chared stake 12 in in ground for $\frac{1}{16}$ Sec cor marked $\frac{1}{16}$ S on W face. dug pits 18 x 18 x 12 in N + S of post $5\frac{1}{2}$ ft dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post

Thence East on rainbow line thro S $\frac{1}{2}$ of sec 23

Var $13^{\circ} 06'$ E.

17. Dry wash 40 lks wide course N.E.
20. Set tempy $\frac{1}{16}$ Sec cor
40. Set tempy $\frac{1}{16}$ Sec cor
- 45.70 Dry wash 30 lks wide course N
60. Set tempy $\frac{1}{16}$ Sec cor
- 80.09 Intersect N + S line

5 lks N of $\frac{1}{16}$ Sec

Thence Iron N $89^{\circ} 58'$
W on a true line thro $S\frac{1}{2}$
sec 23 with same bar

20.02

Set a post 3 ft long 3 ins
d_r with a charred stake
12 ins in ground for $\frac{1}{16}$
Sec cor marked $\frac{1}{16}$ S on
N face dug pits 18 x 18 x 12
ins E + W of post $S\frac{1}{2}$ ft
d_r and raised mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post from which a
mergite 6 ins diam bears
N 87° W 59 lks marked $\frac{1}{16}$
S. B. T.

40.04

Set a post 3 ft long 3 ins d_r
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor marked
 $\frac{1}{16}$ S on N face dug pits 18 x

Subdivisions

18 x 12 ins E + W of post 5 1/2 ft
 dist and raised mound
 of earth 1 1/2 ft high 3 1/2 ft
 base around post from
 which a mesquite 7 ins in
 diam bears S 49° W 34 lbs
 dist marked 1/16 S.B.T.

60.06 Set a post 3 ft long 3 ins dia
 with charred stake 12 ins
 in ground for 1/16 Sec cor
 marked 1/16 S on N face
 dug pits 18 x 18 x 12 ins E
 + W of post 5 1/2 ft dist and
 raised mound of earth 1 1/2
 ft high 3 1/2 ft base around
 post from which a mesquite
 8 ins diam bears N 2° E
 148 lbs dist marked 1/16
 S. B. T.

80.09 The 1/16 Sec. cor.

Land level mesa

Soil 2nd - rate

Scattering trees

mesquite Bush & oak

Thence North bet secs

22 + 23

Var $13^{\circ} 06' E$.

20.

The old $\frac{1}{4}$ sec cor. A mesquite tree 6 ins diam marked $\frac{1}{4}$ S.B.T. I dug pits $18 \times 18 \times 12$ ins N + S of tree and rebuilt mound of earth around tree.

Thence East on a raw-down line thro the center of sec 23

Var $13^{\circ} 06' E$.

20.

Set tempy $\frac{1}{16}$ Sec cor

Subdivisions

28. Drywash 20 lbs wide
Course N.E.
40. Set tempy $\frac{1}{4}$ Sec cor
60. Set tempy $\frac{1}{16}$ Sec cor
- 80.02 Intersect N + S line 4 lbs
S of $\frac{1}{4}$ sec cor
Thence I run $S 89^{\circ}$
 $58'$ W on a true line the
center of sec 23 with
same var
20. A mesquite tree 3 mis
DRAIN which I mark
 $\frac{1}{16}$ S on N face for $\frac{1}{16}$
Sec cor dig pits $18 \times 18 \times$
 12 mis E + W of tree $S \frac{1}{2}$
ft dist and raised a
mound of earth around
tree
- 40.01 Set a post 3 ft long 3 mis
up with charred stake 12

1998

12 ins in ground for $\frac{1}{4}$ sec
 cor marked $\frac{1}{4}$ S on N
 face dug pits $18 \times 18 \times 12$
 ins E + W of post $5\frac{1}{2}$ ft
 dist and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post from
 which a mesquite 6 ins
 diam bears N 84° W
 77 lrs dist marked
 $\frac{1}{4}$ S.B.T.

60.01 Put a post 3 ft long 3 ins
 of with charred stake
 12 ins in ground for $\frac{1}{16}$
 sec cor marked $\frac{1}{16}$ S on
 N face dug pits $18 \times 18 \times$
 12 ins E + W of post $5\frac{1}{2}$
 ft dist and raised mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post.

Subdivisions

80.02 The $\frac{1}{4}$ Sec cor
 Level level mesa
 Soil 2nd - rate
 Scattering trees
 mesquite Bush 80 ch

Thence North bet secs
 22 + 23

Var $13^{\circ} 06' E$

20. Set a post 3 ft long 3 ins
 spr with charred stake
 12 ins in ground for $\frac{1}{16}$
 Sec cor marked $\frac{1}{16}$ S
 on N face dug pits 18
 $\times 18 \times 12$ ins N + S of
 post $5\frac{1}{2}$ ft dist and
 raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post.

Thence East on random

line thro' N $\frac{1}{2}$ of sec

23

Var $13^{\circ} 06'$ E.

20. Set tempy $\frac{1}{16}$ Sec cor

40. Set tempy $\frac{1}{16}$ Sec cor

45. Dry wash 20 lks wide
course N.E.

60. Set tempy $\frac{1}{16}$ Sec cor

80.09 Intersect N + S line

8 lks S of $\frac{1}{16}$ sec cor

Thence run $S 89^{\circ}$

57' W on a true line thro'

N $\frac{1}{2}$ sec 23 with same

Var

20.02 Set a post 3 ft long 3 ins

off with charred stake 12

ins in ground for $\frac{1}{16}$ Sec

cor marked $\frac{1}{16}$ S on N

face dug pits $18 \times 18 \times 12$

ins E + W of post $5\frac{1}{2}$ ft

Subdivisions

dist. and raised mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post, from
which a mezquite 11 mis
down bears $N 39^\circ E$
38 lks dist marked $\frac{1}{16}$
P. B. T.

40.04 Set a post 3 ft long 3 in of
with charred stake in
ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits ^{18 x 18 x 12 in} E + W of post
 $5\frac{1}{2}$ ft dist and raised
mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base around
post

60.06 Set a post 3 ft long 3 in
of with charred stake
12 mis in ground for $\frac{1}{16}$
Sec cor marked $\frac{1}{16}$ S on

T 16 S R 13 E

BOOK

104,
1998

N face dug pits 18 x 18 x
12 ins E + W of post 5 1/2 ft
dist and raised mound
of earth 1 1/2 ft high 3 1/2 ft
base around post, from
which a mesquite 6 ins
diam bears N 2° W 18
lRs dist marked 1/16 S

B.T.

80.09

The 1/16 Sec cor

Land level mesa

Soil Record Rate

Scattering trees

Mesquite Bush rocks

Thence North bet sees

22 + 23

Var 13° 06' E

20.

The old Sec cor. I set a
post 4 ft long 4 ins Sfr

105

BOOK 1998

Subdivisions

with charred stake 12
 ins in ground for cor
 to secs 14, 15, 22, + 23
 marked

T 16 S, S 14 on N.E.
 R 13 E, S 23 on S.E.
 S 22 on S.W. and
 S 15 on N.W. faces
 with 3 notches on S and
 2 notches on E edges, deep
 pits 18 x 18 x 12 ins in
 each sec and raised
 a mound of earth 2 ft
 high and 4 1/2 ft base
 around post, from
 which a mesquite 13 ins
 diam bears N 54° W 75-
 lbs dist marked T 16 S,
 R 13 E, S 15 B.T.

Land for 80 chs bet

secs 22 + 23 level mesa
 Soil 2nd Rate
 Scattering trees
 Mesquite Bush 80 ch.

Thence East on random
 line bet Secs 14 + 23

Var $13^{\circ} 06' E.$

20. Set tempy $\frac{1}{16}$ Sec cor
 40. Set tempy $\frac{1}{4}$ Sec cor
 60. Set tempy $\frac{1}{16}$ Sec cor
 80.05 Intersect N + S line of lks
 N of cor to secs 13, 14,
 23 + 24

Thence I run $N 89^{\circ} 57'$
 W on a true line bet secs
 14 + 23 with same var

- 20.01 Set a post 3ft long 3 ins sq
 with charred stake 12 ins
 in ground for $\frac{1}{16}$ Sec cor

Subdivisions

marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ ins E
& W of post $5\frac{1}{2}$ ft dia
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

40.02 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ S on N face
dug pits $18 \times 18 \times 12$ ins
E & W of post $5\frac{1}{2}$ ft dia
and raised a mound of
earth $1\frac{1}{2}$ ft high & $3\frac{1}{2}$
ft base around post. The
old corner obliterated.

60.03 Set a post 3 ft long 3 ins
of with charred stake 12
ins in ground for $\frac{1}{16}$ Sec
cor marked $\frac{1}{16}$ S on N

face dug pits 18 x 18 x 12
ins E + W of post 5 1/2 ft
dirt and raised mound
of earth 1 1/2 ft high 3 1/2
ft base around post.

80.0.5 The cor to secs 14. 15. 22
+ 23.

Land level

Soil 2nd - rate

Scattering trees

mesquite brush 80 ch

Feb 4th 1888

Thence North bet secs
14 + 15

Var 13° 06' E.

20. Set a post 3 ft long 3 ins dia
with charred stake 12 ins
in ground for 1/16 Sec cor
marked 1/16 S on W face
dug pits 18 x 18 x 12 ins N

Subdivisions

+S of post $5\frac{1}{2}$ ft dist,
and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

Thence East on a
random line thro $5\frac{1}{2}$ sec
14

Var $13^{\circ} 06' E$.

20. Set tempy $\frac{1}{16}$ Sec cor

40. Set tempy $\frac{1}{16}$ Sec cor

60. Set tempy $\frac{1}{16}$ Sec cor

80.07 Intersect N + S line 4 lks

P of $\frac{1}{16}$ Sec cor

Thence S run $S 89^{\circ}$

$58'$ W on a true line thro

$S \frac{1}{2}$ sec 14 with same var

20.01 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face

T 16 S. R 13 E

BOOK 1998

110.

^{18x18x12 ins}
dug pits ^{E + W} of post $5\frac{1}{2}$
ft dist and raised a
mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base around
post.

40.03

Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{16}$ Sec
cor marked $\frac{1}{16}$ S on N
face dug pits 18x18x
12 in ^{E + W} of post $5\frac{1}{2}$
ft dist and raised mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post

60.04

Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits 18x18x12 ins
^{E + W} of post $5\frac{1}{2}$ ft dist

Subdivisions

and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

80.07

The $\frac{1}{16}$ Sec cor

Land level mesa

Soil 2nd - Rata

Scattering trees

Mesquite Bush 80 ch.

Thence North bet secs
14 + 15

Var $13^{\circ} 06'$ E.

20.

The old $\frac{1}{4}$ Sec cor. I set
a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ S on W face
dug pits $18 \times 18 \times 12$ ins N
S of post $5\frac{1}{2}$ ft dist
and raised mound of

earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post, from
which a mesquite 10 ins
diam bears $N 74^{\circ} W$
47 lks dist marked $\frac{1}{4}$
S.B.T.

A mesquite 7 ins diam
bears $N 10^{\circ} 30' W$ 30 lks
dist marked $\frac{1}{4}$ S.B.T.

+ Thence East on random
line thro' center Sec 14

Var $13^{\circ} 06' E$.

20. Set tempy $\frac{1}{16}$ Sec cor

40. Set tempy $\frac{1}{4}$ Sec cor

60. Set tempy $\frac{1}{16}$ Sec cor

80.01 Intersect N + S line of lks
N of $\frac{1}{4}$ sec cor.

Thence Run $N 89^{\circ} 57'$
W on a true line thro' center
Sec 14 with same var.

Subdivisions

20.

Set a post 3 ft long 3 in of
with charred stake 12
in in ground for $\frac{1}{16}$
Sec cor marked $\frac{1}{16}$ S on
N face dug pits 18 x 18
x 12 in E + W of post
 $5\frac{1}{2}$ ft dist and raised
mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base around
post.

40.

Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ S on N face,
dug pits 18 x 18 x 12 in E
+ W of post $5\frac{1}{2}$ ft dist
and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

60.

Set a post 3 ft long 3 in of

T 16 S R 13 E

BOOK 114,
1998

with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits 18 x 18 x 12 ins E
+ W of post $5\frac{1}{2}$ ft dist
and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post, from
a mesquite 8 ins in diam
bears N 87° W 18 lks
dist marked $\frac{1}{16}$ S. B.T.

80.01

The $\frac{1}{4}$ Sec cor

Sand level mesa

Soil 2nd Rate

Scattering trees

Mesquite Brush 80 cl

Thence North bet secs

14 + 15-

Var $13^{\circ} 06'$ E.

20.

Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on v s face
dug pits 18 x 18 x 12 in
N + S of post 5 $\frac{1}{2}$ ft dist
and raised a mound of
earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft
base around post, from
which a Mesquite 7 in
Diam bears S 44° E
32 lbs dist, marked
 $\frac{1}{16}$ P.B.T.

Thence East on random
line thro N $\frac{1}{2}$ Sec 14

Var $13^{\circ} 06'$ E.

20.

Set tempy $\frac{1}{16}$ Sec cor

40.

Set tempy $\frac{1}{16}$ Sec cor

60.

Set tempy $\frac{1}{16}$ Sec cor

64

New Road to Tucson, bears

N.W.

80.09 Intersect N + S line of lrb
 P of 1/16 sec cor

Thence Iron S 89° 56'
 W on a true line thro N
 1/2 of sec 14 with same var.

20.02 Set a post 3 ft long 3 ins of
 with charred stake 12 ins in
 the ground for 1/16 Sec cor
 marked 1/16 S on N face, dug
 pits 18 x 18 x 12 ins E + W
 of post 5 1/2 ft dia and
 raised mound of earth
 1 1/2 ft high 3 1/2 ft base
 around post

40.04 Set a post 3 ft long 3 ins of
 with charred stake 12 ins
 in ground for 1/16 sec cor
 marked 1/16 S on N face
 dug pits 18 x 18 x 12 ins E + W

Subdivisions

of post $5\frac{1}{2}$ ft dist and raised mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post from which a mesquite 10 mis drain bears $S 41^{\circ} W 32$ lrs Dist marked $\frac{1}{16}$ S.B.T.

60.06 Set a post 3 ft long 3 mis of with charred stake 12 mis in ground for $\frac{1}{16}$ Sec cor marked $\frac{1}{16}$ S on N face dug pits $18 \times 18 \times 12$ mis E + W of post $5\frac{1}{2}$ ft dist and raised mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post from which a mesquite 5 mis drain bears $S 66^{\circ} E 21$ lrs Dist marked $\frac{1}{16}$ S.B.T.

80.09 The 1/16 Sec cor
 Land level
 Soil 2nd rate
 Scattering trees
 Mesquite Bush 80 chs

Thence North bet secs
 14 & 15

Var $13^{\circ} 06' E$,

7. Dry wash 15 lks wide
 course E.

11. Dry wash 20 lks wide
 course E.

20. The old sec cor. I set
 a post 4 ft long 4 ins dia
 with charred stake 12
 ins in ground for cor
 to secs 10, 11, 14 & 15
 marked

T 16 S, S 11 on N.E.

Subdivisions

BOOK 1998

R 13 E. S 14 on S.E.
 S 15 on S.W. and
 S 10 on N.W. faces,
 with 4 notches on S and
 2 notches on E edges, dug
 pits $18 \times 18 \times 12$ ins in
 each section $5\frac{1}{2}$ ft
 dist, and raised mound
 of earth 2 ft high $4\frac{1}{2}$
 ft base around post,
 from which a mesquite
 tree 64 ins diam bears
 N 41° W 62 lvs dist
 marked T 16 S. R 13 E
 S 10 B.T. The other old
 bearing tree has been cut
 down

Land for 80 chs bet secs
 14 + 15 level mesa
 Soil 2nd rate

Scattering trees
mesquite Brush 80 chs.

Thence East on random
line bet secs 11 + 14

Var $13^{\circ} 06' E$.

20. Set tempy $1/16$ Sec cor.
26. Dry wash 30 lks wide
course N. E.
40. Set temp $1/4$ Sec cor
54. New Road to Tucson
bears N. W.
60. Set tempy $1/16$ Sec cor
71. Road to Tucson bears
N + S.
75. Enter Santa Cruz bottoms
- 80.02 Intersect N + S line 4
lks N of cor to secs 11, 12
13 + 14
- Thence S $89^{\circ} 58'$

W on a true line bet sec
11 + 14 with same var

20.

Set a post 3ft long 3ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec
cor marked $\frac{1}{16}$ S on N
face dug pits 18x18x12
ins E + W of post $5\frac{1}{2}$ ft
dist and raised mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
ft base around post
from which a mesquite
11 ins diam bears S 40°
30' E 45 lbs dist marked
 $\frac{1}{16}$ S. B. T.

40.01

The old $\frac{1}{4}$ Sec cor, I set
a post 3ft long 3ins of
with charred stake 12
ins in ground for $\frac{1}{4}$ Sec
cor marked $\frac{1}{4}$ S on N face

T 16 S R 13 E

BOOK 1998 122.

dry pits 18 x 18 x 12 ins
E + W of post 5 1/2 ft
dist and raised mound
of earth 1 1/2 ft high 3 1/2
ft base around post, from
which a mesquite 12 ins
drain bears S 67° E
12 lks dist marked
1/4 S B T.

a mesquite 20 ins drain
bears S 10° W 50 lks
dist marked 1/4 S B T

60.01 Set a post 3 ft long 3 ins
spr with charred stake
12 ins in ground for 1/16
See cor marked 1/16 S
on N face dry pits E +
W of post 5 1/2 ft dist
and raised a mound of
earth 1 1/2 ft high 3 1/2 ft

Subdivisions

base around post from
which a mesquite 8 mi
Drain bears $N 20^{\circ} E$
45 lks dist marked
1/16 S.B.T.

80.02 The cor to secs 10 . 11 .
14 + 15.

Land 75 chains
level mesa + soil 2nd
rate; 5 chains bottom
and 1st rate.

Scattering trees
mesquite Bush 80 cts

Thence North bet secs
10 + 11

Var $13^{\circ} 06' E$.

20. Put a post 3ft long 3 in
dfr with charred stake
12 in in ground for 1/16

T 16 S R 13 E.

BOOK 124
1998

see cor marked $\frac{1}{16}$ S on
W face dug pits 18×18
 $\times 1\frac{1}{2}$ vis N + S of post
 $5\frac{1}{2}$ ft dist and raised
a mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around
post.

Thence East on a
Random line thro $S\frac{1}{2}$
Sec 11

Var $13^{\circ} 06'$ E.

20. Set tempy $\frac{1}{16}$ Sec cor
39. Near road to Tucson.
bears N.W. + S.E
40. Set tempy $\frac{1}{16}$ Sec cor
60. Set tempy $\frac{1}{16}$ Sec cor
63.50 Road to Tucson, bears
N + S.
64. Enter Santa Cruz bottoms
80.05 Intersect N + S line 4 lks

Subdivisions

S of $\frac{1}{16}$ Sec cor

Thence down $S 89^{\circ}$
 $58'$ W on a true line thro
 P $\frac{1}{2}$ Sec 11 with same
 var.

20.01 A mesquite tree 4 ins
 diam which I marked
 $\frac{1}{16}$ S on N face for the
 $\frac{1}{16}$ sec cor dug pits $18 \times$
 18×12 ins E + W of tree
 $5\frac{1}{2}$ ft dist and raised
 a mound of earth around
 tree.

40.02 Set a post 3 ft long 3 ins ϕ
 with chanced stake 12
 ins in ground for $\frac{1}{16}$ Sec
 cor marked $\frac{1}{16}$ S on
 N face dug pits 18×18
 $\times 12$ ins E + W of post $5\frac{1}{2}$
 ft dist and raised mound

of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post from which a mesquite 9 ins diam bears $S 53^{\circ} E$ 9 lks dist marked $\frac{1}{16}$ S.B.T.

0.03

Set a post 3 ft long 3 ins ~~diam~~ with charred stake 12 ins in ground for $\frac{1}{16}$ sec cor marked $\frac{1}{16}$ S on N face dug pits 18 X 18 X 12 ins E + W of post $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post. from which a mesquite 6 ins diam bears $N 30^{\circ} W$ 30 lks dist marked $\frac{1}{16}$ S.B.T.

0.05

The $\frac{1}{16}$ Sec cor.

BOOK 1998

Land 64 chs mesa level ^{and soil} 2nd - rate, 16 chs bottom ^{and soil} 1st - rate.

Scattering trees

mesquite brush 80 chs
^{By observation taken this day I find}
~~the magnetic var to be~~ 13° 06' E

Thence North bet sees

10 + 11

Var 13° 06' E.

20. The old 1/4 sec cor. I set a post 3 ft long 3 ins of with charred stake 12 ins in ground for 1/4 sec cor marked 1/4 S on W face dug pits 18x18x12 ins N + S of post 5 1/2 ft dist and raised mound of earth 1 1/2 ft high 3 1/2 ft base around post, from

Continued, Books { 1999, 2000,
2001, and 2002.
Concluded, Book 2003.