

no 3

1999

BOOK 1999

1999

4-671

1999

FIELD NOTES

1999

GENERAL LAND OFFICE.

PAPAGO INDIAN RESERVATION,

T. 16 S. R. 13 E.

1999

Township 16 South, Range 13 East

GILA AND SALT RIVER MERIDIAN.

391	393. 388.	283 287.	212 214	147. 147.	78 75
385	388 383.	280 277	213 241	144 144	74 71
379	382 377	271 274	210 207	143 140	71 68
374	378 372	275 271	206 204	139 136	67 64
368.	370 365	269 267	202 200	135 131	63 60
362	364 359	266 264	199 197	131 128	59 56
356	359 354	263 261	196 195	127. 124	56 53
351	354 349	260 258	192 190	123 120	52 49
345	347. 342	256 254	188. 185	118 115	47 44
339	342. 337	253 251	185. 182.	114 112	43 40
334	336 332	250 247	181 178	110 109	39 35
328	331 326	246 244	177 174	108 108	35 31
322.	324 319	242 240	173 170	104 102	30 27
316	319 314	239 237	170 167	101 98	26 23
311	313 308	236 233	166 163	98 95	22 19
305	307 303	233 230	162 159	94 92	18 15
299.	301 297	229 226	158 156	90 87	13 10
293	296 291	226 223	155. 153.	87 84	9 5
288	290 285	222 219	152. 150	83 80	6 3
	285	219	149.	80	2
31	32	33	34	35	36

Referring the lines to the pages of the field notes.

## Subdivisions T16 S. R13 E

which a mesquite 12 mis in  
draw bears  $S 3^{\circ} E$  16 lks dist.  
marked  $\frac{1}{4}$  S.B.T.

A mesquite 10 mis draw bears  
 $N 67^{\circ} W$  67 lks Dist marked  
 $\frac{1}{4}$  S.B.T.

Thence East on a road down  
line thru center of sec 11

Var  $13^{\circ} 06' E$

20. Set tempy  $\frac{1}{16}$  Sec cor
34. New Road to Tucson bears  
 $NW$  and  $S 2$ .
40. Set tempy  $\frac{1}{4}$  Sec cor
- 57.50 Deserted Ranch house  
4 chs dist. bears South.
58. Old Stage Station 75 lks  
dist bears North
- 58.80 Old Tucson and Nogales Road  
bears  $N + S$  and center.  
Santa Cruz Bottom
60. Set tempy  $\frac{1}{16}$  Sec cor

66.70 Dry Bed Santa Cruz River  
60 lks wide NW + SE

79.89 Intersect N + S line 8 lks S  
of  $\frac{1}{4}$  Sec cor

Thence Draw S  $89^{\circ} 57'$   
W on a true line thro cen-  
ter of sec 11 with same bar

19.97 Set a post 3 ft long 3 in  
dia with charred stake 12 in  
in ground for  $\frac{1}{16}$  sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits 18 x 18 x 12 in E  
+ W of post  $5\frac{1}{2}$  ft dia  
and raised mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$   
ft base around post.

The cor in mesquite thickets

39.94 Set a post 3 ft long 3 in  
dia with charred stake 12  
in in ground for  $\frac{1}{4}$  sec

T 16 S R 13 E

Cor marked  $\frac{1}{4}$  Sec N face  
<sup>18x18x12 ins</sup>  
 dug pits  $\wedge$  E + W of post  $5\frac{1}{2}$   
 ft dist and raised mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$   
 ft base around post

59.91 Set a post 3 ft long 3 ins  
 dia with charred stake 12  
 ins in ground for  $\frac{1}{16}$  sec  
 cor marked  $\frac{1}{16}$  S on N  
 face dug pits 18x18x12  
 ins E + W of post  $5\frac{1}{2}$  ft  
 dist and raised a mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base around post from  
 which a mesquite 12 ins  
 diam bears S.  $45^{\circ}$  E 23  
 cks dist marked  $\frac{1}{16}$  S. B. T.

79.89 The  $\frac{1}{4}$  Sec cor

Land 58 cks level mesa  
 and soil 2<sup>nd</sup> rate, 22 cks

## Subdivisions

level bottom <sup>and soil</sup>, <sup>st</sup>-rate  
 Scattering trees  
 Mesquite Bush & cks

---

Thence North bet sees

10 + 11

Var  $13^{\circ} 06' E$ .

20. Set a post 3 ft long 3 in dia  
 with charred stake 12 in  
 in ground for  $\frac{1}{16}$  Sec cor  
 marked  $\frac{1}{16} S$  on W face,  
 dug pits  $18 \times 18 \times 12$  in  
 N + S of post  $5\frac{1}{2}$  ft dia  
 and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base around post from  
 which a mesquite 3 in dia  
 bears  $N 3^{\circ} E$  25 lbs dia  
 marked  $\frac{1}{16} S.B.T.$

Thence East on a

random line thro N 1/2  
of sec 11

Var 130° 06' E,

20. Let tempy 1/16 Sec cor
- 24.30 New road to Tucson bears  
N.W. + S.E.
40. Let tempy 1/16 Sec cor
51. Road Tucson and Nogales  
bears N + S.
53. Enter Santa Cruz Bottom
56. Dry bed Santa Cruz River  
60 R.R. vadi Course N.W.  
+ S.E.
60. Let tempy 1/16 Sec cor
- 79.96 Intersect N + S line of lbr  
N of 1/16 Sec cor  
Thence run N 89°  
56' W on a true line thro  
N 1/2 of Sec 11 with same var
- 19.87 Let a post 3 ft long 3 ins of

with charred stake 12 ins  
 in ground for  $\frac{1}{16}$  sec cor,  
 marked  $\frac{1}{16}$  S on N face  
 dug pits  $18 \times 18 \times 12$  ins E  
 + W of post  $5\frac{1}{2}$  ft dist  
 and raised mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 around post from which  
 a mesquite 12 ins diam  
 bears  $S 87^\circ W 15$  lks dist  
 marked  $\frac{1}{16}$  S.B.T.

39.98 Set a post 3 ft long 3 ins  
 of with charred stake 12  
 ins in ground for  $\frac{1}{16}$   
 sec cor marked  $\frac{1}{16}$  S on  
 N face dug pits  $18 \times 18$   
 $\times 12$  ins E + W of post  
 $5\frac{1}{2}$  ft dist and raised a  
 mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post; This



T 16 S R 13 E

BOOK

134,

1999

cor in open space with  
sacaton grass.

89.97 Set a post 3 ft long 3 in sq  
with charred post 12 in  
in ground for  $\frac{1}{16}$  sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits 18 x 18 x 12 in  
E, ~~half of post~~ 5  $\frac{1}{2}$  ft dist  
and raised a mound of  
earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft  
base around post from  
which a mesquite 3 in  
diam bears S  $6^{\circ}$  W 23  
W dist marked  $\frac{1}{16}$   
S.B.T.

79.96 The  $\frac{1}{16}$  Sec cor

Land 53 chs level mesa  
and soil 2<sup>nd</sup> rate, 27 chs  
level bottom and soil 1<sup>st</sup> rate  
Scattered trees.

## Subdivisions

Mesquite Bush 80 chs

---

The use North bet sees  
10 + 11

Var.  $13^{\circ} 06' E$ .

20.

The old sec cor. I set a  
post 4 ft long 4 ins g/s with  
chased stake 12 ins in  
ground for ~~for~~ to sees 2

3, 10 + 11, marked  
T 16 S, S 2 on NE  
R 13 E, S 11 on SE  
S 10 on SW and

S 3 on NW faces with  
5 notches on the S + 2  
notches on E edges, dug  
pits  $18 \times 18 \times 12$  ins in each  
see  $5\frac{1}{2}$  dist and raised  
mound of earth 2 ft high  
 $4\frac{1}{2}$  ft base around post.

T 16 S R 13

BOOK

136.

1900

from which a mesquite <sup>10 mi. dist</sup> bears  
N 89° 30' W 31 lbs dist  
marked T 16 S R 13 E S  
3 B T

Land for 80 chs but secs  
10 + 11 level mesa + soil  
2<sup>nd</sup> - rate

Scattering trees

mesquite Brush 80 chs.

---

Thence East on random  
line bet secs 2 + 11.

Var 13° 06' E<sub>1</sub>

5.30 Turn road to Tucson bears  
NW + SE.

20. Set tempy 1/16 Sec cor

40. Set tempy 1/4 Sec cor

41. Road, Tucson <sup>and Nogales</sup>  
bears N + S, and enter  
Santa Cruz Bottoms.

47. Dry Bed Santa Cruz River  
70 lks wide course N. W.  
5 chs N of this point the  
river runs above ground.

60. Set temporary  $\frac{1}{16}$  Sec cor

79.96 Intersect N + S line 3 lks

P of cor to secs 1. 2. 11. & 12

Thence draw  $S 89^{\circ} 59'$   
W on a true line bet secs  
2 + 11 with same var

19.99 Set a post 3 ft long 3 ins of

with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor

marked  $\frac{1}{16}$  S on N face

dug pits 18 x 18 x 12 ins

E + W of post  $5\frac{1}{2}$  ft dia

and raised mound of earth

$1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base

around post. The corner

in mesquite stick.

T 16 S R 13 E

BOOK 1999 38

39.98

The old  $\frac{1}{4}$  sec cor. I set a post 3 ft long 3 ins of with charred stake 12 ins in ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  S on N face dug pits 18 x 18 x 12 ins E + W of post  $5\frac{1}{2}$  ft dist and raised mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post from which a mesquite 8 ins Drain bears N  $62^{\circ}$  E 190 lbs dist marked  $\frac{1}{4}$  S.B. T

39.97

Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for  $\frac{1}{16}$  Sec cor. marked  $\frac{1}{16}$  S on N face dug pits 18 x 18 x 12 ins E + W of post  $5\frac{1}{2}$  ft dist and raised mound of earth  $1\frac{1}{2}$

## Subdivisions

ft high  $3\frac{1}{2}$  ft base around  
post

79.96 The cor to sees 2, 3, 10 + 11

Land for 40 chs level mesa  
& Soil 2<sup>nd</sup> rate, 40 chs bot-  
tom & Soil 1<sup>st</sup> rate

Scattering trees

mesquite brush 80 chs

Feb 5<sup>th</sup> 1888

Thence North bet sees

2 + 3

Var  $13^{\circ} 06' E.$

4.40 New road to Tucson bears  
N.W.

20. Set a post 3 ft long 3 in  $\phi$   
with charred stake 12 in  
in ground for  $\frac{1}{16}$  Sec cor.  
marked  $\frac{1}{16}$  S on W face  
 $18 \times 1.5 \times 12$  in  
dug pits N + S of post  $5\frac{1}{2}$   
ft dist and raised mound

of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base around post from  
 which a mesquite 6 mi  
 down bears  $S 45^{\circ} E 43$   
 lrs dist marked  $\frac{1}{16}$  P.B.T.

Thence East on random  
 line thro  $S\frac{1}{2}$  Sec 2

Var  $13^{\circ} 06'$  E.

13.65 Old Tucson <sup>and Nogales</sup>  
 Road bears N + S <sup>and</sup> enters  
 Santa Cruz Bottom

19.80 Gulch 90 lrs wide  
 course East

21. Let tempy  $\frac{1}{16}$  Sec cor

23. Santa Cruz River, running  
 water 1 ch wide course  
 N.W.

40. Let tempy  $\frac{1}{16}$  Sec cor

60. Let tempy  $\frac{1}{16}$  Sec cor

79.92 Intersect N + S line 10 lrs S

## Subdivisions

of  $\frac{1}{16}$  Sec cor.

Thence I run  $S 89^{\circ} 54'$   
W on a true line thro  $5\frac{1}{2}$   
sec 2 with same bar

19.98 Set a post 3 ft long 3 ins  $\phi$   
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face,  
dug pits  $18 \times 18 \times 12$  ins  $\approx$   
W of post  $5\frac{1}{2}$  ft dist,  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base a-  
round post from which a  
mesquite 12 ins diam has  
 $S 84^{\circ} 30' E$  22 lrs marked  
 $\frac{1}{16}$  S. B. T.

39.96 Set a post 3 ft long 3 ins  $\phi$   
with charred stake 12 ins <sup>in</sup>  
ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face



T. 16 S R 13 E BOOK 142,  
1999

dug pits  $18 \times 18 \times 12$  ins E  
+ W of post  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post from which  
a merquite 10 ins diam  
bears  $S 41^\circ E$  10 lbs dist  
marked  $\frac{1}{16}$  S.B.T.

9.94 The cor coming in Gulch  
at a point 100 lbs East  
I set a post 3 ft long 3 ins  
sq with charred stake 12  
ins in ground for wit-  
ness cor to  $\frac{1}{16}$  Sec cor  
marked v.v.c.  $\frac{1}{16}$  S on  
N face dug pits  $18 \times 18 \times$   
 $12$  ins E + W of post  $5\frac{1}{2}$   
ft dist and raised mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post.

## Subdivisions

79.92 The  $\frac{1}{6}$  Sec cor

Land 13 chs best mesa  
 + soil 2<sup>nd</sup> rate, 67 chs best.  
 -town + sod 1<sup>st</sup> rate

Mesquite timber + brush  
 80 chs

---

Thence North bet secs

243

Var  $13^{\circ} 06' E$ .

20.

The old  $\frac{1}{4}$  sec cor. Let a  
 post 3 ft long 3 ins agr with  
 charred stake 12 ins in  
 ground for  $\frac{1}{4}$  sec cor <sup>marked</sup>  
 $\frac{1}{4}$  S on W face dug pits 18  
 $\times$  18  $\times$  12 ins N + S of post  
 $5\frac{1}{2}$  ft dist and raised a  
 mound of earth  $5\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft base around  
 post from which a mesquite

6 mi drain bears  $S 43^{\circ} W$   
 32 lks dist marked  $\frac{1}{4}$  S  
 B.T.

a mesquite 5 mi drain bears  
 $N 35^{\circ} E$  60 lks dist marked  
 $\frac{1}{4}$  S.B.T.

Thence E on a random  
 line thro center of sec 2  
 Var  $13^{\circ} 06' E$ .

20. Set tempy  $\frac{1}{16}$  Sec cor  
 27.50 Old Road Tucson <sup>and Nogales</sup>  
 bears N.W. + S.E. <sup>and enter</sup>  
 Santa Cruz bottom.  
 35. Santa Cruz river, running  
 water 1 ch wide course N.W.  
 40. Set tempy  $\frac{1}{4}$  Sec cor  
 60. Set tempy  $\frac{1}{16}$  Sec cor  
 79.89 Intersect N + S line 7 lks  
 S of  $\frac{1}{4}$  sec cor  
 Thence Drw  $S 89^{\circ} 57'$

145,

BOOK

1999

## Subdivisions

19.97 W on a true line thro center  
of sec 2 with same S as  
Set a post 3 ft long 3 in sp  
with charred stake 12 in  
in ground for  $\frac{1}{16}$  sec cor  
marked  $\frac{1}{16}$  S on N face dug  
pits 18 x 18 x 12 in E + W of  
post 5  $\frac{1}{2}$  ft dist and raised  
a mound of earth  $\frac{1}{2}$  ft  
high 3  $\frac{1}{2}$  ft base around post  
from which a mesquite 8  
in in diam bears N  $70^{\circ}$   
W 30 lbs dist mark  $\frac{1}{16}$   
S.B. T.

a mesquite 14 in diam  
bears N  $65^{\circ}$  E 15 lbs dist  
marked  $\frac{1}{16}$  S.B. T.

39.94 A mesquite tree 14 in  
diam which I mark  $\frac{1}{4}$   
S on N face for  $\frac{1}{4}$  sec cor

dug pits  $18 \times 18 \times 12$  ins E  
+ W of tree  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  
around tree, from which  
a mesquite 12 ins diam  
bears  $S 87^\circ W 37$  lrs dist  
marked  $\frac{1}{4}$  S.B.T.

59.91 Set a post 3 ft long 3 ins dia  
with charred stake 12  
ins in ground for  $\frac{1}{16}$  sec  
cor marked  $\frac{1}{16}$  S on N  
face dug pits  $18 \times 18 \times 12$   
ins E + W of post  $5\frac{1}{2}$  ft  
dist and raised mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post from  
which a mesquite 9 ins  
diam bears  $N 70^\circ E 37$   
lrs dist marked  $\frac{1}{16}$  S.B.T.

79.89 The  $\frac{1}{4}$  Sec cor.

147.

BOOK 1999

## Subdivision

Land 27.50 chs level  
mesa and soil 2<sup>nd</sup> rate,  
52.50 chs bottom and soil  
1<sup>st</sup> rate

Mesquite timber + Bush  
80 chs.

mile out,

Thence North bet secs

2 + 3

Var 13° 06' E.

11.85 Old Houses. Punta del Agria  
5 chs East

15.10 Old Tucson and Nogales Road  
bears NW + S.E.

28.90<sup>(?)</sup> Intersect 3<sup>rd</sup> Standard Par-  
allel South 1.87 chs West of  
Standard cor to secs 34 +  
x 35. I set a post 4 ft long  
4 ins off with charred stake  
12 ins in ground for closing

T 16 S R 13 E BOOK 148  
1999

cor to sec 2 + 3 marked  
C.C. T 16 S, R 13 E on S  
S 2 on E and  
S 3 on W faces with 2  
notches on E + 4 notches  
on W faces. Dug pits  
24 x 18 x 12 ins cross-  
wise on each line 5 1/2  
ft dist and raised a  
mound of earth 2 ft  
high + 5 ft base around  
post, from which a mes-  
quite 15 ins diam bears  
S 6° E 45 lbs dist  
marked T 16 S R 13 E  
S 2 B T.

A mesquite 14 ins diam  
bears S 53° E 55 lbs  
dist marked T 16 S R 13  
E S 2 B T. the old bearing

## Subdivisions

## Trees

Land for 90 chains bet  
secs 2 + 3 level mesa

Soil 2<sup>nd</sup> rate

Scattering trees

mesquite brush 90 ch.

cor

Thence from the cor to  
secs 27, 28, 33 + 34 on South  
Boundary of Reservation I  
run North bet secs 27 + 28

Var  $13^{\circ} 06' E$

20.

Set a post 3 ft long 3 ins  $\phi$   
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  cor sec  
marked  $\frac{1}{16}$  S on W face,  
dug pits  $18 \times 18 \times 12$  ins N +  
S of post  $5\frac{1}{2}$  ft dist, and  
raised a mound of each  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base



## T 16 S R 13 E

BOOK

15<sup>th</sup>

1999

around post

Thence East on random  
line thro P. 1/2 Sec 27Var  $130^{\circ} 06' E$ ,15. Dry wash 20 lbrs wide course  
N.E.

20. Set tempy 1/16 Sec cor

40. Set tempy 1/16 Sec cor

52. Dry wash 30 lbrs wide  
course N.E.

60. Set tempy 1/16 Sec cor

79.79 Intersect N + S line 14  
lbrs P of 1/16 Sec corThence I run P  $89^{\circ} 54'$   
W on a true line thro S. 1/2  
Sec 27 with same var19.94 Set a post 3 ft long 3 ins  $\phi$   
with charred stake 12 ins  
in ground for 1/16 Sec cor  
marked 1/16 S on N face

## Subderisious

dug pits  $18 \times 18 \times 12$  vis E  
 + W of post  $5\frac{1}{2}$  ft dist  
 and raised mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base a -  
 round post, from which  
 a mesquite 5 vis diam  
 bears  $S 1^{\circ} 30' W$  17 lks  
 dist marked  $\frac{1}{16}$  S.B.T.

39.89 Set a post 3 ft long 3 vis of  
 with charred stake 12 vis  
 in ground for  $\frac{1}{16}$  Sec cor  
 marked  $\frac{1}{16}$  S on N face  
 dug pits  $18 \times 18 \times 12$  vis  
 E + W of post  $5\frac{1}{2}$  ft dist  
 and raised mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base a -  
 round post

59.83 Set a post 3 ft long 3 vis of  
 with charred stake 12 vis  
 in ground for  $\frac{1}{16}$  Sec cor

T 16 S R 13 E

BOOK

152,  
1999

marked  $\frac{1}{16}$  S on N face  
dug pits  $18 \times 18 \times 12$  ins  
E + W of post  $5\frac{1}{2}$  ft dist  
and raised mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post

79.79

The  $\frac{1}{16}$  Sec cor

Land rolling

Soil 2<sup>nd</sup> rate

Scattering trees

mesquite Brush 80 ch

---

Thence North bet secs

27 + 28

Var  $13^{\circ} 06' E.$

9.80 Dry Wash. 15-lks wide  
course N. E.

20. Set a post 3 ft long 3 ins sq  
with charred stakes 12 ins  
in ground for  $\frac{1}{4}$  sec cor

## Subdivisions

marked  $\frac{1}{4}$  S on W face  
 dug pits  $18 \times 18 \times 12$  ins N +  
 S of post  $5\frac{1}{2}$  ft dist and  
 raised mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base a-  
 round post. The old  
 corner obliterated.

Thence East on a  
 random line thro centre  
 of sec 27

Var  $13^{\circ} 06'$  E.

20. Set tempy  $\frac{1}{16}$  Sec cor  
 28.75 Dry wash. 30 lks wide  
 course N. E.

40. Set tempy  $\frac{1}{4}$  Sec cor

60. Set tempy  $\frac{1}{16}$  Sec cor

79.65 Intersect N + S line 12  
 lks S of  $\frac{1}{4}$  Sec cor

Thence draw  $S 89^{\circ} 55'$   
 W on a true line thro the

- 19.91 center of sec 27 with same var.  
 Set a post 3 ft long 3 in of  
 with charred stake 12 in  
 in ground for  $\frac{1}{16}$  sec cor  
 marked  $\frac{1}{16}$  S on N face  
 dug pits 18 x 18 x 12 in E  
 + W of post 5  $\frac{1}{2}$  ft dist  
 and raised a mound of  
 earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft  
 base around post.
- 39.82 Set a post 3 ft long 3 in of  
 with charred stake 12 in  
 in ground for  $\frac{1}{4}$  sec cor  
 marked  $\frac{1}{4}$  S on N face  
 dug pits 18 x 18 x 12 in  
 E + W of post 5  $\frac{1}{2}$  ft dist  
 and raised mound of  
 earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft  
 base around post
- 59.73 Set a post 3 ft long 3 in of

## Subdivisions

with charred stake 12 ins  
 in ground for  $\frac{1}{16}$  Sec cor  
 marked  $\frac{1}{16}$  S on N face  
 dug pits 18x18x12 ins E  
 + W of post 5 $\frac{1}{2}$  ft dist and  
 raised a mound of earth 1 $\frac{1}{2}$   
 ft high 3 $\frac{1}{2}$  ft base around  
 post from which a mesquite  
 tree 8 ins diam bears S 86°  
 E 42 lbs dist marked  
 $\frac{1}{16}$  S.B.T.

79.65 The  $\frac{1}{4}$  Sec cor

Land rolling

Soil 2<sup>nd</sup> Rate

Scattering trees

Mesquite Brush & cchs

---

Thence North bet sees

27 + 28

Var 13° 06' E.

## T I B S R I B E

BOOK 1567  
1999

20. Set a post 3 ft long 3 ins  $\phi$   
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits 18 x 18 x 12 ins  
E + W of post 5  $\frac{1}{2}$  ft dia  
and raised mound of earth  
1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base  
around post.

Thence East on a  
random line thro N  $\frac{1}{2}$  of  
Sec 27.

Var 13° 06' E.

20. Set tempy  $\frac{1}{16}$  Sec cor  
40. Set tempy  $\frac{1}{16}$  Sec cor  
48.50 Dry wash 50 lrs wide  
course N. E.  
60. Set tempy  $\frac{1}{16}$  Sec cor  
79.78 Intersect N + S line 15 lrs  
S of  $\frac{1}{16}$  Sec cor

## Subdivisions

Thence Iron  $S 89^{\circ} 54' W$   
on a true line thro  $N \frac{1}{2}$  of  
Sec 27 with same var

19.94 Set a post 3 ft long 3 in  $\phi$   
with charred stake 12 in  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits  $18 \times 18 \times 12$  in E  
& W of post  $5 \frac{1}{2}$  ft dist  
and raised mound of  
earth  $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft  
base around post from  
which a mesquite 9 in  
diam bears  $S 10^{\circ} E$  92 lbs  
Dist marked  $\frac{1}{16}$  S.B.T.

39.89 Set a post 3 ft long 3 in  $\phi$   
with charred stake 12 in  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits  $18 \times 18 \times 12$  in E



T. 16 S R 13 E

+ w of post  $5\frac{1}{2}$  ft dist  
and raised mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post

59.83 Set a post 3 ft long 3 ins  
off with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits  $18 \times 18 \times 12$  ins E  
+ w of post  $5\frac{1}{2}$  ft <sup>dist</sup> and  
raised mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post

79.78 The  $\frac{1}{16}$  sec cor.

Land rolling mesa

Soil 2<sup>nd</sup> rate

Scattering trees

mesquite Bush 80 chs

Thence North bet secs

## Subdivisions

27 + 28

Var  $13^{\circ} 06' E.$ 

20.

The old sec cor. I set a post  
4 ft long 4 ins spr with  
charred stake 12 ins in  
ground for ~~cor~~ to secs

21. 22. 27 + 28 marked

T 16 S, S 22 on N. E.

R 13 E, S 27 on S. E

S 28 on SW and

S 21 on NW faces, with  
2 notches on S and 3 notches  
on E edges. Dug pits  $18 \times$   
 $18 \times 12$  ins in each sec  $5\frac{1}{2}$   
ft dist and raised mound  
of earth 2 ft high  $4\frac{1}{2}$  ft  
base around post, from  
which a mesquite 9 ins diam  
bears S  $5^{\circ}$  W 86 lbs marked  
T 16 S R 13 E S 28 B.T.

T 16 S R 13 E

BOOK 160.  
1999

A mesquite 9 mi drain  
bears  $S 50^{\circ} W$  116 lrs  
dist marked T 16 S, R  
13 E S 28 B.T.

Land for 80 chs bet  
secs 27 + 28 rolling mesa  
Soil 2<sup>nd</sup> rate  
Scattering trees  
Mesquite Bush 80 chs

---

Thence East on a run-  
down line bet secs 22 +  
27

Var  $13^{\circ} 06'$  E.

20. Set tempy  $1/16$  Sec cor  
40. Set tempy  $1/4$  Sec cor  
51.40 Dry Wash, 50 lrs wide  
course N.E.  
60. Set tempy  $1/16$  Sec cor  
79.65 Intersect N + S line 22 lrs

## Subdivisions

S. of cor to secs 22 23, 26  
+ 27

Thence I run  $S 89^{\circ} 50'$   
W on a true line bet secs  
22 + 27 with same var

19.91 Set a post 3 ft long 3 ins ~~off~~  
~~down~~ with charred stake  
12 ins in ground for  $\frac{1}{16}$   
Sec cor marked  $\frac{1}{16}$  S on N  
face dug pits  $18 \times 18 \times 12$  ins  
E + W of post  $5\frac{1}{2}$  ft dist  
and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post

39.82 Set a post 3 ft long 3 ins ~~off~~  
with charred stake 12 ins  
in ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  S on N face dug  
pits  $18 \times 18 \times 12$  ins E + W  
of post  $5\frac{1}{2}$  ft dist and

T 16 S R 13 E

BOOK

162,

1909

raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post. The old  
corner obliterated

59.73 Set a post 3 ft long 3 ins off  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits  $18 \times 18 \times 12$  ins E  
& W of post  $5\frac{1}{2}$  ft dist  
and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post

79.65 The cor to secs 21, 22, 27  
& 28

Land rolling

Soil 2<sup>nd</sup> rate

Scattering trees

Mesquite Brush & cks

---

## Subdivisions

Thence North bet secs

21 + 22

Var  $13^{\circ} 06' E$ .11.40 Dry wash 80 lks wide  
course N.E.

20. Set a post 3 ft long 3 ins. <sup>off</sup>  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on W face  
dug pits  $18 \times 18 \times 12$  ins N  
& S of post  $5\frac{1}{2}$  ft dist <sup>and</sup>  
raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post from which  
a mesquite <sup>4 ins <sub>or</sub> 5 ins</sup> bears  $N 87^{\circ}$   
W 13 lks dist marked.  
 $\frac{1}{16}$  S.B.T.

Thence East on random  
line thro  $S \frac{1}{2}$  sec 22Var  $13^{\circ} 06' E$ .

T 16 S R 13 E

BOOK 1999

164.

- 13.70 Dry wash 80 lks wide  
course N.E.
20. Set tempy  $\frac{1}{16}$  Sec cor.
- 37.90 Dry wash 20 lks wide  
course N.E.
40. Set tempy  $\frac{1}{16}$  Sec cor
60. Set tempy  $\frac{1}{16}$  Sec cor
- 79.89 Intersect N + S line 11  
lks S of  $\frac{1}{16}$  Sec cor  
Thence S  $89^{\circ}$   
55' W on a true line  
thro S  $\frac{1}{2}$  of sec 22 with  
same var
- 19.97 Set a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits 18 x 18 x 12 ins E  
& W of post  $5\frac{1}{2}$  ft dist and  
raised a mound of earth

## Subdivisions

1 1/2 high 3 1/2 base around  
post from which a mes-  
quite 8 mi diam bears  
N 87° 30' E 126 lbs dist  
marked 1/16 S.B.T.

39.82 A mesquite tree 5 mi in  
diam which I marked  
1/16 S on N face for 1/16  
Sec cor, dug pits 18 x 18  
x 12 mi E + W of tree  
5 1/2 ft dist  
and raised mound of  
1 1/2 ft high 5 1/2 ft base  
earth around tree.

59.73 Set a post 3 ft long 3 mi of  
with charred stake 12 mi  
in ground for 1/16 Sec cor  
marked 1/16 S on N face.  
dug pits 18 x 18 x 12 mi  
E + W of post 5 1/2 ft dist  
and raised mound of earth  
1 1/2 ft high 3 1/2 ft base a-



T I B S R I 3 E

round Post.

79.89

The 1/4 Sec cor

Land rolling

Soil 2<sup>nd</sup> rate

Scattering trees

mesquite Brush 80 ch

Thence North bet secs

21 + 22

Var 13° 06' E.

12.75

Dry Wash 20 lvs wide  
course N.E.

20.

The old 1/4 sec cor. I set a  
post 3 ft long 3 ins of with  
charred stake 12 ins in  
ground for 1/4 sec cor,  
marked 1/4 S on W face  
dug pits 18 x 18 x 12 ins  
N + S of post 5 1/2 ft dist  
and raised mound of

## Subdivisions

earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post, from  
which a mercurite 8 mi  
diam bears  $N 65^{\circ} E 44$   
lks <sup>dist</sup> marked  $\frac{1}{4}$  S.B.T.

Thence East on random  
line thro center of sec. 22  
Var  $13^{\circ} 10' E$ .

- 16.70 Dry wash. 20 lks wide  
course N.E.
20. Set tempy  $\frac{1}{16}$  Sec cor
40. Set tempy  $\frac{1}{4}$  Sec cor
46. Dry wash 40 lks wide  
course N.E.
- 55.75 Dry wash 20 lks wide  
Course N.E.
60. Set tempy  $\frac{1}{16}$  Sec cor
- 79.79 Intersect N + S line 6 lks  
N of  $\frac{1}{16}$  Sec cor.  
Thence Iron  $N 89^{\circ} 58'$

T. 16 S R. 13 E

BOOK 168,  
1999

Now a true line thro Cent  
of sec 22 with same var.

19.94

Set a post 3 ft long 3 in of  
with charred stake 12 in  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits 18 x 18 x 12 in  
E + W of post  $5\frac{1}{2}$  ft dist  
and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post from  
which a mesquite 4 in  
diam bears S  $57^{\circ}$  W 29  
lbs dist marked  $\frac{1}{16}$  S.B.T.

39.89

Set a post 3 ft long 3 in of  
with charred stake 12 in  
in ground for  $\frac{1}{4}$  sec cor  
marked  $\frac{1}{4}$  S on N face  
dug pits 18 x 18 x 12 in  
E + W of post  $5\frac{1}{2}$  ft dist

## Subdivisions

and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post

- 59.83 Set a post 3 ft long 3 ins sp with charred stake 12 ins in ground for  $\frac{1}{16}$  Sec cor marked  $\frac{1}{16}$  S on N face dug pits  $18 \times 18 \times 12$  ins E + W of post  $5\frac{1}{2}$  ft dist and raised mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post, from which a mesquite 5 ins in diam bears  $N 42^\circ E 13$  cbrs dist marked  $\frac{1}{16}$  S. B. T.

- 79.79 The  $\frac{1}{4}$  Sec cor  
Land rolling  
Soil 2<sup>nd</sup> rate  
Scattering trees  
Mesquite Brush Rocks

T 16 S R 13 E

BOOK 170.  
1999

Thence North bet secs  
21 & 22.

Var  $13^{\circ} 06' E$ .

4.60 Drywash 20 lks wide  
course N.E.

20. Set a post 3 ft long 3 in of  
with charred stake 12  
ins in ground for  $\frac{1}{16}$  sec  
cor marked  $\frac{1}{16}$  S on W face  
dug pits  $18 \times 18 \times 12$  ins  
N & S of post  $5\frac{1}{2}$  ft dist  
and raised mound of  
earth  $1\frac{1}{2}$  fts high  $3\frac{1}{2}$  ft  
base around post.

Thence East on a  
random line thro  $N\frac{1}{2}$  of  
Sec 22

Var  $13^{\circ} 06' E$ .

19. Drywash 20 lks wide  
course N.E.

## Subdivisions

20. Set tempy  $\frac{1}{16}$  Sec cor
40. Set tempy  $\frac{1}{16}$  Sec cor
48. Drywash 25 lks wide  
course N.E.
60. Set tempy  $\frac{1}{16}$  Sec cor
- 79.82 Intersect N + S line 7 lks  
South of  $\frac{1}{16}$  sec cor  
Thence Run  $S 89^{\circ} 57'$   
W on a true line thro  $N \frac{1}{2}$   
sec 22 with same cor
- 19.95 Set a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits  $18 \times 18 \times 12$  ins E  
& W of post  $5 \frac{1}{2}$  ft dist and  
raised mound of earth  
 $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft base  
around post.
- 39.90 Set a post 3 ft long 3 ins of

T 16 S R 13 E

BOOK 172,  
1999

with charred stake 12 ins  
in ground for  $\frac{1}{16}$  sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits  $18 \times 18 \times 12$  ins E  
& W of post  $5\frac{1}{2}$  ft dist  
and raised mound of  
earth  $1\frac{1}{2}$  high  $3\frac{1}{2}$  base  
around post.

Fig. 85 Set a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits  $18 \times 18 \times 12$  ins  
E & W of post  $5\frac{1}{2}$  ft dist  
and raised mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post, from  
which a mesquite 6 ins  
diam bears  $N 32^\circ E 88$   
lb dist marked  $\frac{1}{16}$  S. B. T.

## Subdivisions

79.82 The 1/16 Sec cor  
Land rolling  
Soil 2<sup>nd</sup> rate  
Scattering trees  
Mesquite Brush 80 chs

Feb'y 6<sup>th</sup> 1888

Thence North bet secs

21 + 22

Var 13° 06' E.

19.70 Dry wash, 15 lbs wide  
course N.E.

20. The old sec cor, I set post  
4 ft long 4 ins off with chain  
stake 12 ins in ground for  
cor to secs 15, 16, 21, + 22  
marked

T 16 S. S 15 on N.E.

R 13 E. S 22 on S.E.

S 21 on S.W. and

S 16 on N.W. faces <sup>with</sup>



BOOK 1999 174.  
T 16 S R 13 E

3 notches on the S + 3 notches on the E edges, deep pits 18 x 18 x 12 ins in each sect 5 1/2 ft dist and raised around of earth 2 ft high 4 1/2 ft base around post from which a mesquite 7 mi Drain bears S 32° W 30 lks Dist marked T 16 S R 13 E, S 21 B T.

Land for 80 chs bet  
secs 21 + 22 rolling  
Soil 2<sup>nd</sup> - rate  
Scattering trees  
mesquite Bush 80 chs

---

Thence East on random  
line bet secs 15 + 22  
Var 13° 06' E.

175  
BOOK 1999

# Subdivisions

1.30 Drywash 15 lks wide  
course N.E.

20. Set tempy  $\frac{1}{16}$  Sec cor

31. Drywash 25 lks wide  
course N.E.

40. Set tempy  $\frac{1}{4}$  Sec cor

60. Set tempy  $\frac{1}{16}$  Sec cor

61.40 Drywash 15 lks wide  
course N.E.

79.78 Intersect N + S line 8  
lks S of cor to secs 14.  
15. 22 + 23

Thence Run  $S 89^{\circ} 57'$   
W on a true line bet secs  
15 + 22 with same as

19.94 Set a post 3 ft long 3 ins  $\phi$   
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor,  
marked  $\frac{1}{16}$  S on N face  
dug pits 18x18x12 ins

T 16 S R 13 E

BOOK 1999

1761

E + W of post  $5\frac{1}{2}$  ft dist  
and raised mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$   
ft base around post.

39.89

Set a post 3 ft long 3 ins sp  
with charred stake 12  
ins in ground for  $\frac{1}{4}$  see  
cor marked  $\frac{1}{4}$  S on N face  
dug pits  $18 \times 18 \times 12$  ins E  
+ W of post  $5\frac{1}{2}$  ft dist  
and raised mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post from  
which a mesquite 8 ins  
diam bears S  $87^\circ$  E  $80$   
lbs dist marked  $\frac{1}{4}$  S B.  
T. The old cor obliterated.

39.83

Set a post 3 ft long 3 ins sp  
with charred stake 12 ins  
in ground for  $\frac{1}{6}$  see cor

## Subdivisions

marked  $\frac{1}{16}$  P on N face  
 dug pits  $18 \times 18 \times 12$  ins E  
 + W of post  $5\frac{1}{2}$  ft dist <sup>and</sup>  
 raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 around post from which  
 a mesquite 8 ins diam  
 bears  $S 89^\circ W 78$  lks  
 dist marked  $\frac{1}{16}$  S.B.T.

79.78 The cor to secs 15, 16, 21  
 + 22

Land rolling

Soil 2<sup>nd</sup> rate

Scattering trees

Mesquite Bush rocks

---

Thence North bet secs  
 15 + 16

Var  $13^\circ 06'$  E.

19. Drywash 20 lks wide

T 16 S R 13 E

BOOK

178.

1999-

course N.E.

20.

Set a post 3 ft long 3 ins apr  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on W face  
dug pits 18 x 18 x 12 ins  
N + S of post  $5\frac{1}{2}$  ft dist  
and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post: from  
which a mesquite 6 ins  
diam bears  $N 1^{\circ} E 11$  lbs  
dist marked  $\frac{1}{16}$  S.B.T.

Thence East on ran-  
-down line thro  $5\frac{1}{2}$  of  
Sec 15

Var  $13^{\circ} 06'$  E.

13.15

Dry wash 20 lbs wide  
course N.E.

20.

Set tempy  $\frac{1}{16}$  Sec cor

## Subdivisions

- 24.80 Drywash 20 lks wide  
course N.E.
40. Set tempy  $\frac{1}{16}$  Sec cor
60. Set tempy  $\frac{1}{16}$  Sec cor
- 79.82 Intersect N + S line 6 lks  
S of  $\frac{1}{16}$  Sec cor.

Thence Run  $S 89^{\circ} 57'$

W on a true line thro  $S \frac{1}{2}$   
of sec 15 with same as

- 19.95 Set a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits  $18 \times 18 \times 12$  ins  
E + W of post  $5 \frac{1}{2}$  ft dist  
and raised a mound of  
earth  $1 \frac{1}{2}$  ft high and  $3 \frac{1}{2}$   
ft base around post from  
which a mesquite 7 ins diam  
bears  $N 89^{\circ} E$  9 lks dist

marked 1/16 S.B.T.

39.90 Set a post 3 ft long 3 in of  
with charred stake 12 in  
in ground for 1/16 Sec cor  
marked 1/16 S on N face  
dug pits 18 x 18 x 12 in E  
& W of post 5 1/2 ft dist and  
raised mound of earth 1 1/2  
ft high 3 1/2 ft base around  
post from which a mes-  
quite tree 8 in diam  
bears N 82° E 41 lks  
dist marked 1/16 S.B.T.

59.85 Set a post 3 ft long 3 in of  
with charred stake 12 in  
in ground for 1/16 Sec cor  
marked 1/16 S on N face  
dug pits 18 x 18 x 12 in E  
& W of post 5 1/2 ft dist  
and raised mound of

181

BOOK

1999

## Subdivisions

earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base around post from  
 which a mesquite 5 mi  
 Draw bears  $N 53^{\circ} E$  44  
 lrs dist marked  $\frac{1}{16}$  S  
 B.T.

79.82

The  $\frac{1}{16}$  Sec cor

Laudrolling

Soil 2<sup>nd</sup> rate

Scattered trees

Mesquite Bush 80 ch

---

Thence North bet secs  
 15 + 16

Var.  $13^{\circ} 06' E$ .

5.10

Dry wash 15 lrs wide  
 course N. E.

20.

The old  $\frac{1}{16}$  sec cor. I set  
 a post 3 ft long 3 ins of  
 with charred stake 12 ins



T 16 S R 13 E

BOOK

1829  
1999

in ground for  $\frac{1}{4}$  sec cor  
marked  $\frac{1}{4}$  S on W face  
dug pits  $18 \times 18 \times 12$  ins N  
& S of post  $5\frac{1}{2}$  ft dist  
and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post from  
which a mesquite 10 ins  
diam bears  $S 87^{\circ} E 89$   
lks dist marked  $\frac{1}{4}$  S  
B.T.

Thence East on a  
random line through  
center of sec 15

Var  $13^{\circ} 06' E$ .

20. Set tempy  $\frac{1}{16}$  Sec cor  
38. Dry wash 30 lks wide  
course N. E.  
40. Set tempy  $\frac{1}{4}$  Sec cor  
60. Set tempy  $\frac{1}{16}$  Sec cor

## Subdivisions

- 79.89 Intersect N + S line of lks  
 P of  $\frac{1}{4}$  Sec cor  
 Thence I run  $S 89^{\circ} 56'$   
 W on a true line thro' cent  
 Sec 15 with same var
- 19.97 Set a post 3 ft long 3 ins  
 of with charred stake 12  
 ins in ground for  $\frac{1}{16}$  Sec  
 cor marked  $\frac{1}{16}$  S on N face  
 dug pits  $18 \times 18 \times 12$  ins E  
 + W of post  $5\frac{1}{2}$  ft dist<sup>and</sup>  
 raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 around post from which  
 a mesquite 5 ins diam  
 bears  $S 85^{\circ} E 43$  lks  
 dist marked  $\frac{1}{16}$  S.B.T.
- 39.94 Set a post 3 ft long 3 ins of  
 with charred stake 12 ins  
 in ground for  $\frac{1}{4}$  Sec cor

T 16 S R 13 E

BOOK

184,  
1999

marked  $\frac{1}{4}$  S on N face  
dug pits  $18 \times 18 \times 12$  ins  
E + W of post  $5\frac{1}{2}$  ft dia  
and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post. The  
old cor obliterated.

9.91 Set a post 3 ft long 3 ins dia  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16}$  S on N face  
dug pits  $18 \times 18 \times 12$  ins  
E + W of post  $5\frac{1}{2}$  ft dia  
and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post from  
which a mesquite 9 ins  
diam bears  $P 82^{\circ} 10' E$   
13 lvs dia marked  $\frac{1}{16}$  S  
B.T.

185

BOOK

1999

## Subdivisions

79.89

The  $\frac{1}{4}$  Sec cor

Land mostly level

Soil 2<sup>nd</sup> rate

Scattering trees

Mesquite Bush rocks

Thence North bet secs

15 + 16

Var  $13^{\circ} 06' E.$ 

20.

Set a post 3 ft long 3 ins  $\phi$   
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16} S$  on W face  
dug pits  $18 \times 18 \times 12$  ins N  
& S of post  $5\frac{1}{2}$  ft dist and  
raised mound of earth  $1\frac{1}{2}$   
ft high  $3\frac{1}{2}$  ft base around  
post

Thence East on a  
random line thro N  $\frac{1}{2}$  of

T 16 S R 13 E

BOOK

1861  
1999

Sec 15

Var  $13^{\circ} 06'$  E.

0. Set tempy  $\frac{1}{16}$  Sec cor  
10. Set tempy  $\frac{1}{16}$  Sec cor  
16.50 Drywash 20 lks wide  
course N. E.

0. Set tempy  $\frac{1}{16}$  Sec cor  
19.82 Intersect N + S line of  
lks S of  $\frac{1}{16}$  Sec

Thence run  $S 89^{\circ} 57'$   
W on a true line thro N  
 $\frac{1}{2}$  of Sec 15 with same var.

19.95 Set a post 3 ft long 3 ins of  
with charred stake 12 ins  
in ground for  $\frac{1}{16}$  Sec cor  
marked  $\frac{1}{16} S$  on N face  
dug pits  $18 \times 18 \times 12$  ins  
E + W of post  $5\frac{1}{2}$  ft dist  
and raised mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft

## Six divisions

base around post from  
which a mesquite 6 mi  
drain bears  $S^{\circ} 89^{\circ} 40'$   
E 9 lks dist marked  
 $\frac{1}{16}$  S.B.T.

39.90 Set a post 3 ft long 3 ins  
off with charred stake 12  
ins in ground for  $\frac{1}{16}$  Sec  
cor marked  $\frac{1}{16}$  on N face  
dug pits 18 x 18 x 12 ins E  
& W of post  $5\frac{1}{2}$  ft dist  
and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post from  
which a mesquite 6 mi  
Drain bears  $N 33^{\circ} E$   
67 lks dist marked  $\frac{1}{16}$   
S.B.T

59.85 Set a post 3 ft long 3 ins  
off with charred stake 12

T 16 S R 13 E

BOOK

1999

1887

vis in ground for  $\frac{1}{16}$  sec  
cor marked  $\frac{1}{16}$  S on N face  
dig pits  $18 \times 18 \times 12$  vis E  
+ W of post  $5\frac{1}{2}$  ft dist  
and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post from  
which a mesquite 8 vis  
down bears  $S 64^\circ E 64$   
lks dist marked  $\frac{1}{16}$  S.B.T.

7982 The  $\frac{1}{16}$  Sec cor

Land mostly level

Soil 2<sup>nd</sup> rate

Scattering trees

Mesquite Bush 80 cts

---

Thence North bet secs  
15 + 16

Var  $13^\circ 06'$  E.

14. Drywash 40 lks wide

189

BOOK

1999

## Subdivisions

course N.E.

20. Set a post 4 ft long 4 ins  
 off with charred Stake  
 12 ins in ground for cor  
 to Secs 9, 10, 15 & 16 marked

T 16 S, S 10 on N E

R 13 E, S 15 on S E

S 16 on S.W. and

S 9 on N.W. faces with  
 4 notches on S + 3 notches  
 on E edges, dug pits 18 x  
 18 x 12 ins in each sec

5 1/2 ft dist. and raised  
 a mound of earth 2 ft  
 high 4 1/2 ft base around  
 post. The old cor obli-  
 terated.

Land for 80 chs bet  
 Secs 15 & 16 mostly Coal  
 Soil 2<sup>nd</sup> rate



T 16 S R 13 E

BOOK 1901  
1999

Scattering trees  
mesquite Bush 80 chs

---

Thence East on random  
line bet secs 10 + 15

Var  $13^{\circ} 06'$  E.

8.50 Dry wash 25 lks wide  
course N. E.

0.00 Set tempy  $1/16$  Sec cor

10.00 Set tempy  $1/4$  Sec cor

0.00 Set tempy  $1/16$  Sec cor

9.78 Intersect N + S line 5  
lks N of cor to secs 10.

11. 14. + 15.

Thence Run N  $89^{\circ}$   
 $58'$  W on a true line bet  
secs 10 + 15 with same var.

9.94 Set a post 3 ft long 3 ins dia  
with charred stake 12 ins  
in ground for  $1/16$  Sec cor

191 Subdivisions T16S R13E

BOOK 1999

marked  $\frac{1}{16}$  S on N face  
dug pits  $18 \times 18 \times 12$  ins E  
+ W of post  $5\frac{1}{2}$  ft dist  
and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post from  
which a mesquite 6 ins  
diam bears  $N 44^{\circ} 30' E$   
31 lbs dist marked  $\frac{1}{16}$   
S. B. T.

39.89 Set a post 3 ft long 3 ins sp  
with charred stake 12 ins  
in ground for  $\frac{1}{4}$  sec cor  
marked  $\frac{1}{4}$  S on N face  
dug pits  <sup>$18 \times 18 \times 12$  ins</sup> E + W of post  $5\frac{1}{2}$   
ft dist and raised mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post from  
which a mesquite 12 ins  
diam bears  $S 2^{\circ} E 28$  lbs

North on 203

var 13° 06' E

17.20 Old Road Success NW + S.E.  
20.00 at 1/2 S.  
Shence east Ransom line thro

2 1/2 sec 2 var 13° 06' E

14.50 Old Road Success NW + S.E.  
20.00 Swampy 1/2 S  
23.00 S.C. River 1 ch wide running water  
course N.W.  
40.00 Swampy 1/2 S.  
20.00 Swampy 1/2 S.  
23.90 Entrance NW S line 7 chs limit, 7 1/2  
sec cor.  
80.00 at 2 1/2 sec 2 unit  
Same var.

19.00 1/2 S sec cor  
39.00 1/2 S sec cor  
59.00 1/2 S sec cor  
79.00 1/2 S

Sand level bottom, sand 2nd Ranche  
may contain rough 80 chs

Continued, Books { 2000, 2001,  
and 2002.

Concluded, Book 2003.