

no 4.

2000

BOOK 2000

2000

4-671

2000

2000

FIELD NOTES

GENERAL LAND OFFICE.

PAPAGO INDIAN RESERVATION

T. 16 S. - R. 13 E.

2000

Township 16 South, Range 13 East, 20

GILA AND SALT RIVER MERIDIAN.

391	393. 388.	283 287.	217. 214	147. 147.1	78 75
385	368 383.	280 277	213 241	144 144	74 71
379	362 377	277 274	210 207	143 140	74 68
374	376 372	275 271	206 204	139 136	67 64
368.	370 365	269 267	202 200	135 131	63 60
362	364 359	266 264	199 197	131 128	59 56
356	359 354	263 261	196 195	127. 124	56 53
357	357 349	260 258	192 190	123 120	52 49
345	347. 342	256 254	188. 185	118 115	47 44
339	342. 337	253 250	185. 182.	114 112	43 39
334	336 332	250 247	181 178	111 109	38 35
328	331 326	246 244	177 174	108 108	35 31
322.	324 319	242 240	178 178	104 102	30 27
316	319 314	239 237	170 167	101 98	26 23
311	313 308	236 233	166 163	98 95	22 19
305	307 303	233 230	162 160	94 92	18 15
299.	301 297	229 226	158 156	90 87	13 10
293	296 291	226 223	155. 153.	87 84	9 5
288	290 285	222 219	152. 150	83 80	6 3
	285	219	149.	80	2
31	32	33	34	35	36

Referring the lines to the pages of the field notes.

Subdivisions T16S R13E

Dist marked $\frac{1}{4}$ S. B. T. The
old corner obliterated.

59.83 Set a post 3 ft long 3 in. sq.
with charred stake 12 in.
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S. on N face
dug pits 18 x 18 x 12 in. in
ground E + W of post $5\frac{1}{2}$
ft dist and raised mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

79.78 The cor to secs 9, 10, 15 + 16
Land mostly level
Soil 2nd rate
Scattering trees
Mesquite Birch 80 ch

Thence North bet secs 9
+ 10

Var $13^{\circ} 06'$ E.

195

BOOK 2000

Sibderisous

- 13.10 Drywash 60 lrs wide
Course N.E.
20. Set a post 3ft long 3 ins sq
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on W face
dug pits 18 x 18 x 12 ins
N + S of post $5\frac{1}{2}$ ft dist
and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post from
which a mesquite 9 ins
Drain bears $S 47^{\circ} E 19$
lrs dist marked $\frac{1}{16}$ S B T.

Thence East on a ran-
down line thro $S\frac{1}{2}$ of sec
10

Var $13^{\circ} 06' E$

20. Set tempy $\frac{1}{16}$ Sec cor
- 21.50 Drywash 50 lrs wide

T 16 S. R 13 E

course N. E.

37.15 Dry wash 40 lrs wide
course N E.40. Set temporary $\frac{1}{16}$ Sec cor60. Set temporary $\frac{1}{16}$ Sec cor79.80 Intersect N + S line of lrs
N of $\frac{1}{16}$ Sec corThence run N $89^{\circ}56'W$
on a true line thro $S\frac{1}{2}$ sec
10 with same var19.95 Set a post 3 ft long 3 ins of
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor ^{marked}
 $\frac{1}{16}$ S on N face dug pits
18 x 18 x 12 ins E + W of post
 $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft
high + $3\frac{1}{2}$ ft base around
post from which mesquite
6 ins diam bears N $51^{\circ}W$

195

BOOK 2000

Subdivisions

49 lbs dist marked $\frac{1}{16}$ S
B. T.

39.90 Set a post 3 ft long 3 in of
with chaired stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits 18 x 18 x 12 in
E + W of post 5 $\frac{1}{2}$ ft
dist and raised mound
of earth 1 $\frac{1}{2}$ ft high and 3 $\frac{1}{2}$
ft base around post

39.85 Set a post 3 ft long 3 in of
with chaired stake 12 in
in ground for $\frac{1}{16}$ Sec cor
dug pits 18 x 18 x 12 in
E + W of post 5 $\frac{1}{2}$ ft dist
and raised mound of earth
1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base a-
round post from which a
mesquite 8 in diam bears

S 88° 10' E 11 lrs dist
marked 1/16 C.B.T.

79.80

The 1/16 Sec cor

Land mostly level

Cont 2nd rate

Scattering trees

Mesquite Bush rocks.

Thence North bet sees

9 + 10

Var 13° 06' E

19.90

Dry wash 20 lrs wide
course N. E

20.

The corner coming in Dry
wash at a point 30 lrs S

I set a post 3 ft long 3 in dia
~~ground~~ with charred stake
12 in in ground for interior

corner to 1/4 Sec cor marked
W.C. 1/4 S on W face dry

Subdivisions

pits 18 x 18 x 12 ins N + S
of post 5 1/2 ft dist and
raised mound of earth
1 1/2 ft high 3 1/2 ft base
around post

Thence East on random
line thro center Sec 10

Var 13° 06' E

20. Set tempy 1/16 Sec cor

40. Set tempy 1/4 Sec cor

48.40 Dry wash 70 lks wide
course N. E

60. Set tempy 1/16 Sec cor

79.92 Intersect N + S line 11
lks S of 1/4 Sec cor

Thence draw S 89° 55'
W on a true line thro center
Sec 10 with same var

19.98 Set a post 3 ft long 3 ins $\frac{1}{4}$
with charred stake 12 ins

T I B S R I B E

in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on N face
 dug pits $18 \times 18 \times 12$ ins E
 + W of post $5\frac{1}{2}$ ft dist
 and raised mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post.

39.96 Set a post 3 ft long 3 ins
 of with charred stake 12
 ins in ground for $\frac{1}{4}$ Sec cor
 marked $\frac{1}{4}$ S on N face
 dug pits $18 \times 18 \times 12$ ins E
 + W of post $5\frac{1}{2}$ ft dist
 and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post.

59.94 Set a post 3 ft long 3 ins of
 with a charred stake 12 ins
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on N face

Subdivisions

dug pits $18 \times 18 \times 12$ ins E
 + W of post $5\frac{1}{2}$ ft dist
 and raised mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post

79.92 The $\frac{1}{4}$ Sec cor.

Land mostly level

Soil 2nd rate

Scattered trees

Mesquite Bush & oaks

Thence North bet
 secs 9 & 10

Var $13^{\circ} 06' E$.

20. • Set a post 3 ft long 3 ins
 sq with chaired stake 12
 ins in ground for $\frac{1}{16}$ Sec
 cor marked $\frac{1}{16}$ S on W face
 dug pits $18 \times 18 \times 12$ ins N
 + S of post $5\frac{1}{2}$ ft dist

T 16 S R 13 E

200.

and raised mound fault
 1 1/2 ft high 3 1/2 ft base
 around post. from which
 a mesquite 4 in diam
 bears N 84° W 31 lrs
 marked 1/16 S.B.T.

Thence East on a
 random line thro N 1/2
 of sec 10

Var 130° 06' E

20. Set tempy 1/16 Sec cor
 40. Set tempy 1/16 Sec cor
 60. Set tempy 1/16 Sec cor
 79.88 Intersect N + S line of lrs
 N of 1/16 Sec cor

- Thence Run N 89°
 16' W on a true line thro
 N 1/2 of sec 10 with same var.
 19.97 Set a post 3 ft long 3 in of
 with charred stake 12 in

Subdivisions

in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on N face
 dug pits $18 \times 18 \times 12$ ins
 E + W of post $5\frac{1}{2}$ ft dist
 and raised mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post from
 which a mesquite 8 ins
 diam bears $S 2^{\circ} 30' W$
 8 cks dist marked $\frac{1}{16}$ S.B.T.

- 39.94 Set a post 3 ft long 3 ins sq
 with charred stake 12 ins
 in ground for $\frac{1}{16}$ Sec
 cor marked $\frac{1}{16}$ S on N
 face dug pits $18 \times 18 \times$
 12 ins E + W of post $5\frac{1}{2}$ ft
 dist and raised mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post
- 59.91 Set a post 3 ft long 3 ins sq

T 16 S R 13 E

BOOK

2000

202

with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits 18 x 18 x 12 in
E + W of post $5\frac{1}{2}$ ft dia
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

7988

The $\frac{1}{16}$ Sec cor

Land mostly level

Soil 2nd - rate

Scattering trees

Mesquite Birch 80 chs

Thence North bet sees
9 + 10

Var $13^{\circ} 06'$ E.

20.

The old sec cor. I set a
post 14 ft long 2 in dia
with charred stake 12 in

Subdivisions

in ground for cor to see
3, 4, 9 + 10 marked

T 16 S, S 3 on N E.

R 13 E, S 10 on S E.

S 9 on SW and

S 4 on NW faces with
5 notches on S and 3

notches on E edges dug

pits 18 x 18 x 12 in in
each section 5 1/2 ft

dist and raised mound
of earth 2 ft high 4 1/2

ft base around post from
which a mesquite 10
in diam bears N 40°

E 42 lbs dist marked

T 16 S R 13 E S 3 B. T

a mesquite 12 in diam
bears N 39° W 25 lbs

dist marked T 16 S. R

T 16 S R 13 E

BOOK 2000

204,

13.2. S H B T.

Land for 80 chs bet
secs 9 + 10 mostly level

Soil 2nd rate

Scattered trees

Mesquite Bush 80 chs

Thence East on a random
line bet. Secs 3 + 10

Var $13^{\circ} 06'$ E.

20. Set tempy $\frac{1}{16}$ Sec cor
40. Set tempy $\frac{1}{4}$ Sec cor
60. Set tempy $\frac{1}{16}$ Sec cor
79.89 Intersect N + S line 9 lks
S of cor of Secs 2, 3, 10 + 11.

Thence S $89^{\circ} 56'$
W on a true line bet secs
3 + 10 with same var

- 19.97 Set a post 3 ft long 3 ins $\frac{1}{4}$
with charred stake 12 ins

Subdivisions

in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ P on N face
 dug pits $18 \times 18 \times 12$ ins
 E + W of post $5\frac{1}{2}$ ft dist
 and raised mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post, from
 which a mesquite 5 ins
 diam bears $P 51^\circ W 28$
 lps dist marked $\frac{1}{16}$ S
 B.T.

39.94 Set a post 3 ft long 3 ins of
 with charred stake 12 ins
 in ground for $\frac{1}{4}$ Sec cor
 marked $\frac{1}{4}$ P on N face
 dug pits $18 \times 18 \times 12$ ins
 E + W of post $5\frac{1}{2}$ ft dist
 and raised mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post. The old

T I B S R I B E

BOOK 206,
2000

cor obliterated

59.81. Let a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{16}$ cor
marked $\frac{1}{16}$ S on N face
dug pits 18 x 18 x 12 in
E + W of post $5\frac{1}{2}$ ft dist
and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

79.89 The cor to secs 34. 9. $\frac{9}{10}$

Land mostly level

Soil 2nd - rate

Scattering trees

Mesquite Bush rocks

Feb 7th 1888.

Thence North bet secs

3 + 4

Var $13^{\circ} 06'$ E.

20. Let a post 3 ft long 3 in of

207

BOOK 2000

Subdivisions

with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on W face
dug pits $18 \times 18 \times 12$ in
N + S of post $5\frac{1}{2}$ ft dist
and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post from
which a meqrite 8 in
diam bears $N 86^\circ W$
35 lbs dist marked
 $\frac{1}{16}$ S.B.T.

Thence East on a
random line thro $5\frac{1}{2}$
Sec 3

Var $13^\circ 06' E$.

20. Set tempy $\frac{1}{16}$ Sec cor
40. Set tempy $\frac{1}{16}$ Sec cor
57. 70 West Road to Tucson bears
NW.

T 16 S R 13 E

BOOK 208,
2000

60. Set temporary $\frac{1}{16}$ Sec cor.

79.92 Interest N + S line 8 lrs
North $\frac{1}{16}$ Sec cor.

Comm Thence Run N $89^{\circ} 57' W$
on a true line thro $5\frac{1}{2}$
sec 3 with same var

19.98 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ ins
E + W of post $5\frac{1}{2}$ ft dist
and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
dast around post.

39.96 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ ins E

Subdivisions

+w of post $5\frac{1}{2}$ ft dist
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post from
which a mesquite 5 ins
diam bears $N 88^{\circ} 15' E$
21 lks dist marked $\frac{1}{16}$
P.B.T.

59.90 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ ins
E + w of post $5\frac{1}{2}$ ft dist
and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post

79.92 The $\frac{1}{16}$ Sec cor
Land level
Soil 2nd rate

T 16 S R 13 E

BOOK 210.
2000

Scattering trees
mesquite Bush rocks

Thence North bet sees

3+4

Var $13^{\circ} 06' E$.

18.90 Drywash 50 lks wide
course N. E.

20. The old $\frac{1}{4}$ Sec cor. I set a
post 3 ft long 3 ins off with
charr'd stake 12 ins in ground
for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$
S on W face dug pits 18
 \times 18 \times 12 ins N + S of post
 $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post
from which a mesquite 12
ins diam bears $N 35^{\circ} E$
10 lks dist marked $\frac{1}{4}$ S.B.T.

Subdivision

The old bearing tree. The other has been cut down.

Thence East on railroad line thro center Sec 3

Var $13^{\circ} 06' E.$

20. Set tempy $1/16$ Sec cor.

22. Dry wash 90 lbs wide course N. E.

40. Set temp $1/4$ Sec cor

41.80 West Road Successor bears N. W.

60. Set tempy $1/16$ Sec. cor

79.82 Intersect N + S line 11 lbs S of $1/4$ Sec cor

Thence I run $S 89^{\circ} 55'$ W on a true line thro center of sec 3 with same var

19.95 Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for $1/16$ Sec cor

marked $\frac{1}{16}$ S on N face, dug
pits $18 \times 18 \times 12$ ins E + W of
post $5\frac{1}{2}$ ft dist and raised
mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post from
which a mesquite 6 ins drain
bears N 51° E 29 lrs dist
marked $\frac{1}{16}$ S.B.T.

39.90

Set a post 3 ft long 3 ins apr
with charred stake 12 ins
in ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ S on N face dug
pits $18 \times 18 \times 12$ ins E + W of
post $5\frac{1}{2}$ ft dist and raised
mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post
from which a mesquite 8
ins drain bears S $20^\circ 15' W$
44 lrs dist marked $\frac{1}{4}$
S.B.T.

Subdivisions

59.85 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor ^{marked}
 $\frac{1}{16}$ S on N face dug pits 18
 \times 18 \times 12 ins E + W of post
5 $\frac{1}{2}$ ft dist and raised
mound of earth 1 $\frac{1}{2}$ ft high
3 $\frac{1}{2}$ ft base around post
from which a mesquite
10 ins diam bears $\text{P } 88^\circ$
E H 1 lds dist marked $\frac{1}{16}$
S B T.

79.87 The $\frac{1}{4}$ Sec cor 24.9410
Land mostly level
Soil 2nd rate
Scattering trees
mesquite Bush 80 chs

Thence North bet secs
3 + 4

T 16 S R 13 E

BOOK

2000

214

Var $13^{\circ} 06'$ E.

10. Dry wash 50 lrs wide
course E.

20. Set a post 3 ft long. 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on W face
dug pits $18 \times 18 \times 12$ ins N
& S of post $5\frac{1}{2}$ ft dist and
raised mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around
post from which meagrite
4 ins diam bears $S 85^{\circ} W$
39 lrs dist marked $\frac{1}{16}$
S.B.T.

Thence East on random
line thro $N\frac{1}{2}$ of Sec 3

Var $13^{\circ} 06'$ E.

20. Set tempy $\frac{1}{16}$ Sec cor
27.75 Near road to Lucas bears N.W.

Subdivisions

40. Set tempy $\frac{1}{16}$ Sec cor
58.10 Dry wash 40 lks wide
course N.E.
60. Set tempy $\frac{1}{16}$ Sec cor
78. old road Tucson bears NW.
- 79.93 Intersect N + S line 7 lks
+ P of $\frac{1}{16}$ Sec cor

Thence I run $S 89^{\circ} 54'$
W on a true line thro N $\frac{1}{2}$
Sec 3 with same var

- 19.98 Set a post 3 ft long 3 ins ϕ
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face ^{dup pits 18x18x12 ins} E
& W of post $5\frac{1}{2}$ ft dist and
raised mound of earth $\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around
post from which a mequte
8 ins diam bears $S 44^{\circ} 10' W$
42 lks Dist marked $\frac{1}{16}$ S

B. T.

a mesquite 10 mis drain
bears S 58° W 35 lbs dist
marked 1/16 S. B. T.

39.96 Set a post 3 ft long 3 mis of with
charred stake 12 mis in ground
for 1/16 Sec cor marked 1/16 S
on N face dug pits 18 x 18 x
12 mis E + W of post 5 1/2 ft
dist and raised a mound
of earth 1 1/2 ft high 3 1/2 ft
base around post from which
a mesquite 12 mis drain
bears N 89° E 27 lbs dist
marked 1/16 S. B. T.

A mesquite 9 mis drain bears
N 88° 30' W 34 lbs dist marked
1/16 S. B. T.

39.94 Set a post 3 ft long 3 mis of
with charred stake 12 mis

Subdivisions

in ground for $\frac{1}{16}$ Sec cor ^{marked}
 $\frac{1}{16}$ S on N face dug pits 18
 X 18 X 12 ins E & W of post
 $5\frac{1}{2}$ ft dist and raised a
 mound of earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft base around
 post

79.93

The $\frac{1}{16}$ Sec cor

Land mostly level

Soil 2nd rate

Scattering trees

Mesquite Bush & chs

* cont

Thence North bet secs

3 + 4

Var $130^{\circ} 06' E$.

29.56

Intersect 3rd Standard
 Parallel South 1.79 chs west
 of Standard Corner to secs
 33 + 34. I set a post 4 ft

T 16 S R 13 E

BOOK 218,
2000

long 4 ins of with charred
stake 12 ins in ground
for closing cor to secs 2
+ 3 marked

C.C. T 16 S. R 13 E on S

S 3 on E and

S 4 on W faces, with

3 notches on E and 3

notches on W faces dug

pits 24 x 18 x 12 ins cross-

wise on each line 5 1/2 ft

deep and raised a mound

of earth 2 ft high 5 ft base

around post

Land for gochs bet secs

3 + 4 mostly level

Soil 2nd rate

Scattering trees

mesquite Bush gochs

Boj observation taken this day & found
the magnetic var to be 13° 06' E.

Subdivisions

Thence from the cor to sees
28. 29. 32 + 33 on South
Boundary of Reservation
Draw North bet sees 28
+ 29

Var $13^{\circ} 06' E$.

14.60 Dry wash 20 lks wide
course N. E.

20. Set a post 3 ft long 3 ins off
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor ^{marked}
 $\frac{1}{16}$ S on W face dug pits
 $18 \times 18 \times 12$ ins N + S of post
 $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post.
From which a mesquite 8 ins
diam bears $S 42^{\circ} E$ 27 lks
dist marked $\frac{1}{16}$ S.B.T.

Thence East on random

T 16 S R 13 E

BOOK 220,
2000

line thro $S\frac{1}{2}$ Sec 28

Var $13^{\circ} 06'$ E

15.70 Drywash 20 lks wide course
N.E.

20. Set tempy $\frac{1}{16}$ Sec cor

25.40 Drywash 20 lks wide course
N.E.

40. Set tempy $\frac{1}{16}$ Sec cor

58.20 Drywash 45 lks wide
course N.E.

60. Set tempy $\frac{1}{16}$ Sec cor

79.96 Intersect N + S line 5 lks
P of $\frac{1}{16}$ Sec cor

Thence Run $S 89^{\circ} 58'$
W on a true line thro $S\frac{1}{2}$
sec 28 with same var

19.99 Set a post 3ft long 3ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ P on N face

Subdivisions

dug pits $18 \times 18 \times 12$ ins E
+ W of post $5\frac{1}{2}$ ft dist
and raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post

39.98 Set a post 3 ft long 3 ins of
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor marked
 $\frac{1}{16}$ P on N face dug pits 18
 $\times 18 \times 12$ ins E + W of post
 $5\frac{1}{2}$ ft dist and raised a
mound of earth $5\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post.

59.97 Set a post 3 ft long 3 ins of with
charred stake 12 ins in ground
for $\frac{1}{16}$ Sec cor marked $\frac{1}{16}$ S
on N face dug pits $18 \times 18 \times$
 12 ins E + W of post $5\frac{1}{2}$ ft
dist and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base

T 16 S R 13 E ^{BOOK 222} 2000

around post from which
a paloverde 6 ms diam
bears N 5° E 38 lrs dist
marked 1/16 P.B.T.

79.96 The 1/16 Sec cor
Land rolling
Soil 2nd rate
Scattering trees
mesquite and Paloverde
Brush 80 chs

Thence North bet secs
28 + 29

Var 13° 06' E.

14.70 Dry wash 60 lrs wide
Course N.E.

20. Set a post 3ft long 3 ins of
with charred stake 12 ms
in ground for 1/4 sec cor
marked 1/4 S or W face day

Subdivisions

posts 18x18x12 ins E + W
of post 5 1/2 ft dist and
raised mound of earth 1/2
ft high 3 1/2 ft base around
post. The old cor obliterated

Thence East on railroad
line thro Centre sec 28

Var 13° 06' E

17. Drywash 60 lks wide
course N. E.
20. Set tempy 1/16 Sec cor
28. Drywash 20 lks wide
course N. E.
40. Set tempy 1/4 Sec cor
50. Drywash 25 lks wide
course N
60. Set tempy 1/16 Sec cor
- 79.92 Intersect N + S line 6 lks
N of 1/4 sec cor
Thence Iron N 89° 58'

T. 16 S R. 13 E

BOOK 224
2000

19.98 W on a true line thro cen-
ter Sec 28 with same var
Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face dug
pits 18 x 18 x 12 ins E +
W of post $5\frac{1}{2}$ ft dist and
raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base a-
round post from which a
Paloverde 4 ins diam bears
N $2^{\circ} 10'$ E 8 lks Dist marked
 $\frac{1}{16}$ S.B.T.

39.96 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ S on N face dug
pits 18 x 18 x 12 ins E + W
of post $5\frac{1}{2}$ ft dist and

Subdivisions

raised mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around
post

- 59.94 Set a post 3 ft long 3 ins off
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ Pow N face dug
pits $18 \times 18 \times 12$ ins E + W
of post $5\frac{1}{2}$ ft dist and
raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post.

79.92 The $\frac{1}{4}$ Sec cor

Land rolling

Soil 2nd Rate

Scattering trees

Palo Verde and Mesquite

Bush & cbs

Thence North bet secs

28 + 29

Var 13° 06' E.

20.

Set a post 3 ft long 3 in dia
with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on W face
dug pits 18 x 18 x 12 in N
& S of post $5\frac{1}{2}$ ft dia
and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post, from
which a mesquite 4 in
diam bears S 9° W 14
lks dist marked $\frac{1}{16}$ S

B.T.

A mesquite 3 in diam
bears S 88° E 29 lks
dist marked $\frac{1}{16}$ S. B. T

Thence East on random
line thro N $\frac{1}{2}$ sec 28

Subdivisions

Var $13^{\circ} 06' E$.20. Set tempy $\frac{1}{16}$ Sec cor38.20 Dry wash. 50 lks wide
course N.E.40. Set tempy $\frac{1}{16}$ Sec cor57.10 Dry wash 25 lks wide
course N60. Set tempy $\frac{1}{16}$ Sec cor79.88 Intersect N + S line 12
lks S of $\frac{1}{16}$ Sec corThence Run $S 89^{\circ} 55'$ W on a true line thro N
 $\frac{1}{2}$ of sec 28 with same var19.97 Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ in E
+ W of post $5\frac{1}{2}$ ft dist
and raised a mound of

earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

39.94 Mesquite Tree 6 ins diam
which I mark $\frac{1}{16}$ S on
N face for $\frac{1}{16}$ Sec cor,
dug pits $18 \times 18 \times 12$ ins
E + W of tree $5\frac{1}{2}$ ft dist
and raise a mound of
earth around tree.

59.91 Set a post 3 ft long 3 in fr
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ ins E
+ W of post $5\frac{1}{2}$ ft dist
and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post

79.88 The $\frac{1}{16}$ Sec cor
Landrolling

Subdivisions

Post 2nd - rate
 Scattering trees
 Mesquite and Palo Verde
 Brush 80 chs

4th sec.

Thence North bet secs
 28 + 29

Var 13° 06' E.

20. I set a post 4 ft long 4 ins
 sq with charred stakes 12 ins
 in ground for cor to secs
 20. 21. 28 + 29 marked
 T 16. S. S 21 on N E.
 R 13 E. S 28 on S E.
 S 29 on SW and
 S 20 on NW faces with
 2 notches on S and 4 notches
 on E edges. dug pits 18 x
 18 x 12 ins in each sec 5 1/2
 ft dist, and raised mound

T 16 S R 13 E

BOOK 230;
2000

of earth 2 ft high $4\frac{1}{2}$ ft
base around post. The
old corner obliterated.

Land for 80 chs bet sec
28 + 29 rolling

Soil 2nd rate

Scattering trees

mesquite and Palo Verde

Bush 80 chs

Thence East on random
line bet sec 21 + 28

Var 13° 06' E,

20. Set tempy $\frac{1}{16}$ Sec cor
40. Set tempy $\frac{1}{4}$ Sec cor
54.15 Dry wash 60 lks wide
course N.E.
60. Set tempy $\frac{1}{16}$ Sec cor
63.60 Dry wash 50 lks wide
course N.E.

Subdivisions

79.91 Intersect N + Blue 2 LRs
 N of corner to secs 21, 22
 27 + 28.

Thence Iron N $89^{\circ} 51'$
 W on a true line bet secs
 21 + 28 with same var.

19.98 Set a post 3 ft long 3 ins sp
 with charred stake 12 ins
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ Pow N face
 dug pits 18 x 18 x 12 ins E
 + W of post $5\frac{1}{2}$ ft dist and
 raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post

39.96 Set a post 3 ft long 3 ins sp
 with charred stake 12 ins in
 ground for $\frac{1}{4}$ Sec cor marked
 $\frac{1}{4}$ Pow N face dug pits 18
 x 18 x 12 ins E + W of post

T 16 S R 13 E

BOOK 232
2000

5 1/2 ft dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

59.94

Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for 1/16 Sec cor marked 1/16 S on N face dug pits 18 x 18 x 12 ins E + W of post 5 1/2 ft dist and raised mound of earth 1 1/2 ft high 3 1/2 ft base around post

79.91

The cor to secs 20. 21. 28 + 29.

Land somewhat rolling

Soil 2nd rate

Scattered trees

mesquite and Palo Verde

Brush 80 cts

Subdivisions

Thence North bet sees 20
+ 21

Var $13^{\circ} 06' E.$

11. Dry wash 40 lrs wide
course N. E.

20. Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ Low W face
dig pits $18 \times 18 \times 12$ ins N
& S of post $5\frac{1}{2}$ ft dist and
raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post from which
a mesquite 5 ins diam
bears $S 10^{\circ} E$ 10 lrs dist
marked $\frac{1}{16}$ S. B. T.

Thence East on random
line thro $S\frac{1}{2}$ of Sec 21
Var

T. 16 S R 13 E

BOOK

2000

234,

20. Set tempy $\frac{1}{16}$ Sec cor
 25.70 Dry wash 50 lks wide
 course N.E.
40. Set tempy $\frac{1}{16}$ Sec cor
 60. Set tempy $\frac{1}{16}$ Sec cor
 80.01 Intersect N + S line 8
 lks S of $\frac{1}{16}$ Sec cor
 Thence I run $S 89^{\circ}$
 57' W on a true line thro
 S $\frac{1}{2}$ Sec 21 with same var
20. Set a post 3 ft long 3 ins of
 with charred stake 12 ins
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on N face dug
 pits 18 x 18 x 12 ins E +
 W of post 5 $\frac{1}{2}$ ft dist and
 raised a mound of earth
 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
 around post, from which
 a mesquite 4 ins diam

Subdivisions

↓ bears $S 84^{\circ} 15' E 54$ lrs
dist marked $\frac{1}{16}$ S.B.T.

40. Set a post 3 ft long 3 ins off
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face dug
pits $18 \times 18 \times 12$ ins E + W
of post $5\frac{1}{2}$ ft dist and
raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post.

60. Set a post 3 ft long 3 ins off
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ ins E
+ W of post $5\frac{1}{2}$ ft dist and
raised mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around
post.

T 16 S R 13 E

BOOK 2000

236,

80.01 The $\frac{1}{16}$ Sec cor
Landsowner hat rolling
Coil 2nd rate
Scattering trees
Mesquite + Palo Verde
Brush 80 chs
Feb 8th 1888

Thence North bet secs
20 + 21

N or $13^{\circ} 06' E$.

20. Set a post 3 ft long 3 ins sq
with charred stake 12 ins
in ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ L on W face
dug pits $18 \times 18 \times 12$ ins N
+ S of post $5\frac{1}{2}$ ft and
raised mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around
post, from which a mes-
quite 5 ins diam bears

Subdivisions

N 51° E 61 lks dist marked
1/4 P.B.T. The old cor
obliterated.

Thence East on random
line thro centre of sec 21

Var 13° 06' E,

20. Set tempy 1/16 Sec cor

40. Set tempy 1/4 Sec cor

60. Set tempy 1/16 Sec cor

79.97 Intersect N + S line 9 lks
N of 1/4 Sec cor

Thence Run N 89°

56' W on a true line thro cen-
ter of sec 21 with same var

19.99 Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for 1/16 Sec cor
marked 1/16 P on N face
dug pits 18 x 18 x 12 in E
& W of post 5 1/2 ft dist

T 16 S R 13 E

BOOK 238,
2000

and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post

89.98 Set a post 3 ft long 3 in off
with charred stake 12 in
in ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ on N face
dug pits $18 \times 18 \times 12$ in
E + W of post $5\frac{1}{2}$ ft dist
and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

89.97 Set a post 3 ft long 3 in
off with charred stake 12
in in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ on N face
dug pits $18 \times 18 \times 12$ in E
+ W of post $5\frac{1}{2}$ ft dist
and raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around

Subdivisions

post

79.97 The $\frac{1}{4}$ Sec cor

Land somewhat rolling

Soil 2nd rate

Scattering trees

Mesquite & Palo Verde

Brush 80 chs

Thence North bet secs

20 + 21

Var $13^{\circ} 06'$ E.10.14 Dry Wash 15 lks wide
course N. E.20. Set a post 3 ft long 3 ins
of with a ^{charred} stake 12 ins in
ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on W face
dug pits $18 \times 18 \times 12$ ins N
& S of post $5\frac{1}{2}$ ft dist
and raised mound of

T 16 S R 13 E

BOOK 240,
2000

earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post, from
which a mesquite 4 ins
in diam bears $N 10^{\circ} E$
78 lks dist marked $\frac{1}{16}$
P.B.T.

Thence East on random
line thro $N \frac{1}{2}$ of Sec 21

Var $13^{\circ} 06' E$.

20. Set tempy $\frac{1}{16}$ Sec cor

40. Set tempy $\frac{1}{16}$ Sec cor

60. Set tempy $\frac{1}{16}$ Sec cor

80.04 Intersect N + S line 7 lks

South of $\frac{1}{16}$ Sec cor

Thence Run $P 89^{\circ} 57'$

W on a true line thro
 $N \frac{1}{2}$ Sec 21 with same var

20.01 Set a post 3 ft long 3 ins
off with chared stake 12
ins in ground for $\frac{1}{16}$

Subdivisions

Sec cor marked $\frac{1}{16}$ on N
face dug pits $18 \times 18 \times 12$
ins E+W of post $5\frac{1}{2}$ ft
dist and raised mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
ft base around post

40.02

Set a post 3 ft long 3 ins of
with a charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face dug
pits $18 \times 18 \times 12$ ins E+W of
post $5\frac{1}{2}$ ft ^{dist} and raised a
mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post

60.03

Set a post 3 ft long 3 ins of
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor ^{marked}
 $\frac{1}{16}$ S on N face dug pits
 $18 \times 18 \times 12$ ins E+W of
post $5\frac{1}{2}$ ft dist and

T 16 S R 13 E

BOOK 242,
2000

raised a mound of earth
1 1/2 ft high 3 1/2 ft base
around post.

80.04 The 1/16 sec cor
Land somewhat rolling
Soil 2nd rate
Scattering trees
mesquite & Palo Verde
Bush & chs.

Hence North bet secs
20 + 21

Var 13° 06' E.

3.40 Dry wash 45 lbs wide
course N'E.

20. The old sec cor. I set a
post 4 ft long 4 ins off
with charred stake 12 ins
in ground for cor to secs
16, 17, 20 + 21 marked

Subdivision

T 16 S, S 16 on N. E.
 R 13 E, S 21 on S. E.
 S 20 on SW and
 S 17 on NW faces.
 with 3 notches on the S
 and 4 notches on the E
 edges, dug pits 18 x 18 x
 12 ins in each sec 5 1/2
 ft dist and raised a
 mound of earth 2 ft high
 2 1/2 ft base around post
 from which a mesquite
 10 ins in diam bears
 S 14° 30' E ^{meas'd 316 5213 E 321 13.7} 73 lks dist,
 the old bearing tree.

Land for 80 chs bet secs
 20 + 21 somewhat rolling

Soil 2nd rate

Scattering trees

Mesquite and Palo Verde

bush rocks.

Thence East on random
line bet secs 16 + 21

Var $13^{\circ} 06' E.$

20. Set tempy $\frac{1}{16}$ Sec cor
 22.60 Dry track 50 lks wide
 course N. E.
 40. Set tempy $\frac{1}{4}$ Sec cor
 46.10 Ascend South slope of hill
 100 ft high
 57. Leave hill
 60. Set tempy $\frac{1}{16}$ Sec cor
 80.01 Intersect N + S line 3
 lks N of cor to secs 15.
 16.21. + 22

Thence Run N $89^{\circ} 59'$
 W on a true line bet
 secs 16 + 21 with same var

20. Set a stone $12 \times 14 \times 16$

Subterraneous

is 10 ins in the ground
for $\frac{1}{16}$ sec cor marked $\frac{1}{16}$
S on N face pits in
-practicable

40.

Set a post 3 ft long 3 ins
sq with charred stake 12
ins in ground for $\frac{1}{4}$ sec
cor marked $\frac{1}{4}$ S on N face
dug pits 18 x 18 x 12 ins E
& W of post 5 $\frac{1}{2}$ ft dist
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post. The
old corner obliterated.

60.

Set a post 3 ft long 3 ins
sq ~~ground~~ with charred
stake 12 ins in ground
for $\frac{1}{16}$ sec cor marked
 $\frac{1}{16}$ S on N face dug pits
18 x 18 x 12 ins E & W of

T 16 S R 13 E

BOOK

246,

2000

post $5\frac{1}{2}$ ft dist and raised
a mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base around
post.

80.01 The cor to secs 16. 17. 20
+ 21.

Land rolling 40 chs +
Soil 2nd rate, + broken
hilly 40 chs + soil worth
less.

Scattering trees
mesquite, Palo verde
+ Mesquero Bush 80 chs

Thence North bet secs
16 + 17

Var $13^{\circ} 06' E.$

15.50 Dry wash 30 lvs wide
course N. E.

20. Set a post 3 ft long 3 ins of

Subdivisions

with charred stake 12 ins
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on W face
 dug pits 18 X 18 X 12 ins. N
 + S of post $5\frac{1}{2}$ ft dist
 and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post from
 which a mesquite 8 ins
 diam bears N 66° E
 58 lbs dist marked
 $\frac{1}{16}$ S. B. T.

Thence East on a
 random line thro $5\frac{1}{2}$ sec
 16

Var 13° $06'$ E.

17.30 Dry wash 30 lbs wide
 course N. E.

20. Set tempy $\frac{1}{16}$ Sec cor

40. Set tempy $\frac{1}{16}$ Sec cor

- 42.70 Drywash 40 lks wide
course N.E.
- 56.50 Northern Slope Hill 50 ft high
60. Set tempy $\frac{1}{16}$ Sec cor
- 62.30 Summit of hill + descend
71. Leave hill
- 80.05 Intersect N + S line of
lks S of $\frac{1}{16}$ Sec cor
Thence run S 89°
56' W on a true line thro
S $\frac{1}{2}$ of sec 16 with same
var
- 20.01 Set Stone 20 X 14 X 18
ins 12 ins in ground
for $\frac{1}{16}$ Sec cor marked
 $\frac{1}{16}$ S on N face. Pits
unpracticable.
- 40.02 Set a post 3 ft long 3 ins ϕ
with charred stake 12
ins in ground for $\frac{1}{16}$ Sec

Subdivisions

Cor marked $\frac{1}{16}$ Sec N face
dug pits $18 \times 18 \times 12$ ins
E + W of post $5\frac{1}{2}$ ft dist
and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

60.03 Let a post 3 ft long 3 ins of
with charred stake 12
ins in ground for $\frac{1}{16}$ Sec
Cor marked $\frac{1}{16}$ S on N face
dug pits E + W of post $5\frac{1}{2}$
ft dist and raised a
mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base around
post.

80.05 The $\frac{1}{16}$ Sec cor

Land 56 chs mostly
loam and soil 2nd - rate
24 chs lilly rocky and
wattless

T 16 S R 13 E

BOOK 250
2000

Scattering trees
mesquite and Greasewood
Brush & rocks

Thence North bet secs
16 + 17
Var $13^{\circ} 06' E$.

1.50 Dry wash 3000s wide
course N.E.

20. Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ S on W face
dug pits $18 \times 18 \times 12$ ins
N + S of post $5\frac{1}{2}$ ft dist
and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post from
which a mesquite 10 ins
diam bears $N 89^{\circ} E 110$

Subdivisions

lks dist marked $\frac{1}{4}$ S.B.
T. The old cor obliterated

Thence East on random
line thro center sec 16
Var $150^{\circ} 06' E$

20. Set tempy $\frac{1}{16}$ Sec cor

28. Drywash 40 lks wide
course N.E.

40. Set tempy $\frac{1}{4}$ Sec cor

58. Drywash 40 lks wide
course N.E.

60. Set tempy $\frac{1}{16}$ Sec cor

80. Intersect N + S line 4
lks S of $\frac{1}{4}$ Sec cor

Thence Run $S 89^{\circ} 38'$
W on a true line thro
center Sec 16 with same
Var

20. Set a post 3ft long 3 mi
off with charred stake 12

T 16 S R 13 E

BOOK 252
2000

is in ground for $\frac{1}{16}$ Sec
cor marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ ins E
E of post $5\frac{1}{2}$ ft dist
and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
ft base around post

40.

Set a post 3 ft long 3 ins sq
with charred stake 12 ins
in ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ S on N face
dug pits $18 \times 18 \times 12$ ins E
E of post $5\frac{1}{2}$ ft dist
and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

60.

Set a post 3 ft long 3 ins sq
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face

Subdivisions

dig pits 18x18x12 in E
 4' or of post 5 1/2 ft dist
 and raised mound of
 earth 1 1/2 ft high 3 1/2 ft
 base around post.

80. The 1/4 sec cor
 Land mostly level
 Soil 2nd rate
 Scattering trees
 mesquite and Greasewood
 Bush 80 chs

Thence North bet Secs
 16 + 17
 Var 13° 06' E.

13. Drywash 30 yds wide
 course N E.
20. Set a post 3 ft long 3 in of
 with charred stake 12 in
 in ground for 1/16 Sec cor

T 16 S R 13 E

BOOK

254

2000

marked $\frac{1}{16}$ Sec W face
dry pits $18 \times 18 \times 12$ ins N
E. of post $5\frac{1}{2}$ ft dist
and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

Thence East on random
line thro N $\frac{1}{2}$ of Sec 16

Var $13^{\circ} 06'$ E.

11. Dry wash 30 lks wide
Course N E
20. Set tempy $\frac{1}{16}$ Sec cor
40. Set tempy $\frac{1}{16}$ Sec cor
60. Set tempy $\frac{1}{16}$ Sec cor
69. Dry wash 40 lks wide
Course N. E.
- 80.04 Intersect N + S line 5 lks
S of $\frac{1}{16}$ Sec cor
Thence draw $P 89^{\circ} 58'$
W on a true line thro N

- 20.01 $\frac{1}{2}$ sec 16 with same var
 Set a post 3 ft long 3 in ϕ
 with charred stake 12 in
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on N face
 dug pits 18 x 18 x 12 in E
 Fr of post $5\frac{1}{2}$ ft dist
 and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post.
- 40.02 Set a post 3 ft long 3 in ϕ
 with charred stake 12 in
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on N face
 dug pits 18 x 18 x 12 in E
 Fr of post $5\frac{1}{2}$ ft dist
 and raised a mound of
 earth $1\frac{1}{2}$ ft high, $3\frac{1}{2}$ ft
 base around post.
- 60.03 Set a post 3 ft long 3 in ϕ .

Continued, Books 2001 and 2002.

Concluded, Book 2003.