

c
No 5

2001

BOOK 2001

4-671

2001 FIELD NOTES 2001
GENERAL LAND OFFICE.

TAHAGO INDIAN RESERVATION
T. 16 S. R. 13 E.

2001

Township 16 South, Range 13 East,

GILA AND SALT RIVER MERIDIAN.

391	393. 388.	293 287.	217 214	147. 147.	78 75
365	388 383.	280 277	213 211	144 144	74 71
379	382 377	271 274	210 207	143 140	70 68
374	376 372	275 271	206 204	139 136	67 64
368.	370 365	269 267	202 200	135 131	63 60
342	364 359	260 254	199 197	131 128	59 56
356	359 354	263 261	196 195	127. 124	56 53
357	354 349	260 258	192 190	123 120	52 49
345	347. 342	256 254	188. 185	118 115	47 44
339	342. 337	253 250	185. 182.	114 112	44 41
334	336 332	250 247	181 178	110 109	40 38
320	331 326	246 244	177 174	108 108	38 37
322.	324 319	242 240	173 170	104 102	34 32
316	319 314	239 237	170 167	101 98	26 23
311	313 308	236 233	166 163	98 95	22 19
305	307 303	233 230	162 160	94 92	18 15
299.	301 297	229 226	158 156	90 87	13 10
293	296 291	226 223	155. 153.	87 84	9 8
288	290 285	222 219	152. 150	83 80	6 5
	285	219	149.	80	2

Subdivisions

20.

The old sec cor. I set a post 4 ft long 4 ins dia with charred stake 12 ins in ground for cor to secs 8.9.16 + 17 marked T16S S9 on N.E R13E S16 on S.E S17 on S.W and S8 on NW faces with 4 notches on S and 4 notches E edges dug pits 18x18x12 ins in each section 5 1/2 ft dist and raised mound of earth 2 ft high 4 1/2 ft base around post from which a mesquite 10 ins diam bears S 41° W 34 lbs dist marked T16S R13E S17 B.T. The old Bearing Tree

T 16 S R 13 E

has been cut down

Land for 80 chs bet
secs 16 & 17 mostly level.

Soil 2nd rate

Scattering trees

mesquite and Greasewood
brush 80 chs.

Thence East on random
line bet secs 9 & 16

Var $13^{\circ} 06' E$.

16.70 Dry wash to R. wide
course N. E.

20. Let tempy $\frac{1}{16}$ Sec cor

40. Let tempy $\frac{1}{4}$ Sec cor

60. Let tempy $\frac{1}{16}$ Sec cor

80.02 Intersect N + Shive 6 LR

S of cor to secs 9, 10, 15 + 16

Thence draw $S 89^{\circ} 58'$
W on a true line bet secs

Subdivisions

20.

9 x 16 with same as
 Set a post 3 ft long 3 ins ϕ
 with charred stake 12 ins
 in ground for $\frac{1}{16}$ sec cor
 marked $\frac{1}{16}$ S on W. face
 dug pits 18 x 18 x 12 ins E +
 W of post $5\frac{1}{2}$ ft diet and
 raised mound of earth $1\frac{1}{2}$
 ft high $3\frac{1}{2}$ ft base around
 post

40.01

Set a post 3 ft long 3 ins ϕ
 with charred stake 12 ins
 in ground for $\frac{1}{4}$ sec cor
 marked $\frac{1}{4}$ S on N face dug
 pits 18 x 18 x 12 ins E + W
 of post $5\frac{1}{2}$ ft diet and
 raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ base around
 post. The old B.T. for this
 cor could not be found

60.01 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face dug
pits 18 x 18 x 12 ins E + W
of post $5\frac{1}{2}$ ft dist and raised
mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post.

80.02 The cor to secs 8, 9, 16 +
17

Land mostly level
Soil 2nd rate

Scattering trees

Greasewood and trees

quite Brush 80 chs

Feb 9th 1888.

Thence North bet secs
8 + 9

Var $13^{\circ} 06' E$.

70. Set a post 3 ft long 3 ins of

Subdivisions

with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ Pow W face
dry pits $18 \times 18 \times 12$ in N
& S of post $5\frac{1}{2}$ ft dist and
raised mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around
post.

Thence East on a
random line thro $S\frac{1}{2}$ of
sec 9

Var $13^{\circ} 06'$ E.

20. Let tempy $\frac{1}{16}$ Sec cor
40. Let tempy $\frac{1}{16}$ Sec cor
60. Let tempy $\frac{1}{16}$ Sec cor
80. Intersect N & S line 7 CR
N of $\frac{1}{16}$ Sec cor

Thence Run N $89^{\circ} 57'$
W on a true line thro $S\frac{1}{2}$
sec 9 with same var

20. Set a post 3 ft long 3 in dia with charred stake 12 in in ground for $\frac{1}{16}$ Sec cor marked $\frac{1}{16}$ S on N face dug pits 18 x 18 x 12 in E & W of post $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post
40. A mesquite tree 30 in dia in diameter, which I mark $\frac{1}{16}$ S on N face for $\frac{1}{16}$ Sec cor dug pits 18 x 18 x 12 in E & W of tree $5\frac{1}{2}$ ft dist and raised a mound of earth ~~1 ft high~~ $2\frac{1}{2}$ ft base around tree.
60. Set a post 3 ft long 3 in dia with charred stake 12 in in ground for $\frac{1}{16}$ Sec cor marked $\frac{1}{16}$ S on N face dug pits 18 x

Subdivisions

18 x 12 vis E + W of post
 5 1/2 ft dirt and raised mound
 of earth 1 1/2 ft high 3 1/2 ft
 base around post, from
 which a mesquite vis
 in drain bears N 32° E
 13 lrs Dist marked 1/16
 P. B. T.

80.

The 1/16 Sec cor
 Land level
 Soil 2nd rate
 Scattering trees
 Mesquite and Mesquero
 Bush & chs

Thence North bet secs

8 + 9

Var 13° 06' E.

20.

Set a post 3 ft long 3 vis of
 with charred stake 12 vis

T 16 S R 13 E

in ground for $\frac{1}{4}$ Sec cor
 marked $\frac{1}{4}$ S on W face dry
 pits 18 X 18 X 12 ins N + S
 of post $5\frac{1}{2}$ ft dia and raised
 mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post.
 The old cor obliterated.

Thence East on random
 line thro center of sec 9
 Var $13^{\circ} 06'$ E.

20. Set tempy $\frac{1}{16}$ Sec cor
 40. Set tempy $\frac{1}{4}$ Sec cor
 60. Set tempy $\frac{1}{16}$ Sec cor
 79.85 Dry wash 20 lks wide
 course E
 80.05 Intersect N + S line 5 lks
 P of $\frac{1}{4}$ Sec cor
 Thence thru $S 89^{\circ} 58' W$
 on a true line thro center
 of sec 9 with same var.

Subdivisions

- 20.01 Let a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits 18 x 18 x 12 ins E
& W of post $5\frac{1}{2}$ ft dist and
raised mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around
post
- 40.02 Let a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ S on N face
dug pits 18 x 18 x 12 ins E
& W of post $5\frac{1}{2}$ ft dist
and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post
- 60.03 A mesquite tree 4 ins in
diameter which I mark $\frac{1}{16}$

T 16 S R 13 E

Row N face for $\frac{1}{16}$ Sec cor
 dug pits $18 \times 18 \times 12$ vis E
 + W of tree ^{5 1/2 ft high} and raised a
 mound of earth around tree

80.05 The $\frac{1}{4}$ Sec cor

Land mostly level

Soil 2nd rate

Scattering trees

Greasewood ^{and} Mesquite

Brush 80 chs

Thence North bet sees

8 + 9

Var $13^{\circ} 06'$ E.11.40 Dry wash 20 lbs wide
course East20. Set a post 3 ft long 3 ins spr
with charred stake 12 ins inground for $\frac{1}{16}$ Sec cor marked
 $18 \times 18 \times 12$ in
 $\frac{1}{16}$ Row W face dug pits N +

Subdivisions

Top of post $5\frac{1}{2}$ ft dirt and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post

Thence East on random line thro N $\frac{1}{2}$ of sec 9

Var $13^{\circ} 06'$ E.

20. Set tempy $\frac{1}{16}$ Sec cor

27.10 Dry wash 20 lrs wide course N.E.

40. Set tempy $\frac{1}{16}$ Sec cor

60. Set tempy $\frac{1}{16}$ Sec cor

80.09 Intersect N + S line 7 lrs N of $\frac{1}{16}$ Sec cor

Thence Run $N 89^{\circ} 57'$ W on a true line thro N $\frac{1}{2}$ of sec 9 with same var

20.02 Set a post 3 ft long 3 in of with charred stake 12 ins in ground for $\frac{1}{16}$ sec cor

T 16 S R 13 E

marked $\frac{1}{16}$ S on N face
 dug pits $18 \times 18 \times 12$ ins
 E + W of post $5\frac{1}{2}$ ft dist
 and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
 post from which a mes-
 quite 4 ins diam bears
 $S 71^\circ E$ 29 lks dist marked
 $\frac{1}{16}$ S.B.T.

40.04

Set a post 3 ft long 3 ins dia
 with charred stake 12 ins
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on N face dug
 pits $18 \times 18 \times 12$ ins E + W
 of post $5\frac{1}{2}$ ft dist and
 raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post from which
 a mesquite 6 ins diam
 bears $S 42^\circ E$ 31 lks

Subdivisions

dist marked $\frac{1}{16}$ S. B. T.
 60.06 Set a post 3 ft long 3 in. dia
 with charred stake 12 in
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on N face
 dug pits 18x18x12 in E
 + W of post $5\frac{1}{2}$ ft dist and
 raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post

80.09 The $\frac{1}{16}$ Sec cor
 Land mostly level
 Soil 2nd rate
 Scattering trees
 Greasewood + mesquite
 Brush 80 chs.

x

 Thence North bet sec 8

+9

Var $13^{\circ} 06' 50''$

T 16 S R 13 E

20. The old sec cor. I set a post 4 ft long 4 ins dia with charred stake 12 ins in ground for cor to sec 4. S. 8 + 9 marked
 T 16 S S 4 on N.E.
 R 13 E S 9 on S.E.
 S 8 on S.W. and
 S 5 on N.W. faces with 5 notches on S and 4 notches on E edges. dug pits 18 x 18 x 12 ins in each section 5 1/2 ft dist and raised a mound of earth 2 ft high 4 1/2 ft base around post from which a mesquite 7 ins diam bears S 36° W 69 lbs dist marked T 16 S R 13 E S 8 BT
 Land for 80 chs bet sec

Subdivisions

8 + 9 mostly level
 Soil 2nd rate
 Scattering trees
 of Mesquero and mes-
 quite Bush 80 chs

Thence East on random
 line bet secs 4 + 9

Var $13^{\circ} 06' E.$

20. Set tempy $\frac{1}{16}$ Sec cor
 23.30 Dry wash 25 lrs wide.
 course N.E.
 40. Set tempy $\frac{1}{4}$ Sec cor
 54.40 Dry wash 20 lrs wide
 course N.E.
 60. Set tempy $\frac{1}{16}$ Sec cor
 80.02 Intersect N + S line 4 lrs
 S of cor to secs 3, 4, 9 + 10
 Thence run $589.58'$
 W on a true line bet secs

T 16 S R 13 E

H + 9 with same var

20. Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits 18x18x12 ins E
+ W of post $5\frac{1}{2}$ ft dist and
raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post from which
a mesquite 4 ins diam
bears S 10° W 32 cks
dist marked $\frac{1}{16}$ S.B.T.

40.01 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ S on N face
dug pits 18x18x12 ins E
+ W of post $5\frac{1}{2}$ ft dist and
raised a mound of earth

Subdivisions

$1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post. The old
cor obliterated.

60.01 Set a post 3 ft long 3 in g
with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ ins
E + W of post $5\frac{1}{2}$ ft
dist and raised mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post

80.02 The cor to secs 4, 5, 8 + 9.

Land mostly level

Soil 2nd rate

Scattered trees

Greaserood + mesquite

Bush 80 chs

Thence North bet secs 4

T 16 S R 13 E

+5-

Var $13^{\circ} 06' E$.

1. Drywash 22 LRs wide
course N.E.
20. Set a post 3 ft long 3 in ϕ
with charred stake 12 in
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16} S$ on W face
dug pits $18 \times 18 \times 12$ in N &
S of post $5\frac{1}{2}$ ft dist and
raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post
Thence East on random
line thro $5\frac{1}{2}$ of sec 24
Var $13^{\circ} 06' E$.
- 13.70 Drywash 22 LRs wide
Course E
20. Set tempy $\frac{1}{16}$ Sec cor
40. Set tempy $\frac{1}{16}$ Sec cor

Subdivisions

- 42.10 Drywash 30 lRr side
course N.E.
60. Set tempy $\frac{1}{16}$ Sec cor
- 79.98 Intersect N + S line 10
lRr S of $\frac{1}{16}$ Sec cor
Thence run $S 89^{\circ}$
 $56'$ W on a true line thro
S $\frac{1}{2}$ of sec 4 with same
var
- 19.99 Set a post 3 ft long 3 ins ϕ
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ ins E
& W of post $5\frac{1}{2}$ ft dist.
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post
- 39.98 Set a post 3 ft long 3 ins ϕ
with charred stake 12 ins in

T 16 S R 13 E

ground for $\frac{1}{16}$ Sec cor dug
 pits $18 \times 18 \times 12$ vis E+W
 of post $5\frac{1}{2}$ ft dist and raised
 mound of earth $1\frac{1}{2}$ ft high,
 $3\frac{1}{2}$ ft base around post, from
 which a mesquite 5 vis in
 draw bears $N 74^\circ W 54$
 lrs dist marked $\frac{1}{16}$ S.B.T.

59.97 Set a post 3 ft long 3 vis of
 with charred stake 12 vis
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on N face dug
 pits $18 \times 18 \times 12$ vis E+W of
 post ^{5 ft dist} and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post

49.98 The $\frac{1}{16}$ Sec cor

Level level

Soil 2nd rate

Scattering trees

Subdivisions

Greasewood and Mesquite
Brush 80 chs

Thence North hit sees
445

Var $13^{\circ} 06' E.$

20. Set a post 3 ft long 3 ins sp
with charred stake 12 ins
in ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4} S$ on W face dug
pits $18 \times 18 \times 12$ ins N + S
of post $5\frac{1}{2}$ ft dist and
raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post. The old cor
obliterated.

Thence East on random
line thro center of see 4

Var $13^{\circ} 06' E.$

20. Set tempy $\frac{1}{16}$ sec cor

T I B S R I B E

40. Set tempy $\frac{1}{4}$ Sec cor
60. Set tempy $\frac{1}{16}$ Sec cor
- 67.10 Dry wash 40 lks wide
course N.E.
- 80.02 Intersect N + S line 11 lks
S. of $\frac{1}{4}$ Sec cor
Thence I run $S 89^{\circ} 55' W$
on a true line thro center
of sec 4 with same var
20. Set a post 3 ft long 3 ins sq
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face dug
pits $18 \times 18 \times 12$ ins E + W
of post $5\frac{1}{2}$ ft dist and
raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post from which a mesquite
tree in drain bears $S 33^{\circ} 10'$
 $E 46$ lks dist marked $\frac{1}{16}$ S.B.T.

Subdivisions

40.01 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ S on N face
dry pits $18 \times 18 \times 12$ ins E
& W of post $5\frac{1}{2}$ ft dist and
raised mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around post

60.01 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dry pits $18 \times 18 \times 12$ ins E
& W of post $5\frac{1}{2}$ ft dist and
raised mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around
post

80.02 The $\frac{1}{16}$ sec cor
Land level
Pool 2nd rate

T I B S R I B E

Scattering trees
 Greasewood & mesquite
 Brush 80 ch.

Thence North let secs
 4 + 5 -

Var $13^{\circ} 06' E$.

6.60 Dry wash 20 lRs wide
 Course East

18.25 Dry wash 40 lRs wide
 Course N. E.

20. Set a post 3 ft long 3 ins dia
 with charred stake 12 ins
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16} S$ on W face
 dug pits $18 \times 18 \times 12$ ins N
 + S of post $5\frac{1}{2}$ ft dist and
 raised mound of earth $1\frac{1}{2}$
 ft high + $3\frac{1}{2}$ ft base around
 post. From which a mes-

Subdivisions

quite 5' into drain bears
 $N 89^{\circ} 45' E$ 41 lks marks
 $\frac{1}{16}$ S.B.T.

Thence East on random
 line thro $N \frac{1}{2}$ of sec 4
 Var $13^{\circ} 06' E$.

9. Dry wash 40 lks wide
 course $N E$.

20. Set tempy $\frac{1}{16}$ Sec cor

40. Set tempy $\frac{1}{16}$ Sec cor

60. Set tempy $\frac{1}{16}$ Sec cor.

79.96 Intersect $N + S$ line 4 lks
 N of $\frac{1}{16}$ Sec cor

Thence run $N 89^{\circ} 58' W$
 on a true line thro $N \frac{1}{2}$ of
 Sec 4 with same var

19.99 Set a post 3ft long 3 ins of
 with charred stake 12 ins in
 ground for $\frac{1}{16}$ Sec cor marked
 $\frac{1}{16} S$ on N face dug pits 18

T 16 S R 13 E

18x12 ins E & W of post
 5 1/2 ft dist and raised a
 mound of earth 1 1/2 ft high
 3 1/2 ft base around post

39.98 Set a post 3 ft long 3 ins of
 with charred stake 12 ins
 in ground for 1/16 Sec cor
 marked 1/16 S on N face dry
 pits 18x18x12 ins E & W
 of post 5 1/2 ft dist and
 raised a mound of earth
 1 1/2 ft high 3 1/2 ft base a-
 round post from which a
 mesquite 6 ins diam
 bears S 89° W 61 lps dist
 marked 1/16 S.B.T.

59.97 Set a post 3 ft long 3 ins of
 with charred stake 12 ins
 in ground for 1/16 Sec cor
 marked 1/16 S on N face

dug pits 18 x 18 x 12 ins
 E + W of post $5\frac{1}{2}$ ft dist
 and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post from
 which a mesquite 4 ins
 diam bears $S 2^{\circ} E 31$
 lrs dist marked $\frac{1}{16}$ S
 B.T.

79.96 The 1/6 Lee cor
 Land level
 Soil 2nd rate
 Scattering trees
 Mesquite Bush 80 ch

X

Thence North bet secs
 4 + 5

Var $13^{\circ} 06' E$
 29.72 Intersect 3rd Standard
 Parallel South 138 lrs

T 16 S R 13 E

West of Standard cor
to sec 32 + 33 T 15 S
R 13 E where I set a
post 4 ft long 4 in sq
with charred stake 12
in in ground for clo-
sing cor to secs 4 + 5
marked

C. C. T 16 S. R 13 E on S
S 4 on E and
S 5 on W faces with
4 notches on E and 2
notches on W faces
dig pits 24 x 18 x 12
in crosswise on each
line 6 ft dist and round
a mound of earth 2 1/2
ft high 5 ft base around
post
Land for 90 chs bet

Subdivisions

Secs 4 + 5 mostly level
 Soil 2nd rate
 Scattered trees
 Mesquite Bush 90 ch

✓
 Feb 10th 1888.

Thence from the cor to secs
 29, 30, 31 + 32 on South
 Boundary of Reservation
 Run North bet secs 29 + 30
 Var $13^{\circ} 06' E$.

- 13.90 Trail bears N.E. + S.W.
 20. ^(cont) ^{set 1/16 Sec} ^{2 times} ^{2 on Run on dots 2 1/2 sec 29.} ~~Set~~tempy 1/16 Sec cor
 34.70 Drywash 50 lks wide
 course N. E.
 40. Settempy 1/16 Sec cor
 60. Settempy 1/16 Sec cor
 68. Drywash 70 lks wide
 course N. E.
 80.84 Intersect N + S line 6 lks
 S of 1/16 Sec cor

T 16 S R 13 E

These I run S 89° 57'
 W on a true line thro 5 1/2
 of sec 29 with same var

20.01 Set a post 3 ft long 3 ins of
 with charred stake 12 ins
 in ground for 1/16 Sec cor
 marked 1/16 S on N face
 dug pits 18 x 18 x 12 ins E
 + W of post 5 1/2 ft dist and
 raised a mound of earth
 1 1/2 ft high 3 1/2 ft base
 around post

40.02 Set a post 3 ft long 3 ins of
 with charred stake 12 ins
 in ground for 1/16 Sec cor
 marked 1/16 S on N face
 dug pits 18 x 18 x 12 ins E
 + W of post 5 1/2 ft dist and
 raised a mound of earth
 1 1/2 ft high 3 1/2 ft base a-

Subdivisions

- round post from which
a mesquite 6 mis in diam
bears $S 52^{\circ} E$ 81 lrs dist
marked $\frac{1}{16}$ S.B.T.

60.03 Set a post 3 ft long 3 mis of
with charred stake 12 mis
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S. on N face
dug pits 18 x 18 x 12 mis E
& W of post $5\frac{1}{2}$ ft dist
and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post from
which a mesquite 4 mis
diam bears $S 44^{\circ} E$ 14
lrs Dist marked $\frac{1}{16}$ S.B.T.

80.04

The $\frac{1}{16}$ Sec cor

Land somewhat rolling

Soil 2nd rate

Scattering trees

T 16 S R 13 E

Mesquite & Palo Verde
Brush 80 chs

Thence West on random
line thro $S \frac{1}{2}$ of Sec 30

Var $13^{\circ} 06' E$.

20. Set tempy $\frac{1}{16}$ Sec cor

40. Set tempy $\frac{1}{16}$ Sec cor

60. Set tempy $\frac{1}{16}$ Sec cor

79.12 Intersect West Boundary
Township 7 lks S of $\frac{1}{16}$
Sec cor

Thence I run $S 89^{\circ}$
 $57' E$ on a true line thro
 $S \frac{1}{2}$ Sec 30 with same var.

19.12 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ ins E +

Subdivisions

W of post $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post

39.12 Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for $\frac{1}{16}$ Sec cor marked $\frac{1}{16}$ S on N face dug pits $18 \times 18 \times 12$ ins E+W of post $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post from which a mesquite 3 ins diam bears $S 87^\circ W$ 48 lks dist marked $\frac{1}{16}$ S.B.T.

39.12 Set a post 3 ft long 3 ins of with charred stake 12 ins in ground for $\frac{1}{16}$ Sec cor marked $\frac{1}{16}$ S on N face dug pits $18 \times 18 \times 12$ ins E+W of post

T 16 S R 13 E

5 1/2 ft dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

79.12

The 1/4 Sec cor

Land somewhat rolling

Soil 2nd rate

Scattering trees

Mesquite & Palo Verde

Brush 80 chs

Thence North bet secs

29 + 30

Var 13° 06' E.

12.50

Dry wash 50 lks wide
course N. E.

20.

Set a post 3 ft long 3 in of
with charred stake 12 in
in ground for 1/4 Sec cor
marked 1/4 S on N face

Subdivisions

dry pits 18 x 18 x 12 mis E
+ W of post $5\frac{1}{2}$ ft dist and
raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post. The old cor
obliterated.

Thence East on a
random line thro center
of sec 29

Var $13^{\circ} 06' E$.

- 14.10 Dry wash 50 lbs rode
course N. E.
20. Set tempy $\frac{1}{16}$ Sec cor
24. old trail bears N. E. + S. W.
40. Set tempy $\frac{1}{4}$ Sec cor
- 47.50 Dry wash 50 lbs rode
course North.
60. Set tempy $\frac{1}{16}$ Sec cor
80. Intersect N + S line 5 lbs
North of $\frac{1}{4}$ Sec cor

Thence run N 89° 58' W
 on a true line thro Sec
 29 with same var

20. Set a post 3 ft long 3 ins. of
 with charred stake 12 ins in
 ground for $\frac{1}{16}$ Sec cor ^{marked}
 $\frac{1}{16}$ S on N face dug pits 18
 x 18 x 12 ins E + W of post
 5 $\frac{1}{2}$ ft dist and raised a
 mound of earth 1 $\frac{1}{2}$ ft high
 3 $\frac{1}{2}$ ft base around post.

40. Set a post 3 ft long 3 ins. of
 with charred stake 12 ins
 in ground for $\frac{1}{4}$ Sec cor
 marked $\frac{1}{4}$ S on N face
 dug pits 18 x 18 x 12 ins E
 + W of post 5 $\frac{1}{2}$ ft dist
 and raised mound of
 earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft
 base around post.

Subdivisions

60. Set a post 3 ft long 3 in of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dig pits 18 x 18 x 12 ins E &
W of post $5\frac{1}{2}$ ft dist. ^{And}
raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base a-
round post from which a
mesquite 4 ins in diam
bears $S 58^{\circ} E 52$ lks dist
marked $\frac{1}{16}$ S.B.T.

80. The $\frac{1}{16}$ Sec cor
Land somewhat rolling
Soil 2nd - rate
Scattering trees
Mesquite & Palo Verde
Brush 80 cks

Thence West on random

T 16 S R 13 E

line thro center of sec 30
Var $130^{\circ} 06' E$

20. Set tempy $\frac{1}{16}$ Sec cor

40. Set tempy $\frac{1}{4}$ Sec cor

60. Set tempy $\frac{1}{16}$ Sec cor

79.08 Intersect West Boundary
Township 9 lbs S of $\frac{1}{4}$ sec
cor

Thence I run S $89^{\circ} 56'$
E on a true line thro cen-
ter of sec 30 with same var.

19.08 Set a post 3 ft long 3 ins up
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor marked
 $\frac{1}{16}$ S on N face dug pits 18
 \times 18 \times 12 ins E + W of post
 $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post
from which a mesquite 3-

Subdivisions

his drain bears $N 67^{\circ} W$
+ 4 lbrs dist marked $\frac{1}{16}$
P. B. T.

39.08 Set a post 3 ft long 3 ins \varnothing
with charred stake 12 ins
in ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ S on N face
dug pits $18 \times 18 \times 12$ ins E
+ W of post $5\frac{1}{2}$ ft dist ^{and}
raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base a
round post.

39.08 Set a post 3 ft long 3 ins \varnothing .
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor ^{marked}
 $\frac{1}{16}$ S on N face dug pits 18
 $\times 18 \times 12$ ins E + W of post $5\frac{1}{2}$
ft dist and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post

T I B S R I 3 E

79.08 The $\frac{1}{4}$ Sec cor
 Land corner at rolling
 Soil 2nd rate
 Scattering trees
 Mesquite & Palo Verde
 Brush 80 chs

Thence North bet secs
 29 and 30
 Var $13^{\circ} 06' E$.

20. Set a post 3 ft long 3 ins
 of with charred stake 12
 ins in ground for $\frac{1}{16}$ sec cor
 marked $\frac{1}{16}$ S on W face dug
 pits $18 \times 18 \times 12$ ins ~~at~~ S.
 of post $5\frac{1}{2}$ ft dist and
 raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
 post from which a mesquite
 4 ins in diam bears $N 41^{\circ} E$

Subdivisions

38 lbs dist marked $\frac{1}{16}$ Sec BT
 Thence East on a random
 line thro $N\frac{1}{2}$ sec 29
 Var $13^{\circ} 06' E.$

20. Set temp $\frac{1}{16}$ Sec cor

26.40 Dry wash 40 lbs wide
 course N.E.

40. Set temp $\frac{1}{16}$ Sec cor

45. old trail bears N.E. + S.W.

57.50 Dry wash 50 lbs wide
 course N.E.

60. Set temp $\frac{1}{16}$ Sec cor

80.09 Intersect N + S line 9 lbs
 P of $\frac{1}{16}$ Sec cor

Thence Run $S 89^{\circ} 56' W$
 on a true line thro $N\frac{1}{2}$ of
 Sec 29 with same var

20.02 Set a post 3 ft long 3 ins eq
 with charred stake 12 ins in
 ground for $\frac{1}{16}$ Sec cor ^{marked}

T 16 S R 13 E

$\frac{1}{16}$ Low N face dry pits 18
 $\times 18 \times 12$ ins E + W of post
 $5\frac{1}{2}$ ft dist and raised a
 mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post.

40.04 - Set a post 3 ft long 3 ins sq
 with charred stake 12 ins
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ Low N face
 $18 \times 18 \times 12$ ins
 dry pits E + W of post $5\frac{1}{2}$
 ft dist and raised mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post

60.06 Set a post 3 ft long 3 ins sq
 with charred stake 12 ins in
 ground for $\frac{1}{16}$ Sec cor marked
 $\frac{1}{16}$ Low N face dry pits
 $18 \times 18 \times 12$ ins E + W of post
 $5\frac{1}{2}$ ft dist and raised a
 mound of earth $1\frac{1}{2}$ ft high

Subdivisions

3 1/2 ft base around post.
 80.09 The 1/16 Sec cor
 Land somewhat rolling
 Soil 2nd rate
 Scattering trees
 tree sprouts & Palo verde
 Brush 80 cts

Thence West on random
 line thro N 1/2 of sec 30
 20. Set tempy 1/16 Sec cor Var 13° 06' E.
 40. Set tempy 1/16 Sec cor
 60. Set tempy 1/16 Sec cor
 79.70 Intersect West Boundary
 of Township 10.05 chains
 S of 1/16 Sec cor
 Thence Run S 82° 46'
 E on a true line thro N
 1/2 of sec 30 with same Var
 19.76 Set a post 3 ft long 3 ins of

T 16 S R 13 E

with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits $18 \times 18 \times 12$ ins E
+ W of post $5\frac{1}{2}$ ft dist and
raised mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around
post.

39.76

Set a post 3 ft long 3 ins of
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor ^{marked}
 $\frac{1}{16}$ S on N face dug pits
 $18 \times 18 \times 12$ ins E + W of
post $5\frac{1}{2}$ ft dist and raised
mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post.

59.76

Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face

BOOK 2001 Subdivisions

dry pits 18 x 18 x 12 ins E
 + or of post $5\frac{1}{2}$ ft dist and
 raised around of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post from which
 a mesquite 4 ins diam
 bears $N 2^{\circ} W$ 14 lbs dist
 marked $\frac{1}{16}$ S.B.T.

79.76 The $\frac{1}{16}$ Sec cor
 Landsowner hat rolling
 Soil 2nd rate
 Scattered trees
 Palo Verde & mesquite
 Brush & chs.

Thence North bet sees
 29 + 30

Var $13^{\circ} 06' E.$

20. Set a post 4 ft long 4 ins of
 with charred stake 12 ins

T 16 S R 13 E

in ground for cor to secs
 19, 20, 29 + 30 marked
 T 16 S, S 20 on NE
 R 13 E, S 29 on SE
 S 30 on SW and
 S 19 on NW faces with
 2 notches on S and 5
 notches on E edges dug
 pits 18 X 18 X 12 ins in
 each section 5 1/2 ft dist
 and raised mound of
 earth 2 ft high 4 1/2 ft
 base around post.

Land for 80 chs bet
 secs 29 + 30 somewhat
 rolling.

Soil 2nd rates

Scattering trees

Mesquite + Palo Verde

Brush 80 chs Feb. 11th 1888.

Subdivisions

Thence East on random
line bet secs 20 + 29

Var $13^{\circ} 06' E$.

20. Set tempy $\frac{1}{16}$ Sec cor

40. Set tempy $\frac{1}{4}$ Sec cor

48.10 Dry wash 50 lbs wide
course N. E.

60. Set tempy $\frac{1}{16}$ Sec cor

80.04 Intersect N + S line 8 lbs
S to cor to secs 20, 21, 28 + 29

Thence S run 89°

56' W on a true line bet secs
20 + 29 with same var

20.01 Set a post 3 ft long 3 ins off
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor marked
 $\frac{1}{16}$ S on N face dug pits
 $18 \times 18 \times 12$ ins E + W of post.
 $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft high

T 16 S R 13 E

3 1/2 ft base around post,
from which a mergrite 6
mils drain bears S 89° E
11 lks dist marked 1/16
S. B. T.

40.02 Set a post 3 ft long 3 ins off
with charred stake 12 ins
in ground for 1/4 Sec cor
marked 1/4 S on N face dug
pits 18 x 18 x 12 ins E + W
of post 5 1/2 ft dist and
raised a mound of earth
1/2 ft high 3 1/2 ft base around
post. The old cor obliterated.

60.03 Set a post 3 ft long 3 ins off
with charred stake 12 ins
in ground for 1/6 Sec cor
marked 1/6 S on N face dug
pits 18 x 18 x 12 ins E + W of
post 5 1/2 ft dist and raised

Subdivisions

mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post.

80.04 The cor to secs 19, 20, 29 & 30.

Land somewhat rolling

Soil 2nd - rate

Scattering trees

Paloverde and Mesquite

Bush 80 chs

Hence West on road down
 line bet secs 19 & 30

Var $13^{\circ} 06'$ E.

20. Set tempy $\frac{1}{16}$ Sec cor

24. 30 Dry mark 90 chs on the
 course N E.

40. Set tempy $\frac{1}{4}$ Sec cor

60. Set tempy $\frac{1}{16}$ Sec cor

78. 98 Intersect West Boundary
 Township 9.96 chs South
 of cor to secs 19, 24, 25 & 30

T 16 S R 13 E

Thence Iron $S 82^{\circ} 49' E$
on a true line bet sec 19
& 20 with same var

19.43

Set a post 3 ft long 3 ins off
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor ^{marked}
 $\frac{1}{16}$ S on N face dug pits
 $18 \times 18 \times 12$ ins E + W of post
 $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base around
post

39.43

Set a post 3 ft long 3 ins off
with charred stake 12 ins
in ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ S on N face ^{dug}
pits $18 \times 18 \times 12$ ins E + W
of post $5\frac{1}{2}$ ft dist and raised
mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post

Subdivisions

The old cor obliterated.

59.43 Set a post 3 ft long 3 ins sq
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor marked
 $\frac{1}{16}$ Sec N face dug pits 18
 $\times 18 \times 12$ ins E+W of post $\frac{1}{2}$
ft diet and raised mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post

79.43 The cor to secs 19 20 29 + 30
Landsowners hat colling
Soil 2nd rate
Scattering trees
Paloverde and mesquite
Brush 80 chs

Thence North bet secs 19
+ 20

Var $13^{\circ} 06' E.$

9.40 Dry wash 60 lb Rasoid

T 16 S R 13 E

course N. E.

20. Set a post 3 ft long 3 ins off
 with charred stake 12 ins in
 ground for $\frac{1}{16}$ Sec cor ^{marked}
 $\frac{1}{16}$ P on **W** face dry pits
 18 x 18 x 12 ins N + S of
 post $5\frac{1}{2}$ ft dist and raised
 a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post.

Thence East on a raw
-down line thro $5\frac{1}{2}$ sec 20

Var $13^{\circ} 06' E.$

17.40 Drywash 50 lbs wide
course N. E.

20. Set tempy $\frac{1}{16}$ Sec cor

40. Set tempy $\frac{1}{16}$ Sec cor

53.50 Drywash 50 lbs wide
course N. E.

60. Set tempy $\frac{1}{16}$ Sec cor

61.20 Drywash 50 lbs wide

Subdivisions

course N. E.

72. Old trail bears N. E.
+ S. W.

80.07 Intersect N + S line 7
l/6 N of 1/16 Sec cor

Thence Iron N 89° 57'
W on a true line thro S 1/2
sec 20 with same bar

20.01 Set a post 3 ft long 3 ins ϕ
with charred stake 12 ins
in ground for 1/16 Sec cor
marked 1/6 S on N face
dug pits 18 X 18 X 12 ins E
& W of post 5 1/2 ft dist and
raised mound of earth
1 1/2 ft high 3 1/2 ft base around
post.

40.03 Set a post 3 ft long 3 ins ϕ
with charred stake 12 ins in
ground for 1/16 Sec cor ^{marked}

T 16 S R 13 E

BOOK

310

2001

$\frac{1}{16}$ Sec on N face dug pits 18
 $\times 18 \times 12$ ins E + W of post
 $5\frac{1}{2}$ ft dist and raised a
mound of earth $\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post

60.04

Set a post 3 ft long 3 ins ϕ
with charred stake, 12 ins

in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ Sec on N face

dug pits $18 \times 18 \times 12$ ins E
+ W of post $5\frac{1}{2}$ ft dist and

raised mound of earth
 $\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base a-

round post

80.07

The $\frac{1}{16}$ Sec cor

Landowner Latrolling

Soil 25th rate

Scattering trees

Mesquite and Palo verde

Bush 80 chs

Subdivisions

Thence West on railroad
line thro S $\frac{1}{2}$ of sec 19
Var $13^{\circ} 06' E$

20. Set tempy $\frac{1}{16}$ Sec cor

40. Set tempy $\frac{1}{16}$ Sec cor

60. Set tempy $\frac{1}{16}$ Sec cor

79.04 Intersect West Boundary
of Township 10.12 abt S of
 $\frac{1}{16}$ Sec cor

Thence Run $S 82^{\circ} 42'$
East on a true line thro S
 $\frac{1}{2}$ Sec 19 with same var

19.55 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face dig
pits $18 \times 18 \times 12$ ins E + W
of post $5 \frac{1}{2}$ ft dist and
raised mound length $1 \frac{1}{2}$ ft
high $3 \frac{1}{2}$ ft base around post.

T 16 S R 13 E

39.55 Set a post 3 ft long 3 ins of
with charred stake 12 ins in
ground for $\frac{1}{16}$ Sec cor marked
 $\frac{1}{16}$ S on N face dug pits
18 x 18 x 12 ins E + W of post
5 $\frac{1}{2}$ ft dist and raised a
mound of earth 1 $\frac{1}{2}$ ft high
3 $\frac{1}{2}$ ft base around post

59.55 Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on N face
dug pits 18 x 18 x 12 ins E
+ W of post 5 $\frac{1}{2}$ ft dist
and raised mound of
earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft
base around post

79.55 The $\frac{1}{16}$ Sec cor
Landowner's controlling
Soil 2nd rate.

Subdivisions

Scattering trees.

Palo Verde and Mesquite

Brush & cbs

Thence North bet sees

19 + 20

Var $13^{\circ} 06' E$

20.

Set a post 3 ft long 3 ins of
with charred stake 12 ins
in ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4} S$ on W face
dug pits $18 \times 18 \times 12$ ins
N + S of post $5\frac{1}{2}$ ft dist
and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post from
which a mesquite 5 ins in
diam bears $N 64^{\circ} W 35'$
lks dist marked $\frac{1}{4} S, B$
T. The old cor obliterated.

T 16 S R 13 E

Thence East on random
line thro centre of sec 20
Var 13° 06' E.

- 20. Set tempy 1/6 Sec cor
- 40. Set tempy 1/4 Sec cor
- 44. Drywash 30 ft roadside
course N
- 51. Drywash 40 ft roadside
course N E.
- 60. Set tempy 1/6 Sec cor
- 80.03 Intersect N + S line 11 W
S of 1/4 sec cor.

Thence down S 89° 55'
W. on a true line thro centre
of sec 20 with same var.

- 20. Set a post 3 ft long 3 ins dia
with charred stake 12 ins
in ground for 1/6 Sec cor
marked 1/6 S on N face
dug pits 18 x 18 x 12 ins E

Subdivisions

+ W of post $5\frac{1}{2}$ ft dist and
 raised mound of earth $1\frac{1}{2}$
 ft high $3\frac{1}{2}$ ft base around
 post from which a magnetic
 H vis drain bears $P 69^\circ$
 E 54 lks dist marked $\frac{1}{16}$
 S. B. T.

H.O. 01 Set a post 3 ft long 3 ins of
 with charred stake 12 ins
 in ground for $\frac{1}{4}$ Sec cor
 marked $\frac{1}{4}$ S on N face
 dug pits $18 \times 18 \times 12$ ins and
 raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post. The old cor
 obliterated.

60.01 Set a post 3 ft long 3 ins of
 with charred stake 12 ins
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on N face

T 16 S R 13 E

BOOK

2001

316

dug pits 18x18x12 in E
+ W of post 5 1/2 ft dist and
raised around open th
1 1/2 ft high 3 1/2 ft base a-
round post.

80.03 The 1/4 Sec cor
Lands corner lot rolling
Soil 2nd rate
Scattering trees
Paloverde and mesquite
Brush 80 chs

Thence West on random
line thro centre of sec 19
Var 13° 06' E.

20. Lettempy 1/16 Sec cor
40. Lettempy 1/4 Sec cor
42.10 Dry wash 30 lR's wide
course N. E.
57.20 Dry wash 40 lR's wide

Subdivisions

course N. E.

60. Let tempy $\frac{1}{16}$ Sec cor
 79.08 Intersect West Boundary
 Township 10.04 chs S of
 * $\frac{1}{4}$ Sec cor

Thence draw $S 82^{\circ} 46' E$
 on a true line thro center of
 Sec 19 with same as

- 19.41 Let a post 3 ft long 3 ins of
 with charred stake 12 ins
 in ground for $\frac{1}{16}$ Sec cor
 marked $\frac{1}{16}$ S on N face
 dig pits $18 \times 18 \times 12$ ins E
 + W of post $5\frac{1}{2}$ ft dist and
 raised a mound of earth $1\frac{1}{2}$
 ft high $3\frac{1}{2}$ ft base around
 post.

- 39.41 Let a post 3 ft long 3 ins of
 with charred stake 12 ins
 in ground for $\frac{1}{4}$ Sec cor

T 16 S R 13 E

marked $\frac{1}{4}$ Sec N face,
dug pits $18 \times 18 \times 12$ mis E +
W of post $5\frac{1}{2}$ ft dist and
raised mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around
post. The old cor obliterated.

59.41 Let a post 3 ft long 3 mis off
with charred stake 12 mis
in ground for $\frac{1}{6}$ Sec cor
marked $\frac{1}{6}$ S on N face dug
pits $18 \times 18 \times 12$ mis E + W
of post $5\frac{1}{2}$ ft dist and raised
mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post

79.41 The $\frac{1}{4}$ Sec cor

Landsowner but rolling

Soil 2nd rate

Scattering trees.

mesquite and Palo Verde

Bush 80 cbs

Subdivision T16 S R13 E

Thence North bet secs

19 + 20

Var $13^{\circ} 06' E$ 14.50 Dry wash 30 lbs wide
course N.E.20. Set a post 3 ft long 3 ins off
with charred stake 12 ins
in ground for $\frac{1}{16}$ Sec cor
marked $\frac{1}{16}$ S on W face
dug pits $18 \times 18 \times 12$ ins N
& S of post $5\frac{1}{2}$ ft dist and
raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
postThence East on random
line thro N $\frac{1}{2}$ of sec 20Var $13^{\circ} 06' E$ 16.70 Dry wash 30 lbs wide
course N.E.20. Set tempy $\frac{1}{16}$ Sec cor

Continued, Book 2002.
Concluded, Book 2003.